

DARK ADVENTURE


-NOTE-

* : VCC(+5V)
 * : VCC(+12V)
 + : GND

#1 : 64P DIN CONNECTOR SOCKET
 #2 : 64P DIN CONNECTOR SOCKET
 #3 : 15P NH CONNECTOR B15P-SHF-1AA
 #4 : 6P VH CONNECTOR B6PS-VH
 #5 : 4P SV CONNECTOR RTB-1.5-4F
 #6 : 40P BOARD MOUNT SOCKET 8540-4500SC
 #7 : JAMMA EDGE 56PIN
 #8 : 330018E
 #9 : 330018E
 #10 : 330018E
 #11 : 330018E
 #12 : 330018E
 #13 : 330018E
 #14 : 330018E
 #15 : 330018E
 #16 : 330018E
 #17 : 330018E
 #18 : 330018E
 #19 : 330018E
 #20 : 330018E
 #21 : 330018E
 #22 : 330018E
 #23 : 330018E

PIN NO. NUMBER/PARTS SIDE
 ALPHABET/SOLDER SIDE
 /A/ A SMALL LETTER

DESIGN	DRW	CHECK	APPROVE	REG. TYPE	SCHEMATIC DIAGRAM
RELEASE DATE	62.5.22	NAME	GX687	RELEASE DATE	62.5.22
SCALE	1:1	TOLERANCE		CODE NO.	100065 1/2



-NOTE-

- ⚡ : VCC(5V)
 ⚡ : VCC(12V)
 ⊥ : GND
- KINDS OF CAPACITOR
 T: TANTALUM
 M: MYLAR
 E: ELECTROLYTIC
 NOMARK: CERAMIC
- CN6: 4P NH CONNECTOR B4P-SHF-1AA
 CN7: 4P NH CONNECTOR B4P-SHF-1AA
 CN8: 4P NH CONNECTOR B4P-SHF-1AA
 JAMMA: JAMMA EDGE 56PIN
 ON/OFF: ON PAGE SIGNAL / OFF PAGE SIGNAL

