

DELL™ E170S & E190S

17-INCH & 19-INCH FLAT PANEL MONITOR



EXCELLENT PRODUCTIVITY AT GREAT VALUE

The Dell E170S & E190S carry forward the E178FP/E198FP value proposition – excellent productivity at great value, and much more!

With an efficient backlight technology, Dell E170S & E190S help to lower your operational cost by using up to 50%¹ less typical power consumption than the predecessors. Not to mention, they are Energy Star[®] compliant, so you know you are getting a monitor with high energy efficiency standard. With such a great value, these monitors are also the ideal solution for those that seek an upgrade from the 15" standard flat panels or traditional CRT monitors.

The Dell E170S & E190S flat panels go through Dell's stringent material selection guidelines that include utilization of Halogen-reduced materials to help protect the environment. Backed with EPEAT Gold rating, the new E170S & E190S offer one of the highest environmental standards at a great value.

Intuitive and user-friendly features such as wall-mounting capabilities (wall-mount equipment sold separately) and panel tilt with support of 4° forward and 21° backward presents an added edge of versatility that will help give you the optimum visual experience you need to be at your best.

Help maximize your display investment with the excellent quality and reliability of Dell E170S & E190S flat panel monitors.



EXCELLENT FRONT-OF-SCREEN PERFORMANCE AND EASY CONNECTIVITY

- 1280 x 1024 resolution provides spacious content area to help reduce scrolling up/down or left/right.
- 800:1 (typical) contrast ratio enables vivid color detail and great color accuracy.
- 5ms (typical) response time allows display of crisp images in fast motion video such as gaming or video editing.
- 250cd/m² (typical) brightness for outstanding and clear image display.
- Video Graphics Array (VGA) connectivity helps ensure compatibility with most computing systems.

DESIGNED FOR COMFORT AND CONVENIENCE

- Slim black bezel fits into most office environments and desktops.
- Easy panel detachment from stand with wall-mounting capabilities. (VESA standard 100mm, wall-mount sold separately).
- Panel tilt support (forward and back) designed to enable maximum comfort.

ASSET MANAGEMENT CAPABLE

- Enables remote access, management & control of displays via Dell™ enterprise management console.
 - ✓ Remotely retrieve EDID information such as model, serial number, display setup & others for asset tracking.
 - ✓ Remote power off mode.
 - ✓ Remotely restore factory default setting. Options include default all, color default, and luminance/contrast default.
 - ✓ Remote control of luminance and contrast.

Note: You can use the Dell Client Manager 3.0 on your Dell monitor for asset management.


DELL ENTRY SERIES E1910 19" MONITOR

16:10 WIDE FORMAT




14.32" Height

UPGRADE TO:




E1709W-17"

FEATURED MONITOR:



E1910-19"


COMPARE TO:



E2009W-20"


MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	19 inches
Horizontal	16.08 inches
Vertical	10.05 inches
Aspect Ratio	16:10
Viewing Angle (vert./horiz.)	160°/160° (typical)
Contrast Ratio	1000:1 (typ)
Color Gamut (typical)	83% (CIE 1976) / 72% (CIE 1931) ¹
Panel Technology	TN (Twisted Nematic)
Maximum Resolution	1440 x 900 at 60 Hz
Soundbar (optional)	AX510PA
Bezel Color	Black/Silver
Height (compressed/locked)	14.32 inches
Width	17.45 inches
Depth	5.78 inches
Weight (monitor+cables)	11.11 lbs
GSA/TAA Availability	Yes
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: VGA, DVI

PERIPHERAL PORTS



- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer)
- E** USB ports **UNAVAILABLE**

ADJUSTMENT FEATURES*



Tilt
(4° forward and 21° backwards)

*Product above is for illustrative purposes only.



¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).

² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.

³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

Why Dell Monitors?

TECHNOLOGY LEADERSHIP

Dell constantly strives to provide the greatest and latest in display innovations, bringing relevant, customer-driven technology to you for an excellent viewing experience.

UNCOMPROMISING VALUE

Dell monitors are designed to exacting standards and manufactured by the world's foremost suppliers, consistently delivering outstanding performance, quality and reliability.

WORLD CLASS SERVICE & SUPPORT

Enjoy the exceptional service and support that you have come to expect from the Dell brand. We provide accountability, a single point of contact and the peace of mind of purchasing from a stable and reliable technology partner.

EPEAT GOLD REGISTERED



Through our commitment to help protect the environment, Dell E170S & E190S are EPEAT Gold registered. Electronic Product Environment Assessment Tool (EPEAT) is a set of performance criteria that evaluates environmental attributes for both public and private sectors.

ENERGY EFFICIENCY



As an Energy Star®-compliant partner, Dell offers flat panel monitors that are designed to reduce power requirements which can result in energy savings without sacrificing performance.

ENVIRONMENTALLY-PREFERABLE MATERIALS

Dell proactively eliminates environmentally sensitive substances from our products wherever there are viable alternatives and we design products that are easily recyclable. The Dell E170S & E190S external chassis also comprise of more than 25% post-consumer recycled plastics to reduce environmental impact.

Halogen-Reduced

As part of Dell's continuous efforts to eliminate the use of environmentally sensitive materials in our products, the Dell E170S and E190S offers multiple printed circuit boards containing "halogen-free" laminates (per JPCA ES-01-1999), as well as "halogen-free" chassis plastics.

RECYCLING



Dell recommends that customers dispose of their used computer hardware, including monitors, in an environmentally sound manner. Potential methods include reuse of parts or whole products and recycling of product, components and/or materials. For more information, please visit http://dell.com/recycling_programs and www.dell.com/environment

DETAILED SPECIFICATIONS Dell™ E170S & E190S Flat Panel Monitor

DISPLAY	E170S	E190S
Viewable Image Size	17" diagonal	19" diagonal
Preset Display Area	Horizontal : 337.9 mm (13.3") Vertical : 270.3 mm (10.6")	Horizontal : 376.3 mm (14.8") Vertical : 301.1 mm (11.8")
Maximum Resolution	1280 x 1024	1280 x 1024
Pixel Pitch	0.264 mm	0.294 mm
Brightness (Typical)	250cd/m ²	
Color Gamut (Typical)	85% (CIE1976) ²	85% (CIE1976) ²
Contrast Ratio (Typical)	800:1	
Viewing Angle (Typical)	160° (horizontal)/160° (vertical)	
Response Time (Typical)	5 ms	
Panel Type & Surface	TN, Anti-glare with hard-coat 3H	
CONNECTIVITY		
Available Connectors	VGA (Analog)	
Remote Asset Management	Yes, enabled when used with Dell computers in a network managed by Dell Client Manager	
DESIGN FEATURES		
Tilt	Yes – 4° forward, 21° backward	
VESA Mounting Support	Yes (100mm)	
Security	Slot for security cable lock	
POWER		
AC input-voltage / frequency / current	100 to 240 VAC / 50-60 Hz / 1.6 A (RMS) Max.	
Power Consumption (Typical, Max)	17W, 25W	19W, 25W
Power Used in Sleep Mode	Less than 1 W	
DIMENSIONS & WEIGHT		
Dimension with stand (H x W x D)	380.6 x 374.5 x 136.9 mm 14.98 x 14.74 x 5.39"	411.2 x 412.7 x 144.4 mm 16.19 x 16.25 x 5.67"
Weight without stand assembly (For VESA mount considerations)	3.04 kg (6.70 lbs)	3.94 kg (8.67 lbs)
Weight with stand assembly and cables	4.31 kg (9.5 lbs)	5.06 kg (11.13 lbs)
Weight with Packaging	5.21 kg (11.5 lbs)	6.27 kg (13.79 lbs)

WARRANTY

3 Years Advanced Exchange Service³ and Limited Hardware Warranty⁴

¹ Based on Dell E190S typical power consumption of 19W and Dell E198FP typical power consumption of 38W.

² Dell E170S and E190S color gamut (typical) is based on CIE 1976 (85%) and CIE1931 (72%) test standards.


³ Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

⁴ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.



DELL ENTRY SERIES E1910H 19" MONITOR

16:9 WIDE FORMAT



UPGRADE TO:
E2010H-20"

FEATURED MONITOR:
E1910H-19"

COMPARE TO:
E1709W-17"

MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	18.5 inches
Horizontal	16.1 inches
Vertical	9.07 inches
Aspect Ratio	16:9
Viewing Angle (vert./horiz.)	160°/160° (typical)
Contrast Ratio	1000 to 1 (typical)
Color Gamut (typical)	83% (CIE 1976) / 72% (CIE 1931) ¹
Panel Technology	TN (Twisted Nematic)
Maximum Resolution	1366 x 768 at 60 Hz
Soundbar (optional)	AX510PA
Bezel Color	Black
Height (compressed/locked)	13.36 inches
Width	17.48 inches
Depth	6.13 inches
Weight (monitor+cables)	8.52 lbs
GSA/TAA Availability	No
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: VGA

PERIPHERAL PORTS

- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer) **UNAVAILABLE**
- D** VGA (alternative monitor to computer)
- E** USB ports **UNAVAILABLE**

ADJUSTMENT FEATURES*

Tilt
(4° forward and 21° backwards)

*Product above is for illustrative purposes only.



¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).
² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.
³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

DELL PROFESSIONAL SERIES P190S 19" MONITOR

5:4 STANDARD FORMAT



UPGRADE TO:

2009W-20"

FEATURED MONITOR:

P190S-19"

COMPARE TO:

P170S-17"

MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	19 inches
Horizontal	14.8 inches
Vertical	11.8 inches
Aspect Ratio	5:4
Viewing Angle (vert./horiz.)	160°/170° (typical)
Contrast Ratio	800:1 (typ)
Color Gamut (typical)	85% (CIE 1976) / 72% (CIE 1931) ¹
Panel Technology	TN (Twisted Nematic)
Maximum Resolution	1280 x 1024 at 60 Hz
Soundbar (optional)	AX510
Bezel Color	Black
Height (compressed/locked)	14.26 inches
Width	16.15 inches
Depth	7.17 inches
Weight (monitor+cables)	14.08 lbs
GSA/TAA Availability	Yes
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: USB, VGA, DVI

PERIPHERAL PORTS

- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer)
- E** USB ports

ADJUSTMENT FEATURES*

- Tilt** (4° forward and 21° backwards)
- Pivot from landscape to portrait position** (90° pivot)
- Swivel left & right**
- Height adjustable stand**

*Product above is for illustrative purposes only.




¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).

² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.

³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

DELL ENTRY SERIES E2010H 20" MONITOR

16:9 WIDE FORMAT



14.30" Height

UPGRADE TO:



E2210H-22"

FEATURED MONITOR:



E2010H-20"


COMPARE TO:



E1910H-19"


MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	20 inches
Horizontal	17.4 inches
Vertical	9.8 inches
Aspect Ratio	16:9
Viewing Angle (vert./horiz.)	160°/170° (typical)
Contrast Ratio	1000:1 (typ)
Color Gamut (typical)	83% (CIE 1976) / 72% (CIE 1931) ¹
Panel Technology	TN (Twisted Nematic)
Maximum Resolution	1600 x 900 at 60 Hz
Soundbar (optional)	AX510PA
Bezel Color	Black
Height (compressed/locked)	14.30 inches
Width	18.94 inches
Depth	5.98 inches
Weight (monitor+cables)	10.67 lbs
GSA/TAA Availability	No
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: VGA, DVI

PERIPHERAL PORTS



- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer)
- E** USB ports **UNAVAILABLE**

ADJUSTMENT FEATURES*



Tilt
(4° forward and 21° backwards)

*Product above is for illustrative purposes only.



¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).

² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.

³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

DELL ENTRY SERIES E2210 22" MONITOR

16:10 WIDE FORMAT



22" VIS
16.01" Height

UPGRADE TO:



E2310H-23"

FEATURED MONITOR:



E2210-22"


COMPARE TO:



E2009W-20"


MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	22 inches
Horizontal	18.65 inches
Vertical	11.66 inches
Aspect Ratio	16:10
Viewing Angle (vert./horiz.)	160°/170° (typical)
Contrast Ratio	1000:1 (typical)
Color Gamut (typical)	83% (CIE 1976) / 72% (CIE 1931) ¹
Panel Technology	TN (Twisted Nematic)
Maximum Resolution	1680 x 1050 at 60 Hz
Soundbar (optional)	AX510PA
Bezel Color	Black/Silver
Height (compressed/locked)	16.01 inches
Width	20.13 inches
Depth	6.44 inches
Weight (monitor+cables)	13.27 lbs
GSA/TAA Availability	Yes
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: VGA, DVI

PERIPHERAL PORTS



- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer)
- E** USB ports **UNAVAILABLE**

ADJUSTMENT FEATURES*



Tilt
(4° forward and 21° backwards)

*Product above is for illustrative purposes only.



¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).

² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.

³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

Dell
UltraSharp™
U2211H 21.5"W
Monitor



**Why Dell UltraSharp™
Monitors?**


They don't come any more complete than this.

- Brilliant front of screen performance with In-plane switching technology and full HD
- Designed for maximum viewing comfort
- Excellent connectivity
- Remote monitoring and control
- Quality & Reliability
- Warranty coverage

Whether you need it for everyday personal use or for large organization deployment, the Dell UltraSharp™ U2211H 21.5"W Monitor brings your visuals to life in stunning widescreen clarity, while delivering energy-smart performance. Enjoy amazing clarity and great color consistency from virtually any viewing angle with the Dell UltraSharp™ U2211H 21.5"W Monitor with IPS technology.

Dell UltraSharp™ U2211H 21.5" W Monitor

Designed For Comfort, Convenience
And Ease-Of-Use



Tilt

Height Adjustment



Swivel



Pivot

Dell recommends that customers dispose of their used computer hardware, including monitors, in an environmentally sound manner. Potential methods include reuse of parts or whole products and recycling of product, components and/or materials. For more information, please visit http://dell.com/recycling_programs and www.dell.com/environment

Display

Screen dimensions	54.61cm (21.5 inches)
Preset display area	127,021 sq-mm (196.4 sq-inches)
Horizontal Vertical	475.2mm (18.7 inches) 267.3mm (10.5 inches)
Maximum preset resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.2475mm
Brightness	250 cd/m ² (typical)
Color gamut	82% ¹
Color depth	16.7 million colors
Contrast ratio (typical) Dynamic contrast ratio (typical)	1,000: 1 10,000:1
Viewing angle (vertical/horizontal)	178°/178°
Response Time (typical)	8ms gray-to-gray
Panel type	IPS (In-plane switching)

Connectivity

Other Connectors/Features	DVI-D (HDCP), DisplayPort, VGA, 4 x USB 2.0 ports Slots for security cable lock and anti-theft stand lock (security cables and locks not included)
---------------------------	--

Design Features

Stand	Height adjustable stand with tilt, swivel and pivot features
-------	---

Power

AC input voltage/frequency/current	100 to 240 VAC/50 or 60 Hz ± 3 Hz/1.5 A (typical)
Power consumption (typical)	22W (without audio and USB connections)
Power consumption standby/sleep	Less than 1W

Dimensions (with stand)

Height (compressed)	347.6mm (13.69 inches)
Width	514.4mm (20.25 inches)
Depth	184.1mm (7.25 inches)

Weight

Weight without stand assembly (For wall mount or VESA mount considerations – no cables)	9.97lbs (4.52kg)
Weight with stand assembly and cables	14.22lbs (6.45kg)
Weight with packaging	16.85lbs (7.65kg)

Service & Warranty

3 Years Advanced Exchange Service² & Limited Hardware Warranty³

¹ Color gamut (typical) is based on CIE1976 (82%) and CIE1931 (72%) test standards.

² Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

³ For copy of Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty for details.



DELL GREEN SERIES G2410H 24" MONITOR

16:9 WIDE FORMAT



UPGRADE TO:

U2410-24"

FEATURED MONITOR:

G2410H-24"

COMPARE TO:

G2210-22"

MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	24 inches
Horizontal	20.92 inches
Vertical	11.77 inches
Aspect Ratio	16:9
Viewing Angle (vert./horiz.)	160°/170° (typical)
Contrast Ratio	1000:1 (typ) / 1 million:1 (DCR)
Color Gamut (typical)	80% (CIE 1976) / 68% (CIE 1931) ¹
Panel Technology	TN (Twisted Nematic)
Maximum Resolution	1920 x 1080 at 60 Hz
Soundbar (optional)	AX510PA
Bezel Color	Black
Height (compressed/locked)	16.1 inches
Width	22.47 inches
Depth	6.18 inches
Weight (monitor+cables)	12.17 lbs
GSA/TAA Availability	No
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: VGA, DVI

PERIPHERAL PORTS

- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer)
- E** USB ports **UNAVAILABLE**

ADJUSTMENT FEATURES*

Tilt
(4° forward and 21° backwards)

Height adjustable stand

Swivel left & right

*Product above is for illustrative purposes only.



¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).
² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.
³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

DELL ULTRASHARP™ SERIES U2410 24" MONITOR

16:10 WIDE FORMAT



15.47" Height

UPGRADE TO:



2709W-27"

FEATURED MONITOR:



U2410-24"


COMPARE TO:




2209WA-22"

MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	24 inches
Horizontal	20.41 inches
Vertical	12.75 inches
Aspect Ratio	16:10
Viewing Angle (vert./horiz.)	178°/178° (typical)
Contrast Ratio	1000:1 (typical)
Color Gamut (typical)	110% (CIE 1976) / 102% (CIE 1931), 96% (AdobeRGB Coverage), 100% (sRGB Coverage) ¹
Panel Technology	IPS (In Plane Switching)
Maximum Resolution	1920 x 1200 at 60 Hz
Soundbar (optional)	AX510
Bezel Color	Black
Height (compressed/locked)	15.47 inches
Width	22.03 inches
Depth	7.93 inches
Weight (monitor+cables)	19.93 lbs
GSA/TAA Availability	Yes
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Composite, Component, Cables: USB, VGA, DVI, DisplayPort

PERIPHERAL PORTS




- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer)
- E** USB ports




**DisplayPort
Capable**


ADJUSTMENT FEATURES*




Tilt
(4° forward and 21° backwards)



Pivot from landscape to portrait position (90°pivot)



Swivel left & right



Height adjustable stand

*Product above is for illustrative purposes only.

¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).

² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.

³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.


DELL ULTRASHARP™ SERIES 3007-HCW 30" MONITOR

16:10 WIDE FORMAT



18.49" Height

UPGRADE TO:


3008W-30"

FEATURED MONITOR:



3007-HCW-30"

COMPARE TO:


2709W-27"


MONITOR FEATURE HIGHLIGHTS	
VIS (Viewable Image Size)	30 inches
Horizontal	25.25 inches
Vertical	15.78 inches
Aspect Ratio	16:10
Viewing Angle (vert./horiz.)	178°/178° (typical)
Contrast Ratio	1000:1 (typ)
Color Gamut (typical)	92% (CIE 1931) ¹
Panel Technology	IPS (In-Plane Switching)
Maximum Resolution	2560 x 1600 at 60 Hz
Soundbar (optional)	AX510
Bezel Color	Black
Height (compressed/locked)	18.49 inches
Width	27.26 inches
Depth	7.87 inches
Weight (panel only-no cables)	25.07 lbs
GSA/TAA Availability	Yes
Service & Warranty Plans	3 Years Advanced Exchange Service ² and Limited Hardware Warranty ³
What's in the Box?	Monitor, stand, documentation, Quick Setup Guide, Cables: USB, DVI

PERIPHERAL PORTS




- A** Power connector
- B** Speaker connector
- C** DVI connector (monitor to computer)
- D** VGA (alternative monitor to computer) **UNAVAILABLE**
- E** USB ports


ADJUSTMENT FEATURES*



Tilt
(4° forward and 21° backwards)



Height adjustable stand



Swivel left & right

*Product above is for illustrative purposes only.



¹ Color Gamut (typical) is based on either CIE 1931 or CIE 1976 (85%) test standard (as indicated).
² Advanced Exchange Service: Replacement part/unit dispatched if necessary following completion of phone/online diagnosis and receipt by Dell of defective unit. Availability varies. Other conditions apply.
³ Limited Hardware Warranty: For a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.