

**Domestic Suggested List Price Schedule  
Commercial Ice Machines and Accessories**



**NEW**  
Modular Flakers  
and  
Pearl Ice  
Machines

**Effective Date: March 1, 2010**

# Sizing Your Ice-O-Matic Ice Maker

- Does the existing ice maker meet peak usage during the hottest part of the year?
- What are the various locations or stations in the establishment that will need ice? Will they be serviced from one or multiple ice makers?
- Planning for future growth? If not, consider building in 20% additional capacity on new installations.

Foodservice	Approximate Ice Usage Per Day
<b>Restaurant</b>	1.5 lbs per person
<b>Cocktail</b>	3 lbs per person/seat
<b>Salad Bar</b>	40 lbs per cubic foot
<b>Quick Service</b>	5 oz. per 7- to 10-oz. drink 8 oz. per 12- to 16-oz. drink 12 oz. per 18- to 24-oz. drink
Lodging	Approximate Ice Usage Per Day
<b>Guest Ice</b>	5 lbs per room
<b>Restaurant</b>	1.5 lbs per person
<b>Cocktail</b>	3 lbs per person/seat
<b>Catering</b>	1 lb. per person
Healthcare	Approximate Ice Usage Per Day
<b>Patient Ice</b>	10 lbs per bed
<b>Cafeteria</b>	1 lb. per person
Convenience Store	Approximate Ice Usage Per Day
<b>Beverage</b>	6 oz. per 12-oz. drink 10 oz. per 20-oz. drink 16 oz. per 32-oz. drink
<b>Cold Plate</b>	50% more ice usage per day
<b>Package Ice</b>	Weight per bag x number of bags sold per day

## Ice-O-Matic Installation Considerations

### Allow enough space for:

- The ice maker, bin and water filter
- Air flow

Note: If the ice maker is limited on space, consider a Top Air Discharge unit

### Utilities:

- What are the voltage characteristics of the electrical outlet that will be used for this ice maker?
- Is there a floor drain?
- Water source with water shut-off?
- Are the utilities in close proximity to the ice maker location?














### Remote installation:

- Is there an outdoor condenser location above the ice maker?
- Easy roof access and penetration?
- Maximum precharged tubing line run considerations?

Note: Ice-O-Matic includes a free sea salt corrosion protectant on cuber remote condensers


### Ask about:

- The 7 year warranty on the evaporator if an Ice-O-Matic water filter is purchased with an Ice-O-Matic Cube ice maker and replaced every 6 months (U.S. & Canada only)
- Warranty program
- Preventive maintenance programs


All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight lbs
22" Wide x 23" Tall 		ICE0320A	\$4150	334	249	Air	115/60/1	150
		ICE0320W	\$4150	349	308	Water	115/60/1	160
		ICE0520A 	\$4430	520	370	Air	115/60/1	165
		ICE0520W	\$4430	527	442	Water	115/60/1	175
30" Wide x 20" Tall  *Available with top air discharge		ICE0250A/T*	\$3930	336	253	Air	115/60/1	150
		ICE0250W	\$3930	333	275	Water	115/60/1	150
		ICE0400A/T* 	\$4420	505	368	Air	115/60/1	165
		ICE0400W	\$4420	496	407	Water	115/60/1	165
		ICE0406A	\$4540	529	358	Air	208-230/60/1	165
		ICE0406W	\$4540	523	439	Water	208-230/60/1	165
		ICE0500A/T*	\$4780	600	458	Air	115/60/1	170
		ICE0500W	\$4780	596	513	Water	115/60/1	170
		ICE0500R**	\$4675	567	455	Remote	115/60/1	170
		ICE0606A/T*	\$5440	652	506	Air	208-230/60/1	175
		ICE0606W	\$5430	619	576	Water	208-230/60/1	175
	ICE0606R** 	\$5335	605	502	Remote	208-230/60/1	170	
30" Wide x 26" Tall 		ICE0806A	\$6915	897	666	Air	208-230/60/1	220
		ICE0806W	\$6915	898	784	Water	208-230/60/1	210
		ICE0806R** 	\$6805	913	768	Remote	208-230/60/1	220
		ICE1006A	\$7790	997	780	Air	208-230/60/1	230
		ICE1006W	\$7790	960	856	Water	208-230/60/1	225
		ICE1006R**	\$7680	982	843	Remote	208-230/60/1	235
		ICE1007A	\$7950	930	754	Air	208-230/60/3	230
		ICE1007W	\$7950	935	836	Water	208-230/60/3	230
		ICE1007R** 	\$7840	910	781	Air	208-230/60/3	230
		ICE1406A** 	\$9030	1469	1136	Air	208-230/60/1	310
48" Wide x 26" Tall 		ICE1406W	\$9030	1386	1239	Water	208-230/60/1	280
		ICE1406R**	\$8920	1391	1150	Remote	208-230/60/1	300
		ICE1407A 	\$9190	1458	1131	Air	208-230/60/3	310
		ICE1407W	\$9190	1425	1270	Water	208-230/60/3	280
		ICE1407R**	\$9080	1393	1195	Remote	208-230/60/3	300
		ICE1506R**  (ICE1506 comes with bin thermostat kit)	\$9380	1,432	1216	Remote	208-230/1	300
48" Wide x 26" Tall 		ICE1806W	\$11540	1832	1628	Water	208-230/60/1	310
		ICE1806R**	\$11430	1617	1461	Remote	208-230/60/1	335
		ICE1807W	\$11705	1779	1603	Water	208-230/60/3	310
		ICE1807R**	\$11595	1592	1444	Remote	208-230/60/3	335
		ICE2106W	\$14045	1856	1692	Water	208-230/60/1	310
		ICE2106R**	\$13935	1737	1561	Remote	208-230/60/1	340
		ICE2107W	\$14205	1814	1650	Water	208-230/60/3	310
		ICE2107R**	\$14095	1636	1525	Remote	208-230/60/3	340

\* Available with top air discharge.

\*\* Remote condensers and line sets are required for remote-cooled ice makers. See Remote Condensers on page 7.

ENERGY STAR qualified machine. Please see our website [www.iceomatic.com](http://www.iceomatic.com) for the latest list of ENERGY STAR qualified machines and available rebates 


ICE Series™ Accessories		List Price
KSF	Prison Kit applicable for all Ice-O-Matic	\$210



**Note:** Please specify Half (H) or Full (F) Cube when ordering (see page 4 for details).

# Cube Ice Makers with Built-In Storage Bin

All dimensions in inches	Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	ARI Bin Storage lbs	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
15" Wide x 34" Tall 	ICEU070A	\$3285	84	66	27	Air	115/60/1	88
	ICEU150A 	\$3555	174	112	73	Air	115/60/1	160
24" Wide x 39" Tall 	ICEU150W	\$3555	174	144	73	Water	115/60/1	160
	ICEU220A 	\$3945	238	175	74	Air	115/60/1	160
	ICEU220W	\$3945	251	193	74	Water	115/60/1	160
	ICEU226A	\$4210	241	168	74	Air	208-230/60/1	160
	ICEU226W	\$4210	232	192	74	Water	208-230/60/1	160
	30" Wide x 39" Tall 	ICEU300A 	\$4650	309	228	112	Air	115/60/1
ICEU300W		\$4650	356	296	112	Water	115/60/1	203

ENERGY STAR qualified machine.  Please see our website [www.iceomatic.com](http://www.iceomatic.com) for the latest list of ENERGY STAR qualified machines and available rebates

## KCUC12

Caster kit for ICEU150 or ICEU220. (2" wheel, 2 1/2" total height)


List Price

**\$205**

## Cube Ice Makers

**ICE • 070 6 F • A • 1 • XX**

- Specific Designation
- Design Revision Level
- Condenser Type: A = Air, W = Water, R = Remote, T = Air/Top Air Discharge
- Cube Size: F = Full Cube, H = Half Cube
- Unit electrical characteristics: 0, 6, 7 (see voltage)
- Basic Family Size: 025, 040, 050, 060, etc.
- Model ICE = Modular Cuber Model Series, ICEU = Undercounter Cuber



## ENERGY STAR Rated Ice Makers





## ENERGY STAR Qualified Ice Makers

No.	Model Name	Harvest Rate (Capacity)	Energy Use	Water Use	No.	Model Name	Harvest Rate (Capacity)	Energy Use	Water Use
1	ICEU150HA	112	11.8	34	13	ICE0606HR*	502	6.28	24.9
2	ICEU150FA	112	11.8	34	14	ICE0606FR*	502	6.28	24.9
3	ICEU220HA	175	8.80	30.3	15	ICE0806HR**	768	5.34	21.5
4	ICEU220FA	175	8.80	30.3	16	ICE0806FR**	768	5.34	21.5
5	ICEU300HA	228	8.60	32.9	17	ICE1007HR**	781	5.20	21.9
6	ICEU300FA	228	8.60	32.9	18	ICE1007FR**	781	5.20	21.9
7	ICE0400HA	368	6.10	24.4	19	ICE1406HA	1136	5.06	20.5
8	ICE0400FA	368	6.10	24.4	20	ICE1406FA	1136	5.06	20.5
9	ICE0400HT	357	6.30	25	21	ICE1407HA	1131	5.04	19.6
10	ICE0400FT	357	6.30	25	22	ICE1407FA	1131	5.04	19.6
11	ICE0520HA	370	5.90	23.1	23	ICE1506HR†	1216	4.63	19.5
12	ICE0520FA	370	5.90	23.1	24	ICE1506FR†	1216	4.63	19.5

Please see our website [www.iceomatic.com](http://www.iceomatic.com) for the latest list of ENERGY STAR qualified machines and available rebates.

\*In use with condensing unit 1061. \*\*In use with condensing unit 2061. †In use with condensing unit 2661.

All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	ARI Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
21" Wide x 27" Tall 		GEM0450A	\$5750	464	354	Air	115/60/1	205
		GEM0450W	\$5750	508	429	Water	115/60/1	220
		GEM0650A	\$7350	717	522	Air	115/60/1	205
		GEM0650W	\$7350	715	633	Water	115/60/1	220
		GEM0650R*	\$7245	684	582	Remote	115/60/1	220
		GEM0956A	\$9215	1053	753	Air	208-230/60/1	290
		GEM0956W	\$9215	1053	877	Water	208-230/60/1	290
		GEM0956R*	\$9110	1011	833	Remote	208-230/60/1	290
15" Wide x 34" Tall 		GEMD270A	\$7085	273	198	Air	115/60/1	161

\*Note: See page 7 for Remote Condenser options.

**Pearl Ice<sup>®</sup> Makers - Dispenser Application Chart**

Dispenser Model	GEM0450	GEM0650	GEM0956
Ice-O-Matic IOD150	KBT15022 + KGEMDIV	KBT15022 + KGEMDIV	KBT15022 + KGEMDIV
Ice-O-Matic IOD200 or IOD250	KBT25022 + KGEMDIV + KGEBIOD	KBT25022 + KGEMDIV + KGEBIOD	KBT25022 + KGEMDIV + KGEBIOD
Cornelius ED or DF150	KBT15022 + R629088514 (Cornelius)	KBT15022 + R629088514 (Cornelius)	KBT15022 + R629088514 (Cornelius)
Cornelius ED or DF200	KBT25022 + KGEM200	KBT25022 + KGEM200	KBT25022 + KGEM200
Cornelius ED or DF250	KBT25022 + KGEM250	KBT25022 + KGEM250	KBT25022 + KGEM250

**Pearl Ice<sup>®</sup> Makers Accessories (required per the following configurations)**




Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs
KBT19	Bin kit for 22" ICE and GEM Series on a 30" Bin	\$300	22
KBT22	Bin Kit for (2) GEM0450, (2) GEM0650 or (2) GEM0956 on a 48" Bin	\$455	33
KBT23	Bin Kit for (1) GEM0450, (1) GEM0650, or (1) GEM0956 on 48" Bin	\$455	33
KBT24	Bin Kit for (1) GEM0450, (1) GEM0650 or (1) GEM0956 on a 22" Bin	\$125	10
KBT15022*	Adapter and bin level kit for 22" cubers and GEM only ice makers on IOD150	\$435	12
KBT25030*	Adapter and bin level kit for 30" cubers and GEM only ice makers on IOD200, 250	\$435	13
KBT25022*	Adapter and bin level kit for 22" cubers and GEM only ice makers on IOD200, 250	\$435	28
KGEMDIV*	Field installed Gem ice diverter kit for all IOD (ED and DF) dispensers	\$105	1
KGEMBIOD*	GEM Ice-level kit for all IOD dispensers with GEM ice maker	\$135	2
KGEM200*	Kit, Ice Slide, Ice Level Control & KGEMDIV for Cornelius ED or DF 200	\$395	5
KGEM250*	Kit, Ice Slide, Ice Level Control & KGEMDIV for Cornelius ED or DF 250	\$395	5

Pearl Ice<sup>®</sup> Makers

GEM • 095 • 6 • A — A=Air Cooled, W=Water Cooled, R=Remote Condenser  
 — Voltage  
 — Ice production Approximately 950 lbs.  
 — Modular Pearl Ice





# Flake Ice Makers with Built-In Storage Bin

All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	Ice Production lbs/24 hr @ 90°F Air 70°F Water	Bin Storage lbs	Voltage Characteristics	Approx. Shipping Weight-lbs
32" Wide x 41" Tall		EF250A32S	\$6590	400	319	143	115/60/1	240
		EF450A32S	\$6770	472	360	143	115/60/1	250
38" Wide x 41" Tall		EF250A38S	\$7060	400	319	213	115/60/1	250
		EF450A38S	\$7315	472	360	213	115/60/1	260
		EF800A38S	\$8595	772	616	213	115/60/1	290
48" Wide x 41" Tall		EF450A48S	\$8015	472	360	315	115/60/1	300
		EF800A48S	\$9475	772	616	315	115/60/1	325


Note: All condensing units are AIR cooled.

# Flake Ice Makers Modular

All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	Ice Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
21" Wide x 27" Tall		MFI0500A	\$5600	540	401	Air	115/60/1	190
		MFI0500W	\$5600	541	456	Water	115/60/1	190
		MFI0800A	\$6990	768	579	Air	115/60/1	200
		MFI0800W	\$6990	859	690	Water	115/60/1	200
		MFI0800R	\$6885	819	675	Remote	115/60/1	200
		MFI1256A	\$8815	1149	845	Air	208-230/60/1	220
		MFI1256W	\$8815	1137	959	Water	208-230/60/1	220
		MFI1256R	\$8710	1054	867	Remote	208-230/60/1	220
42" Wide x 27" Tall		MFI2406LS	\$13465	2365	2000	Remote Low Side	208-230/60/1	255


\*Note: Remote condensers and line sets are required for remote-cooled ice makers. See Remote Condensers on page 7.

# Flake Ice Makers Chassis for EF

All dimensions in inches		Model Number	List Price (\$)	Ice Production lbs/24 hr @ 70°F Air 50°F Water	Ice Production lbs/24 hr @ 90°F Air 70°F Water	Condensing Unit	Voltage Characteristics	Approx. Shipping Weight-lbs
Chassis Only		EF450A	\$6205	472	360	Air	115/60/1	160
		EF800A	\$7205	772	616	Air	115/60/1	160

- EF • 800A • 38 • S**
- Cabinet Finish: S = Stainless Steel
  - Cabinet Size: 32, 38 or 48
  - Condenser Type: A = Air, W = Water, R = Remote
  - Unit electrical characteristics: 0, 6, ...
  - Basic Family Size: (e.g.) 25, 45, 80, etc.
  - Model: EF = Self-Contained Flake Ice Maker, EMF = Modular Flake Ice Maker





All dimensions in inches		Model Number	List Price (\$)	Description	Dimensions WxD.H inches	Condenser Voltage	Approx. Shipping Weight-lbs
For Cube Ice Makers		<b>VRC1001B</b>	<b>\$1415</b>	Remote Condenser for ICE0500	29½ x 29¾ x 39	115/60/1	122
		<b>VRC1061B</b>	<b>\$1425</b>	Remote Condenser for ICE0606	29½ x 29¾ x 39	208-230/60/1	124
		<b>VRC2061B</b>	<b>\$1425</b>	Remote Condenser for ICE0806, ICE1006, ICE1007	29½ x 29¾ x 39	208-230/60/1	124
		<b>VRC2661B</b>	<b>\$1455</b>	Remote Condenser for ICE1406, ICE1407, ICE1506	29½ x 29¾ x 39	208-230/60/1	126
		<b>VRC5061B</b>	<b>\$2035</b>	Remote Condenser for ICE1806, ICE1807, ICE2106, ICE2107	29½ x 29¾ x 39	208-230/60/1	145
For Pearl® & Flake Ice Makers		<b>GRC1001</b>	<b>\$1190</b>	Remote Condenser for GEM0650 or MFI0800	45 x 22½ x 29½	115/60/1	122
		<b>GRC1061</b>	<b>\$1430</b>	Remote Condenser for GEM0956 or MFI1256	45 x 22½ x 29½	208-230/60/1	124

### Precharged Tubing Kits

Model Number	List Price (\$)	Description	Approx. Shipping Weight lbs (kg)
<b>RT325 404</b>	<b>\$335</b>	25 ft. Precharged Tubing Kit for units using R-404A refrigerant	13
<b>RT340 404</b>	<b>\$420</b>	40 ft. Precharged Tubing Kit for units using R-404A refrigerant	18
<b>RT345 404</b>	<b>\$435</b>	45 ft. Precharged Tubing Kit for units using R-404A refrigerant	19
<b>RT360 404</b>	<b>\$510</b>	60 ft. Precharged Tubing Kit for units using R-404A refrigerant	26
<b>RT375 404</b>	<b>\$640</b>	75 ft. Precharged Tubing Kit for units using R-404A refrigerant	33

**Remote Condensers**

**VRC**  
**GRC • 26 6 • 1** — Indicates Single Circuit Condenser  
 — Unit Electrical Characteristics: 0 or 6  
 — Size: Condenser Family Size.  
 — Model: Remote Condenser

All dimensions in inches	Model Number	List Price (\$)	Application Bin Storage lbs	ARI Bin Storage lbs	Bin Dimensions WxDxH inches	Approx. Shipping Weight-lbs
	<b>B25PP</b>	<b>\$1220</b>	242	190	30 x 31 x 28	74
	<b>B40PS</b>	<b>\$1445</b>	344	270	30 x 31 x 37½	120
	<b>B42PS</b>	<b>\$1535</b>	351	275	22 x 31 x 50	128
	<b>B55PS</b>	<b>\$1690</b>	510	400	30 x 31 x 50	148
	<b>B100PS</b>	<b>\$2370</b>	854	670	48 x 31 x 50	191
	<b>B120SP†</b>	<b>\$4795</b>	1142	896	48 x 34 x 54	304
	<b>B120SS†</b>	<b>\$5900</b>	1142	896	48 x 34 x 54	304
	<b>B150SP†</b>	<b>\$5510</b>	1447	1135	60 x 34 x 54	338
	<b>B150SS†</b>	<b>\$6790</b>	1447	1135	60 x 34 x 54	338
	<b>B170SP†</b>	<b>\$5910</b>	1807	1417	60 x 34 x 66	390
<b>B170SS†</b>	<b>\$7140</b>	1807	1417	60 x 34 x 66	390	
	<b>CRT125</b>	<b>\$1190</b>	94	74	24 x 24 x 34	90

†Bin Top is included free of charge for each Flake or Cube Ice Maker if B120, 150 or 170 bin, Bin Top and ice maker accompanying the bin are ordered together and on the same order. An order that does not indicate a specific ice maker for each B120, 150 or 170 bin, and orders that consist of individual Bin Tops, are subject to List Pricing.

## Bin Tops For combining wider bins with smaller models

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs
<b>KBT5</b>	Bin Kit for (1) 30" ICE Series™ Cuber on a 48" Bin	<b>\$410</b>	30
<b>KBT19</b>	Bin kit for 22" ICE, MFI and GEM Series on a 30" Bin	<b>\$300</b>	22
<b>KBT22</b>	Bin Kit for (2) GEM or (2) MFI Series on a 48" Bin	<b>\$455</b>	33
<b>KBT23</b>	Bin Kit for (1) GEM or (1) MFI Series on 48" Bin	<b>\$455</b>	33
<b>KBT24</b>	Bin Kit for (1) GEM or (1) MFI on a 22" Bin	<b>\$125</b>	10
<b>KBT26</b>	Bin Kit for (1) MFI2406 on a 48" Bin	<b>\$235</b>	8

**Bins**

**B • 55 • PS**

PS/SP/S = Stainless Steel/Galvanized Exterior, SS = All Stainless Steel Exterior, PP = Plastic Exterior

Approx. Size: 55= 550 lbs. capacity

Model B = Bin



## Kits for combining wider bins with smaller models

60Hz	Model No. Capacity Width	B25 255 lbs 30 in.	B40 365 lbs 30 in.	B42 374 lbs 22 in.	B55 556 lbs 30 in.	B100 927 lbs 48 in.	B120 1193 lbs 48 in.	B150 1499 lbs 60 in.	B170 1866 lbs 60 in.
■	MFI0500	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	MFI0500 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	MFI0800	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	MFI0800 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	MFI1256	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	MFI1256 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	MFI2406LS	N/A	N/A	N/A	N/A	KBT26	●●	●●	●●
■	GEM0450	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	GEM0450 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	GEM0650	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	GEM0650 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	GEM0956	KBT19	KBT19	KBT24	KBT19	KBT23	KBT23	N/A	N/A
■	GEM0956 (2)	N/A	N/A	N/A	N/A	KBT22	KBT22	N/A	N/A
■	ICE0250	●●	●●	N/A	●●	KBT 5	■	●●	●●
■	ICE0320	KBT 19	KBT 19	●●	KBT 19	N/A	N/A	N/A	N/A
■	ICE0400	●●	●●	N/A	●●	KBT 5	■	■	■
■	ICE0406	●●	●●	N/A	●●	KBT 5	■	■	■
■	ICE0500	●●	●●	N/A	●●	KBT 5	■	■	■
■	ICE0520	KBT 19	KBT 19	●●	KBT 19	N/A	N/A	N/A	N/A
■	ICE0606	●●	●●	N/A	●●	KBT 5	■	■	■
■	ICE0806	●●	●●	N/A	●●	KBT 5	■	■	■
■	ICE1006	●●	●●	N/A	●●	KBT 5	■	■	■
■	ICE1406	N/A	N/A	N/A	N/A	●●	●●	●●	●●
■	ICE1506	N/A	N/A	N/A	●●	N/A	N/A	N/A	N/A
■	ICE1806	N/A	N/A	N/A	N/A	●●	●●	●●	●●
■	ICE2106	N/A	N/A	N/A	N/A	●●	●●	●●	●●

- Kit not required
- Filler Kit Required

Note: 30" wide cubers combined with a B120, B150 or B170 must be specified when ordering.





All dimensions in inches	Model Number	List Price (\$)	Dispenser Operated by	Dimensions WxDxH-inches	ARI Bin Storage lbs	Voltage Characteristics	Approx. Shipping Weight-lbs
22 1/4" Wide x 35 5/8" Tall 	IOD150	\$4590	Cup Activated	22 1/4 x 30 11/16 x 35 5/8	150	115/60/1	139
	IOD200	\$5495	Cup Activated	30 1/4 x 30 11/16 x 35 5/8	200	115/60/1	190
30 1/4" Wide x 35 5/8" Tall 	IOD250	\$6600	Cup Activated	30 1/4 x 30 11/16 x 39 5/8	250	115/60/1	195

### Accessories: Ice Dispensers

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs
KBT15022	Adapter and bin level kit for 22" cubers and Pearl Ice makers on IOD150	\$435	12
KBT25030	Adapter and bin level kit for 30" cubers and Pearl Ice makers on IOD200, 250	\$435	13
KBT25022	Adapter and bin level kit for 22" cubers and Pearl Ice makers on IOD200, 250	\$435	28
KGEMDIV	Field installed Gem ice diverter kit for all IOD (ED and DF) dispensers	\$105	1
KGEMBIOD	GEM Ice-level kit for all IOD dispensers with GEM ice maker	\$135	2
KWGFID	Water glass filler kit for IOD150, 200, 250 (Field installed only)	\$300	2



All dimensions in inches	Model Number	List Price (\$)	Dispenser Operated by	Dimensions WxDxH inches	ARI Bin Storage-lbs	Voltage Characteristics	Approx. Shipping Weight-lbs
22" Wide 	CD40022	\$4585	Push	22 x 33 1/2 x 53 1/4	120	115/60/1	200
	CD40030	\$5395	Push	30 x 33 1/2 x 53 1/4	180	115/60/1	230
30 1/4" Wide 	CD40130	\$5935	Push / Water	30 x 33 1/2 x 53 1/4	180	115/60/1	230
	CD40230	\$6015	Coin / Token	30 x 33 1/2 x 53 1/4	180	115/60/1	230

### Accessories: Hotel Dispensers

Model Number	Description	List Price (\$)	Approx. Shipping Weight lbs (kg)
TKNS	500 tokens for use with CD40230	\$200	7

Model CD40030, 40130, 40230 Dispensers accept only 30" wide Ice Series™ Cube Ice Makers (excluding the ICE1506)  
Model CD40022 Dispensers accept only 22" wide Ice Series™ Cube Ice Makers

**Note #1: CD40022 and CD40030 Series units do not require an Adapter and Bin Level Kit**




**Note #2: Water dispensers and coin / token mechanisms cannot be field installed on the CD40130 or CD40230 Series Dispensers**

**Note #3: CD40130 and CD40230 Series Dispensers cannot have a water dispenser and coin / token mechanism on the same machine**

**Note #4: The CD40230 accepts 1 US Quarter or token only. Multiple coin / token mechanism can be special-ordered and field-installed at additional cost. Contact Ice-O-Matic for more details.**

**Note #5: No adaptor for 22" wide machine on 30" dispensers.**



All dimensions in inches		Model Number	List Price (\$)	Description	Flow Rate Max gpm	Pressure Max. psi	Max Operating Temp F°	Micro Rating	Approx Shipping Weight-lbs
Single Filter	 <b>IFQ1</b> 15"H x 6"W X 4"D	IFQ1*	\$320	Single filter	1.5	125	100	1	4
		Dual Filter	 <b>IFQ2</b> 16"H x 10"W X 6"D	IFQ2*	\$780	Dual filter	3.0	125	100
Inline Filter	 <b>IFI4C, IFI8C</b> 11" x 2.5"	IFI4C*		\$120	Single Inline Cartridge ¼" Compression	1.0	100	100	10
		IFI8C*	\$120	Single Inline Cartridge ⅜" Compression	1.0	100	100	10	2

Optional water pressure gauges included with IFQ1 and IFQ2 filtration Systems

### IOM Replacement Cartridges

Model Number	List Price (\$)	Description
IOMQ	\$120	Single quick-twist replacement cartridge for IFQ1 or IFQ2

#### Filter Cartridge Features:

- Inhibit the formation of scale
- Remove dirt and sediment
- Reduce chlorine and taste & odor

Ice-O-Matic recommends the use of water filtration with all ice making products..

### Filter System Sizing Chart

Ice-O-Matic Cube Ice Maker	Ice-O-Matic Flake Ice Maker	Ice-O-Matic Pearl Ice® Maker	Recommended Ice-O-Matic Water Filter
ICEU070, 150, 220, 226, 300, ICE0250, 0320, 0400, ICE0406, 0500, 0520, 0606	EF250, EF450	GEM0450	IFQ1 (Single Manifold cartridge Filter System) IFI4C or IFI8C (Single inline Filter System)
ICE0806	MFI0800, EF800	GEM0650, GEM0956	IFQ1 (Single Manifold cartridge Filter System)
ICE1006, 1406, 1506, ICE 1806, 2106	MFI1256, MFI2406		IFQ2 (Dual Manifold cartridge Filter System)

### Water Filtration Systems

**IFI • 4 • C** — Fitting Type: C = Compression  
 — Fitting Size: 4 = 1/4", 8 = 3/8"  
 — Filter Type: IFI = Ice-O-Matic Filter, INLINE TYPE

**IFQ • 1** — Number of Cartridges: 1 = Single, 2 = Dual  
 — Filter Type: IFQ = Ice-O-Matic Filtration System, IFQ Series

**\*7 year evaporator warranty!** (see page 11 for details)

# General Information

## Terms and Conditions

- Suggested list prices are F.O.B. Denver, Colorado.
- This price list is effective March 1, 2010 and supersedes all previous price schedules.
- Specifications and prices are subject to change without notice.
- ARI certification is based on 90 degrees air and 70 degrees water.
- All height dimensions of bins and ice makers with built-in storage include the height of the legs or caster where applicable.
- Domestic purchase of any Ice-O-Matic equipment shipping outside the United States will include a 6% up-charge.

## Ice Maker Warranty

Every Ice-O-Matic Ice Maker is backed by a warranty that provides both parts and labor coverage.

### Cube Ice Makers – ICE Series

- Three years Parts and Labor.
- Five years Parts coverage on the evaporator and the compressor.
- *Seven years Parts and Labor on the evaporator when you purchase an Ice-O-Matic water filter with your cube ice maker and replace the filter every 6 months (available in the U.S.A. and Canada only).*

### Flake Ice Makers – EF and MFI Series

- EF Undercounter- Two years Parts and Labor.
- MFI Modular- Three years Parts and Labor.
- EF/MFI- Five years Parts coverage on the compressor.

### Pearl Ice® Makers – GEM Series

- Modular- Three years Parts and Labor.
- Countertop Dispenser- Two years Parts and Labor.
- Modular/Dispenser- Five years Parts coverage on the compressor.

### Dispensers – CD and IOD Series

- IOD Countertop Dispensers- Two years parts warranty and One year labor warranty.
- CD Hotel Dispensers- Three years Parts and Labor warranty.

### Storage Bins- B Series

- Two years Parts and Labor warranty.

### Water Filter Manifold Systems

- One year Parts and Labor warranty (excluding cartridges).

## Water Filtration System Extended Warranty Program

- Buy a new Ice-O-Matic IFQ Series Water Filtration System with a new ICE Series™ Cube Ice Maker, replace the filter cartridge every 6 months, and Ice-O-Matic will extend the limited cuber evaporator warranty to 7 years parts and labor.
- New ice maker and filter must be installed at the same time.
- Must send in both the ice maker and water filter registration cards within 10 days of installation. Registration card must include the filter serial number(s).
- Must send in additional registration card for each new replacement cartridge installed (replacement cartridges have individual serial numbers). This must be done every 180 days (6 months) or less.
- Program is available with all IFQ1, IFQ2, IFI4, and IFI8 filter systems.
- Replacement cartridge must be an Ice-O-Matic replacement cartridge IOMQ or IOMWFRC (See sizing chart for cartridge requirements).
- Available in the USA and Canada only.

## About Ice-O-Matic

Located in Denver, Colorado, Ice-O-Matic manufactures a wide range of commercial ice making products including cube ice makers, flaked ice makers, storage bins, dispensers and water filters. Since 1952, we have been developing new technologies and programs, such as the introduction of AgION® Antimicrobial Compound in our ICE Series cube ice makers and our extended warranty water filter program, which have resulted in the creation of products that are more efficient for business and safer for the environment.

## Ice with a Clear Conscience



### Plant-a-Tree Program

As part of our commitment to the global environment, Ice-O-Matic is devoted to sustainability in every aspect of our business. To ultimately offset the carbon footprint of our factory in Denver, we not only use recycled materials in our packaging and manufacturing, but also recycle our industrial and office waste products. More important, we plant a tree for every ice machine we sell to contribute to the reforestation of key regions throughout the world. Our goal is to plant 150,000 trees through our Global Sustainability program. In just a couple of months, we will plant enough trees to offset the entire carbon footprint of our factory, and by the end of our program, we will have planted enough trees to absorb the CO<sub>2</sub> emissions from more than 15 factories like Ice-O-Matic each year. Trees reduce topsoil erosion, prevent harmful land pollutants from getting into our waterways, and replace air pollutants with fresh, clean oxygen.

Now, you can do your part to help the environment when you buy an Ice-O-Matic ice machine.



### ENERGY STAR®

Many Ice-O-Matic models have earned an EPA ENERGY STAR® rating. This distinction is recognized by a growing number of states, municipalities, and energy companies in the form of incentives and rebates. To find out if you are eligible for tax credits, visit [www.energystar.gov](http://www.energystar.gov).



### Pure Ice Program

1. 7-year Warranty—Utilize Ice-O-Matic water filters and change them every 6 months, and the evaporator warranty is extended to 7 years—the only 7-year warranty in the industry.
2. Filter/Cleaning Reminders—Receive free reminders via mail every 6 months for filter changes to ensure that the warranty is valid.
3. AgION® Antimicrobial Compound—A-naturally-occurring antimicrobial compound is used in materials for greater food safety. AgION—Nature's antimicrobial.



### Made In America

Ice-O-Matic ICE Series cubers (except ICEU070), Pearl Ice machines (except GEMD270), flake ice machines, and bins are made in the U.S.A.

Ice. Pure and Simple™