

SPARK PLUGS



Part#	Champion#	Bosch	NGK	Nippondenso	Autolite	AC	Application
690-300	CJ7Y	WS8F	BPM7A	W22MP-U	2974	CS42S	Husqvarna, Jonsereds, Lombard, Olympek, Solo - saws.
690-301	J19LM	W9EO	B2-LM	W14LM-U	458	----	Newer Briggs & Tecumseh
690-302	CJ8 / CJ11	WS8E	BM6A	W20M-U	2995	CS41	Briggs, Echo, Poulan
690-303	RC12YC	FR8DC	BKR5E	Q16PR-U11	5224	FR2LSK	Resistor Plug - Briggs Vanguard & Kohler Command
690-304	DJ8J	HS8E	BM6F	WA20M-U	2956	CS45T	Homelite, McCulloch & others
690-305	RJ19LM	W7AC	BR2-LM	W14LM-U	414	----	Resistor Plug - Briggs & Tecumseh
690-306	RCJ8	----	BMR6A BMR4A	W20MR-U	245	----	Resistor Plug - Fits most single cylinder Briggs & Kawasaki 12.5 Hp
690-307	RCJ6Y	WSR5F	BPMR7A	W22MP-U	2984	----	Resistor Plug - For Tecumseh TC300 & for many Stihl chain saws
690-308	CJ6 / CJ4	WS7E	BM7A	W22M-U	254	CS40	For Chain Saws & Trimmers
690-309	CJ8Y	WS7F	BPM6A	W20MP-U	2976	----	Echo, John Deere and many Husqvarna chain saws.
690-310	N11YC	W8DC	BP5ES	W16EP-U	54	----	Honda GXV120, GSX270 & GXV120
690-311	CJ6Y	WS5F	BPM7A	W22MP-U	----		Kawasaki TEX54 & Tecumseh TCH300
690-312	RN9YC	----	BPR6ES	W20ETR-S	3923	----	Resistor Plug - Honda OHC Horiz. & vert., Robin 8.5 thru 25 Hp EH & EHV
690-313	J17LM	W9ECO	B4LM	W14LM-U	295	----	Tecumseh HM70 thru HM100 AV520, AV600, TC300
690-314	RN11YC4	WR8DS	BPR5ES	W16EPR-U W16EXR-U	54 64	----	Resistor Plug -Honda OHV GX120 - 670 and GXV50 - 620, Kawasaki OHV, FC150V, FC180V and others MTD snow throwers.
690-315	N9YC	W6D	BP6ES	W20EX-U	4253	----	Honda OHC Horizontal & Vertical Robin 8.5 thru 25 Hp EH & EHV
690-316	DJ6J	HS5E	BM7F	T22MU	2954	----	Homelite Mini models, Super E-Z & EZ-AO, McCulloch 5-10A, MAC 10 series & others.
690-317	J8C	W8E	B6S	W16S-U	294	----	Resistor Plug - Tecumseh HH100, HH120, HH60, HH70, HH80 and others.
690-318	DJ7Y	HS8E	BPM6F	WA20M-U	2956	----	Homelite 180, 192, 200 all models, CS40, DM40, LX30, McCulloch Eager Beaver
690-319	RCJ8Y	----	BPMR4A	W14PR-UID	----		Resistor Plug - Tecumseh Horiz. 2-cycle, Snow King up to 5 Hp & others.
690-320	RL95YC	W8B	BP4HS	W16FPU	516	----	Honda 10 Hp G400
690-321	L86C	W8A	B6HS	W22FSU	415	----	Honda 4.0, 40, G40, G41, G42, 6.5 Hp G65, GS65, Wisconsin OHV, Tecumseh OVM 120.
690-323	N2C	W2C	B8ES	W22ESL	2616(NZC)	----	Snowmobile - Poulan Ski Doo, Yamaha
690-324	RCJ7Y	WSR9E	BPMR4A	W14MPR-410	----	----	Resistor Plug - Alpina, Castor, Noma / Dynamark, Husqvarna, Jonsereds, Solo, Lombard, Olympek, Oleo-Mac Chain Saws

SPARK PLUGS continued



Part#	Champion#	Bosch	NGK	Nippondenso	Autolite	AC	Application
690-355	RZ7C	USR7AC	CMR6H				Replaces stihl# 0000-400-7009. For 4-cycle hand held equipment. Thread size: 10mm X 54 mm overall length.
690-71060	RJ12C	WR9EC	BR6S	----	85	----	Briggs & Stratton Twin cylinder Lawn Boy, Wisconsin/Robin
690-71065	L90C	----	BR4HS B4H	----	----	----	Honda, Kawasaki Wisconsin/Robin
690-400	----	----	C7HSA	----	----	----	Used on China built ATV's. Replacement for NHSP LD Torch A7RTC 044 & 041. Original NGK
690-450	RDZ19A	----	----	----	----	----	Replaces MTD / Ryan / Ryobi# 791-180852B. For 4 Cycle hand held trimmers. Replaces Torch# A4RTF. Thread size: 10mm X 70mm overall length.
690-500 NEW	RZ7C	USR7AC	CMR4H CMR5H	U24FSRU	----	----	Spark Plug. Fits Stihl 4-Mix engines. Replaces Stihl 0000-4007-0090. Replaces. Resistor Plug. Original BOSCH
690-2542	H10	W9AO WSAO	B6L	W14L	216	----	Fits Kohler K241, K301, K321, K341, K361, K532, K582, M10, M12, M14 and M16 series.
690-5857	RV12YC RV15YC RV17YC		UR4		15 / 16 / 25 26 / 27 725 / 726	----	Found in many Kohler Twin cylinder OHV (Over Head Valve) engine applications. Original NGK
690-510 NEW			CMR7H				Found in Husqvarna trimmer models: 243 RJ, 243 R and 543 RS. Fits CY and Zenoah motors. Original NGK

UNIVERSAL

Part#	O.E.M	Application
751-222	MTD #725-0119 Noma# 39463	Universal Ammeter - 15 amp gauge that can be used with 6, 12 or 24 volt equipment. Used on many Riders and Lawn Tractors. OEM style with a quality chrome bezel. Includes: mounting bracket and hardware.





Part#	Length	Colour	Stud Size	Application
425-041 425-215	8" 8"	Black Red	5/16", 3/8" 5/16", 3/8"	Battery Cables - 300 volt, 6 gauge "all copper conductor" cable. Poly-vinyl insulation Resistant to grease, oil and gasoline. Heavy duty - corrosion resistant terminal ends.
425-058 425-223	12" 12"	Black Red	5/16", 3/8" 5/16", 3/8"	
425-066 425-231	16" 16"	Black Red	5/16", 3/8" 5/16", 3/8"	
425-074 425-249	20" 20"	Black Red	5/16", 3/8" 5/16", 3/8"	
425-033	10 ft	Black	6 gauge	Battery Cable (10 FT) - 300 volt, 6 gauge "all copper conductor" cable. Poly-vinyl insulation Resistant to grease, oil, gasoline.
425-264	10 ft	Red	6 gauge	



UNIVERSAL

Part#	O.E.M	Application
425-124	1/4"	
425-207	3/8"	
Battery Terminal Ends (Sold in multiples of 10) Lead dipped for corrosion resistance. Open conductive brass lugs. For 6 - 2 gauge battery cable. Use with our 425-033 and 425-264 6 gauge battery cable.		
425-116	Universal	
Universal Battery Terminal Fits 6 thru 2 gauge battery cable. Universal lead terminal will fit all top post batteries.		
425-039		
Universal Battery Hold Downs Includes: bolt, washer & wing nut. Overall Length: 8", threaded 4-1/2". Use with our 425-038 "Universal adjustable battery hold downs". (Priced and Sold in sets of 2)		
425-038		
Universal Adjustable Battery Hold Downs Use with our 425-039 "Battery hold down bolt".		
440-065		
NOVA II - New improved smaller size. Transistorized ignition module. Already in use by O.E.M.'s as standard igniton in their units. Maintenance free / easily installed / quick and easy starting. Operates well in any weather conditions and completely waterproof. Highly reliable / durable construction / high performance. Anti-kickback system / die cast aluminum housing. Widely used in 2 and 4 cycle gasoline engines as in Lawnmowers, generators, pumps, cultivators, tillers, compact garden tractors, chain saws, brushcutters, dusters, trimmers, go-carts, blowers etc. The NOVA module is suitable for 2 leg and 3 leg ignition coils in single cylinder engines. This module is not recommended for use on engines equipped with battery ignition or flywheels with multiple magnets. (INSTRUCTION SHEET INCLUDED)		
430-231		
NEW Fuse - 10 Amp ATO type fuse - 10 Amp (Red)		
430-232		
NEW Fuse - 15 Amp ATO type fuse - 15 Amp (Blue)		
430-233		
NEW Fuse - 20 Amp ATO type fuse - 20 Amp (Yellow)		

ATOM IGNITION MODULES




Part#	O.E.M	Application
440-205	AM-205	
Green Mini-tron Fits all single cylinder Briggs and Stratton engines as used in Lawnmowers, cultivators, pumps, generators, snowblowers, Ride-on Mowers, compact garden tractors, etc. Also replaces magnetron transistor ignition.		(While Quantities Last)
440-215	AM-215	
Red Mini-tron Fits Twin cylinder Outboard motors (using one module per cylinder). Not for engines with battery generator flywheels. Also fits single cylinder outboards with throttle connected ignition timing. For outboards with fixed ignition timing refer to our 440-007 module. Note: This part is ideal if you have a leaky seal effecting your breaker points. Note: This part is ideal if you have a leaky seal effecting your breaker points.		(While Quantities Last)
Breaker Points  Condenser Atom Computer Ignition (C) GENERAL FITTING PROCEDURE Simply cut (A) and join with (B), connect to (C) to module attaching screw to engine (earth / ground)  Rotating Flywheel Coil Connector (Supplied) (B) Switch (if fitted) Spark Plug		


COILS / ELECTRONIC MODULES

460-006	B&S# 293366 B&S# 298968 B&S# 299366 John Deere #AM35759	
Briggs Ignition Coil Fits most 7 thru 16 Hp engines with breaker point ignitions. Models 144200 thru 147707, 170400 thru 253400 & 300400 thru 326400. (For electronic ignition, use our 440-417)		
460-022	B&S# 290880	
Briggs Ignition Coil Fits models 9, 14, 19, 23, 23A and 191400 thru 231400.		

COILS / ELECTRONIC MODULES

COILS / ELECTRONIC MODULES

Part#	O.E.M	Application
460-014	B&S# 298502 B&S# 395488 B&S# 395489 John Deere# AM30950	
Briggs Ignition Coil Fits most 2 thru 4 Hp engines with breaker point ignitions. Models 60100 thru 60497, 81500 thru 81997, 82500 thru 85902, 92500 thru 95500 & 110900 thru 113900. (For electronic ignition module, use our 440-409)		
460-030	B&S# 298316	
Briggs Ignition Coil Fits most 5 Hp engines with breaker point ignitions. Models 100200, 1009 and 130200 thru 132900. (For electronic ignition, use our 440-401)		
440-409	B&S# 398593 B&S# 496914 B&S# 697036 B&S# 792395 B&S# 793281 John Deere# PT11047	
Briggs Electronic Module For most 2 thru 4 Hp vertical and horizontal engines with electronic ignitions. Fits models 10A900, 10B900, 92202, 92232, 93412, 93432, 93452 and 98902.		
440-401	B&S# 395491 B&S# 397358 B&S# 697037 John Deere# PT10998	
Briggs Electronic Module "NEW STYLE COIL" Replaces both older and newer style modules. Fits 5 Hp vertical and horizontal engines with electronic ignitions - except for Quantum engines. Fits models 130200 thru 132200, 133200, 133700, 135200 and 135700.		
440-433	B&S# 493237 B&S# 692605 B&S# 802574	
Briggs Electronic Module Fits Quantum and Europa engines, 5 thru 6.75 Hp. Models: 96900, 99700, 110602, 120602, 120607, 120609, 120612, 12A800 thru 12W800, 121600 thru 129800, Quantum 127802 series, also 96700 (2-cycle). Note: Will also replace B&S# 793353 - minus spark plug boot.		

Part#	O.E.M	Application
440-417	B&S# 398811 B&S# 395492 B&S# 398265 John Deere# PT15339	
Briggs Electronic Module Fits 7 thru 16 Hp vertical and horizontal single cylinder engines with electronic ignitions. Fits models 176432, 192400, 196400, 197400, 19E400, 19G400, 226400 and 250400. NOTE: Use our 440-441 after code# 80090600		
440-441	B&S# 490586 / 491312 B&S# 492341 / 495859 / 690248 B&S# 715231 / 795315 / 799650	
Solid State Module Briggs and Stratton Electronic Module. "NEW STYLE COIL" - Replaces both older (horseshoe shaped) and newer style modules. Fits 10 thru 13 Hp L-head engine and Vanguard models 9 Hp, 12-1/2 Hp and 14 Hp. Will also fit on 16 Hp Vanguard twin series and 18.5 OHV Intek Plus models. Fits models: 286702, 286707, 28B702, 28B707, 28C707, 28D707, 28N707, 31G777, 303477, 303777 and 31P777. Note: You might need to change the spark plug terminal end from a 90 degree to a straight end.		
440-425	B&S# 394891 B&S# 392329	
Briggs Electronic Module Fits 16 thru 18 Hp vertical and horizontal twin cylinder L-head engines with electronic ignition. Models from 400400 thru 422700 and 422707-1529.		
460-052	B&S# 691060	
Briggs Ignition Coil For Intek V-Twin 18 thru 22 Hp engines. Fits models 404577, 405577, 405777, 406577, 406777, 407577, 407677, 407777, 445777, 446777, 446877, 446977, 40G777, 40H777 and 543477.		
460-053	B&S# 491760 B&S# 492416 B&S# 493327 B&S# 695711 B&S# 796964 B&S# 802574	
Briggs Electronic Module Fits 11 and 12 CID Intek engines. (Also see our 440-444).		

COILS / ELECTRONIC MODULES

Part#	O.E.M	Application
440-444 NEW	B&S# 695711	
Briggs Electronic Module For 11 and 12 CID Intek engines. (Also see our 460-053).		
440-059	B&S# 801268	
Solid State Module Found on Briggs and Stratton. Briggs models: 084132, 084133, 084233, 084333. Note: This module looks similar to our "new style" 440-073. The main difference is the mounting holes are larger and are on an angle to the flywheel. The holes on the 440-073 are straight on to the flywheel.		
440-216	B&S# 394970 B&S# 395025 B&S# 5025	
Briggs Electronic Fits all engines since 1983 with 2 leg coils except 9, 10 and 16 Hp cast iron engines or twin cylinder engines. Fits our 460-006, 460-014 and 460-030 coils. (While Quantities Last)		

For Dolmar / Sachs / Makita - see our "CHAIN SAW ACCESSORIES- O.E.M." section

For Homelite & Husqvarna - see our "CHAIN SAW" and "TRIMMER" sections.

440-348	Honda#'s 30500-ZE1-023 30500-ZE1-033 30500-ZE1-043 30500-ZE1-053 30500-ZE1-063 Code# 4589693 Code# 7988801	
Honda Ignition Coil / Module Fits GX110, GX120, GX140, GX160 and GX200 series. Includes our 135-065 spark plug cap. Note: Similar to our 440-340 but with a longer high tension lead.		
440-340	Honda# 30500-ZE7-043 30500-ZE7-033 30500-ZG9-801 30500-ZG9-M02 Code# 4581476 Code# 7199227	
Honda Ignition Coil / Module Fits GXV120, GXV140 and GXV160 series. (Includes: Spark Plug Boot). Note: Similar to our 440-348 but has a shorter high tension lead.		

COILS / ELECTRONIC MODULES

Part#	O.E.M	Application
440-341	Honda# 30500-ZE2-023 30500-ZF6-W01 30500-ZF6-W02 Code# 7032428 Code# 4545927	
Honda Ignition Coil / Module Fit GX240, GX270, GX340, GX390; as well as GXV240, GXV270, GXV340 and GXV390 series. Includes our 135-065 spark plug boot.		
440-344	Honda #'s 30500 Z0J 003 30500 ZL8 004 30500 ZL8 014	
Honda Ignition Coil / Module Fits GC135, GC160, GCV135, GCV135E, GCV160, GCV160E, FG400 and FG500.		
440-351	Honda #'s 30500 ZJ1 013 / 30500 ZJ1 023 30500 ZJ1 844 / 30550 ZJ1 845	
Honda Ignition Coil / Module (LEFT SIDE). Fits GX610, GX610K1 / U1, GX620, GX620K1 / U1, GX670, GX670 / U, GXV610, GXV610K1, GXV620, GXV620K1 / U1, GXV670 and GXV670 / U.		
440-352	Honda #'s 30500 ZJ1 013 30500 ZJ1 023 30500 ZJ1 844 30500 ZJ1 845	
Honda Ignition Coil / Module (RIGHT SIDE). Fits GX610, GX610K1 / U1, GX620, GX620K1 / U1, GX670, GX670 / U, GXV610, GXV610K1, GXV620, GXV620K1 / U1, GXV670 and GXV670 / U.		
440-501	Kawasaki# 21121-2008 John Deere# AM101065	
Kawasaki Ignition Coil For models FC400V-AS00, 01, 02, FC420V-AS03, 04, 05, 06, 07, 08, 09, BS01, 02, 09, FB460V-AS01, 05, 17, 18, 27, 28, 29, 30, 31, 32, 33, 36, BS01, 05, 11, 17, 18, 19, 20, 22, 23, 24, 26, 28, 29, 32, 33, CS01, 12, 14, 16, 20, DS01, 12, 14, 20, ES01, 03, 07, 08, 14, FS01, 03, 07, 08, 14, GS01, 03, 07, 14, HS01, 04, 14, JS01, 05, KS01, LS01		

COILS / ELECTRONIC MODULES COILS / ELECTRONIC MODULES

Part#	O.E.M	Application
440-502	Kawasaki# 21121-2083 John Deere# AM120732	
Kawasaki Ignition Coil For models FD440, FD501V, FD590V, FD611V, FD620D.		
440-503	Kawasaki# 21121-2086 John Deere #AM121820	
Kawasaki Ignition Coil For models FC401V, FC420V-GS01, HS01, FB460V.		
460-048	Kohler# 231281 / S / 237256 / S Kohler# 41-519-21S / 47-145-01/ S Ariens / Gravely# 20355500 / 022152 / 22152 John Deere# AM38411 Kubota#12581-68900	
Kohler Ignition Coil Fits model K91, K141, K181, K241, K301, K321, K341 and K361 engines. For 4, 6, 8, 10, 12 and 14 Hp engines		
440-518	Kohler# 24-584-36-S Kohler# 24-584-15-S Kohler# 24-584-11-S Kohler# 24-584-03	
Kohler Ignition Coil Fits Command series engine models CH20, CH22, CH25, CV22, CV25, CH22S, CH25S and CV22S. For 20 Hp thru 25 Hp model engines. Note: There are two different types of ignition modules for these Kohler models. THIS ONE HAS TWO PRONGS. One goes to the advance and one goes to the switch. The other ignition module replaces Kohler# 24-584-01S and 24-584-45S ONLY and has only the one terminal. Our part# 440-527.		
440-519	Kohler# 52-584-01 52-584-02S	
Kohler Ignition Coil Fits models M18 thru M20; MV16 thru MV20. For 18 Hp thru 20 Hp engines.		
440-520	Kohler# 12-584-04 Kohler# 12-584-04-S	
Kohler Ignition Coil Command series, vertical crankshaft Fits models CH11S, CH12.5S, CH13S, CH14S, CV12.5S, CV13S, CV14S, CV15S, CV15ST, CV46S, CV460S, CV490S & 495		

Part#	O.E.M	Application
440-521	Kohler# 12-584-02 Kohler# 12-584-05 Kohler# 12-584-05S	
Kohler Ignition Coil Fits models: CH11 thru CH15 and CV11 thru CV15.		
440-522	Kohler# 47-584-01 Kohler# 47-584-02 Kohler# 47-584-03S	
Kohler Ignition Coil Fits models M10 thru M16.		
440-523	Kohler# 12-584-14 Kohler# 12-584-14S	
Kohler Ignition Coil (15 Amp) Fits models: CH16 and CV16. (While Quantities Last)		
440-527	Kohler#'s 24-584-01S 24-584-04S 24-584-45 24-584-45S	
Ignition Coil for Kohler Fits models: CH18 thru CH23, CH730 and CV18 thru CV25, CV624, CV675, SV710, SV725, SV730, SV740 and SV820S. THIS ONE HAS ONE PRONG ONLY. Replaces Kohler# 24-584-01S and 24-584-45S ONLY. For the (2) prong style see our part# 440-518.		
440-528	Kohler# 14-584-05 Kohler# 14-584-05S	
Ignition Coil for Kohler Fits models: COURAGE XT-7. (Used with Aluminum Flywheel)		
440-529 NEW	Kohler# 14-584-04 Kohler# 14-584-04S	
Ignition Coil for Kohler. Fits models: XT149, XT173, XT650, XT675, XT800. (Used with Cast Iron Flywheel).		

COILS / ELECTRONIC MODULES

Part#	O.E.M	Application
460-055	Lawn Boy# 582396 / 580184 Lawn Boy# 582463 OMC# 582995 / 582931 OMC# 582370 / 580416 OMC# 580197 / 580118	
Lawn Boy / OMC Coil Fits Iron Horse and "C" series Lawnmower models as well as many older Outboard Motors. Note: High tension pin is threaded on this coil, green in colour.		
460-097	Lawn Boy# 678539	
Ignition Coil Fits older "D" series engines with breaker point ignitions. Note: Armature not included - coil only as shown. You will need to re-use your old armature		
440-040	Lawn Boy# 1002949 Lawn Boy# 681578 / 682340	
Lawn Boy Solid State Module Fits models from 1978 thru 1982 (older "F" series) - grounded to run, - white in colour. Measures: 3-1/4" L X 2-1/2" W X 1-5/8" HT		
440-073	Lawn Boy# 683080 Lawn Boy# 683215 Lawn Boy# 682702 Lawn Boy# 1002948 John Deere# PT7176	
Lawn Boy Solid State Module Replaces both older and newer style modules. Fits models from 1983 and newer (newer "F" series). Open to run, replaces gray or dark green in colour. Measures: 3-1/4" L X 2-1/2" W X 1-5/8" HT		
440-059	Lawn Boy# 684048 Lawn Boy# 684049 Lawn Boy# 921152 Lawn Boy# 992911 Lawn Boy# 992916 Toro# 92-1152 Toro# 99-2911 Toro# 99-2916	
Lawn Boy Solid State Module Found on both Briggs and Stratton and Lawn Boy. Fits Lawn Boy / Toro lawn mower model: Silver series 10304 and 10323 plus Gold series. Fits Briggs and Stratton snow engines. Briggs models: 084132, 084133, 084233, 084333. Note: This module looks similar to our "new style" 440-073. The main difference is the mounting holes are larger and are on an angle to the flywheel. The holes on the 440-073 are straight on to the flywheel.		

COILS / ELECTRONIC MODULES

Part#	O.E.M	Application
For other Lawn Boy - ELECTRICAL / IGNITION parts see our "TRIMMER" sections		
For McCulloch, Oleo Mac, Pioneer, Poulan / Weedeater, Ryan, Stihl etc. - see our "CHAIN SAW ACCESSORIES - O.E.M" and "TRIMMER" sections.		
440-524	Robin# 281-79401-01	
Robin Ignition Coil For EY-15 model engines.		
440-525	Robin# 227-79460-11	
Robin Ignition Coil For EY-20 model engines.		
440-526	Robin# 277-79431-01 Robin America / Subaru# 2777943101	
Robin Ignition Coil For EX-13, EX17 and EX-21 model engines.		
440-530	Robin# 234-70124-21 Robin America / Subaru #2347012421	
Robin Ignition Coil For EY28 model engine. (7.5 Hp)		
460-063	Tecumseh# 30560A / 30546 John Deere# AM30546 / 30950 Phelon# FG-6240	
Tecumseh Coil Fits most 3 thru 10 Hp models. Found on LAV, V, H, HS and VM series. Plug wire length: 17", no lamination. Fits most point ignition engines.		
460-048	Tecumseh# 32080	
Tecumseh Coil Fits 6 thru 16 Hp engines. Single cylinder engines with battery ignition.		
440-092	Tecumseh's 35135 35135A	
Tecumseh Electronic Module Fits models TVM, TVXL170 thru 220, OVXL170 thru 220, OVXL120, HM70 thru HM100, HMSK80, HMSK90, LH318SA, OHM-OHSK120 and TVM220. For 7 thru 12 Hp engines. Medium frame engines.		

COILS / ELECTRONIC MODULES FLYWHEEL KEYS

Part#	O.E.M	Application
440-093	Tecumseh# 34443A / 34443B Tecumseh# 34443C / 34443D John Deere# PT9567	
Tecumseh Electronic Module Fits models: TVS, 90, 100, 105, 115, 120, TNT, 100, 120, ECV 100, 120, H30 thru 70, AH600, HSK600, HXL840, HSK840, HSK845, HSK850, LEV100, LEV115, TVXL105 and TVXL840. Small frame engines.		
440-094 NEW	Tecumseh# 36344A / 37137	
Ignition Coil Fits Tecumseh models: OHV110 thru OHV180 and OV38EA thru OV490EA.		

DIODES / HARNESSSES


435-115	B&S# 393814	
Briggs Diode Assembly Fits 6 thru 20 Hp electric start models.		
435-116	B&S# 393422 B&S# 692306	
Briggs Harness Use with our 435-115 diode assy.		
435-206	B&S# 393456	
Briggs Diode Assembly For 2-4 AMP dual circuit alternators. Fits models 196432, 196437, 196452, 197400, 197412, 197417, 280700, 28B700 and 28C700. Fits Briggs 6 AMP diodes instead of OEM 3 AMP.		
435-205	B&S# 392606 B&S# 691955	
Briggs Diode Assembly For 5 AMP tri-circuit harness alternators. Models 256400, 280700 and 351700 series. Fits Briggs 6 AMP diodes instead of OEM 3 AMP.		
435-420	Tecumseh# 611161	
Tecumseh Diode Assembly Fits models HM80, HM100, OHM920, OHV12, OHV125, OVM120 and OVXL125. Measures: 3-1/2" overall length.		

Part#	O.E.M	Application
445-064	B&S# 222698 B&S# 222698S B&S# 4144 John Deere# PT7211	 (Sold in multiples of 10)
Briggs Flywheel Keys Used on engines with electronic ignitions.		
445-007	B&S# 61760	 (Sold in multiples of 10)
Briggs Flywheel Keys Used on engines with breaker point ignitions.		
445-023	Clinton# 148-4	 (Sold in multiples of 10)
Clinton Flywheel Keys		
445-072	Lawn Boy# 607199 John Deere# 26H10	 (Sold in multiples of 10)
Lawn Boy Flywheel Key Fits all LB 2 cycle Lawnmowers with breaker point ignitions. Indent in side holes hold in place on crankshaft. Size: 5/8" L X 5/32" W		
445-015	Tecumseh# 27902	 (Sold in multiples of 10)
Tecumseh Flywheel Key Steel flywheel key Size: 1" L X 3/16" W X 1/8" HT		
445-049	Tecumseh# 610961 Tecumseh# 27247 John Deere# M81575	 (Sold in multiples of 10)
Tecumseh Flywheel Key For points ignitions on older 3 and 3-1/2 Hp engines. Size: .703" L X .187" W X .125" HT, with a .088" notch depth.		
445-056	Tecumseh# 610951	 (Sold in multiples of 10)
Tecumseh Flywheel Key Same as above with only one difference, the notch depth is .054". Size: .703" L X .186" W X .123" HT.		
445-052	Tecumseh# 610995 (Silver Key)	 (Sold in multiples of 10)
Tecumseh Flywheel Key Fits most newer external coil points ignitions. For 3 and 3-1/2 Hp engines. Size: .796" L X .234" W X .150" - .212" tapered HT		
445-405	Tecumseh# 611154	 (Sold in multiples of 10)
Tecumseh Flywheel Key Vector series engines. Fits models ULT50, 55, 60, VLV126, 50, 55, 60, 65, 66, VLT150 & VLX155. Size: 31/32" L X 1/8" W X 5/64" HT		

FLYWHEEL KEYS cont.

Part#	O.E.M	Application
445-403	Tecumseh# 611004 (Gold Key)	
Tecumseh Flywheel Key Offset key used on engines with solid state ignitions. (Sold in multiples of 10) Fits models TVS, TNT, ECV, H30 thru H70, Ah600, HSK600, HXL840, SHK840, SHK845 & SHK850. Size: .793" L X .243" W X .145" - .212" tapered HT		
445-080	Toro# 81-1320 Toro# 81-2370	
Toro Flywheel Key Fits model GTS. (Sold in multiples of 10) Size: 3/8" L X 1/8" thick (While Quantities Last)		

POINTS & CONDENSERS

450-007	B&S# 294628	
Briggs Ignition Set Fits 2 thru 8 Hp engines. Models 60100, 60500, 80500, 81500 and 195400.		
450-015	B&S# 29667 B&S# 29861	
Briggs Ignition Set Fits models I, N, U, W, 5, 6, 6F, 6R, 6S, 8 and 140000. (While Quantities Last)		
450-114	B&S# 29667 Wico# X15022	
Briggs Breaker Points Fits models I, N, U, W, 5, 6, 6F, 6R, 6S, 8 and 140000. (While Quantities Last)		
450-148	B&S# 298185	
Briggs Breaker Points Fits 8 thru 16 Hp cast- iron engines. Models 19D, 23D, 193400, 200400, 233400, 243400, 300400, 301430, 302430, 320420, 325430 and 326430.		
455-014	B&S# 291369 Wico# X15032	
Briggs Condenser Fits models 9, 14, 19, 23, 23A and 191400 thru 231400. (While Quantities Last)		
455-022	B&S# 298060	
Briggs Condenser Fits 8 thru 16 Hp cast-iron engines. Models 19D, 23D, 193400, 200400, 233400, 243400, 300400, 301430, 302430, 320420, 325430 and 326430. (Use with our 450-148 breaker points)		

POINTS & CONDENSERS

450-130	B&S# 65704 B&S# 65704S	
Briggs Point Plungers (Sold in multiples of 10) Fits 2 thru 11 Hp vertical and horizontal engines. (Made of a fibre material)		
450-239	Clinton# 135-7-50, Jacobsen# 107811 John Deere# AM30947 Lombard# 7-1120 McCulloch# 80433 / 88806 Phelon# FG1835B / FG03560 Phelon# 02197-00B / 06230 Remington# 60623	
Breaker Points Fits 3 thru 10 Hp engines. Models H, HH40 thru 70, HM70 thru 100, HS, LAV, TNT, V, VH and VM series. (Use with our 455-162 condenser); also fits Clinton engines and many others.; fits older Remington Chain Saw models.		
455-162	Clinton# 13524 / 13524000 John Deere# AM30949 Phelon# 071130 Phelon# FG06225 Phelon# FG1316 Tecumseh# 30548B	
Clinton Condenser Fits many makes		
450-171	Kohler# 266240 Gravely# 12979 Wisconsin# W2437 A-2437A / 10412437	
Kohler Breaker Points Fits 4 thru 16 Hp engines with magneto ignition. (While Quantities Last)		
450-288	Kohler# 240611 Gravely# 13996 Gravely# 34907 Wisconsin# X6942 Wisconsin# X5996	
Kohler Breaker Points (While Quantities Last)		
450-029	Kohler# 220980 Kohler# 47-150-01 Kohler# 47-150-03	
Kohler Breaker Points Fits models K91, 141, 161, 181, 241, 301, 321, 341, 361, KT17, 482, 19, 532, 21 and 582 series.		

POINTS & CONDENSERS POINTS & CONDENSERS


Part#	O.E.M	Application
450-403	Clinton# 1355500 Gravely# 15435 John Deere# AM31026 / AM35000 Kohler# 220980 / 47-150-01 / 47-150-03 Tecumseh# 32011A Wico# WX13260 / WX15241	
Kohler Breaker Points Models K91 thru K361. For 6 thru 20 Hp engines with battery ignition. (For breaker points less bracket, order our 450-029)		
455-147	Gravely# 11824 Kohler# 230722 John Deere# AM31029	
Kohler Condenser Fits models K91 thru K582. For 6 thru 20 Hp engines with battery ignition. (Use our breaker points 450-029 or 450-403).		
450-431	Lawn Boy# 677299 Lawn Boy# 678304	
Lawn Boy Breaker Points Found on older Lawn Boy push mowers. Fits C and D series engines. (While Quantities Last)		
450-023	Tecumseh# 30547A Tecumseh# 30548B Tecumseh# 730600 Tecumseh# 740037A	
Tecumseh Ignition Set Fits 3 thru 10 Hp engines. Models H, HH40 thru 70, HM70 thru 100, HS, LAV, TNT, V, VH and VM series.		
450-239	Tecumseh# 27948 Tecumseh# 30547A Lombard# 7-1120 McCulloch# 80433 / 88806 Remington# 60623 Phelon# FG1835B FG03560 / 02197-00B	
Tecumseh Breaker Points Fits 3 thru 10 Hp engines. Models H, HH40 thru 70, HM70 thru 100, HS, LAV, TNT, V, VH and VM series. (Use with our 455-162 condenser)		
450-270	Tecumseh# 27526 Tecumseh# 29625 Jacobsen# 107402 Poulan# 3943 Poulan# F366 Wico# X11030 Wico# X11211	
Tecumseh Breaker Points (While Quantities Last)		

Part#	O.E.M	Application
450-213	Tecumseh# 610275 Clinton# 135-128-500 Jacobsen# 104353 McCulloch# 75101A McCulloch# 1340135 Phelon# FG00626 Phelon# 04205-00-D Wico X15011	
Tecumseh Breaker Points (While Quantities Last)		
455-162	Tecumseh# 30548B Clinton# 135-24-000 Phelon# FG-1316 Phelon# FG-06225	
Tecumseh Condenser Fits 3 thru 10 Hp engines. For models H, HH40 thru 70, HM70 thru 100, HS, 638, 650, 670, LAV, TNT, TVS520 thru 600, V, VH and VM series. (Use with our 450-239 breaker points)		
450-296	Wisconsin# YD314A Wico# 145088 Onan# 160-1154	
Wisconsin Breaker Points (While Quantities Last)		
450-320	Wisconsin# YQ-11	
Wisconsin Breaker Points (While Quantities Last)		
450-163	Wisconsin# 31B-2437A	
Wisconsin Breaker Points (While Quantities Last)		

REGULATORS

435-040	B&S# 295924 Cub Cadet# 545130-R93 Delco# 1118988 Gravely# 007275 Jacobsen# 107927 John Deere# AM30078 Tecumseh# 32089	
Briggs Voltage Regulator For starter generators. Fits models 140201, 140202, 140232, 141202, 141231, 141251, 141252, 243431 and 243432.		




REGULATORS continued

Part#	O.E.M	Application
435-042	B&S# 393374 B&S# 394890 B&S# 691185 B&S# 797182 B&S# 797375	
Briggs Voltage Regulator For 18 - 20 Hp engines with 10, 13, 14 and 16 AMP charging systems. Fits models 192400, 196400, 226400, 28M700, 280700 and 351700.		
435-046	B&S# 397809	
Briggs Voltage Regulator For 8 amp quad circuit charging system. (Used on 422700 series engines).		
435-047	B&S# 794360 B&S# 691188 B&S# 491546	
Briggs Voltage Regulator For 5 & 9 amp charging systems. Fits models 256400, 280700, 28B700, 28M700 thru 28Q700, 351400, 351447, 351700, 351777 and 42A700 series engines. (1) yellow & (1) red lead		
435-048	B&S# 493219	
Briggs Voltage Regulator For 16 amp dual output charging systems. (With no charge indicator light), 8 thru 20 Hp engines. (Used on 303700 series engines).		
435-085	B&S# 390240 Tecumseh# 610749	
Briggs and Tecumseh Voltage Regulator For 10 amp charging systems. 12 volt negative; Terminals 3 in a row. Fits B&S model: 325437 and Tecumseh models: H70, HH80, HH100, HH120, HM80, OH160, V70, VH100 and VM80.		
435-010	Grasshopper# 185530 Kubota# 15531-64603	
Grasshopper and Kubota Voltage Regulator Fits Grasshopper models 1822D, 718D, 721D and 721G. Used on lawn & garden, compact tractors and small industrial equipment with permanent magnet alternators with a "no charge" indicator light.		





REGULATORS continued

Part#	O.E.M	Application
435-009	Honda# 31600-890-951	
Honda Voltage Regulator For Honda Lawn Tractors		
435-013	Kawasaki# 21066-2056 John Deere# M70121	
Kawasaki & John Deere Voltage Regulator Fits Kawasaki models FB460, FC400, FC420 and FC540. For 13, 15 and 17 amp charging system up to 18 Hp engines. Also fits John Deere models 130, 160, 165, 170, 172, 175, 176, 180, 185, 186, 240, 242, 245, 265, 285, 320, 325, 345, F510, F525, F710 and F725. Fits ATM models 600, 622 and 626. Fits Gator 4X2 and 6X4 models with 15 amp charging systems.		
435-001	Kawasaki# 21066-7001 Kawasaki# 21066-7003	
Kawasaki Voltage Regulator Fits Kawasaki models: FH381V, FH451V, FH500V and FH531V. 14 Volt, 15 Amp. Size: 3-1/4" overall length X 1-5/16" wide.		
435-004	Kawasaki# 21066-2070 John Deere# M97348	
Kawasaki & John Deere Voltage Regulator For 20 and 22 Hp water cooled V-twins. Also fits the following John Deere applications: models 425, 445 and F911, Gator 6X4 models with 20 amp charging systems.		
435-014	Kawasaki# 21066-2071 John Deere# AM109462	
Kawasaki Voltage Regulator Fits on commercial walk behind mowers with Kawasaki engines with electric clutch, rope start and no battery. 1 (2-pin) connector and 1 (4-pin) connector		
435-000	John Deere# AM126304 John Deere# AM108848	
Kawasaki Voltage Regulator For Kawasaki most popular models: LX172, 173, 176, 178, 186, 188, 277, 279, 425, 445, 455. For 4 X 2 and 6 X 4 Gator models: 325, 335, 345, compact utility 4100, 355 diesel, 2653 pro utility, 2653A diesel pre utility.		


REGULATORS continued

Part#	O.E.M	Application
435-086 NEW	Kohler# 41-403-08 Kohler# 41-403-08S John Deere# AM102596 John Deere# AM123296 Tecumseh# 610749	
Kohler Voltage Regulator Fits K series 8 thru 12 Hp single cylinder engines. 10 AMP charging systems. Same as 435-085 but with cooling fins. Found on some John Deere lawn tractors equipped with Kohler engines. (3) Terminals in a row. (A.C. / B+ / A.C.)		
		
435-085	Kohler# 234279 Kohler# 41-403-08 Kohler# 41-403-08S Phelon# FG4720 Gravely# 011979 John Deere# AM102596	
 		
Kohler Voltage Regulator For Kohler K series engines, 8 thru 12 Hp single cylinder engines. For Tecumseh models: H70, HH80, HH100, HH120, HM80, OH160, V70, VH100 and VM80 etc. For 10 amp charging systems; 12 volt negative. 3 terminals in a row.		
435-081	Kohler# 25-755-03 / 41-403-01 Kohler# 41-403-03 / 41-403-03S Kohler# 41-403-04 / 41-403-05 Kohler# 41-403-09 / 41-403-09S Kohler# 41-403-10 / 41-403-10S Gravely# 032492 / 21465500 John Deere# AM106357 / AM34738	
Kohler Voltage Regulator Fits models KT-17 thru 19, M8 thru MV20 and quiet series. For 15 amp charging systems.		
		
435-084	Kohler# 237335 Kohler# 41-403-06 John Deere #s AM33845 / AM37200	
Kohler Voltage Regulator For 8 thru 24 Hp engines with 15 amp alternators. Fits models K181, K241, K301, K321, K482, K532 and K582. "L" pattern with (2) terminals. Uses system "S" series K181 thru K582, 10 - 16 Hp single cylinder. Also fits John Deere. Terminals: (1) B+ at top with (2) AC terminals side by side. Same "L" pattern as our 435-083 regulator below.		
		


REGULATORS continued

Part#	O.E.M	Application
435-083	Kohler# 237335 Kohler# 41-403-06 / 41-403-06S John Deere# AM33845 / AM37200	
 		
Kohler Voltage Regulator Fits 8 thru 24 Hp engines. Models K181 thru K582, 15 amp style, 12 V neg. Terminals 2 over, 1 under.		
435-019	Kohler# 12-403-01 John Deere# M131287	
Kohler Voltage Regulator Used on commercial walk behind mowers with Kohler engine with electric P.T.O. clutch, rope starter and no battery. Used on CV11, CV12.5, CV13, CV14, CV15 & CV18 model engines.		
		
435-011	Onan# 191-1748 Onan# 191-2106 Onan# 191-2208 Onan# 191-2277	
Onan Voltage Regulator Fits P series. Used on engines 16 thru 20 Hp; 20 amp rating. Also used on John Deere models 318-420 with Onan engines. Three terminals in a row. Left to Right: AC / B+ / AC		
		

RELAYS

435-369	Ariens# 03042800 AYP# 109748 AYP# 109748X Bosch# 601053 Exmark# 1643275 Exmark# 987249 Gravely# 040216 Husky# 532 10 29-14 Husky# 532 10 97-48 Hustler# 026237 Walker# 6942	
 		
Relay Switch - Open to run Found on many Riders made by AYP. Found on Husqvarna, Poulan, Exmark, Great Dane, John Deere, Encore and Grasshopper lawn & garden equipment. Fits Grasshopper model 325 etc.		
435-370	AYP / Husqvarna	
Relay Switch Fits Husqvarna ZTR and Country Clipper zero turn radius models. Helga ID# 93180 01		
		

RELAYS continued

Part#	O.E.M	Application
435-371	AYP / Husqvarna	
Relay Switch Fits Husqvarna ZTR and John Deere Z TRAK models. Bosch# 0332 209-150		
435-550	MTD# 925-1648 MTD# 725-1648	
Relay Switch Fits Autodrive riding mowers and snowblowers. - 12 Volt - 20 amp		

SOLENOIDS

Part#	Application
435-071	Universal Solenoid (chassis ground) - 3 pole style - 12 Volt - 1/4 & 5/16 studs
MULTI - APPLICATION 	
O.E.M Applications Ariens# 03057700 Bolens# 1751569 Murray# 424285 / 924285 Murray# 21261 / 24285 MTD# 725-0771 MTD# 725-1426 / 725-0530 MTD# 925-1426 / 925-0771 Noma# 53716 / 52323, Snapper# 75671 / 7075671 / 1-8817, Toro# 111674, Troy Bilt# 1751569 / 925-1426A Mounting bracket will accommodate both chassis and wall mount configurations. Includes new spade converter	
435-072	Universal Solenoid (terminal ground) - 4 pole style - 12 Volt - 1/4 & 5/16 studs
MULTI - APPLICATION 	
O.E.M Applications Ariens# 03551000 AYP# 109081X AYP# 109946 / 146154 Bolens# 1752137 Bolens# 1753539 Case# C-266525 Case# C33025 Exmark# 1-513075 Gilson# 212655 Grasshopper# 184251, Gravely# 045071, Lawn Boy# 740207 Simplicity# 170051 / 16771993 / 16852980 / 1700751/ 1686981, Snapper# 1-8604 , Toro# 47-1910 / 110116 / 1101162 / 110167 Toro# 74-0207, Troy Bilt# 1752137 / 1753539 / 1752137P. Mounting bracket will accommodate both chassis and wall mount configurations. Includes new spade converter	

SOLENOIDS - O.E.M Applications

Part#	Application
435-016	Universal Solenoid - 4 pole style - 12 volt - 5/16"-24 studs - Grounded through base
O.E.M Applications Universal Type Cushman# 889673 Dixie Chopper# 20253 Many applications, Kohler etc. Fits 50" and 60" cut Dixie Chopper with 20 & 24 Hp	
	
435-035	Solenoid - 2 pole style - 12 volt - M6 X 1.00 studs - Grounded through base
O.E.M Applications Honda# 31204-ZA0-003 Code# 2108298 Fits models 3810, 3813, 4514 & 4518 tractors.	
	
435-008	Solenoid - 3 pole style - 12 volt - 1/4"-20 studs - Grounded through base
O.E.M Applications Gravely# 7277 Gravely# 007277 Snapper# 1-9544 Fits many applications	
	
435-017 NEW	Solenoid - 4 pole style - 12 volt - 1/4"- 20 studs - Grounded through base
O.E.M Applications AYP# 192507 Husqvarna# 532 19 25-07 Found on AYP / Husqvarna equipment. 1/4"-20 studs.	
	

SOLENOIDS - O.E.M Applications

Part#	Application
435-099	Solenoid - 4 pole style - 12 volt - 1/4"- 20 studs - Includes new spade converters - Grounded through pole not base O.E.M Applications AYP# 146154 / 24285 AYP# 3367R / 44429 AYP# 138406X / 2008J / 21261 AYP# 677A880 / 145673 Ariens# 35510 Bolens# 1752137 / 1753539 Case# C-26525 / C-33025 Gilson# 212655 Grasshopper# 184251 Gravely# 45071 Husqvarna# 532 14 61-54 / 532 10 90-81 Husqvarna# 532 10 99-46 / 532 14 56-73, LawnBoy# 740207, Simplicity# 1700751 / 1685290, Snapper# 1-8604, Stiga# 1134-2946-02, Toro# 28-4210 / 47-1910 / 11-0162
435-032	Solenoid - 3 pole style - 12 volt - 5/16"- 24 studs - Includes new spade converters - Internal ground with screw terminal O.E.M Applications Ariens# 35770 / 35832 Bolens# 1751569 Bunton# PL4007 Encore# 363027 John Deere# AM103290 MTD# 725-0530 Noma# 53716 / 52323 Scag# 48106 Simplicity# 1671994 Snapper# 1-8817, Stiga# 1134-2946-01, Toro# 11674
435-065	Solenoid - 90 degree mount - 3 pole style - 12 volt - 1/4"-20 studs - Grounded through base O.E.M Applications AYP# 110832X Husqvarna# 532 11 08-32 MTD# 725-1426 MTD# 725-0771 MTD# 925-1426 MTD# 925-0771 Murray# 21261 Snapper# 1-8817 Toro# 112-0309



SOLENOIDS - O.E.M Applications

Part#	Application
435-097	Solenoid - 3 pole style - 12 volt - 1/4"-20 studs - Grounded through base O.E.M Applications AYP# 103R / 109081X AYP# 109946X / 138406 AYP# 2008J / 677A880 AYP# 7754R / Murray 21261 Murray# 24285 / 424285 Murray# 7701100MA Murray# 7769224MA Murray# 94613MA / 9924285 Poulan# 532-109081 / 532-109946X Snapper# 7075671 / 7-5671
435-067 NEW	Solenoid - 4 pole style - 12 volt - 1/4"-20 studs. - Grounded through base O.E.M Applications Cub Cadet# 725-04439 John Deere# AM138068 MTD# 725-04439 Found on Cub Cadet, MTD & John Deere equipment. For Cub Cadet models: CC760ES, GT1054, GT1554, GT2000, GT2100, GTX1054, GTX2100, I1042, I1046, I1050, LGT1050, LGT1054, LGTX1050, LT1040, LT1042, LT1045, LT1046, LT1050, LTX1040, LTX1042, LTX1045, LTX1046, LTX1050, RZT42, RZT50, RZT54, SLT1550, SLT1554, AND SLTX1050. For John Deere models: L100, L105, L108, L110, L111, L118, L120, L130, LA100, LA105, LA110, LA115, LA120, LA125, LA130, LA135, LA140, LA145, LA150, LA155, LA165, LA175, X110, X120, X140, Z225, Z425, Z445, and Z645.
435-077	Solenoid - 90 degree mount - 4 pole style - 12 volt - 5/16"-24 studs - 2 spade terminals O.E.M Applications John Deere# AM130365 John Deere# AM132990 John Deere# AM133094 John Deere# AM138497
435-030	Solenoid - 12 volt - (2) 5/16 - 18 terminals - (2) Stud mounting O.E.M Applications Kawasaki# 270102122 Kawasaki# 270107005 Kohler# 52-435-02S For Kawasaki and Kohler. Fits our 150-714, 150-728, 150-729 and 150-733 starter motors.



SOLENOIDS - O.E.M Applications

Part#	Application
435-092	Starter Solenoid. - 3 pole style - 12 Volt - (2) 5/16 - 18 terminals - (1) 10-32 terminal.
O.E.M Applications Cub Cadet# 725-3001 Cub Cadet# 925-3001 Gravely# 035634 Gravely# 20626200 MTD# 925-3001  Wide frame solenoid fits, Cub Cadet model: 76, 80, 81, 86, 108, 109, 128, 129, 149, 169, 182, 282, 382, 383, 580, 582, 680, 682, 782, 784, 800, 1000, 1200, 1250, 1450, 1650, 1050, 1204, 1210, 1440, 1604, 1710, 1711, 1712, 482, 582, 682, 782, 784, 1806, 1810, 1811, 1812, 1861, 1862, 982, 984, 986, 1912, 1914, 1872, 2072 and others.	
435-028 NEW	Electric Starter Solenoid - (3) screw mounting - (2) 5/16 - 18 terminals - Single terminal stud
O.E.M Applications Kohler# 25-435-04 Kohler# 25-435-04S  Found on Kohler engine models: CH12.5, 14S, 15S, 18S, 20S, 22S, 23S, 25S, 26S, CH640, 670, 680, 730, 740, 745, 750, CV12.5S, 15S, 17S, 18S, 20S, 22S, 23S, 25S, 26S, 460S, 624S, 675S, 680, 724, 730S, 740S, 745S, LH685S, LV675S and LV680. Measures: 5" overall length. From nylon plunger end to battery terminal ends.	

SPARK PLUG ACCESSORIES

135-061	Spark Plug Wire - 5mm
O.E.M Applications Universal  Quality black hypolon outer case with COPPER (not carbon) inner wire. Used on many chain saw and trimmer application. (5mm wire OD X 10 meter roll).	
135-004	Spark Plug Wire - 7mm
O.E.M Applications Universal  Quality black hypolon outer case with COPPER (not carbon) inner wire. For use on most Small engine / 4 stroke Lawn & Garden applications. (7mm wire OD X 20 FT roll).	

SPARK PLUG ACCESSORIES

135-012	Spark Plug Clip Universal application.
O.E.M Applications B&S 221798  (Sold in Multiples of 10) Used in our 135-046 spark plug boots.	
135-015	Spark Plug Clip Universal application.
O.E.M Applications Universal  (Sold in Multiples of 10) Used in our 135-053 and 135-095 spark plug boots.	
135-017	Terminal Spark Plug Universal application.
O.E.M Applications B&S# 493880  (Sold in Multiples of 10) Fits 7mm spark plug wire, positive lock.	
135-020	Shorting Clip Clamp on style; 2-1/2" long
O.E.M Applications Universal  (Sold in Multiples of 10) Fits all 14mm spark plugs with 13/16" nut.	
135-038	Shorting Clip Bolt on style, 3" long
O.E.M Applications B&S# 220197 / 293739 B&S# 298926 / 392242 Tecumseh# 30747  (Sold in Multiples of 10) Universal application, pointed to penetrate plug boot.	
135-053	Spark Plug Boot - 5mm
O.E.M Applications Homelite / Jacobsen# A55373A John Deere# UP03868  (Sold in Multiples of 10) For many Chain Saws and Trimmer applications.	
135-095	Spark Plug Boot - 7mm
O.E.M Applications Lawn Boy# 510231 Lawn Boy# 580339 / 684698  (Sold in Multiples of 10) For Lawn and Garden equipment.	
135-046	Spark Plug Boot - 7mm
O.E.M Applications B&S# 221798 B&S# 493880 / 66538 Tecumseh# 610118  (Sold in Multiples of 10) Found on Lawn and Garden equipment.	

SPARK PLUG ACCESSORIES SPARK PLUG ACCESSORIES

Part#	Application
135-204	Spark Plug Boot - 5mm - 70 degree
O.E.M Applications Husqvarna# 501-485-402	
With spring. For Husqvarna chain saw models: 36, 41, 42, 40, 45, 50, 51, 55, 61, 66, 136, 141, 140, 242, 246, 254, 257, 261, 262, 266, 268K, 272K, 288, 335, 340, 345, 346, 350, 351, 362, 365, 371, 371K, 372, 394, 395, 3120, 3120K. Also found on many Brushcutters, Trimmers, Blowers etc.	(Sold in Multiples of 10)
135-213	Spark Plug Boot - 5mm - 45 degree
O.E.M Applications Husqvarna# 501 48 54-02	
For Husqvarna trimmer models: 232, 235, 322 and 325.	(Sold in Multiples of 10)
135-065	Spark Plug Boot
O.E.M Applications Honda# 3526837 Honda# 30700 ZE1 000 Honda# 30700 ZE1 013	
Fits Honda models: GX120, GX140, GX160, GX200, GX240, GX270, GX340 and GX390.	
135-516	Spark Plug Boot
O.E.M Applications Kawasaki# 21130-0256 Kawasaki# 20010-72221 Mitsubishi# TR64961 Shindaiwa# 22102-72220	
Fits Kawasaki models: TD26, TD40, TD43 & TD48. Fits Shindaiwa models T25, T27 and C35. Fits Mitsubishi models TL26, TL33, TL43 and T200.	
135-119	Spark Plug Boot - 90 degree
Made by NGK	
O.E.M Applications NGK# LB05EP	
Comes with wire end, water tight boot and has a built-in resistor of 5000 OHMS.	
135-121	Spark Plug Boot - 45 degree
Made by NGK	
O.E.M Applications NGK# LB05EP NGK# VB05F NGK# VBOF 8032 45	
Fits overhead valve engines.	
135-070	Spark Plug Boot - Straight
O.E.M Applications B&S# 691909	
For Briggs and Stratton OHV engines.	(Sold in Multiples of 10)

Part#	Application
135-214	Spark Plug Boot - 5mm
O.E.M Applications Stihl# 4128-405-1000 Stihl# 4180-405-1000	
Fits Stihl backpack blower models: BR500, BR550, BR600 & Stihl Trimmer models: FS110, FS120, FS200 and FS250.	
135-067	Spark Plug Boot
O.E.M Applications Honda# 30700 ZJ1 841 Honda# 30700 ZJ1 003	
Fits Honda models: GX610, GX620, GX670, GXV610 and GXV620.	
135-110	Spark Plug Boot with Spring
O.E.M Applications Stihl# 1128-405-1000	
For Stihl chain saw models: 009, 010, 011, 012, 017, 018, 020, 021, 023, 024, 025, 026, 029, 034, 036, 039, 044, 046, 056, 064, 066, 084, 088, MS170, MS180, MS192T, MS210, MS230, MS240, MS250, MS270, MS290, MS310, MS340, MS341, MS360, MS361, MS380, MS390, MS440, MS441, MS460, MS640, MS650, MS660.	

UNIVERSAL - SWITCHES & ACCESSORIES



430-017	Kill Switch
O.E.M Applications Universal	
Used as an on / off switch. Found on many Chain saws and Trimmers using a single wire, self grounding type switch.	
430-066	Deluxe Kill Switch
O.E.M Applications Universal	
Used as an on / off switch. Found on many Go-carts and ATV's. Comes with a 48" lead wire and two metal clamps with screw.	
430-070	Kill Button
O.E.M Applications Universal	
Comes complete with 42" wire lead. Fits 7/8 - 1" tube handles. Used on Lawn and Garden equipment, as well as Mini-bikes, Go-carts etc.	

SWITCHES & ACCESSORIES SWITCHES & ACCESSORIES






Part#	Application
430-009	Ignition Key
O.E.M Applications Jacobsen# 343060 John Deere# M40718 Kohler# 4834001 Murray# 20729 / 420729 Scag# 481702 (Sold in Multiples of 10) 	
Fits all Lawnmowers with Indak switches. Found on MTD, Murray, Noma, Toro/Wheel Horse and other types of equipment.	
430-488	Ignition Key
O.E.M Applications MTD# 725-0128 Troy Bilt# 9243 (Sold Individually) 	
Found on MTD, Toro / Wheel Horse, John Deere & many others. Also fits Troy Bilt electric start models.	
430-490	Ignition Key
O.E.M Applications John Deere# AM101600 John Deere# AM102439 John Deere# AM131841 John Deere# M76975 (Priced and Sold Individually) 	
Replacement ignition key for our 430-250 ignition switch found on John Deere and Great Dane equipment.	
430-492	Ignition Key
O.E.M Applications Ariens# 07532000 MTD# 725-1660 / TC35062 Tecumseh# 35062 	
Found MTD models: 314-180-000, 314-180-088, TMO-3525203, 314-180-131 and 314-181-000. Fits snowblower models: ST524, ST724, ST824, ST1024, ST1028, ST1128, ST1332 and ST1336. Push / Pull key (Red Plastic)	
430-493	Ignition Key (molded)
O.E.M Applications MTD# 725-1341B (Sold Individually) 	
Has ergonomic slip resistant comfort grip.	
430-218	Ignition Key
O.E.M Applications AYP# 140401 / 140403 Husky# 532 14 04-01 / 532 41 19-33 / 532 41 19-35 John Deere# AM123426 / AM131946 John Deere# AM135356 / AM153650 / GY20680, MTD# 725-1745 (Sold Individually) 	
For Delta switches. Fits our 430-015, 430-654 and 430-710 ignition switches.	

Part#	Application
430-219	Ignition Key
O.E.M Applications see 430-218 For Delta switches. *Same as our 430-218 with a molded grip* 	
430-223	Wiring Harness
Length: 18" with (5) colour coded wires. 	
O.E.M Applications Universal Works with our 430-538, 430-013, 430-512 and most other 5 terminal type switches. Wires are protected by a plastic cover.	
430-205	Switch Connector
O.E.M Applications Universal 	
Works with our 430-015, 430-710 and many other Delta type switches.	
430-206	Switch Connector
O.E.M Applications Universal 	
Works with our 430-538, 430-013, 430-512 and most other 5 terminal type switches.	
430-207	Switch Terminals
O.E.M Applications Universal 	
Slide on terminal ends. (Sold in Multiples of 10) Works with our 430-206 connector.	
425-272	In Line Fuse Holder- 16 gauge wire, molded plastic fuse holder.
	
O.E.M Applications Universal Comes complete with 10" of wire & 20 amp fuse.	
425-306	In Line Fuse Holder
	
O.E.M Applications Universal For ATC / ATO style fuses up to 30 amp, 10 AWG wire.	

SWITCHES - IGNITION

Part#	Application
430-033	Universal Starter Switch (3) position, (4) terminal, 1st - magneto ground 2nd - battery and light, 3rd - off. Stem diameter: 3/4"
O.E.M Applications Universal	
430-041	Universal Starter Switch (4) position, (5) terminal, 1st - magneto ground, 2nd - battery & light, 3rd - battery and solenoid, 4th - off. Stem diameter: 3/4"
O.E.M Applications Universal	
430-029	5/8" mounting stem, on / off switch. (2) position, (2) terminal
O.E.M Application Ariens# 11134 / 24656 Ariens# 524069 / 624097 Ariens# 52406900 / 02456500 AYP# 135944, Cub Cadet# 725-3232 Exmark# 403121 / Ferris# 1521842, Grasshopper# 184-082, Great Dane# D18090, Homelite# JA13064-1, Lawn Boy# 700171 Lawn Boy# 740015, Murray# 56419, Noma# 49907 / 56992, Scag# 48609, Simplicity# 1664804, Snapper# 1-7817 Troy Bilt# 175-8145	
Battery type switch found on many single stage snowblowers.	
430-249	9/16" mounting stem, battery type switch. (3) position, (5) terminal
O.E.M Application Ariens# 03115200 / 31152 Gravely# 019223 / 19223 Jacobsen# 129846 John Deere# AM103286 John Deere# AM32686 / AM32318 Toro / Wheel Horse# 128140, Troy Bilt 12840	
Works on older Kohler engine applications with external coil.	

SWITCHES - IGNITION

Part#	Application
430-512	5/8" mounting stem, battery type switch, (3) position, (5) terminal
O.E.M Applications Toro# 103990 Kohler# 48-099-01	
For Toro / Wheel Horse lawn tractor with Kohler single cylinder engines. Wheel Horse model: 312-8 etc etc.	
430-075	(4) position, (7) terminal.
O.E.M Application Ariens# 15883	
Fits Ariens equipment. Plastic snap bezel. NOTE: Same terminal configuration as our 430-156 with smaller stem & snap bezel face.	
430-541	5/8" mounting stem, magneto type switch (4) position, (5) terminal.
O.E.M Application AYP# 14615 AYP# 73232	
For AYP applications.	
430-542	5/8" mounting stem (3) position, (4) spade terminals plus (2) heavy screw in terminals - "BAT" & "SOL".
O.E.M Application AYP# 365401R	
Also replaces the following switches: 74R, 2210R, 5797H, 7486H, 9541H, 21037, 71577, 72841 & 511404.	
430-543	5/8" mounting stem, magneto type switch (3) position, (5) terminal
O.E.M Application AYP# 102972X / 145499 / 158913 Briggs & Stratton# 490066 / 493625 Briggs & Stratton# 692318, Exmark# 1543070 / 543070 Husvarna# 532 10 29-72 Husvarna# 532 14 54-99 Husvarna# 532 15 89-13 Noma# 305720, Troy Bilt# 1754250 / 1754250P	

SWITCHES - IGNITION

Part#	Application
430-538	5/8" mounting stem, magneto type switch (3) position, (5) terminal
O.E.M Applications AYP# (Sears,Roper) 3612R , AYP# (Sears,Roper) 4406R, 365402 Bobcat# 480032B / 48032B Bunton# PAL0903 Cub Cadet# 725-3026 Dixie Chopper# 20245, Dixon# 4197, Economy# 032018, Gilson# 36457, Grasshopper# 183806, Honda# 35100772003 / 4166369, John Deere# AM102551, Lawn-boy# 230660 / 700172 / 741308, MTD# 725-0267A / 925-0267, Murray# 2106 / 21064 / 21064PA / 421064 Noma# (amf,canadiana,dynamark) 300295 / 421064 / 44745 Noma# (amf,canadiana,dynamark) STD365402 Power King# 032018, Scag# 48017 / 4801701, Simplicity# 178280, Snapper# 2-7698, 7027698, 7029010, Toro# 23-0660 This is our most popular switch. Found on many MTD, Murray, Noma etc applications.	
430-110	(3) position, (6) terminal, 5/8" mounting stem Magneto type switch.
O.E.M Applications B&S# 493625 B&S# 692318 Bobcat# 672318 Scag# 48798 Toro# 83-0020 Fits models 235432, 235437, 245432, 245437, 28N707, 28N777, 28Q777, 350422.	
430-013	5/8" mounting stem, magneto type switch, (4) position, (5) terminal
O.E.M Applications Gravely# 18272 Gravely# 018272 Murray# 91846 Noma# 300687 For Gravely, Murray and Noma applications.	
430-245	9/16" mounting stem, magneto type switch. (3) position, (5) terminal
O.E.M Applications John Deere# AM31995 John Deere# AM102544 Fits 110, 112 and 140 tractors	


SWITCHES - IGNITION

Part#	Application
430-274	Snap in mounted (3) position, (5) terminal.
O.E.M Application John Deere# AM133596 Fits John Deere LT190 with 48" deck. Key not included (Uses our 430-218 or 430-219 keys for Delta switches)	
430-250	13/16" mounting stem, magneto type switch (3) position, (6) terminal.
O.E.M Application John Deere# AM101561 Fits models F910, F930 front mounts; 130, 165, 170, 175, 180, 185, F912, F915, F925, RX73, RX75, RX95, SX75 and SX95.	
430-251	9/16" mounting stem, magneto type switch (3) position, (6) terminal.
O.E.M Application John Deere# AM38227 Kohler# 25-099-03 Fits S910 and S930 front mount, 108, 111, 112, 116 lawn tractors, 316, 318, 420 garden tractors, GS25, GS30, GS45, GS75, HD45 & HD75. Also found on 300 & some 200 series.	
430-128	9/16" mounting stem, magneto type switch (3) position, (6) terminal.
O.E.M Application Kohler# 25-099-04 Kohler# 25-099-02 Toro# 10-3991 Toro# 11-1215 Fits models CH11, CH12.5, CH14, CH18, CH20, CH22, CH25, CV12.5, M8, M10, M12, M16, M18, M20, TH16 & TH18.	



Waterproof Kit for INDAK Switches

430-000
Two piece kit: > (1) plastic nut > (1) rubber bezel



SWITCHES - IGNITION

Part#	Application
430-553	5/8" mounting stem (3) position, (6) terminal.
O.E.M Applications MTD# 725-1396 MTD# 925-1396	 
Fits all MTD lawn and garden tractors with Briggs & Stratton OHV Vanguard engines except auto drive step thru frame models 1999 and newer. NOTE: "G" terminal NOT fastened to switch housing. If you require the "G" terminal to be fastened to the switch housing - see our 430-110.	
430-488	Starter Key
O.E.M Applications MTD# 725-0128 Troy Bilt# 9243	
Fits MTD riders, also found on some Troy Bilt equipment.	
430-655	Snap in mounted, (3) position, (5) terminal. NOTE: Key NOT included. (Uses our 430-667 key)
O.E.M Applications AYP# 175567 Cub Cadet# 725-04659 Cub Cadet# 925-04659 Dixie Chopper# 500017 John Deere# AM122881 John Deere# AM132808 MTD# 725-04228 / 725-04659 MTD# 925-04228 / 925-04659	 
For John Deere and MTD applications. Found on MTD Transmatic Lawn Tractor, Model Series 700 that are not equipped with an R.M.C. "reverse module control" unit.	
430-536	5 Terminal, 3 Position. Note: Key not included with ignition switch.
O.E.M Applications MTD# 925-04019 MTD# 725-04019 Cub Cadet# 925-04019 Cub Cadet# 725-04019	 
For Cub Cadet and MTD equipment. (Uses our 430-218 / 430-219 ignition keys for Delta switches)	
430-009	Indak Ignition Switch Keys
O.E.M Applications AYP# 365410 / 7552H Husqvarna# 532 12 21-47 Husqvarna# 532 14 12-26 MTD# 725-0201	
Fit most INDAK switches.	(Sold in multiples of 10)




SWITCHES - IGNITION

Part#	Application
430-161	5/8" mounting stem, magneto type switch (4) position, (6) terminal
O.E.M Applications B&S# 5411H / 5411K Murray# 092377MA Murray# 92377 Murray# MU092377 Murray# MU092377MA	 
Fits front engine riders, 1992 and newer	
430-156	5/8" mounting stem, magneto type switch (4) position, (7) terminal
O.E.M Applications AYP# 140301 B&S# 5412H B&S# 5412K Husky# 532 14 03-01 MTD# 725-1717 MTD# 925-1717 Murray# 092556 Murray# 92556	 
For engines equipped with fuel shut off solenoid - built since 1994. Fits model 461004X92A	
430-654	Thread mounted (3) position, (5) terminal. Key not included
O.E.M Applications AYP# 140399 AYP# 144921 / 154855 AYP# 163088 / 178744 Husky# 532 14 03-99 Husky# 532 14 49-21 Husky# 532 14 54-99 Husky# 532 15 48-55 Husky# 532 15 89-13 Husky# 532 16 30-88 Husky# 532 17 87-44 Murray# 327355 / 327355MA Simplicity# 1686734 Simplicity# 1713845 / 1718306	 
(Uses our 430-668 nut and our 430-667 key)	
430-667	Replacement ignition keys.
Fits our 430-654, 430-655 and 430-536 ignition switches.	
	(Priced and sold in sets of 2)
430-668	Plastic Nut
Fits our 430-654 ignition switch.	
	(Sold individually)


SWITCHES - IGNITION

Part#	Application
430-015	Snap in mounted, (4) position, (7) terminal. NOTE: Key not included.
O.E.M Applications	
AYP# 163968 / 175442	
AYP# 175566 / 193350	
Husqvarna#	
532 17 55-66	
John Deere# GY20074	
Murray# 94762	
MTD# 725-1741	
MTD# 925-1741	
 	
Will replaces Cub Cadet / MTD#s 725-04227A, 925-04227A / 925-04227B MODULE NOT INCLUDED. (Uses our 430-218 or 430-219 key). Fits Husky models: YTH1542XP / 1542TPG / 1848XP, LTH1342 / 1342A & YTHP1542. John Deere models: L100, 105, 107, 110, 120, 130, G110, YY18 & some Scotts / Sabre models. Fit MTD auto step thru frame tractors 1999 and newer; Craftsman model 944-602191 etc. This ignition switch can also be used to replace the switch (MTD# 725-04230B / 925-04230B) found in the R.M.C. "reverse module control" found on many MTD riders. The module that is used to allow the mower to back up without disengaging the mower deck.	
430-218	Ignition Key
O.E.M Applications	
AYP# 140401 / 140403	
Husky# 532 14 04-01 / 532 41 19-33 / 532 41 19-35	
John Deere# AM123426 / AM131946	
John Deere# AM135356 / AM153650 / GY20680, MTD# 725-1745	
 (Sold Individually)	
For Delta switches. Fits our 430-015, 430-654 and 430-710 ignition switches.	
430-504	5/8" mounting stem, magneto type switch (2) position, (1) terminal.
O.E.M Applications	
Snapper# 1-1853	
Snapper# 7011853	
 Single screw terminal, found on riders. (For use with our 430-165)	
430-165	5/8" mounting stem, push button switch. (2) position, (2) terminal
O.E.M Applications	
Snapper# 1-2623	
Snapper# 7012623	
 (For use with our 430-504)	
430-520	5/8" mounting stem, magneto type switch (3) position, (3) terminal
O.E.M Applications	
Snapper# 1-1155	
Snapper# 7011155	
  Fits all riders 1973 thru 1987 with screw terminals.	




SWITCHES - IGNITION

Part#	Application
430-144	5/8" mounting stem, magneto type switch (3) position, (3) terminal
O.E.M Applications	
Snapper# 1-8816	
Snapper# 7018816	
  Fits rear engine riders. Series 6 thru 11, 1988 to present	
430-954	9/16" mounting stem, battery type switch (3) position, (6) terminal
O.E.M Applications	
Toro# 27-2360	
  Fits Toro Groundsmaster 3, 52, 62, 72, 172, 322, 326, 327, 400, 500, RM223D, 450D, 335D, 5100D.	
430-523	(2) position, (2) terminal, 5/8" mounting stem.
O.E.M Applications	
Toro# 29-5560	
Toro# 40-5940	
 For models S200 and S620 snowblowers. Also fits 32", 36", 37", 44" and 52" mid sized commercial mowers with pull start.	
430-710	(7) terminal. Key not included.
O.E.M Applications	
Stiga# 1134-4093-01	
  Fits models Stiga Park 2000 and Stiga Villa 2001. (Uses our 430-218 or 430-219 key)	
430-534	5/8" mounting stem, (6) terminal 3 position
O.E.M Applications	
Cub Cadet# 725-3163A	
Cub Cadet# 925-3163A	
MTD# 725-3163A	
MTD# 925-3163	
MTD# 925-3163A	
Troy Bilt# 1754183	
Troy Bilt# 1754183099	
  For Cub Cadet, Bolens and Troy Bilt applications.	
SWITCHES - Multi Application are listed in alphabetical order by manufacturers name.	



SWITCHES - Multi Application

Part#	Application
430-686	Switch Connector
 Universal applications. 1 Pole standard connector. Used on many single pole normally open or normally closed switches.	
430-688	Switch Connector
 Universal applications. 1 Pole shorting connector. Used with single pole normally closed switches. When disconnected from the switch causes the two wire harness to be shorted together	
430-698	Switch Connector
 Universal applications. 2 Pole standard connector (4 terminal). Used on many double pole switches	
430-687	Switch Connector
 Universal applications. 2 Pole shorting connector. Used with double pole switches (4 terminal) with a normally closed switch in the "A" pole position. When disconnected from the switch causes the two wire connected to pole "A" to be shorted.	
430-695	PTO Switch Connector
 For Universal applications. Normally closed switch in pole A	
430-691	PTO Switch Connector
 For Universal applications. Normally open switch in pole A	
430-693	PTO Switch Yellow knob. (2) position, (8) terminal.
 For Universal applications. Push-pull, snap mount. Note: Same as our 430-656 PTO switch, the only difference is the knob colour. 	
430-682	PTO Switch Push-pull, snap mount Red knob - (2) position, (5) terminal
O.E.M Application Ariens# 1545600 / 01545600 Bobcat# 2188153, Bunton# 2188153, Kees# 102424, Kubota# K121162230, Snapper# 28542 / 7028542, Toro# 95-7489, Woods# 072262 	
For Exmark, Ariens, Toro etc, also see our 430-657.	





SWITCHES - Multi Application

Part#	Application
430-683	PTO Switch. - VERTICLE MOUNT. (2) position, (7) terminal. Push - pull / snap mount.
O.E.M Application Cub Cadet# 725-3233 Cub Cadet# 925-3233 Cub Cadet# 725-04175 Cub Cadet# 925-04175 MTD# 725-3233 / 925-3233 MTD# 925-04175 / 725-04175  	
For Cub Cadet / MTD equipment. Fits Cub Cadet models: Z42 - Z54, 364365, 1515 - 1529, 2130 - 2186 and GT2000. (For horizontal mount see our 430-689).	
430-689	PTO Switch - HORIZONTAL MOUNT. (2) position, (7) terminal, Push - pull / snap mount.
O.E.M Application Cub Cadet# 72504258 Cub Cadet# 92504258 MTD# 725-04258 MTD# 925-04258  	
Fits Cub Cadet / MTD models: GT1054, GT1554, GT-3100, GT-3200, GTX1054, L1042, L1046, L1050, LT1040, LT1042, LT1045, LT1046, LT1050, LTX1042, LTX1045, LTX1046, LTX1050, SLTX1050, SLTX1054, Craftsman 247.28672, 247.288800, 247.288881, 247.289800, 247.289810, 247.289840 and 247.289841. (For verticle mount see our 430-683)	
430-506	PTO Switch (2) position, (5) terminals.
O.E.M Application Cub Cadet# 725-0893 Cub Cadet# 925-0893  Fits Cub Cadet. Most box-frame electric clutch applications.	
430-681	PTO Switch (2) position, (8) terminal. Push-pull / snap mount.
 O.E.M Application Exmark# 1160124  Fits Exmark. Note: Electrical rating 10A@ 12-+14VDC. Number life at rated load: 100,000 cycles resistive. (High Current)	

SWITCHES - Multi Application

Part#	Application
430-657	PTO Switch (2) position, (8) terminal. Push-pull / snap mount
O.E.M Application Ariens# 00522100 / 5221 / 522100 Exmark# 1633673 / 633673 John Deere# AM118802 / AM119139 Kubota# K121162231, MTD# 725-1716 / 725-1752 MTD# 725-3233 / 925-1716 MTD# 925-1752 / 925-3233 Scag# 481635 / Snapper# 28542 Toro / Wheel Horse# 926787 / 926788 / 939998 939999 / 942697 / 954108  	
430-777	PTO Switch Retaining Ring
O.E.M Application AYP# 140405  (Sold in Multiples of 5) Used with our 430-656 & 430-657.	
430-656	PTO Switch (2) position, (8) terminal. Push - pull / snap mount
O.E.M Application AYP# 140404 / 146283 AYP# 154959 / 154963 AYP# 169416 / 169417 AYP# 174651 / Bunton# PL7994 Dixon# 5961 / Encore# 523030 Husqvarna# 532 17 46-51 / Husqvarna# 539 10 17-68 Murray# 6201-316 Murray# 6201316 / 94927 Scag# 481687 Snapper# 35658 / Yazoo# 101768  	
430-559 NEW	PTO Switch (3) position, (8) terminals. Push/Pull; Yellow Knob, Snap Mount. Bottom middle terminal blank.
O.E.M Application John Deere# GY20939  Fits John Deere models: D160, D170, LA130, LA140, LA145, LA150, LA155, LA165, LA175, X130R, X140, X155R and X165. Manufactured By Delta Systems Inc. replaces Delta# 6201351.	

SWITCHES - Multi Application

Part#	Application
430-680	PTO Switch (8) terminal. Push/ Pull; Yellow Knob, Snap Mount.
O.E.M Application Scag# 483957 Fits Scag model: SW36A-13KH (S/N 8020001-8029999). 10 AMP  	
430-330	PTO Switch (2) position, (8) terminals. Push / Pull, Snap mount. Yellow knob.
O.E.M Application Exmark# 1035221 John Deere# AM131966 John Deere# TCA17834 Toro / Wheel Horse# 1035221 Fits Exmark model: Lazer Z. Replaces Delta# 6201-342.  	
430-508	PTO Switch (2) position, (5) terminals.
O.E.M Application Bobcat# 128009 Cub Cadet# 725-3022 Cub Cadet# 925-3022 Cub Cadet# IH107372C1 Gravely# 045848 Gravely# 45848 John Deere# AM39489 Power King# 037301 Snapper# 19545 Toro / Wheel Horse# 37-2610 Toro / Wheel Horse# 92-6328 Walker# 6950 Fits Gravely models Pro Master 200, 300 & tractor models. John Deere models 318, 420 and 430  	
430-510	PTO Switch (2) position, (6) terminals.
O.E.M Application Ariens# 03602400 / 36024 Grasshopper# 184082 Grasshopper# 604796 Scag# 48787 Snapper# 29715 / 7029715 Woods 70422 Fits Ariens 936 series YT tractor models: 936002, 936003, 936004, 936005, 936006, 936008, 936009, 936010, 936011 & 936012.  	




SWITCHES - Multi Application

Part#	Application
430-642	Oil Alert Diode assembly
O.E.M Application Honda# 34150-ZH7-003 Code# 5858444  For Honda engine models GX160 thru GX390.	
430-640	Oil Level Sensor Switch
O.E.M Application Honda# 15510-ZE2-033 Honda# 15510-ZE2-043 Honda# 15510-ZE2-053 code# 5361605 / 5792361 / 8755167  For engine models: GX240, GX270, GX340 & GX390.	
430-641	Oil Level Sensor Switch
O.E.M Application Honda# 15510-ZE1-003 Honda# 15510-ZE1-013 Honda# 15510-ZE1-023 Honda# 15510-ZE1-033 Honda# 15510-ZE1-043 code# 1501733 / 5262605 / 5962063 / 8755159  For engine models: GX110, GX120, GX160 & GX200.	
430-017	(2) Positions, (1) Terminal. Mounting stem OD: 15/32".
O.E.M Application Green Machine# 201030 Homelite# 63938 / 93653 John Deere# PT1008 Toro# 29-7660 Weedeater# 90824 / 534-193001  On / Off indicated on plate. Self-grounding switch, Single wire. Found on many Chain saws, Blowers and Trimmers. Found on many small chain saw and trimmer models with spade terminal wire end.	
430-066	Universal Deluxe Kill Switch
O.E.M Application Universal  On / Off switch found on Go-carts, ATV's etc. Comes complete with a 48" lead wire and (2) metal clamps with screws.	

SWITCHES - Multi Application

Part#	Application
430-070	Kill Button
O.E.M Application Universal  Comes complete with 42" lead wire, fits 7/8" - 1" tube handles. Used on lawn and garden equipment as well as minibikes, Go-carts etc.	
430-671	Plunger Interlock Switch Plunger Interlock "Seat Switch". (2) Position, (4) Terminal. NORMALLY CLOSED (N.C. / N.C.).
O.E.M Application Cub Cadet# 725-04040 Cub Cadet# 925-04040 John Deere# GY20073 MTD# 725-04040 / 925-04040  Snap mount / low profile - double pole. Found on Cub Cadet / Mtd & John Deere equipment. Fits John Deere models: 102, 105, 108, 115, 125, 135, 14.542GS, 145, 155C, 1642HS, 17.542HS, 1742HS, 190C, G100, S110, L100, L105, L107, L108, L110, L111, L118, L120, L130, L1742, L2048, L2548, LA100, LA105, LA110, LA115, LA120, LA125, LA130, LA135, LA140, LA145, LA150, LA155, LT150, LT160.	
430-658	Plunger Interlock Switch (2) Position, (2) Terminal. NORMALLY CLOSED - single pole.
O.E.M Application Ariens# 03095700 / 30957 AYP# 109869X, Bobcat# 38383 Exmark# 1513152 / 513152 Ferris# 21769, Great Dane# D38085 John Deere# AM108483, Kees# 923408 Simplicity# 1708207 / 1708207SM Snapper# 2-7225 / 7027225 / 923408  This safety switch fits Ariens 31038-000101 and 931303-000101 Grand Sierra; for 22 HP Kohler engines.	
430-660	Plunger Interlock Switch (2) Position, (2) Terminal. NORMALLY OPEN - single pole
O.E.M Application Ariens# 03657100 / 36571 AYP# 104445X, Bobcat# 38382 Bunton# PL4518, Exmark# 513051 Ferris# 21451 / 5021451 Husqvarna# 532 10 44-45 / 539 91 90-98, Hustler# 781211 John Deere# AM104884, Kees# 919098, Kubota# K2561-62251 MTD# 725-1657A / 925-1657A, Murray# 024273MA / 24273 Scag# 481637, Toro / Wheel Horse# 65-7410, Troy Bilt# 1748723, Yazoo# 1923025  Replaces DELTA# 6400-54. Fits Ariens EZR1440, 1540, 1640, 1648, 1742; GS22 GrandSierra. Husky WG4815E, WG2615E & WH3615E. Troy Bilt 13035, 13036, 13037 gear drive tractors; 13039, 13040, 13060, 13062 hydro garden tractors; 13096, 13097, 13099 hydrostatic LTX tractors.	

SWITCHES - Multi Application

Part#	O.E.M	Application
430-659	Plunger Interlock Switch (2) Position, (4) Terminal. NORMALLY OPEN / NORMALLY CLOSED - double pole.	
O.E.M Application Ariens# 00191256 Ariens# 088281 / 08828100 AYP# 109553X, Bobcat# 108208 Bushhog# 99073 , Dixon# 4242 Encore# 523034, Exmark# 633111 Ferris# 22095 / 5022095 Gravely# 08828100 Husqvarna# 532 10 95-53 / 539 10 10-80 John Deere# AM128925 Kees# 101080 MTD# 725-3169A / 925-3169A, Murray# 91299 / 91299MA Simplicity# 1717050 / 1717050SM / 17590 / 5022094 Snapper# 2-3355 / 7023355, Toro / Wheel Horse# 112-0455 Troy Bilt# 1751328 / 9253169A, Woods# 071148 Replaces DELTA# 6400-53. Used on Ariens: 934026 1848H and 934027 2248H High Sierra; Toro: 13AP60RP744, 13AX60RG744, 13AX60RH744 and 14AP80RP744; Troy Bilt 13025-13095 gear drive garden tractors; 13027, 13028 hydro suburban tractors.		
 		
430-665	Plunger Interlock Switch (2) Position, (4) Terminal. NORMALLY OPEN / NORMALLY CLOSED - double pole. Snap in mount.	
O.E.M Application AYP# 153664 / 161343 / 176138 Cub Cadet# 725-3164A Cub Cadet# 925-3164A Ferris# 22182 / 5023455 Husqvarna# 532 15 36-64 Husqvarna# 532 16 13-43 Husqvarna# 532 17 61-38 MTD# 725-3164A / 925-3164A Snapper# 1723507 / 1732006 Snapper# 2-2886 / 7022886		
 		
430-662	Plunger Interlock Switch 2) Position, (4) Terminal. NORMALLY OPEN / NORMALLY CLOSED - double pole rail mount.	
O.E.M Application John Deere# GY20094 Murray# 094136MA Murray# 94136 Murray# MU094136 Murray# MU94136		
 		

SWITCHES - Multi Application

Part#	O.E.M	Application
430-663	Plunger Interlock Switch (2) Position, (2) Terminal. NORMALLY OPEN - single pole.	
O.E.M Application Ariens# 027514100 Ariens# 02754100 / 27541 AYP# 160784 Cub Cadet# 725-3167 / 925-3167 Dixon# 539107523 / Great Dane# D38001 Husky# 532 16 07-84 John Deere# AM102119 / AM103119 Kubota# K1122-62282, MTD# 725-3167, Murray# 024273 / 57211 Scag# 481638 / 48717, Simplicity# 1704379 / 1704379SM Simplicity# 7015707, Snapper# 1-5707 / 7015707 Trailmate# 822190 Right angle snap mount. Replaces DELTA# 6440-04. Found on Ariens models: 927037, 927043, 927045-924056, 927061, 927063, 927065, 927301-927308, 927310; Husqvarna models: IZ4821T and IZ6125T; John Deere models: 240, 245, 260, 285, 320, STX30, STX38, frontdecks 510 and F525; Poulan models: PP20H46A and PP24H50A; Scag Walk behinds and Turf Tiger; Toro all commercial grade walk behinds with 14, 16, 18 and 20 HP engines.		
		
430-690	Seat Switch For seats with 2-3/4" hole OD Normally closed.	
Universal application. Screw mount.		
		
430-692	Seat Switch For seats with 2-3/4" hole OD Normally open.	
Universal application. Screw mount.		
		
430-666	Twist Lock Seat Switch Single pole, twist lock mount. NORMALLY CLOSED.	
O.E.M Application Bolens# 1768882 John Deere# AM119943 Simplicity# 1714771 Simplicity# 1714771SM Snapper# 29211 / 292112		
		
430-785	Seat Switch (2) Position, (4) Terminal. NORMALLY CLOSED. (N.C. / N.C.). Low profile twist lock mount. For seats with 2-3/4" Hole.	
O.E.M Application John Deere# AM130453 Fits John Deere models: 115, 145, 155C, 190C, D160 100 series, D170 100 series and X165 100 series, LA110, LA135, LA140		
		

SWITCHES - Multi Application

Part#	Application
430-457 NEW	Seat Switch NORMALLY OPEN.
O.E.M Application Ariens# 03490500 Ariens# 3490500 Grasshopper# 183870 Hustler# 782177 Toro / Wheel Horse# 92-6282 Replaces DELTA# 6520. Fits Ariens, Grasshopper, Hustler & Toro / Wheel Horse equipment. Fits Grasshopper models: 120, 220, 225, 321D; 600, 700 & 900 series. Fits Hustler models: Hustler Z, Mini Z, Super Mini Z & Super ZU.	
430-670	Seat Safety Switch
O.E.M Application AYP# 401545 For AYP models 2006 and newer.	
430-664	Plunger Interlock Switch (2) Position, (2) Terminal. NORMALLY CLOSED - single pole.
O.E.M Application AYP# 121305X Bolens# 1761083 Cub Cadet# 725-3166 / 925-3166 Exmark# 740275 Husqvarna# 506 90 96-01 / 532 12 13-05 John Deere# AM104403, MTD# 725-3166 / 925-3166 Murray# 094159MA / 94159, Scag# 48717 Simplicity# 1714770 / 7023354, Snapper# 2-3354 / 7023354 Toro / Wheel Horse# 74-0275, Troy Bilt# GW1761083 Right angle snap mount. Replaces DELTA# 6440-53. Found on Murray models: 405015X92, 40507X8A, 40508X92, 40541C and many other manufacturers.	
430-685 NEW	Plunger Interlock Switch / Seat Switch. (2) Position, (4) Terminal. Snap mount / low profile - double pole. NORMALLY CLOSED (N.C. / N.C.)
O.E.M Application Cub Cadet# 725-05013 Cub Cadet# 925-05013 MTD# 725-05013 MTD# 925-05013 Found on Cub Cadet / MTD riders.	

SWITCHES - Multi Application

Part#	Application
430-674 NEW	Plunger Interlock Switch. "Safety / Neutral Switch". (2) Position, (4) Terminal. Snap mount / low profile - double pole. NORMALLY CLOSED / NORMALLY OPEN (N.C. / N.O.). Low profile double pole plunger switch. 4 Terminal switch in NC / NO.
O.E.M Application Cub Cadet# 01008386 Cub Cadet# 01008386P Cub Cadet# 725-04165 Cub Cadet# 925-04165 John Deere# AM131549 MTD# 725-04165 MTD# 925-04165 Found on Cub Cadet / MTD / Troy Bilt and John Deere mowers. Found on Cub Cadet model Z-Force 44 (2005), MTD model 17AD2ACP004 RZT-50 (2008). Fits Cub Cadet models: LT1000, SLT1500, GT1500, ZRT and Z-Force. Also fits John Deere LT150, LT160, LT170, LT180, LT190 and LTR180.	
430-661	Plunger Interlock Switch Double pole, snap in mount. Normally open / normally closed
O.E.M Application MTD # 725-1657A MTD # 925-1657A	
430-116	Safety Switch 15/32" mounting stem, Open to run (black button), normally open. Fit electric start MTD riders.
O.E.M Application MTD# 725-0268 MTD# 725-0277 Noma# 41204	
430-124	Safety Switch 15/32" mounting stem, Closed to run (red button), normally closed. Fit recoil start models.
O.E.M Application MTD# 725-0269 MTD# 925-0269	
430-382	Safety Switch For MTD riders. Plunger type. N.O. / N.C., (2) position, (4) terminals. Fits models 698 and 699.
O.E.M Application MTD# 725-0803C MTD# 925-0803C	

SWITCHES - Multi Application

Part#	Application
430-733	Headlight Switch
O.E.M Application AYP# (sears,roper) 110712X Fits AYP riders.	
430-742	Stop Switch for Briggs Fits Briggs & Stratton 4, 5-1/2 and 9 Hp Vanguard and 5 Hp Industrial Plus engines.
O.E.M Application B&S# 495098 B&S# 495098S	
430-163	Stop Switch for Husqvarna
O.E.M Application Husqvarna#'s 501 52 66-02 503 08 97-02 503 71 79-01 503 91 79-01 Fits Husky chain saw models: 61, 266, 266XP, 268, 268XP and 281 etc. (Two pictures shown for reference)	
430-180	Stop Switch for Husqvarna On / Off Switch.
O.E.M Application Husky# 503 71 82-01 For Husqvarna Chain Saw models: 232L, 232R, 235FR, 235R, 324LDX, 324LX, 324RX, 326, 336, 339XPT, 385. For Husqvarna Trimmer models: 123C, 123HD, 123L, 123LD, 225AI, 225B, 225BX, 225E, 225H, 225HBV, 225L, 225LD, 225 LITE, 225R, 225RD, 225RJ, 227L, 227JD, 227R, 227RD, 227RJ, 232L, 232R, 232RD, 232RL, 235R, 235RL, 240, 240R, 240RBD. (Two pictures shown for reference)	
430-496	Safety Switch 9/16" mounting stem. Normally closed, neutral safety
O.E.M Application Gravely# 034640 Gravely# 34640 Scag# 48021 Simplicity# 1654634 Toro / Wheel Horse# 284250 Found on Gravely models: Pro Power, Pro Master, Pro, 2 and 4 wheel tractors. (Two pictures shown for reference)	

SWITCHES - Multi Application

Part#	Application
430-494	Safety Switch 9/16" mounting stem. Normally open, (2) terminal
O.E.M Application Ariens# 02913100 Ariens# 29131 Encore# 363027 Encore# 363207 Gravely# 020916 Gravely# 20916 John Deere# AM37643 Murray# 23479 Scag# 48231 Snapper# 16155 Snapper# 7016155 Stiga# 9400010501 Found on Ariens models: EZR1540, EZR1740, EZR1742, EZR1842, EZR2048, GT10-GT18, VT1138, YT832, YT1138, YT1238; Encore walk behind mowers; Gravely G series PTO and G series Pro walk behind mowers; Scag walk behind mowers. (Two pictures shown for reference)	
430-613	Engine Stop Switch - 3/4" mounting stem - On / Off indicator on plate
O.E.M Application Honda# 36100-883-005 Honda# 36100-ZE1-015 Code# 2787869 Fit Honda engine models: GX110, GX120, GX140, GX160, GX200, GX240, GX270, GX340 & GX390.	
430-615	Engine Stop Switch (1) male end and (1) female end. Fit many Honda engines, 3/4" mounting stem, on/off indicator on plate.
O.E.M Application Honda# 36100-ZH7-003 Code# 5266184 Fits models GX110, GX120, GX140, GX160, GX200, GX240, GX270, GX340 and GX390.	
430-027	Stop Switch Fits on Stihl Chain Saws and Cut Quik saws.
O.E.M Application Stihl# 1100-430-0202 Stihl# 1110-430-0210 Stihl# 1121-430-0200	