





Automation Simplified...

HAI Catalog: Table of Contents

HAI—Comfort, Convenience and Safety	2
HAI—Stronger than ever	3
HAI Controllers: The heart of your home	3
HAI Omni Controllers	4
HAI Lumina Controllers	!
Approvals	
Omni LT & Omni LT Promo Kits	
Omni Ile & OmniPro II	8
Omni Ile & OmniPro II Promo Kits	S
Lumina Controllers	10
Consoles & Touchscreens	1-13
Omni & Lumina Accessories 14	1_1

HAI Omnistats
HAI Wireless Security Products19
HAI Lighting Control20-2
HAI Software22
HAI Software & Cables2
Connectivity Partners & HAI Programs24
HAI—Trainings29
Marketing Brochures20
Marketing Brochures & Documentation2
Wiring Diagrams28-30
Product Index by Part Number/Category 31-32

HAI continues to roll with the changing marketplace and we have the confidence to know that these new panels and systems have been well thought and engineered before we install them. Support for your equipment is excellent.

> John Reider, President IntelliPower, Inc. Kirkwood, MO

We feel that HAI has increased our business and our standing in the community. Your service and support is second to none...You are a supplier that makes our company look good.

T. Michael Weed IV, President M&M Direct Communications, Inc. Holland, MI

HAI offers innovative products and great tech support - in short, you guys rock!

Nick Tamburri, President Aggressive Automation Newark, NJ

HAI—Comfort, Convenience, and Safety



Since 1985, HAI has been the recognized leader of integrated security and home automation products. Considered a pioneer in the industry, HAI offers a comprehensive and award-winning product line with a track record of success.

1996



The Omnistat is introduced, the first EPA EnergyStar programmable communicating thermostat line.



HAI introduced its Omni LT system, bringing Omni power to smaller homes, townhomes, and vacation homes.











replaces the OmniPro and receives numerous awards.



Video Recording HAlweb-link | capabilities were added to Web-Link II.

2004













Home Control for Windows Media Center

New Products:

2005







1985

HAI was formed to provide automation products to the newly emerging automation & controls market.

The Model 1503 was introduced as the first integrated security and automation system on the market.

1995

HAI introduced its Omni system. At twice the performance and half the cost, the Omni was an instant success for HAI and its customers.

1997

The OmniPro, with expanded features for large homes was introduced.

2001







2003









HAI was named one of Technology's Hottest Companies by Constructech magazine.

New Products:

HAI OmniTouch

2006

New Products:







and more to come!

HAI Today: Stronger than ever.



Dear Customers:

Thank you for making 2005 HAIs best year ever. HAI continues to grow with the hard work and dedication of its employees and customers. HAI Lighting Control, Home Control for Windows Media Center and integration with fine audio systems from NuVo and Russound have made HAI the price/performance leader in this industry.

We want to thank every customer, employee and friend who helped us relocate and resume operations quickly after hurricane Katrina. We also thank our customers and friends who donated to the HAI Employee Relief Fund. HAI will return to a renovated, better-than-ever 51,000 square foot facility early this year.

For 2006, we proudly present OmniTouch with Video, which allows customers to see who is at the front door and let them in. The new Lumina, Omni Ile, additions to the HLC line of lighting controls and HAI Wireless Products line and many more innovations from our expanded engineering department are shipping now or on their way.

As always, we work to offer the best performance and value in our products, to delight you and your customers time and time again. We greatly appreciate your business and loyalty, and look forward to a record-breaking 2006 for you and HAI!

Jay McLellan, President & CEO









HAI Controllers: The heart of your home

HAI now offers two controller families: The Omni family and the Lumina family. Each coordinate your home's amenities for comfort, convenience and safety.

Omni controllers feature built-in UL-Listed security and fire systems, lighting control, temperature control and audio control with telephone and Internet connectivity options. Three models ensure the right size for any home and budget.





Lumina Pro

Lumina is a sophisticated lighting control system that is affordable and easy to install in new or existing homes. If desired, it can tie into an existing security system. Numerous options and accessories from HAI allow Luminas to grow into complete home automation systems. There are two models in the Lumina family.

HAI Omni Controllers



An HAI Omni controller provides temperature and lighting control for energy savings, integrated UL-Listed security for enhanced safety, and the convenience of telephone and Internet access and control. OmniPro II also offers audio control for the luxury of music throughout the home. Homeowners recognize that an HAI system can pay for itself through energy savings while increasing the value and *enjoyment of their home.*

Omni Controllers, Overall Features

- Central control for security, lighting and temperatures
- Audio control (OmniPro II)
- LCD Consoles, OmniTouch and OmniTouch with Video Touch Screens
- Built-in telephone access with voice menu
- Built-in modem for remote programming and status
- Built-in Ethernet port for remote programming and status over the internet (Omni Ile, OmniPro II)
- Built-in serial port(s) for Connectivity Partners

Security Features

- UL-Listed Burglary and Fire
- Fully configurable security zones, expandable
- Wireless security options
- Supports 2 and 4 wire smoke detectors
- Supervised zones, battery and bell circuits
- Digital Communicator for Central Station Monitoring
- Voice and pager dialer
- True partitioning for security and control (Omni Ile and OmniPro II)
- Event log with time and date

 User Codes valid by time and authority

Automation Features

- Advanced Control Programming (ACP): HAI's easy-to-use "when-command-if" programming for scheduling and event driven logic
- Advanced control for lighting: scenes, fades, levels, dimming, occupancy-based
- Remote control of thermostats, lighting, security
- Program on console, touchscreen or PC using HAI PC Access software
- Lights, temperatures, security and audio can be scheduled by time, sunrise, sunset, date, day of week, as well as by system event: motion detected, door opened, mode change, etc.

HAI. Models	Omni LT	Omni Ile	Omni Pro II	HAI, Models	Omni LT	Omni lle	Omni Pro II
Thermostats	2	4	64	Audio Control	no	no	yes
Consoles (keypads)	4	8	16	Custom Vocabulary	no	no	yes
Touch Screens***	3*	7**	15**	RS 232 ports	1	3	3
Zones	8	16	16	RS 232 expansion total	2	4	4
Zone Expansion total	24	48	176	Ethernet port	0	1	1
2 wire smoke loops	F	4	4	Format	Cont	act ID, 4/	2, 3/1
12 volt triggers	2	8	8	Transformer required	16.5V	24V	24V
Expansion triggers total	10	8	136		40VA	40VA	40VA
User Codes	8	16	99	Battery (typical)	12V	12V	12V
Lighting Scenes	16	64	128		4 Ah	7 Ah	7 An
Lighting Addresses	16	64	256	Aux current max	500 mA	1 A	1 A
HAI Lighting/Rooms	2	8	31	Bell current max	1 A	1 A	1 A
Programming Lines	100	500	1500	Aux current jul 24 hrj	200 mA	250 mA	250 mA
Vocabulary	195	550	550	Bell current (UL 24 hr.)	350 mA	300 mA	300 mA

Recommend 32A30 Touch Screen Hub for 2 or more Touch Screens Recommend 32A30 Touch Screen Hub for 4 or more Touch Screens Systems must have 1 console. Each Touchscreen uses 1 console address.

HAI Lumina Controllers

Introducing Lumina...



Sophisticated lighting control

that's affordable and easy to install

Lumina has the features of high end lighting control, without the special wiring and extra cost! Room, house and mode controllers can be placed around the home and control the entire lighting system from a small keypad. A variety of dimmers and switches are available for lighting of all types. Lumina has a clock with automatic daylight savings time and sunrise/sunset calculations for accurate dusk to dawn performance year round.

Lumina is different...

What sets the Lumina apart from other whole house lighting controllers?

Easy to install. No need for new wiring - the Lumina uses UPB, the most advanced digital communication standard available which transmits over standard electrical wires. Simply hang it on the wall and use the supplied LCD keypad to set it up.

Easy to operate. Lights come on as programmed or with the push of a button. Want to change one of the preset lighting scenes? Simply press the scene button five times and the new scene is memorized.

Unrivalled expandability. Add options like telephone, touchscreen, Internet access and control, coordinate with thermostats, Windows Media Centers, Multi-Room Audio Systems, and security systems for a comprehensive "smart house" system.



Lumina Pro

	Lumina	Lumina Pro
Rooms	8	31
Loads	56	217
House Controllers	8	30
Keypads *	8	16
Touchscreens **	8	16
Thermostats	4	64
Inputs (with expansion)	16 (48)	16 (176)
RS232 Ports***	2 (3)	2 (3)
Ethernet Port	1	1
Outputs	10	10 (136)
Programming Lines	500	1500
Vocabulary	550	550
Customizable Vocabulary	No	Yes
Audio Control	No	Yes

^{*} Each Touchscreen uses one keypad address

^{**} Recommend 32A30 Touchscreen Hub for 4 or more touchscreens

^{***} One serial port used for PIM

Approvals

UL Commercial Burglary (OmniPro II & Omni IIe)

UL Residential Fire and Burglary (Omni Family)

UL Energy Management (Lumina Family, Omnistats, sensors)

FCC Part 15J, Part 68

California Title 24 Compliant (Lumina & Omni Families)

California State Fire Marshall (Omni Family)

CE (European Standard)

IS-60 (Canada)







HAI is an Energy Star Partner and all Omnistats meet the Environmental Protection Agency's Energy Star Guidelines for energy efficiency.

We have made a company wide decision to use HAI systems in all our installations... Our customers are very happy with the ease of use. We love the functionality and scalability. This system has enabled us to "up sell" our customers. We typically design a system with basic functionality and once the customer is comfortable and familiar with the system we tend to add more in depth programming and controls, ie: lighting, audio, etc. Keep bringing us great products.

James Ceriello, President HomeLink Technology, LLC Allendale, NJ


HAI is the only system we install!

Todd Mitchell, President Platinum Home Systems - The Art of Integration Ltd. North Vancouver, BC Canada

Omni LT & Omni LT Promo Kits



Promo 10S, Omni LT for Structured Wiring Enclosures





Omni LT Controller

21A00-1

Omni LT controller with enclosure, RJ31X jack and cable, manuals, accessory kit.



21A00-2



Omni LT Board Only

21A00-2

Omni LT controller board only.

Omni LT for Structured

Wiring Enclosures

21A00-11

Omni LT controller on mounting plate, PIM, RJ31X jack and cable, manuals, accessory kit, and wiring label for enclosure door. Fits in Leviton and "Open House" type enclosures.



Omni LT w/ Surface Console

Promo 9

Case Of 6

Promo 9CS

Omni LT controller in enclosure.*

Omni LT for Structured

Wiring Enclosures

Promo 9S

Case Of 6

Promo 9SCS

Omni LT controller on Backplate for Leviton and Open House enclosures.*

Omni LT Kit

Promo 10

Omni LT controller in enclosure, PIM, RC-80B thermostat, indoor/outdoor temperature sensor, serial cable.*

Omni LT Kit for Structured

Wiring Enclosures

Promo 10S

Omni LT controller on mounting plate, PIM, RC-80B thermostat, indoor/outdoor temperature sensor, serial cable.*

Omni LT Starter Kit


Promo 11

Omni LT controller in enclosure, 1105W Dealer Software, PIM, lock & keys, serial cable, sample home control programs.*

*All Omni LT Promos come with surface mount console, RJ31X jack & cable, manuals, and accessory kit in addition to the items listed in their description.

Omni IIe & OmniPro II









Omni Ile Controller

20A00-50

Omni lle controller with enclosure, lock set with two keys, PIM, RJ31X cord and jack, manuals.





Omni Ile Controller for Structured Wiring Enclosures 20A00-52

Omni lle controller on mounting plate for Leviton, OnQ, UStec, and "open house" type enclosures, PIM, RJ31X cord and jack, manuals, accessory kit, wiring diagram for enclosure door.

Omni Ile Board Only

20A00-53

Omni lle controller board only.




OmniPro II Controller

20A00-2

OmniPro II controller with enclosure, lock set with two keys, PIM, RJ31X cord and jack, manuals.

OmniPro II Commercial Controller 20A00-5

OmniPro II controller with commercial attack proof enclosure, lock set with two keys, PIM, RJ31X cord and jack, manuals.



OmniPro II Controller for

Structured Wiring Enclosures 20A00-8

OmniPro II controller on mounting plate for Leviton, OnQ, UStec, and "open house" type enclosures, PIM, RJ31X cord and jack, manuals, accessory kit, wiring diagram for enclosure door.

OmniPro II Board Only

20A00-21

OmniPro II controller board only.

Omni IIe & OmniPro II Promo Kits









Omni Ile Kit w/ Flush Console Promo 12e
Omni Ile controller with enclosure, lock set with
two keys.*

Omni Ile for Structured Wiring Kit with Flush Console Promo 12eS Omni Ile controller on a structured wiring backplate.*

Omni Ile Starter Kit Promo 14e
Omni Ile controller with enclosure, lock set with two
keys, 1105W Dealer Software.*

* All Omni Ile Promos come with surface mount console, flush mount kit, RC-80B thermostat, indoor/outdoor temperature sensor, PIM, RJ31X cord and jack, serial cable, and manuals in addition to the items listed in their description.



OmniPro II Kit w/ Flush Console Promo 15 OmniPro II controller with enclosure, 10A06-1 expander, lock set with two keys.*

OmniPro II for Structured
Wiring Kit with Flush Console Promo 15S
OmniPro II controller on a structured wiring
backplate, 10A06-1 expander.*

OmniPro II Starter Kit Promo 16
OmniPro II controller with enclosure, lock set with two keys, 1105W Dealer Software.*

*All OmniPro II Promos come with surface mount console, flush mount kit, RC-80B thermostat, indoor/outdoor temperature sensor, UPB-PIM, RJ31X cord and jack, serial cable, and manuals in addition to the items listed in their description.

We are dedicated HAI installers that have not done an install without using an OmniPro II. We respect HAI tremendously and sing your praises every day.

Gary Hoefler, Owner Home Technology Plus Eads, TN

Lumina Controllers







Lumina 44A00-1

Supports eight rooms (56 lights). Includes Ethernet Port, controller in enclosure with lock & keys, LCD keypad, UPB PIM & cable, UPB phase coupler, serial cable, transformer & battery, manuals, and accessories.



Lumina Pro 44A00-2

Supports 31 rooms (217 lights). Includes Ethernet port, controller in enclosure with lock & keys, LCD keypad, UPB PIM & cable, UPB phase coupler, serial cable, transformer & battery, manuals, and accessories.





12V 5AH Battery

44A02-1

Replacement Battery for Lumina, Lumina Pro controllers.

24V 40VA Transformer

44A03-1

Replacement Transformer for Lumina, Lumina Procontrollers.



Lumina Keypad

33A00-19

LCD surface mount keypad, silk screen front, connector kit, instructions.

Lumina Keypad with

Built-in Speaker/Microphone 33A00-20

LCD surface mount keypad with built-in speaker/ microphone, silk screen front, connector kit, instructions.

Telephone Access Kit

44A01-1

RJ31X cord and jack.



Mode Controller

38A00-3

6 button keypad, connectors, instructions. Press one button, sleep, home, vacation, away, party or special to initiate a program for preset lights and temperature.

Consoles & Touchscreens

These products will work with all controllers except as noted.



Omni Console Case of 12

33A00-1 33A00-1CS

Cool blue LCD surface mount console, silk screen front, connector kit, instructions (Omni family only).



Omni Console Flush Mount Kit 33A00-3

White, Flush Mount Backbox for use with 33A00-1 or 33A00-4 console *(not included)*, mounting bracket, instructions.



Omni Console with Built-in Speaker/Microphone (Omni family only).

33A00-4



HAI coordinates home control with Russound and NuVo Multi-Room Audio systems for the ultimate enjoyment!

When connected to an HAI OmniPro II or Lumina Pro controller, the OmniTouch may be used to interface with Russound and NuVo audio distribution systems. Select and distribute music from any audio source to different rooms in your home simultaneously and independently. You can control on/off, volume, muting, transports, audio source, and many other functions for each audio zone.

Additionally, you can create "modes" in your OmniPro II or Lumina Pro to customize your music and home control experience. Imagine returning home to your favorite music playing, lights set to your desired levels, and temperature to a cozy setting. Never again will your children disturb your neighbors in the middle of the night because they forgot that the outside speakers were on—OmniPro II will make sure that it doesn't happen by turning the outdoor audio zone off after dark. Available for OmniPro II and Lumina Pro only. See our website for more details.

2006 PRODUCT SPOTLIGHT

Consoles & Touchscreens

These products will work with all controllers except as noted.



HAI OmniTouch

32A00-1

Color touchscreen in flush mount enclosure. Capable of integrating with Russound and NuVo Audio Systems. Includes white, beige, and almond faceplates, connector kit, instructions.





Give homeowners an upgrade they can touch and see...

From the premier manufacturer of home automation products comes the next generation in affordable technology. The HAI OmniTouch with Video— all home control functions along with video so you can see who's at the door or in the pool!


2006 PRODUCT SPOTLIGHT



HAI OmniTouch with Video

32A00-5

Color Video Touchscreen in flush mount enclosure, includes white, beige and almond faceplates, instructions. Requires hub and video encoder, Cat 5 connections.



Touchscreen Hub w/ Video, 32A30-2 for Structured Wiring Enclosures

Touchscreen Hub with Video Encoder on Universal Mounting Plate includes power supply, instructions.



Touchscreen Hub


32A30-1

w/ Video in Enclosure

Touchscreen Hub with Video Encoder in Enclosure, includes power supply, instructions.

Consoles & Touchscreens

These products will work with all controllers except as noted.



Touchscreen Hub, no video, 32A30-4 for Structured Wiring Enclosures

Touchscreen Hub on Universal Mounting Plate includes power supply and instructions.

Touchscreen Hub, 32A30-3 no video, Enclosure

Touchscreen Hub in Enclosure, includes power supply, instructions.



Video Encoder

32A32-2

Video Encoder circuit board and connector, instructions.

Touchscreen Hub Board Only 32A31-2 Touchscreen Hub Board Only.

Touchscreen Hub Replacement 106080 Power Supply

Switching power supply brick for use with Touchscreen Hub.

HAI OmniTouch Trim Ring 32A07-1

White trim ring—intended for retrofitting OmniTouch in place of 11A00-2 Flush Console. White, paintable to wall color.

Black HAI OmniTouch

Faceplate 32A01-BK

HAI OmniTouch Faceplate in black.



HAI Access Control KeyPad 54A00-1

A weatherproof and vandal resistant piezoelectric keypad designed to interface with the HAI line of automation controllers. The piezoelectric buttons work simply by tapping the surface, and do not require an actual physical movement. The sleek keys of the Outdoor keypad can be operated with a bare finger or a snow-covered glove equally well. Stainless steel outdoor keypad, cable assembly, instructions.

These products will work with all controllers except as noted.



Expansion Enclosure

17A00-1

16 input/16 output expansion board with enclosure, lock set with two keys, accessory kit, instructions. Reduces wiring use in larger installations (for OmniPro II, Lumina Pro).

Expansion Board Only

17A00-8


16 input/16 output expansion board only (for OmniPro II, Lumina Pro).



Enclosure Lock & 2 Keys


21A06-1

Lock for enclosure, two keys.



16 Zone/16 Output Expansion 17A00-9

16 input/16 output expansion board on a universal mounting plate with accessory kit, instructions for installation in Leviton, UStec, OnQ and "open house" type structured wiring enclosures (for OmniPro II, Lumina Pro).



Omni LT Expansion Module

22A00-1

16 zones plus 8 voltage output expansion module with accessory kit *(for Omni LT).*



Mounting Plate for Omni LT 21A07-2

Mounting plate hardware kit & instructions. Used to mount Omni LT controllers in Leviton and "open house" type structured wiring enclosures (for Omni LT).



Universal Mounting Plate

20A07-2


Mounting plate, hardware kit & instructions. Used to mount HAI controllers, expanders, and accessories in Leviton, OnQ, UStec, and "open house" type structured wiring enclosures.

These products will work with all controllers except as noted.



RS-232/RS-485 Serial Board 10A17-1

RS-232/485 serial board, accessory kit, 20 pin cable, instructions.



Omni LT Demo Adapter Kit 27A00-2
Demo adapter board (for Omni LT).



Relay Module

10A07-1

4 relay module with mounting tape.

Relay Module

19A00-1

8 relay module with accessory kit, mounts in 17A00 Expansion Enclosure.



Demo Adapter Kit

18A00-

Demo adapter board, instructions (for Omni Ile, OmniPro II, Lumina, Lumina Pro).



16 Zone Hardwire Expander 10A06-1

16 Zone expansion module with accessory kit *(for Omni IIe, OmniPro II, Lumina, Lumina Pro).*



Two-Way Voice Module

10A11-1

Two way voice board, mounting material, instructions. Use with 33A00-4 console, or 33A00-20 keypad, or speaker microphone shown below.





28A00-1

28A00-2

Surface Speaker Microphone 28A00-1 Speaker and microphone, surface mount

enclosure, instructions.

Flush Speaker Microphone

28A00-2

Speaker and microphone, flush mount enclosure, instructions.

These products will work with all controllers except as noted.



Water Temperature Sensor

14A00-8

Water temperature sensor module, probe, accessories, instructions.



Extended Range Indoor/Outdoor

Temperature Sensor

31A00-7

Indoor/Outdoor temperature sensor from -40° to 120° F, accessory kit, instruction sheet.

Extended Range Indoor/Outdoor

Temperature & Humidity Sensor 31A00-8 Indoor/Outdoor temperature sensor from -40°

to 120° F and humidity sensor, accessory kit, instruction sheet.



PESM

1101A

Programmable energy saver module with instructions.

Wireless Receiver for

GE InterLogix

42A00-1

64 Zone wireless receiver, with LED display for GE/ITI/Caddx transmitters.



Chip Upgrades

EPROM chip upgrade with installation instructions (for the latest version).

Omni LT Chip Upgrade 21A03-1UPG
Omni II Chip Upgrade 20A04-1UPG
Omni IIe Chip Upgrade 20A04-50UPG
ComniPro II Chip Upgrade 20A04-21UPG
Lumina Pro Chip Upgrade 20A04-22UPG



Two Way X-10 Transceiver Kit

10A09-7

Two Way X-10 protocol powerline carrier transceiver, 7 foot cable, instructions.

* ALL ALC switches are available by special order only.

ALC Interface, 1 branch

25A00-1

1 branch ALC Hardwire Lighting Control Interface (16-31 lights).

ALC Interface, 4 branch

25A00-2

4 branch ALC Hardwire Lighting Control Interface (64-124 Lights).



OmniPro II Demo w/ OmniTouch and HAI Lighting Control 18A00-13

Fully assembled & operational OmniPro II demo system including controller, RC-80B thermostat, LCD console with built-in speaker, OmniTouch touchscreen, HAI Lighting Control: House Controller, Room Controller, and Dimmer, UPB PIM, Voice Module, packaged in super duty black travel case. Demo programs included.



Omni LT Demo Kit

27A00-3

Fully assembled and operational Omni LT demo system including controller, RC-80B thermostat, LCD console, demo board adapter kit, X-10 powerline transceiver, serial cable, touch tone phone packaged in robust black travel case. Demo programs included.

HAI Omnistats

These products will work with all controllers except as noted.

RC-80B RC-90B RC-122B



RC-100B RC-112B

Single Stage Heat/Cool

RC-80B

Single stage (1 heat/1 cool) thermostat with lighted LCD, accessory kit, manuals.

Single Stage Heat/Cool

for Zoned Systems

RC-90B

Single stage (1 heat/1 cool, with B & O Terminals) for zoned systems thermostat with lighted LCD, accessory kit, manuals.

Two Stage Heat/Cool

RC-122B

Two stage thermostat (2 heat/2 cool) with lighted LCD, accessory kit, manuals.

Heat Pump

RC-100B

Heat pump thermostat, (2 heat, 1 cool) with lighted LCD, accessory kit, manuals.

Two Speed Heat Pump

RC-112B

Two speed heat pump thermostat (3 heat/2 cool) with lighted LCD, accessory kit, manuals.



HAI is an ENERGY STAR partner. All Omnistat Thermostats meet the Environmental Protection Agency's ENERGY STAR guidelines for energy efficiency. Omnistat thermostats are fully interactive with all HAI controllers and are compatible with most others. They may be controlled both locally and remotely.





23A00-1

23A00-2

Surface Mount

Remote Indoor Temp Sensor

23A00-1

Surface indoor temperature sensor for Omnistat thermostats.

Flush Mount

Remote Indoor Temp Sensor

23A00-2

Flush indoor temperature sensor for Omnistat thermostats.





29A00-1

30A00-1

Thermostat Isolation Module 29A00-1

Relay isolation module for RC-80 series thermostats, mounting clips, instructions (*Optional*, *may be needed for HVAC systems using non-standard voltages*).

Thermostat Power Supply Module 30A00-1

Power booster for RC-80 series thermostats, instructions (Optional, may be needed in retrofit applications when "HVAC common" wire is not available).

HAI Wireless Security Products

These products will work with all controllers except as noted.





Add these convenient wireless products to your Omni or Lumina family controller for security and lighting control applications.



64 Zone Wireless Receiver

45A00-1

433 MHz for use in domestic and international installations.



Door/Window Transmitter

46A00-1

3 Zone Door/Window Transmitter with a mercury tilt switch for garage doors. Includes Door/Window 3 Zone transmitter with tilt switch, magnet, mounting hardware, battery, instructions.



Quad Pet Immune

Motion Detector

47A00-1

Quad Pet Immune Motion Detector that greatly reduces false alarms. Includes Quad pet-immune motion detector with wall and ceiling mount hardware, battery, instructions.

4 Button Keyfob

48A00-1

Can be programmed to control any HAI Controller feature, such as lights, temperatures, and macros, in addition to security. Includes instructions.



Panic/Alert Pendant

50A00-1

Can trigger outgoing phone calls up to 8 different numbers, an e-mail notification, or video surveillance recording. Includes Panic/alert pendant with lanyard, wall mount bracket and belt clip, instructions.



Wireless Recessed

Door Contacts

56A00-1

This recessed supervised wireless transmitter is used for the protection of doors and windows in installations where the contact must be totally hidden. The transmitter is concealed within the door or window frame for virtual transparency. It is supplied with a replaceable lithium battery that lasts for 5 years under normal conditions.

HAI Lighting Control

These products will work with all controllers except as noted.



600W Dimmer 35A00-1 Case of 12 35A00-1CS

600 Watt UPB Dimmer, white paddle, connectors, instructions.

600W Non-Dimming Switch 35A00-3 Case of 12 35A00-3CS

600 Watt UPB Switch, Non-Dimming for compact/flourescent, white paddle, connectors, instructions.

15A Relay Switch 40A00-1 Case of 12 40A00-1CS

15A UPB Relay Switch for motors, fans. White paddle, connectors, instructions.

HAI 1000W, 1500W & 2400W UPB*

*The 1000W, 1500W and 2400W dimmers must be ordered in the desired color.

Dimmers: Available Colors, color codes

White	WH	lvory	IV
Almond	AL	Brown	BR
Black	BL	Grey	GR

HAI lighting control

A new series of lighting control products that deliver high performance at an affordable price.

HAI Lighting Control products can be used as stand alone, with HAI controllers or with other controllers that are UPB compatible. They use standard wiring techniques for easy retrofit.



HAI Lighting Control uses UPB, an ultra reliable digital communication technology.



HAI 1000W UPB

Dimmer Switch 55A00-1 color code Connectors, instructions.



HAI 1500W UPB

Dimmer Switch 55A00-2color code White and ivory only. Connectors, instructions.



HAI 2400W UPB

Dimmer Switch 55A00-3color code White and ivory only. Connectors, instructions.

HAI Lighting Control

These products will work with all controllers except as noted.

Room Controller, 6 button 38A00-1 Case of 12 38A00-1CS

Control all lights in a room or area. Lights may be turned on, off, dimmed, brightened, and set to four different scenes, which is as simple as pressing the scene button on the Room Controller 5 times. Includes connectors, instructions.



House Controller, 8 button 38A00-2 Case of 12 38A00-2CS

The master lighting control that shows the status for up to eight rooms. If any light is on in an integrated room, that button is illuminated. Pressing the House Controller button will turn all of the lights in that room on or off. Includes connectors, instructions.

Phase Coupler 39A00-1 *Case of 12* 39A00-1CS

For 120/240V electrical systems, the Phase Coupler increases the reliability of the HLC system. Although the UPB™ protocol is extremely robust and less susceptible to powerline conditions, HAI recommends the use of a UPB™ Powerline Phase Coupler in every installation.



PIM & Cable 36A00-1 Case of 12 36A00-1CS

Powerline Interface Module (PIM) UPBTM connects the lighting system to an automation system or computer, which can then control the lights – making the system accessible through the home computer or from a remote location over the Internet.

Auxiliary Switch 37A00-1 Case of 12 37A00-1CS

White Auxiliary Switch for remote operation of 35A00, 40A00 and 55A00 dimmers and switches; connectors, instructions.

Switch Color Change Kits (sold in case lots of 12 only)

Available Colors, color codes

White	WH	Ivory	IV
Almond	AL	Brown	BR
Black	BL	Grey	GR

Switch Color

Change Kit 35A14-color codeCS Paddle, bezel assembly for 35A00, 37A00 and

40A00 series switches.

Part number example: 35A14-ALCS

Room Controller Color

Change Kit 38A04-color codeCS Bezel for 38A00-1, instructions.

House Controller Color

Change Kit 38A05-color codeCS Bezel for 38A00-2, instructions.

Custom Legend Kit

For Room or House Controller 38A06-2

Coupon & instructions for custom laser engraved buttons for 6 button Room Controller or 8 button House Controller. Mail in coupon, receive by mail.

HAI Software

These products will work with all controllers except as noted.

New Features for 2006! Check out our new online demo!



HAIweb-link

With Web-Link II software, you can access and control your Omni System on the Internet, check on your house with video surveillance, verify the kids have arrived home with e-mail notification, or disarm the security system for an arriving guest. Web-Link II makes it easy to stay connected to home and family! Capable of recording video based on alarm or event.

Runs on your home server.

2006 PRODUCT SPOTLIGHT

HAI Web-Link II Software

1108

For Windows. Software must be registered for HAI Support.



PC Access Software

Software must be registered for HAI Support.

HAI Dealer Software 1105W HAI End User Software 1106W





HAI Snap-Link

1120

Coming Soon! Snap-Link is for quickly adjusting and checking lights, temperature and security settings on the go! Just plug Snap-Link into any computer and it directly communicates through the secure Ethernet port on your HAI system at home. No onsite computer is needed.



A Windows Media Center is an integrated digital entertainment center. It can play, pause and record live TV, play DVDs & CDs, store digital music, videos & photos, browse the Internet, check email and run Windows XP applications.

HAI's Home Control coordinates security, temperature, and lighting for comfort, convenience and safety. *Together*, you get incredible performance in a complete home automation system at a very reasonable price.

2006 PRODUCT SPOTLIGHT

Home Control for

Windows Media Center

1109

Software for Windows Media Centers that allows control of all HAI Omni controller features.

HAI Software Combo

1110

HAI Web-Link II and HAI Home Control software bundled together.

HAI Software & Cables

These products will work with all controllers except as noted.

HAI SOFTWARE COMPARISION					
	Web-Link II	HAI Home Control	Snap-Link	PC Access	
Access via Internet	Yes	Remote Desktop	Yes	Yes	
Monitor System	Yes (graphical)	Yes (graphical)	Yes (graphical)	Yes (tabular)	
Control System	Yes (graphical)	Yes (graphical)	Yes (graphical)	Yes (tabular)	
Dedicated Computer On-Site	Yes	Yes	No	No	
Subscription Fee	No	No	No	No	
Client Software	No (uses standard web browser)	No	Yes (runs on client) [†]	Yes (installed on client)	
Video Surveillance	Yes	Yes	Link to installed IP Web camera	No	
Video Recording	Yes	Yes	No	No	
Notifications	Email, messaging, and visual	Pop-up notifications, audible, and visual	Email, messaging, and pop- up notifications, visual	No	
User Interface	Web browser	Television with remote control	PC application	PC application	
Additional Interfaces Supported	PDAs, Smart Phones, Web Tablets, and touchscreens	Additional televisions / monitors using Media Center Extenders	None	None	
Configure System	No	No	No	Yes	
Program System	No	No	No	Yes	
Create Rules	Yes	Yes	No	No	
Selectable Skins or Themes	Yes	No	Yes	No	
Web Updates	Yes	No	Yes	Yes	
RSS (Real Simple Syndication) ²	Yes	No	No	No	
Installation Components	Web server and application	Application	No installation (Plug and Go)	Application	
Operating Systems	Windows XP Professional, Windows 2000, and Windows Server 2003	Windows XP Media Center Edition	Windows 98SE and higher	Windows 98SE and higher	

Does not require installation on PC. Application can run from thumb drive, flash drives, or other removable media.

² Displays RSS feeds such as latest news, weather reports, personal blogs, and much more.



Serial PC Cable

21A05-2

7 foot cable, modular to DB-9F - connects controller serial ports to computer RS-232 port for use with PC Access, Web-Link II and Home Controls for Windows Media Center.

UPB PIM to computer cable 36A05-2

7 foot cable, modular to DB-9F - connects HAI UPB PIM to computer RS-232 port for use with UPStart software.

Serial Connectivity Cable 36A05-4

7 foot cable, modular to DB-9M - connects controller to serial ports for Russound, NuVo, RadioRA, Centrlite, Jandy.



OmniTouch Loader Kit

32A09-1

Cable and software to load new pages and firmware updates to OmniTouch and OmniTouch with Video.



HLC Expansion Kit for

Omni LT

36A10-1

Serial interface, cable and PIM to add HLC to Omni LT.

Connectivity Partners



HAI has developed, and continues to develop, relationships with other manufacturers in the industry to integrate our products with theirs. Doing so allows flexibility for the homeowner to add and upgrade products as desired while offering additional revenue for installers.

Please visit our website at www.homeauto.com for updated and detailed information on HAI connectivity partners.

HAI Programs

HAI Promotional Programs

- Marketing materials and product photos
- Model Home/Showroom product discount & marketing support
- Builder Partner Programs
- Five-Star Dealer Program
- End user leads
- Dealer listing on HAI Website
- Product discounts at trainings
- National trade, builder and consumer advertising and tradeshows.

HAI Support Programs

- HAI Territory Sales Managers
- Toll-free technical support for dealers
- Dealer "Software for Life"
- End user software
- 48-hour warranty repair option
- EPROM chip upgrades
- New product upgrades
- Fixed cost out of warranty
- Application directory
- Dealer-only website with technical bulletins/updates, manuals, application notes, and sales tools.

HAI—Trainings

Automation Simplified™



Automation Simplified Class is a FREE comprehensive course to get you started in the home automation industry. This class is typically a full day (8:00 AM to 5:00 PM), with HAI providing lunch for all attendees. Automation Simplified Trainings have been recognized by the NBFAA and the NTS for .8 NBFAA CEU credits. Please check with your local chapter to verify that it will accept these credits.



HAI VIP Workshops are held at HAI Distribution Partner locations and are typically 2 hours long. The FREE "VIP Workshops" are designed to meet the specific needs and requests of a Distributor's installers. Some workshops are eligible for .2 NBFAA CEU credits. Please contact your HAI Distributor or www.homeauto.com for more information.

HAI In-Factory Training Class is a two-day event at HAI's New Orleans headquarters that has detailed installation and system programming instruction. HAI has set up automation controllers and computers to allow attendees to get hands-on training during this class. There is a fee to attend this class. Please see HAI's training information posted on www.homeauto.com for details and registration.



To register for any of the above classes or for information on other classes taught by HAI partners, please visit www.homeauto.com

Marketing Brochures

All HAI brochures and CDs can be ordered from the HAI dealer site by listed dealers. Log in is required. For info on how to become an HAI dealer, visit www.homeauto.com or email sales@homeauto.com



Automation Simplified TriFold

Pack of 100, Full Color Trifold Brochure.



HAI Lighting Control TriFold

Pack of 100, Full Color Trifold Brochure.



Interface Brochure

Pack of 100, Full Color Four-Fold Brochure.



Lumina Trifold

Pack of 100, Full Color Trifold Brochure.

Marketing Brochures & Documentation

All HAI brochures and CDs can be ordered from the HAI dealer site by listed dealers. Log in is required. For info on how to become an HAI dealer, visit www.homeauto.com or email sales@homeauto.com



HAI Home Control Trifold

Pack of 100, Full Color Trifold Brochure.



HAI CD

This CD contains HAI's Automation Simplified training and other sales PowerPoint presentations, marketing videos, all tech sheets, application directory, etc.



Detailed Spec Sheets

Available for download at www.homeauto.com



Owner Manuals

Available for download at www.homeauto.com

OMNI LI AUTOMATION

CONTROLLER

In enclosure 21A00-1 On mounting plate 21A00-11



AUDIO

Omni Console w/ Speaker/Mic 33A00-4 Surface Speaker/Microphone 28A00-1 Flush Speaker/Microphone 28A00-2 Two Way Voice Module 10A11-1



Omni LT Expander 22A00-1

CONNECTIVITY

Serial Board 10A17-1 **ALC Lighting** Pg 16



SERIAL PORT

HAI Lighting Control pg 20 HAI Web-Link II

Software 1108

Home Control

for Media Center 1109 Serial Cable 21A05-2



TELEPHONE INTERFACE

PC Access pg 22

Telephones

Computer Modems

2 way X-10 Interface Kit 10A09-7



16.5V, 40 VA (12V Battery)

EXPANSION

Wireless Receiver 45A00-1



HAI Omnistat Thermostats (2 max)



pg 18

USER INTERFACE

Omni Console 33A00-1 Flush Mount Kit 33A00-3 OmniTouch 32A00-1

0

0



SECURITY & ENERGY MANAGEMENT

31A00-7 Temperature Sensor 31A00-8 Temperature/Humidity Sensor

Standard Security/Fire/Environmental Sensors



AUDIO

Omni Console w/ Spkr/Mic

Surface Speaker/Mic

Two Way Voice Module

Flush Speaker/Mic



33A00-4

28A00-1

28A00-2

10A11-1

SERIAL PORTS

HAI Lighting Control pg 20 21A05-2 Serial to PC cable Serial Connectivity Cable 36A05-4

Russound or Nuvo

Audio System (Pro II only)

EXPANSION


Zone Expander 10A06-1 Serial Board 10A17-1

ALC Lighting pg 16

ETHERNET PORT

See HAI software Options pg 22

2 way X-10 Interface Kit 10A09-7



TRANSFORMER

24V, 40 VA (12V Battery)



USER INTERFACE

OmniTouch

Screens & Consoles

pg 12

EXPANSION

HAI Wireless 45A00-1 42A00-1 Wireless Receiver (Pro II only) **Expansion Enclosure**

SECURITY & ENERGY MANAGEMENT

31A00-7 Temperature Sensor 31A00-8 Temperature/Humidity Sensor

Standard Security/Fire/Environmental Sensors

TELEPHONE INTERFACE

PC Access pg 22 Telephone

COMFORT & CONVENIENCE

HAI Omnistat Thermostats pg 18

lumina


CONTROLLER

Lumina Lumina Pro 44A00-1 44A00-2

ROOM CONTROLLER



HOUSE CONTROLLER



MODE CONTROLLER




DIMMERS & RELAY SWITCHES (all Models)

Red Yellow Grey Grey GND White Black N N L

LUMINA CONTROLLER



- Lumina communicates with devices with UPB. No new wires are required.
- Install the Lumina Controller in a closet or basement. Install the switches and room controllers.
- Program on the keypad using new Lumina QuickSet feature. That's it!



Product Index by Part Number

Part #	Description	Pg#	Part #	Description	Pg#
10A06-1	16 Zone Hardwire Expander	15	23A00-2	Flush Mount Remote	
10A07-1	Relay Module (4)			Indoor Temp Sensor	18
10A09-7	Two-Way X-10 Transceiver Kit		25A00-1	ALC Interface, 1 Branch	
10A11-1	Two-way Voice Module		25A00-2	ALC Interface, 4 Branch	
10A17-1	RS-232/RS-485 Serial Board		27A00-2	Omni LT Demo Adapter Kit	
1101A	PESM	16	27A00-3	Omni LT Demo Kit	
1105W	HAI Dealer Software	22	28A00-1	Surface Speaker Microphone	
1106W	HAI End User Software	22	28A00-2	Flush Speaker Microphone	15
1108	HAI Web-Link II Software	22	29A00-1	Thermostat Isolation Module	
1109	Home Control for WMC	22	30A00-1	Thermostat Power Supply Module	e. 18
1110	HAI Software Combo	22	31A00-7	Extended Range Indoor/Outdoor	
1120	HAI Snap-Link	22		Temp Sensor	
14A00-8	Water Temperature Sensor	16	31A00-8	Extended Range Indoor/Outdoor	
17A00-1	Expansion Enclosure	14		Temp & Humidity Sensor	16
17A00-8	Expansion Board Only	14	32A00-1	HAI OmniTouch	12
17A00-9	16 Zone/16 Output Expansion .	14	32A00-5	HAI OmniTouch with Video	12
18A00-5	Demo Adapter Kit	15	32A01-BK	Black OmniTouch Faceplate	13
18A00-13	OmniPro II Demo w/ OmniTouc	h 17	32A07-1	HAI OmniTouch Trim Ring	13
19A00-1	Relay Module (8)	15	32A09-1	OmniTouch Loader Kit	23
20A00-2	OmniPro II Controller	8	32A30-1	Touchscreen Hub w/	
20A00-5	OmniPro II Commercial Controlle	er 8		Video Enclosure	12
20A00-50	Omni Ile Controller	8	32A30-2	TouchScreen Hub w/ Video	
20A00-52	Omni lle for Structured Wiring	8		for Structured Wiring Enclosures	12
20A00-53	Omni Ile Board Only	8	32A30-3	TouchScreen Hub	
20A00-8	OmniPro II for Structured Wiring	8		no Video/Enclosures	13
20A00-21	OmniPro II Board Only	8	32A30-4	TouchScreen Hub no Video	
20A04-1UPG	Omni II Chip Upgrade	16		for Enclosures	13
20A04-2UPG	OmniPro II Upgrade Chip	16	32A31-2	Touchscreen Hub Board Only	13
20A04-21UPG	Lumina Chip Upgrade	16	32A32-1	Video Encoder	13
20A04-22UPG	Lumina Pro Chip Upgrade	16	33A00-1	Omni Console	11
20A04-50UPG	Omni Ile Chip Upgrade	16	33A00-3	Omni Console Flush Mount Kit	11
20A07-2	Universal Mounting Plate	14	33A00-4	Omni Console w/ Speaker/Mic	11
21A00-1	Omni LT Controller	7	33A00-19	Lumina Keypad	10
21A00-2	Omni LT Board Only	7	33A00-20	Lumina Keypad w/ Speaker/Mic	10
21A00-11	Omni LT for Structured Wiring	7	35A00-1	600W HLC Dimmer	20
21A03-1UPG	Omni LT Chip Upgrade	16	35A00-3	600W HLC Non-Dimming Switch	20
21A05-2	Serial Cable	23	35A14-color	HLC Switch Color Change Kit	21
21A06-1	Enclosure Lock & Keys	14	36A00-1	PIM & Cable	21
21A07-2	Mounting Plate for Omni LT	14	36A05-2	UPB PIM to Computer Cable	23
22A00-1	Expansion Module	14	36A05-4	Serial Connectivity Cable	23
23A00-1	Surface Mount Remote		36A10-1	HLC Expansion Kit	
	Indoor Temp Sensor	18	37A00-1	HLC Auxiliary Switch	21

Product Index by Part Number/Category

38A00-1	HLC Room Controller, 6 button 21	RC-90B	Single Stage Heat/Cool for Zo	ned . 18
38A00-2	HLC House Controller, 8 button 21	RC-100B	Heat Pump	18
38A00-3	Mode Controller10	RC-112B	Two Speed Heat Pump	18
38A04-color	HLC Room Controller	RC-122B	Two Stage Heat/Cool	18
	Color Change Kit21			
38A05-color	HLC House Controller			
	Color Change Kit21			
38A06-2	Custom Legend Kit for			
	HLC Room or House Controller 21	Index By Co	ategory	
39A00-1	HLC Phase Coupler21	Consoles & T	ouchscreens	11-13
40A00-1	15A HLC Relay Switch20	HAI Cables		23
42A00-1	Wireless Receiver for	HAI Software	2	22
	GE InterLogix16	Lighting/Swi	tches	
44A00-1	Lumina Controller10	HLC Produc	ts	20-21
44A00-2	Lumina Pro Controller10	X10 Kits & A	LC Switches	16
44A01-1	Lumina Telephone Access Kit 10			
44A02-1	Lumina 12V 5AH Battery10	Marketing B	rochures & Documentation	25-26
44A03-1	Lumina 24V 40VA Transformer 10	Lumina Cont	rollers	10
45A00-1	64 Zone Wireless Receiver19	Omni & Lum	ina Accessories	14-17
46A00-1	Door/Window Transmitter19	Omni Contro	ollers	7-9
47A00-1	Quad Pet Immune	Temperature	Control	
	Motion Detector19	HAI Omnista	ats	18
48A00-1	4 Button Keyfob19	Accessories		16,18
50A00-1	Panic/Alert Pendant19	Wirless Secu	rity Products	
54A00-1	HAI Access Control Keypad13	HAI Wireless	Products	19
55A00-1 color	HAI 1000W UPB Dimmer Switch 20	Wireless Red	eiver for GE InterLogix	16
55A00-2color	HAI 1500W UPB Dimmer Switch 20	Wiring Diag	rams	28-29
55A00-3color	HAI 2400W UPB Dimmer Switch 20	Omni LT		28
56A00-1	Wireless Recessed Door Contacts 19	Omni Ile &	Omni Pro II	29
106080	Touchscreen Hub Replacement	Lumina & Li	umina Pro	30
	Power Supply13			
Promo 9	Omni LT w/ Surface Console 7			
Promo 9S	Omni LT for Structured Wiring7			
Promo 10	Omni LT Kit			
Promo 10S	Omni LT Kit for Structured Wiring 7			
Promo 11	Omni LT Starter Kit			
Promo 12e	Omni lle Kit w/ Flush Console 9			
Promo 12eS	Omni lle Kit for Structured Wiring 9			
Promo 14e	Omni Ile Starter Kit9			
Promo 15	OmniPro II Kit w/ Flush Console 9			
Promo 15S	OmniPro II Kit for Structured Wiring . 9			
Promo 16	OmniPro II Starter Kit 9			
RC-80B	Single Stage Heat/Cool18			





visit us at www.homeauto.com



