
# BEBECARE CRIB Model # 096328

### IMPORTANT: RETAIN FOR FUTURE REFERENCE, READ CAREFULLY



### **Safety Precautions**



Read all instructions before assembly and use of the Crib. Keep instructions for future use.

### 🖄 WARNING

# FAILURE TO FOLLOW THESE INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.

#### FALL HAZARD

- TO HELP PREVENT FALLS, DO NOT USE THIS PRODUCT WHEN THE INFANT BEGINS TO PUSH UP ON HANDS AND KNEES OR HAS REACHED MANUFACTURER'S RECOMMENDED MAXIMUM WEIGHT, OF 8KGS, WHICHEVER COMES FIRST.

#### SUFFOCATION HAZARD

INFANTS HAVE SUFFOCATED:

- IN GAPS BETWEEN AN EXTRA PAD AND SIDE OF THE BASSINET/CRADLE.
- ON SOFT BEDDING.

USE ONLY THE PAD PROVIDED BY MANUFACTURER NEVER ADD A PILLOW, COMFORTER OR ANOTHER MATTRESS FOR PADDING.

TO REDUCE THE RISK OF SUDDEN INFANT DEATH SYNDROME (SIDS), PAEDIATRICIANS RECOMMEND HEALTHY INFANTS BE PLACED ON THEIR BACK TO SLEEP, UNLESS OTHERWISE ADVISED BY YOUR PHYSICIAN.

### **Safety Precautions**



Do not use this product if any part is torn, broken or missing.

If a sheet is used with the mattress pad, use only the one provided by the manufacturer or one specifically designed to fit the mattress pad.

Use bassinet with only one child at a time.

Strings can cause strangulation! Do not place items with a string around a child's neck, such as hood strings or pacifier cords. Do not suspend strings over a bassinet or attach strings to toys.

DO NOT leave child unattended in the crib.

NEVER place crib near a window where cords from curtains can strangle a child.

Remove any tools or excess parts including plastic packaging from the crib vicinity after its assembly.

Discontinue use of the crib when or before the infant can sit up by themselves.

Padding and cushioning materials, including the mattress are to be sufficiently firm to preclude conforming to the contours of the infants face.

Ensure proper ventilation is maintained in and around the crib by limiting bed clothes, extra pillows or toys.

Ensure the crib is placed at a reasonable distance from curtains, blinds, heaters, fires, power points or any other hazards.

Promptly replace worn out or broken parts.

**CAUTION:** Recommended Mattress (supplied) size is 790mm long x 410mm wide x 30mm in thickness maximum. It is recommended that the mattress used in this crib be a snug fit and not exceed 38mm in thickness. This is to minimise the risk of a child's limb becoming caught in the gap.

Congratulations on your purchase of the Bebecare Universal Crib.

This product has been designed and developed with safety, comfort and functionality in mind. Please take the time to read this manual carefully before using this product and keep it in a safe place for future reference.

### Contents

Assembly contents list Assembly / Operating instructions How to care for your Bebecare Universal Crib



Due to variations in the style and design of our products, the photographs and illustrations shown in this instruction manual are generic, therefore product fabrics, colour and design may vary from images shown. CNP Brands reserves the right to alter product specifications without notice as a result of our ongoing policy of product improvement.

### **Assembly Contents**



Check what you have received...

You have received 1 box. Please check the contents of the box against the list below. If anything is missing, please contact Customer Service. In Australia, contact CNP Brands on 1300 667 137, in New Zealand contact Wainhouse Distribution on 0800 567 5000.

Supplied loose in box:

Top rail (flat - pre-assembled)

Headboard (with Bebecare badge attached)

x1

x2



Bottom shelf

Mattress board

Upper (thick) top side rail



x2

## Assembly Contents

Lower (thin) top side rail	x2
Long rail	x2
Short rail	x2
Mattress pad (with fitted sheet)	x1
Crib mesh	x1
Allen key	x1
Bolts	×14

		•
Castors	$\mathcal{A}$	x4
Towel rail moulds		x2
Towel rail		x1

Assembly Contents

 $\mathbf{X}$ 

### Assembly / Operating Instructions

#### Attaching bottom shelf

- 1. Attach the bottom shelf onto the headboard by aligning the bottom shelf grooves with the lower holes in the headboard.
- 2. Insert two bolts, ensure they are secure but not tight.



Attaching upper (thick) top side rail

- 1. Attach both upper (thick) top side rails onto the headboard by aligning them with the upper holes in the headboard. Ensure that the label "A" & "B" on the top side rail is matched to label "A" & "B" on the headboard.
- 2. Insert two bolts, ensure they are secured but not tight.

#### Attaching lower (thin) top side rail

- Attach both lower (thin) top side rails onto the headboard by aligning them with the lower holes in the headboard directly under the upper (thick) top side rail. Ensure that the label "A" & "B" on the top side rail is matched to label "A" & "B" on the headboard.
- 2. Insert two bolts, ensure they are secured but not tight.

#### Attaching foot end and castors

- Attach the foot end by aligning it with the top side rails and bottom shelf grooves.
- 2. Insert and secure the remaining six bolts into the foot end.
- 3. Tighten all bolts on crib changer.
- 4. Insert all four castors into the legs of the headboard and foot end, press firmly to ensure they are secure.



**PLEASE NOTE:** Ensure that the triangle point of all rails corresponds with the shape of the gaps between the top side rails.

#### Inserting mattress board and mattress pad


1. Place the mattress board into the crib.

- 2. Press down firmly to ensure the mattress board is fully inserted.
- 3. Insert mattress pad on top of the mattress board., with the fabric surface facing upwards.










### Assembly / Operating Instructions

Inserting crib mesh

- 1. Insert the crib mesh into the assembled crib frame. Ensure the long sides of the crib mesh correspond with the long sides of the crib frame.
- 2. Pull one long side of the crib mesh through the gaps between the upper (thick) top side rail and the lower (thin) top side rail.



 Repeat previous steps for other long seam and two short seams.

### Assembly / Operating Instructions

#### Attaching towel rail

1. Insert the ends of the towel rail into the slots in towel rail moulds. Press firmly to ensure they are secure.



- 2. Align the assembled towel rail with the two remaining holes on the outer side of the foot end.
- Insert a bolt into both inside edges of the foot end to secure the towel rail. Tighten bolt with allen key.





### How to care for your Crib

#### Cleaning

To ensure the long-lasting use of your crib, wipe down with a damp cloth and use a mild soap solution if necessary. Do not use abrasive cleaners. Always store product in a clean dry place.

#### Maintenance

Always check parts regularly for tightness of screws, nuts and other fasteners – tighten or replace if required. To maintain the safety of your product seek prompt repairs for bent, torn, worn or broken parts. Use only those parts and accessories approved by CNP Brands.

If you have any difficulties in assembling the crib changer, please contact our Service Department. In Australia, contact CNP Brands on 1300 667 137, in New Zealand contact Wainhouse Distribution on 0800 567 5000.









Distributed in Australia by CNP Brands, 20 Calarco Drive, VIC, 3030 Customer Service 1300 667 137 **www.cnpbrands.com.au** 

Distributed in New Zealand by Wainhouse Distribution, 2-6 Argyle St, Morningside, PO Box 41-014, St Lukes, Auckland, New Zealand Customer Service: 0800 567 5000 **helpline@wainhousedist.co.nz** 

