

G.A.L. JET II SIGNAL FIXTURES ORDER FORM



7ca dUbnBUa Y

FYe"8Y"j Yfm8UHY

>cV BUa Y#Bi a VYf

G.A.L. JET II CAR STATION ORDER FORM



7ca dUbrBUa Y

FYe"8Y J Yfm8UY

>cVBUa Y#Bi a WYf

Push Button Style Select from the boxes below:

★ Available Handicap Plates


RA-1 RA-2 RA-3 RA-4 RA-5

★ Available Handicap Plates

VPW VPWI VPB RWW RBW RWB

★ Available Handicap Plate

SBW SWB SWW VPMC VP SH



Digital Display
 Driver Unit by G.A.L. { Positive Input } Δ 2 4 6 Multi-Light Display with Arrows (Up to 6 Ldgs.)
 Driver Unit by Others { One Line Per Floor } ▽ 1 3 5 Multi-Light Display w/o Arrows (Up to 8 Ldgs.)

NOTE: WHEN BUYING GAL CONTROLLER, DRIVER UNIT WILL BE PROVIDED WITH CONTROLLER

Car Station Cover Size

NOTE: AUXILIARY CAR STATION SIZE AND PUSH BUTTON LAYOUT WILL MATCH MAIN CAR STATION.

Select Main Car Station Model:

	Cover Size				Box	Box Cutout
	TYPE- A	TYPE- B	TYPE- C	TYPE- D		
1060 FC-TER	10 1/8" x 60 3/8"	10 1/8" x 63 3/8"	10 1/8" x 62 5/8"	10 1/8" x 64 3/8"	9 1/2" x 59 1/4"	9 5/8" x 59 3/8"
1058 FC-TE/TER	10 1/8" x 58 3/8"	10 1/8" x 61 3/8"	10 1/8" x 60 5/8"	10 1/8" x 62 3/8"	9 1/2" x 57 1/4"	9 5/8" x 57 3/8"
1052 FC-TE	10 1/8" x 52 3/8"	10 1/8" x 55 3/8"	10 1/8" x 54 5/8"	10 1/8" x 56 3/8"	9 1/2" x 51 1/4"	9 5/8" x 51 3/8"
1046 TE	10 1/8" x 46 3/8"	10 1/8" x 49 3/8"	10 1/8" x 48 5/8"	10 1/8" x 50 3/8"	9 1/2" x 45 1/4"	9 5/8" x 45 3/8"
1042 TE	10 1/8" x 42 3/8"	10 1/8" x 45 3/8"	10 1/8" x 44 5/8"	10 1/8" x 46 3/8"	9 1/2" x 41 1/4"	9 5/8" x 41 3/8"

G.A.L. JET II HALL STATION ORDER FORM



7ca dUbmBUa Y

FYe"8V"Jj Yfm8UH

>cVBUa Y#Bi a Vyf

7cj Yf'A UHYfJU 1/8" #4 Satin Finish Stainless Steel Muntz ; 5@U mGYfJU`7ca a i bJWHjcbg Yes No

Di g\`6i Htcb`GlmY Select from the boxes below: California 1/8" Protruding Buttons (Not available with SH)

Multi Color 7 (24-120V AC/DC)
Spectral Light (Only when ordering GAL Controller)

RA-1 RA-2 RA-3 RA-4 RA-5

Multi Color 7 (24-120V AC/DC)
LED Lamp 24 120 Color

VPW VPWI VPB RWW RBW RWB

Multi Color 7 (24-120V AC/DC)
LED Lamp 24 120 Color

SBW SWB SWW VPMC VP SH

8Ygjl bYf` <U`GHjcb

? YmGk jHW

GAL Std. Chicago
Medeco Security Cyl.

: jfy`CdYfUHjcb

JOB LOCATION: CITY STATE
(NOTE: MUST BE PROVIDED TO INSURE PROPER FIRE SERVICE CODE)

ASME 1996	ASME 2000	ASME 2004	ASME 2007	ASME 2010
GAL Std. Chicago	Medeco	#FEO-K1	Yale	

Hall Station Jobs With Locking Key Switch

Locking Key Switch Cylinders

GAL Chicago Cylinder (Keyed Same)

Medeco Security Cylinder	Keyed Differently
	Keyed Same

NOTE:
Standard configurations shown.
If substitutions for devices are required please advise.

G.A.L. JET II EXTENDER HALL STATION ORDER FORM



7ca dUbmBUa Y

FYe"8V"Jj Yfm8UH


>cVBUa Y:Bi a VYf

7cj YF'AUHYfJU #4 Satin Finish Stainless Steel Muntz
 ; 5@UI mGYfJU 7ca a i bJWWhcbg Yes No

JfY CdYfUHjcb JOB LOCATION: CITY STATE (NOTE: <i>MUST BE PROVIDED TO INSURE PROPER FIRE SERVICE CODE</i>)				★ Available Handicap Plate Multi Color 7 (24-120V AC/DC) Spectral Light (Only when ordering GAL Controller) Push Button Style VPMC Only
ASME 1996	ASME 2000	ASME 2004	ASME 2007	
GAL Std. Chicago	Medeco	#FEO-K1	Yale	

9l HbXYf 7cj Yf GjnY **BCH9.** Standard configurations shown.
 If substitutions for devices are required please advise.
522 5⁷/₈" x 22" x 1⁷/₆₄"

? YmGk JhW
 GAL Std. Chicago
 Medeco Security Cyl.




BCH9.

Devices above Push Buttons must be located within existing box.
 To fit two devices, existing box must be 1 3/4" W x 6 1/2" H clear (min.)

** Check appropriate dimension for centerline of existing box above finished floor (AFF)

- 49 1/2" AFF
- 50 1/2" AFF
- 51 1/2" AFF
- 52 1/2" AFF
- 53 1/2" AFF

9LH9B89F < 5@GH5H-CB K H-K < 5B8=75D'A 5F?-B; G



G.A.L. JET II POS.INDICATOR/LANTERN ORDER FORM



Company Name _____

Req. Delivery Date _____

Job Name/Number _____

POSITION INDICATORS

Cover Material 1/8" #4 Satin Finish Stainless Steel Muntz
Position Indicators LED Lamp Voltage 24 120 Color

Floor Markings



213 (Up To 6 Indicators)

With Arrows
W/O Arrows




216 (Up To 8 Indicators)

With Arrows
W/O Arrows




222 (Up To 12 Indicators)

With Arrows
W/O Arrows



514-MD MULTI-LIGHT DISPLAY (Up to 8 Indicators)

With Arrows
W/O Arrows



514-DI DIGITAL DISPLAY

NOTE: WHEN BUYING GAL CONTROLLER, DRIVER UNIT WILL BE PROVIDED WITH CONTROLLER

Driver Unit by G.A.L. **Positive Input**
Driver Unit by Others **One Line Per Floor**
With Chime (Car)
W/O Chime (Hall)

DESIGNER HALL POSITION INDICATORS


	TYPE-A	TYPE-B	TYPE-C	TYPE-D
BOX SIZE	Cover Size			
	TYPE-A	TYPE-B	TYPE-C	TYPE-D
213	2 ⁵ / ₈ " x 13 ³ / ₈ "	3 ³ / ₈ " x 15 ³ / ₈ "	3 ³ / ₈ " x 15 ³ / ₈ "	3 ³ / ₈ " x 15 ³ / ₈ "
216	2 ⁵ / ₈ " x 16 ¹ / ₂ "	3 ³ / ₈ " x 18 ¹ / ₂ "	3 ³ / ₈ " x 18 ¹ / ₂ "	3 ³ / ₈ " x 18 ¹ / ₂ "
222	2 ⁵ / ₈ " x 22 ³ / ₄ "	3 ³ / ₈ " x 24 ³ / ₄ "	3 ³ / ₈ " x 24 ³ / ₄ "	3 ³ / ₈ " x 24 ³ / ₄ "
514	5" x 14"	5" x 16"	5" x 16"	5" x 16"

COMBO HALL LANTERN/POSITION IND. AND CAR/HALL LANTERNS

Cover Material 1/8" #4 Satin Finish Stainless Steel Muntz
Lantern LED Lamp Voltage 24 120 Color
Lantern Lamp Type LED Multi Color PC Board Incandescent

Floor Markings


Audible Signal Gong Chime



Round Insert


Square Insert

With Arrows W/O Arrows




422-LPI (Up To 5 Indicators)

Top Floor
Intern. Floor
Bottom Floor




430-LPI (Up To 10 Indicators)

Top Floor
Intern. Floor
Bottom Floor



524-LMD MULTI-LIGHT DISPLAY (Up to 8 Indicators)

Top Floor
Intern. Floor
Bottom Floor



524-LDPI DIGITAL DISPLAY

Top Floor
Intern. Floor
Bottom Floor
Driver Unit by Others **Positive Input**
Driver Unit by G.A.L. **One Line Per Floor**

NOTE: WHEN BUYING GAL CONTROLLER, DRIVER UNIT WILL BE PROVIDED WITH CONTROLLER

DESIGNER HALL COMBO P.I./LANTERNS

	TYPE-A	TYPE-B	TYPE-C	TYPE-D
BOX SIZE	Cover Size			
	TYPE-A	TYPE-B	TYPE-C	TYPE-D
422-LPI	4 ³ / ₈ " x 22"	5" x 24"	5" x 24"	5" x 24"
430-LPI	4 ³ / ₈ " x 30"	5" x 32"	5" x 32"	5" x 32"
524	5" x 24"	5" x 26"	5" x 26"	5" x 26"
CAR AND HALL LANTERNS				
312	3 ³ / ₈ " x 12"	3 ³ / ₈ " x 14"	3 ³ / ₈ " x 14"	3 ³ / ₈ " x 14"
412	4 ³ / ₈ " x 12"	5" x 14"	5" x 14"	5" x 14"

CAR TRAVELING LANTERN




312
Without Gong
312-S
With Gong
312-D
1 Stroke Up/2 Down
with Chime

HALL LANTERNS



412-V (VERTICAL)

Top Floor
Intern. Floor
Bottom Floor



412-H (HORIZONTAL)

G.A.L. JET II ADDITIONAL EQUIPMENT ORDER FORM




Company Name _____ **Req. Delivery Date** _____

Job Name/Number _____


Djh`Gk jHW

Toggle Switch




P/N: PTS-0002N

Push/Pull



P/N: PTS-0004N


: jfY`GYfj jW`7Uf`Hcd



P/N: CTI-0014N (24 V)

P/N: CTI-0013N (120 V)

7Uf`Hcd`-bgdYVWcb`GHUjcbg



7H`%\$

P/N: CTI-0001N
Inspect. Toggle Sw.
Enable, Dn/Up Buttons
Run/Stop Toggle Sw.
Light Toggle Sw.
Duplex Receptacle GFCI
Light Socket Guard

7H`(`

P/N: CTI-0006N(120 V)
P/N: CTI-0017N(24 V)
Inspect. Toggle Sw.
Enable, Dn/Up Buttons
Run/Stop Toggle Sw.
Fire Service Light
Fire Audible Signal
El. Test Button
Duplex Receptacle GFCI
Emerg. Light Power Pack
Light Socket Guard
Alarm Bell


7H`*`

P/N: CTI-0004N(120 V)
P/N: CTI-0015N(24 V)
Inspect. Toggle Sw.
Enable, Dn/Up Buttons
Run/Stop Toggle Sw.
Light Toggle Sw.
Fire Service Light
Fire Audible Signal
Duplex Receptacle GFCI
Light Socket Guard

7H`+`

P/N: CTI-0007N(120 V)
P/N: CTI-0018N(24 V)
Inspect. Toggle Sw.
Enable, Dn/Up Buttons
Run/Stop Toggle Sw.
Light Toggle Sw.
Fire Service Light
Fire Audible Signal
Duplex Receptacle GFCI
Light Socket Guard
Alarm Bell

5`Ufa`6Y`ff`Ł



P/N: HWEL-0153N

5dl`C`G[b



ASME A17.1
State of Maryland
Florida


>Ua`V`D`UH`



Floor Markings


Egress Floor (★) _____

Gi`fZUW`A`ci`bhHY`Yd\cbY



P/N: TEL-0002N Stainless Steel
P/N: TEL-0003N Muntz

:`Ub[`Y`A`ci`bhHY`Yd\cbY



P/N: TEL-0004N

A`UW`j`b`Y`F`cca`7`ca`a`i`b`j`W`h`j`cb

@7!&`@j`b`Y`7`cb`W`b`h`f`U`r`c`f

(Works with Viking Phones)

Allows up to 3 Emergency Phones plus Machine Room/Fire Phone to share one phone line.



P/N: TEL-0061N

GI`F`9`W`a`i`b`j`h`k`#`%`<`Ub`X`g`Y`h

(Works with K-Tech Phones)




P/N: TEL-0089N

P/N: TEL-0088N

7`ca`a`i`b`j`W`h`j`cb`:``U`j`i`f`Y

(Works with K-Tech Phones)
GHUjcb
(Optional With SUREcom Unit)



Chicago Cylinder
P/N: TEL-0090N

Medeco Cylinder
P/N: TEL-0091N