



The Australian Gas Association
ABN 98 004 206 044

DIRECTORY OF AGA CERTIFIED PRODUCTS

June 2011 Edition

ISSN 1328 – 2700

AGA PRODUCT CERTIFICATION SCHEME

[Please refer to AGA office for entry updates/queries]

DIRECTORY - 2011

IMPORTANT MESSAGES

Whilst every care has been taken to ensure the accuracy of the contents of this Directory, it is important that Certificate Holders and Agents check their respective entries and advise the AGA of any errors and/or omissions. It should be noted that the contact details for individual Certificate Holders and Agents are included under an Index at the back of the Directory.

The Directory is available *free* from the AGA website (www.aga.asn.au) and will be republished periodically throughout the year with appropriate changes included. The online Directory may be printed in full, or in part, if required. Please note that hard copies of the Directory are no longer available for purchase from AGA.

To assist in ensuring the accuracy of AGA records, would you please advise of any alterations or corrections by completing the following form and faxing this page to:

The Manager, Industry & Support Services- Fax: (03) 9580 5500

PLEASE NOTE CONTACT DETAILS:

2 Park Way (PO Box 122) BRAESIDE VIC 3195 Tele: (03) 9580 4500 Fax: (03) 9580 5500

NB: Where appropriate, please photocopy this form and send/fax a separate page for each Directory entry change.

Category Listing (eg Domestic Cooking Appliances - Freestanding Cookers):

PAGE #

Name of Certificate Holder: _____

Certificate Number: _____

Change(s) requested: _____

AUTHORISED CUSTOMER REPRESENTATIVE REQUESTING AMENDMENT:

PRINTED NAME AND POSITION TITLE : _____

DATE: / / **SIGNATURE :** _____

PREFACE

The Australian Gas Association (AGA) manages and operates accredited Product Certification Schemes, with funding largely provided by Certificate Holders through certification fees and badge sales. The AGA is an active participant in the standards writing process with representation on many *Standards Australia* committees that develop and publish the standards that underpin the Schemes.

In addition to product certification services for the electrical and plumbing industries, the AGA certifies gas product for the following categories or any combination of these categories:

- Natural Gas
- Town Gas
- Tempered Liquefied Petroleum Gas
- Liquefied Petroleum Gas

Approval for Liquefied Petroleum Gas appliances is divided into three sub-groups, designated as P (Propane), B (Butane) or U (Universal) gas.

Product Compliance:

Product that has been certified by AGA to comply with the requirements of the relevant Code/Standard, is subject to the Rules Governing the Scheme and, if required under the Scheme, is subject to routine and regular audits to confirm continued compliance.

Directory Structure:

AGA now certifies a variety of products, which are subject to one or more specific accredited type-tested schemes. This Directory lists current certificates grouped under the following headings:

- Type Tested Gas Products only
- Gas Cylinder Certification
- Test Stations Certification
- Type Tested Gas & Electrical Products (ie where the AGA Certificate covers an appliance assessed to both gas and electrical standards, eg a cooker with an electric oven and gas hotplates)
- Type Tested Electrical Products only (ie prescribed and non-prescribed articles)
- Type Tested Plumbing Products (WaterMark)

CONTENTS

Product Certification Scheme – For Type Tested Gas Products

DOMESTIC AND COMMERCIAL GAS APPLIANCES		Page
	Domestic Cooking Appliances	7
AS 4551	Freestanding Cookers.....	7
AS 4551/AG 101	Freestanding Cookers	13
AS 4551	Elevated Cookers	15
AS 4551	Built-In Cookers and Ovens	16
AS 4551/AG 101	Built-In Cookers and Ovens	16
AS 4551/AG 101	Wall Ovens	16
AS 4551	Hotplates	16
AS 4551/AG 101	Hotplates	27
AS 4551/AG 101	Counter Top Cookers	32
AS 4551	Caravan and Marine Cookers.....	33
AS 4551/AG 101	Caravan and Marine Cookers	35
	Water Heaters	36
AS 4552	Storage Water Heaters.....	36
AS 4552/AG 102	Storage Water Heaters	40
AS 4552	Gas Boosted Solar Water Heaters	41
AS 4552/AG 102	Gas Boosted Solar Water Heaters	41
AS 4552	Instantaneous Water Heaters	41
AS 4552/AG 102	Instantaneous Water Heaters	45
AS 4552	Boilers (Central Heating and/or Water Heating).....	45
AS 4552/AG 102	Boilers (Central Heating and/or Water Heating).....	46
	Space Heating Appliances	46
AS 4553	Flued Radiant/Convection Heaters	46
AS 4553/AG 103	Flued Radiant/Convection Heaters	49
AS 4553	Balanced Flue Convection Heaters	51
AS 4553/AG 103	Balanced Flue Convection Heaters	51
AS 4553	Wall Furnaces	52
AS 4553/AG 103	Wall Furnaces	52
AS 4553	Flueless Radiant/Convection Heaters	52
AS 4553/AG 103	Flueless Radiant/Convection Heaters	52
AS 4553	Flueless Convection Heaters.....	53
AS 4553/AG 103	Flueless Convection Heaters	53
	Overhead Heaters	53
	Radiant Heaters	53
AS 4565	Internal Use Only.....	53
AS 4565	External Use Only.....	54
AS 4565	Internal & External Use	56
	Overhead Radiant Tube Heaters	57
AG 4643	Internal Use Only.....	57
AG 403	Internal Use Only.....	57
AG 404	Industrial Direct-Fired Air Heaters	57
AS 4554	Laundry Equipment.....	58
	Dryers.....	58
	Irons	60
AS 4554/AG 104	Laundry Dryers	61
AS 4555/AG 105	Refrigerators	61
AS 4556/AG 106	Indirect Fired Air Heaters	62
	Ducted Air Heaters	62
	Duct and Unit Heaters	64
AS 4557	Outdoor Barbecue Grills	65
AG 107	Outdoor Barbecue Grills	76
AS 4558/AG 108	Decorative Appliances	77
	Gas Log Fires	77
---	Exterior Lights	79
AS 4560	Swimming Pool and Spa Pool Heaters.....	80
AG 110	Swimming Pool and Spa Pool Heaters	80
	Miscellaneous Appliances.....	81

COMMERCIAL CATERING EQUIPMENT - SAFETY CERTIFICATION

AS 4563	Boiling Tables.....	82
AG 301	Boiling Tables	83
AS 4563	Chinese Cooking Tables	83
AG 301	Chinese Cooking Tables	85
AS 4563	Ranges.....	85
AG 301 and 305	Ranges	90
AS 4563	Salamanders, Grillers and Toasters	90
AG 302	Salamanders, Grillers and Toasters	91
AS 4563	Solid Grill Plates and Griddles	91
AG 303	Solid Grill Plates and Griddles	93
AS 4563	Barbecues, Charbroilers and Rotisseries	93
AS 4563/AG 300	Barbecues, Charbroilers and Rotisseries	95
AG 304	Barbecues, Charbroilers and Rotisseries	96
AS 4563	Ovens	96
AG 305	Ovens	96
AS 4563	Boiling Water Units.....	96
AS 4563	Pasta Cookers.....	96
AS 4563	Stockpots and Brat Pans.....	97
AS 4563	Atmospheric Steamers	99
AS 4563	Commercial Fryers.....	99
AS 4563	Commercial Fryers – High Speed	102
AG 309	Commercial Fryers.....	102
AS 4563	Convection Ovens	102
AG 311	Convection Ovens	103
AS 4563	Steam Convection Ovens.....	103

LPG PORTABLE & MOBILE APPLIANCES (to AS 2658) SUPPLIED AT CYLINDER OR REGULATED PRESSURES

AS 2658	Equipment for use with Refillable Cylinders	105
	Cookers and Barbecues	105
	Heaters	107
	Camping Lanterns	107
	Miscellaneous	108
	Equipment for use with Both Disposable Cartridges and Refillable Cylinders	108
	Cookers and Barbecues.....	108
	Camping Lanterns.....	108
	Equipment for use with Disposable Cartridges	108
	Cookers and Barbecues.....	108
	Camping Lanterns.....	111
	Heaters	111
	Miscellaneous	112

COMPONENTS

AS 4617	Manual Shut-Off Valves	113
	Type 1 - Isolating Valves	113
	Type 2 - Appliance Control Valves	121
	Type 2 - Appliance Control Valves Combined with Flame Safeguard	123
	Type 2 - Miscellaneous Valves	124
AG 201	Manual Shut-Off Valves	124
	Type 1 - Isolating Valves	124
	Type 2 - Appliance Control Valves	125
	Type 2 - Appliance Control Valves Combined with Flame Safeguard	125
	Type 2 - Miscellaneous Valves	126
AS 4618	Appliance Pressure Regulators	126
AG 202	Appliance Pressure Regulators	127
AS 4619	Appliance Thermostats	127
AG 203	Appliance Thermostats	127
AS 4620	Thermoelectric Flame Safeguards	128
AG 204	Thermoelectric Flame Safeguards	128

		Page
AS 4621	LPG Regulators.....	128
AG 205	LPG Regulators	129
---	Miscellaneous LPG Devices	129
AS 2473.1	LPG Cylinder Valves.....	129
AS 4622	Igniters	130
AG 206	Igniters	130
AS/NZS 1869	Hose Assemblies	131
AS 4631	Limited Flexibility Connectors	135
AG 216	Limited Flexibility Connectors	136
AS 4623	Jointing Materials and Compounds.....	136
	Jointing Compounds.....	136
	Jointing Materials.....	137
AG 208	Jointing Materials and Compounds.....	137
	Jointing Compounds.....	137
	Jointing Materials.....	138
AS 4624	Combination Controls	138
AG 209	Combination Controls	143
EN 298/AS 4625	Air/Fuel Ratio Control Devices	143
EN 298/AG210	Air/Fuel Ratio Control Devices	144
AS 4625/AS 4622	Electronic Flame Safeguards Including Igniters	144
AG 210/AG206	Electronic Flame Safeguards Including Igniters	147
AS 4625	Electronic Flame Safeguards and Detectors	148
AG 210	Electronic Flame Safeguards and Detectors	154
AS 4627	Quick-Connect Devices	155
AG 212	Quick-Connect Devices	156
AS 4628	Pressure and Temperature Limit Devices	156
AG 213	Pressure and Temperature Limit Devices	157
AS 4630	Leakage Detection Systems	157
AS 4566	Flue Cowls	157
AG 604	Flue Cowls	158
AS 4567	Flues.....	158
	Pipes.....	158
AS/NZS 4130	Polyethylene (PE) for Pressure Applications	158
AS 4629	Automatic Shut-Off Valves.....	160
	Class 1	160
	Class 2.....	170
	Class 3	170
AG 214	Automatic Shut-Off Valves	171
	Class 1	171
	Class 2	172
AS 4629	Automatic Shut-Off and Vent Valves	
	Class 1.....	172
AS 4629	Vent Valves	178

LPG AUTOMOTIVE COMPONENTS

AS/NZS 1425	Vaporiser/Regulators	182
AS/NZS 1425	Fuel Lock Off Valves.....	182
AS/NZS 1425	Container Fittings	183
AS/NZS 1425	Miscellaneous Components	184
AS 4983	Gas Fuel Systems for Forklifts and Industrial Engines	184
AS/NZS 1869	Hose Assemblies (see general Components section)	

NATURAL GAS VEHICLE (NGV) EQUIPMENT

AG 805	Check Valves	185
	Hose Connections	185
	Fuel Lock-Off Valves	185
AG 807	Hose Assemblies.....	185

Cylinder Certification Scheme

AS 2030.1/ Welded and Brazed Cylinders 186
 AS 2469

Test Station Scheme

AS 2337.2 Test Stations 189
 AS 2337.1

Product Certification Scheme – For Type Tested Gas and Electrical Products (Prescribed and Non-Prescribed Articles)

Domestic & Commercial Appliances..... 190
 Domestic Cooking Appliances 190
 Freestanding Cookers..... 190
 Built-In Cookers & Ovens..... 192
 Industrial Direct-Fired Air Heaters..... 192
 Storage Water Heaters..... 192
 Refrigerators 192

Product Certification Scheme – For Type Tested Electrical Products (Prescribed and Non-Prescribed Articles)

Prescribed Electrical Items..... 193
 Coffee Machines 193
 Electric Cookers/Wall Oven/Grill 193
 Range Hoods 194
 Washing Machines 195
 Water Heaters..... 195

Product Certification Scheme – For Type Tested Plumbing Products (WaterMark)

General..... 196
 Appliance Fixtures 196
 Sanitary Fixtures 197
 Water Heater and Water-heated Storage Tanks 197
 Water Using Appliances..... 197
 Non-Pressurised Pipes and Fittings..... 198
 Pipes and Fittings (non-pressure) 198
 Pressurised Pipes and Fittings..... 199
 Copper Fittings..... 199
 Polyethylene 199
 Showers..... 201
 Water Supply Valves and Valve Accessories 202
 Control Valves and Taps 202
 Valves for Pressure and Temperature..... 203
 Jointing Materials
 General..... 204

APPROVAL CERTIFICATE SUSPENSIONS / CANCELLATIONS

Certificates Suspended - Awaiting Retest / Audit..... 205
 Cancellations 212

INDEX OF LISTED ORGANISATIONS

Index of Listed Organisations..... 228

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

DOMESTIC AND COMMERCIAL GAS APPLIANCES

DOMESTIC COOKING APPLIANCES

FREESTANDING COOKERS (AS 4551)

Electrical Distributors Australia Pty Ltd

7386	1.09	Euromaid Gas Upright Cookers Models: GS50NG, GS60NG (Stainless Steel) GWH50NG, GWH60NG (White) Models: GS50LP, GS60LP (Stainless Steel) GWH50LP, GWH60LP (White)	N N	
7674	9.10	GCF60 (Stainless Steel) and GCWF60 (White) Euromaid, IAG & ARC Freestanding Cookers Euromaid Models: GG90S, GE90S, PGE90S, PS90S IAG & ARC Model: FC9S1 Suitable for use with New Zealand Natural gas	N N	P P U U

Electrolux Home Products Pty Ltd

5152	8.94	Chef 540 B Series Upright Cookers Models: GBC5246WNG, GBC5246WLPN, GBC5246WLP, GBC5266WNG, GBC5266WLPN, GBC5266WLP, GBC5276WNG, GBC5276WLPN, GBC5276WLP, GBC5486WNG, GBC5486WLPN and GBC5486WLP NG denotes Natural gas, LPN denotes Propane gas, LP denotes Universal LP gas	N	PU
5968	4.00	Westinghouse 540 K Series Upright Cookers Models: GUK511WNG, GUK511WLPN, GUK511WLP, GUK512WNG, GUK512WLPN, GUK512WLP, GUK517WNG, GUK517WLPN, GUK517WLP, GUK525WNG, GUK525WLPN, GUK525WLP, GUK527WNG, GUK527WLPN and GUK527WLP NG denotes Natural gas, LPN denotes Propane gas, LP denotes Universal LP gas	N	PU
7044	10.06	Westinghouse GSP and DSP Series Freestanding Cookers GSP625WNG, GSP625WLP, GSP625SNG, GSP625SLP, GSP627WNG, GSP627WLP, GSP627SNG, GSP627SLP, DSP635W and DSP635S	N	U

Fisher & Paykel Appliances Italy SpA

6245	4.02	Agent: Delonghi Australia Pty Ltd Delonghi Dual Fuel Upright Cookers Models: DE91GW, DE906GWF, DE926GWF, D906GWF, D916GWF, D926GWF, L91GW, DE91GW1 (C9S0DA010X – non ffd) DE91GW1 (C9S0DA011X – ffd fitted)	N	U
		Agent: Fisher & Paykel Appliances Ltd Fisher & Paykel Dual Fuel Upright Cookers Fisher & Paykel Models: OR90SLBGX# and OR90SDBGFX# Elba by Fisher & Paykel: OR90SCBGX# (# indicates the revision index of the appliance)	N	U
		Agent: Think Appliances Pty Ltd Think Appliance Dual Fuel Upright Cooker Models: FSE 90-1, FSE 90 BM-1	N	U

Fisher & Paykel Appliances Italy SpA

6247	5.02	Agent: Delonghi Australia Pty Ltd Delonghi Dual Fuel Upright Cookers Models: D61GW, L61GW, DS61GW, DE61GW, DE60GW	N	U
		Agent: Fisher & Paykel Appliances Ltd Dual Fuel Upright Cookers Fisher & Paykel Models: OR60SLGX# and OR60SDBGX# Elba by Fisher & Paykel Model: OR60SCGX# Elba Models: EX66SS and EX66WH (# indicates the revision index of the appliance)	N N N	U U U

Fisher & Paykel Appliances Italy SpA - Agent: Delonghi Australia Pty Ltd

6696	12.04	Delonghi Dual Fuel Upright Cooker Models: A106G and A1026G	N	U
6698	2.05	Delonghi Dual Fuel Upright Cooker Model: A726 G	N	U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Fisher & Paykel Appliances Italy SpA					
6966	7.06	Agent: Delonghi Australia Pty Ltd Delonghi Dual Fuel Freestanding Cooker Models: AP1246GWT	N		U
		Agent: Fisher & Paykel Appliances Ltd Fisher & Paykel Dual Fuel Freestanding Cooker Model: OR120DDWGFX# (# indicates the revision index of the appliance)	N		U
Fox SpA di R. Bompani & C					
6578	8.04	Agent: Andi-Co Australia Pty Ltd Andi Freestanding Cooker Model: AF9683X	N		U
		Agent: Appliance Corporation Pty Ltd Da Vinci Freestanding Cooker Models: DVB904GWSS, MXB904GWSS	N		U
		Agent: Bompani Australia Pty Ltd as Trustees for the EVA Family Trust BO683JF/N, BO683JG/N, BO683AF/N			
		Agent: Eurostyle Group Pty Ltd T/as Euro Appliances Euro Freestanding Cooker Models: EUB90FS and EUB90MCS	N		U
		Agent: Fox SpA di R Bompani & C Generic Model (No Brand) Freestanding Cookers Models: AN683JA/N and DV683AA/N	N		U
		Agent: Milano Enterprises Pty Ltd Milano Freestanding Cooker Model: ML683JA/N	N		U
		Agent: Oranier Australia Pty Ltd Fox and Oranier Freestanding Cookers Models: Fox FO683JA/N and Oranier OR683JA/N	N		U
		Agent: Technika Pty Ltd Technika Freestanding Cookers Technika Models: GHEO9TDSS-2, GHEO9TDSS-3, GHEO9P-2 Bellissimo by Technika Models: B9GEFTSS-2, B9GEFTPROSS-2	N N		U U
		Agent: The Indent Appliances Group Ltd Bassano & Viva Freestanding Cooker Bassano Model: BA9FASS Viva Models: VI683AA/N, VVFS9SS	N N		U U
Fox SpA di R Bompani & C					
7594	11.09	Agent: Bompani Australia Pty Ltd as Trustee for the EVA Family Trust 54cm All Gas Freestanding Cookers Bompani Model: BO710VA/N Also suitable for New Zealand Natural Gas	N		U
		Agent: Technika Pty Ltd 54cm All Gas Freestanding Cooker Technika Model: TBGG54W Also suitable for New Zealand Natural Gas	N		U
		Agent: Think Appliances Pty Ltd 54cm All Gas Freestanding Cookers Baumatic Model: BAF54GG Damani Model: DAF54GG Linea Model: LIF54GG Venini Model: VEF54GG Pacini Model: PAF54GG Think Model: GEF54GG Also suitable for New Zealand Natural Gas	N N N N N N		U U U U U U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Fox SpA di R Bompani & C					
7579	1.10	Agent: Andi-Co Australia Pty Ltd 60cm & 90cm Dual Fuel Freestanding Upright Cooker Andi Models: AF9683X, AFG9693X Also suitable for New Zealand Natural Gas	N		U
		Agent: Appliance Corporation Pty Ltd 60cm & 90cm Dual Fuel Freestanding Upright Cooker Da Vinci Models: DVB904GWSS, MXB904GWSS Also suitable for New Zealand Natural Gas	N		U
		Agent: Bompani Australia Pty Ltd as Trustee for the EVA Family Trust 60cm & 90cm Dual Fuel Freestanding Upright Cookers Bompani Models: BO643SW/N, BO693LA/N, BO683JF/N, BO683JG/N, BO683AF/N Also suitable for New Zealand Natural Gas	N		U
		Agent: Eurostyle Group Pty Ltd T/as Euro Appliances 60cm & 90cm Dual Fuel Freestanding Upright Cookers Euro Models: EUB600FS, EUB900FGSS, EUB90FS, EU90MCS Also suitable for New Zealand Natural Gas	N		U
		Agent: Major Electrical Appliances, Div of Hagemeyer Brands Aus P/L 60cm & 90cm Dual Fuel Freestanding Upright Cookers Blanco Model: FD9045WXGG Also suitable for New Zealand Natural Gas	N		U
		Agent: Milano Enterprises Pty Ltd 60cm & 90cm Dual Fuel Freestanding Upright Cookers Milano Models: ML683JA/N, ML643SW/N Also suitable for New Zealand Natural Gas	N		U
		Agent: Oranier Australia Pty Ltd Fox and Oranier 60cm & 90cm Dual Fuel Freestanding Upright Cookers Models: Fox FO683JA/N and Oranier OR683JA/N Also suitable for New Zealand Natural Gas	N		U
		Agent: Technika Pty Ltd Technika and Bellissimo by Technika 60cm & 90cm Dual Fuel Freestanding Upright Cookers Technika Models: GHE06TD-2 PRO, GHE06TD-2, GHE09TGGSS-2 PRO, GHE09TGGSS-2, GHE09TDSS-2, GHE09TDSS-3, GHE09P-2 Bellissimo by Technika Models: B9GEFTSS-2, B9GEFTPROSS-2 Note: Technika models will include FFD after the model code which denotes flame failure device Also suitable for New Zealand Natural Gas	N N		U U
		Agent: The Indent Appliances Group Ltd Bassano & Viva 60cm & 90cm Dual Fuel Freestanding Upright Cookers Bassano Model: BA9FASS Viva Models: VI683AA/N, VVFS9SS Also suitable for New Zealand Natural Gas	N N		U U
Glem Gas Australasia Pty Ltd					
6200	7.02	Emilia and Glem Freestanding Cookers Emilia Models: DI765E*, DI765E*2, DI765MV*B, DI765MV*B2, DI76GGES*B, DI76GGES*B2 Glem Models: ML66GGES*B, ML66GGES*B2, ML76GGES*B, ML76GGES*B2, S66GGES*B, S76GGES*B * denotes colour/trim	N		U
6201	7.02	Glem Freestanding Cookers Models: ML106GGES*B, ML96PROE*, ML96GGES*, S106GGES*B, S96GGESI*, ML96MV*, ML96MV*2, ML106GGES*B2, ML96PROE*2, ML96GGES*2 * denotes colour/trim	N		U
6287	6.02	Emilia, Glem and Daniela Freestanding Cookers Emilia Models: AL965E*, DI865E*, DI865MV*, DI965E*, DI965MV*, AL965E*2, DI865E*2, DI865MV*2, DI965E*2, DI965MV*2 Glem Models: DI965GGE*, DL965GGE*, DI965GGE*2, DL965GGE*2 Daniela Models: AL965E* DAN, DI865E* DAN, DI865MV* DAN, DI965E* DAN, DI965MV* DAN, AL965E*2 DAN, DI865E*2 DAN, DI865MV*2 DAN, DI965E*2 DAN, DI965MV*2 DAN, DI965GGE* DAN, DL965GGE* DAN, DI965GGE*2 DAN, DL965GGE*2 DAN *Denotes colour/trim	N N N		U U U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Glem Gas Australasia Pty Ltd Continued					
6296	6.02	Emilia and Daniela Freestanding Cookers Emilia Models: DI66E*, DI664MV*B, DI664E*2, DI664MV*B2 Daniela Models: DI664E* DAN, DI664MV*B DAN, DI664E*2 DAN, DI664MV*B2 DAN * denotes colour/trim	N		U
			N		U
Glen Dimplex Home Appliances – Agent: Glen Dimplex Australia Pty Ltd					
7711	2.11	Belling 54cm All Gas Freestanding Cooker Model: FSG54TC NG AU Model: FSG54TC LPG AU	N		P
Indesit Company SpA (AN) - Agent: Arisit Pty Limited					
6484	9.03	Ariston and Indesit 5 Burner Upright with Electric Oven and Grill Ariston Model: CP859MT Indesit Models: KP59MS.C, KP9F96S	N		U
			N		U
LG Electronics Australia Pty Ltd					
7539	12.09	LG Freestanding Cooker Models: LF66105SS & LF96105SS	N		U
Major Electrical Appliances, A Div of Hagemeyer Brands Australia Pty Ltd					
6801	9.05	Blanco Freestanding Cookers Models: FD9045WXP, FD9045FXP, FD9045WX, FD9045WXE, FD9045FX, FD9085WX, FD9085FX, FD9085FB, FD9085FCR, FD9085FR, FD9085FG, BFS120X	N		P
Smeg SpA - Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
6104	8.01	Smeg & Omega Freestanding Cookers - Gas Cooktop with Electric Oven/Grill Smeg Models: A11, A11X-5, A11XS-6, SA9058X, SA9065, SA9066, C9GMXA, C9GMNLA, C9GMBLA, C6GMXA, C6GVXA, C7GMXA, C7GVXA, C91GMXAT, CSP196 Omega Models: OF901XA, OF903XA, OFGG7GVXA, OFGE9MXA	N		U
			N		U
Steel SpA					
6404	4.03	Agent: Schweigen Pty Ltd Ascot by Steel Series Dual Fuel Cookers Models: A12FF-8, A12FF-6T, A12FF-6B, A12FF-6F, A12FF-6G, A12FF-6C, A12FF-4TF, A12FF-4BF, A12FF-4BC, A12FF-4TG, A12FF-4TC, A10FF-6, A10FF-4T, A10FF-4B, A10FF-4F, A10FF-4G, A10FF-4C, A9F-6, A9F-4T, A9F-4B, A9F-4G, A9F-4F, A9F-4C, A7F-4 Schweigen Models: *P9F-5, *P9F-4B, *P9F-4T, *P10FF-6, *P10FF-4B, *P10FF-4T, *D9F-5, *D9F-4B, *D9F-4T, *D10FF-6, *D10FF-4B, *D10FF-4T Note: Suitable for use with New Zealand Natural gas (excluding P & D Series)	N		U
		Agent: Steel SpA Steel Series Dual fuel Cookers Steel Models: S12FF-8, S12FF-6T, S12FF-6B, S12FF-6F, S12FF-6G, S12FF-6C, S12FF-4TF, S12FF-4BF, S12FF-4BC, S12FF-4TG, S12FF-4TC, S12F-8, S12F-6T, S12F-6B, S12F-6F, S12F-6G, S12F-6C, S12F-4TF, S12F-4BF, S12F-4BC, S12F-4TG, S12F-4TC, S10FF-6, S10FF-4T, S10FF-4B, S10FF-4F, S10FF-4G, S10FF-4C, S9F-6, S9F-4T, S9F-4B, S9F-4F, S9F-4G, S9F-4C, S7F-4 *P9F-5, *P9F-4B, *P9F-4T, *P10FF-6, *P10FF-4B, *P10FF-4T, *D9F-5, *D9F-4B, *D9F-4T, *D10FF-6, *D10FF-4B, *D10FF-4T Note: Suitable for use with New Zealand Natural gas (excluding P & D Series)	N		U
		Agent: Whirlpool (Australia) Pty Limited Maytag Series Dual Fuel Cookers Models: MFC 1200 IX and MFC 900 IX Note: Suitable for use with New Zealand Natural gas	N		U
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Steel SpA Continued					
		Agent: Woodland Home Products Pty Ltd St George Series Dual Fuel Cookers SG12FF-8, SG12FF-6T, SG12FF-6B, SG12FF-6F, SG12FF-6G, SG12FF-6C, SG12FF-4TF, SG12FF-4BF, SG12FF-4BC, SG12FF-4TG, SG12FF-4TC, SG10FF-6, SG10FF-4T, SG10FF-4B, SG10FF-4F, SG10FF-4G, SG10FF-4C, SG9F-6, SG9F-4T, SG9F-4B, SG9F-4F, SG9F-4G, SG9F-4C, SG7F-4 *SP9F-5, *SP9F-4B, *SP9F-4T, *SP10FF-6, *SP10FF-4B, *SP10FF-4T, *SD9F-5, *SD9F-4B, *SD9F-4T, *SD10FF-6, *SD10FF-48, *SD10FF-4T Note: Suitable for use with New Zealand Natural gas (excluding P & D Series)	N		U
			N		P
Tecno S.p.A. Società Unipersonale					
3446	3.86	Agent: Eurostyle Group Pty Ltd Euro 86 Series All Gas Freestanding Cookers Model: EGU80NG & EG80FS	N		P
		Agent: Technika Pty Ltd Tecnogas 86 Series All Gas Freestanding Cookers Models: 8650G6E*EET, 8650G6F*EET & 8560G6T*EET	N		P
Tecno S.p.A. Società Unipersonale					
4238	9.87	Agent: Andi-Co Australia Pty Ltd Andi 96 Series 90 cm Dual Fuel Freestanding Cookers Models: ADFE965MXS, AGE965MXS	N		P
		Agent: Home Appliances Pty Ltd IAG 96 Series 90 cm Dual Fuel Freestanding Cookers Models: IOC9SE3 and IOC9SG3	N		P
		Agent: Italnova Pty Ltd Daniela 96 Series 90cm Dual Fuel Freestanding Cooker Model: DAN985GE	N		P
		Agent: Technika Pty Ltd Tecnogas 96 Series 90 cm Dual Fuel Freestanding Cookers Models: 9650EDZ*SE, 9650EFZ*SE, 9650EFP, 965VEFP, 965VEFZ*TE, 9650M4Z*EE, 9650M4P, 9650G6Z, 9650G6P, 965VM8Z*EE * Indicates colour	N		P
		Agent: Think Appliances Pty Ltd Baumatic 96 Series 90 cm Dual Fuel Freestanding Cookers Model: BAU91EG, BAU92EG, BAU91GG	N		P
Tecno S.p.A. Società Unipersonale					
5734	2.00	Agent: Andi-Co Australia Pty Ltd Andi Series 60cm Dual Fuel Models: AGE664MXS and ADFE664MXS	N		P
		Agent: Eurostyle Group Pty Ltd Euro Series 60 cm Dual Fuel Euro Model: EG60FS	N		P
		Agent: Home Appliances Pty Ltd IAG Series 60cm Dual Fuel Models: IUG6S*1 and IUG6SE1 *Denotes Gas Type "G" Natural and "L" Propane	N		P
		Agent: Technika Pty Ltd Bellissimo and Tecnogas Teamline Series 50cm & 60cm Dual Fuel Bellissimo Model: TBGG5W Tecnogas Models: A640G62*AA, A640G66*FD, C640G62*FF, C640G6B*EF, C640M43*FF, C640M44*FF, C640M4B*BC, C640M4B*EF, C640M46*EF, A640EE2*SA, C640EF4*TF, C640EF6*SF, C640EDZ*TF, C640EEB*SF, C640EFB*SF, C640EFB*TC, C64VEFB*TF, TGRGAS50W, C640EDZ*TF, C64VEF6*SF * Denotes Colour	N		P
		Agent: Think Appliances Pty Ltd Baumatic Series 60cm Dual Fuel Model: BAU61EG	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Terim SpA con socio unico					
6263	4.02	Agent: Allenzi Pty Ltd Allenzi Dual Fuel Freestanding Upright Cooker Model: AS900 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Andi Appliances Pty Ltd Andi Dual Fuel Freestanding Cookers Andi Models: AFEMW90FS, AFEMW90FBL, AEM90FS Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Appliance Corporation Pty Ltd Elfa and Maxfaro Dual Fuel Freestanding Cookers Elfa Model: BLUC90SS/A Maxfaro Model: MXFCDFSS-90 Note: Also suitable for use with New Zealand Natural Gas	N N		U U
		Agent: Electrolux Home Products Pty Ltd Westinghouse Dual Fuel Freestanding Upright Cookers Models: DSK963SNG, DSK965SNG, DSP963S & DSP965S Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Eurostyle Group Pty Ltd Euro & Fratelli Onofri Dual Fuel Freestanding Upright Cookers Euro Models: EA903FS, EA900FS/RET90WCS, EN90BSS, EU9EGS, RET90SS, EGU9EGSQE2903FSD, EG900GFS, EP900BSX and EG90PFSS Fratelli Onofri Models: RC190.60FEMWTC, RC190.60SFEMWTC, RC192.60FEMWTC, YP192.60FEMWTC, YP192.60SFEMWTC, RC192.60SFEMWTC, YP108.60FEMWTC, YP108.60SFEMWTC, YP290.60SFEMWTC, YP290.60FEMWTC, YP206.60SFEMWTC, YP206.60FEMWTC, RC290.60SFEMWTC, IM290.50FEMWTC Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Hafele Australia Pty Ltd Häfele & Milano 90cm and 100cm Dual Fuel Freestanding Cooker Häfele Model: 539.07.022 Milano Model: 539.07.003 Note: Also suitable for use with New Zealand Natural Gas	N N		U U
		Agent: Home Appliances Pty Ltd Euromaid and IAG Dual Fuel Freestanding Upright Cooker Euromaid Models: EM90SS, GGF90S IAG Model: IOC9SE1 Note: Also suitable for use with New Zealand Natural Gas	N N		U U
		Agent: Kleenmaid Appliances Kleenmaid Dual Fuel Freestanding Upright Cooker Model: OMFFS 9010 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Terim SpA con socio unico Terim Dual Fuel Freestanding Upright Cookers Models: Terim Models: 192.60TC/FEM, 192.60TC/FEMW, 108.60TC/FEM, 108.60TC/FEMW, 192.50TC/FEM, 192.50TC/FEMW, 108.50TC/FEM, 108.50TC/FEMW, 190.50TC/FEM, 190.50TC/FEMW, 196.50TC/FEM, 196.50TC/FEMW, 106.50TC/FEM, 106.50TC/FEMW, 290.50.FEMW/TC1, 290.50.FEM/TC1, 296.50.FEMW/TC1, 296.50.FEM/TC1, 206.50.FEMW/TC1, 206.50.FEM/TC1, 196.50TC/PE-FEM, 196.50TC/PE-FEMW, 106.50TC/PE-FEM, 106.50TC/PE-FEMW, 190.60TC/FEM, 190.60TC/FEMW, 196.60TC/FEM, 196.60TC/FEMW, 106.60TC/FEM, 106.60TC/FEMW, 290.60.FEMW/TC1, 290.60.FEM/TC1, 296.60.FEMW/TC1, 296.60.FEM/TC1, 206.60.FEMW/TC1, 206.60.FEM/TC1, 296.50.TFCPV EG/TC1, 296.50TFC EG/TC1, 296.60.TFCPV EG/TC1, 296.60.TFC EG/TC1, 290.50.TFCPV EG/TC1, 290.50.TFC EG/TC1, 290.60.TFCPV EG/TC1, 290.60.TFC EG/TC1, 206.50.TFCPV EG/TC1, 206.50.TFC EG/TC1, 206.60TFCPV EG/TC1, 206.60TFC EG/TC1 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Whirlpool (Australia) Pty Ltd 'Whirlpool' and 'For Ikea from Whirlpool' Dual Fuel Freestanding Upright Cookers 'Whirlpool' Models: ACG900IX, ACG902IX 'For Ikea from Whirlpool' Model: PROA81S, PROA80S Note: Also suitable for use with New Zealand Natural Gas	N N		U U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Woodland Home Products Pty Ltd					
5372	10.96	St George Freestanding Cooker Models: FE904B*, FE904B1*, FE904B2*, FE905*, FE904C* and FE904C2* Model: FE904D* * Denotes colour variation	N		U
			N		P
FREESTANDING COOKERS (AS 4551/AG 101)					
Aga Rangemaster Ltd – Agent: Aga Shop Australia Pty Ltd					
5970	5.00	Aga Heat Storage Open Flue Models: GC, GCB, GE and GEB Power Flue Models: GC, GCB and GE	N		P
			N		P
6031	12.00	AGA Companion/Module Dual Fuel Cooker Gas Hob, Electric Oven & Grill	N		P
6275	4.03	Aga Heat Storage Plus Dual Fuel Module Models: GC3 and Dual Fuel GC3+ Module	N		P
			N		P
6495	7.04	Aga Six-Four Series Dual Fuel Model: DC6	N		P
Eurolinx Pty Ltd					
5729	11.98	ILVE Hercules Models P60, P90, PD90, P120, PD120, P150 & PD1006	N		P
5748	11.98	ILVE 863, 864 and 964 Series Upright Cookers Models 863 CCM, 864 PCMP, 964 PCMP, 964 BCMP, 964 PCGG, 964 PCMP and 9641 CMP	N		P
6473	8.03	Ilve Dual Fuel Models T60WMP 4 Burner Hob, T90WMP 5 Burner Hob and T906WMP 6 Burner Hob Note: All models stainless steel finish with wok burner & combination oven/grill	N		P
Europoint International Trading (A Division of ADM Buildcorp Pty Ltd)					
7150	11.07	Diamond Series Dual Fuel Freestanding Cooker Models: D9605-900_ and D6605-600_ _ denotes colour/trim C-Chrome, B-Black, W-White	N		P
Glem Gas Australasia Pty Ltd					
6634	5.05	Emilia Freestanding Cooker EB534MV*B, EB534E*, EB514M*B, EB514E* EM534MV*B, EM534E* EB534MV*BL, EB534E*L, EB514M*BL, EB514E*L, EM534MV*BL, EM534E*L Note: Suffix * denotes Colour/Trim finish	N		U
Indesit Company Spa - Agent: Arisit Pty Limited					
6038	8.00	Ariston 5 Burner Dual Fuel Freestanding Cooker (electric oven and grill) Models: C67SP6 and CX67SP6	N		P
6441	6.03	Ariston Five Burner Upright Cooker Models XC902GHDC and CP059MD with electric oven and grill	N		P
6507	11.03	Ariston Four Burner Dual Fuel Model CP649MD	N		P
Lacanche (Australia) Pty Ltd T/as Manorhouse Sinks and Range Cookers					
6686	11.04	Lacanche – Cormatin and Macon Dual Fuel Freestanding Cooker Cormatin Models Classique and Tradition Macon Models Classique and Tradition	N		P
			N		P
Major Electrical Appliances, A Div of Hagemeyer Brands Australia Pty Ltd					
6824	10.05	Blanco 60 cm Freestanding Gas/Electric Cookers Models: BFS60NX, BFS60NXFF, BFS60WX and BFS60WXXF	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Nomalon Imports Pty Ltd					
5530	7.97	Viking Professional VGIC, VGRC Series Ranges and VGGT, VGQT, VGWT and VGRT Series Cooktops VGIC Series Ranges (610 mm deep) Models: VGIC245-4B, VGIC245G, VGIC245Q, VGIC245K, VGIC305-4B, VGIC365-6B, VGIC365-4Q, VGIC365-4G, VGIC485-6G, VGIC485-6Q, VGIC485-4G and VGIC485-4GQ	N		P
		VGRC Series Ranges (685 mm deep) Models: VGRC365-6B, VGRC365-4Q, VGRC365-4G, VGRC485-6G, VGRC485-6Q, VGRC485-4G, VGRC-485-4GQ, VGRC605-6GD and VGRC605-6GQD	N		P
		VGRT, VGGT, VGQT and VGWT Series Cooktops (only) Models: VGGT240SS, VGQT240SS, VGWT240SS, VGRT300-4B, VGRT360-6B, VGRT360-4Q, VGRT360-4G, VGRT421-6B, VGRT421-4G, VGRT421-4Q, VGRT480-6G, VGRT480-6Q, VGRT480-4G, VGRT480-4GQ, VGRT480-4K, VGRT600-6G and VGRT600-6GQ	N		P
		VGIC Series Range- Sealed Burners Models: VGIC308-4B, VGIC368-6B, VGIC368-4G, VGIC368-4Q, VGIC488-6G, VGIC488-6Q, VGIC488-4G, VGIC488-4Q, VGIC488-4GQ	N		P
		VGRT Series – Sealed Burners Models: VG RT302-4B, VG RT362-6B, VG RT362-4G, VG RT362-4Q, VG RT482-6G, VG RT482-6Q, VG RT482-4G, VG RT482-4Q, VG RT482-4GQ	N		P
Nuova Lofra Srl - Agent: Technika Pty Ltd					
6544	2.04	Lofra Essential, Lofra Professional and Lofra Curva 60, 70, 80 and 90 cm Dual Fuel Freestanding Cookers Series 1 Lofra Essential Range Models: E6GGF#, E6EGFL#, D6EG#, E7GGF#, E7EGFL#, E8GGF#, E8EGFL#, E9GGF#, E9EGFL#, D9EG#	N		U
		Lofra Professional Range - P6EG#, P9EGF#, P9EGC#, P9EGDOF#	N		U
		Lofra Curva Range - C6EG#, C7EG#, C9EG#, C9EGC# Suffix # denotes accessories and aesthetic differences	N		U
		Series 3 #6EGFL*, #9EGCFL*, #6GGFL*, #7EGFL*, #8EGFL*, #9EGFL*, #7GGFL*, #8GGFL*, #9GGFL*, #9EGFLWF*, #9DEGFL* Prefix '#' denotes the following – E= Lofra Essential, C= Lofra Curva, P= Lofra Professional Suffix '*' denotes colour or aesthetic changes W = Wok Burner R = Rapid Burner F = Fish Burner SR = Semi Rapid Burner A = Auxiliary Burner SO = Small Oven (60 & 70 cm Cookers) LO = Large Oven (80 & 90 cm Cookers) Also suitable for use with New Zealand Natural Gas	N		U
Sampford IXL Pty Ltd					
5150	1.95	La Germania, D'Amani, Linea, Pacini, Baumatic Series Upright Cookers with Wok and Fish Burner Options Models: D99020X, LUGF50-90-S, LUEP01-90-S, LUG01-90-S, LUE01-90-S/W, LXUE01-90-S, LUGF01-90-S/W, LUG01-60-S, D64C60X, GEF90EG, GEF91EG	N		P
6081	5.02	La Germania Upright Cookers Models: M8050WOKXEG, D85C21X and D85C20X	N		P
Smeg SpA - Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
5611	11.98	Smeg Dual Fuel Freestanding Cookers and Hotplates Models: A21X-5, A21X-6, A31X-5, A31X-6, CSA122X-6, CSA150X-6, PVA96-1, PVA96-3	N		U
		Note: Smeg Model PVA96-1 and PVA96-3 are 6 burner hotplates only.			
6261	6.02	Smeg Freestanding Cookers Models: FS60XNG, FS60WNG, FS60XLPG, FS60WLPG, FS61XLPG, FS61WLPG, FS61XNG, FS61WNG, FS61XPZ5, SA62MFX5 and OF601XA# Models: FS62XLPG, FS62WLPG, FS62XNG, FS62WNG, FS62XNG1 #denotes Omega model	N N		U P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Technika Pty Ltd					
6858	11.05	Technika, Mia Cucina & Mama Cucine Dual Fuel Freestanding Cookers Technika Models: GHE06TD, GHE09TD, GHE06P, GHE09P, GHE010P, GHE9TDW, GHE09TPC, GHE09TGG, GHE06TGG-2, GHE09TGGW B6GEFT, B9GEFT	N		U
		Mia Cucina Models: MC6GEFTSS, MC9GEFTSS	N		U
		Mama Cucina Model: MC9TP	N		U
Terim SpA con socio unico					
6306	11.02	Agent: Andi Appliances Pty Ltd Andi Dual Fuel Freestanding Upright Cooker Andi Models: AFEMW60FS, AFEMW60FBL Concept Model: CM60FS	N		U
		Agent: Electrical Distributors Australia Pty Ltd Euromaid Dual Fuel Freestanding Upright Cooker Model: GFS60MSS Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Eurostyle (SA) Pty Ltd Euro Dual Fuel Freestanding Upright Cooker Models: EFS60MSS, RET60SS, EA603FS, EU6EGS Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Monsilk Pty Ltd Nobel Dual Fuel Freestanding Upright Cooker Model: FS60 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Ro Gas-Electrical Savoir Faire Dual Fuel Freestanding Upright Cookers Models: SFD600, C600, SFDC600 and CC600 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Terim SpA con socio unico Terim Dual Fuel Freestanding Upright Cookers Models: PP66.T40FEMW/TC, PP66.T40FEMW/TC1, PP66.T40FEMW/TC2, P66.T40FEMW/TC/1(GE), PP66.T40FEMW/TC(1/GP/SS), PP66.T40FEMW/TC(1/GP/AN), CP66.40FEM/TC2, CP66.40FEMW/TC1, CP66.T40FEM/TC, CP66.T40FEMW/TC Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: The Indent Appliances Group Ltd Nouveau Dual Fuel Freestanding Upright Cooker Model: N6640FEV Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Whirlpool (Australia) Pty Ltd Whirlpool Dual Fuel Freestanding Upright Cooker Model: ACG600IX Note: Also suitable for use with New Zealand Natural Gas	N		U
Woodland Home Products Pty Limited					
5050	2.94	St George Dual Fuel Freestanding Cooker Models FED3B*, FED4*, FED3B2* and FED4A* * Denotes colour variation	N		U

ELEVATED COOKERS (AS 4551)

Electrical Distributors Australia Pty Ltd					
6170	11.01	Euromaid Dual Fuel Cooker Model: MDA 200	N		P
Electrolux Home Products Pty Ltd					
6256	4.02	Westinghouse GEK Series Elevated Cooker Models: GEK1235WNG-L, GEK1235WLP-L, GEK1235WNG-R, GEK1235WLP-R, GEK1385WNG-L, GEK1385WLP-L, GEK1385WNG-R and GEK1385WLP-R Note: L – Left hand or R - Right hand oven configuration	N		PU

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

BUILT-IN COOKERS AND OVENS (AS 4551)

Electrolux Home Products Pty Ltd

6972	9.06	Westinghouse GOR and GXR Series Built-In Underbench & Wall Ovens Models: GOR474WNG, GOR474WLP, GOR474SNG, GOR474SLP, GOR476WNG, GOR476WLP, GOR476SNG, GOR476SLP, GXR650WNG, GXR650WLP, GXR650SNG and GXR650SLP	N		U
7043	10.06	Westinghouse GGR Series Built-In Underbench Ovens Models: GGR475WNG, GGR475WLP, GGR475SNG and GGR475SLP	N		U

Tecno S.p.A. Società Unipersonale - Agent: Italnova Pty Ltd

5971	5.00	Tecnogas, Daniela Built-in Wall Oven with Electric Grill Tecnogas Models: HC00M44KF1, HC00M47KF1, HC00M48KE1, HC00M88KE1 Daniela Model: DAN6FGS	N N		P P
------	------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------	--	--------

BUILT-IN COOKERS AND OVENS (AS 4551/AG 101)

Glen Dimplex Home Appliances - Agent: Glen Dimplex Australia Pty Ltd

7228	11.07	Stoves Built-In Oven/Grills Model: S600GR*, Single Oven/Grill all gas Model: S900GR*, Double Oven/Grill all gas Note: *Denotes Finish/Colour S = Stainless Steel, B = Black	N N		P
------	-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	--	---

WALL OVENS (AS 4551)

Terim SpA con socio unico

7766	5.11	Agent: Eurostyle Group Pty Ltd Fratelli Onofri and Euro Fan-forced Built-In Gas Oven (60cm) with Electric Grill Fratelli Onofri Models: OPI 6VE LX, OPK 6VE LX, OVI 6VE LX Euro Model: EBG60SS Also suitable for use with New Zealand Natural gas	N N		U U
		Agent: Home Appliances Pty Ltd ARC, Euromaid, IAG Fan-forced Built-in Gas Oven (60cm) with Electric Grill ARC Model: AOGFS Euromaid Model: GOSDFS IAG Model: IOGFS Also suitable for use with New Zealand Natural gas	N N N		U U U

WALL OVENS (AS 4551/AG 101)

Eurolinx Pty Ltd

7313	8.08	Iive Inbuilt Oven Model 600LVG* * denotes Colour/Finish	N		U
------	------	------------------------------------------------------------	---	--	---

Nomalon Imports Pty Ltd

6105	5.01	Viking Professional Series EVGSO166 (Single Oven) Built-In Oven with Grill	N		P
------	------	----------------------------------------------------------------------------	---	--	---

HOTPLATES (AS 4551)

Abey Australia Pty Ltd

6875	12.05	Barazza 1, 2, 4 and 5 Burner Built-In Cooktops Models: PISL1CZI, PISL20ZI, PISL40ZI, PISL4CZI, PISL1004CZI, PISL40Z*, PISL904CZI, PISL1163CZI, PISF4CZI, PISF904CZI, PISF1004CZI and PISF1163CZI Note: Also suitable for use with New Zealand Natural gas Hotplates may be intergrated into Stainless Steel Benchtops	N		U
7186	8.07	Barazza 3, 4 and 5 Burner Gas Cooktop Models: PILB902CZI, PILB904CZI, PILB1203CZI Note: Also suitable for use with New Zealand Natural Gas	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Austcrown Pty Ltd					
7092	2.07	Rambo, Auscrown, Bromic Single/Double Wok Burner Cooktops Rambo Models: RB18PG and RB28PG (outdoor) RB18NG and RB28NG (indoor) Auscrown Models: CK107LP and CK203LP (outdoor) CK801PG and CK802PG (indoor) CK801NG and CK802NG (indoor) Bromic Models: DC100, DC200 (indoor)	N		P
Brandt Asia Pte Ltd					
5742	10.99	De Dietrich 4 Burner Hotplate Model: DTE312XA1	N		U
6388	3.03	De Dietrich DTG Series Hotplates Models: DTG401XA1 and DTG303XA1	N		U
7371	9.08	De Dietrich Four Burner Hotplate Model: DTE714XA	N		U
7593	11.09	De Dietrich 5 Burner 90 cm Built-In Ceramic Cooktop Model: DTG796XA Note: Also suitable for New Zealand Natural Gas	N		U
Compass Capital Partners Pty Ltd					
6485	8.04	Kleenmaid 1, 2, 5 and 6 Burner Hotplates Models: CH311*(FF), CH311WOK(FF), CH611*(FF), CH612*(FF), CH711*(FF), CH712*(FF), CH911*(FF), CH912*(FF), CH913*(FF), CH915*(FF), CH920*(FF) and CH1200*(FF) X after 5 th character denotes Stainless Steel W after 5 th character denotes White Vitreous Enamel A after 5 th character denotes Aluminium FF at end of model code denotes Flame Failure Device	N		P
Electrolux Home Products Pty Ltd					
6994	9.06	Electrolux EHGC Series Built-In Hotplates Models: EHGC64AS and EHGC95AS	N		U
7191	11.07	Chef, Simpson & Westinghouse Built-In Hotplate Chef Models: GHS607(), GHS607(), GHS617(), GHS917(), GHS937() Simpson Model: 72K315() Westinghouse Model: GHR12(), GHR92() Note: Key ()= W for White Enamel, ()= S for Stainless Steel	N		U
7310	5.08	Domestic Built-In Hotplates Westinghouse: GHR16(), GHR17(), GHR765(), GHR775(), GHR95(), GHR795() Key: ()=W for White Enamel, ()=S for Stainless Steel	N		U
7641	5.10	Electrolux C Series Gas Cooktops Models: EHGC93CI & EHG93CX 3 Burner Cooktops with Ceramic or Stainless Steel Flat Hob	N		U
Elitre Co Ltd					
6352	12.02	Groovy, Garwoods, Philco, Cellini, Rosieres, Rasonic, Cimatech and Hi-Grade 1, 2 and 3 Burner Glass Top Hotplates Single Tube Model (S Type): Groovy Models: GR-220 and GR-320 Hi-Grade Models: HG-220, HG-220W, HG-220/LP, HG-220W/LP, HG-220/TG, HG-220W/TG, HG-320, HG-320W, HG-320/LP, HG-320W/LP, HG-320/TG & HG-W/TG Garwoods Models: GT-228, GT-228AC, GT-328, GT-328AC, GT-368 and GT-368AC Philco Models: PE2861GH*, PH2861GH-WT*, PE2861GH/LP, PE2861GH-WT/LP, PE2861GH/AC*, PE2861GH-WT/AC*, PE2861GH/LP/AC and PE2861GH-WT/LP/AC PE752GH*, PE752GH-WT*, PE752GH/LP, PE752GH-WT/LP, PE752GH/NG, PE752GH-WT/NG, PE752GH/AC*, PE752GH-WT/AC*, PE752GH/LP/AC, PE752GH-WT/LP/AC, PE752GH/NG/AC, PE752GH-WT/NG/AC, PE2862GH*, PE2862GH-WT*, PE2862GH/LP,	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Elitre Co Ltd Continued					
		PE2862GH-WT/LP, PE2862GH/AC*, PE2862GH-WT/AC*, PE2862GH/LP/AC, and PE2862GH-WT/LP/AC	N		U
		PE863GH*, PE863GH-WT*, PE863GH/LP, PE863GH-WT/LP, PE863GH/NG, PE863GH-WT/NG, PE863GH/AC*, PE863GH-WT/AC*, PE863GH/LP/AC, PE863GH-WT/LP/AC, PE863GH/NG/AC, PE863GH-WT/NG/AC, PE753GH*, PE753GH-WT*, PE753GH/LP, PE753GH-WT/LP, PE753GH/AC*, PE753GH-WT/AC*, PE753GH/LP/AC, PE753GH-WT/LP/AC, PG365G*, PG365G-WT*, PG365G/LP, PG365G-WT/LP, PG365G/NG, PG365G-WT/NG, PG365G/AC*, PG365G-WT/AC*, PG365G/LP/AC, PG365G-WT/LP/AC, PG365G/NG/AC and PG365G-WT/NG/AC	N		U
		Cellini Models: CH752GH*, CH752GH-WT*, CH752GH/LP, CH752GH-WT/LP, CH752GH/NG, CH752GH-WT/NG, CH752GH/AC*, CH752GH-WT/AC*, CH752GH/LP/AC, CH752GH-WT/LP/AC, CH752GH/NG/AC, CH752GH-WT/NG/AC, CH863GH*, CH863GH-WT*, CH863GH/LP, CH863GH-WT/LP, CH863GH/NG, CH863GH-WT/NG, CH863GH/AC*, CH863GH-WT/AC*, CH863GH/LP/AC, CH863GH-WT/LP/AC, CH863GH/NG/AC and CH863GH-WT/NG/AC	N		U
		Rasonic Models: RG-LPD81BB, RG-TGD81BB*, RG-LPD81BW, RG-TGD81BW*, RG-LPA81BB, RG-TGA81BB*, RG-LPA81BW and RG-TGA81BW*	N		U
		RG-LPD2BB, RG-TGD2BB*, RG-NGD2BB, RG-LPD2BW, RG-TGD2BW*, RG-NGD2BW, RG-LPA2BB, RG-TGA2BB*, RG-NGA2BB, RG-LPA2BW, RG-TGA2BW*, RG-NGA2BW, RG-LPD82BB, RG-TGD82BB*, RG-LPD82BW, RG-TGD82BW*, RG-LPA82BB, RG-TGA82BB*, RG-LPA82BW and RG-TGA82BW*	N		U
		RG-LPD3BB, RG-TGD3BB*, RG-NGD3BB, RG-LPD3BW, RG-TGD3BW*, RG-NGD3BW, RG-LPA3BB, RG-TGA3BB*, RG-NGA3BB, RG-LPA3BW, RG-TGA3BW*, RG-NGA3BW, RG-LPD3SBB, RG-TGD3SBB*, RG-NGD3SBB, RG-LPD3SBW, RG-TGD3SBW*, RG-NGD3SBW, RG-LPA3SBB, RG-TGA3SBB*, RG-NGA3SBB, RG-LPA3SBW, RG-TGA3SBW*, RG-NGA3SBW, RG-LPA753BW, RG-TGA753BB, RG-TGA753BW, RG-LPD753BW, RG-TGD753BW, RG-LPA753BB, RG-LPD753BB and RG-TGD753BB	N		U
		Cimatech Models: CG187*, CG187/LP, CG187/W*, CG187LPW, CG187-AC*, CG187/LP-AC, CG187/W-AC* and CG187/LPW-AC	N		U
		CG289-AC*, CG289/LP-AC, CG289/W-AC*, CG289/LPW-AC, CG289, CG289/LP, CG289/W*, CG289/LPW, CG287*, CG287/LP, CG287/W*, CG287/LPW, CG287-AC*, CG287/LP-AC, CG287/W-AC* and CG287/LPW-AC	N		U
		CG389-AC*, CG389/LP-AC, CG389/W-AC*, CG389/LPW-AC, CG389*, CG389/LP, CG389/W*, CG389/LPW, CG386-AC*, CG386/LP-AC, CG386/W-AC*, CG386/LPW-AC, CG386*, CG386/LP, CG386/W*, CG386LPW, CG387*, CG387/LP, CG387/W*, CG387/LPW, CG387-AC*, CG387/LP-AC, CG387/W-AC* and CG387/LPW-AC	N		U
		Rosieres Models: DVG187*, DVG187/LP, DVG187/W*, DVG187/LPW, DVG187-AC*, DVG187/LP-AC, DVG187/W-AC* and DVG187/LPW-AC	N		U
		DVG289-AC*, DVG289/LP-AC, DVG289/W-AC*, DVG289/LPW-AC, DVG289*, DVG289/LP, DVG289/W*, DVG289/LPW, DVG287*, DVG287/LP, DVG287/W*, DVG287/LPW, DVG287-AC*, DVG287/LP-AC, DVG287/W-AC* and DVG287/LPW-AC	N		U
		DVG389-AC*, DVG389/LP-AC, DVG389/W-AC*, DVG389/LPW-AC, DVG389*, DVG389/LP, DVG389/W*, DVG389/LPW, DVG386-AC*, DVG386/LP-AC, DVG386/W-AC*, DVG386/LPW-AC, DVG386*, DVG386/LP, DVG386/W*, DVG386LPW, DVG387*, DVG387/LP, DVG387/W*, DVG387/LPW, DVG387-AC*, DVG387/LP-AC, DVG387/W-AC* and DVG387/LPW-AC	N		U
		Dual Tube Model (F Type): Groovy Models: GR-220FD and GR-320FD	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Elitre Co Ltd Continued					
		Garwoods Models: GT-228FD and GT-328FD	N		U
		Cellini Models: CH7528G*, CH7528GW*, CH7528G/LP, CH7528GW/LP, CH7528G/NG, CH7528GW/NG, CH7528G/AC*, CH7528GW/AC*, CH7528G/LP/AC, CH7528GW/LP/AC, CH7528G/NG/AC, CH7528GW/NG/AC, CH7521G*, CH7521GW*, CH7521G/LP, CH7521GW/LP, CH7521G/NG, CH7521GW/NG, CH7521G/AC*, CH7521GW/AC*, CH7521G/LP/AC, CH7521GW/LP/AC, CH7521G/NG/AC, CH7521GW/NG/AC, CH8638G*, CH8638GW*, CH8638G/LP, CH8638GW/LP, CH8638G/NG, CH8638GW/NG, CH8638G/AC*, CH8638GW/AC*, CH8638G/LP/AC, CH8638GW/LP/AC, CH8638G/NG/AC, CH8638GW/NG/AC, CH8631G*, CH8631GW*, CH8631G/LP, CH8631GW/LP, CH8631G/NG, CH8631GW/NG, CH8631G/AC*, CH8631GW/AC*, CH8631G/LP/AC, CH8631GW/LP/AC, CH8631G/NG/AC and CH8631GW/NG/AC	N		U
		Philco Models: PH7528B*, PH7528W*, PH7528B/LP, PH7528W/LP, PH7528B/NG, PH7528W/NG, PH7528B/AC*, PH7528W/AC*, PH7528B/LP/AC, PH7528W/LP/AC, PH7528B/NG/AC, PH7528W/NG/AC, PH7521B*, PH7521W*, PH7521B/LP, PH7521W/LP, PH7521B/NG, PH7521W/NG, PH7521B/AC*, PH7521W/AC*, PH7521B/LP/AC, PH7521W/LP/AC, PH7521B/NG/AC, PH7521W/NG/AC, PH8638B*, PH8638W*, PH8638B/LP, PH8638W/LP, PH8638B/NG, PH8638W/NG, PH8638B/AC*, PH8638W/AC*, PH8638B/LP/AC, PH8638W/LP/AC, PH8638B/NG/AC, PH8638W/NG/AC, PH8631B*, PH8631W*, PH8631B/LP, PH8631W/LP, PH8631B/NG, PH8631W/NG, PH8631B/AC*, PH8631W/AC*, PH8631B/LP/AC, PH8631W/LP/AC, PH8631B/NG/AC, PH8631W/NG/AC	N		U
		Dual Tube Model (R Type): Groovy Models: GR-200 and GR-300	N		U
		Garwoods Models: GT-228RD and GT-328RD	N		U
		Cimatech Models: CG288-AC*, CG288/LP-AC, CG288/W-AC*, CG288/LPW-AC, CG288*, CG288/LP, CG288/W* and CG288/LPW CG388-AC*, CG388/LP-AC, CG388/W-AC*, CG388/LPW-AC, CG388*, CG388/LP, CG388/W* and CG388/LPW	N		U
		Rosieres Models: DVG288-AC*, DVG288/LP-AC, DVG288/W-AC*, DVG288/LPW-AC, DVG288*, DVG288/LP, DVG288/W* and DVG288/LPW DVG388-AC*, DVG388/LP-AC, DVG388/W-AC*, DVG388/LPW-AC, DVG388*, DVG388/LP, DVG388/W* and DVG388/LPW			U
		Note: (i) * Models suitable for use with Hong Kong Town Gas (ii) Appliances available with 1.5 Vdc or 220V/240V 50 Hz Ignition System			
Eurolinx Pty Limited					
5685	8.98	ILVE 4, 5 and 6 Burner Hotplates Models HP65C, HP75C, HP95C, HP95FC, HP95PC, HP125FC, HP125PC, XLP90F	N		P
6453	7.03	Ilve Four and Five Burner Four Burner Model: H60 C & Five Burner Models: H90 FC, H90 CC, H70 C	N		P
Fisher & Paykel Appliances Italy SpA					
6268	5.02	Agent: Delonghi Australia Pty Ltd Delonghi P6D Series Models: LGHW60, LGHS60, DGHS60, DEGH60ST, DEGH60WT, DEGH60	N		U
		Agent: Fisher & Paykel Appliances Ltd ELBA by Fisher & Paykel P6D Series Hotplates Model: CG604LWFX# (# indicates the revision index of the appliance)	N		U
Fisher & Paykel Appliances Italy SpA					
6294	9.02	Agent: Delonghi Australia Pty Ltd P3S Series Hotplates Delonghi Brand Models: DS302G, DS30W, DE30W and DE320G	N		U
		Agent: Fisher & Paykel Appliance Limited P3S Series Hotplates Fisher & Paykel Brand Models: CG302LWX# and CG302LWW# ELBA by Fisher & Paykel Model: CG302LFX# (# indicates the revision index of the appliance)	N		U
			N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Fisher & Paykel Appliances Italy SpA - Agent: Delonghi Australia Pty Ltd					
6524	1.04	Delonghi and Elba by Fisher & Paykel Hotplates Delonghi Models: DGHS90W, DGHS90WF, DEGH90WF, DEGH90W Elba by Fisher & Paykel Models: CG905LWFCX#	N		U
6525	1.04	Delonghi 4 and 5 Burner Hotplates Models: DGHS70W, DGHS70WF, DEGH70W, DEGH70WF	N		U
7749	6.11	De'Longhi PG3 Series Single & Two Burner Cooktops PG3 Series – Gas On Glass Cooktops Models: DE302GB, DE30WGB	N		U
Fisher & Paykel Appliances Italy SpA - Agent: Fisher & Paykel Appliances Ltd					
6553	5.04	P60 Series Hotplates Fisher & Paykel Brand: CG604CW1, CG604CWW1 and CG604WFW1 Elba Brand: 360 EX SS Elba by Fisher & Paykel Brand: CG604CWX#ELNZ, CG604WW#ELNZ and CG604WX#ELNZ (# indicates the revision index of the appliance)	N		U
Fisher & Paykel Appliances Limited					
6091	5.01	Fisher & Paykel CG905 Series 5 Burner with Wok Burner & Auto Re-ignition on all burners Model: CG905CWACX1 Model: CG905DWACM1 (as per model CG905CWACX1 with alternative wok burner and matt stainless steel finish) Model: CG905DWACX1 (as per model CG905CWACX1 with alternative wok burner)	N		U
Focus Lifestyle Products Pty Ltd					
7288	1.09	Grand Hall, Boretti, Allure 4 and 6 Burner Gas Cooktop with Optional Griddle Models: GT3606SA, GT3604GSA, GT4806GSA	N		P
Fox SpA di R. Bompani & C					
6432	7.03	Agent: Allenzi Pty Ltd Danika 4 Burner Hotplates Models: DGCT02 (Defendi Series 2 Burners) DGCT02 (Defendi Series 3 Burners) Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases	N		P
		Agent: Astivita Bathroom & Kitchens Pty Ltd Gianni 4 Burner Hotplates Models: GN213JL/N (Defendi Series 2 Burners) GN213JL/N (Defendi Series 3 Burners) Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases	N		U
		Agent: Bompani Australia Pty Ltd as Trustee for the EVA Family Trust Bompani 4 Burner Hotplates Models: BO210JN/N, BO213JN/N & BO213JO/N (Defendi Series 2 Burners) BO210JN/N, BO213JN/N & BO213JO/N (Defendi Series 3 Burners) BO213JN/A, BO213JO/A (Defendi Series 3 Burners) Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases	N		P
		Agent: Eurostyle Group Pty Ltd Euro 4 Burner Hotplates Models: EG60BS, EG60BWSC, EG60BW (Defendi Series 2 Burners) EG60BS, EG60BWSC, EG60BW (Defendi Series 3 Burners) Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases	N		U
		Agent: Medcraf Projects Pty Ltd Hartmann 4 Burner Hotplates Models: CTG2 & CTGC2 (Defendi Series 2 Burners) CTG2 & CTGC2 (Defendi Series 3 Burners) Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases	N		P
			N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Fox SpA di R. Bompani & C Continued					
Agent: Milano Enterprises Pty Ltd					
		Milano 4 Burner Hotplates			
		Models: ML26002SS (Defendi Series 2 Burners)	N		P
		ML26002SS (Defendi Series 3 Burners)	N		U
		Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases			
Agent: Oranier Australia Pty Ltd					
		Boreal 4 Burner Hotplates			
		Models: BR210JA/N, BR213JA/N & BR213JA/A (Defendi Series 2 Burners)	N		P
		BR210JA/N, BR213JA/N & BR213JA/A (Defendi Series 3 Burners)	N		U
		Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases			
Agent: Parmco Sales Ltd					
		Parmco 4 Burner Hotplates			
		Models: HOB6S-3GW-02 (Defendi Series 2 Burners)	N		P
		HOB6S-3GW-02 (Defendi Series 3 Burners)	N		U
		Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases			
Agent: Seeley International Pty Ltd (SA)					
		Tudor 4 Burner Hotplates			
		Models: TDA630S, TDA631S & TDA630W (Defendi Series 2 Burners)	N		P
		Models: TDA630S, TDA631S & TDA630W (Defendi Series 3 Burners)	N		U
		Note: Hotplate models using Defendi Series 3 Burners are suitable for Australian and New Zealand Natural gases			
Glem Gas Australasia Pty Ltd					
7050	11.06	Emilia, Glem and LG Hotplates			
		Emilia Models: SEC64G*, SEC64GW*, SEC75GW*, SEC64G*L, SEC64GW*L and SEC75GW*L	N		U
		Glem Models: FC64GW*, FC75GSW*, FC74GSW*, FC95GW*, FC64GW*L, FC75GSW*L, FC74GSW*L and FC95GW*L	N		U
		LG Models: HG6412A, HG7512A and HG9512A	N		U
Glen Dimplex Home Appliances - Agent: Glen Dimplex Australia Pty Ltd					
7682	9.10	Belling 4 & 5 Burner Hotplates			
		Models: GHU 60GC mk2 (60cm) and GHU 70GC mk2 (70cm)	N		U
GSM Sales Pty Ltd					
7562	8.09	Bellini 4 & 5 Burner Cooktops Models: CGH6401, CGH9501, BG604X & GB905X	N		U
ItalStile Srl					
6814	6.05	Four and Five Burner Built-In Hotplates			
		Models: d40, d40GC3, M64GC3, M64G (60cm 4 Burner)	N		U
		Models: dA5GC3, pdA5GC3 (70cm 5 Burner)	N		U
		Models: dL5GC3, pdL5GC3, M95GC3 (90cm 5 Burner)	N		U
		Also suitable for New Zealand Natural Gas			
7220	5.08	Bassano, Nouveau, Platinum, San Marco, Sagi & Tuscany 2, 4, 5 & 6 Burner Built-In Hotplate			
		Model: C2G – 2 Burner, 30cm Hotplate – (1x SR & 1x Rap)	N		U
		Model: H6 – 4 Burner, 60cm Hotplate – (1x Aux, 1x SR, 1x Rap & 1x Wok)	N		U
		Models: H7 – 5 Burner, 70cm Hotplate – (1x Aux, 2x SR, 1x Rap & 1x Wok)	N		U
		Models: H9 – 6 Burner, 90cm Hotplate – (1x Aux, 2x SR, 2 x Rap & 1x Wok)	N		U
		Also suitable for use with New Zealand Natural Gas			
LG Electronics Australia Pty Ltd					
7527	12.09	LG 5 Burner Cooktop Model: HB9522A	N		U
7551	12.09	LG 4 and 5 Burner Cooktop Models: HB6422A & HB7522A	N		U
Major Electrical Appliances Pty Ltd, A Division of Hagemeyer Brands Australia Pty Ltd					
6303	9.02	Blanco 5 Burner Built-In			
		Models: BCGR75W2, BCGR75W2FF, BCGF75, BCGF75FF, BCGR95WX and BCGR95WXFF	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Meridian Maestro Pty Ltd					
4801	4.92	Tudor Romeo by Braemar Hotplates Models: TD-100, TD-101, TD-103, TD-104, TD-105, TD-107, TD-108, TD-109, TD-111, TD-112, TD-113, TD-115, TD-124, TD-125	N		P
Miele Australia Pty Ltd					
5963	3.00	Miele Single, 2 and 4 Burner Hotplates Models KM404 and KM405, 2 Burner KM406, Single Wok Burner KM414 and KM417, 4 Burner	N		U
6332	9.02	Miele 4 Burner Cooktop Models: KM 362 G, KM 362-1 G and KM 362-1 LP	N		U
6367	12.02	Miele 5 Burner Cooktops, Models: KM 390 G, KM 391 G and KM 390 LP	N		U
6415	3.03	Miele 5 Burner Cooktops, Models KM 370 G, KM 370-1 G, KM370-1 LP and KM 371 G	N		U
Multiproget srl - Agent: Electrolux Home Products Pty Ltd					
7754	5.11	AEG Brand 4 and 5 Burner Cooktops HG60FX – 60cm, HG75FX – 75cm, HG90FX – 90 cm	N		U
Nomalon Imports Pty Ltd					
7243	11.07	Viking 4 and 5 Burner Built-in Hotplates Models: DGSU100-4BSS and DGSU160-5BSS	N		P
Olle Electrical Pty Ltd					
7261	9.08	Olle and Germanio 4 & 5 Burner Hotplates 4 Burner Models: T624S, T614AS, T604B, T654 5 Burner Models: T705A, T705D, T705B, T915D, T915A	N		P
PR Kitchen Systems Pty Ltd					
5649	4.98	Highland Trinity HT3 Series Cooktops Models: HT3CN, HT3CL, HT3SSN and HT3SSL	N		U
Sampford IXL Pty Ltd					
6720	7.05	Gaggenau 1, 2 and 5 Burner Hotplates Models: KG291-210AU ¹ , KG291-110AU ² , VG295-234AU, VG411-210AU ¹ , VG411-110AU ² , VG411-234AU, VG421-210AU ¹ , VG421-110AU ² , VG421-234AU 1 = For use with Natural gas only 2 = For use with Propane gas only	N		P
Smeg SpA – Agent: Smeg Australia Pty Ltd					
6430	5.03	Smeg Freestanding Cooktop Models: PGA75F, PGA75F-3, PGA75SC-3, PGA75FSC-3, PGA95F-1, PGA95F-2, PGA95F-3, PGA95SC-3, PGA95FSC-3, CIR900X, PSA906, PGA64, PGA64SC	N		U
Smeg SpA – Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
6986	6.06	Smeg Built-In Hotplates Models: PTSA605-3, PTSA725X3, PTSA726X5, PTSA727X5	N		U
7560	10.09	Smeg 4 & 5 Burner Built-In Gas Cooktop Models: PX140A, PVA750A, PVS750A	N		U
Technika Pty Ltd					
7352	9.08	Technika, Veneto by Technika and Mia Cucina 1, 2, 3, 4 & 5 Burner Hotplates Models: H310STXPRO*, H320SXPRO*, H640SXPRO*, H640STXPRO*, H730STXPRO*, H830STXPRO*, H930STXPRO*, H750STXPRO*, H850STXPRO*, H950STXPRO*, H850SLTXPRO*, H950SLTXPRO* Veneto by Technika Models: H310STXVPRO*, H320SXVPRO*, H640SXVPRO*, H640STXVPRO*, H730STXVPRO*, H830STXVPRO*, H930STXVPRO*, H750STXVPRO*, H850STXVPRO*, H950STXVPRO*, H850SLTXVPRO*, H950SLTXVPRO* Mia Cucina Model: MCH950STXPRO * = FFD if optional flame failure device is fitted	N		U
7353	9.08	Veneto & Bella Cucina Four Burner Hotplate Veneto Model: VH64SS* *Optional Features PRO = Cast Iron Trivets, FFD = Flame Failure Device Fitted	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Technika Pty Ltd Continued					
7354	9.08	Arda, Technika & Bellissimo by Technika 60cm & 90cm 3, 4 & 5 Burner Hotplates Arda Models: PFL630STX-E*, PFL640STX-E*, PFM640SFTX-E*, PFL930STX-E*, PFL940STX-E*, PFL950STX-E*, RV630STX-E*^, RV640STX-E*^, RV640SFTX-E*^, RV930STX-E*^, RV940STX-E*^ & RV950STX-E*^ Bellissimo by Technika Models: TB63GWSS*, TB64GW-3*, TB64GW-4SS*, TB93GWSS*, TB94GWSS*, TB95GWSS-2* Technika Models: H640STX-3*, DV950STX* *Optional features: Pro Cast Iron Trivets, FFD Flame Failure Device ^Retravision models	N		U
7436	2.09	Technika 5 Burner Glass Top Hotplate Model: H950STBG Note: For Cast Iron Trivets add suffix "PRO" and for Flame Failure add suffix "FFD"	N		U
Tecno S.p.A. Società Unipersonale					
7054	11.06	Agent: Andi-Co Australia Pty Ltd Andi 4 and 5 Burner Built-In Hotplates Model: APLUX95XC Also suitable for use with New Zealand Natural gas Agent: Electrolux Home Products Pty Ltd AEG 4 & 5 Burner Built-In Hotplates Models: A604VTGB-M, A6040TGB-M, A755VPGB-M, A7550PGB-M, A905VPGB-M and A9050PGB-M Also suitable for use with New Zealand Natural gas Agent: Home Appliances Pty Ltd IAG, Hafele ARC and Bonne 4 and 5 Burner Built-In Hotplates IAG Models: ICD6SG3, ICD9SG4, ICD9SG6, ICS6SG3 Hafele Model: HCS6SG3 ARC Models: ACS6SG1 and ACD9SG1 Bonne Models: BCD6SG3, BCS6WG2, BCD9SG4, BCS6SG3 Also suitable for use with New Zealand Natural gas Agent: Maxfaro Pty Ltd Tecno G 4 and 5 Burner Built-In Hotplates Models: PLUX 64 X, PLUX 64 X NS, PLUX 75 X, PLUX 75 X NS, PLUX 95 X and PLUX 95 X NS Also suitable for use with New Zealand Natural gas Agent: Technika Pty Ltd Tecnogas 4 and 5 Burner Built-In Hotplates Models: PLUX 64 X, PLUX 64 X NS, PLUX 75 X, PLUX 75 X NS, PLUX 95 X, PLUX 95 X NS, CTV75X, CTV75W, CT75X, CT75W, CTV95X, CTV95W, CT95X and CT95W Also suitable for use with New Zealand Natural gas	N		U
Teka Australia Pty Ltd					
6761	7.05	Teka CG LUX 2, 3, 4 and 5 Burner Glass Models: CG LUX 75 2G AI TR (2 Wok Burners, Vitreous Enamel Pan Supports, Cast Iron Pan Supports) CG LUX 86 3G AI TR (3 Burner, 2 Wok Burners, Vitreous Enamel Pan Supports, Cast Iron Pan Supports) CG LUX 60 4G AI and CG LUX 70 4G AI (4 Burner, Cast Iron Pan Supports) CG LUX 70 5G AI (5 Burner, Vitreous Enamel Pan Supports, Cast Iron Pan Supports) CG LUX 70 5G AI TR (5 Burner, Centre Wok, Vitreous Enamel Pan Supports, Cast Iron Pan Supports)	N		U
Terim SpA con socio unico					
7011	9.06	Agent: Andi Appliances Pty Ltd 4 Burner Cooktop Andi Models: A344DVM, A344M, A344DM Also suitable for use with New Zealand Natural Gas Agent: Builders Choice Australia Pty Ltd Terim/XPER and Nightingale 4 Burner Cooktop Terim/XPER Models: P_ _640AB(GE1), P_ _640AX(GE1), P_ _640M_ , P_ _640MB(GE1), P_ _640MX(GE1), P_ _640N_ , P_ _640NX(GE1), P_ _64TAX(GE1), P_ _64TMB, P_ _64TMB(GE1), P_ _64TMX, P_ _64TMX(GE1), P_ _64TN_ , P_ _64TNX(GE1) Nightingale Models: NE4GWSS and NE4GSS Also suitable for use with New Zealand Natural Gas	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Terim SpA con socio unico Continued					
		Agent: Electrical Distributors Australia Pty Ltd 4 Burner Cooktop Euromaid Models: WK4S and WK3WH Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Eurostyle Group Pty Ltd 4 Burner Cooktop Euro Models: RET4GSB, EAD4GS, EAD4GW, EG3WGSB, EG4GS, EG4GW, EG4GSF, EG3WGS, EG3WGW, EG3WGSF, EG3WGSCT Also suitable for use with New Zealand Natural Gas	N		U
Terim SpA con socio unico					
7143	4.07	Agent: Andi Appliances Pty Ltd Andi 2 Burner Built-In Hotplate Model: APFH320MX Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Eurostyle Group Pty Ltd Euro 2 Burner Built-In Hotplate Model: EG2GSFFD Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim 2 Burner Built-In Hotplate Models: PF_320N_, PF_320M_, PF_320N X Also suitable for use with New Zealand Natural gas	N		U
Terim SpA con socio unico					
7183	8.07	Agent: Andi Appliances Pty Ltd Terim and Andi 5 Burner Gas Cooktop Terim PF_95TN, PF_95TM_, PF_95TNX and PF_95_TMX Also Suitable for New Zealand Natural Gas	N		U
		Andi APFX95TC and APFH95TE Also Suitable for New Zealand Natural Gas	N		U
		Agent: Eurostyle Group Pty Ltd Euro 5 Burner Gas Cooktop Model: EGC 90 LWSS Also suitable for New Zealand Natural Gas	N		P
Terim SpA con socio unico					
7597	11.09	Agent: Andi Appliances Pty Ltd Andi 4 and 5 Burner Built-In Hotplates Models: APHL64TNXG and APH85QNXG Note: Also suitable for New Zealand Natural Gas	N		U
		Agent: Eurostyle Group Pty Ltd Fratelli Onofri & Euro 4 and 5 Burner Built-In Hotplates Fratelli Onofri Models: HPK85QNXG, HPKR4TNXG, HPK640NX Euro Models: EGC75CWSS, EGC75CWSFFD, EGC60WSX, EGC60WSCIT Note: Also suitable for New Zealand Natural Gas	N		U
		Agent: Hafele Australia Pty Ltd Hafele 4 and 5 Burner Built-In Hotplates Model: 536.02.521, 536.02.561 Also suitable for New Zealand Natural Gas	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Terim SpA con socio unico Continued					
		Agent: Terim SpA con socio unico			
		Terim 4 and 5 Burner Built-In Hotplates			
		Terim Models: H**85Q**, H**85S**, H**85T**, H**64T**, H**640**, H**R4T**, H**R40**	N		U
		Terim Legend			
		H = Hotplate with front controls			
		H_***** = Control Panel Form – B (Inclined control panel), or P (Flat control panel)			
		H•_**** = Aesthetic – K (Manhattan style with FL flat panel), G (Win style with IN inclined panel), C (Casablanca country line style with IN inclined panel)			
		H•_**** = Width – 8 (75cm), 6 (60cm), R (60cm) (Rhomb configuration)			
		H••_** = Burners –			
		5Q (5 Burners with LH wok type TCD),			
		5S (5 Burners with LH wok type TC),			
		5T (5 Burners with central wok type TC),			
		4T (4 Burners with wok type TC),			
		40 (4 Burners, no wok)			
		H*****_• = N (with ignition and FFD)			
		H*****_ = Colour – X (Stainless Steel), G (Anthracite Grey), I (Ivory), U (Burgandy), D (Blue), N (Black).			
		Suffix:			
		GE = Enamel Pan Supports			
		GP = Cast Iron Pan Supports for Flat Control Panel			
		GP1= Cast Iron Pan Supports for Inclined Control Panel			
		Note: Also suitable for New Zealand Natural Gas			
Thetford Ltd					
7624	2.10	Spinflo Built-In Cooktop			
		Topline Inset Glass Hobs			
		Series 162: S~HB16250Z, S~HB16255Z, S~HB16260Z, S~HB16265Z			P
		Series 164: S~HB16450Z, S~HB16455Z, S~HB16460Z, S~HB16465Z			P
		Series 167: S~HB16750Z, S~HB16755Z, S~HB16760Z, S~HB16765Z			P
		Series 168: S~HB16850Z, S~HB16855Z, S~HB16860Z, S~HB16865Z			P
		Series 169: S~HB16946Z, S~HB16950Z, S~HB16955Z, S~HB16957Z, S~HB16961Z, S~HB16962Z, S~HB16965Z, S~HB16967Z			P
		Topline Surface Mount Glass Hobs:			
		Series 910: S~HB91050Z, S~HB91055Z, S~HB91090Z, S~HB91095Z			P
		Series 920: S~HB92050Z, S~HB92055Z, S~HB92090Z, S~HB92095Z			P
		Series 921: S~HB92150Z, S~HB92155Z, S~HB92190Z, S~HB92195Z			P
		Series 922: S~HB92250Z, S~HB92290Z			P
		Series 930: S~HB93050Z, S~HB93090Z			P
		Series 960: S~HB96050Z, S~HB96090Z			P
		Note: Also suitable as caravan/marine cookers			
Think Appliances Pty Ltd					
6311	8.02	Baumatic, D'Armani, Linea, Pacini, Lofra and Venini 1, 2, 4, 5 and 6 Burner Built-in Hotplates			
		Baumatic Model: BACG6001, BACG6003	N		P
		D'Armani Models:			
		DCG6W, DCG6S, DCG64WS	N		P
		Linea Models: L50.3, LF50.2*, L51.3, LF51.2, L70.6, L90.6	N		P
		Pacini Model: PA0260011	N		P
		Venini Models: VECG6003, VECG6006W, VECG6004, VECG6007W, VECG7001 and VECG9002	N		P
		Lofra Model: LOCG6001*	N		P
		Note: * Denotes Flame Failure Device			
6321	10.02	D'Amani and Essential by Lofra 4 and 5 Burner Built-in Hotplates			
		D'Amani Models:			
		DGC64A*, DGC64FA*, DGC64WA*, DGC64FWA*	N		P
		DGC75WASS**, DGC75WASS**, DACG9001**, DAGC9002**	N		U
		Essential by Lofra Models: LOCG9003**	N		U
		LOCG6001*, LOCG6004*, LOCG7002*	N		P
		* Denotes Australian Natural & Propane gas models			
		** Denotes Australian and New Zealand Natural & Universal LP gas models			

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Think Appliances Pty Ltd Continued					
6955	5.06	1, 2, 4 and 5 Burner Built-In Hotplates One Burner Model: **CG3035*** (30 cm) Two Burner Model: **CG3034*** (30 cm) Four Burner Models: **CG6004*** (60cm) and **CG6030*** (60 cm) Baumatic Model: BHG630SS (60 cm) Venini Models: VGC60S, VGC61CS (60 cm) Five Burner Models: **CG7531*** (75 cm), **CG7002*** (70 cm), D'Amani Model: DCG75W*** (70 cm) Baumatic Models: BHG730SS (70 cm), BHG750SS (75 cm) Venini Model: VGC70CS (75 cm) **CG7502*** (75 cm), **CG9003*** (90 cm) and **CG9033*** (90 cm) D'Amani Model: DCG95W*** (90 cm) Baumatic Model: BHG930SS (90 cm) Venini Model: VGC90CFS (90 cm) Note: Also suitable for use with New Zealand Natural gas ** is replaced by the brand name prefix: Baumatic (Prefix BA), Generic (Prefix GE) Highland (Prefix HI), Linea (Prefix LI), Lofra (Prefix LO), Sagi (Prefix SA), Think (Prefix TA), Venini (Prefix VE) (*** Suffix) P = Pythagora Cast Trivet (for models with inclined control panel) C = Cast Trivet (for models with flat control panel) Blank = Stainless Steel S or SS = Stainless Steel W = White	N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
7161	8.07	Baumatic, D'Amani, Generic, Highland, Linea, Lofra, Sagi, Think and Venini 5 Burner Built-in Hotplates Model: **CG7501 (No FFD) Model: **CG7502 (With FFD) ** is replaced by the prefix below for the ranges of brands BA = Baumatic, DA = D'Amani, GE = Generic, HI = Highland, LI = Linea, LO = Lofra, SA = Sagi, TA = Think, VE = Venini A Suffix is added to the model number indicating the external finish Blank = Stainless Steel, SS = Stainless Steel, W = White	N		U
			N		U
Tong Yang Magic Co Ltd					
7631	3.10	Samsung 4 Burner Built-in Gas Cooktops Models: GN641FFXD, GN642FFXD, GN641FFBD & GN642FFBD	N		P
7644	3.10	Samsung Built Cooktops Models: GN641JDxD1, GN641JDWD1, GN641JDBD1, GN642JDxD1, GN642JDWD1, GN642JDBD1, GN7A2IFXD	N		P
Whirlpool Europe srl - Agent: Whirlpool (Australia) Pty Ltd					
6897	1.06	Whirlpool 1, 2, 4 and 5 Burner and Maytag 1 and 2 Burner Built-In Hotplates One Burner Whirlpool Model: AKT306/.. Two Burner Whirlpool Model: AKT302/.. Four Burner Whirlpool Models: AKT616/..., AKT619/..., AKT699/.. Five Burner Whirlpool Models: AKT717/..., AKT915/..., AKT920/.. , AKT922/.. Four & Five Burner Whirlpool I-XELIUM Models: AKT621/IXL, AKT680/IXL, AKT725/IXL, AKT925/IXL One Burner Maytag Model: MGC 3010 AAS Two Burner Maytag Model: MGC 3020 AAS Note: Whirlpool models only “..” denotes colour finish – Wh-White and IX – Inox (Stainless Steel) Also available for use with NZ Natural gas	N		U
			N		U
			N		U
			N		U
			N		U
			N		U
7017	12.06	Whirlpool 4 Burner Model: HOB280/AN Also suitable for New Zealand Natural Gas	N		U
7103	2.07	“For Ikea from Whirlpool” 4 Burner Glass Built-In Model: HOB 480/B Also suitable for New Zealand Natural Gas	N		U
Yanvin International (Aust) Pty Ltd					
6497	3.04	Midea, Davidson and Toyo Single and Double Burner Hotplates Models JZ20Y.1-T04 and JZ20Y.2-T21			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Zepa SpA - Agent: Appliance Corporation Pty Ltd					
7102	2.07	Zepa, Belair, Da Vinci, Maxfaro, Steile, Elfa, Sovereign & Euroart Four Burner Cooktops Zepa/Belair Models: ZA40GAB0XS, ZA4VGAB0XS, ZA4VMAP0XS Maxfaro Models: MXZGCS60, MXZGCSWET-60FF, MXZGCWS-60 Steile Model: STZGCS60 Elfa Models: ELZGCS60, ELZGCWS60 Sovereign Models: SVZGCS60, SVZGCS-W60 Da Vinci Models: DVZGCS60, DVZGCWS60 Euroart Model: EURGCS60	N		P
			N		P
			N		P
			N		P
			N		P
			N		P
			N		P
			N		P
Zhongshan Cavallo Electrical Appliances Co Ltd - Agent: Shinda International Pty Ltd					
7498	7.09	Cavallo and Suprema 4 & 5 Burner Hotplate Models: JZ20Y.4-6QA, JZ20Y.4-6QB, JZ20Y.4-6QAB, JZ20Y.4-6QBB, JZ20Y.5-7QA, JZ20Y.5-7QAB	N		U
Zhongshan Vatti Gas Appliance Stock Co Ltd					
7391	11.08	Vatti, Univa, Pye, Levanté & Olé 60cm Built-In Stainless Steel Hotplates Vatti Models: HB0420X4, HB0423X4, HB0420C, HB0423C, Univa Models: U420SS & U423SS Pye Model: GH600S Levanté Models: LEV-CT60RAX, LEV-CT60WAX, LEV-CT60RA, LEV-CT60WA Olé Model: HB0423C Note: Also suitable for use with NZ Natural Gas	N		U
			N		U
			N		U
			N		U
			N		U
			N		U
HOTPLATES (AS 4551/AG 101)					
Asko Appliances (Aust) Pty Ltd					
6865	10.05	Asko 4 and 5 Burner Hotplates, Models: T120 and T130	N		P
A'Vard Industries Pty Ltd					
6338	9.02	1, 2, 3 and 4 Burner Built-In Hotplates Goldline Models: GL301N, GL302N, GL2N, GL3N, GL4N and GL603N Brandt Models: TG308XC1, TG309XC1, TG1088XC, TG1089XC De Dietrich Models: DTG308XC1, DTG309XC1, DTG1088XC, DTG1089XC Siemens Models: ER70762HK, ER70962HK, ER70922HK, ER70926HK, Note: Brandt and De Dietrich models single burner only Also suitable for use with Hong Kong Town Gas	N		PU
			N		PU
			N		PU
			N		PU
7311	5.08	Goldline Built-in Cooktop Model: GL704N	N		P
Bertazzoni SpA					
5830	5.99	Agent: Robert Bosch (Australia) Pty Ltd Bosch Models NGT 915 HAU, NGT 915 IAU and NGT 912 HAU 5 Burner with Fish and Wok Burners NGT 615 XAU and NGT 612 XAU 4 Burner with Wok Burner Note: All models with flame failure devices. Agent: Sampford & Staff La Germania Models P9901D4 and P990a D4, 5 Burner with Fish and Wok Burners P9101D4, P910aD4 TX (Cast Iron Trivets) and P910aD4 MX (Enamel Trivets) - 5 Burner with Wok Burner P9801D4, P980aD4, P6801D4, P680aD4 TX (Cast Iron Trivets) and P680aD4 MX (Enamel Trivets) - 4 Burner with Wok Burner P6401 D4 and P640a D4, 4 Burner Note: Flame Failure Devices included on versions not indicating "a" suffix.	N		PU
			N		PU
			N		PU
			N		PU
			N		PU

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Bertazzoni SpA Continued					
		Agent: Whirlpool Australia			
		Whirlpool AKM Models			
		AKM 156/IX/2, AKM 156/WH/2, AKM 156/IX/3, AKM 156/WH/3, AKM 156/IX/4, AKM 156/WH/4, AKM 156/IX/5 and AKM 156/WH/5 (Enamel Trivets) - 4 Burner	N		PU
		AKM 157/IX/2, AKM 157/WH/2, AKM 157/IX/3, AKM 157/WH/3, AKM 157/IX/4, AKM 157/WH/4, AKM 157/IX/5 and AKM 157/WH/5 (Enamel Trivets) 4 Burner with Wok Burner	N		PU
		AKM 158/IX/2, AKM 158/WH/2, AKM 158/IX/3, AKM 158/WH/3, AKM 158/IX/4, AKM 158/WH/4, AKM 158/IX/5 and AKM 158/WH/5 (Enamel Trivets) – 5 Burner with Wok Burner	N		PU
		AKM 160/IX/2, AKM 160/IX/3, AKM 160/IX/4, AKM 160/IX/5, AKM 497/IX and AKM 497/IX/1 (Cast Iron Trivets) - 4 Burner with Wok Burner	N		PU
		AKM 498/IX and AKM 498/IX/1 (Cast Iron Trivets) – 5 Burner with Wok Burner	N		PU
		Kitchenaid AKF Models			
		AKF 568/IX/2 and AKF 568/IX/3, 4 Burner with Wok Burner	N		PU
		Note: All models without Flame Failure, unless indicated.			
BSH Home Appliances Pty Ltd					
6962	5.06	Bosch Glass Hotplates			
		4 Burner Models:			
		PPH626B90A, PHW206FAU with Wok and FFD	N		U
		5 Burner Models:			
		PPQ726B90A, PHL206FAU with Wok and FFD	N		U
		Note: Models identical except different control knobs			
		Also suitable for use with New Zealand Natural gas			
Electrical Distributors Australia Pty Ltd					
7126	5.07	Euromaid Inbuuilt Hotplates			
		Models: WK 60 S, WK 59 WH, FS WK 60 S, FS WK 59 WH, WK 70 S, GP WK 70 S, WK 69 W, GP WK 69 W, FS WK 70 S, GP FS WK 70 S, FS WK 69 W, GP FS WK 69 W	N		P
Electrolux Italia SpA - Agent: Electrolux Home Products Pty Ltd (NQD)					
6377	4.03	Electrolux Gallery and AEG Series Built-In Cooktops			
		Electrolux Gallery Models: EHG66X, EHG66W, EHG65X, EHG65W, EHG97X, EGG76U and EGG76X	N		U
		AEG Models: 92558G-M and 92558G-W	N		U
Electrolux Home Products Pty Ltd					
4517	6.90	Westinghouse “H” Series, Models GHH10* & GHH101VW 4 Burner	N	TLP	T U
		*denotes colour variation			
6112	6.01	AEG Hotplates			
		Models: 3531WK-m (Single Wok Burner), 6531DG-m (2 Burner) and 6562G-m (4 Burner)	N		P
Eurolinx Pty Ltd					
4846	5.92	ILVE Hotplates			
		Models: H30* & H30V* - Two burner (one medium & one large) Built-In Hotplate	N		P
		H30C* & H30CV* - One burner built-in Hotplate with Wok burner	N		P
		H30P* & H30PV* - One burner built-in hotplate with one Fish burner	N		P
		*Denotes finish type (x or a or m)			
5147	10.94	ILVE Model P965, 5 Burner with Wok and Fish Burner	N		P
		ILVE Model P965B, 4 Burner with Wok and Electric BBQ	N		P
5546	7.98	ILVE 4 and 5 Burner Hotplates			
		Models: H39PC, H39BC, H391C, H381C and H38PC	N		P
Fiori Holdings Australia Pty Ltd					
6408	3.03	Fiori Hotplates Models PR4.4 and PS4.4TC	N		P
6855	2.06	Fiori Hotplate Models: P5.4 TC and P6.4TC-CI	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Hon Shen Pty Ltd					
6503	11.03	Meiya and Yisoon Built-In Hotplates Meiya Models MG2, M11, MG11, MG22, M131, MG131, MG232, MG331, M123 and M321 Yisoon Models Y81G, Y82, Y82G, Y82GL, Y83, Y83G, Y83GL, Y812, Y821, and Y821G	N		P
Indesit Company Spa - Agent: Arisit Pty Limited					
5688	5.98	Ariston 6 Burner Hotplate Model PF 760 MS	N		P
5727	10.98	Ariston 4 Burner Hotplates Models PH640MS, PH640MT and PH640MST	N		P
5728	11.98	Ariston 4 and 6 Burner 4 Burner Models: PH940MT PH941MSTB (with electric element) PH941MSTV (with electric ceramic plate) 6 Burner Models: PH960, PH960MTGH, PH941MSTBGH, PH941MSTVGH and PH960MTGH Note: Suffix GH after the model number denotes optional cast iron trivets.	N N N N N		P P P P P
6138	6.01	Ariston 6 Burner Hotplate Model XP90G	N		P
6529	12.03	Ariston 4 Burner Hotplate Models PF640E, PF640ET and PF640EST	N		P
6794	5.05	Ariston 1, 3 and 4 Burner Models PH723RQOGH (1 Burner with 3 Electric Ceramic Elements) PH741RQOGH (3 Burner with 1 Electric Ceramic Element) PH750RTGH (4 Burner) Note: Suffix "GH" indicates cast iron trivets	N N N		P P P
7015	8.06	Ariston 2 Burner Model: D320MS	N		P
7016	8.06	Indesit 4 Burner Models: PI 640 AT* and PI 640 AST* * (IX) Denotes Stainless Steel, (WH) Denotes White Enamel	N		U
ItalStile Srl					
5760	9.99	Technika and Tuscany 1, 2, 3, 4 and 5 Burner Hotplates Model 40G1 (4 Burner – 60 cm) Model 40G1-F/F (4 Burner with Flame Failure) Model 40GTC (3 Burner with Wok) Model 40GTC-F/F (3 Burner with Wok and Flame Failure) Model EL4GTC (3 Burner with Wok – 60 cm) Model PA5GTC (4 Burner with Wok – 70 cm) Model DL4G (4 Burner – 90 cm) Model DL4GTC (3 Burner with Wok – 90 cm) Model DL5GTC (4 Burner with Wok – 90 cm) Model DL5GPTC (3 Burner with Wok and Fish – 90 cm) Model 10GI (Wok – 30 cm) Model 11GI (Fish – 30 cm) Model 20GI (2 Burner – 30 cm)	N N N N N N N N N N N N N N N N N N N N		P P P P P P P P P P P P P P P P P P P
Major Electrical Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
5825	7.99	Blanco Hotplate Models: BCGR32N2, BCGR64N2, BCG640NX, BCG640NW, BCG641WX, BCG641WW, BCG641WB, BCG641WAL, BCG640NXC, BCG640NWC, BCG641WXC, BCG641WWC, BCG641WBC, BCG95X, BCG95W, BCG95XC, BCG95WC *For non cast iron trivet models, add 'FF' at end of the model code for flame failure. * For cast iron trivet models, add 'C' at the end of the model code. Legend: A = Auxiliary burner, S = Semi-rapid burner R = Rapid burner W = Wok burner, F = Fish burner	N		U
7184	8.07	Blanco 60, 70 and 90 cm Inbuilt Gas Hotplates Models: BCGG64X (Non FFD), BCGG6WX (FFD), BCGG7X (FFD), BCGG9X (FFD)	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Nationwide Electrical Wholesale Pty Ltd					
5657	8.98	Gas On-Haba - Wok Burner Hotplate Model GO 103 & GO 210, Single Burner Model GO 203 & GO 220, Dual Burner			P P
PR Kitchen Systems Pty Ltd					
5603	1.98	Highland Cooktops HD3CEL, HD3CEN, HT1SSL, HT1SSN	N		U
6226	12.01	Highland Osca HO4 Series Cooktops Models HO4SSN and HO4SSL (All Gas) Models HO4CEN and HO4CEL (Dual Fuel)	N N		P P
6391	10.03	Highland Domestic Built-In Barbecue Models: HDBBQN and HDBBQL	N		P
6590	5.04	Highland 4 and 6 Burner Hotplates Models: HP6SSN, HP6SSL, HP4SSN, HP4SSL	N		U
Sampford IXL Pty Ltd					
5948	10.00	Gaggenau VG232, VG231 and KG260 Series Hotplates Models: VG232-212AU, VG232-222AU and VG232-232AU (2 Burner) KG260-214AU, KG260-224AU and KG260-234AU (4 Burner) VG231-231AU (Wok Burner)	N N N		P P P
6419	3.03	Neff 4 and 5 Burner Hotplates Neff Models: T2766NOAU (5 Burner) and T2186NOAU (4 Burner)	N		P
7014	7.06	Neff 5 Burner Hotplate Model: T2596NOAU	N		P
Shillito Pty Ltd					
7355	9.08	Euro Grand Built-In Stainless Steel Hotplates Models: WA0661, WA0621, WA0630, WA0629, WA0650-E, WA0650-C and WA0728	N		P
Smeg SpA – Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
4571	5.92	Smeg Hotplates: Non-FFD Models: SA133AW, SA34AX, SA34AX3, CIR34AX, CIR34AX3, SAR134AX, SAR134AX3, SAR134BK, SA134W, SAR804P, SAR804A, SAR93AX, SAR93AX3, CIR93AX, CIR93AXS1, SAR191AX, SAR64AX, SAR64X3, SAR64W, CIR64X3, SAR65X, SAR66AX, SAR66X3 FFD Models: SA134AS, SAR134AS, SAR93AS, SAR193AS, SAR134XS3, SAR64XS3, SAR66XS3, CIR34XS3, CIR64XS3	N		U
5759	4.00	Smeg Hotplate Models: SA60W, SA60X, SAR60W, SAR60X, CIR60X, SAR574, SAR575, SAR572AX, SAR531, SRV532, SRV531, CIR576X, CIR574, CIR575, CIR597X and SAR597X	N		U
Technika Pty Ltd					
6344	1.03	Technika 1, 2, 4 and 5 Burner Built-In Hotplates One Burner Models: 10G1-2 and 11G1-2 Two Burner Model: 20G1-2 Four Burner Models: 40G1-2, 40G1COLN-2, 40GTC-2 and DLG4GTC2 Five Burner Models: PA5GTC-2, DL5GTC-2 and DL5GPTC-2	N N N N		U U U U
6630	8.04	Technika 4 & 5 Burner 60, 70 and 90cm Built-In Gas Hotplates Models: TB64GSS, TB64GWSS, TB75GWSS, TB95GWSS and V64GSS	N		P
7114	6.07	Technika Built-In Stainless Steel Hotplates with Iron and Enamel Trivets Models: T64G, T64GW, T75GW, T95GW and T95GWF	N		U
7409	11.08	Bellissimo by Technika 3, 4 & 5 Burner Hotplate Models: TB64G-3SS, TB730SWSS, TB730DWSS, TBS740SS, TB75GW-3SS, TB930SWSS, TB930DWSS, TB940SS, TB95GW-3SS * The following characters after model number denote optional features: FFD - Fitted with Flame Failure Device PRO - Fitted with Cast Iron Trivets	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Tecno S.p.A. Società Unipersonale					
6480	12.03	Agent: Tecno S.p.A. Società Unipersonale Tecnogas PF and PFV 4 and 5 Burner Built-In Hotplates Four Burner Models: PF640* (no FFD) and PFV640* (with FFD)	N		P
		Five Burner Models: PF750* (no FFD) and PFV750* (with FFD)	N		P
		Agents: Astivita Bathroom & Kitchens Pty Ltd Gianni 4 Burner 60cm Built-In Hotplate Model: AEC60S (no FFD)	N		P
		Agent: Home Appliances Pty Ltd ARC 4 Burner 60cm Built-In Hotplate Model: ACS6SG2 (No FFD)	N		P
Teka Australia Pty Ltd					
6284	8.02	Teka 4 and 5 Burner Stainless Steel Built-In Hotplates Models: EF/60 4G AI F, EF/60 4G AI V	N		P
		E/70 5G AI TR F, E/70 5G AI TR V, EF/90 5G AI TR F, EF/90 5G AI TR V	N		P
		EX/60 4G AI AL CI, EX/70 5G AI AL TR CI, EX/90 5G AI AL TR CI	N		P
		EH/60 4G AI AL TR CI	N		P
		Notes: Front Controls. Enamel Trivets with option of Cast Iron. F = Flat Controls, V = Vertical Controls			
Terim SpA con socio unico					
6307	11.02	Agent: Andi Appliances Pty Ltd Andi 5 Burner Built-In Hotplates Models: A344M, A344DM, A344DVM, APLE95TE, APFH75TE, APFX75TC Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Backwell IXL Pty Ltd Modena 4 and 5 Burner Built-In Hotplates Models: 91001, 91101, 91142, 91141 and 91121 Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Electrolux Home Products Pty Ltd (NQD) Electrolux 5 Burner Built-In Hotplate Model: EHG77X Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Eurostyle (SA) Pty Ltd Euro 4 and 5 Burner Built-In Hotplates Models: EC4GW, EASB4GS, RET4GSB, EC4GSS, EC4GSFFD, EC3WGW, EC3WGS, RET3WGSB, EC3WGSFFD, E5B90WH, E5B90SS, E5B90SFFD, RET5BWSS, E70GCTSS, E70GCTSFFD, EG95BSB, EG95GS, EG95GSFC, EG75GS, EG75GW, EG75GSF Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Integrated Appliance Group Pty Ltd IAG 5 Burner Built-In Hotplate Models: ICD9SG2 and ICD9SG3 Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Monsilk Pty Ltd Nobel 5 Burner Built-In Hotplates Models: EU930, EU930CIT, EU930FFD, EU930CITFFD, EU730, EU730CIT, EU730FFD and EU730CITFFD Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Ro Gas-Electrical Savoir-Faire 5 Burner Built-In Hotplates Models: TEH900, TH900, TH900FFD, TE700, T700, TE700FFD and T700FFD Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Terim SpA con socio unico Terim 4 and 5 Burner Built-In Hotplates Models: PR4.4, PR4.4(SS), PR4.4/A1(SS), PR4.4V, PR4.4V(SS), PR4.4TC, PR4.4TC(SS), PR4.4VTC, PR4.4VTC(SS), PR6.5PE/TC(GE), PR6.5PE/TC(GE)(SS), PR6.5PE/TC(GP), PR6.5VPE/TC(GE), PR6.5VPE/TC(GE)(SS), PR6.5VPE/TC(GP), PR6.5/TC(GE), PR6.5/TC(GP), PR6.5/TC(A1)(SS)(GE), PR6.5V/TC(GE), PR6.5V/TC(GP), PR6.5V/TC(A1)(SS)(GE), P5.5TC(GE), P5.5TC(GL), P5.5TC(GP), P5.5TC(GP)CG, P5.5TC(A1)(SS)(GE), P5.5TC(A1)(WH)(GE), P5.5VTC(GE), P5.5VTC(GL), P5.5VTC(GP), P5.5VTC(GP)CG, P5.5VTC(A1)(SS)(GE) Also suitable for use with New Zealand Natural Gas	N		U
		Agent: The Indent Appliances Group Ltd Nouveau 4 Burner Built-In Hotplates Models: NP44S, NP4TCW and NP4TCS Also suitable for use with New Zealand Natural Gas	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Terim SpA con socio unico					
6493	9.03	Agent: Andi Appliances Pty Ltd Andi 4 Burner Built-In Hotplates Models APFH64TE and APFX64TC Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Backwell IXL Pty Ltd Modena 4 Burner Built-In Hotplates Models 91002 and 91102 Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Electrolux Home Products Pty Ltd (NQD) Electrolux 4 Burner Built-In Hotplate Model EHT6984X Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Hagemeyer Brands Australia Pty Ltd De Dietrich 4 Burner Built-In Hotplate Model DTE526XU1 Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Integrated Appliance Group Pty Ltd IAG 4 Burner Built-In Hotplate Model ICD6SG2 Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim 4 Burner Built-In Hotplates Models PFL4.4(GE), PFL4.4(GP), PFL4.4V(GE), PFL4.4V(GP), PFL4.4/TC(GE)SS, PFL4.4/TC(GE)WH, PFL4.4/TC(GE)BL, PFL4.4/TC(GL1)SS, PFL4.4/TC(GP)WH, PFL4.4/TC(GP)BL, PFL4.4/TC(GP)SS, PFL4.4V/TC(GE), PFL4.4V/TC(GL)SS, PFL4.4V/TC(GL1)SS, PFL4.4V/TC(GP)BL and PFL4.4V/TC(GP)SS Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Ro Gas-Electrical Savoir Faire 4 Burner Built-In Hotplates Models T600SS-GE, T600W-GE, T600B-GE, T600B, T600SS, T600BFFD and T600SSFFD Also suitable for use with New Zealand Natural Gas	N		U
Think Appliances Pty Ltd					
5792	9.99	D'Amani and Essential by Lofra 4 and 5 Burner Built-in Hotplates D'Amani Model: DCG64-1 Essential by Lofra Models: LOCG6001, LOCG6004 and LOCG7002 Note: *Models available with or without FFD	N		P
7079	12.06	Baumatic, D'Amani, Generic, Highland, Linea, Lofra, Sagi, Think and Venini 5 Burner Built-In Hotplate Model: **CG7532 Note: Also suitable for use with New Zealand Natural gas ** is replaced by the brand name prefix: Baumatic (Prefix BA), D'Amani (Prefix DA), Generic (Prefix GE) Highland (Prefix HI), Linea (Prefix LI), Lofra (Prefix LO) Sagi (Prefix SA), Think (Prefix TA), Venini (Prefix VE)	N		U
Woodland Home Products Pty Limited					
6265	4.02	St George Hotplate Models CG29* and CG29WOK* * Denotes colour variation	N		U
6910	5.06	St George Hotplates Models: 5566010, 5566800, 5567100 and 5567800	N		U
7321	5.08	St George Gas Cooktops Models: 5667100 and 5669100	N		P
COUNTER TOP COOKERS (AS 4551/AG 101)					
Galaxy Import-Export Company Pty Ltd					
5569	4.99	Tiger Models YC808 and YC-409 Single Burner Hotplate YC818, YC828, YC828S, YC888 & YC888S Double Burner Hotplates			P
					P
Qingdao Hengfeng Metal Products Co Ltd – Agent: IFA Australia Pty Ltd					
6276	6.02	Cookmate Counter Top Cookers Models CT285 (single burner) and CT700-2 (double burner)			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Steel SpA 6405	4.03	Steel, Kleenmaid and Savoir Faire Series Dual Fuel Cooktops Agent: Kleenmaid Pty Ltd Steel and Kleenmaid Models: S12-8, S12-6T, S12-6B, S12-6F, S12-6G, S12-6C, S12-4TF, S12-4BF, S12-4BC, S12-4TG, S12-4TC, S9-6, S9-4T, S9-4B, S9-4F, S9-4G, S9-4C, S9-6R and S7R-4 Agent: Ro Gas-Electrical Savoir Faire Models: T1200-F8, T1200-F6T, T1200-F6B, T1200-F6F, T1200-F6G, T1200-F6C, T1200-F4TF, T1200-F4BF, T1200-F4BC, T1200-F4TG, T1200-F4TC, T900-F6, T900-F4T, T900-F4B, T900-F4F, T900-F4G, T900-F4C, TR900 and T700 Note: All models are suitable for use with New Zealand Natural Gas.	N		U
			N		U

CARAVAN AND MARINE COOKERS (AS 4551)

Bromic Pty Ltd 4779	7.92	Lido Junior Series Caravan and Marine Cookers Lido "Junior" Model: 59L with optional lid Lido "Junior M" Model: 59LT (with thermoelectric flame safety valves) with optional seal rail and gimbal Lido "Junior C" 59LC (with thermoelectric flame safety valves)			P P P
Casale Trim Co Pty Ltd 6488	1.04	Swift 500 Series Caravan Cookers Models:, 501, 502, 503, 504, 505, 506, 507, 508, 509, 518 Model Code: The code system is designed to identify technical variations including type of appliance, features and gas. (1) Series Number: The number is selected to cover the appliances development in the series with the same burners, i.e 500 (2) Type Number: There are 9 variations of the series as listed in General. i.e 50(1)**. The second number is reserved for styling changes for a given type of appliance. i.e 518** (3) Features: The various features that are options in this series are represented by a letter as follows: B - stainless steel being the model identifying feature, E - electric ignition 240Vac, (P) - piezo ignition, W - wok burner, L - oven light, H - electric hotplate element, F - fan forced oven, S - stainless steel, G - glass hob, D - power coated lid, DNS - lid not supplied, S - side out, WH - wall hung Fuel type is representative at the end of the code as P - propane gas			U
Dometic Australia Pty Ltd 6011	1.02	Cramer Hotplate Models: CE1368, CE1382, EK1246, CE1305, CE1303, CE1312, CE1307, CE1307A, EK1184, EK1341, CE1465 & CE1469			P
ENO - Agent: Ocean Solutions Pty Ltd 6744	12.05	Eno Marine Two Burner Table Cooker and Three Burner Built-in Hob Open Sea - 1420, 1413, 1423, 1433, 1460 & 1463 Gasconne / Ocean - 1813, 1823, 1833 & 1863 Ocean / Perigord - 8433 & 8743 Eno 2 Burner Hob – 4320 & 4323 Eno 3 Burner Hob – 4330 & 4333			P P P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Glen Dimplex Home Appliances					
5940	2.00	Agent: Coromal Caravans Pty Ltd Stoves Newhome & Belling Models: 500DIT-T1, 4 Burner Hotplate and Grill			P
		500DIT-T2, 4 Burner Hotplate, Grill and Oven			P
		DF500DIT-T1, Dual Fuel Hotplate and Grill			P
		DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven			P
		Agent: Dometic Pty Ltd Stoves Newhome & Belling Models: 500DIT-T1, 4 Burner Hotplate and Grill			P
		500DIT-T2, 4 Burner Hotplate, Grill and Oven			P
		DF500DIT-T1, Dual Fuel Hotplate and Grill			P
		DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven			P
		Stoves Newhome DF500DIT-T1, Dual Fuel Hotplate and Grill			P
		Stoves Newhome DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven			P
		Agent: Jayco Caravan Manufacturing Stoves Newhome Models: 500DIT-T1, 4 Burner Hotplate and Grill			P
		500DIT-T2, 4 Burner Hotplate, Grill and Oven			P
		DF500DIT-T1, Dual Fuel Hotplate and Grill			P
		DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven			P
		Stoves Newhome DF500DIT-T1, Dual Fuel Hotplate and Grill			P
		Stoves Newhome DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven			P
Ondot Pty Ltd T/as Maxco Industries					
6347	11.02	Maxie, Maxie Leisure and Tudor Two Burner Caravant Benchtop Hotplate Model: T2H			P
Thetford Ltd					
6927	6.06	Thetford Marine/Caravan Cookers Mk3 Caprice S~OH72000Z			
		S~OH72955Z, S~OH72070Z, S~OH72076Z, S~OH72080Z, S~OH72150Z, S~OH72165Z, S~OH72166Z, S~OH72180Z, S~OH72183Z, S~OH72187Z, S~OH72275Z, S~OH72288Z, S~OH72461Z, S~OH72562Z, S~OH72582Z, S~OH72590Z, S~OH72863Z, S~OH72910Z, S~OH72915Z, S~OH72918Z, S~OH72920Z, S~OH72921Z, S~OH72925Z, S~OH72940Z, S~OH72950Z, S~OH72956Z			P
		Mk3 Caprice Dual Fuel S~OH73000Z (Option: 800W or 1000W Electric Hotplate)			P
		S~OH73910Z, S~OH73155Z, S~OH73282Z, S~OH73283Z, S~OH73284Z, S~OH73590Z, S~OH73915Z, S~OH73952Z, S~OH73953Z, S~OH73954Z, S~OH73955Z, S~OH73956Z, S~OH73957Z			P
		Mk 3 Minigrill S~HG72000Z			P
		S~HG72955Z, S~HG72780Z, S~HG72918Z, S~HG72920Z, S~HG72930Z, S~HG72983Z, S~HG72956Z			
		Mk3 Minigrill Dual Fuel S~HG73000Z (Option: 800W or 1000W Electric Hotplate)			P
		S~HG73955Z, S~HG73155Z, S~HG73983Z, S~HG73956Z, S~HG73957Z			
6934	5.06	Thetford Marine/Caravan Cookers S~OH70000Z TRIPLEX LPG			P
		S~OH70960Z, S~OH70560Z, S~OH70905Z, S~OH70910Z, S~OH70915Z, S~OH70940Z, S~OH70945Z, S~OH70955Z, S~OH70959Z			
		S~OH71000Z TRIPLEX Dual Fuel (Option: 800W or 1000W Electric Hotplate)			P
		S~OH71915Z, S~OH71960Z, S~OH71961Z			
		S~OG70000Z DUPLEX			P
		S~OG70955Z, S~OG70560Z, S~OG70815Z, S~OG70870Z, S~OG70900Z, S~OG70910Z, S~OG70945Z, S~OG70960Z, S~OG70963Z, S~OG70965Z, S~OG72800Z, S~OG72802Z, S~OG72900Z, S~OG72902Z			
		S~OV70000Z MK3 Oven only			P
		S~OV70955Z, S~OV70570Z, S~OV70780Z, S~OV70920Z, S~OV70965Z, S~OV70980Z, S~OV72800Z, S~OV72802Z, S~OV72900Z, S~OV72902Z			P
6981	8.06	Thetford HB14000, HB14300 and HB14500 Series Caravan/Marine Cookers HB14000 Series:			P
		HB14000 Z, HB14001 Z, HB14002 Z, HB14003 Z, HB14005 Z, HB14006 Z, HB14007 Z, HB14008 Z, HB14010 Z, HB14011 Z, HB14012 Z, HB14013 Z, HB14015 Z, HB14016 Z, HB14017 Z, HB14018 Z, HB14019 Z, HB14020 Z, HB14022 Z, HB14023 Z, HB14024 Z, HB14025 Z, HB14037 Z, HB14038 Z, HB14040 Z,			

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Thetford Ltd Continued					
		HB14041 Z, HB14055 Z, HB14056 Z, HB14057 Z, HB14058 Z, HB14070 Z, HB14071 Z, HB14072 Z, HB14073 Z, HB14075 Z, HB14076 Z, HB14077 Z, HB14078 Z, HB14080 Z, HB14081 Z, HB14090 Z, HB14091 Z, HB14092 Z, HB14093 Z, HB14094 Z, HB14095 Z, HB14096 Z, HB14097 Z, HB14098 Z, HB14099 Z, HB14102 Z, HB14103 Z, HB14105 Z, HB14106 Z, HB14107 Z, HB14108 Z, HB14171 Z, HB14192 Z, HB14193 Z, HB14194 Z, HB14195 Z, HB14196 Z, HB14197 Z, HB14198 Z and HB14199 Z			
		S~HB14000 Z, S~HB14001 Z, S~HB14002 Z, S~HB14003 Z, S~HB14005 Z, S~HB14006 Z, S~HB14007 Z, S~HB14008 Z, S~HB14010 Z, S~HB14011 Z, S~HB14012 Z, S~HB14013 Z, S~HB14015 Z, S~HB14016 Z, S~HB14017 Z, S~HB14018 Z, S~HB14019 Z, S~HB14020 Z, S~HB14022 Z, S~HB14023 Z, S~HB14024 Z, S~HB14025 Z, S~HB14037 Z, S~HB14038 Z, S~HB14040 Z, S~HB14041 Z, S~HB14055 Z, S~HB14056 Z, S~HB14057 Z, S~HB14058 Z, S~HB14070 Z, S~HB14071 Z, S~HB14072 Z, S~HB14073 Z, S~HB14075 Z, S~HB14076 Z, S~HB14077 Z, S~HB14078 Z, S~HB14080 Z, S~HB14081 Z, S~HB14090 Z, S~HB14091 Z, S~HB14092 Z, S~HB14093 Z, S~HB14094 Z, S~HB14095 Z, S~HB14096 Z, S~HB14097 Z, S~HB14098 Z, S~HB14099 Z, S~HB14102 Z, S~HB14103 Z, S~HB14105 Z, S~HB14106 Z, S~HB14107 Z, S~HB14108 Z, S~HB14171 Z, S~HB14192 Z, S~HB14193 Z, S~HB14194 Z, S~HB14195 Z, S~HB14196 Z, S~HB14197 Z, S~HB14198 Z and S~HB14199 Z			P
		HB14300 Series:			P
		HB14308 Z, HB1410 Z, HB14311 Z, HB14380 Z, HB14381 Z and HB14383 Z			P
		S~HB14308 Z, S~HB1410 Z, S~HB14311 Z, S~HB14380 Z, S~HB14381 Z and S~HB14383 Z			P
		HB14500 Series:			
		S~HB14571 Z, S~HB14590 Z, S~HB14591 Z, S~HB14592 Z, S~HB14593 Z, S~HB14594 Z and S~HB14595 Z			
		HB14571 Z, HB14590 Z, HB14591 Z, HB14592 Z, HB14593 Z, HB14594 Z and HB14595 Z			P
		HB33000 Series:			
		S~HB33000 Z, S~HB33001 Z, S~HB33004 Z, S~HB33005 Z, S~HB33010 Z, S~HB33011 Z, S~HB33050 Z, S~HB33051 Z, S~HB33060 Z, S~HB33061 Z			P
		HB34000 Series:			
		S~HB34010 Z, S~HB34015 Z, S~HB34050 Z, S~HB34055 Z			P
		HB34500 Series:			
		S~HB34500 Z, S~HB34515 Z, S~HB34550 Z, S~HB34552 Z, S~HB34555 Z			P

CARAVAN AND MARINE COOKERS (AS 4551/AG 101)

Camec Pty Ltd

5158	10.94	SMEV 7000 Series – Caravan & Marine 3 & 4 Burner Hob plus Oven/Grill			P
		SMEV 8000 Caravan & Marine Series Oven/Grill			P
5824	2.99	Smev Series 8000/8123VD Caravan & Marine 2 & 3 Burner Hotplates and Sink Combo			P
5912	9.99	SMEV 555 Caravan and Boat Series Grill Compartment			P
6490	9.03	Smev Series 400, 4 Burner Upright Cookers (Hotplate/Oven /Grill and Hotplate/Grill)			P
		Model: 401 – Upright 4 Burner Hob (3 Burner Hob with optional Electric Element) and Oven and Grill			P
		Model: 402 – Upright 4 Burner Hob (3 Burner Hob with optional Electric Element) and Grill			P
		Model: 403 – Upright 4 Burner Hob (3 or 4 Propane burners with Optional 240V AC Electric Element)			P

Ocean Solutions Pty Ltd

6837	9.05	Force 10 Freestanding Marine Cookers			
		Models: 63251, 63351, 63451, 73251, 73351 and 73451			P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Serada Ltd – Agent: Camec Pty Ltd						
6304	11.02	Serada Gas Quip Model OH1506 Hob, Grill and Oven Model MK12FC/F-2BG Hob and Grill				P P
Thetford Ltd						
6922	4.06	Thetford Marine/Caravan Cooker and Grill Models: H200F 2 Series (Product code HB2000Z) H250F Midi (Product code HM22200Z)				P P
6926	5.06	Thetford C656 and 854F Series Marine/Caravan Cookers With/Without Sink C656 Series Combination Units C656 2BF (Product Code CU64260Z) C656 2BGF (Product Code CU68243Z) C656/N 4BGF (Product Code CU68443Z) 854F Series Built-In Hobs 854F 4BF (Product Code HB84960Z) 854F 4BGF (Product Code HB84860Z)				P P
6936	6.06	Thetford Marine/Caravan Built-In Cookers Models: Mk3 Grill Only – GR70000Z (Product Code GR70950Z) Mk 3 Midi Prima – OP70000Z (Product Code OP70930Z)				P P
6943	6.06	Thetford, Tecma Marine/Caravan Built-In Cookers Models: Mk12 Hotplate (Product Code HT27646Z and HT27647Z) OH1500Z (Product Code: OH1501Z and OH1506Z)				P P

WATER HEATERS

STORAGE WATER HEATERS (AS 4552)

Note: Energy labelling not applicable where appliances are in excess of 50 MJ/h gas consumption.

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading	
AquaMax Australia Pty Ltd					
6114	3.01	Aqua-Max External Storage Water Heaters Models: G390SS-NG (Aquamax G390SS), G340SS-NG (Aquamax G340SS)	20 631	5.1/153°	N
6705	6.05	Aquamax G270VE and Everhot External Storage Water Heaters Aquamax Models: G270VE-NG, G270VE-NG-HWA G270VE-LP, G270VE-LP-HWA Everhot Models: 647270N0 647270P0	20 775 20 775 20 775 20 775	5.0/151° 5.0/151° 5.0/151° 5.0/151°	N U
7477	4.09	Aquamax G270SS Gas Storage Water Heater Model: G270SS-NG	20 775	5.0/151°	N
Casale Trim Co Pty Ltd					
7039	5.08	Hanson Caravan Storage Water Heater Models: G1500, GE1000, GE1500	N/A	N/A	P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
Dux Manufacturing Limited						
4227	7.87	Dux Prodigy 3, Prodigy 3 Marathon, Radiant Internal and External, Dux Sunpro 305 & Sunpro E3 Solar Preheated Storage Water Heaters				
		Dux Prodigy 3" (External) Models:				
		90FN-G, 90FL-G, 90FT-G,	24 544	3.1/95°	N	T U
		135FN-G, 135FL-G, 135FT-G, 135SN-G,				
		135SL-G	24 834	3.0/90°	N	T U
		170FN-G, 170FL-G, 170FT-G, 170SN-G,				
		170SL-G	24 843	3.0/90°	N	T U
		Prodigy 3" (Internal) Models:				
		135IN-G, 135IT-G, 135IL-G	24 136	3.4/101°	N	T U
		170IN-G, 170IT-G, 170IL-G	24 808	3.0/91°	N	T U
		Prodigy 3 Marathon (External) Models:				
		90TN-G, 90TL-G, 90TT-G	24 544	3.1/95°	N	T U
		135TN-G, 135TL-G, 135TT-G	24 834	3.0/90°	N	T U
		170TN-G, 170TL-G, 170TT-G	24 843	3.0/90°	N	T U
		Dux Sunpro 305 (External) Models:				
		170FNS and 170FLS	N/A	N/A	N	U
		Dux Sunpro E3 (External)				
		170E3NS, 170E3LS	N/A	N/A	N	U
		Dux Radiant (External) Models:				
		135AN, 135AL	24 834	3.0/90°	N	T U
6554	3.04	Dux Prodigy Storage Water Heater				
		Models: 330TN, 330TL	20 723	5.0/151°	N	P
		Models: 360TN, 360TL	20 645	5.0/152°	N	P
6758	4.05	Dux 400L Centaur Storage Water Heater				
		4D126N	Not applicable		N	
		4D126L	Not applicable			P
6803	7.05	Dux Centaur 250L Outdoor Storage Water Heater Model: 2D116N				
		Model: 2D116L	Not applicable		N	
			Not applicable			P
6862	1.06	Dux Prodigy 4, Dux Sunpro 405 and Dux Sunpro E4, Rinnai				
		Dux Prodigy 4 Models:				
		135ZNA	22 413	4.2/126°	N	
		135ZL	22 413	4.2/126°		P
		170ZNA	22 730	4.1/122°	N	
		170ZL	22 730	4.1/122°		P
		Dux Sunpro 405 Model:				
		170ZNS	N/A	N/A	N	
		170ZLS	N/A	N/A		P
		See Note 1				
		Dux Sunpro E4 Models:				
		170E4NS	N/A	N/A	N	
		170E4LS	N/A	N/A		P
		See Note 1				
		Rinnai Models:				
		RIN135G4N	22 413	4.2/126°	N	
		RIN135G4L	22 413	4.2/126°		P
		RIN170G4N	22 730	4.2/122°	N	
		RIN170G4L	22 730	4.2/122°		P
		Note 1: These models have provision to be connected to solar collector panels				
7318	8.08	Dux eProdigy Storage Water Heater				
		Models: 135EN & 135ETN	20 576	5.1/153°	N	
		Models: 135EL & 135ETL	20 576	5.1/153°		P
		Models: 170EN & 170ETN	20 574	5.1/154°	N	
		Models: 170EL & 170ETL	20 574	5.1/154°		P
		E = Model Designation, N = Natural gas				
		L = Propane gas, T = Ten year warranty				

Cert Number	Date Certified	Appliance	TYPE OF GAS					
			Nat	TLP	Town	LPG		
Rheem Australia Pty Limited								
3340	1.82	Rheemglas and Rheemglas Premier Internal Mains Pressure Rheemglas 300 Models:						
		Models 300090N0, 300090T0, 300090P0, 300090B0	23 337	3.8/113°	N	TLP	T	PB
		Models 300135N0, 300135T0, 300135P0, 300135B0	23 951	3.4/103°	N	TLP	T	PB
		Models 300170N0, 300170T0, 300170P0, 300170B0	24 404	3.2/97°	N	TLP	T	PB
		Rheemglas Premier 400 Models:						
		400090N0, 400090T0, 400090P0, 400090B0	23 813	3.5/105°	N	TLP	T	PB
		400135N0, 400135T0, 400135P0, 400135B0	23 951	3.4/103°	N	TLP	T	PB
		400170N0, 400170T0, 400170P0, 400170B0	24 404	3.2/97°	N	TLP	T	PB
5468	12.96	Rheem 621 Series (Indoor) and 631 Series (Outdoor) Mains Pressure Storage Water Heaters						
		621 Series Models:						
		621265N0, 621265T0, 621265P0 & 621265B0	Not applicable		N	TLP	T	PB
		631 Series Models:						
		631265N0, 631265T0, 631265P0 & 631265B0	Not applicable		N	TLP	T	PB
5469	12.96	Rheemglas Premier 621 (Indoor) and 631 (Outdoor) Series Storage Water Heaters						
		621 Series Indoor Models:						
		621275N0, 621275T0, 621275P0 & 621275B0	Not applicable		N	TLP	T	PB
		631 Series Outdoor Models:						
		631275N0, 631275T0, 631275P0 & 631275B0	Not applicable		N	TLP	T	PB
		Note: Room Sealed Conversion Kit available for 631 Series Models						
5745	12.98	Vulcan Freeloader 648 Series, Vulcan 641 Series, Aquahot 241 Series, Weatherline 283 Series, Rheem 348 Series, Everhot 218 Series, Rheem Optima 848 Series and Rheem 4 Star 347 Series External Storage Water Heaters						
		Vulcan Models:						
		641090N0, 641090P0	23 400	3.6/110°	N			P
		641135N0, 641135P0	23 800	3.5/106°	N			P
		641170N0, 641170P0	24 300	3.2/98°	N			P
		Aquahot Models:						
		241135N0, 241135P0	23 800	3.5/106°	N			P
		241170N0, 241170P0	24 300	3.2/98°	N			P
		Weatherline Models:						
		283300N0, 283300P0	24 300	3.2/98°	N			P
		Rheem Models:						
		348170N0, 348170P0	22 734	4.0/122°	N			P
		348135N0, 348135P0	22 093	4.3/131°	N			P
		348090N0, 348090P0	22 649	4.1/123°	N			P
		Everhot Models:						
		218170N0, 218170P0	22 734	4.0/122°	N			P
		218135N0, 218135P0	22 093	4.3/131°	N			P
		Vulcan Freeloader Models:						
		648135N0, 648135P0	22 093	4.3/131°	N			P
		648170N0, 648170P0	22 734	4.0/122°	N			P
		648090N0, 648090P0	22 649	4.1/123°	N			P
		Rheem Optima Models:						
		848170N0, 848170P0	22 734	4.0/122°	N			P
		848135N0, 848135P0	22 093	4.3/131°	N			P
		848090N0, 848090P0	22 649	4.1/123°	N			P
		Rheem 4 Star Models:						
		347135N0, 347135P0	22 093	4.3/131°	N			P
		347170N0, 347170P0	22 734	4.0/122°	N			P
		347090N0, 347090P0	22 649	4.1/123°	N			P
5877	9.99	Rheem Rheemglas 350 Series and Optima 850 Series Mains Pressure Water Heaters						
		Rheemglas 350 Series Models:						
		350330N0, 350330P0, 350330B0, 350330L0	20 310	5.2/157°	N			PBU
		350360N0, 350360P0, 350360B0, 350360L0	20 650	5.0/152°	N			PBU
		Optima 850 Series Models:						
		850330N0, 850330P0, 850330B0, 850330L0	20 310	5.2/157°	N			PBU
		850360N0, 850360P0, 850360B0, 850360L0	20 650	5.0/152°	N			PBU

Cert Number	Date Certified	Appliance	TYPE OF GAS					
			Nat	TLP	Town	LPG		
Rheem Australia Pty Limited Continued								
5902	11.99	Rheem Rheemglas 311 Series, Rheem Optima 811 Series, Everhot 647 Series and RheemPlus 314 Series External Mains Pressure Rheem Rheemglas 311 Series Models:						
		311090N0, 311090T0, 311090P0, 311090B0	23 979	3.4/103°	N	TLP	T	PB
		311135N0, 311135T0, 311135P0, 311135B0	24 314	3.2/98°	N	TLP	T	PB
		311170N0, 311170T0, 311170P0, 311170B0	24 901	2.9/89°	N	TLP	T	PB
		Rheem Optima 811 Series Models:						
		811090N0, 811090T0, 811090P0, 811090B0	23 979	3.4/103°	N	TLP	T	PB
		811135N0, 811135T0, 811135P0, 811135B0	24 314	3.2/98°	N	TLP	T	PB
		811170N0, 811170T0, 811170P0, 811170B0	24 901	2.9/89°	N	TLP	T	PB
		Everhot 647 Series Models:						
		647320N0, 647320T0, 647320P0 and 647320B0	24 901	2.9/89°	N	TLP	T	PB
		RheemPlus 314 Series						
		314135N0, 314135P0,	25 028	2.9/87°	N			P
		314170N0, 314170P0	25 862	2.5/75°	N			P
7559	8.09	Rheem, Rheem Optima, Rheem Plus, Vulcan & Everhot Outdoor Mains Pressure Storage Water Heater Rheem Models:	20 245	5.3/159°	N			PUB
		135 Litre 350265, 170 Litre 350295						
		Rheem Optima Models:	20 245	5.3/159°	N			PUB
		135 Litre 850265, 170 Litre 850295						
		Rheem Plus Models:	20 245	5.3/159°	N			PUB
		135 Litre 354265, 170 Litre 354295						
		Vulcan Models:	20 245	5.3/159°	N			PUB
		135 Litre 650265, 170 Litre 650295						
		Everhot Models	20 245	5.3/159°	N			PUB
		135 Litre 250265, 170 Litre 250295						
		Note: Add following suffixes to model number to define gas type: N0 - Natural Gas, P0 – Propane Gas, B0 – Butane, L0 – Universal LPG						
Suburban Manufacturing Company - Agent: Coast To Coast RV Services								
4624	10.90	Suburban Caravan/RV Water Heaters						
		Models: SW6DEA & SW4DEA (Dual Fuel)						P
		Models: SW6PA, SW6DA and SW4DA						P
Truma Geraetetechnik GmbH & Co KG								
5801	12.98	Truma Caravan Storage Water Heaters						
		Models: B10 & B14						P
Xstream Hot Water Pty Ltd								
7203	9.07	Nobel XStream Super 7 Gas Fired Storage Water Heater						
		Model: XS135 (135L)	25 812	2.5/76°	N			P
		Model: XS170 (170L)	27 029	1.9/58°	N			P
		Note: The products referenced above are also listed under coverage of AGA WaterMark Certification No. 7215 (Licence # 60004)						

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
Xstream Hot Water Pty Ltd						
7695	9.10	Xstream and Indent Manufacturers Storage Water Heater				
		Xstream Models:				
		XST5S130NG	20 806	5.0/150°	N	
		XST5S160NG	20 636	5.1/153°	N	
		XST5S130LP	20 806	5.0/150°		P
		XST5S160LP	20 636	5.1/153°		P
		XS160-1NG	20 636	5.1/153°	N	
		XS160-2NG	20 636	5.1/153°	N	
		XS160-1LP	20 636	5.1/153°		P
		XS160-2LP	20 636	5.1/153°		P
		Indent Manufacturers Models:				
		Thermostar SP135N	20 806	5.0/150°	N	
		Thermostar SP170N	20 636	5.1/153°	N	
		Thermostar SP135L	20 806	5.0/150°		P
		Thermostar SP170L	20 636	5.1/153°		P
		Thermostar SP170-1NG	20 636	5.1/153°	N	
		Thermostar SP170-2NG	20 636	5.1/153°	N	
		Thermostar SP170-1LP	20 636	5.1/153°		P
		Thermostar SP170-2LP	20 636	5.1/153°		P

STORAGE WATER HEATERS (AS 4552/AG 102)

Note: Energy labelling not applicable where appliances are in excess of 50 MJ/h gas consumption.

			Annual Energy Cons. (MJ/year)	Star Rating/Shading				
Edwards Hot Water a Div. of Rheem Australia Pty Ltd								
5027	2.94	Edwards Heatmate Internal and External Hot Water Circulator Model: 250	Not applicable		N			P
		Note: (Internal = natural draught flue) (External = balanced flue)						
Hot Water Systems Australia Pty Ltd								
4380	11.88	Aquaheat/Ace Storage Water Heater Model: 200 Gas and 280 Gas Solar	22 100	4.4/134°	N			
Morcraft Industries Pty Ltd								
4834	11.90	Heatmaster Model 150 Litre External	24 800	3.0/91°	N			P
Rheem Australia Pty Limited								
5055	3.94	Rheem 620 and 630 Series Internal & External Mains Pressure Storage Water Heaters						
		620 Series Indoor Models:						
		620260N0, 620260T0, 620260P0, 620260B0	28 168	1.3/41°	N	TLP	T	PB
		630 Series Outdoor Models:						
		630260N0, 630260T0, 630260P0, 630260B0	26 402	2.2/67°	N	TLP	T	PB
Rinnai Australia Pty Ltd								
6239	2.02	Rinnai Demand Duo Internal and External Domestic and Commercial						
		Internal Models:						
		DD16i/250, DD16i/315, DD20i/250, DD20i/315, DD26i/250, DD26i/315, DD200i/250, DD200i/315	Not applicable		N			P
		External Models:						
		DD16/250, DD16/315, DD18/250, DD18/315, DD24/250, DD24/315, DD26/250, DD26/315, DD200/250, DD200/315, DD32/250, DD32/315, DD250/250, DD250/315	Not applicable		N			P
		Note: Energy labelling not required, appliances are in excess of 50 MJ/h gas consumption.						

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

GAS BOOSTED SOLAR WATER HEATERS (AS 4552)

Rheem Australia Pty Limited – Agent: Solahart Industries Pty Ltd

6166	8.01	Rheemglas 531 Series, Optima 581 Series, Solahart Streamline Gas SL, SLV and SLX Series Water Heaters Rheem Rheemglas 531 Series Models: 531260N0, 531260P0 and 531260B0	Not applicable	-	N	PB
		Rheem Optima 581 Series Models: 581260N0, 581260P0 and 581260B0	Not applicable	-	N	PB
		Solahart Streamline Gas SL Series Models: SL260N0 and SL260P0	Not applicable	-	N	P
		Solahart Streamline Gas SLV Series Models: SLV260N0, SLV260P0 and SLV260B0	Not applicable	-	N	PB
		Solahart Streamline Gas SLX Series Models: SLX260N0, SLX260P0 and SLX260B0 Note: Solahart Industries are agents for Solahart models only	Not applicable	-	N	PB

Rheem Australia Pty Limited

6992	8.06	Gas Boosted Solar Storage Water Heaters Rheem Models: 596270N5 and 596270P5	Not applicable	-	N	P
		Solahart Models: DBV270N5 and DBV270P5	Not applicable	-	N	P
		Edwards Models: 2942770066 and 2942770067	Not applicable	-	N	P

Solahart Industries Pty Ltd

4766	12.91	Solahart Gas Booster Heating Element for Solar Heated Storage Hot Water Systems Models: FD15-12 and FD15-12SL	Not applicable	-	N	TLP P
------	-------	------------------------------------------------------------------------------------------------------------------	----------------	---	---	-------

GAS BOOSTED SOLAR WATER HEATERS (AS 4552/AG 102)

			Annual Energy Cons. (MJ/year)	Star Rating/Shading		
Hot Water Systems Australia Pty Ltd						
4380	11.88	Aqua-Heat/Ace Model: 280 (For model 200, refer to the Storage Water Heater Section)	Not applicable	-	N	

INSTANTANEOUS WATER HEATERS (AS 4552)

AquaMax Australia Pty Ltd

7105	3.08	Instantaneous Water Heaters Aquasun 26 Model: 307 00 00	19 730	5.5/166°	N	
		Model: 307 00 01	19 730	5.5/166°		U
		Aquasun 21 Model: 310 00 00	19 688	5.5/167°	N	
		Model: 310 00 01	19 688	5.5/167°		U
		Note: Also suitable for use with NZ Natural gas				

Defar Nominees Pty Ltd T/as Douglas & Co

5797	1.99	Douglas Internal Room Sealed Balanced Flue Instantaneous Water Heater Models: BF10H-NG and BF10H-LP	20 042	5.4/162°	N	P
------	------	--------------------------------------------------------------------------------------------------------	--------	----------	---	---

Dux Manufacturing Limited

6447	9.03	Dux Endurance Instantaneous Water Heater Models GK 2420, GK 2620	20 117	5.3/160°	N	P
		GK 2620 with fixed outlet @ 50°C	19 094	5.8/175°	N	P
6448	8.03	Dux Endurance External Mains Pressure Water Heater Models GK 1620	20 252	5.2/158°	N	P
		GK 1620 with fixed outlet @ 50°C	20 395	5.2/156°	N	P
		GK 1820	20 517	5.1/154°	N	P
		GK 2020	20 516	5.1/154°	N	P
		GK 2020 with fixed outlet @ 50°C	20 279	5.3/158°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Primo-Tech Pty Ltd						
6861	12.05	Merlin External Instantaneous Water Heater Model: 600E	20 224	5.3/159°	N	U
Rheem Australia Pty Ltd						
6004	9.00	Paloma, Rheem, Solahart, Everhot, Vulcan & Aquamax External Instantaneous Water Heaters				
		Paloma Models:				
		PH181CWH, PH201CWH	20 447	5.2/155°	N	P
		PH241CWH	20 300	5.3/157°	N	P
		PH261CWH	20 453	5.2/155°	N	P
		Rheem Models:				
		871018PF, 875018PF, 871020PF, 875020PF	20 447	5.2/155°		P
		871018NF, 871018NF, 875018NF, 871020NF, 871020NF, 875020NF	20 447	5.2/157°	N	
		871024PF, 875024PF, 871022PF, 875022PF	20 300	5.3/157°		P
		875M24PF, 871M24PF				
		871024NF, 871024NF, 875024NF, 871022NF, 875022NF, 871M24NF, 875M24NF	20 300	5.3/157°	N	
		871026PF, 875026PF	20 453	5.2/155°		P
		871026NF, 875026NF	20 453	5.2/155°	N	
		Solahart Models:				
		10143201	20 447	5.2/155°		P
		10143200	20 447	5.2/155°	N	
		10143241	20 300	5.3/157°		P
		10143240	20 300	5.3/157°	N	
		10143261	20 453	5.2/155°		P
		10143260	20 453	5.2/155°	N	
		Everhot Models:				
		271024PF, 275024PF	20 300	5.3/157°		P
		271024NF, 275024NF	20 300	5.3/157°	N	
		271026PF, 275026PF	20 453	5.2/155°		P
		271026NF, 275026NF	20 453	5.2/155°	N	
		Vulcan Models:				
		241024PF, 245024PF	20 300	5.3/157°		P
		241024NF, 245024NF	20 300	5.3/157°	N	
		241026NF/J	20 453	5.2/155°	N	
		241026PF/J	20 453	5.2/155°		P
		Aquamax Models:				
		CF26-NG-60, CF26-NG-50	20 453	5.2/155°	N	
		CF26-LP-60, CF26-LP-50	20 453	5.2/155°		P
7306	8.08	Rheem, Vulcan, Everhot, Paloma, Aquamax & Solarhart External Instantaneous Water Heaters				
		Rheem Models:				
		874020NF, 876020NF	20 782	5.0/150°	N	
		874020PF, 876020PF	20 782	5.0/150°		P
		874018NF, 876018NF	20 208	5.3/159°	N	
		874018PF, 876018PF	20 208	5.3/159°		P
		874M16NF, 876M16NF	20 228	5.3/159°	N	
		874M16PF, 876M16PF	20 228	5.3/159°		P
		874012NF, 876012NF	18 936	5.9/178°	N	
		874012PF, 876012PF	18 936	5.9/178°		P
		Vulcan Models:				
		244020NF, 244020NF/J, 246020NF	20 782	5.0/150°	N	
		244020PF, 244020PF/J, 246020PF	20 782	5.0/150°		P
		244016NF, 246016NF	20 228	5.3/159°	N	
		244016PF, 246016PF	20 228	5.3/159°		P
		244018NF	20 208	5.3/159°	N	
		244018PF	20 228	5.3/159°		P
		Everhot Models:				
		274020PF, 276020PF	20 782	5.0/150°		P
		274020NF, 276020NF	20 782	5.0/150°	N	
		Paloma Models:				
		PH163EWH	20 228	5.3/159°	N	P
		PH203EWH	20 782	5.0/150°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Rheem Australia Pty Ltd Continued					
		Aquamax Models:			
		CF20-NG-60, CF20-NG-50	20 782	5.0/150°	N
		CF20-LP-60, CF20-LP-50	20 782	5.0/150°	P
		Solarhart Models:			
		10143162	20 228	5.3/159°	N
		10143163	20 228	5.3/159°	P
		10143182	20 208	5.3/159°	N
		10143183	20 208	5.3/159°	P
		10143202	20 782	5.0/150°	N
		10143203	20 782	5.0/150°	P
7442	4.09	Rheem, Vulcan, Everhot, Solahart, Edwards, Everhot (Unlabelled) and Paloma External Instantaneous Water Heaters			
		Rheem Models:			
		874027NF, 876027NF, 873027NF, 872027NF, 874027NF/J, 873027NF/J	19 203	5.8/174°	N
		874027PF, 876027PF, 873027PF, 872027PF, 874027PF/J, 873027PF/J	19 203	5.8/174°	P
		876024NF, 874024NF	18 936	5.9/178°	N
		876024PF, 874024PF	18 936	5.9/178°	P
		Vulcan Models:			
		244027NF/J	19 203	5.8/174°	N
		244027PF/J	19 203	5.8/174°	P
		Everhot Models:			
		274027NF, 276027NF	19 203	5.8/174°	N
		274027PF, 276027PF	19 203	5.8/174°	P
		Solahart Models:			
		10143272	19 203	5.8/174°	N
		10143273	19 203	5.8/174°	P
		10143242	18 936	5.9/178°	N
		10143243	18 936	5.9/178°	P
		Edwards Models:			
		372027NF, 374027NF/J	19 203	5.8/174°	N
		372027PF, 374027PF/J	19 203	5.8/174°	P
		Everhot Model: (Unlabelled) Models:			
		273027NF/M	19 203	5.8/174°	N
		273027PF/M	19 203	5.8/174°	P
		Paloma Models:			
		PH27ROF	19 203	5.8/174°	N
		PH24ROF	18 936	5.9/178°	P
7533	8.09	Rheem, Edwards, Paloma Indoor Instantaneous Hot Water Heater			
		Rheem Models: 866027, 864027, 862027	19 630	5.6/168°	N
		Edwards Model: 362027	19 630	5.6/168°	P
		Paloma Model: PH27RDV	19 630	5.6/168°	P
		Note: Suffix NF- Natural Gas, PF – Propane			
7681	7.10	Rheem & Paloma External Instantaneous Water Heaters			
		Rheem Models:			
		886024NF, 884024NF, 882024NF	16 439	6.0/180°	N
		886024PF, 884024PF, 882024PF	16 439	6.0/180°	P
		Paloma Model:			
		PH24CDWH	16 439	6.0/180°	P
7694	8.10	Rheem & Paloma External Instantaneous Hot Water Heaters			
		Rheem Models: 874W27NF, 874W27PF	19203	5.8/174°	N
		Paloma Model: PH-27ROFT	19203	5.8/174°	P
Rinnai Australia Pty Ltd					
6071	1.01	Rinnai External			
		Model: REU-V-3237-WG-AK (Infinity 32)	20 273	5.2/158°	N
		Model: REU-V-A3237-WG(50)-AK (Infinity 32)	20 273	5.2/158°	N
		Model: REU-VM-3237-WC(65)-AK (HD250e)	20 273	5.2/158°	N

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Rinnai Australia Pty Ltd Continued						
6930	7.06	Rinnai External Models				
		REU-V-2426WB(50)AK (V1500)	20 788	5.0/150°	N	B P
		REU-V-2426WS(60)AK (S26)	20 788	5.0/150°	N	B P
		REU-V-2426WB-AK (V1500)	20 788	5.0/150°	N	B P
		REU-V-2626WG-AK (Infinity 26)	20 521	5.1/154°	N	B P
		REU-V-2626WG(50)AK (Infinity 26)	20 521	5.1/154°	N	B P
		REU-VM-2630WD-AK (Infinity 26 Plus)	20 444	5.2/156°	N	B P
		REU-V-2630WD(50)AK (Infinity 26 Plus)	20 444	5.2/156°	N	B P
		REU-VM-2630WC(65)AK (HD200e)	20 444	5.2/156°	N	B P
7083	5.07	Rinnai Enviro Series Internal & External Instantaneous Hot Water Heaters				
		External Models:				
		Enviro Smart:				
		REU K2430 WG AK	18 623	6.0/180°	N	P
		26L External Models:				
		Infinity 26 Enviro:				
		REU KM2635 WD AK, REU KM2635 WD ZK	16 663	6.0/180°	N	U
		HD200 Enviro:				
		REU KM2635 WDC AK, REU KM2635 WDC ZK	16 663	6.0/180°	N	U
		32L External Models:				
		Infinity 32 Enviro:				
		REU KM3237 WD AK, REU KM3237 WD ZK	17 218	6.0/180°	N	U
		HD250 Enviro:				
		REU KM3237 WDC AK, REU KM3237 WDC ZK	17 218	6.0/180°	N	U
		26 Internal Models:				
		Infinity 26 Enviro:				
		REU KM2635 FFUD AK, REU KM2635 FFUD ZK	17 064	6.0/180°	N	U
		HD200 Enviro:				
		REU KM2635 FFUDC AK, REU KM2635 FFUDC ZK	17 064	6.0/180°	N	U
		32L Internal Models:				
		Infinity 32 Enviro:				
		REU KM3237 FFUD AK, REU KM3237 FFUD ZK	17 343	6.0/180°	N	U
		HD250 Enviro:				
		REU KM3237 FFUDC AK, REU KM3237 FFUDC ZK	17 343	6.0/180°	N	U
Robert Bosch (Australia) Pty Ltd						
3867	4.85	Bosch 10P External Instantaneous Water Heaters				
		Models: TF250NG1TH & TF250LP3TH	21 700	4.5/137°	N	P
6743	3.05	Bosch Commercial Internal/External Instantaneous Water Heaters				
		Models: 32 (KM3211WH) and 32Q (KM3211WHQ)	21 212	4.8/144°	N	U
		Models: 32c (BC3200RA & BC3200RA5)	18 639	6.0/182°	N	U
7032	10.06	Bosch Highflow 70 Series External Instantaneous Water Heaters				
		Highflow 70 Model: 17e (YS1770RA*)	19 470	5.6/170°	N	U
		Highflow 70 Model: 21e (YS2170RA*)	19 688	5.5/167°	N	U
		Highflow 70 Model: 26e (YS2670RA*)	19 730	5.5/166°	N	U
		Solar System Model: (YS2170RAB)	19 688	5.5/167°	N	U
		Professional Model: (YS2170RA5P)	19 688	5.5/167°	N	U
		Professional Plus Model: (YS2670RA5P)	19 730	5.5/166°	N	U
		Note: * Indicates maximum water delivery temperature.				
		Also suitable for use with New Zealand Natural Gas				
7363	9.08	Bosch ECO26+ External Water Heater				
		Model: BC2600RA	17 050	6.0/180°	N	U
7456	8.09	Bosch Internal Instantaneous Water Heater				
		Model: GWH 10-2 GNG	20 222	5.3/159°	N	
		Model: GWH 10-2 GLP	20 222	5.3/159°		U
		Model: GWH 13-2 GNG	21 688	4.5/137°	N	
		Model: GWH 13-2 GLP	21 688	4.5/137°		U
		Model: GWH 16-2 GNG	21 600	4.6/138°	N	
		Model: GWH 16-2 GLP	21 600	4.6/138°		U

Cert Number	Date Certified	Appliance	TYPE OF GAS					
			Nat	TLP	Town LPG			
Servgas Pty Ltd								
5449	12.96	Instantaneous Water Heater Model: Aqua Powered 250 NG	19 213	5.8/174°	N			

INSTANTANEOUS WATER HEATERS (AS 4552/AG 102)

				Annual Energy Cons. (MJ/year)	Star Rating/ Shading				
Morcraft Industries Pty Ltd									
6072	10.00	Heatmaster 250 IBF Internal Balanced Flue		22 750	4.0/121°	N			
Rinnai Australia Pty Ltd									
6330	11.02	Rinnai "V" Series							
		Models: REU-V1620WG-AK (Infinity 16 External)	19 853	5.4/164°	N				P
		REU-V1620WG(50)AK (Rinnai 16 External)	19 853	5.4/164°	N				P
		REU-V1620WB-AK (V1200 External)	19 853	5.4/164°	N				P
		REU-V1620WB(50)AK (V1200 External)	19 853	5.4/164°	N				P
		REU-V1620WS(60)AK (S20 External)	19 853	5.4/164°	N				P
		REU-V2024WG-AK (Infinity 20 Internal)	19 587	5.6/168°	N				P
		REU-V2024WG(50)AK (Infinity 20 External)	19 587	5.6/168°	N				P
		REU-V2024WE-AK (E1200 External)	19 587	5.6/168°	N				P
		REU-V2024WE(50)AK (E1200 External)	19 587	5.6/168°	N				P
		REU-V2015W(75)AK (DD160 External)	19 587	5.6/168°	N				P
		REU-V2632FFUG-A (Infinity 26 Plus Internal)	19 322	5.7/172°	N				P
		REU-V2632FFUG(50)A (Infinity 26 Plus Internal)	19 322	5.7/172°	N				P
		REU-VM2632FFUC(65)A (HD200i Internal)	19 322	5.7/172°	N				P
Robert Bosch (Australia) Pty Ltd									
3960	6.85	TF325...R Series "Water Wizard 780" Outdoor	22 900	3.9/118°	N	TLP	T		P
4053	4.86	TF400...TR Series "Water Wizard 960" Outdoor	22 200	4.2/128°	N				P
5363	5.97	Bosch Internal Models WR250-8GNG and WR250-8GLP	22 073	4.5/135°	N				U
5385	5.97	Bosch Internal Models WR400-8GNG and WR400-8GLP	21 572	4.6/138°	N				U
5386	5.97	Bosch 10H External Models TF250-8GNG and TF250-8GLP	20 687	5.1/153°	N				PU
5387	5.97	Bosch 13H External Models TF325-8GNG and TF325-8GLP	21 676	4.6/138°	N				PU
5388	5.97	Bosch 16H External Models TF400-8GNG and TF400-8GLP	20 719	5.0/151°	N				PU
6599	6.04	Bosch Internal Instantaneous Water Heaters Models WR325-8GNG and WR325-8GLP	21 124	4.8/144°	N				U

BOILERS (Central Heating and/or Water Heating) (AS 4552)

Astral Pool Australia Pty Ltd									
6833	8.05	Hurlcon HW Series Internal and External Wall Hung Central Heating Boilers							
		Models: HW130, HW160				N			U
		Models: HW130 Modulating, HW160 Modulating				N			U
Hydroheat Supplies Pty Ltd									
6253	3.02	Baxi Luna 3 Comfort Central Heating Boiler and Central Heating Boiler/Domestic Hot Water Model							
		Models: 1.240Fi, 1.310Fi (Central Heating Boiler)				N			P
		Model: 310Fi (Central Heating Boiler/Domestic Hot Water Model)				N			P
7023	12.06	Baxi Luna HT and Power HT Series Internal or External Wall Hung or Freestanding Water Heating Boilers							
		Luna HT Series Wall Hung Models: HT 1.450, HT 1.550, HT 1.650 (Indoor and Outdoor)				N			P
		HT 1.850 & HT 1.1000 (Indoor Only)				N			P
		Power HT Series Freestanding Models: HT 1.850, HT 1.1000, HT 1.1200 and HT 1.1500 (Indoor and Outdoor)				N			P
		Luna 3 Comfort HT Series – Wall Hung Models: HT 1.280, HT 330 (Indoor & Outdoor)				N			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Hydronic Systems (Australia) Pty Ltd T/as Hunt Heating					
5814	6.99	Sime RX Series Central Heating Boilers Models: RX37, 48 and 55 Internal	N		P
5906	2.00	Sime RMG E AUS Series Internal Cast Iron Sectional Central Heating Boilers Models: RMG65, 75, 85 and 95E AUS Internal	N		P
7615	3.10	Murelle Green Planet Indoor & Outdoor Gas Fired Wall Hung Boiler (Central Heating) Models: Murelle HE35i (Indoor) Murelle 35e (Outdoor)	N		P
7670	7.10	Sime Format DGT Central Heating Boilers Models: DGT30i (Internal), DGT 30e (External)	N		P
Rheem Australia Pty Ltd (Vic)					
2554	9.76	Raypak, Raytherm and Hurricane Boiler/Circulator Models: B0109NCO, B0147NCO, B0109NCH, B0147NCH B0109PCO, B0147PCO, B0109PCH, B0147PCH	N		P
5402	8.97	Raypak Boiler Models: B0200NCO, B0280NCO, B0350NCO, B0430NCO, B0200NCM, B0280NCM, B0350NCM, B0430NCM Models: B0200PCO, B0280PCO, B0350PCO, B0430PCO, B0200PCM, B0280PCM, B0350PCM, B0430PCM	N		P
BOILERS (Central Heating and/or Water Heating) (AS 4552/AG 102)					
Astral Pool Australia Pty Ltd					
6423	5.03	Hurlcon HB and HM Series Hydronic Boilers Models: HB100, 150, 200, 250, 300, 400 and 500 Models: HM200, 250, 300, 400 and 500	N N		PU PU
Chunky Timbers Pty Ltd T/as KW Welding & Engineering					
2487	7.76	Parsons Boiler Model 160GM and 190GM Combination Heater and Water Boiler	N		
4831	7.92	Parsons Outdoor Boiler Model: 160GM Combination Heater and Water Boiler	N		
Ferroli SpA - Agent: Auric Industries Pty Ltd					
6301	8.02	Pegasus F2/F3 Series Boilers for Central Heating Models F2 51, F2 68, F2 85, F2 102, F3 119 and F3 136	N		PU
6373	12.02	Ferroli Boilers for Central Heating Models Rendimax N 16EL PV, N 23EL PV, N 30EL PV and N 36EL	N		U
Ferroli SpA					
6822	9.05	Agent: Auric Industries Pty Ltd Tempra Central Heating Boiler Models: Tempra 30 I and Tempra 30 O Agent: Astral Pool Australia Pty Ltd Lamborghini Central Heating Boiler Models: Interna 30 I and Externa 30 O	N N		U U
Hydronic Systems (Australia) Pty Ltd T/as Hunt Heating					
6557	5.04	Sime Format Internal and External Models 34i and 34e Central Heating Boilers Models 34IBF and 34EBF Central Heating and Domestic Hot Water Boilers	N N		P P

SPACE HEATING APPLIANCES

FLUED RADIANT/CONVECTION HEATERS (AS 4553)

A F Gason Pty Ltd	Cert Number	Date Certified	Appliance	Annual Energy Cons. (MJ/year)	Star Rating/Shading	TYPE OF GAS		
						Nat	TLP Town	LPG
7494	7.09	Eureka & Jindara Room Sealed Gas Log Inbuilt Space Heater Eureka – Model: Star Insert Jindara – Model: Derwent Insert	13 673 13 673	5.0/152° 5.0/152°	N N			P P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Climate Technologies Pty Ltd					
4644	11.90	Pyrox Flued Console Space Heater Models: HE304/21 MNG HE304/25 MNG	to be retested to be retested		N N
4949	3.93	Pyrox or Pyrox Vulcan 48 Series Heritage Space Heaters Models: 4804SB, 4804BN (Inbuilt) 4808SB & 4808BN (Console)	16 159 16 159	1.4/40.6° 1.4/40.6°	N N
Escea Ltd - Agent: Glen Dimplex Australia Pty Ltd					
7182	8.07	Escea Inbuilt Log Effect Space Heater Model: IB850 Optional freestanding installation box available	18 096	1.7/52°	N P
7448	2.09	Escea Inbuilt Log Effect Gas Space Heater Model: IB1100	18 732	2.5/76°	N P
Fireplace Products Australia Pty Ltd					
5498	3.97	Regency Inbuilt Decorative Log Effect Flued Radiant/Convection Heater Model: I31-2	18 026	1.1/34°	N P
5613	3.98	Regency Decorative Log Effect Flued Radiant Heater Model: F33	to be retested		N P
5815	4.99	Regency Inbuilt Room Sealed Radiant/Convection Space Heater with Decorative Log Effect Models: P36, P36 DEEP, PG36 and PG36 DEEP	15 180	2.7/81°	N P
6231	4.02	Regency Freestanding Decorative Log Effect Flued Radiant/Convection Heaters Models: Regency F38-2 Regency FG38	18 751 15 801	1.8/55° 3.3/99°	N P N P
6379	5.03	Regency Room Sealed Space Heaters Models: PG121, PG121LC, PG121RC & PG131 Pier	23 643	1.4/43°	N P
6904	3.06	Regency Inbuilt Log Effect Space Heater Model: I35 Note: Annual Energy Consumption, Star Rating & Red Band Shading varies depending on flue length. The above is for flue length of 0.6 m. For flue length of 4.5 m AEC = 18 892, SR & RBS = 1.1/34°.	17 696	1.9/56°	N U
		Model: IG35 Note: The above is for flue length of 0.6 m. For flue length of 4.5 m AEC = 14 767, SR & RBS = 3.3/98°.	13 791	3.3/98°	N U
7469	5.09	Regency Room Sealed Inbuilt Heater Model: IG34 NG Model: IG34 LP Model: IG34 ULP Note: Also suitable for New Zealand Natural Gas	14 945 14 426 12 446	2.5/77° 2.5/77° 2.5/77°	N P P U
Hearth & Home Technologies Inc – Agent: Jetmaster (Vic) Pty Ltd					
5666	6.98	Heat-N-Glo Room Sealed In-Built Log Effect With Remote Control Model REM-DLX Model: SL-550 TRSI-AUE Model: SL-550 TRSILP-AUE With Remote Control Model REM-DLX-MOD Model: SL-550 TRSI-AUE Model: SL-550 TRSILP-AUE Model: SL-550-Rocks-AUE	16 217 15 058 10 934 10 153 10 934	1.7/51° 1.7/51° 3.4/102° 3.4/102° 3.4/102°	N U N U N U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Illusion Australia Pty Ltd					
7122	3.07	Illusion Flued Radiant/Convection Log Effect Space Heater (Inbuilt & Freestanding)			
		Magnum Models:			
		UGLM102NG	16 567	2.2/66°	N
		UGLM102LP	16 213	2.3/70°	
		UGLM103NG	17 765	2.2/68°	N
		UGLM103LP	17 854	1.3/40°	
		UGLM105NG	20 947	2.1/64°	N
		UGLM105LP	21 065	2.6/78°	
		UGLM106NG	19 473	2.5/77°	N
		UGLM106LP	25 816	1.2/36°	
		Excalibur Models:			
		UGLE102NG	16 567	2.2/66°	N
		UGLE102LP	16 213	2.3/70°	
		UGLE103NG	17 765	2.2/68°	N
		UGLE103LP	17 854	1.3/40°	
		UGLE105NG	20 947	2.1/64°	N
		UGLE105LP	21 065	2.6/78°	
		UGLE106NG	19 473	2.5/77°	N
		UGLE106LP	25 816	1.2/36°	
Pecan Engineering Pty Ltd					
5954	4.00	Pecan Nectre, Maxiheat & Bellfire Freestanding Log Effect Space Heaters			
		Models Nectre 2000 Freestanding	14 521	1.7/52°	N
		Maxiheat Elite (Electronic Ignition)	13 774	2.3/70°	N
		Maxiheat Elite (Electronic Ignition)	13 473	1.9/56°	
		Maxiheat Bellfire (Manual Ignition)	16 492	1.4/41°	N
		Maxiheat Bellfire (Manual Ignition)	18 290	1.0/30°	
7162	7.07	Freestanding Gas Convection Space Heater Model: Nectre 2001	14 091	2.6/79°	N
Rinnai Australia Pty Ltd					
7707	1.11	Rinnai Sapphire & Neo Log Effect Space Heater			
		Sapphire Model: RIB2310MN/A	11 515	4.1/123°	N
		Sapphire Model: RIB2310ML/A	11 515	4.1/123°	
		Neo Model: RIB2310MN	11 515	4.1/123°	N
		Neo Model: RIB2310ML	9 730	4.0/122°	
		Neo Model: RIB2310ETRL	9 730	4.0/122°	
		Neo Model: RIB2310ETRN	11 515	4.1/123°	N
Sampford IXL Pty Ltd					
6118	3.01	Cannon & Kent Inbuilt and Freestanding Log Effect Space Heater			
		Canterbury Profile Inbuilt Models (Flued)	10 452.7	3.7/113°	N
		CANTIB-02-NG, CANTIB-02-LP, CANTIB-SDSEB-NG, CANTIB- SDSEB-LP, CANTIB- SDTEB-NG, CANTIB- SDTEB-LP			
		Fitzroy Profile Inbuilt Models (Flued)	10 452.7	3.7/113°	N
		FITZPIB-02-NG, FITZPIB-02-LP			
		FITZIB-SMSNB-NG, FITZIB-SMSNB-LP			
		FITZIB-SDSEB-NG, FITZIB-SDSEB-LP			
		FITZIB-SMTEB-NG, FITZIB-SMTEB-LP			
		FITZIB-SDTEB-NG, FITZIB-SDTEB-LP			
		FITZIB-SDTEP-NG, FITZIB-SDTEP-LP			
		Kent Profile Inbuilt Models (Flued)	10 452.7	3.7/113°	N
		CIB-03-NZ, CIBLP-03-NZ, OCHRIB-SDSEB-NG, OCHRIB-SDSEB-LP			

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Sampford IXL Pty Ltd Continued						
		Canterbury Profile Freestanding and Inbuilt (Fireplace Installation) Models CANTFS-02-NG, CANTFS-02-LP CANTFS- SDSEB-NG, CANTFS- SDSFB-LP	10 283.41	4.03/121°	N	P
		Fitzroy Profile Freestanding and Inbuilt (Fireplace Installation) Models FITZPFS-02-NG, FITZPFS-02-LP, FITZFS-SMSEB-NG, FITZFS-SMSEB-LP	10 283.41	4.03/121°	N	P
		Kent Profile Freestanding and Inbuilt (Fireplace Installation) Models CFS-03-NZ, CFSLP-03-NZ, OCHRFS-SDSEB-NG, OCHRFS-SDSEB-LP	10 283.41	4.03/121°	N	P
Shamic Sheetmetal (Aust) Pty Ltd						
6165	8.01	Coonara, Heatcharm and Arrow Inbuilt and Freestanding Decorative Log Effect Model: Hermitage (Bay Window, Inbuilt)	13 424	4.6/139°	N	P
		Model: Hermitage (Bay Window, Freestanding)	13 624	4.2/127°	N	P
		Model: Chateau (Flat-Fascia, In-Built)	13 424	4.6/139°	N	P
		Model: Chateau II (Flat-Fascia, In-Built)	13 424	4.6/139°	N	P
7048	10.06	Coonara Grange Inbuilt and Freestanding Log Effect Space Heater Model: Grange (Freestanding & Inbuilt) Grange Classic (Inbuilt only)	13 382	5.1/153°	N	P
FLUED RADIANT/CONVECTION HEATERS (AS 4553/AG 103)						
			Annual Energy Cons. (MJ/year)	Star Rating/ Shading		
Glen Dimplex Australasia Ltd						
6361	1.03	Masport Decorative Log Effect Space Heaters Piccolo Inbuilt NG/LP	18 744	1.5/46°	N	P
		Sofia EIS Inbuilt NG/LP	16 150	3.0/90°	N	P
		Madrid EIS Inbuilt NG/LP	16 150	3.0/90°	N	P
		Madrid ECS Inbuilt NG/LP	16 150	3.0/90°	N	P
6481	10.03	Masport Monaco S2 Series and Cardrona Freestanding Decorative Log Fires Monaco Model ACC	19 133	2.0/60°	N	PU
		Monaco Model ECS	16 241	3.0/90°	N	PU
		Cardrona Model STD	18 318	1.5/45°	N	PU
		Cardrona Model ACC	18 318	1.5/45°	N	PU
Hearth & Home Technologies Inc – Agent: Jetmaster (Vic) Pty Ltd						
5543	4.01	Heat-N-Glo Inbuilt Room Sealed Log Effect Space Heater, Models ATS-AUST, AT-Grand-AU, AT-Supreme-AU	24 640	1.0/30°	N	P
		ATS-AU-D	18 185	2.0/61°	N	P
5668	12.98	Heat-N-Glo Room Sealed Inbuilt Log Effect Space Heater With Remote Control Model REM-DLX Model: 6000TRSI-AUC	17 154	3.0/91°	N	
		Model: 6000TRSILP-AUC	16 200	3.0/91°		P
		Model: 6000TRSILP-AUC	14 056	3.0/91°		U
		With Remote Control Model REM-DLX-MOD Model: 6000TRSI-AUC	14 334	3.3/99°	N	
		Model: 6000TRSILP-AUC	13 538	3.3/99°		P
		Model: 6000TRSILP-AUC	11 746	3.3/99°		U
6027	7.00	Heat-N-Glo Inbuilt Room Sealed Log Effect Space Heater Model: ST-HVBI-AU	25 350	1.0/30°	N	
		Model: ST-HVBILP-AU	24 485	1.0/30°		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Hearth & Home Technologies Inc – Agent: Jetmaster (Vic) Pty Ltd Continued					
7153	12.07	Heat-N-Glo Freestanding Room Sealed Space Heater			
		Model: VRTIKL-AU	16500	1.2/38°	N
		Natural Gas Version			
		Model: VRTIKL-AU	15145	1.2/38°	P
		Propane Gas Version			
Real Flame Pty Ltd					
5694	7.98	Real Flame Model Wildfire Montigo W38DV	18 391	1.0/29.5°	N P
		Inbuilt Decorative Log Effect			
6877	12.05	Real Flame, Jindara and Eureka Freestanding and Inbuilt Decorative Effect			
		Real Flame Model: Pyrotech*	17 097	1.5/47°	N P
		*Also available as “Pebble” version (Natural Gas Only)			
		Jindara Model: Sahara	17 097	1.5/47°	N P
		Eureka Model: Crystal	17 097	1.5/47°	N P
Rheem Australia Pty Ltd (Vic)					
6815	12.05	Raypak Vermont Natural Vent Fireplace Inserts			
		Model: LHEC30RFNAU	20 348	1/30°	N
		Model: LHEC30RFFPAU	20 928	1/30°	P
Rinnai Australia Pty Ltd					
4276	1.88	Model REH280E and REH 280EB			
		(Spectrum 28) Inbuilt and Console	to be retested		N P
4277	4.88	Model REH300E (2001) Inbuilt and Console	to be retested		N P
4308	6.88	REH300 Series Inbuilt and Console Space Heater			
		Model: REH 311FT (B) Ultima Inbuilt	11 500	4.3/131°	N P
		Model: REH 311FT (C) Ultima Console	11 500	4.3/131°	N P
5643	4.99	Rinnai Flame Fire Series Log Effect			
		Model: Freestanding Royale FS35R	17 179	2.1/64°	N P
		Model: Inbuilt Royale IB35R	15 275	2.6/80°	N P
		Model: Inbuilt Classique IB30	13 569	3.0/91°	N P
		Model: Freestanding Royale FS35ETR	13 605	2.5/77°	N P
		Model: Inbuilt Royale IB35ETR	12 589	2.6/79°	N P
		Model: Freestanding Timberflame ETR	13 605	2.5/77°	N P
		Model: Inbuilt Timberflame ETR	12 589	2.6/79°	N P
		Model: Inbuilt Slimfire 25 IBF	9 197	2.8/86°	N P
		Model: Inbuilt Slimfire 25 IBFSS	9 197	2.8/86°	N P
7277	3.08	Rinnai Reflection Log Effect Inbuilt			
		Model: IB300ETR/A (Masonry Installation)	10 895	4.0/120°	N
		Model: IB300ETR/A (Zero Clearance Installation)	11 785	3.0/90°	N
		Model: IB300ETRL/A (Masonry Installation)	10 895	4.0/120°	P
		Model: IB300ETRL/A (Zero Clearance Installation)	11 785	3.0/90°	P
		Model: IB300ETRL (Masonry Installation)	9 806	4.0/120°	U
		Model: IB300ETRL (Zero Clearance Installation)	10 606	3.0/90°	U
Ultimate Australia Pty Ltd					
6286	7.02	Millennium and Esprit Flued Radiant/Convection Log Effect Space Heaters			
		Freestanding Models:			
		Millenium UGL40NG/Esprit UGL70NG	19 473	2.5/77°	N
		Millenium UGL33NG/Esprit UGL63NG	17 764	2.2/68°	N
		Millenium UGL40LP/Esprit UGL70LP	25 816	1.2/36°	P
		Millenium UGL33LP/Esprit UGL63LP	17 854	1.3/40°	P
		In-built Models:			
		Millenium UGL39NG/Esprit UGL69NG	20 947	2.1/64°	N
		Millenium UGL32NG/Esprit UGL62NG	16 567	2.2/66°	N
		Millenium UGL39LP/Esprit UGL69LP	21 759	2.2/67°	P
		Millenium UGL32LP/Esprit UGL62LP	16 798	1.9/57°	P
6854	11.05	Ultimate Freestanding and Inbuilt Gas Log Effect Space Heater Model: Allure	14 230	1/30°	N

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG

BALANCED FLUE CONVECTION HEATERS (AS 4553)

Fireplace Products Australia Pty Ltd

6240	4.02	Regency Freestanding Room Sealed Convection Heaters with Decorative Log Effect				
		Model: FG37	11 522	3.2/96°	N	P
		Model: FG39	16 387	3.2/96°	N	P
		Model: F37	To be tested		N	P
		Model: F39	To be tested		N	P
6702	1.05	Regency Room Sealed Space Heater				
		Model: PG33	10 178	3.0/90°	N	U
		Model: P33	14 110	1.4/47°	N	U
7728	1.11	Regency Room Sealed Balanced Flue Space Heater				
		IP28-NG	11 266	4.3/129°	N	
		IP28-LPG	11 266	4.3/129°		P
		Note: Option of "Modular Fireplace Solution" Kit Also suitable for New Zealand Natural gas				

Rinnai Australia Pty Ltd

5209	2.95	Rinnai Room Sealed Space Heaters				
		Models: RHFE-308FTR	4 398	4.3/130°	N	P
		RHFE-431FTR	6 365	4.5/136°	N	U
		RHFE-556FTR and FDT	7 741	4.3/129°	N	U
		RHFE-557FTR	8 048	4.2/126°	N	U
		RHFE-309FT	4 783	4.5/137°	N	U
		RHFE-559FT	8 114	4.2/128°	N	U
		Forced Draught Appliances				
7638	3.10	Rinnai Symmetry Log Effect Space Heater				
		Symmetry Model: RDV3610	13 144	4.2/126°	N	U

Seeley International Pty Ltd

7458	5.09	Braemar Gas Space Heater				
		Models: SH25-N, SH25-P	10 372	4.8/146°	N	P
		Models: SH18-N, SH18-P	7 293	4.8/146°	N	P

BALANCED FLUE CONVECTION HEATERS (AS 4553/AG 103)

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading		
Aurora Climate Systems Pty Ltd						
5446	10.96	Archer Gas Log Space Heater (Decorative Log Effect)				
		Models FSP100NA/LP, FS101NA/LP and IS102NA/LP	9342	5.5/166°	N	P
Hearth & Home Technologies Inc - Agent: Jetmaster (Vic) Pty Ltd						
7060	4.07	Heat and Glo Room Sealed Log Effect Space Heater				
		With Remote Control Model: REM-DLX				
		Model: SL-350TRSI-AUE	13 904	1.5/45°	N	
		Model: SL-350TRSILP-AUE	13 110	1.5/45°		P
		Model: SL-350TRSILP-AUE	11 388	1.5/45°		U
		With Remote Control Model: REM-DLX MOD				
		Model: SL-350TRSI-AUE	8 416	3.6/108°	N	
		Model: SL-350TRSILP-AUE	7 935	3.6/108°		P
		Model: SL-350TRSILP-AUE	6 895	3.6/108°		U
Rinnai Australia Pty Ltd						
5941	3.00	Rinnai Forced Draught, Power Flued Space Heaters				
		Models: RHFE-1004FTR and RHFE-1004FDT	11 884	4.3/129°	N	U
6885	6.06	Rinnai Aspiration Induced Draught Inbuilt Log Effect Model: RHFE-750ETR	9 981	4.0/120°	N	P
Sampford IXL Pty Ltd						
6809	6.05	Cannon Room Sealed, Power Flued Decorative Log Effect Space Heater Model: Fitzroy Profile PWR	10 345	4.4/131°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG

WALL FURNACES (AS 4553)

Climate Technologies Pty Ltd

6704	2.05	Vulcan Console and Inbuilt Convection Wall Furnaces				
		Model: 4720011	20 526	2.2/65.8°	N	
		Model: 4720006	16 286	1.7/51.1°	N	

Seeley International Pty Ltd

5903	2.00	Braemar WF2000 Series Inbuilt and Console				
		Wall Furnace Models: 26N, 26P, 30N and 30P	14 693	2.2/65°	N	P
		40N and 40P	18 187	1.4/42°	N	P

WALL FURNACES (AS 4553/AG 103)

			Annual Energy Cons. (MJ/year)	Star Rating/Shading		
Climate Technologies Pty Ltd						
5605	3.98	Vulcan Silhouette Series Wall Furnace				
		Models 4700001SB, 4700002SB,	10 923	3.5/105°	N	P
		4700011SB, 4700012SB,	17 155	2.9/88°	N	P
		4690001, 4690002,	13 351	2.5/77°	N	P
		4690011 and 4690012	20 487	2.1/63°	N	P

FLUELESS RADIANT/CONVECTION HEATERS (AS 4553)

Bromic Pty Ltd

6728	4.05	Two Burner Flueless Space Heater				
		Supaheat 21 and Comp732	6099	5.9/177°	N	
		Supaheat 21 and Comp731	7069	5.9/177°		P

Paloma Industries Ltd - Agent: Rheem Australia Pty Ltd (Vic)

5899	7.00	Paloma PG 311 Series Flueless Radiant/Convection Heater Models: PG-311FL, PG-311FN, PG-S311FL, PG-S311FN, PJC-W13FL, PJC-W13FN, PJC-S13FL, PJC-S13FN	4247	5.9/177°	N	P
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------	------	----------	---	---

Shriro Australia Pty Ltd

4918	10.92	Everdure Fineline Series Flueless Radiant/Convection Heater				
		Lancer 2415	5316	5.9/177°	N	P
		Crusader 3518	5290	5.9/177°	N	P
		Commander 3621	6611	5.9/177°	N	P
		Brigadier 3725	8925	5.9/177°	N	P

FLUELESS RADIANT/CONVECTION HEATERS (AS 4553/AG 103)

			Annual Energy Cons. (MJ/year)	Star Rating/Shading		
Glen Dimplex Australasia Ltd						
5545	8.97	Masport Sante Fe Flueless Decorative Log Effect Heater Model: MG 3000	10 805	4.6/137°	N	P
Paloma Industries - Agent: Paloma Australia						
5766	2.99	Paloma Models:				
		PG 451S	1991	5.9/177°	N	P
		PG 651S	3319	5.9/177°	N	P
		PG 851S	4757	5.9/177°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS					
			Nat	TLP	Town	LPG		
Rinnai Australia Pty Ltd								
4020	2.86	Model R650 PMS "Cosyglow"	4040	5.9/177°	N	TLP	T	P
4021	2.86	Model R850 PMS "Econoheat"	4794	5.9/177°	N	TLP	T	P
4162	3.87	Model RE480 PMS "Glow Ray"	2850	5.9/177°	N		T	P
5219	3.95	Model REH151UCH (Titan Mk II)	4846	5.9/177°	N			P
		Model REH181UCH (Graduate)	5497	5.9/177°	N			P
		Model REH212UCH (Galaxy)	6396	5.9/177°	N			P
		Model REH252UCH (Granada)	7358	5.9/177°	N			P

FLUELESS CONVECTION HEATERS (AS 4553)

Rheem Australia Pty Ltd (Vic)

6540	2.04	Paloma and Rheem Flueless Space Heaters						
		Paloma Models:						
		PJC-W18FR, PJC-S18FR	5596	5.9/177°	N			P
		PJC-W25FR, PJC-S25FR, PJC-C25FR	6790	5.9/177°	N			P
		Rheem Models:						
		RAC-W25FR, RAC-S25FR, RAC-C25FR	6790	5.9/177°	N			P

FLUELESS CONVECTION HEATERS (AS 4553/AG 103)

				Annual Energy Cons. (MJ/year)	Star Rating/Shading			
Bowin mfg Pty Ltd								
4573	11.90	Bowin LB90, LB90F LO-NOX						
		9MJ, 17MJ, 22MJ & 28MJ		-	-	N		P
4792	4.92	Bowin "Federation" Fire	9667	3.6/110°	N			
Rinnai Australia Pty Ltd								
6376	4.03	Rinnai Flueless Convection Heaters						
		Models RCE-670TRE (Avenger 25TRE)	7452	5.8/174°	N			P
		and RCE-670TR (Avenger 25TR)						
		Model RCE-570TR (Blaze 21TR)	6717	5.8/174°	N			P
		Models RCE-470TRE (Capella 18TRE)	6167	5.7/173°	N			P
		and RCE-470TR (Capella 18TR)						

OVERHEAD HEATERS

RADIANT HEATERS

INTERNAL USE ONLY (AS 4565)

AmbiRad Limited - Agent: Saacke Australia Pty Ltd

7747	3.11	Ambirad & Saacke Overhead Radiant Tube Gas Heaters						
		Vision Series:						
		VS25UTNAU, VS25UTPAU, VSA25UTNAU, VSA25UTPAU,						
		VS25UHNAU, VS25UHPAU, VSA25UHNAU, VSA25UHPAU				N		P
		Model number may include optional suffixes eg. DA, LO, WS						

Gameco (NSW) Pty Ltd

7718	10.10	Gasolec Infrared Radiant Heater for Livestock Heating Applications Only						
		GH-G 12SLP (Solenoid type 12VDC/24VAC)						U
		GH-G12TMLP (Thermostat type)						U
		GH-G12TMNG (Thermostat type)			N			

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Hurll Nu-Way Pty Ltd					
2991	8.79	SBM Portable Overhead Radiant Heater Models: GM125/SP, GM16S/SP and GM20S/SP			P
3712	2.84	SBM Infrared Livestock Heater Models: 1ZRFS, 2ZRFS/ZRFA, 3ZRFS/ZRFA, 6ZRFS/ZRFA, 8ZRFS/ZRFA, 12ZRFS/ZRFA, 16ZRFS/ZRFA			P
System Control Engineering Pty Ltd					
7248	7.08	Kromschroeder Infraconic Infrared Brooder Heaters (for Agricultural use) Low Pressure Models: - Inlet Pressure 30 kPa BP1000, BP1500, BP5000 & BP10000 High Pressure Models – Inlet Pressure 140 kPa 1000HP, 1500HP, 5000HP & 10000HP			U U
EXTERNAL USE ONLY					
AS 4565					
Arisit Pty Ltd					
7521	7.09	Atika Portable Outdoor Radiant Gas Heater Model: CPH1			P
Arllec Australia Pty Ltd					
6610	8.04	Sunshine, Homemaker Lifestyle, Jackeroo and Red Centre Outdoor Radiant Patio Heaters Sunshine Models: PHP, PHS, PHT and PHW Homemaker Lifestyle Models: HPHSS45, HPHSS46, HPH47, HPH48 and HPHSS49 Jackeroo Models: JPH 001, JPH 002, JPH 010 and JPH 011 Red Centre Model: PH 002			P P P P
Aussie Outdoor Imports & Exports Pty Ltd					
7684	1.11	Area Patio Heater Models: H1109, H1209			P
Bromic Pty Ltd					
6550	3.04	Bromic and Coolabah Radiant Patio Heater Bromic Everyday Models: Comp705, Comp706, Comp707, Comp725, Comp726, Comp727, Comp735, Comp736, Comp737 Deluxe Models: Comp701, Comp702, Comp703, Comp704, Comp710, Comp710-1, Comp710-2, Comp710-3, Comp721, Comp722, Comp722-1, Comp722-2, Comp723, Comp724, Comp724-1, Comp724-2, Comp731, Comp732, Comp733, Comp734 Coolabah Everyday Models: COO706 and COO707 Deluxe Models: COO726 and COO727			P P P
7289	6.08	Bromic Platinum and Calortech Overhead Radiant Wall Mounted Heater Models: Platinum 300, Platinum 500, Calortech 3 Tile, Calortech 5 Tile		N	U
Changzhou Gardensun Furnace Co Ltd - Agent: Sino Trade Winds Inc					
6520	12.03	Gardensun or Jumbuck Outdoor Patio Heater Models: JDS 01-021, JDS 01-022, JDS 02 Model: JDS 03 Model: JDS 03HO Model: JDS 04 Note: Optional 60 cm diameter table available under Jumbuck brand			U PU P PU
6739	11.05	Outdoor Table Top Patio Heater Models: Heatermax WJP-001 Health Equipment JDS 031 Gardensun JDSTTSS01			P P P
Changzhou Wujing Health Equipment Co					
6784	6.05	Health Equipment Outdoor Patio Heaters Models HSS01 and DS0121			U
Focus Lifestyle Products Pty Ltd					
7582	12.09	Grand Hall & Rinnai Portable Outdoor Patio Heater Totum Models: Totum H, Totum HLS Rinnai Models: TH09ALP (H100), THLS09ALP (HLS200)			P P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Guangdong Chant Group Inc						
7649	5.10	Chant, Coolabah Radiant Heater/Light Models: PG113H-A, PG113H-B				P
Heatmax NZ Limited						
7646	6.10	Heatmax Gas Radiant Heaters Models: HM450 (Portable) & HM455 (Wall Mounted)	N			U
Ningbo Innopower Hengda Metal Products Co Ltd						
7004	8.06	Innopower & Renaissance Patio Heater Models: H1107, H1207, H1107H and H1207H				P
Real Fires New Zealand Ltd						
7513	9.09	Real Fires Outdoor Decorative Flare Model: illuminate				U
Shinerich Industrial Limited – Agent: Sitro Group Australia Pty Ltd						
6591	7.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Jackeroo Patio Models PH400, PH406, PH409, VHL100 & KP416				P
Sitro Group Australia Pty Ltd						
6246	6.02	Gasmaster, Gasmate, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Jackeroo and Jumbuck Table Top Patio Heaters Models: TTH20, TTH20SS and JM7050104				P
6410	6.03	Gasmaster, Gasmate, Jumbuck, Eurolec, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo PH Series Outdoor Patio Heaters Models: PH900, JMPH901, PH910, PH920, PH1000, PH1000CB, PH910BC, PH910CC, PH910Z, PH1005CC and PH1009 Pilot-less Models: PH9050, JMPH9050, PH9150, PH9150BC, PH9150CC, PH9150Z, PH9250, PH1050, PH1050CB, PH1052 & PH1059				P
6703	6.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor Maxi Heat, Jackeroo and Blackridge Table Top Patio Heaters Models: TTH60, TTH60SS and BRTTH60				P
6723	6.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Table Top Patio Heaters Models: TTH80 and TTH80SS				P
7141	6.07	Gasmaster, Gasmate, Jumbuck and Jackeroo Outdoor Radiant Patio Heater Models: CH200MC, CH203MC, CH205MB, CH205MC and CH209MC				P
7375	8.09	Excalibur, Gasmate, Gasmaster, Jackaroo, Jumbuck, Sunburst Overhead Outdoor Patio Heaters Models: PH2080, PH2082, KPH2084, PH2085, PH2086, PH2087, PH2088, PH2089 (Bent Pole: PH11808, JMPH1180, PH1185)				P
7450	5.09	Gasmate, Jumbuck, Jackeroo, Excalibar and Maxiheat Area Heaters AH2060 Series Models: AH2060, AH2063, AH2065, AH2069 AH306_M Series Models: AH3064M, AH3069M				P
7451	5.09	Gasmate, Jumbuck, Excalibar, Entertainer and Jackeroo Area Heaters AH1080 Series Models: AH1080, AH1085 AH2080 Series Models: AH2080, AH2085, AH2087, AH2088, AH2089 and KAH1084				P
Technika Pty Ltd						
6176	8.01	Technika External Patio Heaters Model: WS14 Model: WS14N	N			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

**OVERHEAD RADIANT
TUBE HEATERS**

INTERNAL USE ONLY (AS 4643)

Detroit Radiant Products Company

7218	10.07	Re-Veber-Ray EHL and EDX Series Radiant Tube Heaters EDX 20-50, EDX 20-60, EDX/EHL 20-75, EDX 30-50, EDX 30-60, EDX/EHL 30-75, EDX/EHL 30-100, EDX 40-50, EDX 40-60, EDX/EHL 40-75, EDX/EHL 40-100, EDX/EHL 40-125, EDX/EHL 40-150, EDX/EHL 50-100, EDX/EHL 50-125, EDX/EHL 50-150, EDX/EHL 60-125, EDX/EHL 60-150	N			P
------	-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	--	--	---

Schwank GmbH - Agent: Norwest Gas Pty Ltd

7652	4.10	Schwank Overhead Radiant Tube Heaters (Flueless) InfraSchwank D & CalorSchwank D 15U, 20U, 30U, 40U, 50U, 60U NovaSchwank 15U, 20U, 30U, 40U, 50U	N			P
			N			P

INTERNAL USE ONLY (AG 403)

Celme International Pty Ltd

5632	9.97	Radiant Tube Heaters Heatray Series Forced Draft Models 2400, 2405, 2410, 2415, 2700, 2705, 2710, 2715 Induced Draft Models 2700-24 and multi-burner series	N			P
			N			P
5791	11.98	Heatray Manual and Automatic Overhead Radiant Heaters Manual Models 102, 102S, 104, 106 & 108 Heatray Electronic Models 112, 112S, 114, 116 & 118	N	TLP	T	P
			N	TLP	T	P

Gas Fired Products Inc

4647	9.91	Space-Ray Agricultural/Poultry Brooder Models: SRB38-L1, SRB38-N1, SRB38-L9-S, SRB-N9-S Model: SRB38-L-MBC For agricultural applications and poultry production	N			P
						P
7067	1.07	Space-Ray Overhead Radiant Tube Heater Model: SRL45	N			P

Roberts-Gordon LLC

6399	4.03	Agent: Adrian Hunting Val-Co Overhead Radiant Tube Heating Systems Models: VHE15ST, VHE20ST, VHE25ST, VHE30ST, VHE35ST, VHE40ST, VHE45ST, VHE50ST, VHE30DL, VHE40DL, VHE50DL, VHE60DL and VHE70DL Agent: Hurl Nu-Way Pty Ltd Blackheat Overhead Radiant Tube Heating Systems Models: BH15, BH20, BH25, BH30, BH35, BH40, BH45 and BH50	N			U
			N			U

Saacke Australia Pty Ltd

4769	5.92	Ambi-Rad Models AR22 and AR13	N			P
5290	2.96	Ambi-Rad Model AR35	N			P

Sierra Products Pty Ltd

4964	4.93	Sierra Overhead Internal Radiant Cone Heater Models 400N, 1000N and 1500N Models 400P, 1000P and 1500P	N			P
------	------	--------------------------------------------------------------------------------------------------------------	---	--	--	---

INDUSTRIAL DIRECT-FIRED AIR HEATERS (AG 404)

Note: Depending upon the application, assessment against parts of other standards such as AS 4553/AG 103 and AS 4556/AG 106 may apply.

Agricultural Automation Pty Ltd

6302	11.02	Tecnoclima Cikki Models 70 and 70SS	N			P
------	-------	-------------------------------------	---	--	--	---

Applied Investments Pty Ltd

6146	5.01	Jetaire Industrial Mobile Air Heater Models LG90 and LG165				P
------	------	------------------------------------------------------------	--	--	--	---

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
GSI Group					
5095	5.94	Hired Hand Outdoor Mounted Agricultural Heater Model Super Saver SS-225-XL	N		P
Heating Australia Pty Ltd					
5475	3.97	Zoneray Mobile Industrial Direct-Fired Air Heater Model: CBH240 Model: CBH220	N		P
Spitwater Australia Pty Ltd					
4838	4.94	Jetfire Industrial Mobile Air Heater Model: 90SA			P
5292	8.99	Jetfire Industrial Mobile Air Heater Models: J25, J25A, J33 and J33A			P
5887	8.99	Jetfire Industrial Mobile Air Heater Models: J50A, J70A & J90A			P
6241	6.02	Jetfire Models J8 and J15			P

LAUNDRY EQUIPMENT (AS 4554)

LAUNDRY DRYERS

Advance Commercial Laundry Equipment Pty Ltd					
7627	4.10	American Dryer Corporation Rotary Gas Laundry Dryers Models: ADG-30V, ADG-50V, ADG-78D, ADG-758V	N		P
Alliance Laundry Systems LLC					
4945	5.95	Agent: Alliance Laundry Systems LLC Huebsch & No Name Metered/Non-Metered Single/Stacked Washer/ Dryer Combination Gas Laundry Dryers Huebsch Models: HFGX09*F3060, HTGX79*N3060 No Name Models: NFGX09*F3060, NTGX79*N3060	N		P
		Agent: Advance Coin Laundry Pty Ltd EconoDry Metered/Non-Metered Single/Stacked Washer/ Dryer Combination Gas Laundry Dryers EconoDry Models: JDG809*F3060, JDG909*F3060, JSG809*F3060, JSG909*F3060	N		P
		Agent: Laundry Systems Group Pty Ltd T/as Aqualogic Laundry Systems Ipsco Metered/Non-Metered Single/Stacked Washer/Dryer Combination Gas Laundry Dryers Ipsco Models: BFGX09*F3060, BTGX79*N3060, BDGBLFGS301AW01, BTGBLFSP301AW01	N		P
		Agent: Speed Queen Equipment Sales Pty Ltd Speed Queen Metered/Non-Metered Single/Stacked Washer/ Dryer Combination Gas Laundry Dryers Speed Queen Models: SDG009*F3060, SDG109*F3060, SDG409*F3060, SDGX09*F3060, SDGY09*F3060, SDGT09*F3060, SDGA09*J3060, SDGB09*J3060, SDGC09*J3060, SDGF09*J3060, SDGH09*J3060, SDGJ09*J3060, SFGX09*F3060, SFGY09*F3060, SFGT09*F3060, SFGA09*J3060, SFGB09*J3060, SFGC09*J3060, SFGF09*J3060, SFGH09*J3060, SFGJ09*J3060, SSG909*F3060, SSG009*F3060, SSG109*F3060, SSG409*F3060, SSGX09*F3060, SSGY09*F3060, SSGT09*F3060, SSGA09*J3060, SSGB09*J3060, SSGC09*J3060, SSGF09*J3060, SSGH09*J3060, SSGJ09*J3060, SSG019*F3060, SSG119*F3060, SSG419*F3060, SSGX19*F3060, SSGY19*F3060, SSGT19*F3060, SSGA19*J3060, SSGB19*J3060, SSGC19*J3060, SSGF19*J3060, SSGH19*J3060, SSGJ19*J3060, STGX19*N3060, SDG909*F3060, SFG909*F3060, SSG919*F3060, SDG809*F3060, STGX79*N3060	N		P
7401	3.09	Agent: Advance Coin Laundry Pty Ltd Continental and Girbau Gas Laundry Dryers Models: GA055* and KA055* For further details of model breakdown contact AGA	N		P
		Agent: Speed Queen Equipment Sales Pty Ltd Speed Queen, Huebsch, Uni Mac, Cissell, Ipsco, Lavamac & Primus (owned by Primus) Gas Laundry Dryers Models: SA055*, HA055*, UA055*, CA055*, BA055*, LA055*, PA055* For further details of model breakdown contact AGA	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Alliance Laundry Systems LLC Continued					
7430	3.09	Agent: Advance Coin Laundry Pty Ltd Continental and Girbau Gas Laundry Dryers Models: KAT45* and GAT45* For further details of model breakdown contact AGA	N		P
		Agent: Speed Queen Equipment Sales Pty Ltd Speed Queen, Huebsch, Uni Mac, Cissell, Ipso, Lavamac & Primus (owned by Primus) Gas Laundry Dryers Models: SAT45*, HAT45*, UAT45*, CAT45*, BAT45*, PAT45* & LAT45* For further details of model breakdown contact AGA	N		P
Alliance Laundry Systems LLC					
4946	5.95	Agent: Home Laundry Appliances Pty Ltd T/as Speed Queen Home Laundry Appliances Speed Queen Gas Laundry Dryers, Single/Stacked Washer/Dyer Combination Speed Queen Models: ADG3TRWS301AW01, ADG3TFWS301AW01, ATG50FWP301AW01, ADG32FSS301AN01	N		P
		Agent: Kleenmaid Pty Ltd Kleenmaid Gas Laundry Dryers, Single/Stacked Washer/Dyer Combination LGK37A*F3060, LTK99A*N3060, LTKA9A*N3060	N		P
		Agent: Speed Queen Equipment Sales Pty Ltd Speed Queen Gas Laundry Dryers, Single/Stacked Washer/Dyer Combination LGS37A*F3060, FGS17A*F3060, LTS99A*N3060, LTSA9A*N3060	N		P
Alliance Laundry Systems LLC – Agent: Speed Queen Equipment Sales Pty Ltd					
3849	2.86	Huebsch, Lavamac, Primus, Speed Queen, UniMac, Cissell, IPSO, Girbau and Continental 050N/L Series Commercial Laundry Dryers Huebsch Model: HA050N/L Lavamac Model: LA050N/L (LDR530) Primus Model: PA050N/L (D25-G) Speed Queen Model: SA050N/L UniMac Model: UA050N/L Cissell Model: CA050N/L IPSO Model: BA050N/L Girbau Model: GA050N/L Continental Model: KA050N/L	N		P
4944	1.93	Huebsch, Lavamac, Primus, Speed Queen, IPSO, Cissell, UniMac, Girbau and Continental 075N/L Series Commercial Tumble Dryers Huebsch Model: HA075N/L Lavamac Model: LA075N/L (LDR635) Primus Model: PA075N/L (D35-G) Speed Queen Model: SA075N/L UniMac Model: UA075N/L Cissell Model: CA075N/L IPSO Models: BA075N/L Girbau Model: GA075N/L Continental Model: KA075N/L	N		P
5635	8.98	IPSO, Cissell, Huebsch, Lavamac, Primus, Speed Queen, UniMac, Girbau and Continental Series 025N/L Rotary Laundry Dryers IPSO Model: BA025N/L Cissell Model: CA025N/L Huebsch Model: HA025N/L Lavamac Model: LA025N/L (LDR220) Primus Models: PA025N/L (DA11-G) Speed Queen Model: SA025N/L UniMac Model: UA025N/L Girbau Model: GA025N/L Continental Model: KA025N/L	N		P
5636	8.98	IPSO, Cissell, Huebsch, Lavamac, Primus, Speed Queen, UniMac, Girbau and Continental Series 030N/L Rotary Laundry Dryers IPSO Models: BA030N/L Cissell Models: CA030N/L Huebsch Models: HA030N/L Lavamac Models: LA030N/L (LDR270) Primus Models: PA030N/L (DA 13-G) Speed Queen Models: SA030N/L UniMac Models: UA030N/L Girbau Models: GA030NL Continental Models: KA030N/L	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Alliance Laundry Systems LLC – Agent: Speed Queen Equipment Sales Pty Ltd Continued					
5637	8.98	Cissell, Huebsch, IPSO, Lavamac, Primus, Speed Queen, UniMac, Girbau and Continental Series 035N/L Rotary Laundry Dryers Cissell Model: CA035N/L Huebsch Model: HA035N/L IPSO Model: BA035N/L Lavamac Model: LA035N/L (LDR350) Primus Model: PA035N/L (DA15-G) Speed Queen Model: SA035N/L UniMac Model: UA035N/L Girbau Model: GA035N/L Continental Model: KA035N/L	N		P
5638	8.98	IPSO, Cissell, Huebsch, Lavamac, Primus, Speed Queen, UniMac, Girbau and Continental 035N/L Series Commercial Laundry Dryers IPSO Model: BAT30N/L Cissell Model: CAT30N/L Huebsch Model: HAT30N/L Lavamac Model: LAT30N/L (LDR270/270) Primus Model: PAT30N/L (DA1313-G) Speed Queen Model: SAT30N/L UniMac Model: UAT30N/L Girbau Model: GAT30N/L Continental Model: KAT30N/L	N		P
5646	8.98	Huebsch, Lavamac, Primus, Speed Queen, UniMac, IPSO, Cissell, Girbau and Continental 120N/L – 170N/L Series Rotary Laundry Dryers Huebsch Models: HA120N/L, HA170N/L Lavamac Models: LA120N/L (LDR1025), LA170N/L (LDR1425) Primus Models: PA120N/L (D55-G), PA170N/L (D77-G) Speed Queen Models: SA120N/L, SA170N/L UniMac Models: UA120N/L, UA170N/L IPSO Models: BA120N/L, BA170N/L Cissell Models: CA120N/L, CA170N/L Girbau Models: GA120N/L, GA170N/L Continental Models: KA120N/L, KA170N/L	N		P
American Dryer Corp					
7051	4.07	American Dryer Corp Models: ADG-120ESD, MLG-130ESD and MDG-120ESD	N		P
Dexter Laundry Inc – Agent: Gold Coast Laundry Equipment					
5753	4.00	Dexter Commercial Dryers DL2X30, DLC30, DLR30, DSTD30H, DSTD30K, DCTD30KCS-21CR, DDAD30KCS-39CR	N		P
Electrolux Laundry Systems, A Division of Electrolux Pty Ltd					
5500	4.97	Electrolux Laundry Dryer Models: T4290, T4530 and T4650	N		P
6383	3.03	Electrolux Wascator Double Stack Laundry Dryer Model: T4300S	N		P
Miele Australia Pty Ltd					
6991	6.06	Miele Gas Laundry Dryers (Rotary Type) Models: PT7251G, PT7331G, PT7401G, PT7501G, PT7801G, PT 8253, PT 8333, PT 8403, PT 8503, PT 8803	N		U
Rinnai Australia Pty Ltd					
6929	11.06	Rinnai 4 and 6 kg Drying Capacity 4 kg Model: RD400AU (Dry Soft 4) 6 kg Model: RD600AU (Dry Soft 6)	N		P
Whirlpool Corporation - Agent: Whirlpool (Australia) Pty Ltd					
4774	1.92	Maytag Commercial Dryers Sterling Series: MLG24PN***, MLG24PD***, MDG17MN***, MDG17CS*** Silverado Series: MDG22PN***, MDG22PD*** Note: *** suffix denotes production, country and colour and are subject to change.	N		U
IRONS					
Electrolux Laundry Systems a Division of Electrolux Pty Ltd					
7709	11.10	Electrolux Commercial Gas Ironer Model: IC4 3320 Note: Additional assessments conducted to AS 3814 - 2009	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Miele Australia Pty Ltd					
7076	11.06	Miele Commercial Laundry Rotary Ironer Model: PM 1318G Note: Additional assessments conducted to AS 3814 – 2005	N		U
LAUNDRY DRYERS (AS 4554/AG 104)					
American Dryer Corp					
6961	7.06	American Dryer Corp Model: SLGH20 Alternate names for above model are: SLGH20T, SLGH20B, STI-8T, STI-8B, SLI-9SSGT, SLI-9GT, SLI-9SSGB, SLI-9GB	N		P
		Model: SLGH2020	N		P
		Model: SLGH31 Alternate names for above model are: SLGH31T, SLGH31B, SLI-12SSG, SLI-12G, MDG31PDAWS, MDG31PDSWS, MDG31PDAWW, MDG31PDSWW, MDG31PNAWW, MDG31PNSWW, M31SLT, M31SLB	N		P
		Model: SLGH3131 Alternate names for above model are: MLG33PDAWS, MLG33PDSWS, MLG33PDAWW, MLG33PDSWW, M3131SL	N		P
		Model: SLGH50 Alternate names for above model are: SLI-22SSG, SLI-22G, MDG51PDAWW, MDG51PDSWW, MDG51PNAWW, MDG51PNSWW, M50SL	N		P
		Model: SLGH75 Alternative names for above model are: SLI-30SSG, SLI-30G, MDG77PNSWW, MDG77PNAWW, M75SL	N		P
Electrolux Laundry Systems, A Division of Electrolux Pty Ltd					
6552	4.04	Electrolux Wascator Gas Laundry Dryer Models T41200 and T4900	N		P
Miele Australia Pty Ltd					
4736	8.91	Miele Commercial Laundry Dryers, Models T6251G, T6351G, T6551G, T6751G, T5250G, T5350G, T5550G and T5750G	N		U
REFRIGERATORS (AS 4555/AG 105)					
Dometic Australia Pty Ltd					
3105	6.80	Electrolux Refrigerator for LP Gas and Electric Operation (for use in recreational vehicles) Models: RM2453, RM2553 & RM2350			P
3151	10.80	Electrolux Gas/Electric Refrigerator Model: RGE 410			P
3418	10.82	Dometic Portable Three Way Fridge Model: RC1600EGP			P
3437	7.83	Electrolux Refrigerators/Freezers for use in Recreational Vehicles Models RM4211, RM7401, RM7651, RM7851			P
3626	10.83	Electrolux/Dometic Gas/Electric Portable Refrigerator/Freezer Chescold Explorer Model: F400 and Chescold Model: RC 1180			P
5961	11.00	Dometic Two-Door Refrigerator/Freezer Model: RM4601			P
6887	12.05	Dometic Three-way Inbuilt Refrigerator/Freezers with Electronic Control Models: RM2355, RM2455, RM2555, RM4605 and RM4805			P
6903	1.06	Waeco CoolFun and Mobicool Three Way Portable Refrigerator Waeco CoolFun Model: CA-35-12240PB37 Mobicool Model: A-35-12240PB37			U U
Nattkom Pty Ltd T/as D.P. Refrigeration					
4222	6.87	Consul Refrigerator Model: CQD22D			P
7515	7.09	Bushman 100 Litre Gas Operated Freestanding Refrigerator Models: XCD-100 (Gas Only) and XCD-100D (3 Way Gas/Electric)			P
7739	1.11	Frostek Chest Freezers Models: Frostek 160 G & Frostek 240 G			P
Primus Australia Pty Ltd					
6577	7.04	Companion Portacool Portable LPG Cooler Model 35 EGP			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

Sitro Group Australia Pty Ltd

6673	11.04	Gasmate and Jackeroo Three Way Portable Refrigerators Gasmate Model G3PR35L Jackeroo Model J3PR35L									U U
------	-------	----------------------------------------------------------------------------------------------------------	--	--	--	--	--	--	--	--	--------

INDIRECT FIRED AIR HEATERS

DUCTED AIR HEATERS (AS 4556/AG 106)

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading							
Brivis Climate Systems Pty Ltd											
5895	12.99	Brivis 2 Piece Wombat Series Internal Ducted Central Heaters Models: 2PW15, 2PW26 and 2PW26XA	171/m ³	3.0/90°	N						P
		Models: 2PW20, 2PW20XA,	164/m ³	3.3/99°	N						P
5975	2.05	Brivis Buffalo Classic External Indirect Ducted Central Heaters									
		Models: 15, 20, 20XA, 26, 26XA	176/m ³	2.8/84°	N						P
5976	2.05	Brivis Upflow Classic Internal Indirect Ducted Central Heaters									
		Models: 20, 20XA, 26 and 26XA	184/m ³	2.5/75°	N						P
5977	2.05	Brivis Downflow Classic Internal Indirect Ducted Central Heaters Models: 20 and 20XA	184/m ³	2.5/75°	N						P
7489	7.09	Brivis StarPro Plus/StarPro Max Series Ducted Central Heaters									
		StarPro Plus Series Models:									
		MX21IN, MX21IN-XA, MX21EN, MX21EN-XA	142/m ³	4.4/133°	N						
		MX30IN, MX30IN-XA, MX30EN, MX30EN-XA	144/m ³	4.3/130°	N						
		MX35IN	146/m ³	4.2/127°	N						
		StarPro Max Series Models:									
		HX23IN, HX23IN-XA, HX23EN, HX23EN-XA	122/m ³	5.8/175°	N						
		HX23ILP, HX23ILP-XA, HX23ELP, HX23ELP-XA	122/m ³	5.8/175°							P
		HX30IN, HX30IN-XA, HX30EN, HX30EN-XA	123/m ³	5.7/172°	N						
		HX30ILP, HX30ILP-XA, HX30ELP, HX30ELP-XA	123/m ³	5.7/172°							P
		HX35IN	124/m ³	5.6/170°	N						
Climate Technologies Pty Ltd											
7221	9.07	Bonaire Vulcan, Bonaire Pyrox, Bonaire and Pyrox High Efficiency Indirect Fired Ducted Heater									
		Bonaire or Bonaire Vulcan									
		B5 15I NG or BV5 15I NG	133/m ³	5.0/150°	N						
		B5 21I NG or BV5 21I NG	134/m ³	5.0/150°	N						
		B5 21I X/A NG or BV5 21I X/A NG	134/m ³	5.0/150°	N						
		B5 30I NG or BV5 30I NG	134.5/m ³	4.9/147°	N						
		B5 30I X/A NG or BV5 30I X/A NG	134.5/m ³	4.9/147°	N						
		B5 35I NG or BV5 35I NG	134/m ³	5.0/150°	N						
		B5 15E NG or BV5 15E NG	130/m ³	5.2/157°	N						
		B5 21E NG or BV5 21E X/A NG	130/m ³	5.2/157°	N						
		B5 21E X/A NG or BV5 21E X/A NG	130/m ³	5.2/157°	N						
		B5 30E NG or BV5 30E NG	130/m ³	5.2/157°	N						
		B5 30E X/A NG or BV5 30E X/A NG	130/m ³	5.2/157°	N						
		B5 35E NG or BV5 35E NG	130/m ³	5.2/157°	N						
		B5 20I LPG	136.4/m ³	4.8/144°							P
		B5 20E LPG	141.4/m ³	4.5/135°							P
		B5 30I LPG	136.4	4.8/144°							P
		B5 30E LPG	141.4/m ³	4.5/135°							P
		Pyrox or Bonaire Pyrox									
		P5 15I NG or BP5 15I NG	133/m ³	5.0/150°	N						
		P5 21I NG or BP5 21I NG	134/m ³	5.0/150°	N						
		P5 21I X/A NG or BP5 21I X/A NG	134/m ³	5.0/150°	N						
		P5 30I NG or BP5 30I NG	134.5/m ³	4.9/147°	N						
		P5 30I X/A NG or BP5 30I X/A NG	134.5m ³	4.9/147°	N						
		P5 35I NG or BP5 35I NG	134/m ³	5.0/150°	N						
		P5 15E NG or BP5 15E NG	130/m ³	5.2/157°	N						
		P5 21E NG or BP5 21E NG	130/m ³	5.2/157°	N						

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Climate Technologies Pty Ltd Continued						
		P5 21E X/A NG or BP5 21E X/A NG	130/m ³	5.2/157°	N	
		P5 30E NG or BP5 30E NG	130/m ³	5.2/157°	N	
		P5 30E X/A NG or BP5 30E X/A NG	130/m ³	5.2/157°	N	
		P5 35E NG or BP5 35E NG	130/m ³	5.2/157°	N	
		P5 20I LPG	136.4/m ³	4.8/144°		P
		P5 20E LPG	141.4/m ³	4.5/135°		P
		P5 30I LPG	136.4 m ³	4.8/144°		P
		P5 30E LPG	141.4/m ³	4.5/135°		P
7640	3.10	Bonaire Central Heater				
		Models: MB3 14i NG, MB3 14e NG	172/m ³	2.9/89°	N	
		MB3 20i NG, MB3 20e NG	171/m ³	3.0/90°	N	
		MB3 30i NG, MB3 30i NG XA, MB3 30e NG	166/m ³	3.2/96°	N	
		MB4 14i NG, MB4 14e NG	149.6 m ³	4/121°	N	
		MB4 20i NG, MB4 20i NG XA, MB4 20e NG	142.7 m ³	4.4/132°	N	
		MB4 30i NG, MB4 30i NG XA, MB4 30e NG,				
		MB4 30e NG XA	148.2 m ³	4.1/123°	N	
		Note: i - internal, e - external, XA - extra air model				
Eco Pacific Pty Ltd						
5447	5.05	Eco Pacific Pluto Series Internal				
		Models: P12, P20 and P25	188/m ³	2.4/72°	N	P
		P20ESS and P25ESS	160/m ³	3.5/105°	N	P
Heatcraft Australia Pty Ltd						
6476	7.04	G34E Lennox External and Internal Furnace Ducted Heaters				
		G34EQ3-050-IT, G34EVQ3-050-IT (External)	Not tested		N	P
		G34MQ3-050-IT, G34MVQ3-050-IT (Internal)				
		G34EQ3-080-IT, G34EQ4-080-IT (External)	171.4	3.0/90°	N	P
		G34MQ3-080-IT, G34MQ4-080-IT (Internal)				
		G34EVQ3-080-IT, G34EVQ4-080-IT (External)	166.7	3.2/96°	N	P
		G34MVQ3-080-IT, G34MVQ4-080-IT (Internal)				
		G34EQ4-110-IT, G34EQ5-110-IT (External)	171.4	3.0/90°	N	P
		G34MQ4-110-IT, G34MQ5-110-IT (Internal)				
		G34EVQ4-110-IT, G34EVQ5-110-IT (External)	166.7	3.2/96°	N	P
		G34MVQ4-110-IT, G34MVQ5-110-IT (Internal)				
		G34EQ5-130-IT (External)	164.4	3.3/99°	N	P
		G34MQ5-130-IT (Internal)				
		G34EVQ5-130-IT (External)	160	3.5/105°	N	P
		G34MVQ5-130-IT (Internal)				
6790	6.05	Lennox G61 Series Internal and External				
		Internal Models: G61MPVT-36B-070,				
		G61MPVT-60C-090, G61MPVT-60C-110,				
		G61MPVT-60D-135	129/m ³	5.3/159°	N	P
		External Models: G61EVT-36B-070,				
		G61EVT-60C-090, G61EVT-60C-110, G61EVT-60D-135	129/m ³	5.3/159°	N	P
LB White Co, Inc – Agent: Outback Environmental Controls Pty Ltd						
5663	3.00	Guardian Agricultural Animal Confinement Building Heaters				
		Models: AW230 and AB230			N	P
Motorhomes Pty Ltd						
7457	3.09	Suburban and Motorhomes SF Series Ducted				
		Air Heater (Caravan & Motorhome Use Only)				
		Model: SF35	Not Tested			P

Cert Number	Date Certified	Appliance	TYPE OF GAS					
			Nat	TLP	Town	LPG		
Omega Climate Systems Pty Ltd								
5746	2.00	Omega IHE and ZMS Series Internal Indirect Fired Ducted Heaters Models IHE60-3, IHE100-3 and IHE120-3 Models ZMSI100-3 and ZMSI120-3	172/m ³	3.0/89°	N	P		
5821	2.00	Omega EHE and ZMS Series External Indirect Fired Ducted Heaters Models EHE60-3, EHE100-3 and EHE120-3 Models ZMSE100-3 and ZMSE120-3	172/m ³	3.0/89°	N	P		
7529	8.09	Omega Inducted Draught Central Heater (External Models) EHE60-4, EHE100-4, ZMSE100-4 (Internal Models) IHE60-4, IHE100-4, ZMSI100-4	145/m ³	4.3/129°	N			
Seeley International Pty Ltd								
6380	2.03	Braemar Ecostar TH5 Series TH516, TH523, TH532, TH5X23, TH5X32 TH516P, TH523P, TH532P, TH5X23P, TH5X32P	125/m ³	5.6/169°	N	P		
7267	4.08	Braemar and Breezair Ecostar TH4 Series Gas Ducted Heaters Models: TH415, TH420, TH425, TH430, TH435 (Standard) TH4X20, TH4X25, TH4X30 (Extra Air) TH415P, TH420P, TH425P, TH430P (Standard) TH4X20P, TH4X25P, TH4X30P (Extra Air)	137/m ³	4.7/143°	N	P		
7268	4.08	Braemar & Breezair Ecostar TH3 Series Gas Ducted Heaters Models: TH315, TH320, TH325, TH330 (Standard) TH3X20, TH3X25, TH3X30 (Extra Air) TH315P, TH320P, TH325P, TH330P (Standard) TH3X20P, TH3X25P, TH3X30P (Extra Air)	156/m ³	3.7/111°	N	P		
Truma Geratetechnik GmbH & Co KG - Agent: Dometic Pty Ltd								
7550	9.09	Truma Ducted Air Heater Model: Trumatic E2400	N/A			P		
DUCT AND UNIT HEATERS (AS 4556/AG 106)								
Aira Pty Ltd								
2594	4.77	Dravo DU Series Ducted Heaters Models: DU8, DU10, DU12 and DU16 Models: DU8-04, DU10-04, DU12-04 and DU16-04 The -04 suffix indicates electronic ignition and stainless steel heat exchanger			N			
2602	4.77	Dravo SD Series Ducted Heaters Models: SD22, SD26, SD30, SD35 and SD40 Models: SD22-04, SD26-04, SD30-04, SD30-04, SD35-04 and SD40-04 The -04 suffix indicates electronic ignition and stainless steel heat exchanger			N			
Celmec International Pty Ltd								
2607	5.77	Reznor "Flamecore" X Series Models: X75A, 100A, 125A, 150A, 175A, 200A, 225A, 250A, 300A, 350A and 400A Models: XB75A, 100A, 125A, 150A, 175A, 200A, 225A, 250A, 300A, 350A and 400A Models: XC75A, 100A, 125A, 150A, 175A, 200A, 225A, 250A, 300A, 350A and 400A Models: XL75A, 100A, 125A, 150A, 175A, 200A, 225A, 250A, 300A, 350A and 400A Note: "X" = Indoor, "XB" = with Centrifugal Fan, "XC" = with Centrifugal Fan (enclosed), "XL" = with Propeller Fan. Suffix "A" could be "E3" if heat exchanger is made from stainless steel			N	TLP	T	P
3037	11.79	Reznor RX/RG Series Outdoor Rooftop Models: RX75, 100, 125, 150, 175, 200, 225, 250, 300, 350 and 400 Models: RG75, 100, 125, 150, 175, 200, 225, 250, 300, 350 and 400			N	TLP	T	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Heatcraft Australia Pty Ltd					
5693	5.00	Lennox LF and LD Series Models: LF24-75A, LF24-100A, LF24-125A, LF24-150A, LF24-200A, LF24-250A, LF24-300A, LF24-345A and LF24-400A	N		
		Models: LD24-75A, LD24-100A, LD24-125A, LD24-150A, LD24-200A, LD24-250A and LD24-300A	N		
5717	6.01	Lennox LGA and LGC Series Indirect Fired Ducted Unit Heaters LGA Series Models: LGA-088S/H, LGA-088H, LGA-090S, LGA-090H, LGA-100S, LGA-100H, LGA-120S, LGA-120H, LGA-150S, LGA-150H, LGA-180S, LGA-180H, LGA-210S, LGA-210H, LGA-240S, LGA-240H, LGA-300S, LGA-300H, LGA-360S, LGA-360H	N		
		LGC Series Models: LGC-090S, LGC-090H, LGC-102S, LGC-102H, LGC-120S, LGC-120H, LGC-150S, LGC-150H, LGC-180S, LGC-180H, LGC-210S, LGC-210H, LGC-240S, LGC-240H, LGC-300S, LGC-300H, LGC-360S, LGC-360H			
OUTDOOR BARBECUE GRILLERS (AS 4557)					
Alfresco Concepts Pty Ltd					
5037	1.94	Jarrahdale 3, 4 and 5 Burner Built-in or Trolley Barbecues Model: Patio Chef	N		P
Andac Pty Ltd					
5884	8.99	“Marine Barbecues Australia” Marine Barbecue and Ovens GalleyMate Models: 900, 1100, 1500 and 2000			P
Angelo Argentaro T/as Oz BBQ Sales					
5620	10.97	Ultimate 3, 4 and 5 Burner Outdoor Barbecues Model: Esperance	N		P
		Options: Built-in, Trolley Mounted Steel/Timber, with/without Roasting Hood, with/without Side Burner, Stainless/Enamelled Steel Construction and with/without Storage Cabinets.			
6369	12.02	Ultimate 4 Burner, Trolley Mounted Barbecues Models: Calais and Hotshot			P
		Note: Model variants include all steel, steel/timber trolleys, with/without side burner, with/without low profile roasting hood			
6370	12.02	Ultimate 2, 3 and 4 Burner Barbecues Model: Escape Note: Barbecue can be mounted in Trolley or Folding Leg Frame.			P
Arcla Industries Pty Ltd					
5120	8.94	Arcla Blackline, Essex, Executive, Galaxie, Jupiter, Manor, Platinum/SS, Platinum Chef/SS and Saturn 2, 3, 4 and 5 Burner Inbuilt or Trolley Mounted	N		P
5223	1.95	Charmglo Models A240A, A243A and B423A Trolley			P
6819	8.05	Arcla 7000 Series Built-in or Trolley Models: 2, 3, 4 and 5 Burner	N		P
Arlec Australia Pty Ltd					
6653	9.04	Sunshine Patio Series and Jackeroo BM4SB-R 2, 3, 4 and 6 Burner Hooded Trolley Mounted Barbecues Sunshine Patio Series Models: BM2010, BM2011, BM3010, BM3011, BM4010, BM4011, BM4010SB, BM6000, BM6011, BM6010SB Jackeroo BM4SB-R Model: BM4010SB (Series 2) Jackeroo BM6SB-R Model: BM6010SB (Series 2) Jackeroo BM4SB-SS Model: BM4010SB (Series 3)			U
6667	10.04	Arlec Sunshine Horizon 4 Burner Hooded Trolley Mounted Barbecues Models: 3700 (HR37) and 3800 (HR38)			U
6969	6.06	Jackeroo Burwood 4 and 6 Burner Trolley Mounted Barbecues With/Without Hood SZ Series Roaster Models: BUR4 and BUR4B SV Series Roaster Models: BUR41, BUR41B and Roaster BUR6			U
7506	7.09	Sunshine, Arlec, Jackeroo, Red Centre, Jumbuck & Goldair Outdoor Pizza Ovens Models: BM106, JPZ006, JPZ006-D, JPZ006-2D, BM110 Models: BM106U, JPZ006U & BM110U Also tested to AS 4551			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Australian Barbecue Manufacturers Pty Ltd					
6504	11.03	Lifestyle 2, 3, 4 and 5 Burner Outdoor In-Built or Trolley Mounted Barbecues with Hood and Optional Side Burner Models: International and Pro	N		P
BBQ Factory Pty Ltd					
4136	7.87	Tuckergrill 2, 3, 4 & 5 Domestic Outdoor Gas Barbecue Models: Blue, S Class, GT & GTS With optional Trolley, Hood and Side Burner	N		P
4903	6.93	Friar Tuck Freestanding Barbecues Models: 2 Burner Friar Tuck and 4 Burner Friar Tuck	N		P
Cadac (Pty) Ltd - Agent: CadacBBQ					
7049	10.06	Cadac Carri Chef Portable LPG Barbecue Models: 8113, 5200 & 5210			P
Cadac (Pty) Ltd					
7621	8.10	Cadac Leisure Chef Outdoor Barbecue Model: 5245			P
Casale Trim Co Pty Ltd					
7319	9.08	Swift 3-Way Barbecues Models: 801, 802, 803, 804, 805	N		U
Char-Broil LLC - Agent: Oztrail Leisure Products					
7730	1.11	Char-Broil Commercial & Charbroil Commercial Tru Infrared 2, 3 & 4 Burner Domestic Barbecues Models: 467243911, 467244011, 467247311, 467257111			P
Classic Marine Products					
6348	11.02	Stainless Steel Marine-Type Barbecue Classic Marine Models: 1, 2 and 3 Burner	N		U
Coleman Brands Pty Ltd					
7312	2.09	Coleman Two Burner Marine Barbecue Master Mariner Model 9972-A50			P
Condari Pty Ltd					
5165	12.94	Aero 4 Burner Built-In or Trolley Mounted Barbecues Models: 97020, 97025 and 40240	N		U
Delonghi Australia Pty Ltd					
6960	5.06	Delonghi Trolley Mounted Outdoor Barbecue Grill with Hood Models: DELUX7FS21 DELUX7FS21/NG	N		U
		4 Main Burners with Side, Rotisserie and Smoker Burners DELUX9FS21			U
		DELUX9FS21/NG	N		
		6 Main Burners with Side, Rotisserie and Smoker Burners DELUX8BIS21			U
		DELUX8BIS21/NG	N		
		In-Built, 6 Main Burners, with Rotisserie and Smoker Burner (Suffix 'NG' denotes Natural gas version)			
Design House Denmark					
7634	3.10	Heat 4 Burner Barbecue Model: Heat			P
DKB Household Switzerland AG - Agent: Monza International					
6434	8.03	Outdoorchef Trolley Mounted Mobile Barbecues Models: Roma, Ascona, Leon, Montreux, Como, Ambri, Porto, Milano, City Grill with Stand and Delta Note: Alternative manufacturer for Roma, Ascona, Leon & Montreux 570 Kettle size models			P
Doug Andrews Air Conditioning Heating & Ventilation Ltd					
6857	2.06	Multi Kai Multipurpose Cooker/Barbecue Models: Compact, Medium, Large, Deluxe and Jumbo			U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Electrolux Home Products Pty Ltd					
7230	11.07	Electrolux Built-In or Mobile Type with Optional Side & Integrated Burner Barbecue Models: EQBH100AS (EQB10BAS & EQB10HAS) Built-In, Standard, Hood EQBHF100AS (EQBF10BAS & EQB10HAS) Built-In, Flame Safeguard, Hood EQBL100AS (EQB10BAS & EQB10LAS) Built-In, Standard, Lid EQBLF100AS (EQBF10BAS & EQB10LAS) Built-In, Flame Safeguard, Lid EQBM100AS (Mobile Barbecue) EQMW40AS (Mobile Barbecue Side Burner) EQBW40AS (Integrated Burner)	N		U
7242	11.07	Electrolux Domestic Mobile Outdoor Barbecues EQMF100AS and EQMF70AS			U
7647	6.10	Electrolux Modular Series Barbecues EQBM120HAS Mobile 4 burner bbq (w/hood) + side burner (w/lid) EQBM120LAS Mobile 4 burner bbq (w/lid) + side burner (w/lid) EQBM75HAS Mobile 4 burner bbq (w/hood) EQBM75LAS Mobile 4 burner bbq (w/lid) EQBH60AS Inbuilt 4 burner bbq (w/hood) EQBL60AS Inbuilt 4 burner bbq (w/lid) EQBL30AS Inbuilt 1 burner bbq (w/lid)	N		U
7753	4.11	Electrolux 4 Burner Barbecue Models: EQBM90AS and EQBM60AS Premium Entry Series	N		U
Electrolux Home Products Pty Ltd (NSW)					
6737	5.05	Electrolux – Jeppe Utzon BBQ Barbecue Models: EX77JUA & EX78JUA	N		P
EVO Incorporated - Agent: Nomalon Imports Pty Ltd					
7578	12.09	Evo Flat Top Grills Models: Affinity 30G – Built-In Professional – Open Cart & Table Top Companion – Open Cart & Table Top			U U U
Focus Lifestyle Products Pty Ltd					
6271	9.02	Grand Hall, Grand Turbo, Members Mark, Focus and Rinnai Stainless Steel Cabinet Style with Hood Trolley or Built-In Barbecues Models: Y0660, Imperial, Y0662, YN662, YN662AG, Y0663, YN663, Y0665, G3808A & GAG08A	N		U
6468	9.03	Focus Series 2003 – Rinnai, Focus, Grillmaster, Professional Series 4 and 6 Burner Hooded Trolley with Side and Back Burners Models: Elite, Elite 4, Elite 6, Impressor 8, 16680, 16681, 16690 and 16691	N		U
6804	7.05	Focus, Grillmaster, Master Kitchen, Professional Series, Jackeroo, Grand Hall, Rinnai, Barbecues Galore and Renaissance Focus Series 2005 4 and 5 Burner Hooded Cabinet Style Trolley with/without Side and Back Burners 16321 – Premium 321 16321S – Premium 321S, Maxim X4 Plus 16321SA – Freedom 321C, Freedom 321S 16323 – Premium 323, Maxim X4, Maxim M4S 16325 – Premium 325 16326 – Premium 326, Maxim X5 Plus, Maxim R5S 16326X – Premium 326X 16326XA – Freedom 326C, Freedom 326S, Ultimate 16327 – Premium 327, Maxim X5, Maxim M5S, Entertainer 16329 – Professional 529, Maxim X5SS, Maxim S5S 16682 – Professional 582, Regent 16684 – Professional 584, Maxim X7SS, Maxim S7SB, Maxim 384, Diamond 584 Models: T4, T4S, T4SB, T5, T5S, T5SB, T5SBL, T51SBL	N N N N N N N N N N N N N N N N N N N		PU PU PU PU PU PU PU PU PU PU PU PU PU PU PU PU PU PU

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Focus Lifestyle Products Pty Ltd Continued					
6812	7.05	Focus, Jackeroo, Grillmaster, Grand Café, Master Kitchen, Grand Hall & Red Centre 4 and 6 Burner Trolley with Hood and Side Burner Series 2005			
		5001 – Grange SX and SZ	N		PU
		5002 – Tuscany SX and SZ	N		PU
		5003 – Professional 4 SX and SZ, Paxton 4, Premium 4	N		PU
		5004 – Professional 6 SX and SZ, Premium 6	N		PU
		7000 9000 – Majestic, 7000-GM	N		PU
		7001 8001 9001 – Grange Elite 4, 8001, 7001AHN, Grange Elite SV4, Opus 4, Connoisseur 4/8001-GM	N		PU
		7002 8002 9002 - Tuscany Elite 6, 8002, Tuscany Elite SV6, Opus 6, Connoisseur 6/8002-GM	N		PU
		7003 8003 9003 – Professional Titanium 4, 8003, Professional Platinum SV4, Flinders 4, Premium 4X	N		PU
		7004 8004 9004 – Professional Titanium 6, 8004, Professional Platinum SV6, Emerald 6, Flinders 6, Professional 6/8004-GM	N		PU
		1000 1001 1002 1003 1004			
		5003B, 5004B, Premium 4V, Premium 6V, Premium 4S, Premium 6S	N		PU
6816	8.05	Patio Series 2005 – Focus, Master Kitchen, Patio by Jamie Durie, Grillmaster, Grillstation, Grand Hall, Kleenmaid, Jackeroo, GLG Australia, Barbeques Galore & Red Centre, 4, 5 and 6 Burner with Hood and option of Side and Back Burners			
		4 Burner Models: 5005, Patio Kitchen 4, 5007, 5007S, Patio 4, 5010, Professional 4, K004-D4B (OCCDB and OCCDBNG), Patio II (4B), Modular Outdoor Kitchen, Modular, 7010, Portico, Portico SS, Maxim S4 & 7010-BM	N		PU
		5 Burner Models: 5008, Superior Entertainer 5, 5011, Professional 5, K004-D5B, K004-D5C, K004-B5B, Alfresco, Alfresco Kitchen, Alfresco SS	N		PU
		6 Burner Models: 5006, Patio Kitchen 6, 5009, Superior Entertainer 6, 5009D, 5012, Professional 6, 5012D, K004-D6B, Patio II (6B), Patio Modular, 7006 Professional Platinum 6, 5009X, 5009XB, Porter, 8012-BM, 5009XBHN, Emerald 6SS, Professional Platinum 6+ & Premium 6X, 1009: Vector	N		PU
6952	8.06	Focus, Grand Hall, Grande Café, Mitre 10, Rinnai, Master Kitchen, Grillmaster, Blanco & Omega Sears Series II, 4 and 5 Burner Cabinet Style Trolley with Hood and Side Burner			
		Four Burner Model: 16322: Premium 322, Xenon 220, Xenon 221, Xenon 223, Xenon 225, Argon 220, Argon 221, Argon 223, Argon 225	N		P
		Five Burner Model: 16324: Premium 324, Xenon 227, Xenon 229, Argon 227, Argon 229	N		P
6987	8.06	Grand Hall Premium Modular 2006 2 Burner Flat Top Cabinet Style Trolley Barbecues			
		Models: Premium Outdoor Range and Modular Teppanyaki Unit	N		P
		Models: Freedom 450 and Freedom 455	N		P
7106	4.07	Focus, Grand Hall, Kleenmaid and Rinnai Barbecues			
		Crossray Barbecue Series 2006	N		PU
		Professional Burner BBQ and Crossfire BBQ			
		Models: OCCPB, OCCPBNG and Crossray	N		PU
7305	5.08	Grand Hall Neil Perry Two Burner Barbecue Model: T-Grill	N		P
7336	7.08	DS 4 Burner Trolley Barbecue Model: DS Grill Series 2008	N		P
7476	6.09	Grand Hall 4 Infrared Burner Island Fixed or Trolley Style Barbecue			
		X Series Models: X-1 & X-2	N		P
7538	10.09	Focus, Jackeroo, Grand Hall, Grill Master, Master Kitchen & Grand Café			
		Two Burner Pedestal Barbecues Model: T2	N		PU
7541	8.09	Grand Hall – Odeon Series 2 & 4 Burner Barbecues			
		Models: OD26 & OD32	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Focus Lifestyle Products Pty Ltd Continued					
7748	6.11	Grand Hall, Jamie Durie Patio, Rinnai 3,4 & 5 Burner Barbecue with optional Side Burner and Back Burner GT Series 2011: GT3, GT3S, GT4, GT4S, GT4B, GT4SB, GTI4, GTI4S, GTI4SB, GT5, GT5S, GT5B, GT5SB, GTI5, GTI5S, GTI5SB Note: Model codes may include any of the following suffixes: Standard, Premium, Prestige, Signature Series V, S	N		PU
7758	5.11	Focus, Barbeques Galore, GLG Australia & Grand Hall 8 Burner Flat Top Trolley Barbecues Models: Clubmaster, 8 Burner Flat Top, 8 Burner Professional & 8 Burner Commercial			P
Foshan Shunde Everteam Industrial Co Ltd					
6999	7.06	Escape with ET Portable Barbecue Model: ER-8102P-1			P
Foshan Shunde Everteam Industrial Co Ltd - Agent: Hark Enterprises Pty Ltd					
7207	9.07	Coolabah Domestic Gas Barbecue Models: ER-8102P-2 & ER-8102P-3			P
G & W Imports Ltd					
7590	2.10	OFO & UFO Outdoor Oven, Barbecue & Smoker Models: OFO, Mini OFO, UFO & Mini UFO			U
Genesis Australia Corporation Pty Ltd					
6575	5.04	Genesis Jumbuck 2, 3 and 4 Burner Trolley and Freestanding Barbecues with/without Hood and Side Burner 2 Burner Models: HS-GG007N (folding legs solid top) 3 Burner Model: HS-GGUM003 (hooded with one open grid & one solid top) HS-GG003D (one open grid & one solid top with hood) 4 Burner Models: HS-GG006 (one open grid and one solid top) HS-GG006A (with hood) HS-GG006AL (one open grid, one solid top with aluminium sided hood) HS-GG008A (flat top with trolley) HS-GG006WN (timber trolley) HS-GG006WT (hooded with one open grid & one solid top)			U U U U U U U U U U
6832	8.05	Genesis Jumbuck 6 Burner Trolley Models: HS-GG023A (2 Open Grills and 1 Solid Top) HS-GG023AP (Solid Top Only) HS-GG023N, HS-GG023ST (6 Burner Solid Plate)			P P U U
6985	7.06	Jumbuck 2 Burner Trolley with Hood Model: HS-GG002			U
7322	6.08	Matador 4, 6 & 8 Burner Trolley Mounted Barbecue w/rear Rotisserie Burner, Side Burner and Sink Models: HS-KC008 (8 Burner) HS-KC003 (6 Burner) HS-KC006 (4 Burner)			U
7668	7.10	Matador & Jumbuck Four Burner Hooded Barbecue with Side Burner and Optional Rear Burner Models: HS-UM006A and HS-UM006B	N		PU U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
GLG Australia Pty Ltd					
3757	3.84	Alfresco, Captain Cook and Turbo Freestanding, Built-In and Trolley Mounted Barbecues with Hood Model: TH Burner Options: 1, 3, 4 and 5	N		P
5602	8.97	GLG Barbecue Side Burner Attachment Models: DLCC, MRCC & SBCPE Note: Side burners are designed for attachment to specific, approved, GLG barbecues and are not for stand alone application. Refer to GLG for more specific details.	N		P
7058	2.07	Grillstation Portable Single Burner Picnic Barbecue Model: GSPORT			P
7496	5.09	Quben Domestic Outdoor Gas Barbecue with Modular Cabinets Models: KYQ-82*0, KYQ-SB, KYQ-XP * = Number of Burners (2-5) S after the 7 th numeral = Integrated Side Burner R after the 7 th numeral = Integrated Rotisserie -S after the 7 th numeral = Side Burner Shelf -SB after the 7 th numeral = Side Burner Module -XP after the 7 th numeral = Sink & Tap Module			P
7542	10.09	GLG 2 & 4 Burner Hooded Trolley Barbecues with Optional Side Burner (AGA Cert 5602) Model: Cordon Bleu, Cordon Bleu Twin Side Burner Note: The 6 Burner option is a combination of the 2 & 4 Burner units	N		P
7544	9.09	GLG 2 Burner Outdoor Trolley Mounted or Tabletop Barbecues Model: Billabong			P
7545	10.09	GLG 2 & 4 Burner Freestanding or Trolley Mounted Barbecues Downunder Solid Plate			P
7546	9.09	GLG 4 Burner Hooded Trolley Barbecue with Side Burner Option Model: Downunder Hood G4DHTH, G4DHCH, G4DHCSH, G4DHTJ, G4DHCJ, G4DHCSJ			P
7547	9.09	GLG Solid Plate 4 Burner Barbecue Model: Footymaster			P
7548	10.09	GLG 3, 4 & 6 Burner Hooded Trolley Mounted Barbecue with Optional Sideburner Model: Beefmaster 3 Burner, 4 Burner, 4 Burner Premium, 6 Burner & 6 Burner Premium	N		P
7660	10.10	GLG Turbo 2 & 4 Burner Barbecues (options of combined 6 or 8 Burner with or without sideburner) trolley mounted or built-in Models: Elite, Classic Manufacturers model codes for reference only:- TC2J Classic 2b built in TC2CWWJ - Classic 2 b on cart with side shelves TC2CWSJ Classic 2 b on cart with s/b and side shelf TC4J - Classic 4 built in TC4CWWJ - Classic 4 b on cart with side shelves TC4CWSJ - Classic 4 b on cart with s/b & side shelf TC42J - Classic 4 + 2 built in TC42CWWJ - Classic 4 + 2 on cart with side shelves TC42CWSJ - Classic 4 + 2 on cart with s/b & side shelf TES2J - Elite 2 built in TES2CWWJ - Elite 2 on cart with side shelves TES2CDSJ Elite 2 on cart with side shelf & s/b TES4J - Elite 4 built in TES4CWWJ - Elite 4 on cart with side shelves TES4CDSJ - Elite 4 on cart with s/b and side shelf TES42J - Elite 4 + 2 built in TES42CWWJ - Elite 4 + 2 on cart with side shelves TES42CDSJ - Elite 4 + 2 on cart with s/b and side shelf	N		P
7661	8.10	Patiomaster Four Burner Hooded Cabinet Barbecue with Optional Sideburner Model: G4PMMJ			P
Mr Gregory Charles Smith T/as Fun Barbecues					
6382	1.03	FUN Barbeques 2, 3 and 4 Burner Trolley Mounted Barbecues Models: 2 BPCM, 2 BSSM, 3 BPCM, 3 BSSM, 4 BPCM, 4 BSSM PC – Powder Coated SS – Stainless Steel			P
7256	1.08	FUN Barbeques Outdoor Gas Barbecue Model: RRQ Ripper Roaster			P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Guangdong Chant Group Inc - Agent: Sitro Group Australia Pty Ltd						
6660	11.04	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Maxiheat and Jackeroo 4 and 6 Burner Pedestal and Trolley Barbecues Models: Stylus KL016, KL016N, KL017, KL017N, KL018, KL018N, KL109, KL109N Models: Vega KL030, KL030N, KL030BI, KL030BIN, KL031, KL031N, KL032, KL032N, KL033, KL033N, KL033BI, KL033BIN, KL034, KL034N, KL034BI, KL034BIN Model: Orion CH370 Models Galaxy: B4G0074B/E, B6G0076B/E, B4G0074B/SS, B6G0076B/SS, B4G0074B/EN, B6G0076B/EN, B4G0074B/SSN, B6G0076B/SSN Models: Vega Deluxe KL024D, KL025D, KL033D, KL034D, KL036D, KL024N, KL025N, KL033N, KL034N, KL036N Models: Vega Specialist BQ8232, BQ8241, BQ8246, BQ8243, BQ8270, BQ8266, BQ8262, BQ8265 *Denotes Propane Gas Only	N			P
			N		P	
			N		P	
			N		P	
			N		P	
7522	8.09	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Excalibur, Maxiheat & Jackeroo Pedestal & Trolley Barbecues Voyager & Executive – JBQ1000, JBQ1001, MBQ1000, MBQ1001, MBQ1002, MBQ2000, MBQ2001 Ultra 4 Waverley – BQ1017, BQ1018, KBQ1019, BQ8141, BQ8143 Cayman – JBQ1003	N		P	
			N		P	
			N		P	
			N		P	
Guangdong Chant Group Inc						
7514	8.09	Chant & Patio Two, Four & Six Burner Trolley Barbecue with Sideburner Models: BG108-A, BG108-B, BG1082B-B, BG1126BSS			P	
Guangdong Chant Group Inc - Agent: Masport Ltd						
7693	11.10	Chant, Masport Pedestal Trolley Barbecue with Side Burner Models: BG6284BS-R1, BG6286BE-R4, BG6286BE-R5, BG6286BE-R1, BG6286BE-R2			U	
Guangdong Kangye Electric Appliance Co Ltd						
7735	3.11	Kangye Trolley Mounted Outdoor Barbecues Models: KYQ-B401S, KYQ-B401SR, KYQ-B501S, KYQ-B501SR			P	
7752	3.11	Kangye Trolley Mounted & Bench Top Outdoor Barbecues Trolley Mounted BBQ Models: KYQ-301* Series, KYQ-401* Series, KYQ-501* Series, KYQ-601* Series Note: '*' = S, S-B, S-BG, SR, SR-B or SR-BG options KYQ-301* Series, KYQ-401* Series, KYQ-501* Series, KYQ-601* Series Note: '*' = S-M, S-BM, S-BMG, SR-M, SR-BM or SR-BMG options			P	
					P	
Hark Enterprises Pty Ltd						
7592	11.09	Coolabah & Hark Outdoor Vertical Gas Smoker Model: HK0508			U	
Hot Rod Grills LLC						
7650	7.10	Hot Rod Grills Two Burner Trolley Barbecue Model: HRG350			U	
Illusion Australia Pty Ltd						
7123	3.07	Illusion 3, 4 and 5 Burner Outdoor Barbecue Model: Azzura Options: Built-In, Trolley Mounted Steel/Timber, With/Without Roasting Hood, With/Without Side Burner, Stainless Steel/ Enamelled Steel Construction, With/Without Storage Cabinets	N		P	
7124	3.07	Illusion 2, 3 and 4 Burner Trolley Mounted or Folding Leg Fame Barbecue Model: Getaway			P	
7125	3.07	Illusion 4 Burner Trolley Mounted With/Without Roasting Hood, Side Burner Barbecue Models: Premier and Hotrocks			P	

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Masport Limited						
6870	12.05	Masport Maestro Deluxe Trolley Mounted 4 Burner Barbecues with Hood and Side Burner Maestro Deluxe Model KYQ-401E and Maestro Deluxe S/S Model: KYQ-401A				U
6965	6.06	Masport Ambassador Barbecue with Side Burner Models: FJL-4G (Ambassador Plus) FLJ-17C (Ambassador Deluxe)				U U
Melbourne Barbecue Centre Pty Ltd						
5340	4.99	MBC Series Coin Operated and Push Button Barbecues Model: MBC-7 (Coin Operated) and MBC-8 (Push-Button)	N			P
7265	5.08	Leisure Time 4 Burner Solid Hotplate Barbecue Model: MHP4 (Mobile Version) Model: BHP4 (Built-in Version)	N N			U U
Nexgrill Industries Inc (PRC)						
7511	5.09	Nexgrill, Matador, Renaissance, The Gourmet, Avid Outdoor and Warratah 4, 5 & 6 Burner Trolley Mounted Hooded Barbecues With/Without Rostisserie and Side Burners Models: 720-0149, 720-0153, 720-0310, 720-0326, 720-0327				P
7690	8.10	Nexgrill 3 & 4 Burner (with Sideburner) Trolley Barbecues Models: 720-0718, 720-0719*, 720-0670A, 720-0697 *Denotes Colour Finish K=Black, B=Blue, R=Red				P
Nomalon Imports Pty Ltd						
6371	4.03	Viking Built-In or Trolley Hooded Barbecues Models VGBQ300-2RT, VGBQ412-2RT, VGBQ410-3RT, VGBQ532-3RT and VGBQ530-4RT	N			P
Ocean Solutions Pty Ltd						
7080	1.07	Force 10 Marine Barbecues Models: 83722 (Stow N' Go) and 83756 (Sea Grill 180)				P
Power Pack Entertainment Pty Ltd						
7200	12.07	Digilex Outdoor Barbecue Models: PGB-SS-6BS, PGB-SS-5BS, PGB-SS-4BS, PGB-CS-2B, PGB-CS-3B, PGB-CS-4B				P
Prolific Trading (Australia) Pty Ltd						
7701	1.11	Titan Barbecue Gas Grill Models: KS-C6024B-S and KS-C6025B-S				P
Rays Outdoors Pty Ltd						
7209	9.07	Wild Country Single Burner Portable Barbecue Model: 8103P-2				P
7210	12.07	Wild Country Two Burner Barbecue with Roasting Hood Model: ER-8203C-2B				P
7470	8.09	Wild Country Renaissance 4 & 5 Burner Barbecues Renaissance 4 Burner Model: T30LP Renaissance 5 Burner Model: T60LP				P P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Rinnai Australia Pty Ltd					
6817	8.05	Rinnai Gourmet and Impressor 3, 4, 5, 7, 8 and 10 Burner Hooded Cabinet Style with Side and Back Burners plus 3 and 5 Burner Inbuilt Cabinet Style Models:			
		Gourmet 3, 4, 5	N		U
		Impressor 5, 7, 8, 10	N		U
		Inbuilt Models:			
		Gourmet 3IB	N		U
		Impressor 6IB	N		U
Shillito Pty Ltd					
7065	12.06	Euro Grand KYQ Series Outdoor Barbecue Grills with Hood and Side Burner Models: KYQ-301s, KYQ-401s, KYQ-B401sr and KYQ-501s			P
Shriro Australia Pty Limited					
6305	9.02	Everdure Classic 2, 4 and 6 Burner Built-in and Trolley Barbecues with Optional Servery Wok Burner			
		2 Burner Model: Tasman	N		P
		4 Burner Models: Nullarbor, Atherton, Flinders, Norfolk, Norfolk Series II, Daintree, Daintree ESEE, Kimberley, Kimberley ESEE	N		P
		6 Burner Models: Ashburton, Ashburton ESEE, Stirling & Stirling ESEE	N		P
6995	8.06	KL029S Series 4 & 6 Burner Barbecues with/without Hood and Wok Burner			
		Sundance Models: Hero, Horizon, Meridan, Nuvo and Outlander			PU
		Red Rock Models:			
		Rules, Star, Spirit, Icon and Mallee			PU
		Star Six, Spirit Six			P
		Jumbuck Model: Exclusive to Bunnings			PU
		Coolabah Model: Exclusive to Aldi			PU
		Renaissance Model: Fornello			PU
		Brahman Model: Fornello II			PU
Sitro Group Australia Pty Ltd					
5221	3.95	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Jackeroo and Renaissance 4 & 6 Burner Trolley Barbecues			P
		Models: Caterer GC22-4T & GC22-6T			
		Getaway – BQ1007 & RBQ1007			P
6428	7.03	Gasmate, Gasmaster, Jumbuck, Jackeroo and Eurolec Post Mounted Hooded – Rio Series Models G2006I and G2006 (B)			P
7133	9.07	Gasmate, Gasmaster, Jumbuck, Jackeroo, Matador, Taurus & Torero 4 Burner Barbecue with Side and Back Burners			
		Models: BQ1006, BQ1008, G61001, G61001/NSS, G61008	N		P
7173	9.07	Gasmate, Gasmaster, Jumbuck, Jackeroo 2 Burner Barbecues with Hood Model: Dockside Duo JG30508			P
7343	9.08	Gasmate, Jumbuck, Gasmaster, Jackeroo Outdoor Pizza Oven			
		Models: PO104, PO105, PO106, PO109, PO110	N		P
7345	10.08	Gasmate, Jumbuck, Jackeroo Spit Roaster Barbecue Model: GSB200			P
7570	11.09	Gasmate, Jumbuck, Matador, 4 Burner Barbecue with Side Burner			
		Models: BQ1009W, BQ1009B, JBQ1009W, JBQ1009B, MBQ1009W, MBQ1009B	N		P
		Note: W- White/Black; B – Black			
7673	9.10	Gasmate, Jumbuck & Jackeroo Spit Roaster Barbecue Model: GSB300			P
7680	1.11	Gasmate, Jumbuck, Jackeroo & Matador Grill Cart Module (Barbecue and Wok Burner) Model: G21201-GC	N		P
Smeg SpA - Agent: Omega Appliances, A Div of Hagemeyer Brands Australia Pty Ltd					
6844	10.05	Smeg 2 or 3 Burner Freestanding Barbecues			
		Models: BQ60R, BQ60P – 2 ‘U’ Shape Burners	N		U
		Models: BQ90R, BQ90P, BQ90TA – 3 ‘U’ Shape Burners	N		U
		Models: BQ91TA – Three ‘H’ Shape Burners	N		U
Southern Stainless Pty Ltd					
5653	12.98	Cookout Marine/Outdoor Stainless Steel Barbecue			
		Models Standard SS001, Standard Grill SS002, Jumbo SS003 and Jumbo Grill SS004			P
Sunbeam Corporation Ltd					
7413	12.08	Sunbeam Innovo Domestic 2 Burner Barbecue			
		Model: GB2100			U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Team Dragon International Ltd - Agent: EXIM Asia Ltd					
7507	6.09	Fireking and Master Grill Domestic Outdoor Gas Barbecue Models: FKG-A823101-S, FKG-A823102-SR, FKG-A823112-R FKG-A824101-S, FKG-A824102-SR, FKG-A824112-R FKG-A825101-S, FKG-A825102-SR, FKG-A825112-R FKG-A826101-S, FKG-A826102-SR, FKG-A826112-R Note: All models are either branded Fireking or Master Grill Option of left or right side cabinets, suffix "OK" added to the model number.			P
The Trustee for SMH Trust T/as Sovereign BBQ's					
6360	12.02	Sovereign Marine & RV Barbecue Models: Alpha, Bravo, Bushman, Outback			PU
TPA Metals and Machinery (Shenzhen) Co Ltd					
5714	6.98	Del Terra Club II, Everchef Roma, Hotrocks, Kleenheat Gas House Star FT2, Masport Portable 2, Renaissance Club 2, Renaissance Club 4, Wild Country Clyde, Wild Country Duo, TPA & Seasonal Living - 2 and 4 Burner Barbecues Models: TG2202, TG4202, TG2202/2G, TG4202/2G & TRG4202			P
6154	7.01	Bondi, Del Terra Bondi, Hotrocks, Outback Town and Country, Tasman 1, Tasman 2, Lets Live Outdoors, Red Centre, Coolabah Models: MM200, WG1602-1 & WG 1607			P
6325	10.02	Del Terra Mackay, Hotrocks, JDS Del Terra Avoca Deluxe, Jumbuck, Masport, Masport Maestro 3, Outback, Renaissance Grand Deluxe, Wild Country Grand Deluxe, Seasonal Living & Patio™ by Jamie Durie 3 and 4 Burner Trolley Models: TCG3200, TCG3212 & TCG4200 ModelS: TCG4200-1 & TCG4200-2	N		P P
7025	9.06	Masport Maxi Grill 4, Gas Craft Barcelona, Gas Craft Madrid, Red Centre, Seasonal Living, Lets Live Outdoor, Renaissance, Coolabah 2, 3 and 4 Burner Trolley Barbecues with optional side burner Models: TCG2203, TG3205, TG4205, TRG4207, TRG4207 3B, TRG4209E, THG4207, THG4207-2, THG4207-2B1			P P
7329	11.08	Single Burner Barbecue Hotplate Models: TR08A, TR08C, TR08D			P
7332	7.08	Patio™ by Jamie Durie – One Combined Burner Hooded Trolley Barbecue Model: Excel 200			P
7335	8.08	Single Burner Barbecue Hotplate TPA, Seasonal Living, Patio™ by Jamie Durie Model: TR08B			P
United Four Co Ltd					
6354	12.02	Solimar, Metro, Aussie, Eureka, U4B, Arana, Coolabah Trolley Barbecues Models: GB1363, GB1363H, GB1363-10, GB1363H-10 (3 Burner) GB1364, GB1364H, GB1364HS, GB1384H, GB1364-10, GB1364H-10, GB1364HS-10, GB1384H-10 (4 Burner) GB1366, GB1366H, GB1366HS, GB1366-10, GB1366H-10, GB1366HS-10 (6 Burner)			P P P P
7484	6.09	U4B, Solimar and Patio Trolley Barbecue Model: GB7540			P
Veysel's International Import & Export Pty Ltd					
7510	7.09	Superior Domestic Vertical Kebab Machine Model: KMB2D	N		U
VJ Bonino, HA Investments Pty Ltd & LtdMar T/as Tucker-Mate					
7357	10.08	Tucker-Mate 6 Burner Barbecue Model: KS-C6025BS No. 2 & TM-BBQ-SS62DLR	N		P
Weber-Stephen Products LLC - Agent: Weber-Stephen Products Co (Australia) Pty Ltd					
4532	7.90	Weber Spirit Series Barbecues Models: E210, EP210, E310, EP310, E320 & EP320	N		U
6454	7.03	Weber Q Portable Barbecue Models: Q100, Q120, Q200 and Q220 (with battery ignition)	N		P
6963	10.06	Weber Q 300 Portable Barbecue Models: Q 300 NG, Q 320 NG, Q 300 LP & Q 320 LP (with battery ignition)	N		P
7165	12.07	Weber Summit Series Barbecues Models: S420, S440, S450, S620, S640, S650 – Stainless steel panels Models: E420, E440, E450, E620, E640 & E650 – Enamel finish panels	N N		U U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

Weber-Stephen Products LLC - Agent: Weber-Stephen Products Co (Australia) Pty Ltd Continued

7166	12.07	Weber Genesis Series Barbecues Models: E-310, E320, S-310 and S-320	N		U
------	-------	------------------------------------------------------------------------	---	--	---

Wesfarmers Kleenheat Gas Pty Ltd

4461	3.90	Kleenheat KCOBQN & KMOBQL Coin Operated Barbecues	N		P
------	------	---------------------------------------------------	---	--	---

Woodland Home Products Pty Ltd

3986	9.85	Beefeater and Kleenmaid Inbuilt or Trolley Barbecues with Optional Hoods and Side Burners Beefeater Barbecue Models: Signature S3000S, S3000SF, S3000E, ODK, St George and S4000S (3, 4, 5 and 6 Burner, Porcelain, Enamel or S/Steel Finish) Balcony (2 Burner) Note: All Beefeater BBQ models are available with optional hood, 12V rotisserie and light and Beefeater side burner. Optional Beefeater Side Burner Trolleys: Jarrah Designer (Metal & Timber), Kempas (Hardwood), Deluxe Full Jarrah, (JTR), Deluxe & Standard (Metal and S/Steel), Pedestal (S/Steel and Metal), Signature Plus (S/Steel), Designer (Metal), Standard (HWT – Hardwood) and Signature SL4000S Kleenmaid Barbecue Models: Professional (3 and 4 Burner with S/Steel Hood) Available with s/steel pedestal, Signature Plus Trolley, s/steel side burner, 12V rotisserie and light Professional (5 Burner with S/Steel Hood) Available with Signature Plus Trolley, s/steel side burner, 12V rotisserie and light Kleenmaid Professional Side Burner	N		P
6308	8.02	Beefeater 2, 3, 4 and 5 Burner Barbecues Models: Discovery I 1000, Discovery I 1000S, Discovery, Discovery Plus, 500i & Outdoors Kitchen With Optional Hood, Trolley and Side Burner	N		P
7390	8.09	Beefeater Two Burner Portable Barbecue Model: Sportzgrill			P
7516	8.09	Beefeater 4 Burner Solid Plate Barbecue Model: Clubman	N		U
7519	8.09	Beefeater 2, 3, 4 & 5 Burner Trolley Mounted Barbecue Models: 900 Series (2B, 3B, 4B, 5B) With Optional Hood, Side and Rotisserie Burners	N		P

Zagreb Investments Pty Ltd

7414	1.09	BBQnique Freestanding Table Top Style Pedestal Barbecue Model: 304SS			P
------	------	-------------------------------------------------------------------------	--	--	---

OUTDOOR BARBECUE GRILLERS (AG 107)

M & A Mead Investments Pty Ltd T/as Heatlie Engineering

4883	5.96	Heatlie BBQ Series 700, 850 and 1150	N		P
5822	2.00	Heatlie Roaster Model RB1000DS			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

DECORATIVE APPLIANCES

GAS LOG FIRES (AS 4558/AG 108)

Note 1: The appliances listed below are decorative only and not regarded as space heaters.

Energy Labelling requirements do not apply and, therefore, no star rating is applicable.

Note 2: Type 1 is for approved fireplaces and Type 2 is a stand-alone or an appliance with complete assembly.

Current Line Europe Pty Ltd

7487	5.09	Chazelles Gas Fired Decorative Fuel Effect Heater Model: CG150	Type 2	N	
------	------	----------------------------------------------------------------	--------	---	--

Escea Ltd - Agent: Glen Dimplex Australia Pty Ltd

7427	2.09	Escea Outdoor Decorative Fire Model: EF5000 Note: As the fireplace is flueless and designed for outdoor use only it does not have a type classification.		N	P
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---	---

Firefox Industries Pty Ltd

6386	1.03	OFP2.7GF Series Decorative Effect Gas Log Fires Models OFP2.7GF-ME and OFP2.7GF-ZC	Type 2	N	
------	------	------------------------------------------------------------------------------------	--------	---	--

Fireplace Products Australia Pty Ltd

7493	5.09	Regency Gemfire 54 Room Sealed Decorative Gas Fireplace Model: Gemfire 54 Note: Also suitable for New Zealand Natural Gas	Type 2	N	PU
7500	6.09	Regency Decorative Effect Fire P33 Sunrise Models: P33S-NG P33S-LPG P33S-ULPG Note: Also suitable for New Zealand Natural Gas	Type 2 Type 2 Type 2	N	P U

Hearth & Home Technologies Inc – Agent: Jetmaster (Vic) Pty Ltd

5669	6.98	Heat-N-Glo Decorative Gas Log Fire Models: GRL-24-AUB & GRL-700-AU	Type 1	N	P
5982	7.00	Heat-N-Glo Decorative Log Fires Model Mystifire-I-AU Model Mystifire-I-AU with either Heat-N-Glo Firebox Model BW36 or Jetmaster Firebox Model 850	Type 1 Type 2	N N	P P
7145	9.07	Heat-N-Glo Outdoor Fireplace Model: Dakota-AU Model: Dakota LP-AU Note: As the fireplace is flueless and designed for Outdoor Use Only it does not have a type classification		N	P
7509	7.09	Decorative Gas Log/Rock/Onyx Fire Soho-N-Au (Sub Models Studio CE/24/Box)	Type 2	N	

Hearth & Home Technologies Inc

7671	7.10	Agent: Jetmaster Fireplaces Australia (Pty) Ltd Heat-N-Glo type 1 Decorative Log Fireplace Insert Model: GRL-850-AU Model: GRL-850LP-AU	Type 1 Type 1	N	P
		Agent: Jetmaster (Vic) Pty Ltd Heat-N-Glo type 1 Decorative Log Fireplace Insert Model: GRL-850-AU Model: GRL-850LP-AU	Type 1 Type 1	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS				
			Nat	TLP Town	LPG		
Illusion Australia Pty Ltd							
7094	6.07	Decorative Effect Gas Log Fire Heater Matrix GFX-L (Large)				N	
7119	3.07	Illusion Decorative Gas Log Fire Models: Crystal and Diamond FNG/ING/ZNG	Type 2			N	
7120	3.07	Illusion Freestanding and Inbuilt Gas Log Effect Space Heater Model: Trilogy	Type 2	14 230	1.0/30°	N	
Jetmaster Fireplaces Australia Pty Ltd							
4958	5.93	Jetmaster and Kemlan Decorative Gas Pebble/Coal Effect Fire 500MK2, 600MK2, 700MK2, 700MK2P/C, 800MK2P/C and 800MK2 P denotes – Pebbles and C denotes – Coals 600MK3* and 700MK3* * Denotes Natural gas only	Type 1			N	P
5144	10.94	Jetmaster, Agnews and Kemlan Decorative Gas Coal Fire Federation 300	Type 1			N	P
6248	4.02	Jetmaster and Kemlan Decorative Log Fire 600 MK IV and 700 MK IV	Type 1			N	P
6671	12.04	Jetmaster and Kemlan Gas Log Fire Model: 850 Mark IV	Type 1			N	P
7532	1.10	Jetmaster and Kemlan Outdoor Decorative Gas Log Fires Models: 700 Inbuilt & 700 Freestanding	Type 2			N	P
Jetmaster (Pty) Ltd							
5527	9.97	Jetmaster De Luxe Gas/Coal Effect Fires Models: D/L 600GG, D/L 700GG and D/L 850GG	Type 1			N	P
Multiglow Fires - Agent: Stepneys Restoration							
6259	8.02	Multiglow Decorative Coal Effect Fires Genesis III 18" and 27"	Type 1 or Type 2			N	P
Pecan Engineering Pty Ltd							
4464	12.89	Pecan Decorative Effect Log or Coal Fire Model: AF18 OF	Type 1			N	
5476	11.96	Nectre Decorative Coal Effect Fires Models: GC290, GC420, GC290C GC420C	Type 1			N	P
5865	7.99	Pecan Decorative Gas Log or Coal Effect Fire Model Wonderfire FFB	Type 2			N	
6244	7.02	Nectre Log Effect Gas Log Fire Model: GL650 (Grand) Note: Type 1 or Type 2 installation depends on application, i.e. Open masonry fireplace or convector box. Flueing requirements must be considered. Refer to manufacturer for installation options.	Type 1 or Type 2			N	P
Real Fires New Zealand Ltd							
7281	4.08	Flameboyant Decorative Effect Gas Fire Model: Solitaire	Type 2			N	PU
7512	7.09	Real Fires Inbuilt Decorative Effect Gas Fire Model: RF800 (Electronic & Manual Version)	Type 2			N	P
7736	5.11	Flameboyant Decorative Gas Fires Model: Illusion 1800	Type 2			N	U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Real Flame Pty Ltd					
6094	6.01	Real Flame Magiglo Series Log and Coal Effect Models 750, 540, 400, 360 and 320 Models 750EI and 540E Models 750EI, 540EI, 400EI, 360EI and 320EI Models 750PF, 540PF, 400PF, 360PF and 320 PF Note: Type 1 or Type 2 installation depends on application, i.e. open masonry fireplace or zero clearance fire boxes – Models Heatseeker, Hotbox, Register, Modular or Builders. Also, flueing requirements must be considered. Refer to manufacturer for further information relating to installation options.	Type 1 or Type 2 Type 1 or Type 2 Type 1 or Type 2 Type 2	N N N N	P P P P
6731	1.05	Real Flame Log and Coal Effect Model 850 Double Sided Firebox with Magiglo 540 Double Sided Burner	Type 2	N	P
Rheem Australia Pty Ltd (Vic)					
6781	7.05	Raypak Outdoor Fireplaces Model ODGSR36ANAU Model ODGSR36APAU Note: As the fireplace is flueless and designed for outdoor use only it does not have a type classification. Also appliance must be installed in a location protected from rain.	N/A N/A	N	P
Rinnai Australia Pty Ltd					
6906	4.06	Rinnai Decorative Coal/Riverstone Effect Gas Fire Model: Constellation 800 Model: Constellation 1000 Note: Front panel may be black paint or stainless steel finish.	Type 2 Type 2	N N	P U
7408	2.09	Rinnai Outdoor Gas Fires Models: ROF 4500 DBML, ROF 4501 DBML, ROF 4502 DBML Models: ROF 4100 DBMN, ROF 4101 DBMN, ROF 4102 DBMN Note: As the fireplace is flueless and designed for outdoor use only it does not have a type classification.		N	U
EXTERIOR LIGHTS					
Aqua Bio Systems Pty Ltd – T/as ABS Technologies					
5639	4.98	ABS Technologies Outdoor Gas Lights Models ABS200, 300, 400, 900, 1000, 1100, 1200, 1700, 1800, 1900 and 2000		N	U
Aussie Lifestyle Industries Pty Ltd					
6033	8.00	Aussie Lifestyle DGF Series Gas Flare Models DGF01 and DGF03 Cone Flare and DGF02 Cylindrical Flare Portable or Fixed Versions Manual or piezo ignition (Suffix M in Model ID's indicates manual ignition)		N N	P P
Gas Care Services Pty Ltd					
5642	5.98	Sugg Model WIN.12G (C5 Post L40 Lantern), Post Mounted		N	
Sitro Group Australia Pty Ltd					
6968	7.06	Gasmater, Gasmate, Jumbuck, Coolabah Outdoor, Maxi Heat and Jackeroo PF and PFNG Series Gas Flares Models: PFH109, PF105, PF109, PF105DPP, PF109CCR Models: PFNGP109, PFNGWL105, PFNGWC105, PFNGH109		N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG

SWIMMING POOL AND SPA POOL HEATERS (AS 4560)

Astral Pool Australia Pty Ltd

5163	10.94	Hurlcon Pool and Spa Heater Models: HX120, WX120 Internal and External	N		P
5315	10.98	Hurlcon Pool and Spa Heater Models: HX70 & WX75 Internal and External	N		P
6690	12.04	Hurlcon JX Series Internal and External Wall Hung Spa/Pool Heaters Models: JX130 and JX160	N		U
7254	12.07	Hurlcon Viron Series Internal and External Pool and Spa Heaters Viron Models: 250, 350, 450, 550 with DSI 250 with DSI 250, 350, 450, 550 with Interrupted Pilot	N		P

Rheem Australia Pty Ltd (Vic)

2683	4.78	Raypak and Davey Pool and Spa Heaters Raypak Models: P0127NNO & P0167NNO P0127PNO & P0167PNO Davey Models: P0127NNO/Davey & P0167NNO/Davey P0127PNO/Davey & P0167PNO/Davey	N		P
5389	5.96	Raypak and Davey Swimming Pool and Spa Heaters Raypak Residential Models: P0200-N, P0280-N, P0350-N, P0430-N P0200-P, P0280-P, P0350-P, P0430-P Raypak Premium Models: PC0280-N, PC0430-N PC0280-P, PC0430-P Davey Residential Models: P0200-N/Davey, P0280-N/Davey, P0350-N/Davey, P0430-N/Davey P0200-P/Davey, P0280-P/Davey, P0350-P/Davey, P0430-P/Davey Davey Premium Models: PC0280-N/Davey, PC0430-N/Davey PC0280-P/Davey, PC0430-P/Davey (Suffix 'RW' indicates right hand water connections) (Suffix 'N' denotes Natural gas) (Suffix 'P' denotes Propane gas)	N		P
6508	10.03	Raypak and Davey Pool/Spa Heater Raypak Models: P0131 NCO/OD P0131 PCO/OD Davey Models: P0131 NCO/OD/Davey P0131 PCO/OD/Davey	N		P

Waterco Limited

5051	10.93	Waterco Pool and Spa Heater (Gas Pack) Model: S & P 2000E	N		P
------	-------	-----------------------------------------------------------	---	--	---

SWIMMING POOL AND SPA POOL HEATERS (AG 110)

Astral Pool Australia Pty Ltd

5583	10.98	Hurlcon MX Series Pool and Spa Heater, Internal and External Models: MX100, 150, 200, 250, 300, 400 and 500	N		PU
------	-------	-------------------------------------------------------------------------------------------------------------	---	--	----

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG

MISCELLANEOUS APPLIANCES

Cesco Equipment Pty Ltd

7379	10.08	Gas Powered Electrical Generator Models: CC700, CC1200, CC1500, CC2000, CC2500, CC3000, CC4000, CC5000, CC6000XT Standards: AS 4617 – 2004 – Manual Shut-Off Gas Valves AS 4621 – 2004 – Regulators for use with Liquefied Petroleum – Vapour Phase AS 4629 – 2005 – Automatic Shut-Off Valves & Vent Valves Note: Also assessed to specified requirements of:- AS 3814 – 2005 Industrial & Commercial Gas Fired Appliances	N	P
------	-------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

COMMERCIAL CATERING EQUIPMENT – SAFETY CERTIFICATION

Note: As of July 2003 all Commercial Catering Equipment will be assessed to AS 4563. Certificates which have been assessed to AS 4563 have been listed accordingly, those that have yet to be assessed remain temporarily listed under the previous standard.

BOILING TABLES (AS 4563)

B & S Commercial Kitchen Appliances Pty Ltd

6988	7.06	B&S BT Series Boiling Tables Models: BT-SB2, BT-SB4, BT-SB6 and BT-SB8	N	P
7460	3.09	Combination Appliances Incorporating Boiling Tables, Chargrills and Griddles Hotplates 600 mm Wide Combinations BT-SB2-GRP-3, BT-SB2-CGR-3, CGR-3-GRP-3	N	P
		900mm Wide Combinations BT-SB2-GRP-6, BT-SB4-GRP-3, BT-SB2-CGR-6, BT-SB4-CGR-3, CGR-3-GRP-6, CGR-6-GRP-3, BT-SB2-GRP-3-CGR-3	N	P
		1200mm Wide Combinations BT-SB2-CGR-3-BT-SB2-CGR-3, BT-SB2-CGR-3-GRP-6, BT-SB2-CGR-6-BT-SB2, BT-SB2-CGR-6-GRP-3, BT-SB2-CGR-9, BT-SB2-GRP-3-BT-SB2-GRP-3, BT-SB2-GRP-6-BT-SB2, BT-SB2-GRP-9, BT-SB4-CGR-3-GRP-3, BT-SB4-CGR-6, BT-SB4-GRP-6, BT-SB6-CGR-3, BT-SB6-GRP-3, CGR-3-BT-SB2-GRP-3-CGR-3, CGR-3-BT-SB4-CGR-3, CGR-3-GRP-3-CGR-3-GRP-3, CGR-3-GRP-6-CGR-3, CGR-3-GRP-9, CGR-6-GRP-6, CGR-9-GRP-3, GRP-3-BT-SB2-CGR-3-GRP-3, GRP-3-BT-SB4-GRP-3, GRP-3-CGR-6-GRP-3	N	P
		*All combination models can be grouped in any order and are not constrained by the order of the model code.		
7587	10.09	B & S Boiling Table Model: CSP-1	N	P
7774	6.11	B & S Commercial Wok Boiling Table UFW and UFWW Series UFW and UFWW Series UFW - A - B - C - D - E - F - G UFWW - A - B - C - D - E - F - G Note: A: D Deluxe model (where applicable) B: Number of wok burners 1 One wok burner 2 Two wok burners 3 Three wok burners 4 Four wok burners C: Burner type with corresponding number of type RB1, RB2, RB3, RB4 Ring burner DB1, DB2, DB3, DB4 Duck bill burner CB1, CB2, CB3, CB4 Chimney burner D: SB Number of side burners (1 to 6) (where applicable) E: LS Low splashback (where applicable) F: RSC Round soup containers (where applicable) G: SSC Square soup containers (where applicable)		

Comcater Pty Ltd

SC381	5.04	Garland/U.S. Range Commercial Target Top Boiling Table with/without Oven Models: MST45 (R, RC, S, T) (E) and MST5 (S, T) (E)	N	P
		Key to suffixes: R - standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition		

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Food Equipment Distributors Pty Ltd					
7534	11.09	FED and Gasmax Commercial Boiling Tables Models: RB-2, RB-4 & RB-6	N		P
7643	4.10	FED 4 and 6 Burner Commercial Range & Boiling Table Models: JZH-RP-4, JZH-RP-6, JZH-CRP-4, JZH-LRP-4, JZH-LRP-6 JZH-TRP-4, JZH-TRP-6	N		P
GIGA Grandi Cucine s.r.l - Agent: Scots Ice Australia Pty Ltd					
7297	5.08	Emme Commercial Boiling Table Models: M62 and M64	N		P
J Goldstein & Company Pty Ltd					
6250	3.02	Goldstein Commercial Boiling Tables Models: PFB-12, PFB-24, PFB-36, PFB-48, PFB-12G-2, PFB-24G-2, PFB-24G-4, PFB-36G-2, PFS-24, PFS-36, PFS-48, PF12, PF24, PF36, PF48, PF60, CS-4, PFB-12/SB12, PFB-24/SB24, PFB-36/SB36 PFB-48/SB48, PFB-12G-2/SB24, PFB-24G-2/SB36, PF-12G-2, PF-12G-4, PF-24G-4, PF-36G-2 Suffix 'G' in model description indicates Griddle fitted	N		P
Moffat Ltd					
6872	10.05	Blue Seal and Waldorf Gas Target Tops Blue Seal Model: G57 G57-B, G57-CB, G57-LS, G57-RB Waldorf Model: RN8100G RN8100G-B, RN8100G-CB, RN8100-LS, RN8100G-RB, RNL8100G-B, RNL8100G-CB, RNL8100G-LS, RNL8100G-RB	N		P
7225	10.07	Cobra Commercial Cooktop with/without Griddle and Oven C6 (1) (2) Gas Cooktop, 600mm wide C9 (1) (2) Gas Cooktop, 900mm wide CR6 (1) (2) Gas Range Static Oven, 600mm wide CR9 (1) (2) Gas Range Static Oven, 900mm wide (1) Griddle Section A -900mm wide griddle B -600mm wide griddle C -300mm wide griddle D -no griddle (2) Open Burner Sections - Standard burners only F -With flame failure	N N N N		P P P P
Rinnai Australia Pty Ltd					
7508	5.09	Rinnai Gas Rice Cooker Model: RER – 55AS N Model: RER – 55AS L	N		U
888 Importing Pty Ltd					
7723	11.10	Sheffield Commercial Open Top Boiling Table Models: 2BBT, 4BBT, 6BBT, 8BBT	N		

BOILING TABLES (AG 301)

Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd

6191	6.02	Fagor Model HPG-15 Stockpot Burner	N		P
------	------	------------------------------------	---	--	---

CHINESE COOKING TABLES (AS 4563)

B & S Commercial Kitchen Appliances Pty Ltd

4434	5.89	Ricemaster Automatic Rice Cooker Model RC50	N		P
------	------	---------------------------------------------	---	--	---

Delta Group Industries Aust Pty Ltd

5879	6.99	D.G.I. Chinese Wok Boiling Tables Model: WH 2-3-99 (Water Cooled Wok) Model: WH 4-8-99 (Waterless Wok)	N N		P P
------	------	--------------------------------------------------------------------------------------------------------------	--------	--	--------

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Food Equipment Distributors Pty Ltd					
6149	8.01	General Chinese Cooking Table Models: 1 Wok12/14, 1 Wok12/14OB*, 2 Wok12/14, 2 Wok12/141OB*, 2 Wok12/142OB*, 3 Wok12/14, 3 Wok12/14OB* Chimney Wok Burner (Natural Gas only), Duckbill Wok Burner, Side Boiling Burner. * 'L' – Left or 'R' Right Side	N		P
J Goldstein & Company Pty Ltd					
2757	6.78	Goldstein CW Series Chinese Cookers Models: CW, CW-1, CW-2, CW-3, CW-2B2, CW-3B2 CW-5B2, CWC-2, CWC-R/R and CWL-2 These models have the option of a standard, Mongolian or Duckbill burners Model: SP-1855 (Standard burner only)	N		P
7247	12.07	Goldstein Chinese Cooking Table Models: CWA1, CWA1B2, CWA2, CWA2B2, CWA3, CWA3B2	N		P
J & J Industry Pty Ltd					
6285	6.02	Chinese Wok Cooker Models: JCW1 (1 Wok Burner), JCW2 (2Wok Burners), JCW3 (3 Wok Burners), JCW1-B (1 Wok and 2 Boiling Burners), JCW2-B (2 Wok and 2 Boiling Burners), JCW3-B (3 Wok and 3 Boiling Burners), JCW0-B (2 Boiling Burners) and JCW0-2B (4 Boiling Burners)	N		
LKK Food Equipment Ltd - Agent: Complete Commercial Catering Equipment Pty Ltd					
7756	6.11	LKK Commercial Wok Table Wok Table Jet Burner LKK1B, LKK2B, LKK3B, LKK4B, LKK5B Wok Table Chimney Burner LKK1BC, LKK2BC, LKK3BC, LKK4BC, LKK5BC	N		U
Luus Industries Pty Ltd					
5890	7.99	WF and WL Series Chinese Cooking Tables Models: WF-1C, WF-2C, WF-2C2B, WF-3C, WF-1SP, WL-1C, WL-2C, WL-2C2B, WL-3C and WL-1SP Note: WL Series is Waterless	N		P
7768	6.11	Luus Commercial Chinese Super Wok Cooking Table Model: WS-1A (Superwok)	N		
Rodos Commercial Kitchen Equipment					
4583	6.90	Rodos Chinese Cooking Table Model: 2-900G	N		
Time Service Holding Pty Ltd					
6883	12.05	Time Chinese Wok Stove CW-D1, CW-D2, CW-H1, CW-T1, CW-H2, CW-T2, CW-D1H1, CW-D1T1, CW-D3, CW-H3, CW-T3, CW-D1B2, CW-D1B4, CW-D2B1, CW-D2B2, CW-D2B4, CW-H1B2, CW-T1B2, CW-H1B4, CW-T1B4, CW-H2B1, CW-T2B1, CW-H2B2, CW-T2B2, CW-H2B4, CW-T2B4, CW-D1H1B1, CW-D1T1B1, CW-D1H1B2, CW-D1T1B2, CW-D1H1B4, CW-D1T1B4, BT-2, BT-4, BT-6, BT-8, CWS-T1, CWS-T2, CWS-T3, CWS-H1, CWS-H2, CWS-H3, CWS-T1H1, CWS-T1B2, CWS-T1B4, CWS-T2B2, CWS-T2B4, CWS-H1B2, CWS-H1B4, CWS-H2B2, CWS-H2B4, CWS-T1H1B2, CWS-T1H1B4 Note: B, BT Boiling Burners available both with FFD (BF) and without (BP)	N		P
Tom Stoddart Pty Ltd					
7223	12.07	Culinaire Asian Cooking Table Models: CACT.1, CACT.1.2B, CACT.2, CACT.2.2B, CACT.3, CACT.3.2B, CACT.4	N		P
Tu's Brothers Pty Ltd					
6093	12.00	Supertron Chinese Cooking Table (Wok) With/Without Boiling Burners Models: R17-W, R14-W, R13-W and R7-W Note: Appliance either single or multi-burner configured.	N		P
7231	10.07	Supertron Waterless Wok Table Models: 2NW – 14R and 4NW – 14R	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
888 Importing Pty Ltd					
7286	3.08	Wok888 Chinese (Waterless Wok) Cooking Table Models: 1B FB CH, 2B FB CH, 3B FB CH	N		P
7287	3.08	Wok888 Chinese (Waterless Wok) Cooking Table Models: 1B CH. WL, 2B CH. WL, 3B CH. WL 1B DK. WL, 2B DK. WL, 3B DK. WL & 1LOWWB	N N		P P
CHINESE COOKING TABLES (AG 301)					
B & S Commercial Kitchen Appliances Pty Ltd					
3632	4.84	CCF Series Chinese Cooking Table A, C and Carmichael Burners B and D Burners	N N		P
3638	4.84	CC Series Chinese Cooking Table A, C and Carmichael Burners B and D Burners	N N		P
5706	5.98	CCF Hi-Pac Chinese Cooking Table with Power Burner	N		
Complete Commercial Catering Equipment Pty Ltd					
SC313	10.93	Model WTB-1 Chinese Wok Table	N		
SC344	9.00	CCCE WT Series Models WT1, WT2, WT3, WT4, WT5 & WT6 Wok Table Jet Burner	N		P
5823	4.99	Complete Counter Top Wok Model C-W1	N		P
6208	10.01	WTV Series Chimney Burner WTV1, WTV2, WTV3, WTV4, WTV5, WTV6	N		
RANGES (AS 4563)					
Ali SpA - Agent: Scots Ice Australia Pty Ltd					
6711	1.05	Baron Commercial Gas Ranges and Boiling Tables w/without Electric Ovens Models: 7PC/G400, 7PC/G800, 7PC/G120, 7PC/G160, 7PCV/G400, 7PCV/G800, 7PCV/G120, 7PCV/G160, 7PCF/G800, 7PCF/G120, 7PCF/G160, 7PCF/G812, 7PCF/GE800, 7PCF/GE812, 7PCF/GE120 & 7PCF/GE160 Note: GE Denotes Electric Oven	N		
7163	7.07	Baron Commercial Ranges w/without Oven & Open Cooktop Boiling Ranges 2, 4, 6 and 8 Burner Gas Cook Tops N9PC/G400 (2 burner), N9PC/G800 (4 burner), N9PC/G120 (6 burner) & N9PC/G160 (8 burner) 2, 4, 6 and 8 Burner Gas Cook Tops with Cabinet N9PCV/G400 (2 burner), N9PCV/G800 (4 burner), N9PCV/G120 (6 burner) & N9PCV/G160 (8 burner) 4, 6 and 8 Burner Gas Cook Tops with Gas Oven N9PCF/G800 (4 burner), N9PCF/G120 (6 burner) and N9PCF/G160 (8 burner) 4, 6 and 8 Burner Gas Cook Tops with Electric Oven N9PCF/GE800, N9PCF/GE120, N9PCF/GE160	N N N N N		P P P P
Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment					
6140	7.01	Angelo Po Gas Boiling Table/Oven - Featuring Solid Top or Cast Iron Plate Open Burner Models: 090FAA, 190FA, 190FAA, 290FA, 191FAG, 191FAAG, 191FAE, 191FAAE, 291FAG, 391FAG Cast Iron Plate Models: 090FAVA, 190FAB, 191FABG Solid Top (Target Top) Models: 190TPO 191TPG, 291TPCG	N N N		U U U
6416	7.03	Angelo Po Gamma Series Ranges and Boiling Tables Models: 0G0FA0, 1G0FA0, 2G0FA0, 2G0FA0B, 1G1FA0G, 1G1FA0GV, 1G1FA0E, 1G1FA0EV, 2G1FA0G, 2G1FA0GV, 2G1FADG, 2G1FADGV, 1G1FABG, 2G1FABG, 1G1FAGE, 1G1FAGVE	N		U
B & S Commercial Kitchen Appliances Pty Ltd					
4921	10.92	B & S Series L900 Oven Range Models: L-900-4 L-900-6	N N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Comcater Pty Ltd					
SC379	5.04	Garland MST 43 Boiling Table With/Without Oven Master Series Model: MST 43 (R, RC, S, T) (E) Key to suffixes: R – standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition	N		P
SC380	5.04	Garland/US Range MST Series Commercial Open and Closed Boiling Tables With/Without Oven Models: MST42, 44 and 54 (R, RC, S, T) (E) and MST4 (S, T) (E) Key to suffixes: R – standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition	N		P
SC382	5.04	Garland Master Series Closed Top Boiling Tables With/Without Static Convection Oven Models: MST 46 (R, RC, S, T) (E) and MST 6 (S, T) (E) Key to suffixes: R – standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition	N		P
5419	8.96	Garland Starfire Sentry Series Ranges Models: S28(E), S288(E), S286(RC)(E), S284(RC)(E), S283(RC)(E), ST28(E), ST288(E), ST286(RC)(E), ST284(RC)(E), ST283(RC)(E), ST280-45 and ST24GS Suffix: R – standard oven range RC - convection oven S - storage compartment base T - modular top section only E - optional electric pilot ignition	N		P
6652	9.04	Comcater, Rayo & Trueheat Range 2, 4 and 6 Boiling Burners With/Without Oven and With/Without Solid Grill Top Models: R90-6, R90-0-90G, R90-2-60GL, R90-2-60GR, R90-4-30GL, R90-4-30GR T90-6, T90-0-90G, T90-2-60GL, T90-2-60GR, T90-4-30GL, T90-4-30GR, T60-4, T60-0-60G	N		P
6756	5.05	Prefixes Used: R – Range, T – Top only, R – Right, G – Grill, L - Left Mareno Commercial Range with Multiple Configurations Models: AC7FG-8G, AC7-8G, AC7FG-12G, AC7FE-8G, AC7FE-12G, AC7-4G, AC7-12G and ABF7-8G	N		P
7410	1.09	Mareno Commercial Ranges ANC74G, ANC78G, ANC712G (2, 4 or 6 open top burner cook tops) ANC7FG8G, ANC7FG12G (4 & 6 open top burners with gas oven) ANC7FE8G (4 open top burners with electric oven) ANC94G20, ANC98G40 & ANC912G44 (2,4 & 6 Open top burners) ANC9FG8G36, ANC9FG8G48 & ANC9FG12G52 (4 or 6 open top burners with gas oven) ANC9FG16G72 (8 open top burners with 2 gas ovens) ANC9FE8G28 & ANC9FE12G44 (4 & 6 open top burners with electric oven)	N N N N N N		P P P P P P
7418	12.08	Mareno Solid (Target) Cook Top With/Without Boiling Burner(s) or Oven Models: ANT78G, ANT7FG8G, ANT7FG12G, ANT98G, ANT9FG8G, ANT9FG12G	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Comcater Pty Ltd Continued					
7455	3.09	Garland - U.S. Range – Commercial Range: Comprising one or two ovens with different top combinations of open top, griddle, broiler, hot top sections GF (E)(24, 36, 48, 60) followed by suffixes “-#” Number of open burners or size of section “R” Standard oven base “C” Convection oven base “S” Storage compartment base “T” Modular top section 24 or 36 only “E” Optional electric spark pilot ignition “L” Space saver oven “G” Griddle “R24” Raised griddle/broiler section “TT” Front Fired Hot Top (Target Top) GF(E)36 only	N		P
Delta Group Industries Aust Pty Ltd					
7495	6.09	Cookquip Commercial Range With Various Application Combinations Models: AM-1/1MFC 900, AM-2/1MFC 900, AM-3/1MFC 900, AM-4/1MFC 900, GHP 90, GCG 90, GCT 90	N		P
Electrolux Professional SpA					
6584	8.04	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Gas Range Models: NCG400, NCG800, NCFG800, NCG1200, NCFG1200, NCFG1600, NCFG801, NCG401, NCG801, NCG1201, NCGF1201 & NCFG800	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Gas Range Models: ZBTTG1, ZBTTG2, ZBTOG2, ZBTTG4, ZBTOG4, ZBTOG6, ZBTOG2P, ZBTTG1P, ZBTTG2P, ZBTTG4P, ZBT10G4 & ZBTOM2	N		P
6947	4.06	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Gas Boiling Table and Range Models: KCG400A, KCG800A, KCGV800A, KCGFG900, KCGV1200A, KCGFG800A, KCGFG1200A, KCGFE800A* and KCGFE1200A* * Denotes Electric Oven	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Gas Boiling Table and Range Models: QCG400A, QCG800A, QCGV800A, QCGV1200A, QCGFG800A, QCGFG900, QCGFG1200A, QCGFE800A* and QCGFE1200A* * Denotes Electric Oven	N		P
7235	11.07	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Solid Top (Target Top) Models: KTG800, KTGFG800 and KTG2FG1200	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Solid Top (Target Top) Models: QTGV800, QTGFG800 and QTG2FG1200	N		P
Eurotec SRL Division of MBM - Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7388	12.08	MBM and Hobart Commercial Freestanding Cooker with Oven or Cupboard 700 Series Models: G2SA77, G4SA77, G4SF77, G6SFA77, G4SFE77*, G4SFEV77*, G4SA77P, G4SF77P, G6SA77, G6SF77M, GT2SDFA77 *Electric Oven Models	N		P
		900 Series Models: GT2SDFA9, G4SF948S, G6SF29S3, G2SA9S, G4SA948S, G6SA9S3	N		P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5986	4.00	Fagor Commercial Oven Range and Boiling Tops Boiling Top Models: CG7-20, CG7-40, CG7-60 Oven Range Models: CG7-41, CG7-61	N		P
			N		P
5988	4.00	Fagor Range and Boiling Table Range Models: CG9-41, CG9-61, CG9-41H, CG9-61H Boiling Table Models: CG9-20, CG9-40, CG9-60, CG9-20H, CH9-40H, CH9-60H	N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
J Goldstein & Co Pty Ltd					
2494	8.76	Goldstein Commercial Range Models: PF-4-20, PF-4-20E, PF-12G-2-20, PF-12G-2-20E, PF-24G-20, PF-24G-20E, PF-8-2-20, MR-4-50, MR-12G-2-50, MR-24G-2-50, PF-4-20FF, PF-12G-2-20FF and PF-24G-20FF Suffix 'G' in model description indicates Griddle fitted	N		P
2498	9.76	Goldstein Commercial Range Models: PF4-28, PF6-28, PF12G-4-28, PF24G-2-28, PF36G-28, PF8-28, PF12G-6-28, PF24G-4-28, PF36G-2-28, PF48G-28, CS4-28, CS9004/28, PF10-2/28, PF12G-8-2/28, PF24G-6-2/28, PF12-2/28, PF4-28FF, PF6-28FF, PF12G-4-28FF, PF24G-2-28FF, PF36G-28FF, PF8-28FF, PF12G-6-28FF, PF24G-4-28FF, PF36G-2-28FF, MR6-71, MR12G-4-71, MR24G-2-71 and MR36G-71 Suffix 'G' in model description indicates Griddle fitted	N		P
2597	3.77	Goldstein Commercial Range Models: PF-8-40, PF-8-40E, PF-12G-6-40, PF-12G-6-40E, PF-24G-4-40, PF-24G-4-40E, PF-36G-2-40, PF-36G-2-40E, PF-48G-40, PF-48G-40E, CS-6-40, PF-8-40FF, PF-12G-6-40FF, PF-24G-4-40FF, PF-36G-2-40FF, PF-48G-40FF	N		P
6378	4.03	Goldstein Commercial Range Models: PFC-4-28, PFC-4-28E, PFC-6-28, PFC-6-28E, PFC-12G-4-28, PFC-12G-4-28E, PFC-24G-2-28, PFC-24G-2-28E, PFC-36G-28, PFC-36G-28E, PFC-8-28, PFC-12G-6-28, PFC-24G-4-28, PFC-36G-2-28, PFC-8-40E, PFC-12G-6-40E, PFC-24G-4-40E, PFC-36G-2-40E and PFC-48G-40E Suffix "G" in model description indicates Griddle fitted	N		P
6894	3.06	Goldstein Gourmet 750 Commercial Oven Range Models: GR/G710FF and GR/GE710FF	N		P
Langford Metal Industries Pty Ltd					
4738	8.91	Cookon GR, GO and CT Series Commercial Ranges and Cooktops Range Models: GR4, GR4-3G, GR4-G, GR4-FF, GO4, GR6, GR6-3G, GR6-6G, GR6-G, GR6-FF, GO6, GR8, GR8-3G, GR8-6G, GR8-9G, GR8-G, GR8-FF, GO8, GR4C, GR4C-3G, GR4C-G, GR4C-FF, GO4C, GR6C, GR6C-3G, GR6C-6G, GR6C-G, GR6C-FF, GO6C, GR8C, GR8C-3G, GR8C-6G, GR8C-9G, GR8C-G, GR8C-FF and GO8C Cooktop Models: CT2, CT2-G, CT4, CT4-3G, CT4-G, CT4-FF, CT6, CT6-3G, CT6-6G, CT6-G, CT6-FF, CT8, CT8-3G, CT8-6G, CT8-9G, CT8-G & CT8-FF	N		P
Luus Industries Pty Ltd					
5924	10.99	CRO and BCH Series Combination Range Ovens and Cooktops CRO Series Models: CRO-4B, CRO-6B, CRO-8B, CRO-2B3P, CRO-2B3C, CRO-2B6P, CRO-2B6C, CRO-4B3P, CRO-2B3P3C, CRO-2B9P, CRO-2B9C, CRO-4B6P, CRO-4B6C, CRO-6B3P, CRO-6B3C, CRO-2B3P6C, CRO-2B3C6P, CRO-4B3P3C BCH Series Models: BCH2B, BCH-4B, BCH-6B, BCH-8B, BCH-2B3P, BCH-2B3C, BCH- 2B6P, BCH- 2B6C, BCH- 4B3P, BCH-2B3P3C, BCH-2B9B, BCH-2B9C, BCH-4B6P, BCH-4B6C, BCH-2B3C6P, BCH-4B3P6C, BCH-39, BCH-6P, BCH-9P, BCH-12P, BCH-3C, BCH-6C, BCH9C, BCH12C, BCH3P3C, BCH9P6C, BCH9P3C, BCH-6P6C, BCH-3P9C	N		P
Moffat Limited					
4224	7.87	Blue Seal and Waldorf Commercial Ranges Blue Seal Models G54[1]-[3] Waldorf Models RN841[2]GC-[3] Model Legend Character [1] Griddle section size (Blue Seal only): C = 300 mm wide griddle, D = no griddle Character [2] Griddle section size (Waldorf only): 3 = 300 mm wide griddle, 0 = no griddle Character [3] Open burner options: FFP = with flame failure and pilot, P = with pilot and - = standard burner only	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Moffat Limited Continued					
6901	12.05	Moffat Blue Seal and Waldorf Static Oven Ranges Blue Seal Models: G504[1] [3], G528[1] [3] Waldorf Models: RN841[2]G[3], RN882[2]G[3], RNL841[2]G[3], RNL882[2]G[3] Model Key: [1] – Griddle section size (Blue Seal only) A – 900 mm wide griddle, B – 600 mm wide griddle, C – 300 mm wide griddle, D – no griddle [2] – Griddle section size (Waldorf only) 9 – 900 mm wide griddle, 6 – 600 mm wide griddle, 3 – 300 mm wide griddle, 0 – no griddle [3] – open burner options - – standard burner only -F- with flame failure	N		P
6892	12.05	Blue Seal and Waldorf Series Static Oven Ranges Blue Seal Models: G505[1] [3], G506[1] [3], G508[1] [3], GE505[1] [3], GE506[1] [3], GE508[1] [3], BG50, BG50S Waldorf Models: RN851[2]G[3], RN861[2]G[3], RN881[2]G[3], RN851[2]GE[3], RN861[2]GE[3], RN881[2]GE[3], RN851[2]G[3]-Z1, RN8910G[3], RN8910GE[3], BT8910G, BT8910GS, RNL851[2]G[3], RNL861[2]G[3], RNL881[2]G[3], RNL851[2]GE[3], RNL861[2]GE[3], RNL881[2]GE[3], RNL8910G[3], RNL8910GE[3], RNL851[2]G[3]-Z1, BTL8910G, BTL8910GS Model Key: [1] – Griddle section size (Blue Seal only) A – 900 mm wide griddle, B – 600 mm wide griddle, C – 300 mm wide griddle, D – no griddle [2] – Griddle section size (Waldorf only) 9 – 900 mm wide griddle, 6 – 600 mm wide griddle, 3 – 300 mm wide griddle, 0 – no griddle [3] – open burner options - – standard burner only -F- with flame failure -PF – with pilot and flame failure	N		P
6918	3.06	Blue Seal and Waldorf Target Top Ranges with Gas/Electric Static/Convection Oven Blue Seal Models: G570, G576, GE570, GE576 Waldorf Models: RN8110G, RN8110GC, RN8110GE, RN8110GEC, RN8110G, RN8110GC, RNL8110GE, RN8110GEC	N		P
Opentrade P/L – T/as Melbourne Refrigeration and Catering Equipment					
7057	10.06	DCS 6 Burner Commercial Range With/Without Oven Model: DCS-6-1	N		
Restaurant & Bar Solutions Pty Ltd					
7052	3.07	Imperial IR and IHPA Series Ranges, Ovens and Cooktops IR Range Models: IR-4, IR-4-XB, IR-2-G12, IR-2-G12-XB, IR-6, IR-6-XB, IR-4-G12, IR-4-G12-XB, IR-36G, IR-36G-XB, IR-4-S18, IR-4-S18-XB, IR-8, IR-6-12G, IR-4-24G, IR-2-36G, IR-6-24G, IR-6-RG-24, IR-12 and IR-8-24G, IR-48G, IR-4-RG-24, IR-10, IR-8-RG-24G IR Oven Models: IR-36-LB (Single Stack) and IR-36-DS (Double Stack) IHPA Cooktop Models: IHPA-1-12, IHPA-2-12, IHPA-2-24, IHPA-4-24, IHPA-3-36, IHPA-6-36, IHPA-4-48, IHPA-8-48 and IHPA-10-60	N		P
Tu's Brothers Pty Ltd					
5910	9.99	Supertron 900 Series Commercial Range With/Without Oven/BBQ Grill /Evenheat/Solid Grill Plate Models: 900-2, 900-4, 900-6 and 900-7	N		P
Watsons Catering Equipment Pty Ltd					
7269	4.08	Lotus 4 and 6 Burner Commercial Ranges Models: CF4-78GP and CF6-712GP	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG

RANGES

AG 301, AG 303, AG 305 & AG 311 as applicable

Complete Commercial Catering Equipment Pty Ltd

SC343 9.00 CCCE Model CS-6 Commercial Oven Range N P

SALAMANDERS, GRILLERS AND TOASTERS (AS 4563)

Angelo Po Grandi Cucine SPA – Agent: Angelo Po Catering Equipment

5263 3.95 Angelo Po Commercial Salamander Model: 60SM N

B & S Commercial Kitchen Appliances Pty Ltd

4177 3.87 Model GP60 Series Commercial Griddle Plate & Griller/Salamander Models: GRT-7, GRT-9, GRT-12 N P
 5709 9.98 B & S Benchtop Yakitori/Satay Cooker Models: TMS-TIG-1K, TMS-TIG-2K N P

Comcater Pty Ltd

5711 7.98 Garland/U.S. Range Heavy Duty Salamander Models: MSTSRC, GFIR36, GFIR48, GFIR60 N P
 7022 8.06 Comcater, Rayo & Trueheat Salamander Model: S86 N P
 7416 1.09 Mareno Barbecue Grillers Models: ANG94G, ANG98G, ANG74G, ANG78G N P

Food Equipment Distributors Pty Ltd

7678 9.10 FED/Gasmax Commercial Salamander Model: REB – 03 N U

Hungry Jack's Australia Pty Ltd

7454 5.09 Duke Flexible Batch Broiler Model: FFB-1C-230AU Model: FFB-2C-230AU N P

J Goldstein & Co Pty Ltd

2202 12.72 Goldstein Commercial Salamander Models: SA-36FF, SA-48FF and SG-860 N P
 6006 8.00 Goldstein Commercial Griddle/Salamander Models: GPGD/SA-24, GPGDB/SA-24, GPGD/SA-36, GPGDB/SA-36 N P

Moffat Ltd

4337 10.88 Wall Mounted Salamanders Blue Seal Models: G91 and G91A N U
 Waldorf Models: SN8200G and SN8200GA N U
 Cobra Model: CS9 N U
 6869 10.05 Blue Seal, Waldorf and Cobra Griddle Toaster Blue Seal Model: G55T N P
 Waldorf Model: GT8600G N P
 Cobra CT6 N P

Nieco Corporation - Agent: Comcater Pty Ltd

7077 1.07 Nieco Commercial Broiler/Salamander Models: MPB 94, MPB 84 and MPB 74 N U

Restaurant & Bar Solutions Pty Ltd

7104 10.07 Imperial Commercial Salamander Models: ISB-24 and ISB-36 N P

The Montague Company - Agent: Haverick Meats Pty Ltd

7466 12.09 Montague Commercial Salamander and/or Oven Models: Models: E36W36, E43W36, EV136W36, E136W36, EV136C36*, E136C36*, EV136C45*, E136C45*, E136XC36*, E136XC45*, E236W36, E243W36, EC36*, EC45*, EC36W36, EC43W36 N P
 * Optional searing plate top with guard (suffix '-SHB')

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG

SALAMANDERS, GRILLERS AND TOASTERS (AG 302)

Complete Commercial Catering Equipment Pty Ltd

SC342	9.00	CCCE Models PGTC24, PGTC36, PGTM24, PGTM36 & PGTM48	N		P
-------	------	-----------------------------------------------------	---	--	---

SOLID GRILL PLATES AND GRIDDLES (AS 4563)

Ali SpA - Agent: Scots Ice Australia Pty Ltd

6782	5.05	Baron Commercial Gas Fry Tops Models: 7FT/G400, 7FTT/G400, 7FT/G410, 7FTT/G410, 7FTT/G405, 7FTT/G415, 7FTTV/G400, 7FTTV/G400, 7FTV/G410, 7FTTV/G410, 7FTTV/G405, 7FTTV/G415, 7FT/G800, 7FTT/G800, 7FT/G810, 7FTT/G810, 7FT/G820, 7FTT/G805, 7FTT/G815, 7FTT/G825, 7FTV/G800, 7FTTV/G800, 7FTV/G810, 7FTTV/G810, 7FTV/G820, 7FTTV/G820, 7FTTV/G805, 7FTTV/G815, 7FTTV/G825	N		
------	------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	--	--

Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment

6173	8.01	Angelo Po Alpha 900 Series Ceramic Stone Grills Alpha 900 Models: 090GRG and 190GRG	N		U
6175	8.01	Angelo Po Alpha 900 Series Frytop Griddles Models: 090FT1G, 090FT2G, 190FT1G, 190FT2G, 190FT3G (Iron) 090FT4G, 090FT5G, 190FT4G, 190FT6G (Chrome) 090FT7G, 190FT7G (Compound)	N		U
6389	3.03	Angelo Po Gamma Series Solid Grill Plates Models: 0G0FT1G, 0G0FT2G, 0G0FT4G, 0G0FT5G, 1G0FT1G, 1G0FT2G, 1G0FT3G, 1G0FT4G and 1G0FT6G	N		U
6418	6.03	Angelo Po Gamma Series Solid Cook Tops and Ranges Models: 1G0TP0, 1G1TP0G and 2G1TP3G	N		U

B & S Commercial Kitchen Appliances Pty Ltd

6990	7.06	B&S GRP Series Griddle Hotplates Models: GRP-3, GRP-6, GRP-9 and GRP-12	N		P
------	------	----------------------------------------------------------------------------	---	--	---

Comcater Pty Ltd

SC383	5.04	Garland Master Series Griddles With/Without Oven Models: MST47 (R, RC, S, T) (E) and MST7 (S, T) (E) Key to suffixes – R = Standard oven base RC = Convection oven base S = Storage compartment base T = Modular top hob section only E = Optional electric spark pilot ignition	N		P
4250	8.87	Garland/US Range G24 Series Commercial Griddles Models: G24-24GFSD (24”), G24-36GFSD (36”), G24-48GFSD (48”), G24-60GFSD (60”) and G24-72GFSD (72”)	N		P
6755	5.05	Mareno Solid Grill Plates (Fry Tops) Models AFT7-4GL, AFT7-4GR, AFT7-4GLC, AFT7-4GRC, AFT7-8GL, AFT7-8GLT, AFT7-8GM, AFT7-8GMT, AFT7-8GR, AFT7-8GRT, AFT7-8GLC and AFT7-8GMC	N		P
7417	12.08	Mareno Smooth or Ribbed Plate Griddle ANFT98GL, ANFT98GM, ANFT94GL, ANFT94GR, ANFT98GTL, ANFT98GTLC, ANFT98GTM, ANFT98GTR, ANFT98GTLO, ANFT98GTMC, ANFT94GTLC, ANFT94GTRC, ANFT94GTLO ANFT74GL, ANFT74GR, ANFT74GTLC, ANFT74GTRC ANFT78GL, ANFT78GM, ANFT78GR, ANFT78GTLC, ANFT78GTL, ANFT78GTMC, ANFT78GTM, ANFT78GTR	N		P

DA Christie Pty Ltd

4023	12.85	Christie G5-6 Series Indoor/Outdoor Coin Operated Barbecues Models: G1-6/G2-6 and G5-6/G6-6 Note: Also suitable for use with NZ Natural Gas	N		U
5755	4.99	Christie 6000 Series Indoor/Outdoor Coin Operated Barbecues Models: 6110, 6210 and 6320 Note: Also suitable for use with NZ Natural Gas	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Electrolux Professional SpA - Agent: J.L Lennard Food Equipment Pty Ltd					
6687	2.05	Zanussi Gas Fry Tops Models NRG 400, NRG 800, NRG 410 and NRG 810	N		P
Eurotec SRL Division of MBM - Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7385	12.08	MBM and Hobart Commercial Freestanding Solid Grill 700 Series Models: GFTA477LC, GFTA777LC, GFTA477R, GFTA777R, GFTA477L, GFTA777L, GFTA477RC, GFTA777LR, GFTA777LRC 900 Series Models: GFTA49LC, GFTA99LC, GFTA49L, GFTA49R, GFTA49RC, GFTA99L	N		P
Electrolux Professional SpA					
6649	12.04	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Gas Fry Top Models: NRG401, NRG801, NRG411, NRG811, NRG421, NRG821 and NRG831	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Gas Fry Top Models: ZFTTG1MSF, ZFTTG2MSF, ZFTTG1MRS, ZFTTG2MMS, ZFTTG1CSS, ZFTTG2CSS, ZFTTG2CMS	N		P
6938	6.06	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Gas Fry Top (Grill Plate/Griddle) Models: KRG400, KRG401, KRG400C, KRG800, KRG813, KRG813C, KRG800C, KRGV400, KRGV401, KRGV400C, KRGV800, KRGV813, KRGV800C	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Gas Fry Top (Grill Plate/Griddle) Models: QRG400, QRG401, QRG400C, QRG800, QRG813, QRG813C, QRG800C, QRGV400, QRGV401, QRGV400C, QRGV800, QRGV813, and QRGV800C	N		P
Fagor Industrial S. Coop - Agent: Fagor Australasia Pty Ltd					
6189	6.02	Fagor Commercial Frytop (Griddle) Models: FTG7-05L, FTG7-05R, FTG7-10L, FTG7-10R, FTG7-10L+R, FTG/C7-05L, FTG/C7-05R, FTG/C7-10L, FTG/C7-10R, FTG/C7-10L+R	N		P
7757	6.11	Fagor Commercial Frytop (Griddle) FTG9-05L, FTG9-10L, FTG/C9-05L, FTG/C9-10L, FTG9-11L, FTG/C9-11L	N		P
Food Equipment Distributors Pty Ltd					
7573	11.09	FED and Gasmax Commercial Griddles Models: RGT-24, RGT-36, RGT-48	N		P
7566	11.09	FED and Gasmax Commercial Griddles Models: JZH-RG, JZH-LRG & JZH-TRG	N		P
J Goldstein & Company Pty Ltd					
4689	4.91	Goldstein Griddle Plate Models: GPG-30 and GPG-45	N		P
6215	12.01	Goldstein Commercial Griddles Models: GPGD12, GPGDB12, GPGDB-SB12, GPGD24, GPGDB24, GPGDB-SB24, GPGD36, GPGDB36, GPGDB-SB36, GPGD48, GPGDB48, GPGDB-SB48	N		P
6950	5.06	Goldstein Commercial Teppanyaki Plate Models: TK24, TK30, TK36 and TK45	N		P
Kitchen Master Pty Ltd					
6351	11.02	Commercial Griddle and Toaster Models: MC-48, MC-34	N		
Langford Metal Industries Pty Ltd					
4078	6.86	Cookon Counter Top Griddle Models: CG-600 and CG-900	N		P
Luus Industries Pty Ltd					
7658	5.10	Luus Griddle Toaster Models: GTS-3, GTS-6, GTS-9, GTS-12	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Moffat Limited					
6898	12.05	Blue Seal/Waldorf Commercial Griddle Blue Seal Models: GP514-[1], GP516-[1], GP518-[1] Waldorf Models: GP8600G-[1], GP8900G-[1], GP8120G-[1], GPL8600G-[1], GPL8900G-[1], GPL8120G[1]	N		P
		Model Key: [1] – model option, B – bench mount hob, CB – hob with base cabinet, S – hob on leg stand, RB – hob to fit on refrigeration base unit	N		P
6902	1.06	Waldorf and Blue Seal Cooktop Table Waldorf Models: RN820[2]G[3]-[4], RN840[2]G[3]-[4], RN860[2]G[3]-[4], RN880[2]G[3]-[4], RN8450G[3]-[4], RN8900G[3]-[4], RNL820[2]G[3]-[4], RNL840[2]G[3]-[4], RNL860[2]G[3]-[4], RNL880[2]G[3]-[4], RNL8450G[3]-[4], RNL8900G[3]-[4]	N		P
		Blue Seal Models: G512[1][3]-[4], G514[1][3]-[4], G516[1][3]-[4], G518[1][3]-[4]	N		P
		Model Key: [1] – Griddle section size (Blue Seal only) [2] – Griddle section size (Waldorf only) [3] – Open burner options [4] – Stand option			
7088	5.07	Blue Seal and Waldorf Griddle Range with Electric Static/Convection Oven Blue Seal Models: GPE506, GPE56, GPE508 and GPE58 Waldorf Models: GP8910GE, GP8910GEC, GP8121GE, GP8121GEC, GPL8910GE, GPL8910GEC, GPL8121GE, GPL8121GEC	N		U
			N		U
Restaurant & Bar Solutions Pty Ltd					
7036	3.07	Imperial IMGA Series Griddles Models: IMGA-2428 (2 Burner), IMGA-3628 (3 Burner) and IMGA-4828 (4 Burner)	N		P
7167	6.07	Imperial Commercial Radiant Grill Model: IRB-24, IRB-30 and IRB-36	N		P
7208	10.07	Imperial Raised Griddle/Broiler Models: RGB-24, RGB-36 and RGB-48	N		P
Tu's Brothers Pty Ltd					
6235	12.01	Supertron Commercial Griller/Toaster Models: TGP 600 and CGP 600	N		P
SOLID GRILL PLATES AND GRIDDLES (AG 303)					
J Goldstein & Company Pty Ltd					
6006	8.00	Goldstein Griddle/Salamander Model No's GPGD/SA-24, GPGDB/SA-24, GPGD/SA/36, GPGDB/SA/36	N		P
6215	12.01	Goldstein Griddle Models GPGD12, GPGDB12, GPGDB-SB12	N		P
		GPGD24, GPGDB24, GPGDB-SB24	N		P
		GPGD36, GPGDB36, GPGDB-SB36	N		P
		GPGD48, GPGDB48, GPGDB-SB48	N		P
BARBECUES, CHARBROILERS AND ROTISSERIES (AS 4563)					
A Danaci & A Danaci					
SC397	4.97	CEM's Vertical Rotisserie Models: 4BN and 4BP	N		P
Ali SpA – Agent: Scots Ice Australia Pty Ltd					
6710	1.05	Baron Commercial Lava Rock Barbecues Models: 7GL/G400 and 7GL/G800	N		
7490	5.09	Baron Benchtop or Cabinet Mounted Gas Lava Rock Barbecues Models: 9TGLI/G400, 9TGLI/G800, 9GLI/G400, 9GLI/G800	N		P
Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment					
6526	6.04	Angelo Po Gamma Series Commercial Ceramic Stone Grill Model 1G0GRG	N		
Australian Dynamic Products Pty Ltd t/as Whelan Industries					
3231	6.81	Wheel-an-Roast Mobile Spit Barbecue Model A and B			P
4772	11.91	Whelan Mobile Oven Model: Cook 'n' Carve			P
B & S Commercial Kitchen Appliances Pty Ltd					
6989	7.06	B&S CGR Series Char Grills Models: CGR-3, CGR-6, CGR-9 and CGR-12	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Comcater Pty Ltd					
SC384	5.04	Garland/U.S. Range Series Heavy Duty Barbecue Grillers (Char Broilers) Models: MST17B (E), MST24B (E) and MST34B (E) Note: Suffix E refers to optional electric spark pilots	N		P
6750	5.05	Mareno Barbecue Grillers Models: AGL7-4G, AGL7-8G, ANGPL74G & ANGPL78G	N		P
6868	10.05	Comcater, Rayo & Trueheat Barbecue Model: B60 and B90	N		P
7497	6.09	Garland U.S Range Barbecue Grillers (Char Broiler) S280-18B, S280-24B, S280-30B, S280-36B, ST280-18B, ST280-24B, ST280-30B, ST280-36B, GF18-BRL, GF24-BRL, GF30-BRL, GF36-BRL	N		P
Commercial Food Machinery Vic Pty Ltd					
5713	6.98	CFM 2, 3, 4, 5, 6, & 7 Burner Barbecue with Optional 355 mm x 1155 mm Solid Grill Plate Models: RCG02, RCG03, RCG04, RCG05, RCG06, RCG07	N		
Condari Pty Ltd					
5967	5.00	Aero Thurlö Single Burner Indoor Barbecue Model 40050	N		P
Dimark Commercial Pty Ltd T/as Semark Sales & Service					
SC412	12.97	Semak Gas Rotisserie Model: 36G	N		P
Electrolux Professional SpA					
6496	12.03	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Gas Grill Models: NGG 400 and NGG 800	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Gas Grill Models: ZCGTG1 and ZCGTG2	N		P
6932	5.06	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Gas Griller (Barbecue) Models: KGG400 and KGG800	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Gas Griller (Barbecue) Models: QGG400 and QGG800	N		P
Eurotec SRL Division of MBM - Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7381	12.08	MBM and Hobart Lava Stone Grill 700 Series Models: GPLA477P and GPLA777P 900 Series Models: GPLA49P and GPLA99P	N		P
			N		P
Fagor Industrial S Coop - Agent: Fagor Australasia Pty Ltd					
6192	6.02	Fagor Commercial Charcoal Grill (Barbecue) Models: BG9-05, BG9-10	N		P
6193	6.02	Fagor Commercial Gas Charcoal Grill (Barbecue) Models: BG7-05 & BG7-10	N		P
FDN Management Pty Ltd					
7284	4.08	Onfalos Outdoor Mobile Gas Cooker Model: 10120010 (small) Model: 10130010 (medium) Model: 10140010 (large)			U U U
Food Equipment Distributors Pty Ltd					
6177	9.01	Inoksan Doner Kebab Machine Models: PDG403, PDG104M and PFG104M	N		P
7276	9.08	Vantage Commercial Kebab Cooker Model: RG-2	N		P
7584	11.09	FED and Gasmax Commercial Chargrill Barbecue Models: QR-24, QR-36, QR-48	N		P
7589	11.09	FED and Gasmax Commercial Char Grill Barbecue Models: JZH-RH, JZH-LRH, JZH-TRH	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
J Goldstein & Company Pty Ltd					
2641	9.77	Goldstein Char Broiler/Oven Range Models: RBA-12, RBA-24, RBA-36, RBA-48, RBAB-24, RBAB-36, RBAB-48, RBAB-72, RBAB-96, RB-12-PFMA, RB-24-PFMA, RB-36-PFMA, RB-48-PFMA, RB-24-PFMA/900, SB-12-RB, SB-24-RB, SB-36-RB and SB-48-RB, PF-RB24-20 (Note 1), PF-RB36-28 (Note 2) Note 1: 24" Char Broiler mounted on PF Series 20" Oven Note 2: 36" Char Broiler mounted on PF Series 28" Oven	N		P
5132	5.94	Goldstein Radiant Char Broiler Models: CHDS-24 and CHDS-36	N		P
Langford Metal Industries Pty Ltd					
SC375	1.00	Cookon Flare Grill Models: CBG, CBG-900, BG600, BG600-3G, BG900, BG900-3G, BG900-45G, BG1200, BG1200-3G, BG1200-45G and BG1200-6G	N		P
5732	7.98	Cookon CRG Series Flare Grill Models: CRG-600, CRG-900, CRG-1200 and CRG-1500	N		P
Moffat Ltd					
6878	11.05	Blue Seal, Waldorf, Cobra Chargrill/Barbecue Blue Seal Models: G592-B, G-594-B, G594-LS, G596-B, G596-LS, G598-B, G598-LS Waldorf Models: CH8300G-B, CHL8300G-B, CH8600G-B, CH8600G-LS, CHL8600G-B, CHL8600G-LS, CH8900G-B, CH8900G-LS, CHL8900G-B, CHL8900G-LS, CH8120G-B, CH8120G-LS, CHL8120G-B, CHL8120G-LS Cobra Model: CB6 Note: Suffix B-bench mount models, LS – Leg stand models Prefix L-Low splashback models	N		P
Ozsarac Sons Pty Ltd					
5764	5.99	Vertical Kebab Grill Autocook 2005/4B, 2005/5B, 2005/4B(F), 2005/5B(F) Flamecook 2006/4B, 2006/5B, 2006/4B(F) and 2006/5B(F)	N		P
6931	6.06	Flame Roaster Chicken Rotisserie Models: FR3x5, FR3x4 and FR3x3	N		P
Pan-Technic Pty Ltd - Engineering					
5648	2.98	Yeeros SC Series Vertical Cookers (Doner Kebab) Models: (Single) SC 02B, SC 03B, SC 04B (Double) SC 011B, SC 022B, SC 033B, SC 044B (Triple) SC 0222B, SC 0333B, SC 0444B	N		P
Restaurant & Bar Solutions Pty Ltd					
7034	3.07	Imperial IAB Series Char Grills IAB(C)(F)-24 (2 Burner), IAB(C)(F)-30 (3Burner), IAB(C)(F)-36 (4 Burner), IAB(C)(F)-48 (5 Burner), IAB(C)(F)-60 (6 Burner) and IAB(C)(F)-72 (7 Burner) (C) – Char rock, (F) – Floor model with cabinet Models available with or without pilot burners	N		P
Tu's Brothers Pty Ltd					
7089	1.07	Supertron Commercial Barbecue Grill Models: RBQ-300 and RBQ-600	N		P
Veysel's International Import & Export Pty Ltd					
7361	9.08	Superior Kebab Machine Models: KMB2, KMB3, KMB4, KMB5	N		U
888 Importing Pty Ltd					
7356	8.08	Royston Vertical 4 Burner Infrared Rotisserie	N		P
BARBECUES, CHARBROILERS AND ROTISSERIES (AS 4563/AG 300)					
Winnint Manufacturing Pty Ltd					
SC352	1.96	Radiant 2000 Commercial Rotisserie Models T2, T2n, T3n, T6n, T6ns, T4, T4s, T5 and T5s	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

BARBECUES, CHARBROILERS AND ROTISSERIES (AG 304)

Complete Commercial Catering Equipment Pty Ltd

SC345 9.00 CCCE CHQ Series Models 300, 450, 600, 750, 900 N P

OVENS (AS 4563)

B & S Commercial Kitchen Appliances Pty Ltd

4920 10.92 B & S Oven Range Model S-900-4 N P

6785 4.05 B & S Duck Oven Model DR800 N

Comcater Pty Ltd

6733 2.05 Impinger X2 Series Baking and Roasting Ovens
Models: 3262-2 (TS) (SB) (SS) and 3270-2 (TS) (SB) (SS) N P

J Goldstein & Co Pty Ltd

6692 3.05 Goldstein Pizza Oven Models: G236 & G236/2 N P

Luus Industries Pty Ltd

6298 8.02 Luus Duck Roaster Oven Model DRO-810 N P

Moretti Forni SpA

7275 3.08 Moretti Forni Pizza Ovens Models: P110G C/A, P110G C/A2, P110G C/A3,
P110G C/B, P110G C/B2, P110G C/B3 N U

Nepean Willows Pty Ltd T/as Indian Tandoor Oven Company

6708 12.04 Indian Bread/Tandoori Oven
Tandoor Oven Model TN32 N

Tu's Brothers Pty Ltd

6663 8.04 Supertron Tandoori Oven Model IND-OV-780 N P

OVENS (AG 305)

M & A Mead Investments Pty Ltd T/as Heatlie Engineering

6008 8.00 Heatlie Hotbox Oven Models HB6000DS and HB9000DS P

BOILING WATER UNITS (AS 4563)

Department of Defence

6574 4.04 Field Water Heater Aztec AZ100 MK3 U
Note: This product is for exclusive use by the Department of Defence.
Not for Public Use.

Fagor Industrial, S. Coop

7188 9.07 Fagor Commercial Pasta Cooker CPG7-05 N P

PASTA COOKERS (AS 4563)

Ali SpA - Agent: Scots Ice Australia Pty Ltd

6707 1.05 Baron Commercial Pasta Cookers
Models: 7CP/G400 and 7CP/G800 N

7528 7.09 Baron Commercial Pasta Cookers
Models: 9CPI/G400 – 9CPI/G800 N P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment					
6136	5.01	Angelo Po Alpha 900 Series Commercial Pasta Cookers Models: 091CP1G and 191CP2G	N		U
6417	6.03	Angelo Po Gamma Series Pasta Cookers Models 0G1CP1G, 1G1CP2G and 1G1CP1G	N		
Comcater Pty Ltd					
6754	5.05	Mareno Pasta Cookers Models APC7-4G and APC7-8G	N		P
7419	1.09	Mareno Commercial Pasta Cookers Models: ANPC74G, ANPC78G, ANPC94G and ANPC98G	N		P
Electrolux Professional SpA					
7236	11.07	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Pasta Cooker Models: KCPG400 and KCPG800	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Pasta Cooker Models: QCPG400 and QCPG800	N		P
7372	2.09	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Pasta Cooker Models: NCPG400, NCPG410, NCPG800, NCPG810	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Pasta Cooker Models: ZPCSG1S, ZPCSG1SH, ZPCSG2D, ZPCSG2DH	N		P
Eurotec SRL Division of MBM - Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7384	12.08	MBM and Hobart Single or Double Basin Pasta Cookers 700 Series Models: GC477 and GC777	N		P
		900 Series Models: GC49 and GC992V	N		P
Fagor Industrial S. Coop. – Agent: Fagor Australasia Pty Ltd					
7298	7.08	Fagor Pasta Cookers Model: CPG9-05 (Freestanding)	N		P
		Model: CPG9-05S (Cantilever system)	N		P
Luus Industries Pty Ltd					
7750	5.11	Luus Pasta Cooker, Noodle Cooker & Rice Roll Steamer Pasta Cooker PC Series PC-45, PC-60, PC-90, PC-105, PC-120	N		P
		Noodle Cooker NC Series NC-45, NC-60, NC-90, NC-105, NC-120	N		P
		Rice Roll RC Series RC-45, RC-90	N		P
Moffat Limited					
7027	9.06	Blue Seal/Waldorf Pasta Cooker Blue Seal Model: G47	N		P
		Waldorf Models: PC8140G, PCL8140G	N		P
Tu's Brothers Pty Ltd					
6293	6.02	Supertron Commercial Noodle Cooker Model: NC-400	N		P
888 Importing Pty Ltd					
7726	11.10	Sheffield Commercial Pasta/Noodle Cooker Model: "6 Basket"	N		

STOCKPOTS AND BRAT PANS (AS 4563)

Angelo Po Grandi Cucine SpA - Agent: Angelo Po Catering Equipment					
6107	6.01	Angelo Po Alpha 900 Series Commercial Brat Pan Models: 191BR1G, 191BR2G (Manual Tilt)	N		U
		Models: 191BR1GA, 191BR2GA (Automatic Tilt)	N		U
6289	1.03	Angelo Po – Direct Fired and Steam Jacketed Boiling Pans 900 Series Models: 191PD1G, 191PD2G, 191PI1G, 191PI1GA	N		U
6456	7.03	Angelo Po Gamma Series Direct and Indirect Fired Boiling Pans Models: 1G1PD1G (Direct) and 1G1PI1G (Indirect)	N		

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
B & S Commercial Kitchen Appliances Pty Ltd					
7775	6.11	B & S Commercial Stockpot/Boiling Table UFWSP and UFWWSP Series UFW – A – B – C – D – E – F Note: A: W Waterless (where applicable) B: D Deluxe model (where applicable) C: SP Stockpot Table (all models) D: Number of Burners 1 One Burner 2 Two Burner 3 Three Burner E: CB Chimney Burner (all models) F: LS Low splashback (where applicable)	N		P
Comcater Pty Ltd					
SC404	10.97	Cleveland Durapan Tilting Brat Pan Models: SGL(M)-30-TR and SGL(M)-40-TR	N		P
6746	5.05	Mareno Indirect Fired Stock Pots Models: API9-8G10, API9-8G14 and API9-8G14A	N		P
6753	5.05	Mareno Tilting Brat Pans Models: ABR7-8GF and ABR7-8GI	N		P
7412	1.09	Mareno Tilting Brat Pans Models: ANBR98GF, ANBR98GI, ANBR98GIM, ANBR98GFM, ANBR912GIM, ANBR912GFM, ANBR78GF, ANBR78GI	N		P
Electrolux Professional SpA					
6911	1.06	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Brat Pan Models: NBRG800, NBRG810, NBRG815 and NBRG820 NBRG800H, NBRG810H, NBRG815H and NBRG820H	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Brat Pan Models: ZBRTG3M, ZBRTG3S, ZBRTG4M, ZBRTG4S ZBRTG3MA, ZBRTG3SA, ZBRTG4MA and ZBRTG4SA	N		P
Eurotec SRL Division of MBM - Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7389	12.08	MBM and Hobart Freestanding and Bench-Mounted Tilting Brat Pan 700 Series – GBRI77 900 Series – GBRVI9T	N		P
			N		P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5985	4.00	Fagor Boiling Pans (Stockpot) Direct Fired Models: Models MG9-10, MG9-15, MG9-20 Indirect Fired Models: Models: MG9-10BM, MG9-15BM, MG9-15BM316	N		P
5987	4.00	Fagor Commercial Gas Tilting Brat Pan Models SBG Series SBG9-10I, SBG9-10IM, SBG9-15IM Suffix 'I' denotes freestanding Suffix 'M' denotes motorised tilting mechanism	N		P
J Goldstein & Company Pty Ltd					
SC360	3.96	Goldstein Commercial Tilting Brat Pan Models: TPG-75, TPG-100, TPG-150	N		P
Moffat Ltd					
6923	3.06	Blue Seal and Waldorf Model Brat Pans Blue Seal Models: G580-8, G580-8E, G580-12 and G580-12E Waldorf Models: BP8080G, BP8080GE, BP8120G, BP8120GE, BPL8080G, BPL8080GE, BPL8120G, BPL8120GE	N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

ATMOSPHERIC STEAMERS (AS 4563)

B & S Commercial Kitchen Appliances Pty Ltd

4590	7.90	BS & CCF Commercial Steamer Model: YCHJSF – 1/2/3	N			
7000	8.06	B & S Yum Cha and Rice Roll Steamers YCJSF (Yum Cha Steamer) and CFPSF (Rice Roll Steamer)	N			P

J Goldstein & Company Pty Ltd

SC364	7.96	Atmospheric Steamer Models ASG6, ASG8 and ASG12 Note: Replaces 3804	N	TLP	T	P
-------	------	----------------------------------------------------------------------------------	---	-----	---	---

Luus Industries Pty Ltd

6147	5.01	Luus YC Series Yum Cha Steamer Model: YC-1	N			P
------	------	-----------------------------------------------	---	--	--	---

COMMERCIAL FRYERS (AS 4563)

Ali SpA – Agent: Scots Ice Australia Pty Ltd

6740	3.05	Baron Commercial Fryers Models: 7FRI/G415, 7FRI/G610 and 7FRI/G815	N			
7156	7.07	Commercial Frytop/Griddle 9FT/G400, 9FT/G410, 9FTT/G400, 9FTT/G410, 9FTT/G405, 9FTT/G415, 9FT/G800, 9FT/G810, 9FTT/G800, 9FTT/G810, 9FTT/G805, 9FTT/G815, 9FT/G820, 9FTT/G820, 9FTT/G825, 9FTV/G400, 9FTV/G410, 9FTTV/G410, 9FTTV/G405, 9FTV/G415, 9FTV/G800, 9FTV/G810, 9FTTV/G800, 9FTTV/G810, 9FTTV/G805, 9FTTV/G815, 9FTV/G820, 9FTTV/G820, 9FTTV/G825	N			P

Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment

6009	1.01	Alpha 900 Series Fryers Single and Double Well Models: 091FR1GD, 091FR1G, 191FR2GD and 191FR2G	N			U
6439	7.03	Angelo Po Gamma Series Models: 0G1FR3G, 0G1FR3GD, 1G1FR4G and 1G1FR4GD	N			

B & S Commercial Kitchen Appliances Pty Ltd

6198	10.01	B & S Turbo Single or Multiple Pan Commercial Fryer Models: 900FS & 900FL	N			
------	-------	------------------------------------------------------------------------------	---	--	--	--

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Comcater Pty Ltd					
3090	5.80	Frymaster/Garland Commercial Fryers Frymaster Models: MJ35 Series: J2X, PMJ#35, FPP#35, FMP#35, PF#35. # = 1 up to 8 Fryers in a battery	N		P
		MJ45 Series: PMJ#45, FPP#45, FMP#45, PF#45. # = 1 up to 8 Fryers in a battery Suffix: MJ35 & MJ45 MJ45 Series* *Split vat single unit: -2 *Double units: -2L, -2R, -4R *Triple vat units: -2L, -2R, -2MD, -4L, -4R, -4LR, -6 *Quadruple vat units: -2L, -2R, -2MDL, -2MDLR, -4L, -4R, -4MDL, -4MDR, -6L, -6R, -6MDL, -6MDR & -8 MJ35 & MJ45** **Additional suffix: BL, C, E, G, M & I **Suffix designation: SL, SD, SP, SE, SX & ST MJCF, MJCFE. Suffix: SD, SC & SE GF-14 KJ3FC, MJ#CF and FM#CF Suffix: E, C, M, I, G, SC, SD, SP & SE #=1 to 8 Fryers in battery Garland Models: S35-280, 35-40, M35FSS, 70-40, M.70 SS, GF16FR	N		P
3814	8.86	Frymaster H50/52/55 Series Commercial Fryers Models: MJH#50, FH#50, FMH#50, FPH#50, MH#52, BIH#52, KH#50, KFPH#50, PH#50, PFH#50, FMPH#50, FPPH#50, MPH#52, BIPH#52, KPH#50, KFPPH#50, MJH#55, FH#55, FMH#55, MH#55, BIH#55, FPH#55, KH#55, KFPH#55, PH#55, PFH#55, FMPH#55, FPPH#55, MPH#55, BIPH#55, KPH#55, KFPPH#55 Note: Suffix # indicates the number of fryers	N		P
5832	4.00	Dean and Frymaster Commercial Deep Fat Fryer Model: SR42G	N		P
7330	5.08	Dean Commercial Fryer Models: SR162GN and SR162GP	N		P
7411	1.09	Mareno Commercial Fryer Models: ANF94G23, ANF98G23, ANF74G15, ANF78G15	N		P
7679	7.10	Frymaster Commercial Gas Fryer Models: FPGL, FGL, FPGLA, FGLA, FMGL, FMGLA, BIGL, BIGLA followed by #30 OR #30-# # = 1 to 5 = number of Fryers in a battery combination. Suffixes: # (Single unit 130, 130-2) (Two unit 230, 230-2L, 230-2R, 230-4) (Three unit 330, 330-2L, 330-2R, 330-4L, 330-4R, 330-MDL, 330-4LR, 330-6) (Four unit 430, 430-2L, 430-2R, 430-4L, 430-4R, 430-6L, 430-6R, 430-8, 430-2MDL, 430-2MDR, 430-2R/2MD, 430-2L/2MD, 430-4MD, 430-2L/4R, 430-4L/2R, 430-4LR) (Five unit 530-6L, 530-6R, 530-10) Additional Suffixes: BL, C, SC, SD, SE, SP, (w/cap), A			
Electrolux Professional SpA					
7093	1.07	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Fryers Models: KFRG400 and KFRG800	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Fryers Models: QFRG400 and QFRG800	N		P
7131	3.07	Agent: J.L Lennard Food Equipment Pty Ltd Zanussi Commercial Fryers Models: NFRG400, NFRG420, NFRG800 and NFRG820	N		P
		Agent: Tom Stoddart Pty Ltd Electrolux Commercial Fryers Models: ZFR15G1SV, ZFR15G2DV, ZFRSG1SVEX, ZFRSG2DVEX	N		P
Eurotec SRL Division of MBM - Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7383	12.08	MBM and Hobart Commercial Fryer 700 Series Models: GF477S, GF777S 900 Series Models: GF49 & GF99	N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5984	4.00	Fagor Commercial Gas Fryers Models FG7-05, FG7-10	N		P
6669	12.04	Fagor Deep Fat Fryer Models FG-905, FG-905s, FG-910 and FG-910s	N		P
Food Equipment Distributors Pty Ltd					
6889	1.06	Vantage Commercial Fryer Models: ZHRF2, ZHRF3, ZHRF2A	N		U
Guangdong New World Hotel Equipment Co Ltd -					
7520	10.09	Agent: SPJ Australia Pty Ltd New World Commercial Fryer Model: ZLY I-11B	N		U
		Agent: CIB Enterprises Pty Ltd National Kitchen Equipment Commercial Fryer Model: ZLY 1-11B	N		U
J Goldstein & Company Pty Ltd					
SC333	1.95	Goldstein Commercial Fryer Models: FRG24, FRG24L, FRG48, FRG48L, FRG72, FRG72L	N		P
SC371	4.99	Goldstein Split Pan Tube Fryer Model: TGT-18	N		P
2149	5.72	Commercial Deep Well Fryer Models: FRG 1, FRG-2, FRG-3, FRG-1L, FRG-2L and FRG-3L	N	TLP	T P
5964	2.00	Goldstein Commercial Tube Type Fryer Models: TGF-1M/400 and TGF-24M	N		P
6933	4.06	Goldstein Single Pan Commercial Fryer Model: GF/G 350	N		P
7732	2.11	Goldstein Commercial Gas Fryer Model: VFG-1	N		P
Henny Penny Corporation - Agent: JL Lennard Food Equipment Pty Ltd					
7453	2.09	Henny Penny High Volume Pressure Fryer Models: PFG-690, PFG-691, PFG-692	N		P
International Catering Equipment Pty Ltd					
7190	8.07	American Range Commercial Fryer Model: AF-45	N		P
Kitchen Master Pty Ltd					
6888	11.05	Kitchen Mster Commercial Fryers Models: MC 20 x 20 Mk2 and MC 20 x 20 EL Mk 2, MC 18 x 18 & MC 18 x 18 EL	N		
Langford Metal Industries Pty Ltd					
3074	3.80	Cookon Counter Top Fryer Model: MCFR-1	N		P
3993	11.85	Cookon Commercial Deep Fryer Models: FFR-1-460, FFR-2-460, FFR-1-525 and FFR-2-525	N		P
6115	4.02	Cookon Split Pan Deep Fryer Model: FFR-2-200	N		P
6387	6.03	Cookon Deep Fryer Model: Supafryer Mk II	N		P
Luus Industries Pty Ltd					
6580	10.04	Luus Commercial Fryer Model FG-40	N		P
Moffat Ltd					
6125	8.01	Blue Seal and Waldorf Commercial Fryers Blue Seal Model: GT60HPO Waldorf Models: FN8130GHPO, FNL8130GHPO	N		P
6882	11.05	Blue Seal, Waldorf and Cobra Commercial Fryers Blue Seal Models: GT45, GT46, GT60, G45E, GT46E and GT60E Waldorf Models: FN8120G, FN8226G, FN8130G, FN8120GE, FN8226GE, FN8130GE, FNL8120G, FNL8226G, FNL8130G, FNL8120GE, FNL8226GE, FNL8120GE, FN8120GCS, FN8226GCS, FN8130GCS, FNL8120GCS, FNL8226GCS, FNL8130GCS Cobra Model: CF4	N		P
			N		P
Pitco Frialator Inc – Agent: OBS Equipment Pty Ltd T/as Global Food Equipment (Curtin P/L Global Food Equipment– Administrators appointed)					
4755	4.92	Pitco Commercial Fryers Models: 45C+, 45C+D and 45C+S	N		P
6074	1.01	Pitco SG Series Commercial Fryers Models: SG14, SG14R, SG14T, SG18	N		P
Restaurant & Bar Solutions Pty Ltd					
7251	11.07	Imperial Gas Fryer Models: IRF-40SS, IRF-50SS and IRF-75S	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Tu's Brothers Pty Ltd					
6139	5.01	Supertron Commercial Fryer Model DF-400	N		P
COMMERCIAL FRYERS - High Speed (AS 4563)					
B & S Commercial Kitchen Appliances Pty Ltd					
3872	11.84	B & S Rapid 200 Series Commercial Rapid Fryers Models: RF-2001, RF-2002, RF-2003, RF-2004	N		P
COMMERCIAL FRYERS (AG 309)					
B & S Commercial Kitchen Appliances Pty Ltd					
1960	12.70	Models B & S 100/1, 100/2, 100/3 and 100/4	N		P
Complete Commercial Catering Equipment Pty Ltd					
SC341	9.00	CCCE Models WFS 1/18, 2/18, 3/18, 4/18, 1/22, 2/22, 3/22, 4/22 & WFR 1/12, 2/12, 3/12, 4/12, 1/18, 2/18, 3/18, 4/18, 1/22, 2/22, 3/22 & 4/22	N		P
Pitco Frialator Inc - Agent: Curtin Pty Ltd T/as Global Food Equipment (Curtin P/L Global Food Equipment- Administrators appointed)					
4672	4.91	Pitco Models 35C+, 35C+D, 35C+S Single Pan	N		P
CONVECTION OVENS (AS 4563)					
Baxter Manufacturing, A Division of ITW Food Equipment Group LLC Agent: Hobart Food Equipment Div of ITW Australia Pty Ltd					
7492	6.09	Hobart and Baxter Commercial Convection Oven (Single or Double Rack) Hobart Models: HBA1G and HBA2G Baxter Models: BXA1G, BXA2G, OV500G1 and OV500G2	N N		P P
Comcater Pty Ltd					
4107	4.88	Lincoln Impinger Conveyor Pizza Oven Models 1036, 1046 and 1456 Models 1048 and 1458 Models 1037, 1047 and 1457	N	T	P
4930	11.92	Lincoln Impinger Conveyor Oven Models: 1633-XXX-B-Kxxxx, 1634-XXX-B-Kxxxx, 1646 & 1647	N		P
4348	8.88	Lincoln Impinger Conveyor Convection Oven – 1100 Series Model 1154-S00-EA Model 1155-S00-EA Model 1156-S00-EA	N N		P P
7725	1.11	Lincoln Conveyor/Convection Oven Model: Impinger 3255, 3270	N	T	P
Doyon Equipment Inc - Agent: Doyon Australia Pty Ltd					
6501	12.03	Doyon Conveyor Oven Model: FC2GAU	N		P
Green Bean Coffee Pty Ltd					
6145	5.01	Coffee Bean Roaster Models: 1300, 1500 Models: 1400, 1600	N		P
Middleby Marshall Inc					
6494	12.03	Middleby Marshall Forced Convection Conveyor Oven Model: PS536GS	N		P
6548	2.04	Middleby Marshall Convection Ovens Models: PS360WB-1, PS360WB-2, PS360WB-D, PS360WB70-1, PS360WB70-2 and PS360WB70-D	N		P
Middleby Marshall Inc - Agent: Spyrall Pty Ltd					
6876	11.05	Middleby Marshall & Blodgett Convection/Conveyor Oven Models: PS 540 G and BG 3240	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Moffat Ltd					
SC318	8.94	Moffat Blueseal Convection Oven Model: G32D[1] [1] – Number of trays (standard model is G32D with 4 trays)	N		P
5139	7.94	Blue Seal and Waldorf Convection Ovens Blue Seal Model G1100 and Waldorf Model CN1100G	N		P
6913	2.06	Blue Seal and Waldorf Convection Oven Ranges Blue Seal Models: G54[1][3], G56[1][3], G58[1][3], GE54[1][3], GE56[1][3], GE58[1][3], BG56, BG56S Waldorf Models: RN851[2]GC[3], RN861[2]GC[3], RN881[2]GC[3], RNL851[2]GC[3], RNL861[2]GC[3], RNL881[2]GC[3] RN851[2]GEC[3], RN861[2]GEC[3], RN881[2]GEC[3], RNL851[2]GEC[3], RNL861[2]GEC[3], RNL881[2]GEC[3] RN8910GC[3], RN8910GEC[3], RNL8910GC[3], RNL8910GEC[3], BT8910GC, BT8910GCS, BTL8910GC, BTL8910GCS Model Key: [1] - Griddle section size (Blue Seal only) A - 900 mm wide griddle B - 600 mm wide griddle C - 300 mm wide griddle D - no griddle [2] - Griddle section size (Waldorf only) 9 - 900 mm wide griddle 6 - 600 mm wide griddle 3 - 300 mm wide griddle 0 - no griddle [3] - Open burner options - - standard burner only -F - with flame failure -PF - with pilot and flame failure	N		P
Moretti Forni SpA					
7282	3.08	Moretti Forni Convection Oven Models: T75G, T75G2, T75G3, T97G, T97G2 and T97G3	N		U
Spyral Pty Ltd					
7407	1.09	Middleby Marshall Conveyor/Convection Oven Models: PS670G and PS870G	N		P
7499	4.09	Middleby Marshall Convection Oven Models: PS640, PS740 and PS840	N		P
Wolfe Electric Inc - Agent: JL Lennard Food Equipment Pty Ltd					
7373	10.08	XLT Commercial Conveyor Oven Models: 1832-TS-AE, 2440-TS-AE, 3240-TS-AE, 3255-TS-AE, 3270-TS-AE, 3870-TS-AE, 1832-TS2-AE, 2440-TS2-AE, 3240-TS2-AE, 3255-TS2-AE, 3270-TS2-AE, 3870-TS2-AE, 1832-AE-B, 2440-AE-B, 3240-AE-B, 3255,-AE-B, 3855-AE-B, 3270-AE-B, 3870-AE-B	N		P
CONVECTION OVENS (AG 311)					
Blodgett Oven Company – Agent: Curtin Pty Ltd T/as Global Food Equipment (Curtin P/L Global Food Equipment– Administrators appointed)					
SC327	11.96	DFG-50 Commercial Oven Single or Stacked	N		P
J Goldstein & Company Pty Ltd					
SC378	10.96	Model X500A Convection Oven	N		P
STEAM CONVECTION OVENS (AS 4563)					
Comcater Pty Ltd					
5730	8.98	Rational CP/CM/SCC Series Steam Convection Ovens Models: 61G, 62G, 101G, 102G, 201G and 202G	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Convotherm Elektrogerate GmbH					
6677	9.04	Agent: Convotherm Elektrogerate GmbH Convotherm OGS/OGB Series Combi Steamers Models 6.10, 10.10, 20.10, 6.20, 10.20, 12.20 and 20.20	N		PB
		Agent: Moffat Ltd Blue Seal AC Series Combi Steamers Models G7AC/OGS6.10, G11AC/OGS10.10, G20AC/OGS20.10, G14AC/OGS6.20, G22AC/OGS10.20, G24AC/OGS12.20 and G40AC/OGS20.20 Note: Certified with additional regulatory requirements. Contact the AGA for further information.	N		PB
Fagor Industrial S. Coop. – Agent: Fagor Australasia Pty Ltd					
7195	4.08	Fagor Commercial Combination Oven Models: HGV-10/21, HGP-10/21 and HGC-10/21	N		P
Moffat Limited					
7056	7.07	Blue Seal Combination Oven Models: G6ACPD, G9ACPD, G10ACPD, G14ACPD	N		P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

LPG PORTABLE & MOBILE APPLIANCES (to AS 2658) SUPPLIED AT CYLINDER OR REGULATED PRESSURES

EQUIPMENT FOR USE WITH REFILLABLE CYLINDERS

COOKERS and BARBECUES

Amalgamated Hardware Merchants Ltd

6299	9.02	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft Two Burner Models: CM1020, CM1020D, CM1020GD Three Burner Models: CM1030 and CM1030 Note: 'D' denotes Drip Tray and 'G' denotes Grill	P P
6535	8.04	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft Models CM1015D (Piezo) and CM1015	P
7095	4.07	Campmaster, Falcon, Festiva, Fiesta, Freetime, Grillrite, Kookaburra and Wild Country Portable Camping Stoves Models: CM1023, CM1025, CM1026, CM1028, CM1029, CM1035 and CM1038	P
7280	5.08	Portable Outdoor Camping Stove Models: CM1120, CM1120D, CM1130, CM1130D, CM1120GD Brand Name: Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft	P

Arlec Australia Pty Ltd

7341	8.08	Arlec, Jackeroo, Brahman & Sunshine Tripod Barbecue Models: BM1 (Pressed Steel Hotplate) (Arlec, Jackeroo) BM1 Series 2 (Cast Iron Hotplate) (Arlec, Jackeroo, Brahman & Sunshine)	P P
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Austcrown Pty Ltd

6327	10.02	Rambo Portable Cookers Models: GB-01LP, GB-02LP and GB-03LP	P
6429	6.03	Rambo Cast Iron Ring Burners Models: C20LP, C30LP, C40LP and C50LP	P

Char-Broil LLC - Agent: Oztrail Leisure Products

7737	3.11	Char-Broil Infrared Camp Cooker Model: Big Easy Infrared Camp Cooker (10101626)	P
7742	3.11	Char-Broil Infrared Mobile Barbecues Model: Grill 2 Go Ice (11401631)	P

Chinabest Home Appliance Co Ltd - Agent: Coles Group Ltd

7171	7.07	BEST 2 Burner Portable Camping Stove with Oven Model: CS-01	U
------	------	-------------------------------------------------------------	---

Cadac (Pty) Ltd

7620	8.10	Cadac Travel Chef Outdoor Portable Barbecue Model: 5240	P
7741	6.11	Grillogas Braai, Skottel Braai Portable Barbecue Models: 5297 and 5295	P

Ezi Concepts Pty Ltd

5750	10.98	Ezi Concepts Gas Conversion Kit for 22.5" Barbecue Kettle	P
------	-------	-----------------------------------------------------------	---

Genesis Australia Corporation Pty Ltd

7216	10.07	Jumbuck Round Plate Barbecue Model: A160	U
------	-------	------------------------------------------	---

Guangdong Chant Group Inc - Agent: Sitro Group Australia Pty Ltd

7334	9.08	Gasmaster, Gasmate, Jumbuck, Jackeroo, Chant Portable Outdoor Barbecues Models: BQ2000, KBQ2000, BG0651B-A	P
------	------	---------------------------------------------------------------------------------------------------------------	---

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

Hillbilly Camping Gear

6178	9.01	Bushking Combination Camp Cooker/Oven (Regulated Propane) Models: HB/K1 and HB/K2	P
------	------	--------------------------------------------------------------------------------------	---

Itech Industries Pty Ltd T/as Itech Metal Industries

6092	11.00	Itech Chinese Cooking Table Model: Itech 2000	P
------	-------	-----------------------------------------------	---

Primus Australia Pty Ltd

4411	5.89	Companion, Kookaburra, Primus & Spinifex 2 & 3 Burner Camping Stove Companion Models: Comp2396, Comp202DL, Comp200, Comp202, Comp203 Kookaburra Models: ST1012, ST1023 Primus Models: 509012, 509023, 509034 Spinifex Model: 7027610	P P P P
6482	10.03	Companion High Pressure Portable Barbecue Model COMP282 Take Away	P
6725	3.05	Companion and Kookaburra High Pressure Single Burner Stove Companion Model Comp208 Kookaburra ST1045	P P
6818	9.05	Companion 2 Burner Stove and 2 Burner Stove and Grill Models: Comp210, Comp213 – Stove models only Model: Comp212 – Stove and Grill model	P P

Shin Fuji Burner Co Ltd - Agent: Kathmandu Ltd

6820	8.05	Single Burner Portable Outdoor Gas Stove Model: Arcus (Tested with 80% Butane and 20% Propane)	B/P
------	------	---------------------------------------------------------------------------------------------------	-----

Sitro Group Australia Pty Ltd

2995	8.79	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1305, 1305D, 1307, 1307D, 3 Burner Camping Stove Galore Group Companion Model 202, 3 Burner Camping Stove	P P
3003	8.79	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1063 and 1064 Single Burner Camping Stove	P
3165	10.80	Gasmate, Gasmaster, Jumbuck, Jackeroo, Companion, Coolabah Outdoors Two Burner Portable Camping Stoves Gasmate, Gasmaster, Jumbuck and Jackeroo Models: 1095, 1095D, 1095DT, 2095 and G2202 Ellipse Companion Models: 200 and 203 Coolabah Outdoors Model: 1095/2BCS Blackridge Model: BR1095TK	P P P P
3710	12.83	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1102 and 1103 2 Burner Stove and Griller GLG Companion Model 205 2 Burner Stove and Griller	P P
6647	11.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Portable Barbecues Model: G2727 Adventurer Series	P
6787	8.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Model: Cruiser G2017	P
7705	1.11	Gasmate, Gasmaster, Jumbuck, Jackeroo & Excalibur Portable Camping Oven and Stove Model: CO5005	P
7683	3.11	Gasmate & Jumbuck Cast Iron Ring Burner Gasmate RB Series Models: RB2, RB3, RB4 Jumbuck JRB Series Models: JRB2, JRB3, JRB4	P P

The McCormack Family Trust T/as The Outdoor Connection

5014	9.93	Outdoor Connection Portable Stove Models: 1305 and 1305D (3 Burner), 1095 and 1095D (2 Burner)	P
5016	9.93	Outdoor Connection Model 1067 Single Burner Stove	P

United Four Co Ltd

7523	7.09	U4B, Solimar, Rough It – Portable Vapour Pressure Barbecue Model: GB1601	P U
7561	9.09	Campmaster, Solimar, U4B Portable Hooded Barbecue Model: GB1061	P

Weber-Stephen Products Co (Aust) Pty Ltd

6025	7.00	Weber Model 87024 Gas Conversion Kit for 22.5" Barbecue Kettle	P
------	------	----------------------------------------------------------------	---

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

HEATERS

Amalgamated Hardware Merchants Ltd

7006	10.06	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft Models: CM1900 and CM1900D Note: 'D' denotes piezo ignition version	P
------	-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---

Primus Australia Pty Ltd

3023	10.79	Companion and Kookaburra Portable Radiant Heater Companion Model: COMP227 Kookaburra Model: HE012	P P
------	-------	---------------------------------------------------------------------------------------------------------	--------

Sitro Group Australia Pty Ltd

4798	2.92	Gasmate, Gasmaster, Jumbuck and Jackeroo External Portable Heater Models: 2021, 2021B, 2021BPL, 3020B and 3020BPL Note: BPL denotes piezo ignition.	P
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	---

CAMPING LANTERNS

Amalgamated Hardware Merchants Ltd

6281	9.02	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft Portable Camping Lanterns Model: CM1500 (500 Candle Power)	P
6282	9.02	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft Portable Camping Lanterns Model: CM1200	P
7158	7.07	Campmaster, Festiva, Grillrite, Falcon, Kookaburra, Wildcountry, Freetime, Fiesta, Roman, Oztrail Portable Camping Lanterns Models: CM1250, CM1250D, CM1550 and CM1550D	P

Primus Australia Pty Ltd

5624	11.97	Companion and Kookaburra Camping Lanterns Companion Models: COMP3112PL-200CP, COMP312, COMP3113PL-350CP and COMP313 Kookaburra Models: LA1012, LA1023	P P
------	-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

Sitro Group Australia Pty Ltd

2997	8.79	Gasmate/Gasmaster/Jumbuck/Mountain Leisure/Sunshine Leisure Products/Jackeroo Models 2011, 2011PL 1011, 1011PL, 3011 and 3011PL	P P
3232	6.81	Gasmate/Gasmaster/Jumbuck/Mountain Leisure/Sunshine Leisure Products/Jackeroo Models 2013, 2013P, 2013PLC, 2013PLP 3013 and 3013PL	P P
3289	5.82	Gasmate/Gasmaster/Jumbuck/Mountain Leisure/Primus/Sunshine Leisure Products/Jackeroo Models: 2012, 2012CPL and 2012PL	P

The McCormack Family Trust T/as The Outdoor Connection

5015	9.93	Outdoor Connection Models 2013 and 2013PL Single Mantle	P
5036	9.93	Outdoor Connection Models 2011, 2011PL, 2012 and 2012PL Single Mantle	P
7738	5.11	Outdoor Connection Portable Lantern Models: GL10, GL11, GL.12	P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

MISCELLANEOUS

Guangdong Chant Group Inc - Agent: Sitro Group Australia Pty Ltd

7021	11.06	Gasmate, Jackeroo and Blackridge Outdoor Camping Water Heaters Models: Gasmate GMWH50, Jackeroo JWH50 and Blackridge BRWH50	P
------	-------	--------------------------------------------------------------------------------------------------------------------------------	---

Sitro Group Australia Pty Ltd

6959	10.06	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Outdoor Camping Showers and Hot Water Units Models: GMWH100 and GMWH200	P
------	-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	---

EQUIPMENT FOR USE WITH BOTH DISPOSABLE CARTRIDGES AND REFILLABLE CYLINDERS

COOKERS and BARBECUES

Coleman Brands Pty Limited

6329	9.02	Coleman 2 Burner Portable Barbecue Road Trip Grill Models: 9941-766XA, LXE 9949-750XA and 9941-768A	P
7139	5.07	Coleman 2 and 3 Burner Portable Camping Stoves Model: 5441 (Stainless Steel Burners)	P
		Model: 5444 (Stainless Steel Burners and Brass Burners)	P
7609	2.10	Coleman Fold 'n' Go Table Top Grill Model: 9939 Series	P

Magma Products Ltd - Agent: Whitworth's Nautical World Pty Ltd

6713	3.05	Magma Gourmet Series Marine Barbecues Models: Newport A10-918AU-1/2/3, Catalina A10-1218AU-1/2/3 and Monterey A10-1225AU-1/2/3 (Tested with 80% Butane/20% Propane Canister)	P B/P
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

CAMPING LANTERNS

Coleman Brands Pty Limited

5671	6.00	Coleman Camping Lanterns Model: Northstar 2500	P
------	------	---------------------------------------------------	---

EQUIPMENT FOR USE WITH DISPOSABLE CARTRIDGES

COOKERS and BARBECUES

Aber Holdings Ltd

7716	1.11	Gas Mate & Kathmandu Portable Gas Camping Stove Models: FMS 116, FMS 116T, KM 030-001, KM 030-002 (Tested with 80% Butane/20% Propane Canister)	B/P
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------	-----

Amalgamated Hardware Merchants Ltd

5907	3.00	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape and Gas Craft Single Burner Stoves Models: CM2100, CM2200, STO990, ST7000, FT2100, FT2200, ST1, ST2	B
6810	8.05	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft Portable Single Burner Stove Model: CM2150	B

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

Amalgamated Hardware Merchants Ltd Continued

6834	10.05	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft & Spinifex Models: **2170* and **2270* ** - Relates to Customer Code * - Relates to options	B
7702	1.11	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft, Spinifex Outdoor Portable Gas Stove Models: **2300, **2300D (Butane & Propane 80/20 Blend) ** represents a unique customer code with no technical changes to the appliance	B/P
7727	6.11	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oz-Trail, Roman, Progaz, Escape, Gas Craft and Red Centre Portable Outdoor Camping Stove Model: CM2130 (Single Burner Variant) & CM2230 (2 Burner Variant)	B

Amalgamated Hardware Merchants Ltd - Agent: AHM Group (Australia)

7613	3.10	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft, Spiniflex, Outdoor Portable Gas Stove Models: FMS-103 (Tested with 80% Butane and 20% Propane)	B/P
7614	3.10	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft, Spiniflex, Outdoor Portable Gas Stove Models: FMS-102, FMS-106, FMS-109 (Tested with 80% Butane and 20% Propane)	B/P

Austcrown Pty Ltd

5241	6.95	Austcrown and Wild Country Handy Range Single Burner Portable Camping Stove Model: AD90	B
6860	10.05	Single Burner Portable Stove Model: Rambo HR-200	B

Cadac (Pty) Ltd – Agent: CadacBBQ

6333	1.03	Cadac Safari Chef Barbecue Models: 6526 and 5225 (Tested with 85% B and 15% P)	B/P
7279	9.08	Cadac Fire Up – Charcoal BBQ Accessory Model: 5290 (Tested with 75% B and 25% P)	B/P

Cascade Designs Incorporated - Agent: Spelean Pty Limited

6088	1.01	MSR Single Burner Camping Stove Model: Pocket Rocket (Tested with 70% B & 30% P or 80% B & 20% P)	B/P
6089	12.00	MSR Superfly Single Burner Camping Stove Model: Superfly (Tested with 70% B & 30% P)	B/P

Cascade Designs Incorporated

7302	9.08	MSR Reactor Portable Camping Stove Model: 11205 (For use with 70% B and 30% P or 80% B and 20% P)	B/P
7303	9.08	MSR Windpro Portable Camping Stove Model: 11784 (For use with 70% B and 30% P or 80% B and 20% P)	B/P

Chens Bros Trading Pty Ltd

7378	2.09	My Collection, Red Stone, Home Essentials, Bai Hui Portable Camping Stove Models: BDZ-168, BDZ-163S	B
------	------	-----------------------------------------------------------------------------------------------------	---

Coleman Brands Pty Limited

5585	8.97	Campingaz – Globetrotter Model 270 Single Burner Stove (tested with 80% B and 20% P)	B/P
		Campingaz – Bleuét Models 270 HP, 270 Micro & 206 Single Burner Stoves (tested with 80% B and 20% P)	B/P
		Campingaz – Twister Models 270, 270 PZ & 270 HPZ Single Burner Stoves (tested with 80% B and 20% P)	B/P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

Emberton Group Incorporated

7421 1.09 Engel Single Burner Gas Stove Model: 726.14341 B

Illusion Australia Pty Ltd

7633 3.10 U-Bute Traveller Dual Burner/Griddle Outdoor Portable Butane Cannister Fuelled Cooker Model: U-Bute Traveller B
For use with 100% Butane Disposable Canisters

Katadyn Scandinavia AB

7459 5.09 Optimus Portable Camping Stoves Models: Crux #42, Crux Lite #41 B/P
70% Butane/30% Propane Disposable Cartridges

Magma Products Inc - Agent: Whitworth's Nautical World Pty Ltd

5450 8.98 Magma Marine Kettle 2 Series Barbecues Models: A10-105AU-1, A10-105AU-2, A10-105AU-3, A10-115AU-1, A10-115AU-2, A10-115AU-3, A10-205AU-1, A10-205AU-2, A10-205AU-3, A10-215AU-1, A10-215AU-2, A10-215AU-3, A10-207AU-1, A10-207AU-2, A10-207AU-3, A10-217AU-1, A10-217AU-2, A10-217AU-3 P B/P
For use with Regulated Propane, Propane Canister or 80% Butane/20% Propane Canister

MIT Limited - Agent: Sitro Group Australia Pty Ltd

7437 2.09 Five Star and Gasmate Single Burner Portable Camping Stove B
Five Star Model: MS-2000 B
Gasmate Model: PC1070

Primus Australia Pty Ltd

7137 5.07 Companion Portable Single Burner Camping Stove Models: Comp510 and Comp511 B/P
(Tested with 70% Butane and 30% Propane)
7138 5.07 Companion Portable Barbecue Model: Comp288 P
7180 8.07 Companion Portable Barbecue Model: Comp285 P

Sea To Summit Pty Ltd

6948 4.06 Jetboil Camping Stoves with Integral Cooking Vessel and Steel Trivet Accessory B/P
Model: Group Cooking System B/P
Model: Flash Cooking System
(Tested with 80% ISOButane/20% Propane Gas Disposable Cartridge)

Sitro Group Australia Pty Ltd

5550 4.97 Gasmate, Gasmaster, Jumbuck and Jackeroo Single Burner Camping Stove Models 1058, 1058PL, 1059, 1157, 1157PL, 1158 and 1158PL B
Note: PL Indicates Piezo Ignition
6736 7.05 Gasmaster, Gasmate, Jumbuck, Jackeroo & Excalibur Single Burner Models: PC1070, PC1060, PC1090 B

Snow Peak Inc

6292 7.02 Snow Peak GS and GST Series Single Burner Camping Stoves Models GS-100, GST-100, GS-100A, GST-100A B/P
Note: T indicates Titanium, A indicates Piezo Ignition
(Tested with 85% B and 15% P)

The McCormack Family Trust T/as The Outdoor Connection

7721 5.11 Outdoor Connection 2 & 3 Burner Portable Camping Stoves Models: GS.12, GS.14 & GS.15 P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

CAMPING LANTERNS

Amalgamated Hardware Merchants Ltd - Agent: AHM Group (Australia)

7612	3.10	Campmaster, Kookaburra, Grillpro, Toplantern, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Lantern, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft, Spiniflex, Outdoor Portable Gas Lantern Models: FML-601 (Tested with 80% Butane and 20% Propane)	B/P
7703	1.11	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft, Spinifex Outdoor Portable Gas Lantern Models: **3100, **3100D (Butane & Propane 80/20 Blend) ** represents a unique customer code with no technical changes to the appliance.	B/P

Coleman Brands Pty Limited

6625	9.04	Coleman Camping Gas Lantern Models Instastart 5155A752A and Matchlight 5155A702A For use with Coleman Disposable Cartridge Only	P
6951	5.06	Coleman Portable LPG Camping Lantern Model: 5159-700XA (Matchlight) Model: 5159-750XA (Electronic Ignition)	P P
7187	7.07	Coleman 'Light N Bright' Camping Lantern Model: 203 705 (Instastart – Piezo Ignition) Model: 203 704 (Matchlight)	P P

Primus Australia Pty Ltd

7005	9.06	Companion Camping Lantern Models: Comp538 and Comp538N	B
7136	5.07	Companion Portable Camping Lantern Models: Comp515 and Comp516	B/P

Shin Fuji Burner Co Ltd - Agent: Kathmandu Ltd

6835	9.05	Portable Outdoor Camping Lantern Model: Eos	B
------	------	---------------------------------------------	---

Sitro Group Australia Pty Ltd

5549	4.97	Gasmate, Gasmaster, Jumbuck and Jackeroo Camping Lanterns Models 1114, 1114PL, 2014 and 2014PL Note: PL indicates piezo ignition	B
7669	10.10	Gasmaster, Jumbuck, Jackeroo, Excalibur and Gasmate Single Mantle Camping Lantern Models: BL211 and BL211PL	B

Snow Peak Inc

6291	7.02	Snow Peak Single Mantle Camping Lantern Models GL-100 and GL-100A (Tested with 85% B and 15% P)	B/P
------	------	----------------------------------------------------------------------------------------------------	-----

HEATERS

Amalgamated Hardware Merchants Ltd

7393	12.08	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft, Spinifex Model: CM1950	B
------	-------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---

Sitro Group Australia Pty Ltd

7147	9.07	Gasmaster, Gasmate, Jumbuck and Jackeroo Portable Heater Model: BH50 (Tested with 80% Butane and 20% Propane Mix Disposable Canister)	B/P
7676	10.10	Gasmaster, Jumbuck, Jackeroo, Excalibur & Gasmate Portable Gas Heater Models: BH10 & BH10PL	B

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	-------------------------------------------------------------------------------------

MISCELLANEOUS

Chinabest Home Appliance Co Ltd - Agent: Primus Australia Pty Ltd

7577	11.09	Companion, Best, Adventuridge Portable Outdoor Camping Shower Companion Model: COMP800 Best Model: PWH03 Adventuridge Model: 2350	P P P
------	-------	--------------------------------------------------------------------------------------------------------------------------------------------	-------------

Coleman Brands Pty Limited

6568	6.04	Coleman Portable Outdoor Hot Water Unit Models: 2300A* (combo unit) and 2300B (standard unit) Suffix * indicates product/packaging options Note: Optional hose assembly available for connection to a POL type refillable gas cylinder	P
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---

Sitro Group Australia Pty Ltd

6946	6.06	Gasmaster, Gasmate, Jumbuck, Jackeroo Decorative Garden Torch/ Gas Flare Model: GT200 (Tested for use with 80% Butane 20% Propane Gas Canister or 100% Butane)	B B/P
------	------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

COMPONENTS

Note: Majority of AGA codes have now been superseded by AS standards. Certificates which have been assessed against the new standard will be listed accordingly, those that have yet to be assessed, remain under the obsolete AGA Code.

MANUAL SHUT-OFF VALVES (AS 4617)

NOTE 1: Valves shall be selected in accordance with Table 3.1 in AS 5601 (female parallel threads are only permitted in applications up to 100 kPa).

NOTE 2: Unless otherwise specified in the listings below, the temperature rating covered by AGA certification is from 0°C - 60°C.

TYPE 1 – ISOLATING VALVES

AAP Industries Pty Ltd

MAXIFLO

6017 6.00 Isolating Manual Shut-Off Valve 2500 kPa
Model: HC210
Nominal Sizes: ¼" (8mm), ⅜" (10mm), ½" (15mm), ¾" (20mm), 1" (25mm), 1¼" (32mm), 1½" (40mm), 2" (50mm), 2½" (65mm), 3" (80mm) & 4" (100mm)
Temperature Rating 0-60°C
End Connections F x F, M x F to ISO 7 Part 1 & 2. Alternatively ¾" (20mm) valves can have compression and nut and tail end fittings thread forms comply with ISO 7 Pt 2

All Valve Industries

CIM

5317 8.95 Type 1 - Full Bore Manual Isolating Valves 8mm to 100mm NB 1050 kPa
10G (F+F, ¼ - 4"), 310G (F+F, ¼ - 2"), 201G (M+F, ¼ - 2"), 301G (M+F, ¼ - 2"), 12G (F+F, ¼ - 4"), 312G (F+F, ¼ - 2"), 11G (F+F, ¼ - 4"), 11G-CR (F+F, ¼ - 2"), 201-12G (M+F, ¼ - 2"), 301-12G (M+F, ¼ - 2"), 406-12G (F+F, Underground adapted, ½ - 3")
Suffix "G" denotes suitability for gas
Rated Working Pressure: 0°C and 60°C

Austral-Powerflo Solutions Pty Ltd

AUSTRAL

4311 4.88 G2R Series Type 1 Isolating Manual Stainless Steel Valves
Fig G2R Sizes 10mm-25mm BSPT Female 13 790 kPa
Sizes 32mm-50mm BSPT Female 10 340 kPa
6726 2.05 Fig. VF 730 and VF 733 Series Butterfly Valves
Models Fig. VF 730 (50), VF 730 (65), VF 730 (80), VF 730 (100), VF 730 (125), VF 730 (150) – Wafer Body 1050 kPa
Fig. VF 733 (50), VF 733 (65), VF 733 (80), VF 733 (100), VF 733 (125), VF 733 (150) - Lugged Body 1050 kPa
Ambient Temperature 0°C to 80°C
Seat Material: NBR
Disc Material: 316 S/S

Austworld Commodities Pty Ltd

LOGI

6132 1.02 Manual Isolating Valves 1050 kPa
Type 1
Models: W15F, W20F, W25F, W32F, W40F, W50F, W65F, W80F, W100F, G10, G15, G20, GBV15, GBV20, GBV25, GBV32, GBV40, GBV50, LW15F, LW20F, LW25F, LW32F, LW40F, LW50F, W15M, W20M, W25M, W32M, W40M, W50M, LG15F, LG20F, LG25F, LG32F, LG40F, LG50F, LG15M, LG20M, LG25M, LG32M, LG40M, LG50M, WB15F, WB20F, WB25F, WB15M, WB20M, WB25M
End Fittings – M x M, M x F, C x C, C x M, C x F and F x F
Sizes 6mm, 8mm, 10mm, 15mm, 20mm, 25mm, 32mm, 40mm, 50mm
H Series – Models H20G, H20FG, H20G15, H20G2015, H20W15, H20W2015, H20W 1050 kPa
End Fittings – C x F and C x Nut and Tail
Size – 20mm
Temperature Rating: 0°C and 60°C

Brandoni SpA - Agent: Zetco Pty Ltd

6633 9.04 Brandoni Flanged Cast Iron Ball Valve G02.1 (DN20 to DN 150) 1600 kPa
Rated Working Temperature: -20°C to 70°C

Bray Controls Pacific Pty Ltd

BRAY

6207 10.01 31 Series Lugged Body Butterfly Valves
Models: 31020011010713, 31025011010713, 31030011010713, 31040011010713, 31050011010713, 31060011010713, 31020011063713, 31025011063713, 31030011063713, 31040011063713, 31050011063713 and 31060011063713
Resilient Seated
50, 65, 80, 100, 125 and 150mm
0°C and 100°C 1200 kPa

Bromic Pty Ltd

SUPA-FLO

7423 3.09 Bromic Supaflo Ball Valves
FL10 (3/8") BSP Flared Connection 2600 kPa
FL15 (1/2") BSP Flared Connection 2600 kPa
FL20 (3/4") BSP Flared Connection 2600 kPa
FL25 (5/16") BSP Flared Connection 2600 kPa
FL10 (3/8") SAE Flared Connection 2600 kPa
FL15 (1/2") SAE Flared Connection 2600 kPa
FL20 (3/4") SAE Flared Connection 2600 kPa
FC20 (3/8") Female x Nut & Tail 100 kPa
Compression Connections
FL-C20 (3/8") Flared x Nut & Tail 100 kPa
Compression Connections
Maximum Temperature Range 0°C - 60°C

Bromic Pty Ltd Continued

SUPA-FLO

7425	3.09	Bromic Supaflo Ball Valves FF8 (1/4") Female x Female BSP End Connections	1050 kPa
		FF10 (3/8") Female x Female BSP End Connections	1050 kPa
		FF15 (1/2") Female x Female BSP End Connections	1050 kPa
		FF20 (3/4") Female x Female BSP End Connections	1050 kPa
		FF25 (1") Female x Female BSP End Connections	1050 kPa
		FF32 (1 1/4") Female x Female BSP End Connections	1050 kPa
		FF40 (1 1/2") Female x Female BSP End Connections	1050 kPa
		FF50 (2") Female x Female BSP End Connections	1050 kPa
		MF15 (1/2") Female x Male BSP End Connections	1050 kPa
		MF20 (3/4") Female x Male BSP End Connections	1050 kPa
		Maximum Temperature Range 0°C - 60°C	
7740	3.11	Supa-Flo Manual Shut-off Valve Type 1 Isolating Valve	
		MF50 - M x F 3/4" (20mm) BSP	1050 kPa
		FF50 - F x F 3/4" (20mm) BSP	1050 kPa
		Temperature rating 0°C - 60°C	

Bromic Pty Ltd

TH

7642	6.10	Manual Change-over Ball Valve Model: Tway MWT 0°C - 60°C	2550 kPa
------	------	-------------------------------------------------------------	----------

CMW BVA Valves Pty Ltd

CHALLENGER

5326	10.95	Butterfly Valve, Lugged and Wafer Body Sizes 50mm, 65mm, 80mm, 100mm, 125mm and 150mm @ 60°C	1050 kPa
		Note: Wafer Body Valve must comply with requirement 3.3.5(b) AS 5601 - 2004	
7608	11.09	Manual Ball Valve Model: BRB Figure No #BLFF, BTFF, BLMF & BTMF M x F, F x F Temperature Range: 0°C - 60°C	1050 kPa

CMW BVA Valves Pty Ltd

CMW-IDEAL

6402	2.03	Manual Ball Valves (Full Bore) Figure Numbers: BTMF (Sizes 15, 20, 25, 32, 40, 50mm)	1050 kPa
		BLMF (Sizes 8, 10, 15, 20, 25, 32, 40, 50, 65, 80, 100mm)	1050 kPa
		BTFF (Sizes 8, 10, 15, 20, 25, 32 40, 50mm)	1050 kPa
		BLFF (Sizes 8, 10, 15, 20, 25, 32, 40, 50, 65, 80, 100mm)	1050 kPa
		BTFC (Sizes 10, 15, 20mm) @ 60°C	1050 kPa
		BTMF - 'T' handle operation, internal/ external thread connectors.	
		BLMF - Lever handle operation, internal/external thread connectors.	
		BTFF - 'T' handle operation, internal thread connectors.	
		BLFF - Lever handle operation, internal thread connectors.	
		BTFC - 'T' handle operation, compression end connectors.	

Crane Distribution Ltd T/as Tradelink Plumbing Supplies

HYFLO

4030	1.86	Wafer and Lugged Butterfly Valve, Mk V, DN50, DN65, DN80, DN100, DN125 and DN150 (Models with NBR Seat) Rated Working Temperature: 0°C - 60°C	800 kPa
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	---------

Dixon Asia Pacific Pty Ltd

DIXON

7213	9.07	BBVSTDxxxSS Manual Shut-off Ball Valves ART1170 Series 15mm, 20mm, 25mm, 32mm, 40mm and 50mm ART1180 Series 8mm and 10mm	4140 kPa 4140 kPa
------	------	--------------------------------------------------------------------------------------------------------------------------------------	----------------------

Flowserve Australia Pty Ltd

WORCESTER

3114	7.80	F44 Series, 3 Piece Body, Reduced Bore, Firesafe Manual Shut-off Ball Valve 15 1/2" 05F44-**66*ZSENSEN 20 3/4" 07F44-**66*ZSENSEN 25 1" 10F44-**66*ZSENSEN 32 1 1/4" 12F44-**66*ZSENSEN 40 1 1/2" 15F44-**66*ZSENSEN 50 2" 20F44-**66*ZSENSEN 6th & 7th Characters '**' Designate Body Material, I.E. 44 = Carbon Steel, 66 = Stainless Steel. 10th Character '*' Designates Seat Material, I.E. 'T' = PFTE (Teflon), 'R' = RPFTE (15% Glass Reinforced Teflon) The AGA Approved Actuator/Valve Combinations are based upon a Specified Rated Supply Pressure (Air) of 550 to 700kPa. Optional: Norbro J-Switch Position Proving & Position Indicating Switch Boxes & Automax Ultraswitch XCL/XML. 12th Character Onwards Designate The End Connection Options: 'SET' = NPT Threads, 'SEP' = BSP Threads, 'SW' = Socket Weld & 'Bw' = Butt Weld Temperature range: 0° C to 60° C	6900 kPa
3115	7.80	F51/K51 Series ANSI Ball Valve Class 150 Models: 05*51 **66*Z 150150, 07*51 **66*Z 150150, 10*51 **66*Z 150150, 15*51 **66*Z 150150, 20*51 **66*Z 150150, 30*51 **66*Z 150150, 40*51 **66*Z 150150, 60*51 **66*Z 150150 Note: 3rd Character '*' Designates F, K Variation. 6th & 7th Characters '**' Designate Body Material, I.E. 44= Carbon Steel, 66 = Stainless Steel. 10th Character '**' Designates Seat Material, I.E. T = PFTE, R = RPFTE Sizes 15 mm - 150 mm NB Flanged, Firesafe, Carbon Steel or Stainless Steel MWP 1900 kPa @ 60°C	1900 kPa
3116	7.80	K5/F52 Series ANSI Class 300 Ball Valves Models: 05*52 **66*Z 300300, 07*52 **66*Z 300300, 10*52 **66*Z 300300, 15*52 **66*Z 300300,	5000 kPa

Flowserve Australia Pty Ltd Cont'd
WORCESTER

20*52 **66*Z 300300,
 30*52 **66*Z 300300,
 40*52 **66*Z 300300,
 60*52 **66*Z 300300
 Note:
 3rd Character '*' Designates F, K Variation.
 6th & 7th Characters '**' Designate Body
 Material, ie 44= Carbon Steel, 66 = Stainless
 Steel. 10th Character '*' Designates Seat
 Material, ie T = PFTE, R = RPFTE
 15mm-150mm N.B.
 Temperature Range: 0°C - 60°C
 6821 7.05 F519, F529, F819 and F829 Series
 Full Bore Manual Ball Valves
 15mm – 40mm ANSI Flanged 150
 Raised Face, One Piece Body 1900 kPa
 Models 05F519 *66***Z150,
 07F519 *66***Z150, 10F519 *66***Z150
 and 15F519 *66***Z 150
 50mm – 150mm ANSI Flanged 150
 Raised Face, Two Piece Body 1900 kPa
 Models 20F819 *66***Z150,
 30F819 *66***Z150, 40F819 *66***Z150
 and 60F819 *66***Z150
 15mm – 40 mm ANSI Flanged 300
 Raised Face, One Piece Body 5000 kPa
 Models 05F529 *66***Z300,
 07F529 *66***Z300, 10F529 *66***Z300
 and 15F529 *66***Z300
 50mm – 150mm ANSI Flanged 300
 Raised Face, Two Piece Body 5000 kPa
 Models 20F829 *66***Z300,
 30F829 *66***Z300, 40F829 *66***Z300
 and 60F829 *66***Z300
 7th Character '*' designates major component
 material ie '4' = carbon steel,
 '6' = stainless steel.
 10th Character '*' designates seat material
 ie 'T' = PFTE, 'R' = RPFTE.
 11th Character '*' designates seal material
 ie. 'T' = PFTE, 'Z' = Graphite.
 12th Character designates thrust seal material,
 ie '7' = 25% RPTFE, 'R' = 15% RPTFE,
 'X' = PEEK.
 13th Character designates secondary stem seal
 ie. 'T' = PFTE, '7' = 25% RPTFE,
 'R' = 15% RPTFE.
 Temperature range: 0°C to 60°C

Foshan Rifeng Enterprise Co Ltd
RIFENG/GAS PEX

7563 8.09 Manual Shut-Off Ball Valves
 -20°C - 120°C
 Q1/2F*1/2F-DN15(gas) 100 kPa
 Q3/4F*3/4F-DN20(gas) 100 kPa
 Q1/2F*1/2F(H)-DN15(gas) 100 kPa
 Q3/4F*3/4F(H)-DN20(gas) 100 kPa
 F5-Q1216*1/2F(H)-DN15(gas) 70 kPa
 F5-Q1620*3/4F(H)-DN20(gas) 70 kPa
 Q1/2F*1/2F-DN15(gas) &
 Q3/4F*3/4F-DN20(gas) – F x F
 Q1/2F*1/2F(H)-DN15(gas) &
 Q3/4F*3/4F(H)-DN20(gas) – F x loose
 nut & tail
 F5-Q1216*1/2F(H)-DN15(gas) &
 F5-Q1620*3/4F(H)-DN20(gas) –
 loose nut & tail x Gas Pex pipe joint fitting
 Contact manufacturer for further
 installation details.

Fratelli Pettinaroli SpA - Agent: Gameco (NSW) Pty Ltd

6519 3.04 Pettinaroli Brass Bodied, Full Bore
 Manual Shut-off Ball Valves
 G50380715000, G50381015000,
 G50381515000, G50382015000,
 G50382515000, G50383215000,
 G50384015000, G50385015000,
 G50387015000, G50388015000,
 G50/1380715010, G50/1381015010,
 G50/1381515010, G50/1382015010,
 G50/1382515010, G50/1383215010,
 G50/1384015010, G50/1385015010,
 G50/2380715020, G50/2381015020,
 G50/2381515020, G50/2382015020,
 G50/2382515020, G50/2383215020,
 G50/2384015020, G50/2385015020,
 G51380715030, G51381015030,
 G51381515030, G51382015030,
 G51382515030, G51383215030,
 G51384015030, G51385015030,
 G51387015030, G51388015030,
 G513810015030, G51/1380715040,
 G51/1381015040, G51/1381515040,
 G51/1382015040, G51/1382515040,
 G51/1383215040, G51/1384015040,
 G51/1385015040, G51/2380715050,
 G51/2381015050, G51/2381515050,
 G51/2382015050, G51/2382515050,
 G51/2383215050, G51/2384015050,
 G51/2385015050, G52380715060,
 G52381015060, G52381515060,
 G52382015060, G52382515060,
 G52383215060, G52/1380715070,
 G52/1381015070, G52/1381515070,
 G52/1382015070, G52/1382515070,
 G52/1383215070, G52/2380715080,
 G52/2381015080, G52/2381515080,
 G52/2382015080, G52/2382515080,
 G52/2383215080, T100IR370710400,
 T100IR371010400, T100IR371510400,
 T100IR372010400, T100IR372510400,
 T100IR373210400, T100IR374010400 &
 T100IR375010400
 Temperature –20°C to 60°C 500 kPa
 G50, G51, G52 Series – F X F,
 AS 1722 pt 1 (ISO 7/1)
 G50/1, G51/1, G52/1 – F X M,
 AS 1722 pt 1 (ISO 7/1)
 G50/2, G51/2, G52/2 – F X M,
 AS 1722 pt 1 (ISO 7/1)
 T100IR – F X M, NPT
 Options: 054 spindle extension
 G50 series lockable device (closed only)
 for G51* and T100IR

Global Supply Line Pty Ltd
STARLINE SUPERSTAR

7571 10.09 Ball Valves
 Models: 11 & 21 Series 7000 kPa
 (11 denotes full Bore,
 21 denotes reduced Bore)
 Full Bore DN 8, 10, 15, 20,
 25, 32, 40, 50, 65 & 80
 Reduced Bore DN 15, 20,
 25, 32, 40, 50, 65, 80 & 100
 End Connections
 Threaded Full/Reduced Bore all sizes
 Welded Full/Reduced Bore all sizes
 Flanged Full Bore DN15-80
 Reduced Bore DN15-100
 Temperature Rating 0 - 100°C

Global Valve Alliance - Agent: Australian Valve Group P/L

6515 1.04 GVA BV Series Ball Valves
 Models: BV10F, BV15F, BV20F, BV25F,
 BV32F, BV40F, BV50F, BV15FL,
 BV20FL, BVF20FL, BVQ20-15,
 BVQ20-20 2500 kPa

GSA Industries (Aust) Pty Ltd**RYEMETAL**

6971 9.06 7020 Series Ball Valves
 Full Bore with F x F Configuration
 DN15 - 7020.15 - 2380V0704CZRY 2100 kPa
 DN20 - 7020.20 - 2380V0705CZRY 2100 kPa
 DN25 - 7020.25 - 2380V0706CZRY 2100 kPa
 DN32 - 7020.32 - 2380V0707CZRY 2100 kPa
 DN40 - 7020.40 - 2380V0708CZRY 2100 kPa
 DN50 - 7020.50 - 2380V0709CZRY 2100 kPa
 Temperature Range 0°C - 60°C
 Note: Operating handle is lockable

IMT Armaturen AG**IMT**

5683 10.98 593 FxF and 594 MxF Manual
 Ball Valves Sizes 1/8", 1/4", 3/8",
 1/2", 3/4" 1", 1 1/4", 1 1/2" & 2" 1050 kPa
 Temperature Range 0°C - 60°C

ITAP SpA**ITAP**

5256 5.95 "Berlin" ART 070 Series Male
 & Female Manual Ball Valves
 ART 070/072 (Female)
 & ART 071/073 (Male/Female)
 8mm-50mm 1050 kPa
 Temperature Range 0°C - 60°C

ITAP SpA**LONDON**

6227 11.01 London Series Manual Isolating Valves
 Models: 066 (F/F), 067 (M/F) Sizes 1/4"- 2"
 068 (F/F), 069 (M/F) Sizes 1/4" - 1"
 266 (F/F), 267 (M/F) Sizes 1/4" - 2" 1050 kPa
 Rated Working Pressure: 0°C - 60°C

IVR Valvole A Sfera SpA**IVR**

6022 6.00 Type 1 Manual Isolating Shut-off Valves
 art 45 Sizes: 1/4" (8mm), 3/8" (10mm),
 1/2" (15mm), 3/4" (20mm), 1" (25mm),
 1 1/4" (32mm), 1 1/2" (40mm) &
 2" (50mm) 500 kPa

J Blackwood & Son Ltd**JBS011**

7657 6.10 Full Bore Manual Ball Valve 1050 kPa
 Models: DN8 (8mm), DN10 (10mm),
 DN15 (15mm), DN20 (20mm),
 DN32 (32mm), DN40 (40mm),
 DN50 (50mm)
 Rated Working Temperature: 0°C - 60°C

Keefer Bros (Aust) Pty Ltd**KEEFER**

7431 12.08 Type 1 Ball Valve
 Models: BV 375/A 3/8", 5/16",
 1/2" UNF Flare 2600 kPa
 BV 375 - 7/16", - 24 UNF x 1/4"
 BSPT end connections 2600 kPa

Keefer Bros (Aust) Pty Ltd**KEEFER (K)**

2627 8.77 3100 Series Union Plug Valves
 Models: 3102, 3105, 3105/L,
 3105/R, 3128, 3128/L & 3128/R 7 kPa
 Note: 6mm, 8mm & 10mm

Keefer Bros (Aust) Pty Ltd**NOVASFER NV**

7108 5.07 Type 1 Ball Valve
 art 375/A - 1/2" UNF Flare 2600 kPa
 art 740 & art 745 - 1/4", 3/8", 1/2",
 3/4", 1", 1 1/4", 1 1/2", 2" 2600 kPa
 F x F, M x F to AS 1722 Pt 1

J Blackwood & Son Ltd**JBS**

7291 6.08 Model: JBS011
 1/4" RP - 4" RP
 (8mm-100mm) 1050 kPa

Linkware (Australia) Pty Ltd**LINKWARE**

7611 2.10 Brass Ball Valves
 Models: DN15, DN20,
 DN25, DN32, DN40, DN50 1050 kPa
 Rated Working Temp: -20°C - 80°C

Metso Automation USA Inc**JAMESBURY**

6771 5.05 Manual Ball Valve
 Series 4000 6895 kPa
 # 4 A ##### # 1
 Reduced Bore
 1st Character denotes sizes in inches
 (1/2, 3/4, 1, 1 1/2 or 2)
 4th - 7th Characters denote 2236 or 3600
 8th - 9th Characters denote TT, MT or XT
 # 4 B ##### # 1
 Full Bore
 1st Character denotes size in inches
 (3/4, 1, 1 1/2)
 4th-7th Characters denote 2236 or 3600
 8th - 9th Characters denote TT, MT or XT

6773 5.05 Manual Ball Valve
 Series 7000 2000 kPa
 # 7150 31 ##### # 1
 # 7180 31 ##### # 1
 1st Character denotes sizes in inches
 (1/2, 3/4, 1, 1 1/2, 2, 3, 4 or 6)
 8th - 11th Characters denote 2236 or 3600
 12th - 14th Characters denote TTT, MTT or XTZ

Ningbo Spec Global SanitaryWare Co Ltd**Agent: Shinda International Pty Ltd****BREWERS, REFLEX, SG**

7567 9.09 Ball Valves Models: 1600 kPa
 JS-A6201 (F/F - Lever handle 8-50mm)
 JS-A6202 (M/F - Lever handle 8-50mm)
 JS-A6203 (F/F - Butterfly handle 8-25mm)
 JS-A6204 (M/F - Butterfly handle 8-25mm)
 JS-A6245 (Compression - Butterfly
 handle 15-25mm)
 - 10°C - 80°C

OneSteel Piping Systems A Business of Onesteel Trad. P/L KITZ

3477	2.83	150 SCTBZM-FS (C) Valve 15 –150 mm Class 150	2000 kPa
3478	2.83	300 SCTBZM-FS (C) Ball Valves Sizes 15 –150 mm Class 300	5000 kPa
4546	3.90	150 SCTAM-FS (C) Ball Valve Sizes 15 – 150 mm Class 150	2000 kPa
4547	3.90	300 SCTAM-FS (C) Manual Shut-off Valves Sizes 15 –150 mm Class 300	5000 kPa

OneSteel Piping Systems A Business of Onesteel Trad. P/L TURNFLO

5630	7.98	Type 1 Manual Shut-off Valves Models: T3CS33, T5CA43 Wafer Body Sizes 50 – 150 mm	1600 kPa
		Models: T4CS33, T4CS33A and T6CA43 Lugged Body Sizes 50 – 150 mm	1600 kPa
		Note: Installation of a Wafer Body Valve must comply with requirement 3.3.5(b) of AS 5601	

Pipe Couplings (A'Asia) Pty Ltd PCA

4961	3.93	Model 745/A Type 1 Manual Shut-off Valve Sizes 15mm-50mm Female	2600 kPa
------	------	-----------------------------------------------------------------------	----------

Polix Export d.o.o - Agent: All Valve Industries Pty Ltd POLIX

7517	9.09	KPC-G Series Ball Valve KPC-G DN32, KPC-G DN40, KPC-G DN50, KPC-G DN65, KPC-G DN80, KPC-G DN100, KPC-G DN125, KPC-G DN150 Temperature Range -20°C to 60°C	1600 kPa
------	------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Purple Pig (Australia) Pty Ltd PRESTON

7262	6.08	Manual Shut-off Ball Valve Type 1, 8mm to 50mm Models: JS-A6201, JS-A6202, JS-A6203, JS-A6204 Male & Female Threads BSP Tapered Temperature –10 - 100°C	1600 kPa
------	------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Reece Pty Ltd DURA

6381	12.02	Wafer & Lugged Type Butterfly Valves – Type 1 Model: BVCW 1161 Wafer	1050 kPa
		BVCL 2161 Lugged Sizes 50, 65, 80, 100, 125 & 150mm Temperature range 0°C - 80°C	1050 kPa

RIV Rubinetterie Italiane Velatta SpA RIV

5953	3.00	Model Professional ¼” (8mm) –4” (100mm) Brass Ball Valves End Fittings FxF, MxF, MxM with Threads to ISO7/1	1050 kPa
------	------	----------------------------------------------------------------------------------------------------------------------	----------

RMG Atlas Pty Ltd BÖHMER

6202	7.02	FSL, FLL, ELF, FZL, FDL, EKF, FZK, FKK, FSK, KNG, MKG and ENG Series Full or Reduced Bore Ball Valves with Threaded or Flanged Connections	
		FSL	1600 kPa
		FSL V 016.010, FSL V 016.015, FSL V 016.020, FSL V 016.025, FSL V 016.032, FSL V 016.040, FSL V 016.050, FSL V 016.065, FSL V 016.080, FSL V 016.100	
		FLL	1600 kPa
		FLL V 016.010, FLL V 016.015, FLL V 016.020, FLL V 016.025, FLL V 016.032, FLL V 016.040, FLL V 016.050, FLL V 016.065, FLL V 016.080, FLL V 016.100	
		ELF	1600 kPa
		ELF V 025.010, ELF V 025.015, ELF V 025.020, ELF V 025.025, ELF V 025.032, ELF V 025.040, ELF V 025.050, ELF R 025.020, ELF R 025.025	
		FZL	1600 kPa
		FZL V 025.015, FZL V 025.020, FZL V 025.025	
		FDL	1600 kPa
		FDL V 025.010, FDL V 025.015, FDL V 025.020, FDL V 025.025	
		EKF	1600 kPa
		EKF V 016.032, EKF V 016.040, EKF V 016.050, EKF V 016.065, EKF V 016.080, EKF V 016.100, EKF V 016.125, EKF V 016.150, EKF R 016.032, EKF R 016.040 EKF R 016.050, EKF R 016.065, EKF R 016.080, EKF R 016.100, EKF R 016.150	
		FZK	1600 kPa
		FZK V 016.032, FZK V 016.040, FZK V 016.050, FZK V 016.065, FZK V 016.080, FZK V 016.100, FZK V 016.125, FZK V 016.150	
		FKK	1600 kPa
		FKK V 016.032, FKK V 016.040, FKK V 016.050, FKK V 016.065, FKK V 016.080, FKK V 016.100, FKK V 016.125, FKK V 016.150	
		FSK	1600 kPa
		FSK V 016.032, FSK V 016.040, FSK V 016.050, FSK V 016.065, FSK V 016.080, FSK V 016.100, FSK V 016.125, FSK V 016.150, FSK R 016.032, FSK R 016.040 FSK R 016.050, FSK R 016.065, FSK R 016.080, FSK R 016.100, FSK R 016.125, FSK R 016.150	
		KNG	1600 kPa
		KNG V 025.104, KNG V 025.106, KNG V 025.108, KNG V 025.110, KNG V 025.112, KNG V 025.116, KNG V 025.120, KNG V 025.125, KNG V 025.204, KNG V 025.206, KNG V 025.208, KNG V 025.210, KNG V 025.212, KNG V 025.216, KNG V 025.220, KNG V 025.225, KNG V 025.304, KNG V 025.306, KNG V 025.308, KNG V 025.310, KNG V 025.312, KNG V 025.316,	

BÖHMER

KNG V 025.320, KNG V 025.325,
 KNG V 025.404, KNG V 025.406,
 KNG V 025.408, KNG V 025.410,
 KNG V 025.412, KNG V 025.416,
 KNG V 025.420, KNG V 025.425,
 KNG V 025.504, KNG V 025.506,
 KNG V 025.508, KNG V 025.510,
 KNG V 025.512, KNG V 025.516,
 KNG V 025.520, KNG V 025.525,
 KNG V 025.604, KNG V 025.606,
 KNG V 025.608, KNG V 025.610,
 KNG V 025.612, KNG V 025.616,
 KNG V 025.620, KNG V 025.625,
 KNG V 025.704, KNG V 025.706,
 KNG V 025.708, KNG V 025.710,
 KNG V 025.712, KNG V 025.716,
 KNG V 025.720, KNG V 025.725,
 KNG V 025.804, KNG V 025.806,
 KNG V 025.808, KNG V 025.810,
 KNG V 025.812, KNG V 025.816,
 KNG V 025.820, KNG V 025.825
MKG 1600 kPa
 MKG V 025.232, MKG V 025.240,
 MKG V 025.332, MKG V 025.732,
 MKG025.740, MKG V 025.750,
 MKG V 016.765, MKG V 016.780,
 MKG V 016.100, MKG 025.832
 MKG V 025.840, MKG V 025.850
ENG 1600 kPa
 ENG V 025.204, ENG V 025.206,
 ENG V 025.208, ENG V 025.210,
 ENG V 025.212, ENG V 025.216,
 ENG V 025.220, ENG V 025.225,
 ENG V 025.232, ENG V 025.240,
 ENG V 025.304, ENG V 025.306,
 ENG V 025.308, ENG V 025.310,
 ENG V 025.312, ENG V 025.316,
 ENG V 025.320, ENG V 025.325,
 ENG V 025.332, ENG V 025.704,
 ENG V 025.706, ENG V 025.708,
 ENG V 025.710, ENG V 025.712,
 ENG V 025.716, ENG V 025.720,
 ENG V 025.725, ENG V 025.732,
 ENG V 025.740, ENG V 025.750,
 ENG V 025.804, ENG V 025.806,
 ENG V 025.808, ENG V 025.810,
 ENG V 025.812, ENG V 025.816,
 ENG V 025.820, ENG V 025.825,
 ENG V 025.832, ENG V 025.840
 ENG V 025.850
 Temperature Rating: -10 to +60°C

Rubinetterie Bresciane Bonomi SRL

RB

5160 11.94 Type 1 Manual Brass Full Flow Shut-off
 Valves Series 1700, 1710, 5980 (Female)
 and 1701, 5981 (Male/Female) Sizes 8-100mm
 Series 1720 (Female) and 1721 (Male/
 Female) 8-25mm Series 5869 and
 6710 (Female) 8-50mm @ 60°C 1050 kPa

Rubinetterie Utensilerie Bonomi SRL

RUB

5244 3.95 S84 Manual Shut-off Valves 2100 kPa
 Sizes ¼" (8mm), 5/8" (10mm),
 ½" (15mm), ¾" (20mm), 1" (25mm),
 1¼" (32mm), 1½" (40mm) & 2" (50mm)
 Note: Various thread forms available
 to R, RC & RP designation
 standard AS 1722 Part 1
 5779 10.98 S85 Series 1050 kPa
 Models S85B00, S85C00,
 S85D00, S85E00, S85F00,
 S85G00, S85H00 and S85I00
 (Valves marked S85)
 Brass Female End Connections
 NB: ¼", 5/8", ½", ¾", 1",
 1¼", 1½" and 2"
 (8, 10, 15, 20, 25, 32, 40 & 50 mm)

SCE Hardware Co Limited

EAGLE

6217 10.01 Type 1 Manual Brass Shut-Off
 Valves Models: SO219GA-15
 M/F Straight and SO253GA-15
 M/M Right Angle 20 kPa

SCE Hardware Co Limited Agent: Reece Pty Ltd

EAGLE OR DURA

6928 3.06 Type 1 Full Bore Manual
 Shut-off Valve
 Models: S0207G-15, S0207G-20,
 S0207G-25, S0207G-32,
 S0207G-40, S0207G-50 2100 kPa
 Sizes 15mm, 20mm, 25mm, 32mm,
 40mm, 50mm
 Models: S0207GBH, S0208GBH 2100 kPa
 Sizes 15mm, 20mm

SCE Hardware Co Limited Agent: Reece Pty Ltd

EAGLE OR DURA S0271

7008 9.06 S0271 Series Reduced
 Bore Ball Valve – Type 1
 15mm and 20mm Models 2100 kPa

Seven Universe Industrial Co Ltd

SU

6853 10.05 Manual Shut-Off Valve
 Model AX00B0 3.447 k Pa

Techrite Controls Australia Pty Ltd

G BEE (DUNGS)

7697 8.10 Type 1 Manual Shut-Off
 Isolating Ball Valves
 (Flanged End Connections)
 Model: KSN 75 Series 1600 kPa
 (DN-mm 25, 32, 40, 65, 100,
 125, 150)
 Temperature Range -20°C to 60°C

Tun Trading Pty Ltd

NV

5826 2.99 Type 1 Manual Shut-off Valves
 Model: ART 375 ½"x 20 U.N.F. 1050 kPa
 Male/Male Compression Ball Valve

Tu's Brothers Pty Ltd

SAFE

6843 8.05 Type 1 Appliance Control Valve
 Model SF-301
 Temperature Range 0°C to 100°C 7 kPa

Tyco Flow Control Pacific Pty Ltd

KEYSTONE

3245	7.81	F990 Series Type 1 Manual Shut-off Valve Sizes 25mm – 150mm Wafer Style Resilient Seated Butterfly	1000 kPa
		F611 & F612 Series Type 1 Manual Shut-off Valve Sizes 40mm – 150 mm Wafer & Lugged Style Resilient Seated Butterfly	1000 kPa
		Rated Working Temp 0°C - 60°C	

Tyco Flow Control Pacific Pty Ltd

RICHARDS

4933	11.92	R711, R713 & R384 Series Type 1 Manual Shut-off Valves	
		R711 Flanged Reduced Bore Class 150 50, 80, 100 & 150mm @ 60°C	2000 kPa
		R713 Flanged Reduced Bore Class 300 50, 80, 100 & 150mm @ 60°C	5000 kPa
		R384 3 Piece Reduced Bore Class 300 (1) 15, 20, 25, 40 & 50mm @ 60°C	6000 kPa
		R384 3 Piece Reduced Bore Class 600 (1) 15, 20, 25, 40 & 50mm @ -5 to 95°C	10000 kPa
		Available with BSPT, NPT or Welded End Connections.	
		All valves series available in Carbon Steel or Stainless Steel	
		(1) Refer to manufacturer's specification sheets for seating options	
5872	5.99	R721 and R723 Series Flanged Full Bore Manual Shut-Off Ball Valves	
		R721 Series Class 150 15mm, 20mm, 25mm, 40mm, 50mm, 80mm, 100mm & 150mm	2000 kPa
		R723 Class 300 15mm, 20mm, 25mm 40mm, 50mm 80mm 100mm & 150mm	5000 kPa
7338	7.08	R183 Series, Full Bore 15mm, 20mm, 25mm, 32mm, 40mm, 50mm, 65mm, 80mm @ 60°C	5000 kPa
		R184 Series, Reduced Bore 15mm, 20mm, 25mm, 32mm, 40mm, 50mm, 65mm, 80mm @ 60°C	5000 kPa
7402	11.08	R436 Series Manual Ball Valve 80mm (Type 1) Full Bore Class 600 MWP 9603 kPa @ -5 to 80°C	9603 kPa
		150mm* (Type 2) Full Bore Class 600 MWP 9603 kPa @ -5 to 80°C	9603 kPa
		*denotes a "Type 2" Valve, as opening & closing mechanisms are via manual gearbox. Available with Flange and Butt-welded connections. All valves available in Carbon Steel or Stainless Steel	

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd

BUGATTI, HYFLO, ZETCO

6598	6.04	Full Bore 2 Piece, Brass Body Ball Valves	
		Art 412 – 8, 10, 15, 20, 25, 32, 40, 50, 63, 76 and 100 mm	
		Art 413 – 8, 10, 15, 20, 25, 32, 40, 50 mm	
		Art 475 – 8, 10, 15, 20, 25, 32, 40, 50, 63, 76 and 100 mm	
		Art 476 – 8, 10, 15, 20 and 25 mm	
		Art 477 – 8, 10, 15, 20, 25, 32, 40, 50 mm	
		Art 478 – 8, 10, 15, 20 and 25 mm	
		Connections: BSPP/BSPT/NPT	2100 kPa
		Female x Female – Art 475/Art 476	
		Female x Male – Art 477/Art 478	
		Temperature –20°C to 60°C	

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd

BUGATTI

6717	2.05	Full Bore 2 Piece Brass Body Ball Valves Art 461: ½" x ¾", ¾" x ¾", ¾" x 1" and 1" x 1"	
		Female x Water Heater (Face Seal) Art 462: ½" x ¾", ¾" x ¾", ¾" x 1" and 1" x 1"	
		Male x Water Heater (Face Seal)	
		Thread Forms: BSPP, NPT	100 kPa
		BSPT	500 kPa
		Ambient Temperature –20°C to 60°C	

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd

KENTUCKY & ZETCO

7473	6.09	ISO 7.1 Threaded Female x Female Connections	
		Models: 636 & 636DR (15mm, 20mm, 25mm, 32mm, 40mm & 50mm)	2100 kPa
		Models: 638 & 638DR (15mm, 20mm & 25mm)	2100 kPa
		ISO 7.1 Threaded Male x Female Connections	
		Models: 656 & 656DR (15mm, 20mm, 25mm, 32mm, 40mm & 50mm)	2100 kPa
		Models: 658 & 658DR (15mm, 20mm & 25mm)	2100 kPa

Valvulas Arco, SL

ARCO

5587	10.97	Mino 2000 and Universal Series Full Bore Ball Valves	
		Mino 2000 Series - Internal Thread 3/8", ½", ¾", 1" 1¼", 1½", 2", 2½" External and Internal Thread ¾" x ½", ½" x ½", ¾" x ¾"	2100 kPa
		Mino Universal Series - Internal Thread ½", ¾", 1", 1¼", 1½", 2"	2100 kPa
5592	10.97	Mino 2000 Series Full Bore Ball Valves Sizes ½" and ¾" Compression	2100 kPa

**Velan Inc
VELAN**

5995	4.00	ASME Class 150 Split Body Firesafe Ball Valves Flanged RF F**-01402-SSGA Full Bore 15-150nb (CF8M 1900 kPa) 2000 kPa F**-00402-SSGA Reduced Bore 50-150nb (CF8M 1900 kPa) 2000 kPa Note: ** Denotes size: 03 = 15mm, 04 = 20mm, 05 = 25mm, 06 = 32mm, 07 = 40mm, 08 = 50mm, 09 = 65mm, 10 = 80mm, 12 = 100mm, 13 = 125mm, 14 = 150mm Body (7th and 8th Character): 02 = WCB, 25 = LCB, 31 = LCC, 13 = CF8M Seat (11th Character): G = R-PTFE, T = PTFE, E = Modified PTFE Packing (12th Character): A = PTFE, Z = Graphite Maximum Operating Temperature: 60°C
5996	4.00	ASME Class 300 Split Body Firesafe Ball Valves Flanged RF F**-01402-SSGA Full Bore 15-150nb 4000 kPa F**-10402-SSGA Reduced Bore 50-150nb 4000 kPa Note: ** Denotes size: 03 = 15mm, 04 = 20mm, 05 = 25mm, 06 = 32mm, 07 = 40mm, 08 = 50mm, 09 = 65mm, 10 = 80mm, 12 = 100mm, 13 = 125mm, 14 = 150mm Body (7th and 8th Character): 02 = WCB, 25 = LCB, 31 = LCC, 13 = CF8M Seat (11th Character): G = R-PTFE, T = PTFE, E = Modified PTFE Packing (12th Character): A = PTFE, Z = Graphite Maximum Operating Temperature: 60°C
5997	4.00	Top Entry, Firesafe Ball Valve S**-G1602-SSGE Full Bore 10 - 50 nb 7000 kPa 80nb 5000 kPa S**-G0602-SSGE Reduced Bore 10 - 80nb 7000 kPa 100nb 5000 kPa Code Modifiers/Material Options: ** Denotes Size: 03 = 15mm, 04 = 20mm, 05 = 25mm, 06 = 32mm, 07 = 40mm, 08 = 50mm, 09 = 65mm, 10 = 80mm, 12 = 100mm End Connections: S = Screwed NPT, W = Socket Weld, B = Butt weld Body (7th & 8th Character): 02 = WCB, 25 = LCB, 31 = LCC, 13 = CF8M Seat (11th Character): G = R-PTFE, T = PTFE, E = Modified PTFE Packing (12th Character): A = PTFE, Z = Graphite Maximum Operating Temperature: 60°C

**Velan Inc Continued
VELAN**

6042	8.00	Manual Isolating Ball Valves Unibody End Entry, ISO/CAPI, Firesafe, Reduced Bore, Flanged RF F**-00302-SSEAE ASME 2000 kPa Class 150 15-150nb (CF8M 1900 kPa) F**-10302-SSEAE ASME 5100 kPa Class 300 15-150nb (CF8M 5000 kPa) 2 Piece End Entry Firesafe Reduced Bore Screwed NPT S**-P0102-SSGA 15-50nb 5100 kPa Unibody End Entry, Firesafe, Reduced Bore, Flanged RF F**-10302-SSGA ASME 5100 kPa Class 300 15-100nb Note: ** Denotes size: 03 = 15mm, 04 = 20mm, 05 = 25mm, 06 = 32mm, 07 = 40mm, 08 = 50mm, 09 = 65mm, 10 = 80mm, 12 = 100mm, 13 = 125mm, 14 = 150mm Body (7th and 8th Character): 02 = WCB, 25 = LCB, 31 = LCC, 13 = CF8M Seat (11th Character): G = R-PTFE, T = PTFE, E = Modified PTFE Packing (12th Character): A = PTFE, Z = Graphite Maximum Operating Temperature: 60°C
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Wing Shun (Hong Kong) Company Ltd
WING SHUN (HK)**

7665	8.10	Manual Shut-Off Ball Valves Model: WSC R½ (DN15mm) 20 kPa Rated Working Temp: 0°C - 60°C
------	------	------------------------------------------------------------------------------------------------

**Zetco Pty Ltd
TOPIC, ZETCO, HYFLO, LOGIC, BONGAS**

3877	12.84	Type 1 Manual Shut-off Valves Topic, Zetco, Hyflo 8mm-100mm Full Bore with FxF and MxF configurations 2100 kPa Logic - 6mm-50mm Full Bore with FxF configuration 1050 kPa Bongas - 15mm-50mm Reduced Bore with FxF configuration 1050 kPa
------	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Zetco Pty Ltd
EFFEBI**

5301	7.95	Type 1 Manual Shut-off Valves Zetco, Comet, Hyflo, Tubefit, BEP ¼", 3/8", ½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3", 4" (F x F Full Bore) 2100 kPa ¼", 3/8", ½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½" (M x F Full Bore) 5/16", 3/8", ½", ¾" (Flared SAE Full Bore) 3/8", ½", ¾" (Flared BSP Full Bore) Zetco, Comet ½", ¾" 1050 kPa (F x Flared BSP Full Bore) (M x Flared BSP Full Bore) Prestige 1" (M x F Reduced Bore) 1050 kPa Total 1/8", ¼", 3/8", ½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3" (F x F Full Bore) Isis ¼", 3/8", ½", ¾", 1", 2100 kPa 1 ¼", 1 ½", 2", 2 ½", 3", 4"
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Zetco Pty Ltd Continued
EFFEBI

	(F x F Full Bore)	
	1/2", 3/4", 1", 1 1/4", 1 1/2",	
	2" (M x F Full Bore)	
	Venus	
	1/4", 3/8", 1/2", 3/4", 1",	
	1 1/4", 1 1/2", 2", 2 1/2", 3", 4"	1050 kPa
	(F x F Full Bore)	
	3/8" (M x F Full Bore)	
	Olympic	
	3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2",	
	3", 4" (Flanged Full Bore)	1050 kPa
	Triflux	
	1/2", 3/4", 1", 1 1/4", 1 1/2",	
	2" (L Port F x F x F Full Bore)	1050 kPa
	1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2",	
	2" (T Port F x F x F Full Bore)	
	Delta	
	1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	1050 kPa
	(Diverting Valve F x F x F Full Bore)	
	Miniball	
	1/8", 1/4", 3/8", 1/2"	1050 kPa
	(F x F Reduced Bore)	
	1/8", 1/4", 3/8", 1/2"	
	(M x F Reduced Bore)	
	Zetco	
	3/4" (F x loose nut & tail)	2100 kPa
	3/4" (Flared compression x	
	loose nut and tail)	
	1/2", 3/4" (Flared SAE x loose nut and tail)	
	3/4" (M x loose nut and tail)	
	1/2" (Flared x loose nut and tail)	
	1/2" (F x loose nut and tail)	
	1/2" (Flared) x 3/4" (loose nut and tail)	
	Filter Isis	
	1/2", 3/4", 1" (F x F) (M x F)	2100 kPa
	Rated Working Temp: 0°C to 60°C	

Zhejiang Double-Lin Valves Co Ltd
DOUBLE-LIN

7595	11.09	Ball Valves	800 kPa
		Models: LL10 (1/2"), LL1071 (1/2"),	
		LL1146 (1/2")	
		Temperature Range: -10°C to 80°C	

TYPE 2 – APPLIANCE CONTROL VALVES

Alpha Brass Controls Inc - Agent: Gameco (NSW) Pty Ltd
ALPHA BRASS

7468	4.09	Appliance Control Valve	
		Models: A50, A50F – Flanged	5 kPa
		Connection	
		Temperature Range: 0°C- 125°C	
7596	11.09	Appliance Control Valve	
		A17 Series: A17	3.5 kPa
		A19 Series: AR19, AR19-2,	
		AR19-3, AR19-4, AR19-5000	
		A23 Series: A23-SB, A23-SPT,	
		A23-IMP, A23-JD, A23-JPT,	
		A23-G1	
		AW5 Series: AW5-1, AW5-2, AW5-3,	
		AW10 Series: AW10-1, AW10-2,	
		AW10-4	
		AW20 Series: AW20, AW20-T1,	
		AW20-T2,	
		Temperature Rating: 125°C	

Arlec Australia Pty Ltd
XIANG FENG

6831	8.05	Appliance Control Valve with	
		Flame Thrower and Piezo Ignition	
		Model: FJZ.LC45D-Z1	7 kPa

B.O.T. Gas Pty Ltd T/as Maxbilt Trading Co
FANGYUAN

7537	7.09	Appliance Control Valves	
		Models: MG01, MG02, G01, G02	7 kPa
		Working Temperature 0-95°C	

Bromic Pty Ltd

3496	3.83	Domestic Appliance and Barbecue	
		Control Valves Models MP100, MP101,	
		MP103, MP104, MP105, and MP106	7 kPa
		Temperature Range 0°C to 120°C	

Bromic Pty Ltd

		PINTOSI	
4062	5.86	Commercial Appliance Control Valves	
		Models: 20N, 21N, 22N, 23N	7 kPa
		Models: 20S, 21S, 22S and	
		23S (Combined with Flame Safeguard)	7 kPa
		Temperature Range 0°C to 150°C	

Burner Systems International (BSI)

		BURNER SYSTEMS INTERNATIONAL	
3350	1.82	289, 389 and 884 Series Control Valves	
		Models: 289 B, 289 B1 & 289 B2	5.75 kPa
		Models: 389 B, 389 B1 & 389 B2	5.75 kPa
		Models: 884 A, 884 A1 & 884 A2	5.75 kPa
		Individual models are of similar	
		construction with variations in	
		outlet connections and plug rotation	
		0°C to 130°C	

Focus Lifestyle Products Pty Ltd

		GRAND GAS	
6805	5.05	G04xx and G7xx Series Rail	
		Mounted Control Valves	
		Models G040 – 0°	7 kPa
		G040C - 30°	7 kPa
		G042C - 45°	7 kPa
		G040A - 0°	7 kPa
		G040B - 30°	7 kPa
		G042 - 45°	7 kPa
		G701 - 0° Convertible	7 kPa
		G710 - 45° Convertible LH	7 kPa
		G711 - 45° Convertible RH	7 kPa
		G045B - 90° with FFD	7 kPa
		G045C - 90° with FFD	7 kPa
		Note: Four stage manually operated	
		shut-off flow valves.	
		May incorporate ignition contact	
		switch for electronic ignition.	

Focus Lifestyle Products Pty Ltd

		GRAND HALL	
5979	3.00	Type 2 Models GH 040 &	
		GH 042 Clamp-on Inlet Connection	7 kPa

Grand Mate Co Ltd

GRAND MATE

7648 5.10 Appliance Control Valve – Type 2 7 kPa
 GM (700, 740, 742, 746, 749)
 (C, D, E) (H)
 GM (710, 711, 731, 732, 761, 762,
 791, 792) (A, L, LA) (H)
 GM (701, 760, 770, 780, 790) (T) (H)
 Note: C - for use with 19mm pipe; D –
 for use with 22mm pipe;
 E - for use with 25.4mm pipe; A - Ears;
 L - Long Body; LA - Long Body and Ears;
 T - Bolt-on inlet for use on square manifold
 tubing; H - Aluminium Body employed.
 Temperature Rating 0°C to 150°C

Guangdong Chant Group Inc

CHANT

5577 9.97 Clamp On Rail Cocks – Type 2
 Models C-01 and C-02 Std Version 7 kPa
 Models C-03, C-04 & C-06 with Flame
 Thrower and Piezo Ignition Device 7 kPa
 Model C-05 Std Version with ¼” Flare
 Outlet 7 kPa
 Models C-03A and C-04A with Flame 7 kPa
 Thrower Ignition and Adjustable Turndown
 C-02A (CK-845D6) with 45 degree
 outlet and piezo ignition 7 kPa
 7193 12.07 Appliance Control Valve
 Models: K-819D, CK-819D, 7 kPa
 K-815D
 7333 6.08 Appliance Control Valve
 Models: K-890D8, K-80D12, 7 kPa
 K-80D12A

Hosun Universal Co Ltd

HOSUN

6435 5.03 Appliance Control Valves
 KV00B-P2-P 90° Valve with Piezo Ignitor
 KV00B-P3 90° Valve
 KV00B-P4 90° Valve with Bracket
 KV45B-P1-P 45° Valve with Piezo Ignitor
 KV45B-P2 45° Valve
 KV45B-P3 45° Valve with Bracket
 KV45BLP1-P 45° Left Valve with Piezo
 Ignitor
 KV45BLP2 45° Left Valve
 KV45BLP3 45° Left Valve with Bracket
 KV45BRP1-P 45° Right Valve with Piezo
 Ignitor
 KV45BRP2 45° Right Valve
 KV45BRP3 45° Right Valve with Bracket
 KV45BRP4-P 45° Right Valve with Piezo
 Ignitor
 KV45K-P1-P 45° Twin Valve with Piezo
 Ignitor
 KV00B-P7-P 90° Right Valve with Piezo
 Ignitor
 RW Temperature 0°C to 120°C 3.5 kPa

Keefer Bros (Aust) Pty Ltd

KEEFER

1969 1.71 ‘9000’ Series Type 2 Appliance Control
 Valve with Fly-Off Mechanism 7 kPa
 9009, 9010, 9011, 9012, 9013, 9014,
 9015, 9016, 9018, 9019, 9020, 9021,
 9023, 9027, 9028, 9030, 9032, 9034,
 9036, 9037, 9038, 9039, 9040, 9047,
 9048, 9052, 9053, 9054, 9055, 9056,
 9057, 9058, 9060, 9061, 9065, 9066,
 9067, 9068, 9069, 9070, 9071, 9072,

Keefer Bros (Aust) Pty Ltd Continued

KEEFER

9073, 9074, 9075, 9076, 9077, 9078,
 9079, 9080, 9081, 9111, 9112, 9113,
 9114 (Note: All Models Prefixed By
 Letters ‘KB’)
 2142 2.64 Type 2 Appliance Control Valve 7 kPa
 A Series
 Note: All models prefixed by KB
 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A,
 9A, 10A, 11A, 12A, 13A, 14A, 15A,
 16A, 17A, 18A, 19A, 20A, 21A, 22A,
 23A, 24A, 25A, 26A, 27A, 28A, 29A,
 30A, 31A, 32A, 33A, 34A, 35A, 36A,
 37A, 38A, 39A, 40A, 41A, 42A, 43A,
 44A, 45A, 46A, 47A, 48A, 49A, 50A,
 51A, 52A, 53A, 54A, 55A, 56A, 57A,
 58A, 59A, 60A, 61A, 62A, 63A, 64A,
 65A, 66A, 67A, 68A, 69A, 70A, 71A,
 72A, 73A, 74A, 75A, 76A, 77A, 78A,
 79A, 80A, 81A, 82A, 83A, 84A, 85A,
 86A, 87A, 88A, 89A, 90A, 91A, 92A,
 93A, 94A, 95A, 96A, 97A, 98A, 99A,
 200A, 201A, 202A, 207A, 208A, 209A,
 210A, 211A, 212A, 213A, 214A, 215A,
 216A, 217A, 218A, 219A, 220A, 221A,
 222A, 223A, 224A, 227A, 228A, 229A,
 230A, 231A, 233A, 238A, 239A, 241A,
 243A, 244A, 245A, 246A, 247A, 248A,
 249A, 250A, 251A, 252A, 253A, 254A,
 255A, 256A, 257A, 258A, 259A, 260A,
 261A, 262A, 263A, 264A, 265A, 266A,
 267A, 268A, 269A, 270A, 271A, 272A,
 273A, 274A, 275A, 276A, 277A, 278A,
 279A, 280A, 281A, 283A, 284A, 285A,
 286A, 287A, 288A, 289A, 290A, 291A,
 292A, 293A, 294A, 295A, 296A, 297A,
 298A, 299A, 401A, 402A, 403A, 404A,
 405A, 406A, 407A, 408A, 409A, 410A,
 410C, 411A, 411C, 412C, 213C, 414A,
 415A, 416A, 417A, 418A, 419A, 420A,
 421C, 422A, 423A, 424A, 425A, 426A,
 427A, 428A, 429A, 430A, 431A, 432A,
 433A, 434A, 435A, 436A, 437A, 438A,
 439A, 440A, 441A, 442A, 443A, 444A,
 445A, 446A, 447A, 448A, 449A, 450A,
 451A, 452A, 453A, 454A, 455A, 456A,
 457A, 458A, 459A, 460A, 461A, 462A,
 463A, 464A, 465A, 466A, 467A, 468A,
 469A, 470A, 471A, 472A, 473A, 474A,
 475A, 476A, 477A, 478A, 479A, 480A,
 481A, 482A, 483A, 484A, 485A, 486A,
 487A, 488A, 489A, 490A, 491A, 492A,
 493A, 494A, 495A, 496A, 497A, 498A,
 502C, 505C, 506C, 508C, 509C, 510C,
 511C, 600A, 601A, 602A, 603A, 604A,
 605A, 606A, 607A, 608A, 609A, 610A,
 611A, 612A, 613A, 614A
 HT Series Appliance Control Valves
 Note: All models prefixed by KB
 498, 601, 615, 636, 637, 638
 2143 10.65 ‘B’ Series Type 2 Appliance Control
 Valves 7 kPa
 Catalogue Nbrs: KB 100B, KB 101B,
 KB 102B, KB 103B, KB 104B,
 KB 105B, KB 106B, KB 107B,
 KB 108B, KB 109B, KB 110B,
 KB 111B, KB 112B, KB 113B,
 KB 114B, KB 115B, KB 116B,
 KB 117B, KB 118B, KB 119B,
 KB 120B, KB 121B, KB 122B,

Keefer Bros (Aust) Pty Ltd Continued

KEEFER

KB 123B, KB 124B, KB 125B,
KB 126B, KB 127B, KB 128B,
KB 129B, KB 130B, KB 131B,
KB 132B, KB 133B, KB 134B,
KB 135B, KB 136B, KB 137B,
KB 138B, KB 139B, KB 140B,
KB 141B, KB 142B, KB 143B,
KB 144B, KB 145B, KB 146B,
KB 147B, KB 148B, KB 149B,
KB 150B, KB 151B, KB 152B,
KB 153B, KB 154B, KB 155B,
KB 156B, KB 157B, KB 158B,
KB 159B, KB 160B, KB 161B,
KB 162B, KB 163B, KB 164B,
KB 165B, KB 166B, KB 167B,
KB 168B, KB 169B, KB 170B,
KB 171B, KB 172B, KB 173B,
KB 174B, KB 175B, KB 176B,
KB 177B, KB 178B

2144 11.61 Type 1 Pilot Control Valve Pilot Tap Series – PT Series Pilot Cocks 7 kPa

Note: All models Prefixed by PT 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 33, 40, 41, 42, 43, 45, 46

6511 10.03 Type 2 Appliance Control Valve with/without Pilot Take-Off KB-P60 and KB-N60 7 kPa

Sabaf SpA

SABAF

6788 5.05 Manually Operated Gas Valve Models 7, 7X and 7Y 7 kPa

7148 5.07 Type 2 Appliance Control Valve Models: 6, 6X, 6Y & 16 7 kPa

Tu's Brothers Pty Ltd

SAFE

6840 8.05 Type 2 Appliance Control Valve with Pilot Take-Off Model: SF-601 Temperature Range 0°C to 100°C 7 kPa

6842 8.05 Type 2 Appliance Control Valve Model SF-P1 Temperature Range 0°C to 100°C 7 kPa

TYPE 2 – APPLIANCE CONTROL VALVES COMBINED WITH FLAME SAFEGUARD

Alpha Brass Controls Inc - Agent: Gameco (NSW) Pty Ltd

ALPHA BRASS

7467 4.09 Appliance Control Valve Models: A60, A60F – Flanged Connection, A60S – Saddle Mount – Inlet Connection Temperature Range 0°C - 125°C 5 kPa

Bromic Pty Ltd

SABAF

5703 6.98 Standard Clamp-On Rail Cock with Class 3 Thermoelectric Flame Failure Model 15 with microswitch and Inlet/Outlet at 180° 7 kPa

Burner Systems International (BSI)

BURNER SYSTEMS INTERNATIONAL

6210 10.01 765 Series Combination Appliance Control Valves Combined with Flame Safeguard Type 2 5.75 kPa
165 BSI - (DRG# AGA 182 & 183)
265 BSI - (DRG# AGA 185 & 186)
565 BSI - (DRG# AGA 205 & 206)
765 BSI 565 - (DRG# AGA 138 & 139)
765 BSI - (DRG# 67134 & 67135)
0°C to 130°C

6881 11.05 Type 2 Appliance Control Valve with Flame Failure Model: 299 5.75 kPa
0°C to 130°C

Copreci S Coop

COPRECI

6678 9.04 Appliance Control Valve Combined with Thermal Electric Flame Safeguard Model CPMM18700/348 Ambient Temperature Range 0°C to 100°C 5 kPa

Keefer Bros (Aust) Pty Ltd

KEEFER

5852 5.99 Type 2 Gas Valve with Flame Failure and with/without Pilot Take-Off Model: Keefer KB-F60P and KB-F60N 7 kPa

6015 6.00 Type 2 – Appliance Control Valve with Flame Failure Model: KB-F30 1/8" BSPT inlet, 1/8" BSP Outlet 7 kPa

6838 8.05 Type 2 Appliance Control Valve with Flame Failure and Pilot Take-Off Model: KB-F30P @ 0°C -120°C 7 kPa

Keefer Bros (Aust) Pty Ltd

KEEFER

7464 3.09 Type 2 Appliance Control Valves with Thermoelectric Flame Safeguard – Temperature Range 0°C -120°C KB-F40A & KB-F40B 7 kPa

Ningbo Chaoyang Household Gas Stoves Co Ltd

LAITE

6899 6.06 Appliance Control Valve with Flame Failure – Class 1 Model: AH902D01 Temperature Range: 0°C to 100°C 7 kPa

Sabaf SpA

SABAF

7159 6.07 Appliance Control Valve Combined with Thermoelectric Flame Safeguard Models: 42 and 43 3.45 kPa

7164 8.07 Type 2 Appliance Control Valves with Thermo-electric Flame Failure Device Models: 18, 18X, 18M, 18XM 7 kPa

Techrite Controls Australia Pty Ltd

EITAR

4908 10.92 Model 60170 Rail Cock Models 600B+TH02 and 600B+TH04 5 kPa

5506 1.97 Appliance Control Valve with Thermoelectric Flame Failure Models 6760, 670+TH and 6500 5 kPa

Tu's Brothers Pty Ltd**SAFE**

6841	8.05	Type 2 Appliance Control Valve with Flame Failure and Pilot Take-Off, Model SF-602 Temperature Range 0°C to 100°C	7 kPa
6842	8.05	Type 2 Appliance Control Valve with Flame Failure and Pilot Take-Off Model SF-602 Temperature Range 0°C to 100°C	7 kPa

TYPE 2 – MISCELLANEOUS VALVES**Bridge Castings Pty Ltd T/as Consolidated Brass
CONSOLIDATED BRASS**

6014	6.00	Laboratory Gas Turret LG MK2 Series 1, 2, 3 or 4 Way Tested @ 60°C	7 kPa
6080	11.00	Manual Isolating Needle Valve Models: Torrens, Celestial & Bellevue Inserts for standard ½ tap body	700 kPa

Cop-A-Mate Products Pty Ltd**COPAMATE**

7667	6.10	Pressure Gas Test Plug & 1.6mm Probe Model: Gas Test Plug 1.6mm Rated Working Temperature: 0°C to 90°C	3500 kPa
------	------	--------------------------------------------------------------------------------------------------------------	----------

Enware Australia**ENWARE**

4757	12.91	Laboratory Gas Turret Models LF122, LF123, LF124, LF125, LF125E, LF126, LF127, LF128, LF129, LFQ123, LFQ124, LFQ125, LFQ126, LFQ127 & LFQ129	7 kPa
6005	5.00	Push Turn Laboratory Gas Cocks Models LC123PT, LC124PT, LC125PT, LC126PT and LC127PT	7 kPa
6751	4.05	Commercial Laboratory Needle Valve Models LC119N, LC140WN, LC141WN, LC142WN, LC143WN, LC145N, LC146N, LC147N, LC148N Models LC150FN, LC150N, LC151N	800 kPa

Galvin Engineering Pty Ltd**GE**

5096	4.94	Laboratory Gas Turrets (1, 2, 3 and 4 Way Outlets) TG28, TG29, TG29/F, TG29/M, TG29/W, TG32R, TG32T, TG32T/RC, TG32T/45, TG33R, TG34R, TG37, TG37RA, TG39, TG39RA, TG40, TG40DRAC, TG40RA, TG41, TG42 Size = 15 mm BSP, Straight and Right Angle and some with Remote Valve	7 kPa
------	------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

Techrite Controls Australia Pty Ltd**TECHRITE**

5670	4.98	BV Series 20mm-100mm Manual or Motorised Modulating Butterfly Valve	
------	------	---------------------------------------------------------------------	--

MANUAL SHUT-OFF VALVES (AG 201)

NOTE 1: Valves shall be selected in accordance with Table 3.1 in AS 5601 (female parallel threads are only permitted in applications up to 100 kPa).

NOTE 2: Unless otherwise specified in the listings below, the temperature rating covered by AGA certification is from 0°C - 60°C.

TYPE 1 – ISOLATING VALVES**AAP Industries Pty Ltd****MAXIFLO**

5965	6.00	Model Maxiflo QAAP-083 (3/8"), QAAP-021 (1/2"), QAAP-043 (3/4") with compression end connections	1050 kPa
------	------	--------------------------------------------------------------------------------------------------	----------

Fluid System Technologies (ES) Pty Ltd**NUPRO**

3550	6.83	Manual Plug Valves 1/8"-1/2" Swagelok and/or NPT	3300 kPa
------	------	--------------------------------------------------	----------

Fluid System Technologies (ES) Pty Ltd**WHITEY**

3551	6.83	40 Series Manual Shut-off Valves 1/8"-3/4" Swagelok or NPT	6800 kPa
3552	6.83	60 Series Ball Valves 1/2"-2" Swagelok or NPT	3300 kPa
4586	7.90	83 Series Manual Shut-off Valves 6mm-12mm Swagelok or NPT 2-Way Stainless Steel Brass Ball Valve	41 000 kPa 2500 kPa

**OneSteel Piping Systems A Business of Onesteel Trad. P/L
EMICO**

5547	1.98	EA-305 (SE/BW/SW) Series Type 1 Manual Isolating Valves Sizes 15 – 50 mm 3-Piece Firesafe Full Port Carbon & Stainless Steel Various End Connections	5000 kPa
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

**OneSteel Piping Systems A Business of Onesteel Trad. P/L
KITZ**

4537	6.90	AK 800 and AW 800 Type 1 Manual Shut-off Valves AW 800 Socket Weld AK 800 NPT Reduced Bore Carbon Steel Sizes 8 – 50 mm	5500 kPa
------	------	----------------------------------------------------------------------------------------------------------------------------------	----------

**OneSteel Piping Systems A Business of Onesteel Trad. P/L
TURNFLO**

2687	3.78	B84 Series Type 1 Manual Brass Ball Valves Sizes 8, 10, 15, 20, 25, 32, 40 & 50 mm Sizes 65, 80 and 100 mm Male/Female and Male/Male Thread Configuration	2100 kPa 1500 kPa
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------

SCE Company Limited

6217	10.01	1/2" Brass Ball Valves SCE SO219-15 (M/F Straight) & SO253-15 (M/M Right Angle)	20 kPa
------	-------	---------------------------------------------------------------------------------------	--------

Thomas Gooden Foundry Services Pty Ltd**TG**

6516	11.03	Reduced Bore Type 1 Ball Valve with UNF Compression End Connections Models 2000 1/2" and Model 2001 3/8"	1050 kPa
------	-------	----------------------------------------------------------------------------------------------------------	----------

Tyco Flow Control Pacific Pty Ltd**KEYSTONE**

5486	11.96	AR1 and AR2 Type 1 Manual Butterfly Valves AR1 Wafer Style and AR2 Lugged Style Resilient Seated 50, 65, 80, 100, 125 and 150 mm @ 60°C	1200 kPa
------	-------	--------------------------------------------------------------------------------------------------------------------------------------------	----------

Tyco Flow Control Pacific Pty Ltd**RICHARDS**

4754	1.92	R382 and R392 Type 1 Manual Shut-off Valve BSPT and NPT Screwed and Welded End Connections Available in Carbon Steel and Stainless Steel RWT 0°C to 60°C R382 3 Piece Reduced Bore (15, 20, 25, 32, 40 and 50 mm)	6000 kPa
		R392 3 Piece Full Bore (15, 20, 25, 32, 40 and 50 mm)	6000 kPa

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd**BUGATTI**

6621	9.04	Type 1 Ball Valves Art 360, 3/8", 1/2" and 3/4" Full Bore, Compression End Connection Ambient Temperature -20°C to 60°C	1050 kPa
------	------	-------------------------------------------------------------------------------------------------------------------------------	----------

VIR Valvoindustria Ing Rizzio

6363	1.03	VIR Full Bore Brass Ball Valves Fig 350G 1/4" - 2" Female x Female Fig 350DR 1/4" - 2" Female x Female Fig 353DR 1/4" - 2" Male x Female Rated Working Temperature -20°C to 60°C	2100 kPa 2100 kPa 2100 kPa
6392	2.03	VIR Compression Ended, Full Bore Brass Manual Shut-off Ball Valves Fig 358 1/2" and 3/4" Rated Working Temperature -20°C to 60°C	1050 kPa

Zetco Pty Ltd**OMEGA**

4973	1.94	8mm-100mm Full Bore Ball Valves (Various End Connections)	1050 kPa
------	------	-----------------------------------------------------------	----------

TYPE 2 - APPLIANCE CONTROL VALVES**Beckley Forge Pty Ltd**

2332	1.75	1100 and 1200 Series Rail Cock	7 kPa
2334	1.75	1400 Series Griller Rail Cock	7 kPa
4342	7.88	1260 Series Rail Cock	7 kPa
5133	7.94	4000 Series Rail Cock	7 kPa

Bromic Pty Ltd**SABAF**

3080	4.80	Domestic Appliance Control Valve Model 1 with Standard Clamp-on Inlet/Outlet at 90°	7 kPa
		Model 2 with Standard Screw-in Inlet/Outlet at 90°	7 kPa
		Model 3 with Standard Clamp-on Inlet/Outlet at 180°	7 kPa
		Model 4 with Standard Clamp-on Inlet/Outlet at 90°	7 kPa

GLG Australia Pty Ltd

6070	10.00	Clamp on Rail Cocks Models T-03, T-04 & T-07 with "Flame Thrower" Piezo Ignition Device	7 kPa
------	-------	--------------------------------------------------------------------------------------------	-------

Guangdong Chant Group Inc**CHANT**

6701	11.04	Models K-845D4 and K-845D5	7 kPa
------	-------	----------------------------	-------

Hosun Universal Co Ltd**HOSUN**

6681	10.04	Appliance Control Valves KV00CPP1 0° Valve KV00CPP1-P 0° Valve with Piezo Ignitor KV30CPP1 30° Valve KV30CPP1-P 30° Valve with Piezo Ignitor KV30CPP2 30° Valve with Bracket KV45CPP1 45° Valve KV45CPP1-P 45° Valve with Piezo Ignitor KV90C-P1 90° Valve KV90C-P1-P 90° Valve with Piezo Ignitor KV00K-P1 0° Twin Valve RWP and Temperature -0°C to 120°C	3.5 kPa
------	-------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------

**TYPE 2 - APPLIANCE CONTROL VALVES
COMBINED WITH FLAME SAFEGUARD****Beckley Forge Pty Ltd**

4101	8.86	1700 Series Combination Gas Cock and Flame Safeguard	7 kPa
5039	9.93	1730 Series Combination Gas Cock	7 kPa

Bromic Pty Ltd

5128	6.94	Model MP 210.21 Gas Cock with Flame Failure Control	
------	------	-----------------------------------------------------	--

Bromic Pty Ltd**IMIT**

5352	11.95	RBV-GM and RBV-GRP Gas Cock with Thermoelectric Flame Failure	7 kPa
------	-------	---------------------------------------------------------------	-------

Bromic Pty Ltd**SABAF**

3429	11.82	2911 Series, Models 10, 11, 12, 13, 40 and 41 Gas Cock with Flame Failure	7 kPa
------	-------	---------------------------------------------------------------------------	-------

Seven Universe Industrial Co Ltd

6358	11.02	AA Series Appliance Control Valves with Thermoelectric Flame Failure Models AA90B0E01, AA90B0E02 (Single Outlet) and AA9040 (Dual Outlet) RWP Temperature -18°C to 120°C	7 kPa
6461	6.03	BF Series Appliance Control Valves Type 2 BF90B0E01 Single outlet, with thermoelectric flame valve BF90B0E02 Single outlet, without thermoelectric flame valve BF9040E01 Dual outlet, with thermoelectric flame valve BF9040E02 Dual outlet, without thermoelectric flame valve BF00B0E01 Single outlet, with thermoelectric flame valve BF00B0E02 Single outlet, without thermoelectric flame valve BF0040E01 Dual outlet, with thermoelectric flame valve BF0040E02 Dual outlet, without thermoelectric flame valve RWP Temperature @ -18°C to 160°C	7 kPa

TYPE 2 – MISCELLANEOUS VALVES

Broen Armatur A/S – Broen Lab Division
Agent: SGF Laboratories Pty Ltd
BROEN

5724	7.98	15 and 18 Series Laboratory Gas Valves	7 kPa
		Models: 15012989, 15013989, 15014989, 15015989, 15016989, 15017989, 15032989, 15066989, 15233989, 15234989, 15285989, 15286989, 15288909, 15316909, 15235909, 15317909, 18006949, 18726949, 18724949, 18022989, 18025989, 18021989, 18011989, 18004989, 18020989, 18029989, 18003989	
5991	12.00	09 and 05 Series Laboratory Gas Valves	7 kPa
		Models 09300989, 09301989, 09302989, 09303989, 09304989, 09305989, 09307989, 09313989, 05116989, 05317989, 05318989, 05319989, 05320989, 05321989, 05322989 and 05722989	

Bromic Pty Ltd

4028	1.86	Omeca Model IM-68 Manual Change-Over Valve for LPG Cylinder Installations and LPG Regulator Inlet	2600 kPa
------	------	---------------------------------------------------------------------------------------------------	----------

Enware Australia
ENWARE

4756	1.92	Model 892137 LF Series Type 37/38/39/40/41/42 Laboratory Gas Turret	7 kPa
------	------	---------------------------------------------------------------------	-------

Fluid System Technologies (ES) Pty Ltd
WHITEY

4333	6.88	Integral Bonnet Needle Valve Model B-1VF4 ¼ NPT Female	10 350 kPa
------	------	--------------------------------------------------------	------------

APPLIANCE PRESSURE REGULATORS (AS 4618)

Bromic Pty Ltd
BROMIC

5149	8.94	Appliance Pressure Regulators Model BM-WF-1A (NG) (Class 0 Grade 20) Inlet/Outlet 3/8" x 3/8", 1/2" x 1/2", 3/4" x 3/4" Thread Types Rp, R, G, Max. Inlet Pres.	5 kPa
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

Bromic Pty Ltd
NETGAS

6958	6.06	Appliance Regulator (Natural Gas only) Model: NG1-1/2", Class 2, Grade 20	5 kPa
		Temperature Range: 0°C to 60°C	

Bromic Pty Ltd
OARA

5862	6.99	Oara 98 Series Appliance Pressure Regulator, (Class 0, Grade 20) Models: 980, 980L, 986 & 986L	5 kPa
		980 indicates suitability with Natural Gas 986 indicates suitability with Propane Gas "L" suffix indicates a fixed orifice on the the top cover to limit venting	
6041	10.00	Oara Appliance Pressure Regulators 97 Series 1/2" (Class 0 Grade 20) Suitable for Natural Gas Models: 97A and 97L	5 kPa
		Temperature Range 0°C to 96°C	

But-Well Industrial Co Ltd
MDG GVN-10 SERIES

7662	7.10	MDG GVN-10 Series Gas Appliance Regulator Models: MD-100, MD-10083, MD-10041	6 kPa
		(Class 0 Grade 20 or Class 2 Grade 20)	
		Models: MD-90, MD-9083, MD-9041	6 kPa
		(Class 2 Grade 20)	
		Temperature 0 °C - 60°C	
		Inlet/Outlet: 1/2" x 1/2", 3/8" x 3/8", 1/4" x 1/4"	

Dong Yang Diecasting Co Ltd
DONG YANG

6845	8.05	Convertible Regulator Models: DR1CAE (Inlet and Outlet 1/2" BSPP), DR1CAE-1 (Inlet 1/2" BSPP and Outlet Special Purpose – G 1/2 threaded, with seat for sealing washer*)	5 kPa (NG) 7 kPa (LPG)
		Class 0 – Grade 20	
		Temperature Rating: 0 °C - 120°C	
		Note: *The special purpose connection on the outlet of DR1CAE-1 is for manifolds and fittings with a flat formed or faced end and G 1/2 threaded male compression nut.	
		A sealing washer is supplied with this model of regulator to be inserted between the end of the manifold fitting and the washer seat in the outlet of the regulator. No other sealing compound is required at this connection.	

Elitre Co Ltd - Agent: Cape Trading Sales
MDG ELITRE

6422	5.03	GVN-01 Series Class 0, Grade 20 Appliance Regulator, Maximum Inlet Pressure: Model Number (Label Cover)	5 kPa
		EL-12550 (EL-125), EL-12537 (EL-124), EL-12525 (EL-123), EL-9050 (EL-90), EL-9037 (EL-89), EL-9025 (EL-88), EL-15050 (EL-150), EL-15037 (EL-149), EL-15025 (EL-148), EL-6050 (EL-60), EL-6037 (EL-59), EL-6025 (EL-58), EL-35050 (EL-35050)	
		Temperature Range: 0°C to 100°C	

Fiorentini Minereg SpA – Agent: Accutherm Int'l Pty Ltd
FIORENTINI MINIREG

6974	9.06	FAG Series Regulators 30150 (1/2"), 30051 (1/2"), 30151 (3/4"), 30052 (3/4"), 30152 (1"), 30053 (1"), 30153 (1 1/4"), 30154 (1 1/2") and 30155 (2")	
		Pressure Regulators with Internal Filter:	
		31150 (1/2"), 31051 (1/2"), 31151 (3/4"), 31052 (3/4"), 31152 (1"), 31053 (1"), 31153 (1 1/4"), 31154 (1 1/2") and 31155 (2")	
		Class 3, Grade 20	
		Max. Inlet Pressure 100 kPa	
		Outlet Pressure Range 0.5 kPa to 20 kPa	
		Ambient Temperature Range: -15°C to +60°C	

Gameco (NSW) Pty Ltd**SPERRYN**

7549	8.09	Adjustable Appliance Regulator Model: G1000C Series - ¾" & 1"	35 kPa
		Model: G1000 Series - ¾", 1", 1¼", 1½" & 2"	35 kPa
		0°C to 60°C Class 2, Grade 20	

Haur Fung Enterprise Co Ltd**Agent: Sitro Group Australia Pty Ltd****GASMATE & BULK**

7605	3.10	Adjustable Appliance Pressure Regulator – Class 2, Grade 20 Models: 3030, GM3030	5 kPa
------	------	----------------------------------------------------------------------------------------	-------

Maxitrol Company - Agent: Keefer Bros (Aust) Pty Ltd**MAXITROL**

2003	7.71	RV Series Appliance Pressure Regulators RV52 - Class 3 Grade 20 ½" - ¾"	3.4 kPa
		RV53 - Class 2 Grade 20 ¾" - 1"	3.4 kPa
		RV61 - Class 2 Grade 20 1" - 1¼"	6.9 kPa
		RV81 - Class 2 Grade 20 1¼" - 1½"	6.9 kPa
		RV91 - Class 2 Grade 20 2" - 2½"	6.9 kPa
		Maximum Working Temp. -40°C to 96°C	
3088	5.80	RV Series Appliance Pressure Regulators RV12xx – Class 0, Grade 20, 1/8"	7 kPa
		RV20xx – Class 0, Grade 20, ¼" & 3/8"	5 kPa
		RV20xx – Class 2, Grade 20, ¼" & 3/8"	7 kPa
		RV47xx – Class 0, Grade 20, 3/8" & ½"	5 kPa
		RV47xx – Class 2, Grade 20, 3/8" & ½"	7 kPa
		RV48xx – Class 1, Grade 20, ½" & ¾"	5 kPa
		RV48xx – Class 2, Grade 20, ½" & ¾"	7 kPa
		Available with BSP or NPT Connections Ambient temperature 0°C to 107°C, (-40°C for RV12 & RV20), Optional 0°C to 135°C xx=L: Integrated vent limiting orifice xx=S: Pressure tap left side xx=SR: Pressure tap right side xx=T: Higher temperature resistance up to 135°C xx=M: Rp Thread according ISO 7-1 (EN 10226-1) Blank: NPT Thread	

System Control Engineering Pty Ltd**JEAVONS**

2146	6.71	Low Pressure Regulators, Models J78R and J78RS Nominal Sizes ½" (15 mm), ¾" (20 mm) and 1" (25 mm) Class 4, Grade 20,	35 kPa
2232	5.73	Appliance Pressure Regulators Model: J48 MK11 Nominal Sizes: ¾" (20mm), 1" (25mm), 1¼" (32mm), 1½" (40mm), 2" (50mm) Class 4 Grade 20	
3722	1.84	Appliance Pressure Regulators Models: 60 DJ Series ¼"(8mm), 80 DJ Series 3/8" (10mm), 150 DJ Series ½" (15mm), J10 SSP 1/8" (6mm) J10D SSP ¼" (8mm) Class 3, Grade 20	

Techrite Controls Australia Pty Ltd**GIULIANI ANELLO**

6905	1.06	FSD15/CE, FSD20/CE, FSD25/CE, FSD32/CE, FSD40/CE, FSD50/CE, FSDC15/CE, FSDC20/CE, FSDC25/CE, FSDC32/CE, FSDC40/CE, FSDC50/CE, FSDR15/CE, FSDR20/CE, FSDR25/CE, FSDR32/CE, FSDR40/CE and FSDR50/CE	20 kPa 50 kPa
		These regulators meet the requirements of Class 3 Grade 20	

Techrite Controls Australia Pty Ltd**SCP**

5193	1.95	SCP-SC-75 Series ½" x ½" NPT Model SC-75LT (Class 2 Grade 10) Model SC-75NT (Class 2 Grade 20) Model SC-75CT (Class 0 Grade 20)	5 kPa
------	------	------------------------------------------------------------------------------------------------------------------------------------------	-------

APPLIANCE PRESSURE REGULATORS (AG 202)**Suitable For Outlet Pressure Below 7 kPa****Beckley Forge Pty Ltd**

5151	11.94	Beckley 2300 and 2310 Series Appliance Pressure Regulators Series 2300 ½" and ¾" BSP Series 2310 ½" BSP x ¾" UNF Class 0, Grade 20 Max Inlet Pressure	5 kPa
------	-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

**APPLIANCE THERMOSTATS
(AS 4619)****Bromic Pty Ltd****SABAF**

3431	9.10	Oven Thermostat with Optional Combination Grill Control Models: 20, 21, 22, 23, 24, 25, 30, 32, 33 and 34	
------	------	--------------------------------------------------------------------------------------------------------------------	--

Copreci S Coop**COPRECI**

6551	1.04	Modulating Appliance Thermostat with Flame Safeguard Models MTG 22300 and MT 22300	
------	------	------------------------------------------------------------------------------------------	--

Invensys Appliance Controls SA**RANCO**

3087	4.80	Appliance Thermostats for Absorption Refrigerators Models: V35 and V61	
------	------	---------------------------------------------------------------------------	--

Invensys Controls Australia Pty Ltd**ROBERTSHAW**

6583	5.04	GS Series Appliance Thermostat - Snap Acting Hydraulic Non 'Fail- Safe' Type GS4007 (GSJ10360004) 70°C to 290°C GS6002 (GSC80600014) 15°C to 120°C GS7005 (GS190300400) 95°C to 205°C RWP 3.5 kPa @ 0°C to 93°C Note: Model number in brackets denotes US equivalent model.	
------	------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

**APPLIANCE THERMOSTATS
(AG 203)****Beckley Forge Pty Ltd**

2661	12.77	Series 2500 Oven Thermostat	
5130	6.94	Series 2810 Oven Thermostat with Thermoelectric Flame Safeguard	

**THERMOELECTRIC FLAME
SAFEGUARDS (AS 4620)**

BASO Gas Products LLC

Agent: Accutherm International Pty Ltd

BASO

4236	7.87	H15 Series Thermoelectric Flame Safeguards Valve Type Class 1 Models H15AA, H15AR, H15CA, H15CQ, H15DA, H15DQ, H15EQ, H15FA, H15FQ, H15HQ, H15HR	3.5 kPa
		1 st suffix A,H: 3/8" (NPT) C: 1/2" (NPT) D, E: 3/4" (NPT) F: 1" (NPT)	
		2 nd Suffix A,Q: -34°C to 79°C R: 0°C to 149°C	
		3 rd / 4 th Suffix Customer specific requirements	
6734	2.05	H19 Series High Pressure Safety Pilot Valves Models H19LA-**, H19NA-**, H19RA-** and H19TA-**	172 kPa
		Code Details L: 3/8" x 3/8" NPT, with flow interrupter N: 1/4" x 1/4" NPT, with flow interrupter R: 3/8" x 3/8" NPT, without flow interrupter T: 1/4" x 1/4" NPT, without flow interrupter **: Designates customer specific requirements, ie pilot tap location, pilot tap plug.	

Bromic Pty Ltd

BROMIC

3771	5.84	Class 3 Thermoelectric Flame Safeguards Models: BM/MP 401, BM/MP402, BM/MP H401 & BM/MP H402	14 kPa
		Rated Working Temperature: 0°C-80°C	

Keefer Bros (Aust) Pty Ltd

KEEFER

7240	2.08	Thermoelectric Flame Safeguard Model: KG-F1414T	7 kPa
		Rated Temperature Range: 0°C-125°C	

Seven Universe Industrial Co Ltd

SU

6884	4.06	Valve Type Thermoelectric Flame Safeguard (without piezo and without pilot) Model: AW90B0	3.447 kPa
------	------	-------------------------------------------------------------------------------------------------	-----------

Techrite Controls Australia Pty Ltd

EITAR

4706	6.91	Thermoelectric Flame Safeguard Model: 6400 NB 3/4	18 kPa
------	------	------------------------------------------------------	--------

**THERMOELECTRIC FLAME
SAFEGUARDS (AG 204)**

Beckley Forge Pty Ltd

2579	1.77	Model 2200	
------	------	------------	--

SIT Gas Controls Pty Ltd

3530	5.83	Model "D" Series R3/8, R1/2 and R3/4 Thermocouple Actuated Safety Control	
3531	5.83	Simposit and Duposit Thermocouple Safety Control	
3532	5.83	Model M1 Thermocouple Safety Control	
3533	5.83	Model "B" Series Thermocouple Safety Control	

**LPG REGULATORS
(AS 4621)**

Amalgamated Hardware Merchants Ltd

**CAMPMASTER, KOOKABURRA, GRILLPRO,
TOPSTOVE, FIESTA, FALCON, WILD COUNTRY,
FREETIME, FESTIVA, THE STOVE, SUNSHINE,
CAMPER COLLECTION, OZTRAIL, ROMAN,
PROGAZ, ESCAPE, GAS CRAFT**

6266	5.02	Single Stage, Non-Adjustable LPG Regulator with 3/8" Female Threaded Outlet Model: 700A Capacity 2kg/h @ 2.8 kPa outlet pressure Regulator/Hose Assembly Class A	1750 kPa
6267	5.02	Single Stage, Non-Adjustable LPG Regulator with 3/8" BSP Outlet Model: 700B Capacity 2kg.h @ 2.8 kPa outlet pressure Regulator/Hose Assembly (Class A)	1750 kPa

Aquaknect Flexibles (A/Asia) Pty Ltd

PLUMB-EZY

6425	5.03	Single Stage Low Pressure Regulator Model AC-M5-R Non-adjustable Regulator/Hose Assembly with POL Fitting.	
6661	9.04	LPG Single Stage Regulator AQCRH20 and AQCR-20 2 kg/h @ 2.8 kPa	1750 kPa

Austcrown Pty Ltd

AUSTCROWN

5212	1.95	Single Stage LPG Regulator Model TPA-7010 3 kg/h @ 2.75 kPa Outlet Pressure Maximum Inlet Pressure	1750 kPa
------	------	-------------------------------------------------------------------------------------------------------------	----------

Austcrown Pty Ltd

RAMBO

7623	1.10	Rambo Single Stage Non Adjustable High Pressure LP Gas Regulator Model: MPR100LFT 4.5 kg/h Fixed Outlet Pressure 100 kPa Maximum Inlet Pressure	1750 kPa
		Model: MPR61LFT 2.8 kg/h Fixed Outlet Pressure 61 kPa Maximum Inlet Pressure	1750 kPa

Bromic Pty Ltd

RECA

3414	10.82	First Stage Fully Adjustable LPG Regulator Model 75-1-890 (Type 758), 3.5 kg Maximum Inlet Pressure	1750 kPa
		Temperature Range -20°C to 60°C	

Cavagna Group SpA - Agent: Bromic Pty Ltd

CAVAGNA GROUP

7688	9.10	Single Stage Pressure Regulator Type 698 2kg/hr, Outlet Pressure 2.8 kPa Maximum Inlet Pressure 1750 kPa Inlet/outlet Connections @90 Degrees	1750 kPa
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Coleman Brands Pty Limited**COLEMAN**

- 6581 7.04 Single Stage LPG Regulator Assembly
Model: 9942A525A 1750 kPa
Non Adjustable
2.75 kPa Outlet Pressure
For exclusive use with selected Coleman
products only
- 7610 2.10 Single Stage LPG Regulator Assembly
with Shut-off Valve Model: 666 1750 kPa
Adjustable Outlet Pressure 1.2-1.9 kPa
Note: This product is for exclusive
use with selected Coleman products only

Focus Lifestyle Products Pty Ltd**FOCUS GRAND HALL**

- 5087A 8.94 Model 7060 Single Stage Low
Pressure 2.5 Kg/hr

Guangdong Chant Group Inc**CHANT**

- 6890 12.05 Single Stage LPG Regulator
Model: C001 1750 kPa
1.5kg/h non-adjustable
Inlet Pressure: 250-1750kPa
Outlet Pressure: 2.8kPa
Inlet Connection: POL
Outlet Connection: ¼ NPT female to adaptor
- 7250 12.07 High Pressure Regulator
Model: JYF-8
Inlet Pressure: 250-1750 kPa
Outlet Pressure: 150 kPa
Flow rate: 2 Kg/h

Hangzhou FuYang Zhen Da Gas Appliances Co Ltd

- 7086 3.07 LPG Regulator with Hose Assembly
Model T-6 Outlet Pressure 2.8 kPa 1750 kPa

Onka (H.K) Co Ltd**ONKA**

- 6866 10.05 Two Stage Low Pressure LP
Gas Regulator
Onka Model: A2SR-60 (6kg/hr) 2.8 kPa
Plumbezy Model:
MDSR300 (6kg/hr) 2.8 kPa

TPA Metals and Machinery (Shenzhen) Co Ltd

- 5841 4.99 Automatic Change Over Regulator
Model ACR-6
- 7219 11.07 1.5 kg Capacity LPG Regulator
Model: LR15 1750 kPa

Yung Shen Gas Appliance Co Ltd**GLOBAL**

- 6593 6.04 Single Stage, Low Pressure LPG
Regulator
Model 901 – Straight Connections
Model 902 – Right Angled Inlet
Connection
2 kg/hr non-adjustable, single
stage, low pressure
Inlet Pressure 250 – 1750 kPa
Outlet Pressure 2.8 kPa
Inlet Connection – POL or POL AUTO
(Excess Flow Device Fitted)
Outlet Connection - ¼” NPT-18 Female

Yung Shen Gas Appliance Co Ltd Continued**GLOBAL**

- 6684 10.04 LPG Single Stage Low Pressure
Regulator Model 601-A1
(90 degree connections)
1.5 kg/hr non-adjustable
Inlet Pressure 250-1750 kPa
Outlet Pressure 2.8 kPa
Inlet Connection – POL or POL
Auto (Excess Flow Device Fitted)
Outlet Connection - ¼” NPT-18 Female

LPG REGULATORS (AG 205)**Bromic Pty Ltd****RECA**

- 3735 2.84 Model 718-71-890, 2 kg Single Stage
Non-Adjustable, Inlet/Outlet at 90° and 180°
Maximum Inlet Pressure 1750 kPa
Available with Pressure Gauge,
Model 718-1-890 Available with
Dual Take-off Outlet as Model 718/A

Coleman Brands Pty Limited

- 6602 7.04 Coleman LP Gas Regulator Assembly
Model 5430
For exclusive use with selected Coleman
Products only

Overseas Industrial Corp - Agent: Cape Trading Sales**OVERSEAS**

- 6697 1.05 Single Stage
Model RA202 (straight type regulator
with female threaded outlet) 2.8 kPa
Model RA203 (90 degree type
regulator with female threaded outlet) 2.8 kPa
Note: POL, Soft Nose, Hard Nose
and 3/8 LH Versions

MISCELLANEOUS LPG DEVICES**Amalgamated Hardware Merchants Ltd**

- GASSWITCH, CAMPMASER, KOOKABURRA,
GRILLPRO, TOPSTOVE, FIESTA, FALCON,
WILD COUNTRY, FREETIME, FESTIVA, THE STOVE,
SUNSHINE, CAMPERS COLLECTION, OZTRAIL,
ROMAN, PROGAZ, ESCAPE, GAS CRAFT & SPINIFEX**
- 7452 4.09 LPG Shut-off Device Models:
479X (4790, 4791, 4792, 4793) 2600 kPa

Premier Fosters (Australia) Pty Ltd

- 6127 3.01 Gasfuse Automatic Shut-Off Valve
and Leak Detector
Models: AUSGF and AUSGFHR 2600 kPa
Note: Available in 2 body designs;
Male POL inlet/Female POL outlet
or Male POL inlet/ ¼” Male NPTF outlet

LPG CYLINDER VALVES (AS 2473.1)**Amalgamated Hardware Merchants Ltd**

- 7445 3.09 3/8 Camping LPG Cylinder Valve
Campmaster, Kookaburra, Grillpro,
Fiesta, Falcon, Wild Country, Freetime,
Festiva, Sunshine, Campers Collection,
Oztrail, Roman, Progaz, Escape,
Gas Craft, Swap 'N' Go, Grand Gas
Model: 11017 2600 kPa

Black & Stone Pty Ltd

7362 10.08 Automatic Shut-Off Valve and Leak Detector, Gas Safety Gauge
Models: GSGAU, GSGAUHR, GSG38LH 2600 kPa

Grand Gas Equipment Incorporation**GRAND GAS**

7244 11.07 LPG Cylinder Valve
Model: 11002C (POL type outlet) 1725 kPa
Model: PDQ-OPD (ACME type outlet with overfill prevention device) 1725 kPa

SCG (Thailand) Co Ltd**SCG**

7717 11.10 SCG Cylinder Valve
Model: V6S1 3300 kPa

Sitro Group Australia Pty Ltd**SHANDONG HUANRI**

6721 1.05 LPG Cylinder Valve
Model YSF-RA-1 3300 kPa
7565 9.09 3/8" Camping LPG Cylinder Valve
Model: YSF-RA-2 3300 kPa

TPA Metals & Machinery (Shenzhen) Co Ltd**TPA**

7530 7.09 Gas Cylinder Valve
Model: V5C-L (AS) 3300 kPa
7531 7.09 Gas Cylinder Valve Model: V58-L 3300 kPa

IGNITERS (AS 4622)**Bromic Pty Ltd****ISPRACONTROLS**

4112 9.86 Igniter Box Models:
BK25020.00, BK25040.00,
BF50026.50, BF50046.50,
BF50066.50, BK50020.01,
BK50020.03, BK50025.00,
BK50026.00, BK50028.01,
BK50040.01, BK50040.03,
BK50042.01, BK50044.00,
BK50046.00, BK50060.02,
BK50060.04, BK50062.01,
BK50064.00, BK50066.00,
BK50068.01, BF80026-N00,
BF80046-N00, BF80046-N80,
BF80066-N00, BF80066-N80,
BF85046-00, BF90046-N00,
BF90046-N20, BF90066-N10,
BF90066-N20
BK - Spark frequency 5 cycles
(12V and 220/240V)
BK - Spark frequency 6-9 cycles (1.5V)
BF - Repetitive sparking 3 cycles in
compliance with CEE 82/489 with
AS/NZS 1044 (EN 55014 CEE 82/499
and international standard CISPR)
for electro-magnetic compatibility if
correctly installed and when tested
within an appliance

ITW Industrial Components srl**ISPRACONTROL**

7041 9.06 Electronic Ignition Module
Models: BF70046.N10 and
BF70066.N10
7382 12.08 Electronic Ignition Module
Models: B200026-XX, B200046-XX,
B200056-XX, B200066-XX
Suffix XX denotes 00 to 90 for
specific OEM requirements
(non-technical design variations)

ITW Industrial Components srl**ITW ISPRACONTROLS**

7645 4.10 Electronic Ignition Module
Models: B290026, B290046,
B290056, B290066

System Control Engineering Pty Ltd**SCE**

7170 6.07 SCE Multi-point Igniters
Models: ZE 08020, ZE 08040,
ZE 08060, ZE 08080

Techrite Controls Australia Pty Ltd**ANSTOSS**

6688 11.04 240 Volt and Battery Operated
Models: FZ2, FZ4, FZ6
Model: UBZ2(*) - 2 Point
Model: UBZ4(*) - 4 Point
Model: UBZ6(*) - 6 Point
Note: FZ = 240 V & UB = Battery
*Battery Voltage - 1.5, 9 or 12 DC

Termal Elektronik Ve Devre Elemanlari San T/C A.S**TERMAL**

7205 8.07 Ignition Module
Model: 507 2
(1,2,3,4,5,6,7) (2,4,6,8) (2,4)**
** - refers to customer specific
mounting details

Zongshan HMJD Electrical Co Ltd**HMJD**

7422 1.09 Spark Ignition Module
Models: A2/A4/A6-1.5V,
A2/A4/A6-110V~240V,
A2/A4/A6-220V/240V

IGNITERS (AG 206)**PR Kitchen Systems Pty Ltd**

5463 10.96 Anstoss Electronic Ignition
Device Models FZ2, FZ4 and FZ6
240 Volt Direct Spark

Tytronics Pty Ltd

6238 1.02 Models IG230A-1 Igniter
(240 volt- 1 point)
RI230A-1 Reigniter
(240 volt - 1 point)
RI230A-1E Reigniter
(240 volt - 1 point, 1Hz spark)

HOSE ASSEMBLIES (AS/NZS 1869)

Class	Maximum Working Pressure at 23°C ± 2°C	Working Temperature Range °C
A	7.0 kPa	-20°C to + 65°C
B	7.0 kPa	-20°C to + 125°C
C	2600 kPa	-20°C to + 65°C
D	2600 kPa	-20°C to + 125°C

Amalgamated Hardware Merchants Ltd AHM, CAMPMASER, KOOKABURRA, WILD COUNTRY, FESTIVA, PROGAZ

6228	5.02	HP 6mm ID (Class C) Camping Hose/Hose Assembly	2600 kPa
6269	5.02	HP 8mm ID (Class A) Camping Hose with various end fittings	7 kPa
6719	3.05	PVC LP 6mm & 8 mm ID (Class C)	2600 kPa

Aquaknect Flexibles (A/Asia) Pty Ltd AQUAKNECT

5465	10.96	8mm and 10mm NB Stainless Steel Braided Hose Assembly Various end fittings (Class D) Hose/Regulator combination (Class A)	2600 kPa 7 kPa
5781	11.98	8mm & 10mm NB Stainless Steel Braided Hose Assembly Various end fittings (Class D) Hose/Regulator combination (Class A)	2600 kPa 7 kPa
5919	2.00	PGH Series Hose Assemblies with Various End Fittings PGH 1000 – 6mm, PGH 2000 – 8mm & PGH 3000 – 10mm NB (Class C) Hose/Regulator Combination (Class A)	2600 kPa 7 kPa
6196	12.01	Stainless Steel Braided Hose Assembly (Class D) GF1000 Series (8mm NB) and GF2000 Series (10mm NB) Hose/Regulator Combination (Class A)	2600 kPa 7 kPa
6424	5.03	Stainless Steel Braided Hose Assembly (Class C) GF1000 Series (8 mm NB) and GF2000 Series (10 mm NB) Hose/Regulator Combination (Class A) PVC hose lining and various end fittings. Contact manufacturer for further details.	2600 kPa 7 kPa
6891	12.05	Stainless Steel Braided Hose Assembly (Class D) GF1000 Series (8mm NB) and GF2000 Series (10mm NB) Hose/Regulator Combination (Class A) Stainless Steel Braided Hose Assembly (Class B) GF3000 Series (12mm NB), GF4000 Series (15mm NB), GF5000 Series (20mm NB), GF6000 Series (26mm NB) Various end fittings. Contact manufacturer for further details.	2600 kPa 7 kPa

Aquaknect Flexibles (A/Asia) Pty Ltd

PLUMB EZY

6560	4.04	Hose and Regulator Assembly Model AQR-20 (Class A)	2.75 kPa
Contact manufacturer for further details.			

Aquaknect Flexibles (A/Asia) Pty Ltd

PLUMB-EZY, QIK-SCREW, ABEY

4007	11.85	Class B Braided Stainless Steel Hose Assembly 8, 12, 15, 20 and 26mm NB	7 kPa
4385	11.88	Braided Stainless Steel Hose Assembly and Hose/Regulator Combination Sizes 8, 10, 12 and 15mm ID NB (Class C) Hose/Regulator combination (Class A)	2600 kPa 7 kPa
Contact Manufacturer for further details			

Arlec Australia Pty Ltd

ARLEC, HOMEMAKER LIFESTYLE & JACKEROO

7315	6.08	PVC Hose Assembly (Class A) Gas Regulator Model: GR-001	7 kPa
------	------	------------------------------------------------------------	-------

Ausquip Trading Pty Ltd

AUSQUIP & ZEC

7656	5.10	Hose Assembly (Class D) GAS5A202102 (4.8mm), GAS5A30102 (6.4mm), GAS5A40102 (8mm), GAS5A50102 (9.5mm) Hose with Bervic Engineering field attachable end fittings	2600 kPa
------	------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Bromic Pty Ltd

BROMIC/KOOKABURRA/PRIMUS/SIEVERT/ GASMATE/ TESUCO/EASTERN LEISURE/MAXBILT/GAMECO

4237	11.87	Hose Assembly (Class C) /B-6 mm and /N-6 mm	2600 kPa
------	-------	------------------------------------------------	----------

Bromic Pty Ltd

BROMIC

4303	6.88	8mm NB Hose Assembly (Class C)	2600 kPa
4631	2.91	Hose Assembly Models Bromic/B and Bromic/N – 10mm (Class A)	7 kPa
5368	2.96	LPG Hose Assembly 6mm, 8mm and 10mm (Class C) FITT 10mm Hose Assembly (Class C)	2600 kPa 2600 kPa
5497	6.97	Bromic Gas & Bromic/H Gas Stainless Steel Braided Hose Assembly (Class B) 10 mm, 13 mm & 19 mm	7 kPa
5581	6.98	Bromic/A 6.3mm (Class C) Hose Assembly with alternate Barbs	2600 kPa
6223	12.01	6.3mm Hose Assembly (Class C)	2600 kPa
6409	4.03	Bromic 6.7mm Hose Assembly (Class C)	2600 kPa
6420	5.03	Bromic 6.3 mm Hose Assembly (Class C)	2600 kPa

Cadac (Pty) Ltd - Agent: CadacBBQ

CADAC

7447	4.09	Hose Assembly Model: 5227 (Class C)	2600 kPa
------	------	-------------------------------------	----------

**Cavagna Group SpA - Agent: Bromic Pty Ltd
RECA**

7214 10.07 Hose & LPG Regulator Combination
Model: LP Gas 8mm – 2Kg/Hr 7 kPa
(Class A) (Regulator either Model
718 or 698)
Note: Inlet/Outlet Connections
90 or 180°. Various Threaded End
Fittings To a Recognised Standard

**Chuan Hseng Co Ltd
CHUAN HSENG/GASMASTER**

6100 1.01 PVC LP Hose Assembly Class C 2600 kPa
Models: 8 mm ID and 6 mm ID
Various end fittings conforming
to a recognised standard.

**Coleman Brands Pty Ltd
COLEMAN**

6856 12.05 5" PVC Hose Assemblies
(Class C) Reference Codes:
5470-564A, R5470-564A,
5470B560A, R5470B560A3,
5040-5651A 2600 kPa

**Deking Corporation Co Ltd
CHEN FONG ENTERPRISE CO LTD**

7731 1.11 PVC LPG Hose and Regulator
Assembly (Class A)
Models: 7068W1D, 7068W1D-1,
7068W9D 7 kPa
Also tested to AS 4621

**Dormont Manufacturing Company
Agent: System Control Engineering**

5305 9.95 Dormont Plastic Coated Stainless
Steel Hose Assemblies
1650 BP, 1675 BP, 16100 BP
& 16125 BP Disconnect Class B 7 kPa
5607 6.99 Cimfast Combination Ball Valve/Quick
Disconnect/Hose Assembly CF50, CF75
and CF100 7 kPa

**Drivetrain Australia Pty Ltd
WEATHERFLEX**

7572 10.09 Hose Assemblies (Class D) 2600 kPa
Models: WF87004, WF87005,
WF87006, WF87008
WF87004 (3/16" ID)
3/16" MTA Range crimp fittings
WF87005 (1/4" ID)
1/4" MTA Range crimp fittings
WF87006 (8mm I.D)
Reusable Fittings
7.9mm x 5/16 (1/2-20 SAE) Female Straight
7.9mm x 5/16 (1/2-20 SAE) Female 90° Elbow
7.9mm x 5/16 (1/2-20 SAE) Female 45° Elbow
7.9mm x 3/8 (5/8-18 SAE) Female Straight
7.9mm x 3/8 (5/8-18 SAE) Female 90° Elbow
7.9mm x 3/8 (5/8-18 SAE) Female 45° Elbow
Crimp Fittings
7.9mm x 5/16 (1/2-20 SAE) Male Rigid Straight
7.9mm x 5/16 (1/2-20 SAE) Female Straight
7.9mm x 3/8 (5/8-18 SAE) Female Straight
7.9mm x 3/8 (5/8-18 SAE) Female 90° Elbow
7.9mm x 3/8 (5/8-18 SAE) Female 45° Elbow
WF87008 – (10mm I.D)
Reusable Fittings
10mm x 3/8 (5/8-18 SAE) Female 90° Elbow
10mm x 3/8 (5/8-18 SAE) Female 45° Elbow
10mm x 3/8 (5/8-18 SAE) Female Straight

**Drivetrain Australia Pty Ltd Continued
WEATHERFLEX**

10mm x 1/2 (3/4-16 SAE) Female Straight
Crimp Fittings
10mm x 3/8 (5/8-18 SAE) Female Straight
10mm x 3/8 (5/8-18 SAE) Female 90° Elbow
10mm x 3/8 (5/8-18 SAE) Female 45° Elbow
10mm x 1/2 (3/4-16 SAE) Male Straight
10mm x 1/2 (3/4-16 SAE) Female Straight
10mm x 1/2 (3/4-16 SAE) Female 90° Elbow
10mm x 1/2 (3/4-16 SAE) Female 45° Elbow

**Eaton Fluid Power, A Division of Eaton Industries Pty Ltd
AEROQUIP**

4502 6.91 Hose Assembly FC621-06 2600 kPa
8mm NB (Class D)

**Eaton Fluid Power, A Division of Eaton Industries Pty Ltd
EATON**

7576 11.09 Hose Assemblies (Class D) 2600 kPa
SC-6GTW: 5/16" (7.9mm) ID
with SAE 45 swivel fittings, female,
straight, 45° elbow or 90° elbow,
5/8-18 UN threads,
SC-10GTW: 1/2" (12.7mm) ID
with SAE 45 swivel fittings, female,
straight, 45° elbow or 90° elbow,
5/8-18 UN threads

Elitre Co Ltd - Agent: Cape Trading Sales

6255 4.02 Elitre RHS-005 8mm Stainless
Steel Braided Class C Hose Assembly
50FFCO, 50MFCO, 50FFW, 50MFW,
50FFRC, 50MFRC, 50FFCA, 50MFCA,
50MM, 37FFCO, 37MFCO, 37FFW,
37MFW, 37FFCA, 37MFCA, 37MM,
25FFCO, 25MFCO, 25FFW, 25MFW,
25FFCA, 25MFCA and 25MM 2600 kPa
Connection Size: 50 = 1/2", 37 = 3/8", 25 = 1/4"
Connection Type: F = Female, M = Male,
CO = Cone, N = Female Connector,
MC = Male Connector, FW = Flat Washer,
FCA = Female Cave, RC = Rubber Cone

Fix-a-Tap Australia Pty Ltd

5614 7.00 Boston & Boston Premium Braided
Stainless Steel Hose Assemblies
Boston 10mm & 15mm (Class A) 7 kPa
Boston 10, 15 & 19 mm (Class C) 2600 kPa
Boston Premium (Non-kink)
15mm and 19mm (Class C) 2600 kPa

Foshan Rifeng Enterprise Co Ltd**RIFENG / GAS PEX & RIFENG / GASMATE**

7396	11.08	Agent: Foshan Rifeng Enterprise Co Ltd ID 10mm & 17.5mm Stainless Steel Braided Hose Assembly (Class A) RFAU-1/2F/Cone*1/2M-L (gas) 7 kPa RFAU-3/4F/Cone*3/4M-L (gas) Note: 'L' Stands for hose length in mm RIFENG / GASMATE RFAU-1/2M* 1/2M-L (gas) RFAU-1/2M* Ø20.6-L (gas) RFAU-1/4F/Cone* 1/2M-L (gas) Note: 'L' Stands for hose length in mm Agent: Charm Vantage Ltd RIFENG / RÉGLER ID 9.5 mm Stainless Steel Braided Hose Assembly (Class A) RFCV-780 7kPa RFCV-780 FM
------	-------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Foshan Shunde Guangfeng Plastic Manufacture Co Ltd
GUANGFENG**

7309	4.08	8mm PVC Hose Assembly Model: GP516 (Class A) 7 kPa
------	------	-------------------------------------------------------

**Fluid Systems Technologies (ES) Pty Ltd
SWAGELOK**

4564	7.90	Thermoplastic Hose Assembly 7R-4 6mm (¼"), 8R-4 6mm (¼") and 8R-8 13mm (½") (Class C) 2600 kPa
------	------	------------------------------------------------------------------------------------------------------

**Genesis Australia Corporation Pty Ltd
GAC**

6735	3.05	Regulator/Hose Assembly Model: GAC-001 (Class A) 7 kPa Model: GAC-002 (Class C) 2600 kPa
------	------	------------------------------------------------------------------------------------------------

**Guangdong Chant Group Inc
CHANT**

6682	1.05	6.3mm & 8mm PVC Hose & Regulator Assembly A003 – Standard Hose and Regulator Assembly (2.0 kg/hr) (Class A) 7 kPa A003a – Standard Hose & 90° Angle Regulator Assembly (2.0kg/hr) (Class A) 7 kPa A003b – Standard Hose & Regulator Assembly (2.0kg/hr) (Class A) 7 kPa A004 – Flow Limiting Hose & Regulator Assembly (2 kg/hr) (Class A) 7 kPa QG-002C-00 - 8 mm Hose Assembly – Female Flare (3/8" x 3/8") SAE (Class A) 7 kPa QG-018-00 – 6.3mm Hose Assembly – Female Flare (3/8" x 3/8") BSP-LH (Class C) 2600 kPa QG-018A-00 – 6.3mm Hose Assembly – Female Flare 3/8" BSP-LH x 7/16" UNEF-2A Male Thread (Class C) 2600 kPa
------	------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Haur Fung Enterprise Co Ltd**Agent: Sitro Group Australia Pty Ltd****GASMATE**

7030	10.07	Hose Assembly and Regulator Models: GMBBQHRA, GM8010-1, and GM8010R-3 7 kPa
------	-------	-----------------------------------------------------------------------------------

Keefer Bros (Aust) Pty Ltd**KEEFLEX**

1894	6.70	½" ID Grey or Black Flexible Hose Assembly (Class A) 7 kPa Note: Hose assemblies are certified for the attachment of various end fittings.
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------

MPS Products Pty Ltd**STRETCH-EASY**

7307	5.08	Stainless Steel Gas Connector Models: SPG500 and SPG1000 7 kPa (Class B)
------	------	--------------------------------------------------------------------------------

Nationwide Electrical Wholesale Pty Ltd

5197	6.95	6mm Hose Assembly (Class C) 2600 kPa
------	------	--------------------------------------

Overseas Industrial Corp – Agent: Cape Trading Sales

6470	8.03	OIC, Gasmate, Gasmaster and Kookaburra 8mm ID, PVC (Class C), Model PHP Hose Assembly 2600 kPa Various lengths and brass end fittings conforming to a recognised standard. PHP Hose Assembly with RA201 or RA201T Regulator (Class A) 7 kPa
------	------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Pacific Hoseflex Pty Ltd**PACIFIC HOSEFLEX**

7625	3.10	Hose Assembly (Class C) Sizes 20mm, 25mm, 32mm, 38mm, 50mm & 75mm Temperature Range -20°C to 65°C 2600 kPa
------	------	---------------------------------------------------------------------------------------------------------------------

Parker Hannifin Corporation**PARKER SS25UL**

7308	7.08	Hose Assembly (Class D) 2600 kPa Models: SS25UL-4-AGA, SS25UL-6-AGA, SS25UL-8-AGA
------	------	-----------------------------------------------------------------------------------------

PGI – Parigi Group International SpA**SICURGAS T**

6729	1.05	Stainless Steel Braided 'NBR' Hose Assembly Model: SIT 10 mm, SIT 13mm, & SIT 20mm (Class D) 2600 kPa
------	------	-------------------------------------------------------------------------------------------------------------

Rilas Pty Ltd**RILAS**

5980	3.00	Model AYR006 6mm PVC Hose Assembly (Class C) 2600 kPa
------	------	----------------------------------------------------------

Rinnai Australia Pty Ltd**RINNAI**

6896	3.06	PVC 10 mm ID Fitted with 3/8" BSP Loose Nut and a Type 1 Bayonet Plug Quick Connect Device Model: RCE (Class A) 7 kPa
------	------	--------------------------------------------------------------------------------------------------------------------------------

Ryco Hydraulics Pty Ltd**RYCO**

4247	4.91	M2G Series Hose Assembly (Class C) Models: M24G (6mm), M26G (10mm), M28G (12mm) and M212G (20mm) 2600 kPa Coupling suitability: Bitelock T400 series factory fitted 6mm to 20mm 400 series field attachable 6mm to 20mm
------	------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SC Kingflex Corporation - Agent: Ausquip Trading Pty Ltd
SC KINGFLEX

5318	11.95	LPG Hose Assembly Models: LP0 253XBS-AQ 8mm and AQ0303XBY 10 mm ID Class D With/without stainless steel outer braided cover and fitted with various end fittings - Parker, Weatherhead, Aeroquip, Bevic field attachable or Kingflex factory fitted	2600 kPa
7046	10.06	Hose Assembly (Class A) Models: LP0400SBN, LP0300SBN and LPG-S01	7 kPa
7435	1.09	Hose Assembly (Class D) 8mm & 10mm Models: VEX LP0253XBY (VEX-8), VEX LP0303XBY (VEX-10)	2600 kPa

Sitro Group Australia Pty Ltd

4862	6.92	H3 5mm Hose Assembly (Class C)	2600 kPa
------	------	--------------------------------	----------

Supagas – Division of Supagas Pty Ltd

4568	8.90	6mm PVC Hose Assembly (Class C)	2600 kPa
------	------	---------------------------------	----------

The McCormack Family Trust T/as The Outdoor Connection

OUTDOOR CONNECTION

7722	5.11	Hose & Regulator Assemblies Models: GHR.01 (1m Length) & GHR.02 (1.5m Length) Class C	2600 kPa
------	------	---------------------------------------------------------------------------------------------	----------

The Union Gas Appliances (Holdings) Ltd

TOGAWA TAADA

7663	7.10	Thermoplastic Hose Assembly Model: HQ-08 (Class B) Temperature -20°C to 125°C	7 kPa
------	------	-------------------------------------------------------------------------------------	-------

TPA Metals & Machinery (Shenzhen) Co Ltd

TPA, PRIMUS

7655	5.10	PVC 8mm Hose Assembly Model: APH 801 (Class C)	2600 kPa
------	------	---------------------------------------------------	----------

United Four Co Ltd

6262	7.02	Solimar and BSI Hose Assembly with Regulator Model P1301-AU 8 mm ID (Class C)	2600 kPa
------	------	-------------------------------------------------------------------------------------	----------

Wing Shun (Hong Kong) Company Ltd

7654	5.10	Hose Assembly Model: WSC-01 (Class C)	2600 kPa
------	------	------------------------------------------	----------

Woodstream Corporation

MOSQUITO MAGNET, WOODSTREAM CORP

7434	1.09	Hose & LP Regulator Assembly (Class A) Accuflex 478-04 ¼" Hose attached to Reca Type 803 LP Regulator	7 kPa
------	------	----------------------------------------------------------------------------------------------------------------	-------

Yuhuan Huasheng Plumbing Co Ltd

TIAN REN

7639	3.10	Hose Assembly (Class B) Models: 001:F1/2 x M1/2 & F3/4 x M3/4 002:F1/2 x M1/2 Temperature Range: -20°C to 125°C	7kPa
------	------	--------------------------------------------------------------------------------------------------------------------------	------

Yuhuan Jianglin Plumbing Hose & Parts Co Ltd
ACOLAA, GFLX, ABEY, BROMIC, DURA, KEEFLEX, JL

6848	9.05	Hose Assembly (Class C) 6mm: GH 1500 Series GH1500, GH1501, GH1502, GH1503, GH1504, GH1505 GH 1550 Series GH1550, GH1551, GH1552, GH1553, GH1554 GH 1600 Series GH1600, GH1601, GH1602, GH1603 GH 1650 Series GH1650, GH1651, GH1652, GH1653, GH1654, GH1655 GH 1700 Series GH1700, GH1701, GH1702, GH1703, GH1704, GH1705, GH1706 GH 1750 Series GH1750, GH1751, GH1752, GH1753 GH 1800 Series GH1800, GH1801, GH1802, GH1803 8mm: GH 000 Series GH000, GH001, GH002, GH003, GH004, GH005, GH006 GH 050 Series GH050, GH051, GH052, GH053, GH054, GH055, GH056 GH 100 Series GH100, GH101, GH102, GH103, GH104, GH105, GH106, GH107, GH108 GH 150 Series GH150, GH151, GH152, GH153, GH154, GH155 GH 200 Series GH200, GH201, GH202, GH203 GH 250 Series GH250, GH251, GH252 GH 300 Series GH300, GH301, GH302, GH303, GH304 GH 350 Series GH350, GH351, GH352, GH353, GH354, GH355, GH356 GH 400 Series GH400, GH401, GH402 GH 450 Series GH450, GH451, GH452, GH453, GH454 10mm: GH 500 Series GH500, GH501, GH502, GH503, GH504 GH 550 Series GH550, GH551, GH552, GH553, GH554, GH555, GH556, GH557 GH 575 Series GH575, GH576, GH577, GH578, GH579, GH580 GH 600 Series GH600, GH601, GH602, GH603, GH604, GH605, GH606 GH 650 Series GH650, GH651, GH652, GH653 GH 700 Series GH700, GH701, GH702 GH 750 Series GH750, GH751, GH752 GH 800 Series	2600 kPa
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

**Yuhuan Jianglin Plumbing Hose & Parts Co Ltd Cont'd ...
ACOLAA, GFLX, ABEY, BROMIC, DURA, KEEFLEX,
JL**

		GH800, GH801, GH802, GH803, GH804	
		12mm:	2600 kPa
		GH 1100 Series	
		GH1100, GH1101, GH1102	
		GH 1150 Series	
		GH1150, GH1151, GH1152, GH1153	
		15mm:	2600 kPa
		GH 1200 Series	
		GH1200, GH1201, GH1202, GH1203, GH1204	
		GH 1250 Series	
		GH1250, GH1251, GH1252, GH1253, GH1254	
6849	9.05	Stainless Steel Braided Hose Assembly with various end fittings (Class D)	
		10mm:	2600 kPa
		GHD 500 & GHD 500P Series	
		GHD 500, GHD 501, GHD 502, GHD 503, GHD 504, GHD 500P, GHD 501P, GHD 502P, GHD 503P, GHD 504P	
		GHD 550 & GHD 550P Series	
		GHD 550, GHD 551, GHD 552, GHD 553, GHD 554, GHD 555, GHD 556, GHD 557	
		GHD 550P, GHD 551P, GHD 552P, GHD 553P, GHD 554P, GHD 555P, GHD 556P, GHD 557P	
		GHD 575 & GHD 575P Series	
		GHD 575, GHD 576, GHD 577, GHD 578, GHD 579, GHD 580	
		GHD 575P, GHD576P, GHD 577P, GHD 578P, GHD 579P, GHD 580P	
		GHD 600 & GHD 600P Series	
		GHD 600, GHD 601, GHD 602, GHD 603, GHD 604, GHD 605, GHD 606	
		GHD 600P, GHD 601P, GHD 602P, GHD 603P, GHD 604P, GHD 605P, GHD 606P	
		GHD 650 & GHD 650P Series	
		GHD 650, GHD 651, GHD 652, GHD 653	
		GHD 650P, GHD 651P, GHD 652P, GHD 653P	
		GHD 700 & GHD 700P Series	
		GHD 700, GHD 701, GHD 702	
		GHD 700P, GHD 701P, GHD 702P	
		GHD 750 & GHD 750P Series	
		GHD 750, GHD 751, GHD 752	
		GHD 750P, GHD 751P, GHD 752P	
		GHD 800 & GHD 800P Series	
		GHD 800, GHD 801, GHD 802, GHD 803, GHD 804	
		GHD 800P, GHD 801P, GHD 802P, GHD 803P, GHD 804P	
		15mm:	2600 kPa
		GH 1200 Series	
		GHD1200, GHD1201, GHD1202, GHD1203, GHD1204	
		GH 1250 Series	
		GHD1250, GHD1251, GHD1252, GHD1253, GHD1254	

**Yuhuan Jianglin Plumbing Hose & Parts Co Ltd
Agent: Acolaa International Co Ltd
ACOLAA, GFLX, ABEY, BROMIC, DURA, KEEFLEX,
JL**

6850	9.05	Single Stage Non-adjustable LPG Regulator with (Class A) 8mm Hose Assembly 2.0 kg/h with Inlet POL Fitting and Outlet ¼ BSP or 3/8 SAE Model: AL001	7 kPa
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

Yung Shen Gas Appliance Co Ltd

GLOBAL			
6596	6.04	8 mm NB Hose Assembly with attached 1.5 kg/hr Non-Adjustable, Single Stage, Low Pressure (2.8 kPa) LPG Regulator Model 601-A Inlet/Outlet 90 degrees Class A	7 kPa
		Model 601-A2 Inlet/Outlet 180 degrees Class A	7 kPa
		Inlet Pressure 250-1750 kPa Inlet Connection POL or POL Auto (Excess flow device fitted)	
6603	7.04	Model YSH001 (Class C) 8mm ID, Various Brass Threaded End Fittings (male and female) to a Recognised Standard	2600 kPa

Zhongshan Keygas Gas Appliance Co Ltd

Agent: Woodland Home Products Pty Ltd			
KEYGAS			
7635	4.10	8mm PVC LP Gas Hose and Regulator Assembly Model: GR-107 (Class A) Non-adjustable 2.8 kPa outlet Pressure 2Kg/h capacity Hose outlet fitting straight & 90 degrees	7 kPa

LIMITED FLEXIBILITY CONNECTORS (AS 4631)

Convolute Technologies Pty Ltd

STANDARD FLEX/SUPER FLEX			
6745	4.05	Stainless Steel Hose Assembly Single Braid 316L STFL1 (ID 6, 10, 12, 16, 20, 25, 32, 40, 50 mm)	2600 kPa 1500 kPa
		(65, 80 & 100 mm)	
		Double Braid 316L STFL2 (ID 125, 150 & 200 mm)	1500 kPa
		Single Braid 316L SUFL1 (ID 12, 16, 20, 25, 32, 40, 50mm)	2600 kPa
		(65, 80 & 100 mm)	1500 kPa

Elitre Co Ltd - Agent: Cape Trading Sales

ELITRE			
7255	12.07	Limited Flexibility Connector Model: SCT-1356 Stainless Steel Corrugated Flexible Tubes Supplied in 750mm lengths	200 kPa

Haci Ayvas Endüstriyel Mamüller

5519	8.97	Ayvaz Stainless Steel Connectors Models: ASS 10 FHU, ASS 12 FHU, ASS 16 FHU, ASS 20 FHU, ASS 25 FHU, ASS 32 FHU, ASS 40 FHU and ASS 50 FHU Rated Working Temp 0°C to 125°C	7 kPa
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

Keefer Bros (Aust) Pty Ltd**KEEFLEX**

7397 11.08 Limited Flexibility Connector
 Models: DF-PT635JS, DF-PT635PS,
 DF-PT635FS, DF-PT952PS 2600 kPa
 Connector Lengths –
 Minimum 400mm up to Max 1000mm

MWM Energy Australia Pty Ltd**WITZENMANN**

6345 10.02 Flanged Stainless Steel Limited
 Flexibility Connector 50 kPa
 Models: 080813 RS 331L12 (50mm)
 380107 RS 331L12 (65mm)
 380106 RS 331L12 (80mm)
 377200 RS 331L12 (100mm)

Pacific Hoseflex Pty Ltd**PACIFIC HOSEFLEX**

6724 2.05 SS1 (Single SS Braid) and SS2
 (Double SS Braid)
 Models: SS1/SS2 (6, 10, 13,
 19 and 25 mm) 1500 kPa
 SS1/SS2 (32, 38, 51, 62.5,
 75.5 and 103 mm) 1000 kPa

Radcoflex Australia Pty Ltd**PARREX/LOCOR/PARCOR**

4041 3.86 Stainless Steel Connectors
 Parrex 6mm-50mm 2600 kPa
 Locor 9mm-27mm 2600 kPa
 Parcor 20mm-50mm 2600 kPa
 Parcor 65mm-100mm 1500 kPa
 Temperature Rating: 0°C to 125°C
 Note: The data plate on these
 assemblies may be marked with a
 value less than the AGA certified
 maximum working pressure in line
 with specific customer needs.

Techrite Controls Australia Pty Ltd**AGGREKO**

7704 9.10 Limited Flexibility Connectors
 80 mm
 06-001067, 06-0010874, 06-0019541,
 06-001875 50 kPa
 100 mm
 06-001875 50 kPa
 Temperature Limit 125°C

Tyco Flow Control Pacific P/L T/as Flexible Piping Systems**FPS**

4989 5.93 Limited Flexibility Connector – Class B
 Plant Link 6mm, 10mm, 12mm, 16mm,
 20mm, 25mm, 32mm, 38mm, 50mm,
 65mm, 75mm and 100mm 1500 kPa
 (Corrugated stainless steel inner with braided
 stainless steel outer wrap)

LIMITED FLEXIBILITY CONNECTORS (AG 216)**Dormont Manufacturing Company**

Agent: System Control Engineering Pty Ltd

DORMONT

5531 5.97 Corrugated Stainless Steel Connectors
 (PVC coated and uncoated)
 Series 10, 20, 30, 40, 50 & 60
 Series 16 (25 to 100) NPFS 500 kPa

**JOINTING MATERIALS AND
COMPOUNDS (AS 4623)****JOINTING COMPOUNDS****Basil VR Greatrex Pty Ltd****FACOT**

6672 2.05 Anaerobic Thread Sealant
 “Gas Seal” 2600 kPa

Bostik Australia Pty Ltd**PLUMB-WELD**

4640 2.91 Jointing Compound
 Gas Pipe Thread Sealant 1050 kPa

Bromic Pty Ltd**LOXEAL/BROMIC**

5047 9.93 Jointing Compound Type 18-10
 Medium Pressure Anaerobic Thread
 Sealant Class II 500 kPa
 Temperature Range: -10°C to 150°C
 5048 9.93 Jointing Compound Type 58-11 High
 Pressure Anaerobic Thread Sealant 2000 kPa
 Class III
 Temperature Range: -10°C to 150°C

Fix-a-Tap Australia Pty Ltd**BOSTON**

7583 10.09 Liquid Sealant Model: FW-504
 Class III -20°C - 135°C 2000 kPa

Gas Components Australia T/as Industrial Fittings**Sales Pty Ltd****BONDLOC**

7714 11.10 Thread Sealant (Anaerobic Adhesive)
 Class III, Model: B577 2000 kPa
 Rated Working Temp -20°C - 150°C

Henkel Australia Pty Ltd**LOCTITE**

2590 3.77 Flange Sealant Models: 510
 Gasket Eliminator and
 515 Master Gasket 690 kPa
 3207 3.81 Pipe Sealant Model: 567 1050 kPa
 3375 5.82 Thread Sealant Model: 569 1050 kPa
 4787 7.92 Pipe Sealant Model: 577 2600 kPa

Holdtite Australia Pty Ltd**HOLDTITE**

7604 11.09 Pipe Seal Compound
 Model: S77U 2600 kPa
 Class III

Mirror Paints Pty Ltd**MIRROR**

3373 5.82 Pipe Thread Sealant – Class 1
 Model: Type 577 20 kPa

Nichias FGS SDN BHD**TOMBO**

6635 9.04 Yellow Gas Line PTFE Thread
 Seal Tape 12.4mm x 0.09mm 2000 kPa
 Class III
 Rated Working Temperature: -20°C to 150°C

Ross Brown Sales Pty Ltd**WEICONLOCK**

6914	7.06	Anaerobic Thread Sealant Model: AN305-10 Class II Temp Range: -10°C to 150°C	500 kPa
6915	7.06	Anaerobic Thread Sealant Model: AN305-72 Class III Temp Range: -10°C to 150°C	2000 kPa
6916	7.06	Anaerobic Thread Sealant Model: AN305-77 Class III Temp Range: -10°C to 150°C	2000 kPa

WT Hawkins (Aust) Pty Ltd**HAWKINS**

4058	5.86	Jointing Compound Model: Hawkins Class I, Temperature Resistance -10°C to 135°C	7 kPa
------	------	---------------------------------------------------------------------------------------	-------

JOINTING MATERIALS**Austworld Commodities Pty Ltd****TITA FLEX**

6970	7.06	PTFE Pipe Thread Sealing Tape Model: M105 Class II Temperature Rating -10°C to 135°C	500 kPa
------	------	--------------------------------------------------------------------------------------------	---------

Basil VR Greatrex Pty Ltd**FACOT**

6732	4.05	Thread Sealing Tape Model Silicon Sealing Tape	2600 kPa
------	------	---------------------------------------------------	----------

Bromic Pty Ltd**SUPA SEAL**

7070	1.07	PTFE 12mm Thread Seal Tape Models: Supa-Seal/Y (yellow) and Supa-Seal/P (pink) Class III Temperature Range: -10°C to 200°C	2000 kPa
------	------	-------------------------------------------------------------------------------------------------------------------------------------	----------

Elson Australasia Pty Ltd**OSCHIN**

6001	5.00	Gas Tape 60507 Clas III Temperature Range -20°C to 250°C	2600 kPa
------	------	-------------------------------------------------------------	----------

Fix-a-Tap Australia Pty Ltd

4867	10.92	Boston PTFE Jointing Materials Thread Seal Tape Temperature Range -200°C to +310° C	2600 kPa
5034	9.93	Boston PTFE Jointing Materials High Density Gas Seal Tape – Class III Temperature Range -10°C to +210°C	2600 kPa

Garlock Pty Limited**GARLOCK**

4516	12.89	Blue-Gard Gasketing Jointing Material Style 3000 Class III Temperature Rating -10°C to 135°C	2000 kPa
4810	5.92	Jointing Material Style 2950 Aramid & Inorganic Fibre Gasketing Class III Temperature Rating -20°C to 200°C	2000 kPa
6893	12.05	Gasket Material Style HTC9800 Enhanced Compressed Carbon Fibre Gasketing Class III Temperature Rating -10°C to 200°C	2000 kPa

Henkel Australia Pty Ltd**LOCTITE**

6007	8.00	Pipe Sealing Cord Model: 55	2400 kPa
------	------	-----------------------------	----------

Howels, Keith T/as Fedseal**FEDSEAL**

6940	5.06	Gas Thread Sealing Tape Class III Model: FS 003 Temperature Rating -10°C to 200°C	2000 kPa
------	------	-----------------------------------------------------------------------------------------	----------

James Walker Australia Pty Ltd**SENTINEL**

7224	11.07	Gasket Material Models: 0.5mm, 0.75mm, 1.0mm, 1.5mm, 2.0mm	3000 kPa
------	-------	------------------------------------------------------------------	----------

Klinger Ltd**KLINGER**

5237	1.95	Klingersil Flange Jointing Material C-4430 Class III	2000 kPa
5582	8.97	Klinger Jointing Material 12 x 0.1mm PTFE (Teflon) Gas Sealant Tape Class III	2000 kPa
7090	1.07	Klingersealex Jointing Material Class III Temp range -10°C to +260°C	2000 kPa
7091	1.07	Graphite Laminate Jointing Material Model: PSM-AS Temp range -10°C to +300°C	2000 kPa

Nichias FGS SDN BHD**TOMBO**

6438	5.03	PTFE Thread Seal Tape Yellow Gas Line 12.4mm x 0.09mm Class II Rated Working Temperature -10°C to 150°C	500 kPa
------	------	------------------------------------------------------------------------------------------------------------------	---------

Reece Pty Ltd**BRIDGLAND**

6871	10.05	High Density Teflon Tape Model: Bridgland Class III Temperature rating -20°C to 260°C	2000 kPa
------	-------	---------------------------------------------------------------------------------------------	----------

Techrite Controls Australia Pty Ltd**PARKER**

7543	7.09	Thread Sealant Compound GT24 Anaerobic Thread Sealant Class II	500 kPa
------	------	----------------------------------------------------------------------	---------

JOINTING MATERIALS AND COMPOUNDS (AG 208)**JOINTING COMPOUNDS****J Blackwood & Son Ltd**

4068	6.86	Stag Jointing Compound	20 kPa
------	------	------------------------	--------

Basil VR Greatrex Pty Ltd

2619	7.77	La-Co Tot Non Drip Compound	7 kPa
2672	1.78	La-Co Slic-Tite Compound	1050 kPa

Permabond Engineering Adhesives Ltd**Agent: Rowe Trading Co Pty Ltd**

3217	5.81	Permabond Jointing Compound A131	1050 kPa
5999	10.00	Permabond Anaerobic Thread Sealant A1044	2500 kPa

Thomas Grozier & Son Pty Ltd

3992	9.85	Dixon Pipe Jointing Compound	30 kPa
------	------	------------------------------	--------

Unasco Pty Ltd

2616	7.77	PTFE (Teflon) Thread Sealant Paste	2600 kPa
3223	5.81	Heavy Duty Thread Sealant Compound (with Teflon Fibres)	3300 kPa

Unasco Pty Ltd

UNASCOSEAL ORANGE

6636 10.04 CT011 Thread Sealant 14 kPa

JOINTING MATERIALS

Cop-A-Mate Products Pty Ltd

5720 7.98 Cop-A-Mate Flange System
25mm-450 mm with male spigot or
female socket 2000 kPa

Fibras Y Elastomeros SA - Agent: Hawleys Pty Ltd

6427 4.03 Montero Belpa Gasket Material
Model CSA-320 5000 kPa

Fluid System Technologies (ES) Pty Ltd

5551 7.97 Swagelok Thread Tape P/No's
MS-STR-4 (1/4") 25 MPa
MS-STR-8 (1/2") 25 MPa

Unasco Pty Ltd

3228 6.81 Gas Sealant Yellow Teflon
Thread Tape 30 MPa
5238 2.95 Apex Gas Tape 2600 kPa
5239 2.95 Unasco White GT Sealing Tape 2600 kPa

COMBINATION CONTROLS (AS 4624)

Class classification listed in each entry.

BASO Gas Products LLC

Agent: Accutherm International Pty Ltd

BASOTROL

3495 3.83 G96 HGA, G96SHA &
G196 Series Combination
Controls – Class 3
G96 HGA Series (NPT) and
G96 SHA Series (BSP) 3.5 kPa
G196 *GH Series 3.5 kPa

Bromic Pty Ltd

PEL

4459 7.89 Combination Controls – Class 3
Models: 24ST, 24ST-S Large Capacity
& 25ST Medium Capacity 7 kPa

Bromic Pty Ltd

PEL PINTOSSI

6879 1.06 Commercial Gas Control with
Flame Failure Control, Solenoid
Valve and Pilot (optional)
Class 1
35S – with Pilot Connection 5 kPa
36S – without Pilot Connection

Honeywell Limited

HONEYWELL

2380 10.75 V4400 and V8800 Series Combination
Controls Class 3 Models V4400A 1025,
V4400A 1090, V4400A 1108, V4400A 1116,
V4400B 1015, V4400C 1013, V4400C 1104,
V4400C 1112, V4400C 1211, V4400C 1229,
V4400C 1237, V4400C 1245, V4400C 1286,
V4400C 1302, V4400C 1310, V4400C 1336,
V4400C 1369, V4400C 1377, V4410C 1011,
V8800A 1014, V8800A 1030, V8800A 1063,
V8800A 1105, V8800A 1113, V8800A 1121,
V8800C 1044, V8800C 1051, V8800C 1119,
V8800C 1127, V8800C 1135 5 kPa

Honeywell Limited Continued

HONEYWELL

2959 4.79 Compact Series Combination Controls Class 3
V4600*/V4610* line voltage models 3 kPa
V8600*/V8610* low voltage models 3 kPa
* denotes
'A' = Fast opening with regulator
'B' = Fast opening without regulator
'C' = Softlite opening with regulator
'D' = Softlite opening without regulator
'E' = Fast opening with throttle valve
'M' = Fast opening with Modureg
'N' = Softlite opening with Modureg
'P' = Fast opening with High-Low
'Q' = Softlite opening with High-Low
'T' = Softlite opening with throttle valve
Note: Working pressure variable with regulator
type - refer to manufacturers catalogue.
The model number is followed by a four digit
specification number, which has no effect on
safety
4717 7.91 VR430* Series (240V), VR830* & VR840*
(24V) Series Dual Automatic Valves,
Safety Shut-off and Manual Valve - Class 2 & 3
Standing Pilot
VR4300A4502, VR8300A2106,
VR8300A2130, VR8300A3104,
VR8300A3120, VR8300A3153,
VR8300A3203, VR8300A3500,
VR8300A3518, VR8300A3906,
VR8300A3914, VR8300A4003,
VR8300A4011, VR8300A4037,
VR8300A4045, VR8300A4508,
VR8300A4516, VR8300A4805,
VR8300C2120, VR8300C4027,
VR8300C4035, VR8300C4043,
VR8300C4050, VR8300C4100,
VR8300C4134, VR8300C4183,
VR8300C4506, VR8300C4803,
VR8300C4829, VR8300C4837,
VR8300H3107, VR8300H3123,
VR8300H3131, VR8300H4006,
VR8300H4501 3.5 kPa
Intermittent Pilot
VR4304M4519, VR4304P4300,
VR8304H3216, VR8304H3224,
VR8304H4206, VR8304H4230,
VR8304H4255, VR8304H4313,
VR8304H4503, VR8304H4800,
VR8304H4834, VR8304H4842,
VR8304K4806, VR8304K4814,
VR8304K4822, VR8304M2105,
VR8304M2501, VR8304M3103,
VR8304M3111, VR8304M3129,
VR8304M3152, VR8304M3509,
VR8304M3905, VR8304M4002,
VR8304M4010
VR8304M4408, VR8304M4507,
VR8304M4515, VR8304M4804,
VR8304P2300, VR8304P2334,
VR8304P3308, VR8304P4256,
VR8304P4264, VR8304P4280,
VR8304P4298, VR8304P4306,
VR8304P4314, VR8304P4322,
VR8304P4330, VR8304P4348,
VR8304P4405, VR8304P4504,
VR8304Q4420, VR8304Q4511,
VR8404P5004, VR8404P5046 3.5 kPa
Direct Ignition
VR4305M4532, VR4305M4540,
VR8304P4337, VR8304Q4179,

HONEYWELL

		VR8305A4309, VR8305A4317, VR8305H4047, VR8305K4233, VR8305M2102, VR8305M2805, VR8305M2953, VR8305M3506, VR8305M3803, VR8305M4009, VR8305M4041, VR8305M4801, VR8305M4819, VR8305M4827, VR8305M4835, VR8305M4843, VR8305P2224, VR8305P4253, VR8305P4279, VR8305P4295, VR8305P4311, VR8305P4329, VR8305P4857, VR8305Q4138, VR8305Q4500	3.5 kPa
4733	8.91	VR460** and VR860** Series Combination Controls Class 3 VR460**(*) VR860**(*) * denotes 1 st '1' = pilot outlet '5' = no pilot outlet 2 nd 'A' = Fast opening with regulator 'B' = Fast opening without regulator 'C' = SOFTLITE opening with regulator 'D' = SOFTLITE opening without regulator 'E' = Fast opening with throttle valve 'G' = Fast opening with control plate 'H' = SOFTLITE opening with Modulec 'M' = Fast opening with Modureg 'N' = SOFTLITE opening with Modureg 'P' = Fast opening with high-low 'Q' = SOFTLITE opening with high-low 'T' = SOFILITE opening with throttle valve 'R' = Fast opening and suitable for gas/air application 'V' = Fast opening with integrated 1:1 gas/air regulation 3 rd 'A' = Low capacity model 'B' = High capacity model The model number is followed by a four digit Specification number, which has no effect on safety	6 kPa
4752	10.91	VR420* and VR820* Combination Controls – Class 3, VR420* Series (240V) & VR820* Series (24V) Dual Automatic Valves Safety Shut-off and Manual Valve. Regulator: Class 3, Grade 20 VR420** 120V/240V automatic valve power operator VR820** 24V automatic valve power operator * denotes 1st: '0' = basic model with standard safety shut-off valve for continuous pilot ignition '4' = for use with an intermittent ignition system, the design is the same as the basic model with the following exceptions: - safety shut-off valve deleted - pilot valve assembly is employed - first coil assembly functions as dual automatic valves - diode pack no. 394821-5 or 394821-25 is employed - first automatic valve controls the pilot gas flow '5' = for use with a direct spark ignition system, the design is the same as	3.5 kPa

HONEYWELL

		the basic model with the above exceptions. 2 nd : 'A' = standard adjustable gas pressure regulator 'C' = step-opening gas pressure regulator 'H' = same as 'A' except the automatic valve assembly no. 393086 is employed for slow-opening characteristics. 'J' = same as 'H' except time delay diode pack no. 20217A is employed. 'K' = same as 'H' except the minimum operating temperature is -40°C instead of -17°C. 'M' = same as 'A' except the minimum operating temperature is -40°C instead of -17°C. 'N' = same as 'K' except 2-stage regulator employed. 'P' = same as 'C' except the power unit no. 394331-2 is employed and the minimum operating temper is -40°C. Note: The final four digits after the model number have no effect on the safety of the valve but determine finer characteristics and individual customer special requirements. For more information, please contact Honeywell.	
5354	5.97	VK41*** and VK81*** Series Combination Controls – Class 2 VR41*0*/VK41*5 240V models combination Controls with/without pilot outlet VK81*0*/VK81*5* 24V models combination controls with/without pilot outlet * denotes 1 st : '0' = Valve classification (EN 126: B+J) '1' = Valve classification (EN 126: B+C) '2' = Valve classification (EN 126: B+B) '3' = Valve classification (EN 126: A+J) '4' = Valve classification (EN 126: A+C) '5' = Valve classification (EN 126: A+B) 2 nd : 'A' = Fast opening with regulator 'M' = Fast opening with Modureg 'P' = Fast opening with High-Low 'R' = Fast opening and suitable for gas/air application 'V' = Integrated gas/air 1:1 'G' = Modulating second valve Note: The model number is followed by a four digit specification number, which has no effect on safety	6 kPa
5913	9.99	VR Series Disc on Seat Solenoid Valve – Class 1, Regulator Class 2 Grade 20 VR4--** Refers to Line Voltage (240 vac/110 vac/200 vac) VR8--** Refers to Low Voltage (28 VDC/24 vac) VR*--** Flange Connection Sizes 15-32mm. DN20 = Rp ¾” VR*--A* Pressure Regulator VR*--M* Electrical Modulating Regulator VR*--P* Hi-Low Regulator VR*--V* Gas/Air 1:1 Ratio R*--*A Second Valve Fast Opening for Direct Burner Applications VR*--*B Second Valve Characterised Opening for Direct Burner Applications VR*--*E Second Valve Fast Opening for Intermittent Pilot Applications VR*--*F Second Valve Characterised Opening for Intermittent Pilot Applications	

Honeywell Limited Continued

HONEYWELL

Ambient Temp. -15°C to 60°C.
 15 mm - 32 mm Sizes 3/4" - 1 1/4" 20/36
 Note: (a) Depending on regulator used, max outlet pressure may vary. Refer to manufacturers specifications.
 (b) The final four digits after VR400*--- have no effect on the safety of the valve, but determine finer characteristics and individual customer special requirements. For more information, please contact Honeywell.

**Invensys Controls Australia Pty Ltd
 ROBERTSHAW**

5414 10.96 Unitrol Combination Control – Storage Water Heater - Class 3
 Model: 220RTSP Regulated Pilot Class 4, Grade 20 Regulator 5 kPa
 6716 12.04 Unitrol 7000 Series Combination Controls – Class 3
 Models: BERL3501, BERL4512, 3.5 kPa
 BERL4520, BMVRL5507, BMVRL5515, BMVRL5517, BMVRLS7C5515, BMVRLS7C5523, BMVRLS7C5531, DERHCS7C and U7010DER
 Regulator Classification: Type B Class 2, Grade 20
 Models BGORL6032 and BGORL6040 3.5 kPa
 Regulator Classification: Type B Class 3, Grade 20
 Temp Range (-20°C to 80°C)

**Karl Dungs GmbH & Co KG
 Agent: Techrite Controls Australia Pty Ltd
 DUNGS**

7206 10.07 Gas/Air Ratio Combination Control Valves Class 1
 Models: MBC-(65,120)-(ND,WND)
 MBC-1200-(VEF,SE,ND,WND)
 MBC-(1900/3100/5000)-(SE,VEF)
 MBC-65/120-ND/WND
 MBC-(300,700)-(VEF,SE,SLE/N(D,WND)
 Note: (S22, S82, S302) only apply to SE and SLE Models
 MBC-(300/700)-VV
 MBC-1200-VEF/SE/N/ND/WND
 MBC-1900/3100/5000-SE/VEF
 Alternative MBC-200/700 models (Branded Weishaupt)
 W-MF-SE/SLE/VEF-507C01/512C01/-S22/S82/S302
 W-MF-507/512-C01
 Note: (S22, S82, S302) only apply to SE and SLE models Weishaupt Models
 7424 2.09 Combination Control Class 1, Servo Regulator Class 3
 Models: GB-(LEP) 057 D01, GB-ND 057 D01, GB-GD 057 D01, GB-M(P) 057 D01, GB-(LEP) Z 057 D01, GB-WND 057 D01 6.5 kPa
 Servo Regulator Assisted Class 3 Grade 20
 Model number depends on single or two stage, fast or slow opening, with pressure switch and start gas take-off and setting option. Contact Techrite Controls for more information.

**Robertshaw Controls Co, Invensys Climate Controls
 ROBERTSHAW**

6828 7.05 7500 Series Combination Controls Class 3 – Models 7500MVR, 7500MVRB, 7500MVRBC, 7500MVRB-LP, 7500MVRC and 7500MVR-LP 6.5 kPa

**SIT Gas Controls Pty Ltd
 SIT**

4032 2.86 Nova Combination Controls – Class 3 Models: 820, 820MV, 825, 584 & 826 Proflame Plus Remote Control Regulator: Class 1, Grade 20 Safety Shut-off Valv: Class 3 6 kPa
 5733 2.99 Sigma Combination Controls - Class 2 840 Sigma 0840014, 0840016, 0840017, 0840019, 6 kPa

SIT Gas Controls Pty Ltd

SIT
 0840020, 0840023, 0840024, 0840025, 0840026, 0840027, 0840028, 0840029, 0840030, 0840031, 0840032, 0840033, 0840034, 0840035, 0840036, 0840038, 0840039, 0840040, 0840041, 0840042, 0840043, 0840044, 0840045, 0840046, 0840047, 0840048, 0840055, 0840057, 0840058, 0840059, 0840061, 0840062, 0840063, 0840064, 0840065, 0840067, 0840069
 With or Without opening pressure regulator with pressure range 1 to 50 mbar (0.1 to 5 kPa)
 843 Sigma 6 kPa
 0843004, 0843005, 0843006, 0843007, 0843008, 0843010, 0843011, 0843013, 0843015, 0843016, 0843017, 0843018, 0843020, 0843021
 With High/Low pressure regulator with pressure range 1 to 50 mbar (0.1 to 5 kPa)
 845 Sigma 6 kPa
 0845013, 0845016, 0845020, 0845021, 0845023, 0845037, 0845039, 0845043, 0845046, 0845047, 0845048, 0845051, 0845052, 0845053, 0845054, 0845055, 0845056, 0845057, 0845058, 0845059, 0845060, 0845061, 0845062, 0845063, 0845064, 0845065, 0845067, 0845070, 0845071, 0845072, 0845073, 0845074, 0845075, 0845076, 0845077, 0845078, 0845079, 0845080, 0845081, 0845082, 0845083, 0845084, 0845085, 0845088, 0845089, 0845091, 0845093, 0845094, 0845095, 0845096, 0845097, 0845098, 0845099, 0845101, 0845102, 0845105, 0845106, 0845107, 0845108, 0845109, 0845110, 0845111, 0845113
 Pressure regulator with pressure ranges: 1 mbar (0.1 kPa) to 37 mbar (3.7 kPa) – red setting screw/modulator axis in horizontal position
 1 mbar (0.1 kPa) to 20 mbar (2 kPa) – white setting screw/modulator axis in horizontal position
 3 mbar (0.1 kPa) to 45 mbar (4.5 kPa) – red setting screw/modulator axis in horizontal position
 848 Sigma 6 kPa

SIT Gas Controls Pty Ltd Continued
SIT

0848002, 0848003, 0848004, 0848005,
 0848006, 0848009, 0848010, 0848011,
 0848012, 0848015, 0848016, 0848017,
 0848019, 0848022, 0848024, 0848026,
 0848028, 0848029, 0848030, 0848032,
 0848033, 0848034, 0848035, 0848036,
 0848037, 0848038, 0848039, 0848040,
 0848041, 0848042, 0848043, 0848045,
 0848046, 0848047, 0848049, 0848051,
 0848052, 0848054, 0848055, 0848057,
 0848058, 0848059, 0848061, 0848063,
 0848065, 0848066, 0848067, 0848068,
 0848069, 0848070, 0848071, 0848072,
 0848073, 0848074, 0848075, 0848077
 Servo controlled gas/air ratio controller
 Pressure regulator range 0.5 mbar (0.05 kPa) to
 12 mbar (1.2 kPa)
 Zero adjustment range -0.3/+0.3 mbar
 (±0.03 kPa)
 Zero adjustment of pre-set value with offset cap
 fitted: -/+ 0.11 mbar
 849 Sigma 6 kPa
 0849302
 Pressure regulator with current controlled
 modulation device pressure ranges from 0.3
 mbar (0.03 kPa) to 15 mbar (1.5 kPa)
 Note: The assembly combines a Class 2, 1st
 stage safety shut-off valve with a Class 3 2nd
 stage safety shut-off valve. Regulator is Class 2,
 Grade 20.
 Maximum Working Temperature: 0°C - 60°C
 Also tested to AS 4629
 6706 11.04 Gas Control Systems
 Intended for use with Natural Draught
 Decorative Gas Log and Fuel Effect
 Appliances
 ACS II System
 (Incorporating Gas Valve marked
 either 4701 or 4705 and Electronic
 Control marked EDB 10, EDB
 [Electronic Driving Board] identified
 as Part Number 6801)
 ACS II LP System
 (Incorporating Gas Valve marked as
 4711 and Electronic Control Marked EDB20,
 EDB [Electronic Driving Board] identified
 as Part Number 6850) ACS2 TR/RF T System
 (Incorporating Gas Valve marked as 4711 and
 EDB [Electronic Driving Board] identified as
 Part Number 0584350)
 Note: Pilot gas rate for the system must not
 exceed 0.9 MJ/h (250 Watts)
 Note: These systems have been
 assessed to Standards BS EN 126: 1995,
 BS EN 298: 2003, BS EN 126: 2004,
 BS EN 14459: 2007 and DD ENV 1954: 1997
 6912 2.06 850 Micro and 853 Micro Combination
 Controls – Class 2
 Model: 850 (On-Off Version) - 6 kPa
 Automatic Shut-Off Valve
 EV1 (Class 2) and EV2 (Class 2)
 Regulator (Class 2, Grade 20)
 Model: 853 (High-Low Modulating
 Version) – Automatic Shut-Off Valve 6 kPa
 EV1 (Class 2) and EV2 (Class 3)
 Regulator (Class 2, Grade 20)

System Control Engineering Pty Ltd
KROMSCHRODER

4496 10.89 CG Series Combination Controls –
 Class 1
 CG 1 Rp: ¾" 10 kPa
 CG 2 Rp: ¾", 1", 1¼" and 1½" 10 kPa
 CG 3 Rp: 1½" 10 kPa
 CG 2R03 Rp: ¾", 1" and 1½" 36 kPa
 CG10 Rp: ½" 15 kPa
 CG15, CG 20, CG 25 and
 CG 30 Rp: ½", ¾", 1", 1¼" and 1½" 36 kPa
 5319 10.96 Combination Controls Class 1
 GV xxx ML and RVS xx ML Series 20 kPa
 ¾", ½", ¾", 1", 1½"
 Valvario Series
 VBY – Electro-magnetic automatic
 shut-off valve (bypass valve)
 VAG – Electro-magnetic automatic
 shut-off valve (VAS) with air/gas ratio
 regulator
 VAD - Electro-magnetic automatic
 shut-off valve (VAS) with pressure
 reducing regulator
 VAV - Electro-magnetic automatic
 shut-off valve (VAS) with variable air/gas
 ratio regulator
 VCD – Combination of VAS and VAD
 VCG - Combination of VAS and VAG
 VCV - Combination of VAS and VAV
 VCC - Combination of VAC
 VCDC - Combination of VAD and VAC
 VCGC -Combination of VAG and VAC
 Electrical Supply: 230Vac - 120Vac - 24Vdc
 Ambient Temp. Range: -20°c to 60°c
 IP Protection Degree: IP65 (VBY IP54)
 Class: 1 (SSOV)
 Working Pressure: 500MB (50 kPa)
 Model Designation
 VAG (1) (2) (3) (4) (5) (6) (7) (8) – (9) (10)
 VAD (1) (2) (3) (4) (5) (6) (7) (8) – (11) (10)
 VAV (1) (2) (3) (4) (5) (6) (7) (8)
 VBY (12) (5) (7) (13) (14) (15) (16)
 VCD (1) (2) (3) (4) (5) (6) (7) (8) – (11) (10)
 VCG (1) (2) (3) (4) (5) (6) (7) (8) – (9) (10)
 VCV (1) (2) (3) (4) (5) (6) (7) (8)
 VCDC (1) (2) (3) (4) (5) (6) (7) (8) – (11) (10)
 VCGC (1) (2) (3) (4) (5) (6) (7) (8) – (9) (10)
 (1) denotes body type:
 Body type 1 Rp or NPT 3/8", ½" ¾", 1"
 Body type 2 Rp or NPT 1", 1¼", 1½", 2"
 Body type 3 Rp or NPT 1½", 2", 2½"
 (2) = 'T' denotes products for North American market
 (3) denotes inlet connection
 -0 :inlet connection blind flange
 10 :inlet connection 3/8"
 15 :inlet connection ½"
 20 :inlet connection ¾"
 25 :inlet connection 1"
 32 :inlet connection 1¼"
 40 :inlet connection 1½"
 50 :inlet connection 2"
 65 :inlet connection 2½"
 (4) denotes outlet connection,
 specification may be omitted if outlet
 is the same as inlet
 /0 :outlet connection blind flange
 /10 :outlet connection 3/8"
 /15 :outlet connection ½"
 /20 :outlet connection ¾"
 /25 :outlet connection 1"
 /32 :outlet connection 1¼"

System Control Engineering Pty Ltd

KROMSCHRODER Continued

		/40 :outlet connection 1 ½"	
		/50 :outlet connection 2"	
		/65 :outlet connection 2"	
		(5) denotes connection type	
		R :Rp threaded connection	
		(Not applicable for VBY)	
		N :NPT threaded connection	
		(Not applicable for VBY)	
		I :Internal bypass (VBY only)	
		(6) denotes opening type	
		/N :fast opening	
		/L :slow opening	
		(7) denotes electrical installation requirement	
		W :230Vac 50/60Hz	
		A :230-120VAC 50/60Hz	
		(Not applicable for VBY)	
		Q :120Vac 50/60Hz	
		K :24Vdc	
		(8) denotes accessories	
		SR: proof of closure and visual indicator (right)	
		SL: proof of closure and visual indicator (left)	
		GR: proof of closure and visual indicator (with gold plated contacts, right)	
		GL: proof of closure and visual indicator (with gold plated contacts, left)	
		(9) denotes connecting method	
		E :connection kit for air pressure, compression fitting	
		K :connection kit for air pressure, plastic hose coupling	
		(10) denotes valve seat type	
		A :working area A, standard valve seat	
		B :working area B, reduced valve seat	
		(11) denotes outlet pressure range	
		25 :outlet pressure (0.25 - 2.5 kPa)	
		50 :outlet pressure (0.5 - 5 kPa)	
		100 :outlet pressure (1 - 10 kPa)	
		(12) denotes connection size	
		8 :DN8	
		(13) denotes electrical connection type	
		6L :electrical connection with plug and socket LED	
		5 : electrical connection with plug without socket	
		(14) denotes mounting position	
		-R :mounting position at main valve right	
		-L :mounting position at main valve left	
		(15) denotes assembly	
		E :assembled	
		B :supplied separately (single part)	
		(16) denotes accessories	
		D :flow rate adjustment	
		05 :diameter orifice	
		(): Designation is excluded when not applicable	
		VAC	
		:control valve with electronic control	
		:no options	
		Note: The VAS series automatic Shut-off valves are under coverage of AGA Certificate 3968	
5408	10.96	CG Series Combination Controls Class 1, Models: CG35 & CG45	50 kPa
6234	12.01	LSV Series Combination Controls - Class 1, LSV220 – 20 mm & LSV225 25 mm	10 kPa

System Control Engineering Pty Ltd

NEGAHBAN

6220	12.01	Combination Control Model NGC6801 Class 3	5 kPa
		Ambient Temperature: 0°C to 80°C	

System Control Engineering Pty Ltd

WHITE RODGERS

2784	10.78	36 Series Combination Controls, Class 3, Models:	
		36C03C-435 (Standard standing pilot)	3.5 kPa
		36C03U-438 (Standard standing pilot)	3.5 kPa
		36C03U-439 (Standard standing pilot)	3.5 kPa
		36C68C-430 (36C03 with redundant)	3.5 kPa
		36C90H-408 (36C68 less manual valve)	3.5 kPa
		36D22H-401 (36C03 British threads)	3.5 kPa
5099	4.94	36E Series Combination Controls, Class 2, Models: 36E16, 36E16S,	5 kPa
		36E17, 36E18, 36E46, 36E47, 36E48,	
		36E06-301, 36E20-301, 36E96-229,	
		36E06-302, 36E22-202, 36E96-235,	
		36E52 and 36E54	
5004	5.93	78 Series Combination Controls – Class 3 Models: 784-101 (¾" BSP) &	
		784-501 (½" BSP)	3.5 kPa
5153	3.95	25M Series Combination Controls Models 25M-05V-***, 25M-06V-***,	
		25M-16V-***, 25M-42S-***,	
		25M-42V-*** and 25M-82S-***	5 kPa
		Class 2 Automatic Shut-Off Valve	
		Class 4, Grade 20 Regulator	
		Ambient Temperature 0°C to 60°C	
		Note: Last three characters (***) identify: Thread form, NPT or Rp	
		Special fittings, ie Inverted flare or Compression	
		Customer specific labelling	
		Inlet/Outlet configuration	
		Regulator setting, NG and LP	
		Electrical connections	
6670	9.04	36G Series Class 2 Combination Controls Models: 36(G,J)22 and 36(G,J)54	
		(Fast Open)	3.5 kPa
		Models: 36(G,J)23, 36(G,J)24,	
		36(G,J)52 and 36(G,J) 55 (Slow Open)	3.5 kPa
		Rated Working Temperature –40°C to 79°C	
		Outlet Pressure Range 0.5 kPa to 3.0 kPa	
		Regulator Classification:	
		Adjustable, Class 2, Grade 20	

Techrite Controls Australia Pty Ltd

DUNGS

4066	5.86	MB-D and MB-DLE Series. Class 1 B01 and B07 Versions Models	
		MB-D403/MB-DLE403 (R¾")	20 kPa
		Models MB-D405/MB-DLE405 (R½")	36 kPa
		Models MB-D407/MB-DLE407 (R¾")	
		Models MB-D410/MB-DLE410 (R1")	
		Models MB-D412/MB-DLE412 (R1¼")	
		Models MB-D415/MB-DLE415 (R1½")	
		Models MB-D420/MB-DLE420 (R2")	
		Note: Closed position indicator switch available.	
4519	1.90	MB-ZRD and MB-ZRDLE Series Class 1 B01 and B07 versions	36 kPa
		Models MB-ZRD405/MB-ZRDLE405 (R¾")	
		Models MB-ZRD407/MB-ZRDLE407 (R¾")	
		Models MB-ZRD410/MB-ZRDLE410 (R1")	
		Models MB-ZRD412/MB-ZRDLE412 (R1¼")	
		Models MB-ZRD415/MB-ZRDLE415 (R1½")	
		Models MB-ZRD420/MB-ZRDLE420 (R2")	

Techrite Controls Australia Pty Ltd Continued**DUNGS**

4916	10.92	Combination Control – Class 3 Model: BM733	5 kPa
4917	10.92	Multifunction Combination Control Class 2 Model: BM762	5 kPa
5211	12.94	Multifunction Gas Valve Class 1 Automatic Shut Off Valve Class 4 Grade 20 Regulator Model: BM762	12 kPa
6046	8.00	DMV-SE Series Combination Control Class 1 – Servo Regulator Assisted – Class 3, Grade 10. Flange sizes indicated 507/11 – 15, 20, 25 & 32 mm 512/11 – 25 & 32mm 520/11 – 40 & 50mm, 525/11 – 50mm 5050/11 – 50mm, 5065/11 – 65mm 5080/11 – 80mm 5100/11 – 100mm 5125/11 – 125mm	50 kPa
		Regulator Range: S20 and S22 – 0.2-2 kPa, S80 and S82 – 0.5-8 kPa and S300 and S302 – 3-30 kPa DMV-ZR, ZRD, ZRLE and ZRDLE Series – Non-regulator assisted Flange sizes indicated 507/11 – 15, 20 & 25mm 512/11 – 25, 32, 40 and 50mm 520/11 – 25, 32, 40 and 50mm.	50 kPa
		Contact Techrite Controls for further Information.	
6047	8.00	Dungs GB 055 D01 & GB 055D02 Series Combination Control Class 2 Models: GB-LEP 055 D01'*, GB-ND 055 D01'*, GB-M(P) 055 D01'*, GB-WND 055 D01'*, & GB-D 055 D02	6.5 kPa
		'*' Denotes Servo Regulator Assisted – Class 3, Grade 20 Model number depends on single or two stage, fast or slow opening, with pressure switch and start gas take-off and setting option. Contact Techrite Controls for further information.	
7776	6.11	Combination Control Class 1 Servo Regulator, Class 3, Grade 20 Model: GB-WND 055 D01*	6.5 kPa

Tong Yang Magic Co Ltd**TONG YANG MAGIC**

7630	3.10	SBIE Appliance Burner Control Valve with Thermo Electric Flame Safeguard Model: SBIE	6.5 kPa
------	------	--------------------------------------------------------------------------------------------	---------

COMBINATION CONTROLS (AG 209)

Class classification listed in each entry.

SIT Gas Controls Pty Ltd

3526	5.83	Minisit Thermostatically Operated Combination Control Class 3	5 kPa
3527	5.83	Eletrosit Combination Control Class 3	5 kPa
3528	5.83	Babysit Combination Control Class 3	5 kPa
3529	5.83	Model AC3 Storage Water Heater Control Class 3	5 kPa
3721	1.84	Model 0.630 Eurosit Combination Control Class 3	5 kPa
3830	8.84	Composit Multi-Function Control Class 3	5 kPa

SIT Gas Controls Pty Ltd Continued

4317	5.88	Nova Models 822/827 and Novatronik Model 823 Class 2	5 kPa
4499	12.89	“Tandem” 830 Series Class 2 Models 010/020/030/034/035/045 (240 Volt) Models 011/021/031/046/074 (24 Volt)	6 kPa
5067	11.93	SIT Tandem 837 Class 2	6 kPa
5068	11.93	SIT Tandem 836 Class 2	6 kPa
5125	6.94	Eurosit Catering 630 Combination Control Class 3	5 kPa
5182	10.94	Novamix 828 Class 2	6 kPa

Techrite Controls Australia Pty Ltd**DUNGS**

5512	1.97	MB-VEF Series Gas/Air Ratio Combination Valves Class 1	10 or 36 kPa
------	------	-----------------------------------------------------------	--------------

AIR/FUEL RATIO CONTROL DEVICES (EN 298/AS 4625)

Note: These Air/Fuel Ratio Devices are for use in Type B appliances only and are subject to acceptance by the various State and Territory Gas Authorities, on a case-by-case basis.

Energy Technology & Control Ltd**ETC**

7398	11.08	Burner Management System with Optional Gas Air Ratio Control and Leakage Detection System Models: ETC6000 Burner Management System with Gas Air Ratio Control and Leakage Detection System Includes Display Interfaces and Ancillary Devices ETC6100 Fuel Air Ratio Controller Includes Display Interfaces & Ancillary Devices
------	-------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Energy Technology & Control Ltd**SAACKE**

7399	11.08	Burner Management System and Leakage Detection System, Gas Air Ratio Controller Models: S041034010 – DDCC ScanView Burner Management Unit Including Display Interfaces and Ancillary Devices S041034016 – DDCC Air Fuel Ratio Controller with Display Interfaces & Ancillary Devices
------	-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Honeywell Limited**HONEYWELL**

6759	3.05	Controlinks Air Fuel Ratio Control Systems Controllers: R7999A 1005 and R7999B 1003 Actuators: ML7999A and ML7999B
------	------	--------------------------------------------------------------------------------------------------------------------------

**Siemens Building Technologies, A Division of Siemens Ltd
SIEMENS, CIB, UNIGAS, FULTON, RIELLO,
WEISHAUPT**

7622 2.10 Burner Management System
Siemens (Equivalent Branding Model)
LMV27.100A2
LMV37.400A2
LMV37.400A1
LMV37.420A1
LMV26.300A2*
LMV36.520A1**
LMV20.100A2CB (CIB Unigas: LMV20.100A2CB)
LMV37.820A1FH (Fulton: LMV37.820A1FH)
LMV27.100A2RL (Riello: REC27.100A2)
LMV37.400A2RL (Riello: REC37.400A2)
LMV27.210A2WH (Weishaupt: W-FM 50)
LMV37.410A1WH (Weishaupt: W-FM 50 (120))
LMV26.310A2WH (Weishaupt: W-FM 54)
(Note: Classification depends on setting of internal parameters)
For use with flame sensor models QRA2..., QRA4.U, QRA10..., QRC1... and continuous operation flame ionization.
* Utilizes dual fuel switch unit AGM60.1A9
** Utilizes dual fuel switch unit AGM60.4A9

AIR/FUEL RATIO CONTROL DEVICES (EN 298/AG210)

Note: These Air/Fuel Ratio Devices are for use in Type B appliances only and are subject to acceptance by the various State and Territory Gas Authorities, on a case-by-case basis.

**Energy Technology & Control Ltd
ETC**

5981 5.00 Air/Fuel Ratio Controller
ETC 3000 c/w Display Panel. Display Panel
Options ETC 3000/Radiotronic 3000/
Saacke Series 320

Siemens Building Technologies, A Division of Siemens Ltd

5805 5.99 Landis & Gyr RVW20 Series Air/Fuel Ratio Control Valves Models RVW20.000C27, RVW20.001C27, RVW20.000D27 and RVW20.001D27
Suitable for use with LFE1 Series 02 and 03, LEC1 with LFE10 Amplifier, LEC1 with LFE50/QRA50 Amplifier and Self Checking Detector, LFL1 Series Rectification or UV, LGK16 Series Rectification, LGK16 Series with QRA53/55 UV Electronic Burner Controls and O2 Trim Control Model RP025.

ELECTRONIC FLAME SAFEGUARDS INCLUDING IGNITERS (AS 4625 AND AS 4622)

**Channel Products Inc
MICRO**

7666 6.10 Automatic Burner Control
Model: 56N-24 2Cb
Note: Also tested to EN 298

**ESA srl
Agent: Australian Burner Manufacturers Pty Ltd
ESA ESTRO**

7155 5.07 Automatic Burner Control
Intermittent pilot 2A
ESTRO-(B2)(A,S)-(**,2M,3M,4M)
-(0-5)-(xx)-(C)(N)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)

**ESA srl Continued
Agent: Australian Burner Manufacturers Pty Ltd
ESA ESTRO**

(B,R,S,U)-(0)/(,H)/(,S)(0-2)-
(*) (4,9,1,3)(E,1,2)/(,T,C,A,2,3,4)(1,2,4,/
(,H,L)/(,T)/(,R,L)
Interrupted pilot
ESTRO-(B2)(A,S)-(**,2M,3M,4M)-(0-5)-
(2-10)-(D)(N)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Direct Spark Ignition
ESTRO-(A2,C2,Q2)(A,S)-(**,2M,3M,4M)
-(0-5)-(xx)-(C,D)(N)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Intermittent pilot 2Ca
ESTRO-(B2)(A,S)-(**,2M,3M,4M)-(0-5)-
(xx)-(C)(Y,R)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Interrupted pilot
ESTRO-(B2)(A,S)-(**,2M,3M,4M)
-(0-5)-(2-10)-(D)(Y,R)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Direct Spark Ignition
ESTRO-(A2,C2,Q2)(A,S)-(**,2M,3M,4M)-
(0-5)-(xx)-(C,D)(Y,R)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Intermittent pilot 2B
ESTRO-(B2)(A,S)-(**,2M,3M,4M)-(3)(0-25)-
(xx)-(C)(N)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Interrupted pilot
ESTRO-(B2)(A,S)-(**,2M,3M,4M)-(0-5)-
(2-10)-(D)(N)-(1,2)-(-)
(**,2M,3M,4M)
(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Direct Spark Ignition
ESTRO-(A2,C2,Q2)(A,S)-(**,2M,3M,4M)
-(0-15)-(xx)-(C,D)(N)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
(0)/(,H)/(,S)(0-2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Intermittent pilot 2Cb
ESTRO-(B2)(A,S)-(**,2M,3M,4M)-(3)(0-25)-
(xx)-(C)(N,Y,K,R,S)-(1,2)-(-)
(**,2M,3M,4M)(D,-)(C,D,P,R)/(,
H,B,S,U,T,M,A)(F,B)(B,R,S,U)-(0)/(,H)/(,S)(0-
2)-(*) (4,9,1,3)(E,1,2)-
/(,T,C,A,2,3,4)(1,2,4,/(,H,L)/(,T)/(,R,L)
Interrupted pilot
ESTRO-(B2)(A,S)-(**,2M,3M,4M)-(0-5)-
(2-10)-(D)(N,Y,K,R,S)-(1,2)-(-)
(**,2M,3M,4M)(D,-)
(C,D,P,R)/(,H,B,S,U,T,M,A)(F,B)(B,R,S,U)-

ESA srl Continued
Agent: Australian Burner Manufacturers Pty Ltd
ESA ESTRO

(0)(/H)(/S)(0-2)-(4,9,1,3)(E,1,2)-
 //(,T,C,A,2,3,4)(1,2,4,)/(,H,L)(/T)(/R,L)

Direct Spark Ignition
 ESTRO-(A2,C2,Q2)(A,S)-(**,2M,3M,4M)
 -(0-15)-(xx)-(C,D)(N,Y,K,R,S)-(1,2)-(/-
 (**,2M,3M,4M)(D,)-
 (C,D,P,R)(/H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
 (0)(/H)(/S)(0-2)-(4,9,1,3)(E,1,2)-
 //(,T,C,A,2,3,4)(1,2,4,)/(,H,L)(/T)(/R,L)

For use with ionisation flame rod and ESA
 UV-2 Ultraviolet Flame Sensor.
 Model Code Breakdown
 ESTRO-(A2,B2,C2,Q2)(A,S)-
 (**,2M,3M,4M)-(xx)-(xx)-(C,D)-(N,Y,K,R,S)-
 (1,2)-(/- (**,2M,3M,4M)(D,)-
 (C,D,P,R)(/H,B,S,U,T,M,A)(F,B)(B,R,S,U)-
 (*) (/H)(/S)(0-2)-(4,9,1,3)(E,1,2)-
 //(,T,C,A,2,3,4)(1,2,4,)/(,H,L)(/T)(/R,L,)

(A2,B2,C2,Q2) = Model Type
 (A,S) = (A) Automatic Ignition or
 (S) Standby on startup
 (**,2M,3M,4M) = Prepurge
 (xx) = Flame Establishment period
 (xx) = Flame Proving Time
 (A2)/Main Burner Stabilisation Time (B2)
 (C,D) = (C) Intermittent Pilot or
 (D) Interrupted Pilot
 (N, Y, K, R, S) = Behaviour on flame failure
 (N) Lockout, (Y) Full Recycle or (K) Immediate
 reignition (R)1 x Recycle or (s) 1 x Immediate
 reignition
 (1,2) = Supply Voltage (1)115 or (2)230
 (/) = (4) (/F)Post purge Flex
 (**,2M,3M,4M) = Post Purge time
 (D,/) = Force restart every 24h (D) enabled or
 (/) Disabled
 (C,D,P,R) = Air Control Method
 (/H,B,S,U,T,M,A) = (5) Digital Input
 (F,B) = Lockout Output light on (F) Fault or
 (B) Fault or Stop
 (B,R,S,U) = Front Panel Button Option
 (*) = Automatic Reset
 (/H) = High Temperature function (/) disabled
 (H) active (/S) = Safety time (/) fixed or (S) shortened
 (0-2) = Flame Failure Response Time
 (*) = Communication Time Out
 (4,9,1,3) = Communication Speed
 (E,1,2) = Communication Protocol
 //

(/,T,C,A,2,3,4) = Special Version (/) Standard
 (1,2,4,/) = EXP-2 Supply voltage
 (/H,L) = Air Pressure Switch Fail (/)N/A, (H) Wait or
 (L) Lockout (/T) = Thermostat (/) Inactive or
 (T) active
 (/R,L) = Air Damper (/) Inactive (R) remote or
 (L) Local

Note: Flame Failure Response Time
 must not exceed 2s in all controls.
 Also tested to EN 298

Honeywell Limited
HONEYWELL
 4639 4.91 S456* Series Flame Safeguard
 Ignition Modules
 Models: S456* E/E* Class 2A
 Models: S456* C/D/C*/D* Class 2Ca
 Models: S456* A/B/P/Q/R/T/A*/B*/Q*/T* 2Cb
 Model: S4575B Class 2Cb

240V Flame Safeguard Ignition Modules
 for Both Intermittent Pilot and Direct
 Ignition Applications

4927 11.92 S457* Series Single Electrode
 Hot Surface Electronic Burner Controller
 S4570A 1006, S4570AS 1004,
 S4570AS 1012, S4570AS 1020,
 S4570AS 1038, S4570AS 1046,
 S4570BS 1002, S4570BS 1010,
 S4570BS 1028, S4570BS 1036,
 S4571AS 1003 and S4571AS 1011 Class 2Cb
 S4570LS 1000, S4570LS 1018,
 S4570LS 1026, S4570LS 1034,
 S4570LS 1059, S4570LS 1067,
 S4570LS 1075, S4570LS 1083,
 S4570LS 1091, S4571AS 1003 &
 S4571AS 1011 Class 2Ca

5501 6.97 SV9 Series Microprocessor Based
 Electronic Flame Safeguard Igniter
 SmartValve SV9605H1004
 for use with Type A appliances only Class 2Cb
 Intermittent Pilot Ignition Module
 Integral with VR8304*****
 Combination Valve under coverage
 of AGA Cert 4717.
 Volatile Lockout without Pre-Purge

Karl Dungs GmbH & Co KG
Agent: Techrite Controls Australia Pty Ltd
DUNGS, WEISHAAPT
 7616 1.10 Automatic Burner Control System
 with Integrated Valve Proving System
 and Gas/Air Ratio Monitoring Control
 Dungs Model: MPA20.02 S02
 Weishaupt Model: W-FM 20 S02
 Class 2A or 2Ca (depending on parameter
 setting)
 For use with flame sensor models:
 KLC 2002, KLC 2002 G, QRB 1A &
 ionization rods not exceeding 1m in length.

Kidde-Fenwal Inc
Agent: Techrite Controls Australia Pty Ltd
FENWAL
 5435 7.96 Triton Series 35-65 and 35-80
 24 VAC Microprocessor
 Based Ignition Controls
 35-65 20(0,5) (0,1,2)(0,1,2)(1,3,5,7) 2Cb
 35-80(1,2,3)(1,2)(1,2,3)(0,1,2,3,5,6,7,8)
 -(0,1,2)(0,1,2)(1,3,5,7) 2Cb
 35-605944-109, 35-802907-221 2A
 35-802903-115, 35-802905-115 2Cb
 Refer to Techrite Controls Aust.
 for further information relating to timings
 and features.

Kidde-Fenwal Inc Continued
Agent: Techrite Controls Australia Pty Ltd
FENWAL

7178	8.07	Fenwal 35-60, 35-61 and 35-63 24 VAC Atmospheric Direct Main Burner Ignition 35-605 (2,3) (0,1) (0,1,5,6) - (0,1,2) (0,1,2) (1,3,5,7) Powered Draught Direct Main Burner Ignition 35-615 (2, 3) (0,1,2,3) (0,1,5,6) - (0,1,2) (0,1,2), (1,3,5,7) Atmospheric Intermittent Pilot 35-63 0 (2,3) (0,1,2) (0,1,5,6) - (0,1,2,3,4) (0,1,2,3,4) (1,3,5,7) 35-605300-101, 35-605301-001, 35-605302-227, 35-605303-111, 35-605304-221, 35-605305-013, 35-605306-001, 35-605307-111, 35-605310-053, 35-605308-221, 35-615300-113, 35-630300-017 Also tested to EN 298	2Cb
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

SIT Gas Controls Pty Ltd
SIT

7358	8.08	571 DBC & 579 DBC Series Automatic Burner Control Models: 571 DBC Series: 0.571.101, 0.571.200, 0.571.501 579 DBC Series: 0.579.013, 0.579.104, 0.579.105, 0.579.200, 0.579.201, 0.579.204, 0.579.301, 0.579.311, 0.579.312, 0.579.313, 0.579.314, 0.579.315, 0.579.402, 0.579.403, 0.579.405, 0.579.407, 0.579.411, 0.579.412, 0.579.413, 0.579.414, 0.579.415, 0.579.416, 0.579.417, 0.579.418, 0.579.503, 0.579.505, 0.579.506, 0.579.801 Note: Also assessed to EN 298 – 2003	2Cb
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

System Control Engineering Pty Ltd
BRAHMA

7168	5.07	Automatic Burner Control MPI (1, 2) (1, 2, 3) (__, B) (__, X, Wnn) (__, K) (__, Q, Qnn) (__) (__, Pnn, PTnn) (__) (J00-J05) (__, R) MPI (1,2) (1,2,3) (__, B) (__, X, Wnn) (__, K) (__, Q, Qnn) (V) (__, Pnn, PTnn) (Y1) (__, Inn) (J00-J05) (__, R) MPI (1,2) (1, 2, 3) (__, B) (__, X, Wnn) (__, K) (__, Q, Qnn) (V) (__, Pnn, PTnn) (Y2-Y4) (__, Inn) (__, J) (__, R) Note 1: Classifications of 2A, 2Ca or 2Cb also depend on the correct setting of other parameters including flame establishment period, flame proving period, flame failure behaviour and reignition options. Note 2: Optional integrated leakage detection system available on some versions when combined with appropriate automatic shut off valves and gas pressure switches. Model Key: (1) Type of Main Burner: 1: Direct ignition 2: Intermittent first stage (2) Pilot valve: 1: No pilot valve; 2: Intermittent pilot valve 3: Interrupted pilot valve	2A 2Ca 2Cb
------	------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------

System Control Engineering Pty Ltd Continued
BRAHMA

- (3) Ignition mode:
no letter: the ignition device operates for the whole flame establishment period
B: the ignition device is switched off once a flame signal is detected
- (4) 2nd valve (A2) opening with flame signal:
no letter: delay =12s.
X: the second valve is operated at the same time as the first valve
Wnn: second valve is opened after a set delay (nn time in seconds)
- (5) Lockout due to extraneous light:
no letter: lockout without delay.
K: the system remains in continuous prepurge;
- (6) No or insufficient air flow at start-up:
no letter: lockout with 12s delay.
Q: the system remains in continuous prepurge
Qnn: the system performs a lockout with delay (nn time in seconds)
- (7) Flame failure in running condition:
no letter: lockout without delay.
V: the control unit repeats the ignition sequence
- (8) Post-purge:
no letter: no post-purge.
Pnn: Set post-purge (nn time in seconds)
PTnn Set post-purge. Post-purge ends immediately if a heat demand occurs.
- (9) Ignition attempts:
no letter: one ignition attempt with lockout at the end of the flame establishment period.
Yn: n= number of repetitions of the ignition sequence allowed (2...4).
- (10) Inter-purge time:
no letter: no inter-purge time.
Inn: nn= inter-purge time set to specified time (nn time in seconds)
- (11) Pre-ignition before gas valve opens:
No letter: Pre-ignition set to 6 seconds.
Jnn: Pre-ignition set to specified time. (nn time in seconds)
- (12) Air pressure switch failure in running status:
No letter: Lockout without delay.
R: Repetition of the start-up sequence.
Also Tested to EN 298

**ELECTRONIC FLAME SAFEGUARDS INCLUDING
IGNITERS (AG 210 AND AG 206)**

**System Control Engineering Pty Ltd
KROMSCHRODER**

6880 11.05 Automatic Burner Control Unit
BCU 370 (W, Q), (I1, I2, I3), (F),
(E), (U0, U1), (D1, D3), (B1*), (-3*)
Mains Voltage
W = 230 VAC, 50/60 Hz, Q = 120 VAC,
50/60 Hz
Ignition
I1* = electronic ignition – single pole
I2* = electronic ignition – double pole
I3* = electronic ignition – double pole
with neutral conductor F = Fan control,
E = Valve control Flame Control
U0 = ionisation control (continuous or
Intermittent op)
U1 = UV (continuous operation with UVD 1)
D1 = DGmax. Monitoring.
D3 = integrated leakage detection
B1* for PROFIBUS-DP
-3* = three point step control via PROFIBUS-
DP
* if not present, this option is omitted.
Note: Classification depends on setting
of internal parameters.

System Control Engineering Pty Ltd

RAM Electronics

5522 10.97 Direct Spark Ignition, Intermittent
Pilot and Hot Surface Ignition Model
Electronic Flame Safeguards
Models:
3MC & 3EMC – Direct Spark Ignition Class 2Ca
3M & 3EM - Direct Spark Ignition Class 2Cb
5MC & 5EMC - Intermittent Pilot Class 2Ca
5M and 5EM – Intermittent Pilot Class 2Cb
H4M7-01, H4MC9-01, H4MC9-02 -
Hot Surface Ignition Class 2Cb
Also Tested to EN 298

System Control Engineering Pty Ltd

WHITE RODGERS

5431 11.96 50A72 Series Microprocessor
Based Electronic Flame Safeguard
With Hot Surface Ignition
Model 50A72-178 Class 2Ca
Models 50A72-200 and 50A72-298 Class 2Cb
Note: Refer to System Control Engineering
for further information relating to timings
and features.
Also Tested to EN 298

Techrite Controls Australia Pty Ltd

TECHRITE

7659 5.10 Electronic Flame Safeguard
Model: IGC-1 Class 2Cb
Also tested to standard EN 298

Tytronics Pty Ltd

TYTRONICS

7002 7.06 Electronic Flame Safeguard
Model: DSI-230-1LVS Class 2Cb
7172 6.07 Automatic Burner Control
Model: HCCA621 (HCCA621 CK) Class 2Cb
Tytronics Part No. 502-0062-PS01
Also Tested to EN 298

Kidde Fenwal Inc

Agent: Techrite Controls Australia Pty Ltd

FENWAL

6010 5.00 Series 35-53 12VDC Microprocessor
Based Direct Spark Ignition Control
35-53(0, 5) (5, 8, 9) (0, 5) (0, 1) - (0, 1, 3)
(0, 1, 3) (1, 3, 5) Class 2B
35-53(0, 5) (5, 8, 9) (0, 5) (5, 6)
- (0, 1, 3) (0, 1, 3) (1, 3, 5) Class 2Cb
Direct spark ignition control with optional
blower relay and local or remote flame
sense option. Refer to Techrite Controls
Australia Pty Ltd for further information
relating to timings and features.

SIT Gas Controls Pty Ltd

5467 12.96 SIT 501 EFD Series
Atmospheric and Forced Draught
Combustion Systems. 240 Volt, direct
spark ignition and intermittent pilot
systems. Models:
0.501.001 – 0.501.024 Class 2Cb
0.501.037 – 0.501.072
0.501.085 – 0.501.098
0.501.101
0.501.025 – 0.501.036 Class 2Ca
0.501.073 – 0.501.084
5959 2.00 537 ABC Series Class 2Ca or 2Cb*
0.537.0xx, 0.537.1xx, 0.537.2xx,
0.537.3xx, 0.537.4xx and 0.537.5xx
Note: xx Indicates a progressive number
from 00 to 99
Further type references are DM, SM, DV, SV,
SVO or SVO-NP
S: Monoelectrode D: Separate ignition,
Detection and electrodes, M: Manual reset,
V: Electrical reset, NP: Non-polarised
*Class depends on M or V designation
and Flame Establishment Period.
Formerly identified as EFD Series.
6087 2.01 SIT 503 EFD Series
Atmospheric and Forced Draught
Combustion Systems 240 VAC, Direct
Spark Ignition and Intermittent Pilot Systems.
Models 0.503.001, 0.503.002, 0.503.003,
0.503.006, 0.503.101, 0.503.102, 0.503.103,
0.503.203, 0.503.205, 0.503.602,
0.503.603, 0.503.901 Class 2Cb
0.503.004, 0.503.501, 0.503.902 Class 2Ca

**Durag GmbH - Agent: Saacke Australia Pty Ltd
DURAG**

6499 9.03 Microprocessor Based Burner Programmer
and Optional Flame Sensors
Programmer Model: D-GF 150 1A/1B
Optional Flame Sensor Models:
D-LE 103 UL-P
D-LE 103 UL-MP
D-LE 103 UL-CG
D-LE 103 UL-AP
D-LE 103 UAF-P
D-LE 103 UAF-MP
D-LE 103 UAF-CG
D-LE 103 UAF-AP
D-LE 103 UA-P
D-LE 103 UA-MP
D-LE 103 UA-CG
D-LE 103 UA-AP
D-LE 103 IG-P
D-LE 103 IG-MP
D-LE 103 IG-CG
D-LE 103 IG-AP

Note: Class depends upon specific
application, ie Atmospheric 1B, Fan Forced 1A
This product is also acceptable to be
used as a valve proving system.

6528 12.03 Microprocessor Based Flame
Monitor and Optional Flame Sensors
Model: D-UG660 Flame Monitor
Flame Sensor Models:
D-LE603 UH-P, D-LE603 UH-MP,
D-LE603 UH-CG, D-LE603 UH-AP,
D-LE603 UH/94EX, D-LE603 US-P,
D-LE603-US-MP, D-LE603 US-CG,
D-LE603-US-AP, D-LE603 US/94E,
D-LE603 UAF-P, D-LE603 UAF-MP,
D-LE603 UAF-CG, D-LE603 UAF-AP,
D-LE603 UAF/94EX, D-LE603 UA-P,
D-LE603 UA-MP, D-LE603 UA-CG,
D-LE603 UA-AP, D-LE603 UA/94EX,
D-LE603 UI-P, D-LE603 UI-MP,
D-LE603 UI-CG, D-LE603 UI-AP,
D-LE603 UI/94EX, D-LE603 IG-P,
D-LE603 IG-MP, D-LE603 IG-CG,
D-LE603 IG-AP and D-LE603 IG/94EX

Note 1: Class depends upon specific burner
programmer, D-UG660 flame monitor
and D-LE603 flame sensors incorporate
self check function.

Note 2: Flame failure response time is not
to exceed 2 seconds.

Durag GmbH

6741 2.05 **Agent: Saacke Australia Pty Ltd
DURAG**
D-LX 100 Series Microprocessor Based
Flame Monitoring System and Optional
(Integral) Flame Sensors
Models: D-LX 100 UL-P,
D-LX 100 UL-CG, D-LX 100 UL/94Ex,
D-LX 100 UL/95Ex, D-LX 100 UL/96Ex,
D-LX 100 UL/97Ex
D-LX 100 UA-P, D-LX 100 UA-CG,
D-LX 100 UA/94Ex
D-LX 100 UA/95Ex, D-LX 100 UA/96Ex,
D-LX 100 UA/97Ex
D-LX 100 UAF-P, D-LX 100 UAF-CG,
D-LX 100 UAF/94Ex
D-LX 100 UAF/95Ex, D-LX 100 UAF/96Ex,
D-LX 100 UAF/97Ex
D-LX 100 IG-P, D-LX 100 IG-CG,

Durag GmbH Continued

D-LX 100 IG/94Ex
D-LX 100 IG/95Ex, D-LX 100 IG/96Ex,
D-LX 100 IG/97Ex
Note: Class depends upon specific burner
programmer, flame monitor and flame sensor
and Flame Failure Response Time (not to
exceed 2 seconds)
**Agent: System Control Engineering Pty Ltd
KROMSCHRODER**
Microprocessor Based Flame Monitoring
System
Model: UVD2 (Equivalent to
model D-LX 100 UL-P)
Note: Class depends upon specific burner
programmer, flame monitor and flame sensor
and Flame Failure Response Time (not to
exceed 2 seconds)
Also tested to standard EN 298

Durag GmbH

DURAG

7751 4.11 **Agent: Saacke Australia Pty Ltd**
Integrated Flame Scanner
D-LX 200 XX-YY, D-LX 200 XX-YY/MP
D-LX 720 XX-YY, D-LX 720 XX-YY/MP
Note: Flame Failure Response Time
is default to 1 sec (optionally 2,3, 5 sec)
Certification under AS 4625 – 2008 is
Limited to a maximum Flame Failure Response
Time setting of 2 secs
Also tested to EN 298
Agent: Zenergy Australia Pty Ltd
Integrated Flame Scanner
D-LX 200 XX-YY, D-LX 200 XX-YY/MP
D-LX 720 XX-YY, D-LX 720 XX-YY/MP
Note: Flame Failure Response Time
is default to 1 sec (optionally 2,3, 5 sec)
Certification under AS 4625 – 2008 is
Limited to a maximum Flame Failure Response
Time setting of 2 secs
Also tested to EN 298

Fireye Inc - Agent: POGC Sensor Technology Pty Ltd

6342 11.02 Fireye Insight and Uniflame Integrated Flame
Scanners with Integral Flame Relay
Fireye Insight Models: 95IRS1E-1, 95UVS1E-1,
95DSS1E-1, 95IRS2E-1, 95UVS2E-1,
95DSS2E-1, 95DSS2E-1CG, 95IRS1E-2,
95IRS1E-1CG, 95UVS1E-1CG,
95DSS1E-1CG, 95IRS2E-1CG,
95UVS2E-1CG, 95IRS2E-2,
95IRS1E-2CG, 95IRS2E-2CG,
95IRS1E-1CEX, 95UVS1E-1CEX,
95DSS1E-1CEX, 95IRS2E-1CEX,
95UVS2E-1CEX, 95DSS2E-1CEX
Uniflame Models: 401101-02, 401102-02,
401103-02, 401111-02, 401112-02, 401113-02,
401101-04, 401102-04, 401103-04, 401111-04,
401112-04, 401113-04, 401101-22, 401101-24,
401111-22, 401111-24, 401115-02, 401115-04,
401105-04, 401106-04, 401107-04, 401121-04,
401122-04, 401123-04

Fireye Inc - Agent: POGC Sensor Technology Pty Ltd
FIREYE PARAGON

7316 4.08 Flame Scanners, Microprocessor based flame analysis devices with integral flame relays, full self diagnostic and electronic self checking
 Models: 105F1-1 with a quick disconnect
 105F1-1CG with a cable gland
 Also tested to EN 298

Fireye Inc - Agent: POGC Sensor Technology Pty Ltd
BURNERLOGIX

7552 8.09 BurnerLogix Burner Management Control
 YB110UV, YB230UV, ZB110UV, ZB230UV 2A
 with Flame Scanners UV1A3, UV1A6, UV2, UV2A6, UV8A, UV90-3, UV90-6, UV90-9
 YB110UVSC, YB230UVSC, ZB110UVSC, ZB230UVSC 1A
 with Flame Scanners 45UV5-1007, 45UV5-1009, 45UV5-1005, 45UV5-1105, 55UV5-1007, 55UV5-1009
 YB110IR, YB110IR2, YB230IR, YB230IR2, ZB110IR, ZB110IR2, ZB230IR, ZB230IR2 1A
 with Flame Scanner 48PT2-1003, 48PT2-9003, 48PT2-1007, 48PT2-9007
 YB110DC, YB230DC with Phoenix Flame 1A
 Scanners 85UVF4-1QDWR, 85UVF4-2QDWR, 85IRF4-1QWDR, 85IRF4-2QWDR or
 InSight Scanners 95UVS1, 95UVS2, 95IRS1, 95IRS2, 95DSS1, 95DSS2
 YB110FR, YB230FR with 69ND1 Flame 1A
 Rod
 All models certified for use with YP113 or YP115 Programmer Modules
 Approved with the optional use of interlock annunciators YZ300 & YZ320 with wiring bases 60-2871-1 or 60-2874-1
 Approved with the optional use of displays BLV512 & BLL510
 YB models approved with use of wiring bases 60-2810-1, 60-2812-1, 60-2814-1
 ZB models approved with use of wiring bases 60-2850-1, 60-2852-1, 60-2854-1
 DC models with InSight scanners only approved with use of cabling assemblies
 59-497-XXX-WR, 59-497-XXXC-WR, 59-497-XXXR-WR & 59-497-XXXRC-WR
 These do not affect classifications
 Note: Also tested to Standard EN 298

Fireye Inc – Agent: POGC Sensor Technology Pty Ltd
FIREYE & FORNEY

7755 4.11 Integrated Flame Scanner
 Fireye "InSight II" Models:
 95DSS3-1, 95DSS3-1CEX, 95DSS3-1WICEX
 Forney "Uniflame II" Models:
 401116-01, 401117-01, 401118-01
 Note: Flame Failure Response Time is default 1 sec (optionally 2, 3, 4 sec)
 Certification under AS 4625 – 2008 is limited to a maximum Flame Failure Response Time setting of 2 secs

Hamworthy Combustion Engineering Limited
HAMWORTHY

6450 6.03 SmartScan 121 Microprocessor Based Flame Monitoring System Model: SmartScan 121
Amplifier: Facia Head Unit Part No 363920652
 Panel Head Unit Part No 363920603
 Wall Mount Head Unit Part No 363920660
 Rack Mount Part No 3439017/008/U
Sensor: UV (Safe Area) Part No 363920794/P
 UV (Intrinsically Safe) Part No 363920802/P
 UV (Stainless Steel) Part No 363921068/P
 UV – Vis (Safe Area) Part No 363920828/P
 UV – Vis (Intrinsically Safe) Part No 363920836/P
 UV – Vis (Stainless Steel) Part No 363921076/P
 Refer manufacturers instruction manual for temperature ratings. Flame failure response time is selectable, ie 1 sec or 3 sec. AS 4625 - 2008 specifies response time is not to exceed 2 sec.

Hegwein GmbH
Agent: Saacke Australia Pty Limited
HEGWEIN

7117 2.07 Flame Monitor – Models: A 0515 Z 3000, A 0515 Z 300B, A 0515 Z 300C, A 0515 Z 300M Class 3D

Honeywell Limited
HONEYWELL

3911 4.85 Electronic Flame Switch and Optional Flame Amplifiers
 Flame Switch Model R4348B 1057 Class 3D
 Optional Amplifiers:
 Ultraviolet:
 R7061A 1008, R7061A 1016, R7247C 1019, R7247C 1035, R7321B 1010, R7321B 1028, R7323A 1020, R7323B 1018 and R7323B 1026 Class 3D
 Ultraviolet (Adjustable Sensitivity)
 R7247B 1011, R7247B 1037 and R7476A 1015 Class 3D
 Rectifying Flame Rod: R7321A 1012 Class 3D
 4022 12.85 R4343 Series Electronic Flame Safeguards and Detectors
 R4343D1009, R4343D1017, R4343D1041, R4343D1041-ST005 Class 3D
 R4343E1006, R4343E1014, R4343E1048, R4343E1048-ST005 Class 3D
 5097 6.94 7800 Series Microprocessor Based Burner Control with Plug-in Amplifiers, Purge Cards and Optional Keyboard Display Module
 RM/EC7810 – Atmospheric Modulating (low, high – low) or On/Off Applications Class 1A or 2A*
 RM/EC7820 – Fan Assisted Modulating or On/Off Applications Class 1A or 2A*
 RM/EC7830 – On/Off Power Burners Class 1A or 2A*
 RM/EC7850 – Modulating Power Burners Class 1A or 2A*

Honeywell Limited Continued

HONEYWELL

- Burners 2A*
- EC7865 – Pulse Burners Class 1A or 2A*
- * Class depends on amplifier
- Amplifiers
- R7847A – For Rectification Sensors without Dynamic Self Check
- R7847B – For Rectification Sensors without Dynamic Self Check
- R7847C – For UV Sensors with Dynamic Self Check
- R7848A – For IR Detectors without Dynamic Self Check
- R7848B – For IR Detectors with Dynamic Self Check
- R7849A – For UV Sensors without Dynamic Self Check
- R7849B – For UV Sensors with Dynamic Self Check
- R7861A – For UV Sensors without Dynamic Self Check
- R7886A – For UV Sensors without Dynamic Self Check
- Sensors
- C7008/C7009/Q379 – Flame Rod for use with R7847A
- C7027/C7035/C7044 – UV Sensor for use with R7849A/B
- C7061 – UV Sensor for use with R7861
- C7012 – UV Sensor for use with R7847
- C7012 – UV Sensor for use with R7847C
- C7076 – UV Sensor for use with R7886A
- Note: The final four digits after **78** have no effect on the safety of the controller but determine finer characteristics and individual customer special requirements. For more information please contact Honeywell.
Also tested to EN 298

Honeywell Limited
SATRONIC

- | | | | |
|------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 3749 | 3.84 | Two Stage, Forced Draft Electronic Flame Safeguard
MMI 810.1 Mod 13, 33, 35, 40-34, 43, 55
MMI 811.1 Mod 35, 63
MMI 813.1 Mod 23
MMI 962.1 Mod 23
MMG 810.1 Mod 32, 33, 43, 45
MMG 811.1 Mod 33, 63
MMG 870.1 Mod 65 | |
| 5428 | 6.96 | TMG740-3 Series Electronic Flame Safeguard/Detector
Models: 32-32, 43-35, 63-55, 13-53 | Class 2A |
| 5820 | 6.99 | MMI 962 Series Electronic Flame Safeguards and Detectors
Models: MMI 962 Mod 23 and
MMI 962.1 Mod 23 Rectification or Infra-red | Class 2A |
| 6018 | 6.00 | DKG 972 Series Electronic Flame Safeguards and Detectors
Models 05 and 10 Microprocessor Based Burner Controls
Note: Compatible with TFI** series.
Refer Specifications or manufacturer for details. | Class 2Cb |
| 6039 | 7.00 | DMG 97** Series Electronic Flame Safeguards and Detectors Microprocessor Based Burner Control
DMG 970 – Gas/Dual Fuel Power | Class 2A |

Honeywell Limited Continued

SATRONIC

- Burner, 2 Stage, For Direct Air Heater or 2 Stage Power Burner with Pilot Valve.
- DMG 971 – Same features as DMG 970, with Control; Loop Security Thermostat and Gas Pressure Switch
- DMG 972 – Same features as DMG 970, with Damper Control and Remote Reset
- DMG 973 – Same features as DMG 970, with Damper Control or 2 Stage.
- Note: Compatible with MMI ***-** series.
Refer specifications or manufacturer for details.

**Karene Elizabeth Hazell T/as Eurogyr Controls & Solutions
LAMTEC**

- 7405 10.08 Burner Management System incorporating Gas/Air Ratio Control and Optional Leakage Detection System
Models: FA1, Etamatic, Etamatic S, Etamatic OEM, Etamatic S OEM, FMS 4, FMS 5
For use with Continuous Operation Flame Sensors:
- | | |
|-------------------|------------------|
| UV Type | IR Type |
| FFS 05 UV-1 | FFS 05 |
| FFS 05 UV-1Ex | FFS 05 Ex |
| FFS 05 UV-1 Ex-II | FFS 05 Ex-II |
| FFS 05 UV-2 | FFS 05-1 |
| FFS 05 UV-2 Ex | FFS 05-1 Ex |
| FFS 05 UV-2 Ex-II | FFS 05-1 Ex-II |
| FFS 05 UV-3 | FFS 06 |
| FFS 05 UV-3 Ex | FLS 09 |
| FFS 05 UV-4 | F 200 K(1,2)... |
| FFS 05 UV-4 Ex | F 200 K2...Ex |
| FFS 06-UV | F 200 K2...Ex-II |
| FLS 09-UV | |
| F 200 K(1,2)... | |
| F 200 K2...Ex | |
| F 200 K2...Ex-II | |
- Note: Classification depends on setting of internal parameters

**Saacke GmbH - Agent: Saacke Australia Pty Ltd
SAACKE**

- 7699 9.10 Burner Management Systems
Se@vis FSC-01
(Software version 2.03)
Se@vis FSC-02
(Software version 1.02)
Classification depends on parameter Setting.
This certificate does not include Flame Detectors
Also tested to EN 298

**Siemens Building Technologies, A Division of Siemens Ltd
LANDIS AND STAЕFA**

6436 6.03 LMV5 Series Microprocessor Based Burner Management System with Integrated Air/Fuel Control and Load Control for Forced Draft Burners. Models: LMV5 (1, 2) (0, 1, 2)(00) (X) (1, 2) (XX) Classification 1A or 2A – Depends on method of flame monitoring i.e. Self-Checking QRI Device or Flame Ionisation. Suitable for use with the following auxillary devices:
Display and Operating Unit AZL51...
Flame Monitoring Device QRI...
Actuators SQM4..
Contact Manufacturer for further information.

**Siemens Building Technologies, A Division of Siemens Ltd
SIEMENS**

7222 10.07 Automatic Burner Control
LME11.330A2 Class 2Cb
With Flame Rectification or UV Sensor QRA...with AGQ3
LME21.130A2, LME21.230A2, LME21.330A2, LME21.350A2, LME21.550A2 Class 2A
With Flame Rectification or UV Sensor QRA..with AGQ3 Class 2A
LME22.131A2, LME22.232A2, LME22.233A2, LME22.331A2 Class 2A
With Flame Rectification or UV Sensor QRA..with AGQ3 Class 2A
LME23.331A2, LME23.351A2 Class 2A
With UV Sensor QRC
LME39.100A2 Class 2A, 2B, 2Ca, 2Cb
With Flame Rectification or UV Sensor QRA..with AGQ3
Note: Classification depends on the setting of safety parameters governing re-igintion, flame failure behaviour and the flame establishment period.
LME39.410A2RP Class 2A, 2B, 2Ca, 2Cb
With Flame Rectification or QRA..with AGQ3
Note 1: Classification depends on the setting of safety parameters governing re-igintion, flame failure behaviour and flame establishment period.
Note 2: Special version enabling 2 flame sensors in connection with LFE10 amplifier.
LME39.400A2 Class 2A, 2B, 2Ca, 2Cb
With Flame Rectification or UV Sensor QRA..with AGQ3
Note 1: Classification depends on the setting of safety parameters governing re-igintion, flame failure behaviour and flame establishment period.
Note 2: This control deos not Incorporate air proving and supervision. The installer is responsible for ensuring That the control is suitable for the Application.
LME44.056A2 Class 2A
With Flame Rectification or UV sensor QRA..with AGQ3
Note: This control does not incorporate air proving and supervision. The installer is responsible for ensuring that the control is suitable for the application
LME44.057A2 Class 2B

**Siemens Building Technologies, A Division of Siemens Ltd
SIEMENS Continued**

With Flame Rectification or UV Sensor QRA..with AGQ3

**System Control Engineering Pty Ltd
BRAHMA**

5367 3.96 Electronic Flame Safeguard & Detector - Rectification or UV Class 3D
Model: RE3
5380 11.96 Eurobox Series Automatic Gas Burner Control
Models: CM381 & CM391 with flame establishment period less than 5 secs Class 2Ca
Models: CM191, SM191, SM192, SM152, SM592, MM191, MM192, CE191, SE191, SE192, CE391, SE152, SE592, ME191, ME192 with flame establishment period less than 15 secs Class 2Cb
5390 11.96 Euroflat Series Automatic Gas Burner Control
Models HS31, CM31/0, CM31, CM32, MM32 with flame establishment period less than 5 secs Class 2Ca
Models HS11, HE11, HE31, CM32, CSPAR, CE11/0, CM11/0, CE31/0, CE11, CE31, CE32, SE11, ME51, ME32, CM11, SM11, MM51 with flame establishment period less than 15 secs Class 2Cb
Also Tested to EN 298
5391 11.96 Microflat Series Electronic Flame Safeguard
Models CM31U, TM31, XM31, CM31F, TM31F, MM31F, SM31F, CM32F, TM32F, MM32F, CE31F, TE31F, ME31F, SE31F, CE32F, TE32F and ME32F Class 2Ca
Models CM11U, CM12U, TM12, XM11, XM12, CE11U, CE12U, CE31U, TE11, TE12, TE31, XE12, XE31, CM11F, CM12F, MM11F, MM12F, MM51F, SM11F, CE11F, CE12F, ME11F, ME12F, ME51F, SE11F, TM11F, TM12F, TE11F and TE12F Class 2Cb
Also Tested to EN 298
5557 12.98 Eurogas Series Electronic Flame Safeguard System
VM42 2A
VM44G (, A, B)(, W, Wnn) 2A
(, K, Knn)(, Q, Qnn)(,)(,)(,)(,)(,)(, J, J(01-05))(, Z)(, H1, H2)(,)
VM44G (, A, B)(, W, Wnn)(, K, Knn) 2Ca
(, Q, Qnn)(, R, Rnn) (, V01)
(, Y01)(, Inn)(,)(, J, J(01-05))(, Z)
(, H1, H2)(, X)
VM44G (, A, B)(, W, Wnn)(, K, Knn) 2Cb
(, Q, Qnn)(, R, Rnn)(, Vnn)(, Ynn)
(, Inn)(,)(, J, Jnn)(, Z)(, H1, H2)
(, X)
Note: 1: Where option Inn is specified, 'nn' must not be less than the pre purge time
Note 2: " _ " equals letter omitted from model code
Also Tested to EN 298

System Control Engineering Pty Ltd
KROMSCHRODER

4230	7.87	IFS & IFD Series Electronic Flame Safeguards and Detectors Models	
		IFS 1101M & IFS 1101M-110V	Class 2B
		IFS 244	
		If program selector switch is set to lockout ¹	
		IFS 244- (3,5) / 1W(I ²) with Ion	Class 2A
		IFS 244-10/1W(I ²) with Ion	Class 2B
		If program selector switch is set to restart ¹	
		IFS 244-(3,5) /1W (I ²) with Ion	Class 2Ca
		IFS 244 - 10/1W(I ²) with Ion	Class 2Cb
		IFS 258	
		If program selector switch is set to lockout ¹	
		IFS 258-(3,5) /1W(P,N,Y,T) with Ion or UV	Class 2A
		IFS 258-10/1W(P,N,Y,T) with Ion or UV	Class 2B
		If program selector switch is set to restart ¹	
		IFS 258 - (3,5) /1W(P,N,Y,T) with Ion or UV	Class 2Ca
		IFS 258-10/1W(P,N,Y,T) with Ion or UV	Class 2Cb
		IFD 258	
		If program selector switch is set to lockout ¹	
		IFD 258 - (3,5) /1W(Y,Q,P,W) (I ³) with Ion	Class 1A
		IFD 258 - (3,5) /1W(Y,Q,P,W) (I ³) with UV	Class 2A
		IFD 258-(3,5) /2W(Y,Q,P,W) (I ³) with Ion	Class 1Ca ⁴
		IFD 258 - (3,5) /2W (Y,Q,P,W) (I ³) with UV	Class 2Ca ⁴
		IFD 258 - 10/1 W (Y,Q,P,W) (I ³) with Ion	Class 1B
		IFD 258 - 10/1W (Y,Q,P,W) (I ³) with UV	Class 2B
		IFD 258 - 10/2W (Y,Q,P,W) (I ³) with Ion	Class 1Cb ⁵
		IFD 258 - 10/2W (Y,Q,P,W) (I ³) with UV	Class 2Cb ⁵
		If program selector switch is set to restart ¹	
		IFD 258 - (3,5) / (1,2)W (Y,Q,P,W) (I ³) with Ion	Class 1Ca
		IFD 258-10/(1,2)W(Y,Q,P,W) (I ³) with UV	Class 2Ca
		IFD 258-(3,5) / (1,2)W(Y,Q,P,W) (I ³) with Ion	Class 1Cb
		IFD 258-10/(1,2) W(Y,Q,P,W) (I ³) with UV	Class 2Cb
		IFD 244	
		IFD 244-(3,5)/(1,2) W (Q,W) (I ³) with Ion	Class 1Ca
		IFD 244-10/(1,2)W (Q,W) (I ³) with Ion	Class 1Cb
		1: Models IFS 244, IFS 258 and IFD 258 have a program selector switch (dip switch) located inside the enclosure that may be set to either lockout or one restart	
		2: Integral ignition (optional)	
		3: Integrated electronic ignition (optional)	
		4: Controller configuration classified as type 'Ca' due to flame failure response time of 2 secs and flame establishment period of less than 5 secs. This configuration does not have a re-ignition attempt following flame failure.	
		5: Controller configuration classified as type 'Cb' due to flame failure response time of 2 secs and flame establishment period of	

System Control Engineering Pty Ltd Continued
KROMSCHRODER

			greater than 5 secs. This configuration does not have a re-ignition attempt following flame failure
			P=100V, 50/60 Hz
			N=115V, 50/60 Hz
			Q=120V, 50/60 Hz
			Y=200V, 50/60 Hz
			T,W=230V, 50/60 Hz
			Also Tested to EN 298
5597	3.99	PF 19" PFx 7 xx Series – Electronic Flame Safeguards and Detectors	
		For use within the PF 19" Series Process Firing System	
		The details of PFU 7xx models, features & associated components is as follows:	
		Burner Control Units PFU	
		Type Code:	
		PFU - burner control unit	
		7 - Series 700	
		60 - standard version	
		80 - version for pilot & main	
		L - air valve control - (refer Note 1)	
		T - mains voltage 220/240VAC, 50/60Hz, for grounded & ungrounded mains	
		N - mains voltage 110/120VAC, 50/60Hz, for grounded & ungrounded mains	
		D - digital input for high temperature operation - (refer Note 1)	
		U - configured and prepared for UVD1 - (refer Note 1)	
		K1 - replacement for PFS/PFD - (refer Note 1)	
		K2 - replacement for PFU 778/798 - (refer Note 1)	
		PFU760xxxx and PFU780xxx with Ionisation (refer Note 2)	
		PFU760xxxxU and PFU780xxxU with UVD1 (refer Note 2)	
		PFU760xxxx and PFU780 with UVS (refer Note 2)	
		PFU760xxxxK1 and PFU780xxxK2 with Ionisation (refer Note 2)	
		PFU760xxxxK1 and PFU780xxxK2 with UVS (refer Note 2)	
		Burner control unit for mounting in 19" module sub-racks, for controlling, igniting and monitoring impulse controlled, modulating or staged-controlled gas burners, for continuous operation with ionisation or UV control UVD1 sensor, for intermittent operation with UVS type sensor. Display the program status, unit parameters and flame signal: manual mode for burner adjustment and for diagnostic purposes; visualisation and adaption to the specific application via the PC programming and diagnostic software BCSoft. Optionally available with air valve control and PROFIBUS DP connection via fieldbus interface module PFA.(refer Note 3)	
		Associated Components	
		Model UVD1 UV Cell for continuous operation	
		Model UVS UV cell for <24hr operation	
		Model BGT S-9U/1 Sub-rack for PFU760, PFU780	
		Model PFF 7x4 Flame Detector	
		Model PFR 704 Relay Module	
		Model PFP700 Power Supply Module	
		Model PFA700/710 Profibus DP Interface Module	

System Control Engineering Pty Ltd Continued
KROMSCHRODER

Note 1: If code letter is not present, this specification is omitted.
 Note 2: The classification shown is for the standard format supplied in Australia.
 Reprogramming of internal parameters may change the classification. Any changes must be notified to the relevant technical regulator or their representative.
 Note 3: This series of devices is intended for industrial and commercial applications.
 Also Tested to EN 298

Techrite Controls Australia Pty Ltd
INECO

5180 4.95 Series 800 Electronic Flame Safeguard and Burner Control, Models 800-03-09 and 800-23-09, Rectification Class 2Cb

Techrite Controls Australia Pty Ltd
TECHRITE

6953 8.06 TCAIS & TAIS Series Automatic Burner Control
 TCAIS Series
 TCAIS(C,0)(P,PN,0)-(L,R)1(0-5)N(S,D)(0-999)-(-,5)-(0-250)(0) Class 2A
 (0-250)(RC,HR,VSXX)(60,-)
 TCAIS (C,0)(P,PN,0)-(L,R)1(0-15)N(S,D)(0-999)-(-,5)-(0-250)(0) Class 2B
 (0-250)(RC,HR,VSXX)(V)(60,-)
 TCAIS(C,0)(P,PN,0)-(L,R)2(0-5)(A-H)-(S,D)(0-999)-(-,5)-(0-250)(0-250) Class 2Ca
 (0-250)(RC,HR,VSXX)(60,-)
 TCAIS(C,0)(P,PN,0)-(L,R)(1-5)(0-15)(A-H)-(S,D)(0-999)-(-,5)-(0-250)(0-250) Class 2Cb
 (0-250)(RC,HR,VSXX)(V)(60,-)
 TAIS Series
 TAIS(C,0)(P,D,0)-(L,R)1(0-5)N(S,D)(0-999)-(-,5)-(0-500)(0)(0-500) Class 2A
 (RC,HR,VSXX,LILO)(NV)(60,-)
 TAIS(C,0)(P,D,0)-(L,R)1(0-15)N(S,D)(0-999)-(-,5)-(0-500)(0)(0-500) Class 2B
 (RC,HR,VSXX,LILO)(V,NV)(60,-)
 TAIS(C,0)(P,D,0)-(L,R)2(0-5)(A-H)-(S,D)(0-999)-(-,5)-(0-500)(0-500)(0-500) Class 2Ca
 (RC,HR,VSXX,LILO)(NV)(60,-)
 TAIS(C,0)(P,D,0)-(L,R)(1-5)(0-15)(A-H)-(S,D)(0-999)-(-,5)-(0-500)(0-500) Class 2Cb
 (0-500)(RC,HR,VSXX,LILO)(VNV)(60,-)
 Note: Also tested to AS 4622 and EN 298

ELECTRONIC FLAME SAFEGUARDS AND DETECTORS (AG 210)

Fireye Inc – Agent: POGC Sensor Technology Pty Ltd

5675 4.01 Electronic Flame Safeguard and Dectors Fireye E210/211 Flame Monitoring™
 Microprocessor – Based Burner Management Control
 Configuration: E210/211 complete with EP 113NR or EP 113E Programmer and Selected Amplifier Modules & Scanner Types

Fireye Inc – Agent: POGC Sensor Technology Pty Ltd
Continued

Scanner Type	Scanner Model	Amplifier Module	AG 210 Class. With EP113NR Programm	AG 210
Infrared	48PT2-1003	E1R1, E1R3	1A	1Ca, 1Cb
	48PT2-1007	E1R1, E1R3	1A	1Ca, 1Cb
	48PT2-9003	E1R1, E1R3	1A	1Ca, 1Cb
	48PT2-9007	E1R1, E1R3	1A	1Ca, 1Cb
Ultra Violet Self check	45UV5-1007	EUVS4	1A	1Ca, 1Cb
	45UV5-1008	EUVS4	1A	1Ca, 1Cb
	45UV5-1009	EUVS4	1A	1Ca, 1Cb
Ultra-Violet	UV1A3	EUV1	2A	2Ca, 2Cb
	UV1A6	EUV1	2A	2Ca, 2Cb
	UV2	EUV1	2A	2Ca, 2Cb
	45UV3-1050	EUV1	2A	2Ca, 2Cb
	UV8A	EUV1	2A	2Ca, 2Cb
Flame Rod	69ND1-1000K4	ERT1	2A	2Ca, 2Cb
	69ND1-1000K6	ERT1	2A	2Ca, 2Cb
	69ND1-1000K8	ERT1	2A	2Ca, 2Cb
	Photo-cell	45CM1-1000	ERT1	2A
45CM1-1000Y		ERT1	2A	2Ca, 2Cb

Note: Additional suffix character denotes different enclosure types to cater for extreme environment conditions ie. Weather proof, explosion proof etc. Operation remains unaltered. Contact the manufacturer for further information.

Fireye Inc – Agent: POGC Sensor Technology P/L

5790 11.98 M Series II Electronic Flame Safeguard System with Ionisation or UV Detection. The list below shows the combinations of components and class.

Chassis	Programmr	Amplifier	UV Scanner or Flame Rod	Class
MC120E	MP100	MARTIT	69NDI	2Cb
MC120RE	“	“	“	“
MC120E	MP100	MAUVIT	UV1A, UV8A	2Cb
MC120RE	“	“	“	“
MC120E	MP102	MARTIT	69NDI	2B
MC120RE	“	“	“	“
MC120E	MP102	MAUVIT	UV1A, UV8A	2B
MC120RE	“	“	“	“
MC230	MP100E	MARTIT	69NDI	2Cb
MC230R	“	“	“	“
MC230	MP100E	MAUVIT	UV1A, UV8A	2Cb
MC230R	“	“	“	“
MC230	MP102E	MARTIT	69NDI	2B
MC230R	“	“	“	“
MC230	MP102E	MAUVIT	UV1A, UV8A	2B
MC230R	“	“	“	“

Fireye Inc – Agent: POGC Sensor Technology P/L

FIREYE
 5974 3.00 Flame Detector
 Amplifier Model 25SU3-2000 Class 3D
 Note: Comes complete with any of the following Fireye flame scanners Models 45UV5-1101, 45RM4-1001 and 45RM4-1000

Siemens Building Technologies, A Division of Siemens Ltd

2706	11.78	Landis & Gyr LFE1 Series 03 Electronic Flame Safeguards and Detectors Models LFE1.1/8854, LFE1/8851, LFE1/8853, LFE1/8866, LFE1/8867, LFE1/8868 and LFE1/8892 Rectification or UV	Class 2A
2734	10.80	Landis & Gyr LFL1 Series Electronic Flame Safeguards and Detectors Models LFL1.122, LFL1.133, LFL1.322, LFL1.333, LFL1.335, LFL1.622, LFL1.635 and LFL1.638 LFL1.148 Rectification or UV	Class 2A Class 2B
2994	8.79	Landis & Gyr LEC1 Series Electronic Flame Safeguards and Detectors Rectification or UV with LFE10 Amplifier. With LFE50/QRA50 Amplifier and Self-Checking Detector	Class 2A Class 1A
3861	11.84	Landis & Gyr LGK16 Series Electronic Flame Safeguards and Detectors Models LGK16.122A27, LGK16.133A27, LGK16.322A27, LGK16.333A27, LGK16.335A27, LGK16.622A27 and LGK16.635A27 LGK 16 Series, Rectification or UV LGK16 Series with QRA53/QRA55 UV Self-Checking Detector	Class 2A Class 1A
4075	6.86	Landis & Gyr LGA41 Series Electronic Flame Safeguard and Detector Models LGA41.173A27 and LGA41.153A27, Rectification	Class 2Cb
4393	12.88	Landis & Gyr LGB Series Electronic Flame Safeguard and Detectors Rectification or UV with ACQ... Auxillary Unit Models LGB21.130A27, LGB21.350A27, LGB21.550A27 and LGB41.255A27 Model LGB41.258A27 Rectification or UV with QRA... Detector Tube and ACQ ... Auxillary Unit Models LGB22.130A27, LGB22.330A27, LGB32.130A27 and LGB32.350A27	Class 2A Class 2B Class 2A
5403	6.96	Landis & Gyr LGI16 Series Electronic Flame Safeguard and Detector Models LGI16.053A27 and LGI16053A17 Class 1A, 2A or 2Ca depending on Amplifier 1-r or 2 UV	Class 1A, 2A or 2Ca
5517	2.97	Landis & Gyr Electronic Flame Safeguard and Detector LFE 10 Series 02 Relay	Class 3D
5829	6.99	Landis & Gyr LMG21, LMG22 and LMG25 Series Electronic Flame Safeguard Systems Models LMG21.130B27, LMG21.230B27, LMG21.330B27, LMG21.350B27 and LMG21.550B27 Models LMG22.130B27, LMG22.230B27, LMG22.233B27, LMG22.330B27 Models LMG25.230B27, LMG25.330B27 and LMG25.350B27 Rectification or UV. UV Detector QRA.. with AGQ Auxillary Flame Amplifier	Class 2A Class 2A Class 2Ca

System Control Engineering Pty Ltd

KROMSCHRODER

6478	8.03	Kromschroder BCU Series Models BCU440, BCU460 and BCU480 Note: 1: Model numbers will be suffixed by the following letters or digits which relate to timings and features: -3,5 or 10, /3 or 5*, /1 or 2, L*, T or N, 1-8*, D or GB, P*, D2 or D3*, S2, S3 or S4*, /2,3 or 4*, U*, Z* Refer to manufacturer for further information. Note 2: Classification depends on parameters set for the application. Note 3: This series of devices for industrial or commercial applications.
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

QUICK-CONNECT DEVICES (AS 4627)

Aquaknect Flexibles (A'Asia) Pty Ltd

AQUAKNECT

5803	12.98	Quick Connect Device (Type 1) Model 13-020BF Floor/Wall Socket for bayonet connections	7 kPa
7606	2.10	Floor/Wall Bayonet Connections – Type 1 Models: 13-020 BF/M2 (Socket) & 12-010-012B/M2 (Plug)	7kPa

Aquaknect Flexibles (A'Asia) Pty Ltd

AQUAKNECT FLEXIBLES

5508	5.97	Quick-Connect Device (Type 1) Male Gas Bayonet Model: 12-010-102B	7 kPa
------	------	----------------------------------------------------------------------	-------

Ausboard International Pty Ltd

NEGAS GAS BAYONETS

6996	7.06	Quick Connect Socket Assembly (Type 1) Model: ASB903 Series Floor and Wall Entry	7 kPa
------	------	-------------------------------------------------------------------------------------	-------

Barfell Industries Pty Ltd

TEMA

4444	6.89	Quick Connect Device (Type 2) Series	
		2500 (6.5 mm)	30 000 kPa
		3800 (10 mm)	28 000 kPa
		5000 (13 mm)	25 000 kPa
		7500 (20 mm)	22 500 kPa
		10000 (25 mm)	18 000 kPa
		15000 (35 mm)	18 000 kPa
		20000 (45 mm)	15 000 kPa

Bromic Pty Ltd

6421	4.03	Bromic (Type 1) Quick Connect Device Model: BR2-1 Type Rp ½ (Female Floor Socket) Types G ½ and R ½ (Male Inlet Wall Socket) Type G ½ (Male Inlet Wall Socket – 180° rear entry) Type Rp ½ (Female Inlet Wall Socket – 180° rear entry)	7 kPa
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

Hurll Nu-Way Pty Ltd

3649	12.83	Rectus Quick Connect Devices Type 21 ¼” BSP (Type 2) Temperature Range –40°C to +120°C Limited component range only	2600 kPa
------	-------	------------------------------------------------------------------------------------------------------------------------------	----------

Keefer Bros (Aust) Pty Ltd

KEEFLEX

4806 3.92 Type 1 Quick Connect Device
Models: 61900/1, 8900100, 8800500,
8800700, 8800900 & 8900200 7 kPa

Sitro Group Australia Pty Ltd

GASMATE

7675 10.10 Type 1 Quick Connect Socket & Plug
Assembly 3500 Series #3500, GM3500 7 kPa

White & McAllister (Contractors) Pty Ltd

6326 8.02 Bench Mounted Gas Outlet
Type 2 Model WM-1 7 kPa

QUICK-CONNECT DEVICES (AG 212)

Thomas Gooden Foundry Services Pty Ltd

3519 5.83 Cooker Socket 2412, Floor Mounted
Socket 2415 and Wall Mounted
Sockets 2420 and 2422 (Type 1) 7 kPa

PRESSURE AND TEMPERATURE LIMIT DEVICES (AS 4628)

E.G.O. Australia Pty Ltd

E.G.O

7575 9.09 Thermal Cut-Off Device
Model: 55.32544.140
Thermal cut-out fixed set at
235°C – 16k “Aus/Off”

Honeywell Limited

HONEYWELL

4442 7.89 C6065 and C4065 Series Differential Air
Pressure Switches Models: C6065A,
C6065AH, C6065B, C6065F, C6065FH,
C4065A, C4065AH, C4065B, C4065F
& C4065FH 6 kPa
C – Denotes differential pressure switch
6 – Denotes SPDT
4 – Denotes SPST
065 – Family number
A/F – Denotes standard accuracy
B – Denotes standard accuracy but
riveted as well as metal folding fixing
AH/FH – Denotes high accuracy

7177 6.07 Gas/Air Pressure Switches
C6097A Series
Models: C6097A1004, C6097A1095, 20 kPa
C6097A1210, C6097A1228 & C6097A2110
C6097A2200 & C6097A2210 30 kPa
C6097A1012, C6097A1020, 34.5 kPa
C6097A1038, C6097A1046,
C6097A1053, C6097A1061,
C6097A1079, C6097A1087 & C6097A1145
C6097A2300 & C6097A2310 50 kPa
C6097A2400 & C6097A2410 60 kPa
C6097A1103, C6097A1111,
C6097A1129 & C6097A1137 64 kPa
C6097B Series
C6097B1002, C6097B1010, 34.5 kPa
C6097B1028, C6097B1036,
C6097B1069, C6097B1077,
C6097B1085, C6097B1119,
C6097B1127, C6097B1176 &
C6097B1184
C6097B1044, C6097B1051, 64 kPa
C6097B1093 & C60971101

Invensys Controls Australia Pty Ltd

ROBERTSHAW

2263 11.73 LC Series Over-Temperature Cut-Off Control
Models: LCCM080360000 and LCCM0017

Karl Dungs GmbH & Co

Agent: Techrite Controls Australia Pty Ltd

DUNGS

4413 3.89 Pressure and Temperature Limit Devices
for use with Gas Burners
Types UB...A2 and UB...A4 Pressure Limiter
Manual Reset Excess Pressure (Gas and Air)
Types NB...A2 and NB...A4 Pressure Limiter
Manual Reset Under-Pressure (Gas and Air)

4414 3.89 LGW and GW Series Pressure and Temperature
Limit Devices for use with Gas Burners
Air and Gas:
Models GW 3, GW 10, GW 50, GW 150,
GW 500, GW 1500, GW 2000, GW 6000
GW 3 A2, GW 10 A2, GW 50 A2, GW 150 A2,
GW 500 A2, GW 10 A3, GW 50 A3, GW 100
A3,
GW 3 A4, GW 10 A4, GW 50 A4, GW 150 A4,
GW 500 A4, GW 2000 A4, GW 6000 A4,
GW 500 A4/2, GW 2000 A4/2 and GW 6000
A4/2
LGW Series:
Air Only:
Models LGW 3, LGW 10, LGW 50, LGW 150,
LGW 3 A1, LGW 10 A1, LGW 50 A1,
LGW 3 A2, LGW 10 A2, LGW 50 A2,
LGW 150 A2, LGW 3 A2P, LGW 10 A2P,
LGW 50 A2P, LGW 150 A2P
Air and Gas:
LGW 3 A4, LGW 10 A4, LGW 50 A4,
LGW 150 A4, LGW 3A4/2, LGW 10 A4/2,
LGW 50 A4/2 and LGW 150 A4/2

Snap-Tite Inc

Agent: System Control Engineering Pty Ltd

SNAP-TITE

5306 9.95 A Series, Type 2 Quick Connect Devices
A50 (15mm), A75 (20mm), A100 (25mm)
and A125 (32mm) NPT Thread
A50BSP (15mm), A75BSP (20mm),
A100BSP (25mm), A125BSP (32mm) 7 kPa

System Control Engineering Pty Ltd

KROMSCHRODER

5484 10.96 DG and DL Series Pressure Switches
DG Series Pressure Switch (Air & Gas) 60 kPa
Models: DG 6/10/50/150/500 –B/U;
DG 10/50/150/500 –H/N;
DG 15/35/110/250/360 –C;
DG 17/30/40/45/60/110/150/300 –VC
DL Series Pressure Switch (Air)
Models: DL 1/3 –E; DL 3 –A/K; 15 kPa
DL 5/10/50 –E; DL 5/10/50/150 –A/K 30 kPa
*T denotes products for North American
market (NAFTA)
Refer to System Control or AGA for
further information relating to certified options.

Techrite Controls Australia Pty Ltd
CLEVELAND CONTROLS

5562	5.97	RSS Series Differential Air Pressure Switches Models: RSS-495, RSS-498, RSS-6000-xxx	7 kPa
7290	2.08	Air Pressure Switch Model: NS2-XXXX-XX Switching Range 12.5 Pa to 250 Pa Note: XXXX will be 1000 - 9999 and specifies the basic construction detail XX will be 00 - 99 and specifies calibration and customer details	3.5 kPa

Techrite Controls Australia Pty Ltd
DUNGS

6062	10.00	GW A5/A6 Series Pressure & Temperature Limit Device GW 3 A5/A6, GW 10 A5/A6, GW 50 A5/A6, GW 150 A5/A6 GW 500 A5/A6	50 kPa 60 kPa
A5 versions for direct connection to Dungs gas controls. A6 versions for stand alone applications.			

Techrite Controls Australia Pty Ltd
TECASA

6375	12.02	Over-Temperature Limit Device Model SP-021-PGV	
------	-------	---------------------------------------------------	--

**PRESSURE AND TEMPERATURE LIMIT
DEVICES (AG 213)**

Johnson Controls Australia Pty Ltd
JOHNSON CONTROLS/PENN

4439	6.89	Differential Pressure Switch Model P32**-** 1 st Character: Range Adjustment - A, B, C, D, H, J, K 2 nd Character: Contact Type - A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V 3 rd and 4 th Characters: Customer Specified	6.9 kPa
------	------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------

SIT Gas Controls Pty Ltd

5471	2.97	SIT Differential Air Pressure Switch 380 Series Operating range 0.4 to 5 m bar Max operating pressure 50 m bar	
------	------	----------------------------------------------------------------------------------------------------------------------	--

Techrite Controls Australia Pty Ltd
KIDDE-FENWAL

5849	4.99	08.80 Series Over-Temperature Cut-Out Device	
------	------	-------------------------------------------------	--

LEAKAGE DETECTION SYSTEMS (AS 4630)

Honeywell Limited
HONEYWELL

6019	6.00	A4021 Series, Microprocessor Based Valve Proving System, Models: A4021A1002 220- 240VAC and A4021A1010 100-120VAC Note: The final four digits after the model number have no effect on the safety of the device but determine finer characteristics and individual customer special requirements. For additional information, please contact Honeywell.	
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Karl Dungs GmbH & Co KG

Agent: Techrite Controls Australia Pty Ltd
DUNGS

7320	5.08	DSLCL Leakage Detection System Models: DSLCL px Vx(AC) 50 Hz, 230V (AC) 50 Hz, 110V (DC) 24V	
------	------	----------------------------------------------------------------------------------------------------	--

Siemens Building Technologies, A Division of Siemens Ltd
LANDIS & GYR

3860	11.84	LDU11 Series Gas Valve Proving System Models: LDU11.323A17, LDU11.323A27, LDU11.523A17 and LDU11.523A27	
------	-------	---------------------------------------------------------------------------------------------------------------	--

System Control Engineering
CAMPINI

5973	3.00	Campini Over-Temperature Limit Device Model: Ty 95-Z	
------	------	---------------------------------------------------------	--

System Control Engineering Pty Ltd
KROMSCHRODER

4581	7.90	TC Series Leakage Detection Systems Version TC1, TC2, TC3 and TC410	
------	------	------------------------------------------------------------------------	--

Techrite Controls Australia Pty Ltd
DUNGS

5272	8.95	VPS 504 Series 01, 02, 04 and 05	50 kPa
5553	4.98	VDK 200A Model: 02	36 kPa

Techrite Controls Australia Pty Ltd

6465	7.03	Techrite Fitting Line Tester Models: FLT-03 (240 VAC) and FLT-04 (24 VDC)	
------	------	---------------------------------------------------------------------------------	--

FLUE COWLS (AS 4566)

A & B Industries Pty Ltd

4234	7.87	Flue Cowls FC75 - 75mm, FC100 - 100mm and FC125 - 125mm Round	
5524	3.97	Flue Cowls FC150 - 150mm FC175 - 175mm Round	

Abey Australia Pty Ltd

A & B

2331	12.74	Flue Cowls A & B 125 (Size 125mm) Suitable for use with flue pipes of single skin, twin skin and fibre cement with/without flue kit. NB: 150mm cowl suitable only for twin skin flue applications.	
3078	4.80	Flue Cowls, A B 125-600 (Sizes 150mm, 200mm, 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 550mm, 600mm). Suitable for use with Flue pipes of single skin, twin skin and fibre cement with/without flue kit.	
4198	9.88	Flue Cowls, A & B 75 and 100 (size 75mm and 100mm) Suitable for use with flue pipes of Single skin, twin skin and fibre cement with/without flue kit.	

Agnews Pty Ltd

6521	12.03	Agnews 9" Flue Cowl Model: A9C	
------	-------	--------------------------------	--

Aira Pty Ltd

4396	1.89	Ameri-Vent Models C, EC and RC 76mm (3") to 762mm (30") Round	
------	------	------------------------------------------------------------------	--

Flo-Met Pty Ltd**FLO-MET**

5410	8.96	Flue Cowls 4" Single Skin and 4" Twin Skin
6573	4.04	Direct Vent Gas Cowl Model: 4" DVGC Note: For use with Regency/Masport F39, F37, P36 & P121 Room Sealed Heaters
6714	1.05	Flo-Met Single and Twin Skin Flues Single Skin: 125mm, 150mm, 200mm, 225mm & 300mm Diameter Twin Skin: 125mm, 150mm, 200mm, 250 mm & 300mm Diameter

Methven Voumard Pty Ltd**VOUMARD**

2337	2.75	Jaks Flue Cowls Sizes 75, 90, 100, 125, 150, 175, 205, 230, 255, 275, 305, 355, 405, 455, 505, 560, 610, 660, 710, 760, 810 and 840 mm
5659	7.97	Mini Jaks Flue Cowls Sizes 40, 75, 100, 125, 150, 200, 250, 300, 350, 400, 450 and 500mm Note: Flue cowls can be manufactured from galvanised, zincalume or stainless steel sheet

SFP Sheetmetal Fabricated Products Ltd

6449	6.03	SFP Flue Cowl Model 100 (4") Note: Flue cowl can be constructed from either stainless steel, galvanised steel or copper sheet.
------	------	-----------------------------------------------------------------------------------------------------------------------------------------

S.V. General Metal Spinners Pty Ltd**DOHERTY**

2982	7.79	Model GC Series Flue Cowl 75mm, 125mm, 140mm, 150mm, 175mm, 200mm, 225mm, 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 550mm, 600mm
3208	4.81	Flue Cowl Model GC 100mm

Western Valley Flues Pty Ltd**VALLEY FLUES**

5559	11.97	WVF Series Flue Cowl Models WVF 4" (100mm), WVF 6" (150mm), WVF 8" (200mm) and WVF 9" (225mm) Note: Flues can be constructed from either sheet galvanized or stainless steel.
6559	3.04	125 mm Flue Cowl WVS2-5

Wysmark**WYSMARK**

7626	2.10	Flue Cowl Models: WGC100 – 100mm round WGC125 – 125mm round
------	------	-------------------------------------------------------------------

FLUE COWLS (AG 604)**Jetmaster Fireplaces Australia (Pty) Ltd**

6043	12.00	Jetmaster 200mm Flue Cowl
------	-------	---------------------------

Roladuct Spiral Tubing Pty Ltd

5972	3.00	ROL Series 76mm-1016mm Round
------	------	------------------------------

FLUES (AS 4567)**A & B Industries Pty Ltd****A & B**

4412	3.89	Flue System Rectangular (Type 2) Twin Wall
7115	2.07	Type 3 Round Twin Wall Flue System 100 mm, 125 mm, 150 mm, 200 mm, 250 mm and 300 mm

Abey Australia Pty Ltd

3716	12.83	Duravent Twin Wall Round Flue Type 3 75mm, 100mm, 125mm & 150mm Pipes & Fittings Round Pipes, Adjustable Pipes, Diverter Connector, 45° Adjustable Elbow, 90° Adjustable Elbow, Flashing Clips & Ceiling Rings
------	-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Methven Voumard Pty Ltd**VOUMARD**

2640	9.77	Rectangular Flue System Type 2 Twin Wall
------	------	------------------------------------------

PIPES**Polyethylene (PE) for Pressure Applications
(AS/NZS 4130)****Cromford Group Pty Ltd****CROMFORD PIPE "IDENTI-PIPE"**

7698	9.10	PE100 Gas Pipes - Series 2 SDR17 DN20, DN25, DN32, DN40, DN50, DN63, DN75, DN90, DN110, DN125, DN140, DN160, DN180, DN200, DN225, DN250, DN280, DN315, DN355, DN400, DN450, DN500 SDR13.6 DN20, DN25, DN32, DN40, DN50, DN63, DN75, DN90, DN110, DN125, DN140, DN160, DN180, DN200, DN225, DN250, DN280, DN315, DN355, DN400, DN450, DN500 SDR11 DN20, DN25, DN32, DN40, DN50, DN63, DN75, DN90, DN110, DN125, DN140, DN160, DN180, DN200, DN225, DN250, DN280, DN315, DN355, DN400, DN450, DN500
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PPI Corporation Pty Ltd**PPI**

7367	9.08	Series 2, PE 100 & PE80B Black with Yellow Stripes or Yellow Jacket Polyethylene Pipes DN16, DN20, DN25, DN32, DN40, DN50, DN63, DN75, DN90, DN110, DN125, DN140, DN160 Note: Manufacturer – PPI Corporation Pty Ltd 256 Star St, Welshpool WA 6106
7368	9.08	Series 2, PE 100 & PE80B Black with Yellow Stripes or Yellow Jacket Polyethylene Pipes DN16, DN20, DN25, DN32, DN40, DN50, DN63, DN75, DN90, DN110, DN125, DN140, DN160, DN180, DN200, DN225, DN250, DN280, DN315, DN355, DN400, DN450, DN500, DN560, DN630, DN710, DN800 Note: Manufacturer – PPI Corporation Pty Ltd 275 Robinson Rd East, Geelong QLD 4034

PPI Corporation Pty Ltd Continued

PPI

7369 9.08 Series 2, PE 100 & PE80B
Black with Yellow Stripes or Yellow Jacket
Polyethylene Pipes
DN16, DN20, DN25, DN32, DN40, DN50,
DN63, DN75, DN90, DN110, DN125,
DN140, DN160, DN180, DN200, DN225,
DN250, DN280, DN315, DN355, DN400,
DN450
Note: Manufacturer – PPI Corporation Pty Ltd
91 Cleveland Terrace, Ottway SA 5013

Nominal Connections Size mm	Designation in	Rated		Nominal Connections Size mm	Designation in	Rated	
		Working Pressure kPa	Operating Position (See Key)			Working Pressure kPa	Operating Position (See Key)

OPERATING POSITION KEY

1. Actuator vertically above flowline.
2. Actuator in any or multi purpose position.
3. See manufacturer's instructions or catalogue.

**AUTOMATIC SHUT-OFF VALVES
(CLASS 1) (AS 4629)**

NOTE 1: Unless otherwise specified in the listings below, the temperature rating covered by AGA certification is from 0°C - 60°C.

NOTE 2: Also see heading Automatic Shut-Off and Vent Valves

**Aalborg Industries Pty Ltd
SKOTCH**

4633 8.92

Trifecta T4000 Series. Double block and vent valve. Pneumatic.

25	1 Flange	T4106	345	2
50	2 Flange	T4206	345	2
80	3 Flange	T4306	345	2
100	4 Flange	T4406	345	2
150	6 Flange	T4606	345	2

**Ascomation Pty Ltd
ASCO**

2504 4.76

262 Series 2-Way. Direct Acting, Disc-On-Seat Solenoid Valves.

6	1/8	##* 262C2	200	2
8	1/4	##* 262C13	140	2
8	1/4	##* 262C90	120	2
8	1/4	##* 262B210	280	2

Ambient Temperature 0°C to 77°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC only, 12V-440V

(Consult Ascomation for options)

2505 4.76

030 Series. Disc on seat valve. D.A. Sol. Automatic Shut-Off Valves

10	3/8 BSP	##* 030B10	40	2
15	1/2 BSP	##* 030A16	14	2

Ambient Temperature 0°C to 60°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC only, 12V-440V

(Consult Ascomation for options)

Ascomation Pty Ltd Continued

ASCO

2506 4.76

040 Series. Disc on seat valve. D.A. Sol.

15	1/2 BSP	##* 040B2	AC	9	2
20	3/4 BSP	##* 040B3	AC	9	2

Ambient Temperature 0°C to 60°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC only, 12V-440V

(Consult Ascomation for options)

2867 11.82

044 Series. Disc on seat valve. D.A. Sol. Manual reset

20	3/4 BSP	##* 044B1	AC	175	1
25	1 BSP	##* 044A2	AC	175	1
32	1 1/4 BSP	##* 044A3	AC	175	1
40	1 1/2 BSP	##* 044A4	AC	175	1
50	2 BSP	##* 044A5	AC	140	1
65	2 1/2 BSP	##* 044A6	AC	70	1
80	3 BSP	##* 044A7	AC	70	1

Ambient Temperature 0°C to 60°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC only, 12V-440V

(Consult Ascomation for options)

2874 6.83

042 "C" and "D" Series. Disc on seat valve. D.A. Sol.

20	3/4 BSP	##* 042D35	AC	350	1
25	1 BSP	##* 042C45	AC	350	1
32	1 1/4 BSP	##* 042C55	AC	350	1
40	1 1/2 BSP	##* 042C65	AC	350	1

Ambient Temperature 0°C to 60°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC only, 12V-440V

(GP Model only)

3205 3.81

261 Series Automatic Shut-Off Valve

6	1/8 BSP	##* 2618		420	2
---	---------	----------	--	-----	---

Ambient Temperature 0°C to 60°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC only, 12V-440V

(Consult Ascomation for options)

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Burkert Contromatic Australia Pty Ltd

BURKERT

7229 3.08

* 2/2 Way Mini Solenoid Valve

Model: 6011 200 3

*Note: Refer to Certificate Holder for further information relating to installation options.

Flowserve Australia Pty Ltd

WORCESTER

2723 3.80

F52 and K52 Series Reduced Bore Automatic 15mm –150mm, 5000

Models: 05*52-**66*T/10RDB40, 07*52-**66*T/10RDB40, 10*52-**66*T/10RDB40, 15*52-**66*T/15RDB40, 20*52-**66*T/20RDB40, 30*52-**66*Z/30RDB40, 40*52-**66*Z/33RDB40, 60*52-**66*Z/40RDB40

Note:

- 3rd character '*' designates F, K or A variation
- 6th and 7th characters '**' designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character '*' designates seat material ie T = PFTE, R = RPFTE, 11th character designates stem seal material, ie T = PTFE, Z = Graphite

3. The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.

3. Optional Norbro J-Switch proving and position indicating switch boxes, ASCO silencers, Quick Exhausts & Automax XCL/XML Ultraswitch.

2724 3.80

F51 and K51 Series 15mm – 150 mm ANSI Flanged 150 Raised Face, Reduced Bore, Automatic Shut-off Valves 1900 2

Models: 05*51-**66T/10RDB40, 07*51-**66*T/10RDB40, 10*51-**66*T/10RDB40, 15*51-**66*T/15RDB40, 20*51-**66*T/20RDB40, 30*51-**66*Z/30RDB40, 40*51-**66*Z/33RDB40 and 60*51-**66*Z/40RDB40

- 3rd character '*' designates F or K variation
- 6th and 7th characters '**' designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character '*' designates seat material ie T = PFTE, R = RPFTE, 11th character designates stem seal material, ie T = PTFE, Z = Graphite

3. The AGA approved actuator/valve combination is based upon a specified rated supply pressure (air) of 550 to 700 kPa.

4. Optional Norbro J-Switch proving and position indicating switch boxes, ASCO silencers & Automax XCL/XML Ultraswitch.

Temperature Range: 0°C to 60°C

Flowserve Australia Pty Ltd Continued

WORCESTER

2740 5.81

F44 Series, 3 Piece Body, Reduced Bore, Automatic Shut-Off Ball Valve MWP 5000 kPa 0°C to 60°C. Available in Carbon Steel or Stainless Steel with PTFE or RPTFE Seats

15	½"	05F44-**66*Z/10RDB40	5000	3
20	¾"	07F44-**66*Z/10RDB40	5000	3
25	1"	10F44-**66*Z/10RDB40	5000	3
32	1¼"	12F44-**66*Z/10RDB40	5000	3
40	1½"	15F44-**66*Z/15RDB40	5000	3
50	2"	20F44-**66*Z/20RDB40	5000	3

6th and 7th characters '**' designate body material

ie. 44 = carbon steel, 66 = stainless steel,

10th character '*' designates seat material,

ie 'T' = PFTE (Teflon),

'R' = RPTFE (15% glass reinforced Teflon)

The AGA approved actuator/valve combinations are based upon a specified rated supply pressure (Air) of 550 to 700kPa.

Optional Norbro J-Switch position proving and position indicating switch boxes & Automax Ultraswitch XCL/XML

End Connection Options are: 'Set' = NPT Threads, 'SEP' = BSP Threads, 'SW' = Socket Weld & 'BW' = Butt Weld

6826 7.05

F519, F529, F819 and F829 Full Bore Automatic Shut-off Valves

15mm – 40mm ANSI Flanged 150 Raised Face, 1900 2
One Piece Body Models:

05F519 *66** 10RDB40, 07F519 *66** 10RDB40, 10F519 *66** 10RDB40 and 15F519 *66** 15RDB40
50mm – 150mm ANSI Flanged 150 Raised Face, 1900 2

Two Piece Body Models:

20F819 *66** 20RDB40, 30F819 *66** 33RDB40, 40F819 *66**35RDB40 and 60F819 *66**42RDB40
15mm – 40mm ANSI Flanged 300 Raised Face, 5000 2

One Piece Body Models:

05F529 *66** 10RDB40, 07F529 *66** 10RDB40, 10F529 *66** 10RDB40 and 15F529 *66** 15RDB40
50mm – 150mm ANSI Flanged 300 Raised Face, 5000 2

Two Piece Body Models:

20F829 *66** 20RDB40, 30F829 *66** 33RDB40, 40F829 *66** 35RDB40 and 60F829 *66** 42RDB40

1. 7th Character '*' Designates Major Component Material, i.e. 4= Carbon steel, 6 = Stainless Steel, 10th Character '*' Designates Seat Material, I.E. T = PFTE, R = RPFTE, 11th Character Designates Seal Material, i.e. T = PFTE, Z = Graphite.

2. The AGA Approved Actuator/Valve Combination Are Based upon a Specified Rated Supply Pressure (Air) of 550 to 700 kPa.

3. Optional: Norbo 'J-Switch' Proving & Position Indicating Switch Boxes, Asco Silences & Automax XCL/XML Ultraswitch

Nominal Size mm	Connections in	Designation	Rated Working Operating		Nominal Size mm	Connections in	Designation	Rated Working Operating	
			Pressure kPa	Position (See Key)				Pressure kPa	Position (See Key)

Goyen Controls Company Pty Ltd

GOYEN

2501 2.76

Two Way, Direct Acting, Disc on Seat Solenoid Valve					
8	RC	¼ BSP	1B6M-E1BNT-6uvw	2100	2
8	RC	¼ BSP	1B6M-C1BNT-6uvw	2100	2
8	RC	¼ BSP	2B6M-E1BNT-6uvw	1200	2
8	RC	¼ BSP	2B6M-C1BNT-6uvw	1200	2
8	RC	¼ BSP	4B6M-E1BNT-6uvw	1000	2
8	RC	¼ BSP	4B6M-C1BNT-6uvw	1000	2
8	RC	¼ BSP	5B6M-E1BNT-6uvw	400	2
8	RC	¼ BSP	6B6M-C1BNT-6uvw	200	2
8	RC	¼ BSP	5B6M-C1BNT-6uvw	400	2
8	RC	¼ BSP	6B6M-E1BNT-6uvw	200	2
8	RC	¼ BSP	6BL2-E1BNT-6uvw	70	2
10	RC	¾ BSP	10BL2-E1BNT-6uvw	70	2
15	RC	½ BSP	12BL2-E1BNT-6uvw	40	2
8	RC	¼ BSP	6QL2-E1BNT-7uvw	35	2
10	RC	¾ BSP	10QL2-E1BNT-7uvw	35	2

u= '0' Din Socket

u= '1' Screw terminals in Nema 1 Metric enclosures

u= '3' Screw terminals - open C frame

u= '4' Twin flying leads

u= '5' 6.3mm spade terminals - open C frame (Only for "QL2" coils)

u= '6' 2 core cable - open C frame (Only for "QL2" coils)

v= '4' 240V

v= '5' 220V or 240V+ (Except for u='6')

v= '8' 110V or 120V+ (Except for u='6')

v= '9' 110V

v= 'G' 74V (Except for "QL2" coils)

v= 'B' 48V (Except for "QL2" coils)

v= 'C' 32V (Except for u='6')

v= '2' 24V

v= 'D' 12V

+= 'Dual voltage coils'

w= '1' 50Hz or 60Hz Continuous Duty+

(For "B6M" and "BL2" coils, only for v= '5', '8' and '2')

(For "QL2" coils, only for v= '5', '8' and 'C')

w= '3' 50Hz Continuous Duty

(For "B6M" and "BL2" coils, only for v= '4', 'B', 'C' and 'D')

(For "QL2" coils, only for v= '2', '4' and 'D')

w= '7' DC Continuous Duty

(Only for "B6M" coils, only for v= '4', '9', 'G', 'B', 'C', '2' and 'D')

2870 12.82

Two Way Direct Acting, Disc on Seat Solenoid Valve					
6	RC	1/8"	1Q3M-A1BNT 7xyz	2550	2
6	RC	1/8"	1Q3M-A1BVT 7xyz	2550	2
6	RC	1/8"	1Q3M-A1ANT 7xyz	2550	2
6	RC	1/8"	1Q3M-A1AVT 7xyz	2550	2
8	RC	¼"	1Q6M-A1BNT 7xyz	2550	2
8	RC	¼"	1Q6M-A1BVT 7xyz	2550	2
6	RC	1/8"	2Q3M-A1BNT 7xyz	1000	2
6	RC	1/8"	2Q3M-A1BVT 7xyz	1000	2
6	RC	1/8"	2Q3M-A1ANT 7xyz	1000	2
6	RC	1/8"	2Q3M-A1AVT 7xyz	1000	2
6	RC	1/8"	3Q3M-A1BNT 7xyz	700	2
6	RC	1/8"	3Q3M-A1BVT 7xyz	700	2
6	RC	1/8"	3Q3M-A1ANT 7xyz	700	2
6	RC	1/8"	3Q3M-A1AVT 7xyz	700	2
6	RC	1/8"	4Q3M-A1BNT 7xyz	500	2
6	RC	1/8"	4Q3M-A1BVT 7xyz	500	2
6	RC	1/8"	4Q3M-A1ANT 7xyz	500	2
6	RC	1/8"	4Q3M-A1AVT 7xyz	500	2
6	RC	1/8"	4Q3M-VDC/3371	100	2

Goyen Controls Company Pty Ltd Continued

GOYEN

Suffixes: A1BNT = Brass body – nitrile seat – RC thread

A1BVT = Brass body – viton seat – RC thread

A1ANT = Aluminium body – nitrile seat – RC thread

A1AVT = Aluminium body – viton seat – RC thread

x denotes coil housing connection – 0: Din Socket,

1: Screw terminals in Nema 1 Metric enclosure,

3: Screw terminals – open C frame,

4: Twin flying leads – open C frame,

5: 6.3mm spade terminals – open C frame

6: 2 core cable – open C frame

y denotes coil voltage – 4: 240V, 6: 220V,

9: 110V, G: 74V, B: 48V, C: 32V, 2: 24V, D: 12V

z denotes type of current – 3: 50 Hz continuous,

7: DC continuous

4283 12.87

Direct Acting Solenoid Valve

8	RC	¼ BSP	6QLS-A1ANT-8uvw	7	2
8	RC	¼ BSP	6QLS-A1ANP-8uvw	7	2
10	RC	¾ BSP	10QLS-A1ANT-8uvw	7	2
10	RP	¾ BSP	10QLS-A1ANP-8uvw	7	2

u= '3' Screw terminals- open C frame

u= '4' Twin flying leads

u= '5' 6.3mm spade terminals - open C frame

u= '6' 2 core cable - open C frame

v= '4' 240V

v= '5' 220V or 240V+ (Except for u= '6')

v= '8' 110V or 120V+ (Except for u= '6')

v= '9' 110V

v= 'G' 74V

v= 'B' 48V

v= 'C' 32V

v= '2' 24V

v= 'D' 12V

+= 'Dual voltage coils'

w= '1' 50Hz or 60Hz Continuous Duty+ (Only for u= '3', '4' and '5', v= '5', 'B' and 'C')

w= '3' 50Hz Continuous Duty (Only for v= '2', '4' and 'D')

w= '7' DC Continuous Duty

4978 5.93

Direct Acting Solenoid Valve

10	RC	¾ BSP	10QLS2-A1ANT-8u43	7	2
10	RP	¾ BSP	10QLS2-A1ANP-8u43	7	2
10	RC	¾ BSP	10QLS2-A1AVT-8u43	7	2
10	RP	¾ BSP	10QLS2-A1AVP-8u43	7	2

u= 'E' Electronic - spade terminals

u= 'F' Electronic - 2 core cable

Honeywell Limited

HONEYWELL

2705 10.78

V5055 Series. Disc on seat valve and Direct Mount

Electro/Hydraulic Actuators

20 – 80mm Sizes ¾"-3" V5055*--- 105/310/517 2

100mm Sizes 4" V5055*--- 105 2

V5055A 1004, V5055A 1012, V5055A 1020,

V5055A 1038, V5055A 1046, V5055A 1053,

V5055A 1061, V5055A 1079, V5055A 1087,

V5055A 1095, V5055A 1103, V5055A 1111,

V5055A 1145, V5055A 1152, V5055A 1160,

V5055A 1178, V5055A 1228, V5055A 1343.

V5055B 1002, V5055B 1010, V5055B 1028,

V5055B 1069, V5055B 1077, V5055B 1085,

V5055B 1093, V5055B 1193, V5055B 1127,

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Honeywell Limited Continued

HONEYWELL

V5055B 1143, V5055B 1150, V5055B 1168, V5055B 1184, V5055B 1192, V5055B 1200, V5055B 1218, V5055B 1234, V5055B 1267, V5055B 1275, V5055B 1283, V5055B 1291, V5055C 1000, V5055C 1018, V5055C 1026, V5055C 1034, V5055C 1042, V5055C 1059, V5055C 1109, V5055C 1182, V5055D 1008, V5055D 1016, V5055D 1024, V5055D 1032, V5055D 1040, V5055D 1057, V5055D 1065, V5055E 1005, V5055E 1013, V5055E 1021, V5055E 1039, V5055E 1047, V5055E 1054, V5055E 1062.

Available with NPT/BSP/4" Flange.

Higher pressures applicable for V5055D, E versions.

V5055A--- Low pressure on/off
V5055B--- Low pressure characterized valve
V5055C--- Low pressure. Double seat
V5055D--- High pressure on/off
V5055E--- High pressure. Double seat.

The above operate with actuators as follows:

V5055A, B, C, D, E	V4055A, B, C, D, E	¾"-3"
V5055B	V4062A, D, V90555A, D	¾"-3"
V5055A, B	V4055A, B, C, D, E,	
	V4062A, D, V90555A, D	4" only
V5055C	V4055A, B, C, D, E,	
	V4062A, D, V90555A, D	4" only

- Note: (i) The final four digits after V5055*---, have no effect on the safety of the valve but determine finer characteristics and individual customer special requirements. For more information, please contact Honeywell.
(ii) These products carry Factory Mutual Approval.

5362 2.96

VE4000, VEN4000 & VE400AA Series. Disc on Seat Solenoid Valve

VE4000 Series

10	3/8"	VE*010*	36	3
15	1/2"	VE*015*	36	3
20	3/4"	VE*020*	36	3
25	1"	VE*025*	36	3
32	1 1/4"	VE*032*	36	3
40	1 1/2"	VE*040*	36	3
50	2"	VE*050*	36	3
65	2 1/2"	VE*065*	36	3
80	3"	VE*080*	36	3
100	Flange	VE*100*	36	3

VE4**** (110Vac /120Vac /240Vac)

VE8**** (24Vac/24Vdc/28Vdc)

VEN4**** (110Vac/200Vac)

VE****A (On/Off)

VE****B (Flow Regulation)

VE****C (Flow Regulation and Adjustable Opening)

VE****S (On/Off Normally Open)

VEN4000 Series

10	3/8"	VEN4010*	36	3
15	1/2"	VEN4015*	36	3
20	3/4"	VEN4020*	20	3
25	1"	VEN4025*	20	3
32	1 1/4"	VEN4032*	20	3
40	1 1/2"	VEN4040*	20	3
50	2"	VEN4050*	20	3
65	2 1/2"	VEN4065*	20	3
80	3"	VEN4080*	20	3

Honeywell Limited Continued

HONEYWELL

100	Flange	VEN4100*	20	3
VEN4**** (100Vac/220Vac)				
VEN4****A (On/Off)				
VEN4****B (Flow Regulation)				
VEN4****C (Flow Regulation and Adjustable Opening)				
VENS****S (On/Off Normally Open)				
VE400AA Series				
8	1/4"	VE408AA	50	3
10	3/8"	VE410AA	20	3
15	1/2"	VE415AA	20	3
20	3/4"	VE420AA	20	3

VE**AA (230Vac/110Vac)

Contact Honeywell for detailed information

6002 5.00

Combination Safety Shut-Off Valve Class 1

VQ4** Series

20	3/4"	VQ 420 AA 1005-0000A	36	3
20	3/4"	VQ 420 AA 1039-0128B	36	3
20	3/4"	VQ 420 AB 1004-0000A	36	3
20	3/4"	VQ 420 BA 1003-1300A	36	3
20	3/4"	VQ 420 BB 1002-0003A	36	3
20	3/4"	VQ 420 BB 1010-0320H	36	3
20	3/4"	VQ 420 EA 1014-0400A	36	3
25	1"	VQ 425 AA 1000-0000A	36	3
25	1"	VQ 425 AA 1018-0128B	36	3
25	1"	VQ 425 AA 1034-0000B	36	3
25	1"	VQ 425 AA 1042-0000B	36	3
25	1"	VQ 425 AB 1009-0000A	36	3
25	1"	VQ 425 BB 1007-0003A	36	3
25	1"	VQ 425 BC 1006-1300A	36	3
25	1"	VQ 425 BD 1005-1300A	36	3
25	1"	VQ 425 EB 1018-0428H	36	3
40	1 1/2"	VQ 440 AA 1001-0000A	20	3
40	1 1/2"	VQ 440 AA 1001-1800A	20	3
40	1 1/2"	VQ 440 AA 1043-8120A	20	3
40	1 1/2"	VQ 440 AA 1050-8120A	20	3
40	1 1/2"	VQ 440 AA 1068-0000B	36	3
40	1 1/2"	VQ 440 AA 1076-0000B	36	3
40	1 1/2"	VQ 440 AA 1084-0000B	36	3
40	1 1/2"	VQ 440 AB 1000-0000A	36	3
40	1 1/2"	VQ 440 AB 1000-1000A	20	3
40	1 1/2"	VQ 440 BB 1008-0003A	20	3
40	1 1/2"	VQ 440 BD 1006-0300A	20	3
40	1 1/2"	VQ 440 EA 1010-1400B	36	3
40	1 1/2"	VQ 440 EB 1027-2410A	20	3
40	1 1/2"	VQ 440 EB 1027-8420A	20	3
50	2"	VQ 450 AA 1008-0000A	20	3
50	2"	VQ 450 AB 1007-0000A	20	3
50	2"	VQ 450 AB 1007-1000A	20	3
50	2"	VQ 450 BB 1005-0003A	20	3
50	2"	VQ 450 BB 1005-1300A	20	3
50	2"	VQ 450 EB 1024-8420A	20	3
65	65 Flange	VQ 465 AA 2207-0000A	20	3
65	65 Flange	VQ 465 AB 2206-1000A	20	3
65	65 Flange	VQ 480 AA 2208-0000A	20	3
80	80 Flange	VQ 480 AB 2207-1000A	20	3

Additional functionalities of VQ4xx Series

VQ4--A*	No extra 3rd valve
VQ4--B*	Internal by-pass/high-low valve
VQ4--C*	Vent Valve
VQ4--D*	Internal by-pass and Vent valve
VQ4--E*	External pilot valve
VQ4--F*	External pilot valve and internal by-pass/high-low valve

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)
Honeywell Limited Continued					Honeywell Limited Continued				
HONEYWELL					HONEYWELL				
VQ4--G* Internal by-pass valve and internal pilot valve					7096 1.07				
VQ4--H* Internal by-pass valve and no 1st valve					VG400AA Series Semi-Automatic Shut-Off Valves				
VQ4--J* External pilot valve and Vent valve					15 1/2" VG415AA1004, VG815AA1034, VG815AA1018 50 3				
Characteristic second valve and internal by-pass valve					20 3/4" VG420AA1007, VG820AA1037, VG820AA1011 50 3				
VQ4--*A Fast open 2nd valve and fast open internal by-pass/high-low valve					25 1" VG425AA1002, VG825AA1032, VG825AA1016 50 3				
VQ4--*B Slow open 2nd valve and fast open internal by-pass/high-low valve					Model designation:				
VQ4--*C Fast open 2nd valve and slow open internal by-pass/high-low valve					3 rd character: 4 denotes 220-240 volts, 8 denotes low voltage				
VQ4--*D Slow open 2nd valve and slow open internal by-pass/high-low valve					4 th and 5 th character: 15 denotes DN 15, 20 denotes DN 20, 25 denotes DN 25				
20	3/4"	VQ 420 MA 1004	36	3	7283 2.08				
20	3/4"	VQ 420 MA 1012	36	3	VE5000 Series Automatic Shut-Off Valves				
20	3/4"	VQ 420 MB 1003	36	3	65 DN65 VE5065A and VE5065C 36 3				
20	3/4"	VQ 420 MB 1011	36	3	80 DN80 VE5080A and VE5080C 36 3				
20	3/4"	VQ 420 MC 1002	36	3	100 DN100 VE5100A 36 3				
20	3/4"	VQ 420 MC 1010	36	3	100 DN100 VE5100C 20 3				
25	1"	VQ 425 MA 1005	36	3	Hurl Nu-Way Pty Ltd				
25	1"	VQ 425 MA 1013	36	3	BLACK TEKNIGAS				
25	1"	VQ 425 MA 1021	36	3	5477 12.99				
25	1"	VQ 425 MA 1038	36	3	28 Series. Disc on seat, direct acting valve with full wave rectified coil				
25	1"	VQ 425 MB 1004	36	3	6 1/8 2811***-00 10 3				
25	1"	VQ 425 MB 1012	36	3	8 1/4 2821***-00 10 3				
25	1"	VQ 425 MC 1003	36	3	10 3/8 2831***-00 10 3				
25	1"	VQ 425 MC 1011	36	3	15 1/2 2841***-00 10 3				
40	1 1/2"	VQ 440 MA 1006	36	3	20 3/4 2851***-00 10 3				
40	1 1/2"	VQ 440 MA 1014	36	3	Disc on seat, direct acting double block valves with full wave rectified coil				
40	1 1/2"	VQ 440 MA 1022	36	3	10 3/8 2832***-00 10 3				
40	1 1/2"	VQ 440 MA 1030	36	3	15 1/2 2842***-00 10 3				
40	1 1/2"	VQ 440 MA 1048	36	3	***denotes additional digits relating to type and position of pressure tests points				
40	1 1/2"	VQ 420 MA 1048-x	36	3	6341 10.02				
40	1 1/2"	VQ 440 MB 1005	36	3	Black Teknigas Series 2000 Automatic Shut-Off Valves				
40	1 1/2"	VQ 440 MB 1013	36	3	Fast Opening				
40	1 1/2"	VQ 440 MC 1004	36	3	3/4" 2000 230 V 2000 110 V 2000 24 V 36 3				
40	1 1/2"	VQ 440 MC 1012	36	3	1" 2001 230 V 2001 110 V 2001 24 V 20 3				
50	2"	VQ 450 MA 1007	36	3	1 1/4" 2002 230 V 2002 110 V 2002 24 V 20 3				
50	2"	VQ 450 MA 1015	36	3	1 1/2" 2003 230 V 2003 110 V 2003 24 V 20 3				
50	2"	VQ 450 MB 1006	36	3	2" 2004 230 V 2004 110 V 2004 24 V 20 3				
50	2"	VQ 450 MB 1014	36	3	Karl Dungs GmbH & Co KG				
50	2"	VQ 450 MC 1005	36	3	Agent: Techrite Controls Australia Pty Ltd				
50	2"	VQ 450 MC 1013	36	3	DUNGS				
Characteristic second valve					6509 1.04				
VQ4--MA**** Fast opening, no throttle					SV Series Disc on Seat, Direct Acting Automatic Shut-Off Valves				
VQ4--MB**** Fast opening, throttle					SV – Single-stage Solenoid, fast-opening, fast-closing				
VQ4--MC**** Slow opening					SV-D – Single-stage solenoid, fast opening, fast-closing				
VQ4xxM Series approved for use with the following VQ Modules					SV-DLE – Single-stage solenoid valve, slow-opening, fast-closing				
VV420* Vent valve					15 Rp 1/2 SV 505, SV-D 505 and SV-DLE 505 50 1				
VP420* Pilot valve					20 Rp 3/4 SV 507, SV-D 507 and SV-DLE 507 50 1				
VB420* Bypass valve					25 Rp 1 SV 510, SV-D 510 and SV-DLE 510 50 1				
V*420A Fast opening, no throttle					40 Rp 1 1/2 SV 515, SV-D 515 and SV-DLE 515 50 1				
V*420B Fast opening, throttle					50 Rp 2 SV 520, SV-D 520 and SV-DLE 520 50 1				
V*420C Slow opening									
Rated Working Temperature -15°C - 60°C									
Contact Honeywell for detailed information									

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)
Karl Dungs GmbH & Co KG Continued					Maxon Corporation – Agent: Techrite Controls Australia P/L				
Agent: Techrite Controls Australia Pty Ltd					MAXON Continued				
DUNGS									
7536	7.09				(A,B)(0)			1760	3
Class 1 Solenoid Vave 50-125mm			50	3	50	2"			
DMV-D 525/12, DMV 5065/12, DMV-D 5065/12,					(200)(S)(81)(1)(1,2,3)(A,B,C,D,H)(A,B,C,F)				
DMV-DLE 5065/12, DMV 5080/12,					(1)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)				
DMV-D 5080/12, DMV-DLE 5080/12,					(A,B)(0)			1380	3
DMV 5100/12, DMV-D 5100/12,					50	2"			
DMV-DLE 5100/12, DMV-D 5125/12					(200)(S)(81)(1)(1,2,3)(A,C,E,F,G)(A,B,C,F)				
					(2,5,6)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)				
					(A,B)(0)			1760	3
Maxon Corporation – Agent: Techrite Controls Australia P/L									
MAXON									
2443	1.76				65	2½"			
MM11 Series Sliding Gate Valve. Electrically operated.					(250)(S)(81)(1)(1,2,3)(A,B,C,D)(A,B,C,F)(1)				
20	¾	075 S MM11	860	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			1035	3
25	1	100 S MM11	860	3	65	2½"			
32	1¼	125 S MM11	690	3	(250)(C)(80)(1)(1,2,3)(A,B,C,D)(A,B,C,F)(1)				
40	1½	150 S MM11	480	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			345	3
50	2	200 S MM11	480	3	65	2½"			
65	2½	250 S MM11	275	3	(250)(C)(80)(1)(1,2,3)(B,D,H)(A,B,C,F)(2,5,6)				
80	3	300 S MM11	210	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			345	3
65	2½	250 C MM11	340	3	65	2½"			
80	3	300 C MM11	275	3	(250)(C)(81)(1)(1,2,3)(A,B,C,D,H)(A,B,C,F)(1)				
100	4	400 C MM11	275	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			1207	3
					65	2½"			
					(250)(C)(81)(1)(1,2,3)(B,D,H)(A,B,C,F)(2,5,6)				
					(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			1207	3
2444 1.76									
MA11 Series. Sliding Gate Valve. Solenoid and Motor.					80	3"			
20	¾	075 S MA11	860	3	(300)(S)(81)(1)(1,2,3)(A,C)(A,B,C,F)(1)				
25	1	100 S MA11	860	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			1035	3
32	1¼	125 S MA11	690	3	80	3"			
40	1½	150 S MA11	480	3	(300)(C)(80)(1)(1,2,3)(A,B,C,D,H)(A,B,C,F)				
50	2	200 S MA11	480	3	(1)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			275	3
65	2½	250 S MA11	275	3	80	3"			
65	2½	250 C MM11	340	3	(300)(C)(80)(1)(1,2,3)(B,D,H)(A,B,C,F)(2,5,6)				
80	3	300 S MA11	210	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			275	3
80	3	300 C MA11	275	3	80	3"			
100	4	400 C MA11	275	3	(300)(C)(81)(1)(1,2,3)(A,B,C,D,H)(A,B,C,F)				
					(1)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			930	3
2445 1.76									
High Capacity MA11 Series. Sliding Gate Valve. Electrically operated.					80	3"			
100	4	400 H MA11	400	1	(300)(C)(81)(1)(1,2,3)(B,D,H)(A,B,C,F)(2,5,6)				
150	6	600 H MA11	340	1	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			930	3
					100	4"			
					(400)(C)(80)(1)(1,2,3)(B,D,H)(A,B,C,F)(1,2,5,6)				
					(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			275	3
7432 2.09									
8000 Series Normally Closed Electro Pneumatic Valve					100	4"			
Class 1					(400)(C)(81)(1)(1,2,3)(B,D,H)(A,B,C,F)(1,2,5,6)				
20	¾"		1380	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			930	3
(075)(S)(81)(1)(1,2,3) (A,C)(A,B,C,F)(1)					150	6"			
(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)					(600)(S)(80)(1)(1,2,3)(B,D,H)(A,B,C,F)(1,2,5,6)				
25	1"		1380	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			414	3
(100)(S)(81)(1)(1,2,3)(A,C)(A,B,C,F)(1)					150	6"			
(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)					(600)(S)(81)(1)(1,2,3)(B,D,H)(A,B,C,F)(1,2,5,6)				
25	1"		1760	3	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)			690	3
(100)(S)(81)(1)(1,2,3)(A,C,E,F,G)(A,B,C,F)					(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)				
(2,5,6)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)									
(A,B)(0)									
32	1¼"		1380	3					
(125)(S)(81)(1)(1,2,3)(A,C)(A,B,C,F)(1)									
(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)									
40	1½"		1380	3					
(150)(S)(81)(1)(1,2,3)(A,C)(A,B,C,F)(1)									
(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)									
40	1½"		1380	3					
(150)(S)(81)(1)(1,2,3)(A,C,E,F,G)(A,B,C,F)									
(2,5,6)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)									

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Metso Automation USA Inc

JAMESBURY

6774 5.05

Series 4000

15	½ 4 A ##### # 1	6895	3
20	¾ 4 A ##### # 1	6895	3
25	1 4A ##### # 1	6895	3
40	1½ 4 A ##### # 1	6895	3
50	2 4 A ##### # 1	6895	3

Reduced Bore

4th – 7th Characters denote 2236 or 3600

8th – 9th Characters denote TT, MT or XT

20	¾ 4 B ##### # 1	6895	3
25	1 4 B ##### # 1	6895	3
40	1½ 4 B ##### # 1	6895	3

Full Bore

4th – 7th Characters denote 2236 or 3600

8th – 9th Characters denote TT, MT or XT

Assemblies marked "Shut-Off" and includes:

Quadra-Powr II actuator – QP1C/M

Asco pilot operated solenoid valve – EF8316G54

Stonel Quartz position indicating switch types

QZM or QZP

Metso Automation USA Inc

Agent: Metso Automation (ANZ) Pty Ltd

JAMESBURY

6776 5.05

Series 7000

# 7150 31 ##### # 1	2000	3
# 7180 31 ##### # 1	2000	3

1st Character denotes size in inches

(½, ¾, 1, 1½, 2, 3, 4 or 6)

8th – 11th Characters denote 2236 or 3600

12th – 14th Characters denote TTT, MTT or XTZ

Shut-off valve Assemblies include:

Quadra-Powrx Pneumatic actuators – QPX1C/M (½"

to 1½"), QPX2C/M(2"), QPX3C/M (3" & 4"), QPX4C/M (6")

Solenoid pilot valves Asco EF8316G54 or

Norgren EEx I-2401012.20

Position indicating switch StoneL Quartz –QX

The AGA approved actuator/valve combinations are based upon a specified rated supply pressure (air) of 410 to 680 kPa

OneSteel Piping Systems A Business of OneSteel Trading P/L

EMICO/EL-O-MATIC

6567 3.04

Emico Full Bore Ball Valves/El-O-Matic Spring to Close

Actuator

15	½"	SO 15 * ***	5000	2
20	¾"	SO 20 * ***	5000	2
25	1"	SO 25 * ***	5000	2
40	1½"	SO 40 * ***	5000	2
50	2"	SO 50 * ***	5000	2

SO: Shut-off valve – Emico EA 305A or EA305C

*: Body construction ie A = Stainless Steel, B = Carbon Steel

***: Limit Switch APL = APL310N & APL-510N,

HDX = El-O-Matic HDX model H2

Additional Package Details:

Actuators – El-O-Matic models:

15mm package: ES0012.MIA0202A.09K (ES12 prior to May 2003)

20mm package: ES0025.MIA04A.11K (ES25 prior to May 2003)

25mm package: ES0040.MIA04A.14K (ES40 prior to May 2003)

40mm package: ES0065.MIA04A.14K (ES65 prior to May 2003)

50mm package: ES0100.MIA04A.19K (ES100 prior to May 2003)

Solenoid valve: Burkert 6519 (namur) NB: Pressure limited to

OneSteel Piping Systems A Business of OneSteel Trading P/L

EMICO/EL-O-MATIC Continued

800 kPa (700 kPa with I.S. coil), Voltages (AC/DC): 24, 110, 240

Silencer (std on all packages): SAS brand, SFS series,

Model 2SEP, size ¼"

Isolation valve: Emico valves are available with NPT, BSP thread

forms or socket weld ends. Working temperature 0-60°C

OneSteel Piping Systems A Business of Onesteel Trading P/L

KITZ/EL-O-MATIC

6113 5.01

Class 150 and 300 Automatic Shut-Off Valves

150 SCTAM-FS (C) Reduced Port 1900 2

300 SCTAM-FS (C) Reduced Port 4920 2

150 SCTBZM-FS (C) Full Port 1900 2

300 SCTBZM-FS (C) Full Port 4920 2

Fitted with various models El-O-Matic Actuators

and Burkert model 6519 ¼" Solenoids Sizes 15-150 mm NB

Valve Monitoring Switches APL-310N & APL-510N

OneSteel Piping Systems A Business of OneSteel Trading P/L

TURNFLO

6443 9.03

T3 and T5 (Wafer Body) – T4 and T6 (Lugged Body) Butterfly

Valves, NB 50, 65, 80, 100, 125 and 150mm 1050 2

Note: Valve package includes El-o-matic type ES pneumatic

actuator/Burkert type 6519 solenoid valve, coil voltages

either 240, 110, 28, 24 and 12/VSR quick exhaust-silencer/

Valve Monitoring Switches APL-310N & APL-510N

Parker Hannifin (Australia) Pty Ltd

LUCIFER

6160 7.01

221G Series. 2/2 Pilot Operated Diaphragm Valve

20 ¾" BSP 221GS3534C 200 2

25 1" BSP 221GS3534A 100 2

Refer to Manufacturer for voltage/power/coil type details

6162 7.01

121K Series 2/2 Direct Acting Disc-On-Seat Solenoid Valve

8 ¼" BSP 121K01 200-500 2

10 3/8" BSP 121K3306 110-300 2

15 ½" BSP E121K45 30-70 2

15 ½" BSP E121K46 50-120 2

Refer to Manufacturer for voltage/power/coil type details

RMG Atlas Pty Ltd

RMG

6203 7.02

EVA Series Direct acting, Disc on Seat Solenoid Valve.

Threaded Valves

10 Rp 3/8 01-EVA 3-4 10 3

15 Rp ½ 01-EVA 5-4 10 3

20 Rp ¾ 01-EVA 7-4 10 3

32 Rp1¼ 01-EVA 12-4 10 3

40 Rp 1½ 01-EVA 15-4 10 3

50 Rp 2 01-EVA 20-4 10 3

8 Rp ¼ 03-EVA 2-4 30 3

10 Rp 3/8 03-EVA 3-4 30 3

15 Rp ½ 03-EVA 5-4 30 3

20 Rp ¾ 03-EVA 7-4 30 3

25 Rp 1 03-EVA 10-4 30 3

32 Rp 1¼ 03-EVA 12-4 30 3

40 Rp 1½ 03-EVA 15-4 30 3

50 Rp 2 03-EVA 20-4 30 3

8 Rp ¼ 1-EVA 2-4 100 3

10 Rp 3/8 1-EVA 3-4 100 3

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)
RMG Atlas Pty Ltd Continued					RMG Atlas Pty Ltd Continued				
RMG					RMG				
15	Rp 1/2	1-EVA 5-4	100	3	40	DN 40	16-4 EPVA 15N (H)-4	1600	3
20	Rp 3/4	1-EVA 7-4	100	3	50	DN 50	16-4 EPVA 20N (H)-4	1600	3
25	Rp 1	1-EVA 10-4	100	3	65	DN 65	16-4 EPVA 25N (H)-4	1600	3
32	Rp 1 1/4	1-EVA 12-4	100	3	80	DN 80	16-4 EPVA 30N(H)-4	1600	3
40	Rp 1 1/2	1-EVA 15-4	100	3	100	DN 100	16-4 EPVA 100 (H)-4	1600	3
8	Rp 1/4	25-EVA 23-4.04	2500	3	40	DN 40	40-4 EPVA 15N (H)-4	4000	3
15	Rp 1/2	6-EVA 24-4.04	600	3	50	DN 50	40-4 EPVA 20N (H)-4	4000	3
10	Rp 1/4	5-EVA 24-4	500	3	65	DN 65	40-4 EPVA 25N (H)-4	4000	3
15	Rp 1/2	5-EVA 5-4	500	3	80	DN 80	40-4 EPVA 30N (H)-4	4000	3
Flanged Valves					100 DN 100 40-4 EPVA 100 (H)-4 4000 3				
40	DN 40	01-EVA 15NH-4	10	3	150	DN 150	40-40 EPVA 150-3	4000	3
50	DN 50	01-EVA 20NH-4	10	3	H= denotes valve chamber manufacturer HORA, all others have chamber manufacturer ARI				
65	DN 65	01-EVA 25NH-4	10	3	Temperature Rating: -20 to +60°C				
80	DN 80	01-EVA 30NH-4	10	3	7109 2.07				
100	DN 100	01-EVA 100H-4	10	3	EVSA Series Direct Acting, Disc On Seat Automatic Shut-Off Valves.				
15	DN 15	02-EVA 5NH-4	20	3	Threaded Valves				
20	DN 20	02-EVA 7NH-4	20	3	6	Rp 1/4	4 - EVSA 2 - 4	400	3
25	DN 25	02-EVA 10NH-4	20	3	10	Rp 3/8	4 - EVSA 3 - 4	400	3
32	DN 32	02-EVA 12NH-4	20	3	15	Rp 1/2	4 - EVSA 5 - 4	400	3
40	DN 40	02-EVA 15NH-4	20	3	20	Rp 3/4	4 - EVSA 7 - 4	400	3
50	DN 50	02-EVA 20NH-4	20	3	25	Rp 1	4 - EVSA 10 - 4	400	3
65	DN 65	02-EVA 25NH-4	20	3	32	Rp 1 1/4	4 - EVSA 12 - 4	400	3
80	DN 80	02-EVA 30NH-4	20	3	40	Rp 1 1/2	4 - EVSA 15 - 4	400	3
100	DN 100	02-EVA 100H-4	20	3	50	Rp 2	4 - EVSA 20 - 4	400	3
125	DN 125	02-EVA 125H-4	20	3	15	Rp 1/2	40 - EVSA 5 - 4	4000	3
150	DN 150	02-EVA 150H-4	20	3	Flanged Valves				
15	DN 15	05-EVA 5NH-4	50	3	DN 15	4 - EVSA 5NH - 4	400	3	
20	DN 20	05-EVA 7NH-4	50	3	DN 20	4 - EVSA 7NH - 4	400	3	
25	DN 25	05-EVA 10NH-4	50	3	DN 25	4 - EVSA 10NH - 4	400	3	
32	DN 32	05-EVA 12NH-4	50	3	DN 32	4 - EVSA 12NH - 4	400	3	
40	DN 40	05-EVA 15NH-4	50	3	DN 40	4 - EVSA 15NH - 4	400	3	
50	DN 50	05-EVA 20NH-4	50	3	DN 50	4 - EVSA 20NH - 4	400	3	
65	DN 65	05-EVA 25NH-4	50	3	DN 65	4 - EVSA 25NH - 4	400	3	
80	DN 80	05-EVA 30NH-4	50	3	DN 80	4 - EVSA 30NH - 4	400	3	
100	DN 100	05-EVA 100H-4	50	3	DN 100	4 - EVSA 100H - 4	400	3	
125	DN 125	05-EVA 125H-4	50	3	DN 125	4 - EVSA 125H - 4	400	3	
150	DN 150	05-EVA 150H-4	50	3	DN 150	4 - EVSA 150H - 4	400	3	
50	DN 50	1-EVA 20NH-4	100	3	DN 15	10 - EVSA 5NH - 4	1000	3	
65	DN 65	1-EVA 25NH-4	100	3	DN 20	10 - EVSA 7NH - 4	1000	3	
80	DN 80	1-EVA 30NH-4	100	3	DN 25	10 - EVSA 10NH - 4	1000	3	
100	DN 100	1-EVA 100H-4	100	3	DN 32	10 - EVSA 12NH - 4	1000	3	
125	DN 125	1-EVA 125H-4	100	3	DN 40	10 - EVSA 15NH - 4	1000	3	
Temperature Rating: -20 to +60°C					DN 50	10 - EVSA 20NH - 4	1000	3	
6350 12.02					DN 65	10 - EVSA 25NH - 4	1000	3	
EPVA Series Electro-Pneumatic, Disc on Seat, Automatic Shut-off Valve. Flanged Valves.					DN 80	10 - EVSA 30NH - 4	1000	3	
80	DN 80	1-4 EPVA 30N (H)-4	100	3	DN 100	10 - EVSA 100H - 4	1000	3	
150	DN 150	1-4 EPVA 150 (H)-4	100	3	DN 125	10 - EVSA 125H - 4	1000	3	
50	DN 50	2-4 EPVA 20N (H) -4	200	3	DN 150	10 - EVSA 150H - 4	1000	3	
65	DN 65	2-4 EPVA 25N (H)-4	200	3	DN 25	16 - EVSA 10NH - 4	1600	3	
125	DN 125	2-4 EPVA 125 (H)-4	200	3	DN 40	16 - EVSA 15NH - 4	1600	3	
40	DN 40	3-4 EPVA 15N (H)-4	300	3	DN 50	25 - EVSA 20NH - 4	2500	3	
100	DN 100	3-4 EPVA 100 (H)-4	300	3	DN 15	40 - EVSA 5NH - 4	4000	3	
150	DN 150	4-4 EPVA 150 (H)-4	400	3	DN 25	40 - EVSA 10NH - 4	4000	3	
15	DN 15	6-4 EPVA 5N (H)-4	600	3	DN 65	40 - EVSA 25NH - 4	4000	3	
20	DN 20	6-4 EPVA 7N (H)-4	600	3	Notes:				
25	DN 25	6-4 EPVA 10N (H)-4	600	3	A: Magnetic coil with start-up and shut-down winding, separate combination of relays				
40	DN 40	6-4 EPVA 15N (H)-4	600	3	Xde = Solenoid actuator for Ex-Zone 1 and 21 (Eex de. . .) pressure-proof enclosure				
50	DN 50	6-4 EPVA 20N (H)-4	600	3	Xme = Solenoid actuator for Ex-Zone 1 and 21 (Eex me. . .) encapsulation				
65	DN 65	6-4 EPVA 25N (H)-4	600	3					
80	DN 80	6-4 EPVA 30N (H)-4	600	3					
100	DN 100	6-4 EPVA 100 (H)-4	600	3					
125	DN 125	6-4 EPVA 125 (H)-4	600	3					
150	DN 150	10-4 EPVA 150 (H)-4	1000	3					

Nominal Connections Size mm	Designation in	Rated		Nominal Connections Size mm	Designation in	Rated	
		Working Pressure kPa	Operating Position (See Key)			Working Pressure kPa	Operating Position (See Key)

RMG Atlas Pty Ltd Continued

RMG
 32:VG Connection flange in conformance with DIN with smooth connection strip (Shape C)
 00: Valve housing in GG25, NBR
 02: Valve housing in GGG 40.3, NBR
 03: Valve housing in GS-C25N, NBR
 04: Valve housing in stainless steel, NBR
 05: Valve housing in GG25, Viton
 07: Valve housing in GGG 40.3, Viton
 08: Valve housing in GS-C25N, Viton
 09: Valve housing in stainless steel, Viton
 10: Valve housing in GG25, PTFE
 12: Valve housing in GGG 40.3, PTFE
 13: Valve housing in GS-C25N, PTFE
 14: Valve housing in stainless steel, PTFE
 61: one mechanical limit switch threaded connection
 62: two mechanical limit switch threaded connection
 63: one mechanical limit switch flanged connection
 64: two mechanical limit switch flanged connection
 69: one mechanical limit switch EEx threaded connection
 70: two mechanical limit switch EEx threaded connection
 71: one mechanical limit switch EEx flanged connection
 72: two mechanical limit switch EEx flanged connection
 77: one inductive limit switch threaded connection
 78: two inductive limit switch threaded connection
 79: one inductive limit switch flanged connection
 80: two inductive limit switch flanged connection
 99: special order supplements
 Temperature Rating: -20 to +60°C

Siemens Building Technologies, A Division of Siemens Ltd LANDIS & GYR

2863 3.82
 VGG10, VGF10, VGH10, VRF10 and VRH10 Series Class 1 Automatic Safety Shut-off Valves with SKP Series Actuators.

20	¾ BSP	VGG10.204P	140	3
25	1 BSP	VGG10.254P	140	3
40	1½ BSP	VGG10.404P	140	3
50	2 BSP	VGG10.504P	140	3
80	3 BSP	VGG10.804P	70	3
65	2½ Flange	VGF10.654P	70	3
80	3 Flange	VGF10.804P	70	3
80	3 Flange	VGH10.18050	70	3
100	4 Flange	VGH10.19050	70	3
125	5 Flange	VGH10.19150	50	3

Note: VGG and VGF valves not ending with "P" do not have profiled seat. Suffix "U" indicates Underwriters Laboratory listed. The following valves are suitable for Biogas and Recycling gas applications.

40	1½ Flange	VRF10.404	60	3
50	2 Flange	VRF10.504	60	3
65	2½ Flange	VRF10.654	30	3
80	3 Flange	VRF10.804	30	3
80	3 Flange	VRH10.805 High Flow	30	3
100	4 Flange	VRH10.905 High Flow	30	3
125	5 Flange	VRH10.915 High Flow	30	3

Note: A range of actuators is available to suit the above valves:

1. SKPx0.11yBz7 actuator
 2. SKP10.123Az7 high-low control, with end/auxiliary switch actuator
 3. SKP11.211Az7 continuous operation actuator
 4. SKP11.212Az7 continuous operation with auxiliary/end switch actuator
 5. SKP27.11yCz7 proportioning control actuator
 6. SKPx5...Ez actuator
- x: 1 Denotes only on/off

Siemens Building Technologies, A Division of Siemens Ltd LANDIS & GYR Continued

2 Denotes on/off, c/w governor
 5 Denotes on/off, air/gas ratio control
 7 Denotes on/off, air/gas ratio control
 y: 0 Denotes auxiliary/end switch is not fitted
 1 Denotes auxiliary/end switch is fitted (ie indicates fully closed position)
 z: 1 Denotes 110V actuator
 2 Denotes 240V actuator

4570 2.92

VGD20 and VGD40 Series Disc on Seat Valves with SKP Series Actuators.

40	1½ BSP	VGD20.403	140	3
50	2 BSP	VGD20.503A	140	3
A indicates pilot connection of 1"				
40	1½ Flange	VGD40.040	100	3
50	2 Flange	VGD40.050	100	3
65	2½ Flange	VGD40.065	70	3
80	3 Flange	VGD40.080	70	3
100	4 Flange	VGD40.100	70	3
125	5 Flange	VGD40.125	70	3
150	6 Flange	VGD40.150	70	3

Note: A range of actuators is available to suit the above valves:

1. SKPx0.11yBz7 actuator
 2. SKP10.123Bz7 high-low control, with end/auxiliary switch actuator
 3. SKP11.211Az7 continuous operation actuator
 4. SKP11.212Az7 continuous operation with auxiliary/end switch actuator
 5. SKP27.11yCz7 proportioning control actuator
 6. SKPx5...Ez actuator
- x: 1 Denotes only on/off
 2 Denotes on/off, c/w governor
 5 Denotes on/off, air/gas ratio control
 7 Denotes on/off, air/gas ratio control
 y: 0 Denotes auxiliary/end switch is not fitted
 1 Denotes auxiliary/end switch is fitted (ie indicates fully closed position)
 z: 1 Denotes 110V actuator
 2 Denotes 240V actuator

System Control Engineering Pty Ltd

BRAHMA

4314 4.88

E & GVC Series Disc on seat valve series D.A. Solenoid

6-15	Rp ¼" - ½"	E6G***	Range 10-100 kPa	2
6mm Compression				
	Rp ¼"	E8***	Range 10-200 kPa	1
15	Rp ½"	EG12***	Range 25-50 kPa	2
15	Rp ½"	EG15***	Range 10-50 kPa	3
20	Rp ¾"	EG25***	Range 5-50 kPa	3
25	Rp 1"	EG30***	Range 20-50 kPa	3
40	Rp 1½"	EG40***	20 kPa	3
15	Rp ½"	GVC15***	Range 10-50 kPa	3
20	Rp ¾"	GVC25***	Range 35-50 kPa	3
25	Rp 1"	GVC30***	Range 20-50 kPa	3
40	Rp 1½"	GVC40***	20 kPa	3

Note: Maximum Working Pressure (MWP) depends on options. Refer to certificate holder for further information.

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)
System Control Engineering Pty Ltd					System Control Engineering Pty Ltd Continued				
KROMSCHRODER					KROMSCHRODER				
2726 4.80					“VD” - Double Block				
VK Series. Disc on seat valve. Electrohyd.					“VZ” - High/Low				
40	1½ BSP	VK1½”	100*	3	Valve actuator designations as follows:				
40	1½ Flange	VK40	100*	3	“N” - Fast Opening				
50	2 BSP	VK2”	100*	3	“L” - Slow Opening				
50	2 Flange	VK50	100*	3	“Z” - High/Low				
65	2½ BSP	VK2½”	100*	3	“S” - Position Indicator				
65	2½ Flange	VK65	100*	3	“G” - Position Indicator Gold Contacts				
80	3 Flange	VK80	100*	3	“D” - Flow Adjustments				
100	4 Flange	VK100	100*	3	“M” - Biologically produced methane				
125	5 Flange	VK125	60	3	“V” - Vitron Disc				
150	6 Flange	VK150	40	3	“3” - Terminal Box				
Valves with 2-step slow opening are designated V2K.					“6” - Plug Connection				
“E” after designation above indicates position indicating switch.					“T” - 220/240V				
*400 kPa version available on request.					“M” - 110/120V				
					“K” - 24V				
5320 10.96					5567 7.97				
VS and VD Series. Automatic Shut-Off Valves					VGP Series Disc on seat Valve DA Solenoid				
10	¾ BSP	VS 120 ML 01	10	2	10	¾ BSP	VGP10	20	3
15	½ BSP	VS 120 ML 01	10	2	10	¾ BSP	VGP10E	20	3
20	¾ BSP	VS 120 ML 01	10	2	15	½ BSP	VGP15	20	3
25	1 BSP	VS 120 ML 01	10	2	15	½ BSP	VGP15E	20	3
25	1 BSP	VS 236 ML 01	10	2	20	¾ BSP	VGP20E	15	3
40	1½ BSP	VS 236 ML 01	10	2	25	1 BSP	VGP25E	15	3
40	1½ BSP	VS 345 ML 01	10	2	E – Economy power consumption				
50	2 BSP	VS 345 ML 01	10	2	System Control Engineering Pty Ltd				
10	¾ BSP	VS 115 ML 02	20	2	STAIGER				
15	½ BSP	VS 115 ML 02	20	2	3777 5.84				
20	¾ BSP	VS 115 ML 02	20	2	Solenoid valve. Disc on seat valve. D.A. Sol.				
25	1 BSP	VS 115 ML 02	20	2	8	¼	MA 232-007P	500	1
20	¾ BSP	VS 125 ML 02	20	2	4432 5.89				
25	1 BSP	VS 125 ML 02	20	2	Disc on seat. Sol. Valve.				
25	1 BSP	VS 232 ML 02	20	2	10	¾ BSP	Type MA243-001...	20	2
40	1½ BSP	VS 232 ML 02	20	2	10	¾ BSP	Type MA242-005 V	50	2
40	1½ BSP	VS 240 ML 02	20	2	15	½ BSP	Type MA253-001...	20	2
50	2 BSP	VS 240 ML 02	20	2	6016 1.01				
40	1½ BSP	VS 350 ML 02	20	2	Disc on seat, D.A. Solenoid Valve				
50	2 BSP	VS 350 ML 02	20	2	15	½ BSP	MA 252-001 P-27 SAH	20	1
10	¾ BSP	VD 115 ML 02	20	2	System Control Engineering Pty Ltd				
15	½ BSP	VD 115 ML 02	20	2	TEDDINGTON				
20	¾ BSP	VD 115 ML 02	20	2	7617 2.10				
25	1 BSP	VD 115 ML 02	20	2	4 Coil Automatic Shut-off Valves				
20	¾ BSP	VD 125 ML 02	20	2	8	¼	SOVA42172	10	3
25	1 BSP	VD 125 ML 02	20	2	Rated Working Pressure -0°C to 60°C				
25	1 BSP	VD 232 ML 02	20	2	Techrite Controls Australia Pty Ltd				
40	1½ BSP	VD 232 ML 02	20	2	ECONEX				
40	1½ BSP	VD 240 ML 02	20	2	5570 12.97				
50	2 BSP	VD 240 ML 02	20	2	SVB Series. Disc on seat valve. D.A. Solenoid. Fast opening/closing. Screwed				
40	1½ BSP	VD 350 ML 02	20	2	10	Rp ¾	SVB08C09A01	100	2
50	2 BSP	VD 350 ML 02	20	2	10	Rp ¾	SVB08C09P01	36	2
10	¾ BSP	VS 115 ML 03	36	2	15	Rp ½	SVB10C15A01	100	2
15	½ BSP	VS 115 ML 03	36	2	15	Rp ½	SVB13C15A01	20	2
20	¾ BSP	VS 115 ML 03	36	2	20	Rp ¾	SVB13C20A01	20	2
25	1 BSP	VS 115 ML 03	36	2					
20	¾ BSP	VS 125 ML 03	36	2					
25	1 BSP	VS 125 ML 03	36	2					
25	1 BSP	VS 232 ML 03	36	2					
40	1½ BSP	VS 232 ML 03	36	2					
40	1½ BSP	VS 240 ML 03	36	2					
50	2 BSP	VS 240 ML 03	36	2					
40	1½ BSP	VS 350 ML 03	36	2					
50	2 BSP	VS 350 ML 03	36	2					

Note: Available with following valve bodies:
“VS” - Single Block

Nominal Connections Size mm	Designation in	Rated		Nominal Connections Size mm	Designation in	Rated	
		Working Pressure kPa	Operating Position (See Key)			Working Pressure kPa	Operating Position (See Key)

Tyco Flow Control Pacific Pty Ltd

RICHARDS

7403 11.08

R436 Pneumatic Automatic Shut-off Valve Full Bore Class 600							
80	3"	080 R436 F79U 065 STC AGA	6500			2	
80	3"	080 R436 F79U 090 STC AGA	9603			2	
80	3"	080 R436 F79S 072 STC AGA	9603			2	
80	3"	080 R436 F79B 072 STC AGA	9603			2	

Temperature rating -5°C to 80°C

Available with Flange and Butt-Weld end connections.

All valves available in Carbon Steel or Stainless Steel

**AUTOMATIC SHUT-OFF VALVES
(CLASS 2) (AS 4629)**

Karl Dungs GmbH & Co KG

- Agent: Techrite Controls Australia Pty Ltd

DUNGS

7518 6.09

Dungs Class 2 Solenoid Valve Gas Block GB 053 Series

DN8 ISO 7/1

Models: GB 053 D12, GB 053 D22, GB 053 D02, GB-(Z) 053 D02, GB-(M) 053 D02	6.5	3
----------------------------------------------------------------------------	-----	---

Techrite Controls Australia Pty Ltd

DUNGS

5785 12.98

BM 740 Series Automatic Safety Shut-off Valve

Models: BM 740-001, BM 740-002, BM740-003 Triple Solenoid	6.5	2
-----------------------------------------------------------	-----	---

Triple Solenoid

Models: BM 740-007 and BM 740-008, Double Solenoid	6.5	2
----------------------------------------------------	-----	---

Double Solenoid

Models: BM 740-009 and BM 740-010, Single Solenoid	6.5	2
----------------------------------------------------	-----	---

Single Solenoid

**AUTOMATIC SHUT-OFF VALVES
(CLASS 3) (AS 4629)**

Ascotation Pty Ltd

ASCO

2729 5.80

215 Series. Diaphragm valve, 240V AC Solenoid.

25	1 BSP	# * 215B50 AC/DC	175/175	1
32	1¼ BSP	# * 215B60 AC/DC	175/175	1
40	1½ BSP	# * 215B70 AC/DC	175/100	1
50	2 BSP	# * 215B80 AC/DC	175/100	1
65	2½ BSP	# * 215A90 AC	35	1
80	3 BSP	# * 215A40 AC	35	1

Ambient Temperature 0°C to 60°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC: 12V-440V, DC: 6V-240V

(Consult Ascotation for options)

2869 11.82

210 Series Diaphragm Valve/Direct Acting Solenoid

10	3/8	# * 210C74 AC	350	2
		DC	175	2
15	½	# * 210C75 AC	350	2
		DC	175	2
20	¾	# * 210C76 AC	350	2

Ascotation Pty Ltd Continued

ASCO

DC 175 2

Ambient Temperature -28°C to 75°C

denotes Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.

* denotes Thread Type

'B' NPT, 'D' BSPT and 'E' BSPP

Solenoids AC: 12V-440V, DC: 6V-240V

(Consult Ascotation for options)

BASO Gas Products LLC

Agent: Accutherm International Pty Ltd

BASOTROL

4235 7.87

H91 Series Disc on seat Automatic Shut-Off Valve

6	1/8"	H91A*	3.5	2
8	¼"	H91B*	3.5	2
10	3/8"	H91C*	3.5	2
15	½"	H91D*	3.5	2
15	½"	H91E*	3.5	2
20	¾"	H91L*	3.5	2
25	1"	H91M*	3.5	2

*Suffix denotes voltage

A: 120 Vac, 60 Hz

B: 240 Vac, 50/60 Hz

G: 25 Vac, 60 Hz

S: 208/240 Vac, 60 Hz

V: 12 Vdc

All thread forms NPT and BSPP

Dong Yang Diecasting Co Ltd

DONG YANG

6949 5.06

Double Solenoid Automatic Shut-Off Valve

15	½ BSP	DSICAE	5	2
----	-------	--------	---	---

Goyen Controls Company Pty Ltd

GOYEN

3818 7.84

Direct Acting Solenoid Valve

10	3/8 BSP	10QLS-E3ANT-8uvw	7	2
10	3/8 BSP	10QLS-E3ANP-8uvw	7	2
10	3/8 BSP	10QLS-C3ANT-8uvw	7	2
10	3/8 BSP	10QLS-C3ANP-8uvw	7	2
6	¼ BSP	6QLS2-A3AVT-8uvw	7	2
6	¼ BSP	6QLS2-A3AVP-8uvw	7	2
10	3/8 BSP	10QLS2-A3AVT-8uvw	7	2
10	3/8 BSP	10QLS2-A3AVP-8uvw	7	2

u= '0' Din socket

u= '1' Screw terminals in Nema 1 Metric enclosure

u= '3' Screw terminals - open C frame

u= '4' Twin flying leads

u= '5' 6.3mm spade terminals - open C frame

u= '6' 2 core cable - open C frame

u= 'E' Electronic - spade terminals (Only for 'QLS2')

u= 'F' Electronic - 2 core cable (Only for 'QLS2')

v= '4' 240V

v= '6' 220V

v= '7' 208V

v= '9' 110V

v= 'G' 74V

v= 'B' 48V

v= 'C' 32V

v= '2' 24V

v= 'D' 12V

Nominal Connections Size mm	Designation in	Rated		Nominal Connections Size mm	Designation in	Rated	
		Working Pressure kPa	Operating Position (See Key)			Working Pressure kPa	Operating Position (See Key)

Goyen Controls Company Pty Ltd Continued

GOYEN

v= 'H' 9V
w= '3' 50Hz Continuous
w= '4' DC Continuous

5080 2.94

Direct Acting Solenoid Valve

20 RC 3/4 BSP 20BAL-E3ANT-6uvw 10 2
20 RP 3/4 BSP 20BAL-E3ANP-6uvw 10 2

u= '0' Din socket

u= '1' Screw terminals in Nema 1 Metric enclosure

u= '3' Screw terminals - open C frame

u= '4' Twin flying leads

v= '4' 240V

v= '5' 220V or 240V+

v= '8' 110V or 120V+

v= '9' 110V

v= 'B' 48V

v= 'C' 32V

v= '2' 24V

v= 'D' 12V

+ = 'Dual voltage coils'

w= '1' 50Hz or 60Hz Continuous Duty+ (Only for v= '5', '8' & '2')

w= '3' 50Hz Continuous Duty (Only for v= '4', 'B', 'C' and 'D')

Rated Working Temperature: -20°C to 82°C

Invensys Controls Australia Pty Ltd

INVENSYS

5623 10.97

NC-4100-5 Series Thermal Bi-Metal Valve

Single or Dual Outlet 3.5 2

Optional: Norton Model 501A IGN Hot

Surface Ignitor (HSI) 3.5 2

6797 5.05

Gas Solenoid Valve

15 1/2" BSP Models: FJT-79, FJT-87,
FJT-101-1611,
FJT-101-3612,
FJT-101-3610 3.5 2

15 1/2" BSPP Model: FJT-79 3.5 3

Parker Hannifin (Australia) Pty Ltd

PARKER/ PARKER LUCIFER

7744 3.11

Automatic Shut-off Valve – Class 3

221S Series

3/8" NPT 221S10F 1000 3

1/2" NPT 221S15F 1000 3

3/4" NPT 221S20F 1000 3

1" NPT 221S25F 1000 3

2/2 Way Solenoid Valve

Direct Lift (Magnalift) Type

Maximum Working Temperature -10°C to 60°C

**AUTOMATIC SHUT-OFF VALVES
(CLASS 1) (AG 214)**

NOTE: Unless otherwise specified in the listings below, the temperature rating covered by AGA certification is from 0°C - 60°C.

Techrite Controls Australia Pty Ltd

DUNGS

4522 1.90

MV, MVD and MVDLE Series. Disc on Seat, Direct Acting

Automatic Shut-off Solenoid Valve

10	Rp 3/8	MVD 203/5	36	3
15	Rp 1/2	MVD 205/5	36	3
20	Rp 3/4	MVD 207/5	20	3
20	Rp 3/4	MVD 207/5	36	3
25	Rp 1	MVD 210/5	36	3
40	Rp 1 1/2	MVD 215/5	20	3
40	Rp 1 1/2	MVD 215/5	36	3
50	Rp 2	MVD 220/5	20	3
65	Rp 2 1/2	MVD 225/5	20	3
10	Rp 3/8	MVDLE 203/5	36	3
15	Rp 1/2	MVDLE 205/5	36	3
20	Rp 3/4	MVDLE 207/5	36	3
25	Rp 1	MVDLE 210/5	36	3
40	Rp 1 1/2	MVDLE 215/5	20	3
40	Rp 1 1/2	MVDLE 215/5	36	3
50	Rp 2	MVDLE 220/5	20	3
65	Rp 2 1/2	MVDLE 225/5	20	3
10	Rp 3/8	MVD 503/5	50	3
15	Rp 1/2	MVD 505/5	50	3
20	Rp 3/4	MVD 507/5	50	3
25	Rp 1	MVD 510/5	50	3
40	Rp 1 1/2	MVD 515/5	50	3
50	Rp 2	MVD 520/5	50	3
65	Rp 2 1/2	MVD 525/5	50	3
10	Rp 3/8	MVDLE 503/5	50	3
15	Rp 1/2	MVDLE 505/5	50	3
20	Rp 3/4	MVDLE 507/5	50	3
25	Rp 1	MVDLE 510/5	50	3
40	Rp 1 1/2	MVDLE 515/5	50	3
50	Rp 2	MVDLE 520/5	50	3
20	DN 20	MVD 2020/5	20	3
20	DN 20	MVD 2020/5	36	3
25	DN 25	MVD 2025/5	36	3
40	DN 40	MVD 2040/5	20	3
40	DN 40	MVD 2040/5	36	3
50	DN 50	MVD 2050/5	20	3
65	DN 65	MVD 2065/5	20	3
80	DN 80	MVD 2080/5	20	3
100	DN 100	MVD 2100/5	20	3
20	DN 20	MVDLE 2020/5	36	3
25	DN 25	MVDLE 2025/5	36	3
40	DN 40	MVDLE 2040/5	20	3
40	DN 40	MVDLE 2040/5	36	3
50	DN 50	MVDLE 2050/5	20	3
65	DN 65	MVDLE 2065/5	20	3
80	DN 80	MVDLE 2080/5	20	3
100	DN 100	MVDLE 2100/5	20	3
20	DN 20	MVD 5020/5	50	3
25	DN 25	MVD 5025/5	50	3
40	DN 40	MVD 5040/5	50	3
50	DN 50	MVD 5050/5	50	3
65	DN 65	MVD 5065/5	50	3

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Techrite Controls Australia Pty Ltd Continued

DUNGS				
80	DN 80	MVD 5080/5	50	3
100	DN 100	MVD 5100/5	50	3
20	DN 20	MVDLE 5020/5	50	3
25	DN 25	MVDLE 5025/5	50	3
40	DN 40	MVDLE 5040/5	50	3
50	DN 50	MVDLE 5050/5	50	3
8	DN 8	MV 502	50	3
8	Rp 1/4	MV 502	50	3
100	DN 100	MV 5100/5 S	50	3
125	DN 125	MV 2125/5 S	20	3
150	DN 150	MV 2150/5 S	20	3
100	DN 100	MVD 5100/5	50	3
125	DN 125	MVD 5125/5	50	3
150	DN 150	MVD 5150/5	50	3

Note: Contact Techrite Controls for further information relating to Closed Position or Proof of Closer indicator switches & solenoid selection.

4492 10.89

ZR/5 Series . Two-stage solenoid, rapid opening, flow setting for Stage 1.

20	3/4 BSP	ZR407/5	36	3
20	3/4 Flange	ZR4020/5	36	3
25	1 BSP	ZR410/5	36	3
25	1 Flange	ZR4025/5	36	3
40	1 1/2 BSP	ZR415/5	36	3
40	1 1/2 Flange	ZR4040/5	36	3
50	2 BSP	ZR420/5	36	3
50	2 Flange	ZR4050/5	36	3

Note: Additional features have suffixes as follows- "D" suffix – flow setting for Stage 2. "LE" suffix – slow opening.

5038 6.94

DMV-D Series Double solenoid disc on seat valve. D.A. Sol.

10	Rp 3/8	DMV-D 503/10	50	3
15	Rp 1/2	DMV-D 505/10	50	3
20	Rp 3/4	DMV-D 507/10	50	3
25	Rp 1	DMV-D 510/10	50	3
32	Rp 1 1/4	DMV-D 512/10	50	3
40	Rp 1 1/2	DMV-D 515/10	50	3
50	Rp 2	DMV-D 520/10	50	3

Flanged

40	DN 40	DMV-D 5040/10	50	3
50	DN 50	DMV-D 5050/10	50	3
65	DN 64	DMV-D 5065/10	50	3
80	DN 80	DMV-D 5080/10	50	3
100	DN 100	DMV-D 5100/10	50	3
125	DN 125	DMV-D 5125/10	50	3

Screwed

10-15	Rp3/8-Rp1/2	DMV-D 503/11	50	3
15-25	Rp1/2 - Rp1	DMV-D 507/11	50	3
25-50	Rp1 - Rp2	DMV-D 512/11	50	3
25-50	Rp1 - Rp2	DMV-D 520/11	50	3
10-15	Rp3/8-Rp1/2	DMV-DLE 503/11	50	3
15-25	Rp1/2 - Rp1	DMV-DLE 507/11	50	3
25-50	Rp1 - Rp2	DMV-DLE 512/11	50	3
25-50	Rp1 - Rp2	DMV-DLE 520/11	50	3

Flanged

40	DN40	DMV-D 5040/11	50	3
50	DN50	DMV-D 5050/11	50	3
65	DN65	DMV-D 5065/11	50	3
80	DN80	DMV-D 5080/11	50	3
100	DN100	DMV-D 5100/11	50	3
125	DN125	DMV-D 5125/11	50	3

Techrite Controls Australia Pty Ltd Continued

DUNGS
All valves in this series are available with the LE suffix which denotes a slow opening valve eg: DMV-DLE 5040/11
Flanges are not available for the 3/8" – 1 1/4" valves.

Techrite Controls Australia Pty Ltd

PARKER HANNIFIN

4462 7.89

Solenoid Valve

6	1/8 BSP	VE 131.4 CG	200	2
8	1/4 BSP	VE 131.4 GG	200	2

Available with Solenoid Coil Models:

		KT09	200	2
		KT05	6	2
		KT06	20	2

10	3/8 BSP	VE 153 BV	200	2
15	1/2 BSP	VE 153 GV	200	2

Available with Solenoid Coil Models:

		ZB14	200	2
		ZB12	150	2

**AUTOMATIC SHUT-OFF VALVES
(CLASS 2) (AG 214)**

Hurl Nu-Way Pty Ltd

BLACK TEKNIGAS

3734 2.84

24 Series. Direct acting normally closed valve with half wave rectified coils.

6	1/8 BSP	2411	5	3
8	1/4 BSP	2421	5	3
10	3/8 BSP	2431	5	3
10	3/8 BSP			

	double	2432	5	3
15	1/2 BSP	2441	5	3

15	1/2 BSP			
	double	2442	5	3

25 Series. Direct acting normally closed valve with full wave rectified coils.

6	1/8 BSP	2511...	5	3
8	1/4 BSP	2521...	5	3
10	3/8 BSP	2531...	5	3

10	3/8 BSP			
	double	2532...	5	3

15	1/2 BSP	2541...	5	3
15	1/2 BSP			

	double	2542...	5	3
--	--------	---------	---	---

**AUTOMATIC SHUT-OFF AND VENT VALVES
(AS 4629)**

NOTE: Unless otherwise specified in the listings below, the temperature rating covered by AGA certification is from 0°C - 60°C.

System Control Engineering Pty Ltd

KROMSCHRODER

3968 5.86

VG Series and Valvario Series VAS, VCS & VAN (*Vent Valve Only) Class 1

Electrical Supply: 230Vac – 120Vac – 24Vdc

Ambient Temp. Range:-20°C to 60°C

IP Protection Degree: IP65 (VBY IP54)

Nominal Connections Size mm	Designation in	Rated		Nominal Connections Size mm	Designation in	Rated	
		Working Pressure kPa	Operating Position (See Key)			Working Pressure kPa	Operating Position (See Key)
System Control Engineering Pty Ltd Continued				System Control Engineering Pty Ltd Continued			
KROMSCHRODER				KROMSCHRODER			
VAS (1) (2) (3) (4) (5) (6) (7) (8) – Electro-magnetic Automatic shut-off valve				VG Series Disc on seat valve. D.A. Solenoid			
VCS (1) (2) (3) (4) (5) (6) (7) (8) – Combination of VAS or double block electro-magnetic automatic Valve				Fast opening/closing, without max. flow adjustment			
VAN (1) (2) (3) (4) (5) (6) (7) (8) – Electro-magnetic Vent Valve				VG 6 K 03 G 36 3			
(1) denotes body type:				VG 6 K 05 50 3			
Body type 1 Rp or NPT 3/8", 1/2", 3/4", 1"				VG 6 R 05 50 3			
Body type 2 Rp or NPT 1", 1 1/4", 1 1/2", 2"				VG 8 R 03 G 36 3			
Body type 3 Rp or NPT 1 1/2", 2", 2 1/2"				VG 8 R 05 50 3			
Body type 6 DIN or ANSI flanged 2 1/2"				VG 10 R 01 10 3			
Body type 7 DIN or ANSI flanged 3"				VG 15/10 R 01 10 3			
Body type 8 DIN or ANSI flanged 4"				VG 15/12 R 18 N 31 180 3			
Body type 9 DIN or ANSI flanged 5"				VG 25/15 R 18 N 31 180 3			
(2) = "T" denotes products for North American market (NAFTA)				VG 40/33 R 10 N 33 100 3			
(3) denotes inlet connection				VG 50/39 R 10 N 33 100 3			
-0 :inlet connection blind flange				VG 65/49 R 10 N 33 100 3			
10 :inlet connection 3/8"				VG 40/33 F 10 N 33 100 3			
15 :inlet connection 1/2"				VG 50/39 F 10 N 33 100 3			
20 :inlet connection 3/4"				VG 65/49 F 10 N 33 100 3			
25 :inlet connection 1"				Fast opening/closing, with max. flow adjustment			
32 :inlet connection 1 1/4"				VG 10/15 R 02 ND 31 20 3			
40 :inlet connection 1 1/2"				VG 15 R 02 ND 31 20 3			
50 :inlet connection 2"				VG 20 R 02 ND 31 20 3			
65 :inlet connection 2 1/2"				VG 25 R 02 ND 31 20 3			
80 :inlet connection 3"				VG 40/32 R 02 ND 31 20 3			
100 :inlet connection 4"				VG 40 R 02 ND 33 20 3			
125 :inlet connection 5"				VG 50 R 02 ND 33 20 3			
Working Pressure: 500mb				VG 65 R 02 ND 33 20 3			
(4) denotes outlet connection, specification may be omitted if outlet is the same as inlet				VG 80 F 02 ND 33 20 3			
/0 :outlet connection blind flange				VG 100 F 02 ND 33 20 3			
/10 :outlet connection 3/8"				VG 8 R 18 180 3			
/15 :outlet connection 1/2"				VG 10/15 R 03 ND 31 36 3			
/20 :outlet connection 3/4"				VG 15 R 03 ND 31 36 3			
/25 :outlet connection 1"				VG 20 R 03 ND 31 36 3			
/32 :outlet connection 1 1/4"				VG 25 R 03 ND 31 36 3			
/40 :outlet connection 1 1/2"				VG 40 R 03 ND 33 36 3			
/50 :outlet connection 2"				VG 50 R 03 ND 33 36 3			
/65 :outlet connection 2 1/2"				VG 65 R 03 ND 33 36 3			
/80 :outlet connection 3"				VG 40 F 03 ND 33 36 3			
/100 :outlet connection 4"				VG 50 F 03 ND 33 36 3			
/125 :outlet connection 5"				VG 65 F 03 ND 33 36 3			
(5) denotes connection type				VG 80 F 03 ND 33 36 3			
R :Rp threaded connection				Slow opening/fast closing, with max. flow adjustment			
N :NPT threaded connection				VG 10/15 R 02 LD 31 20 3			
F :Din flanged connection				VG 15 R 02 LD 31 20 3			
A :ANSI flanged connection				VG 20 R 02 LD 31 20 3			
(6) denotes opening type				VG 25 R 02 LD 31 20 3			
/N :fast opening				VG 40/32 R 02 LD 31 20 3			
/L :slow opening				VG 40 R 02 LD 33 20 3			
(7) denotes electrical installation requirement				VG 50 R 02 LD 33 20 3			
W :230Vac 50/60Hz				VG 65 R 02 LD 33 20 3			
A :230-120VAC 50/60Hz				VG 40 F 02 LD 33 20 3			
Q :120Vac 50/60Hz				VG 50 F 02 LD 33 20 3			
K :24Vdc				VG 65 F 02 LD 33 20 3			
(8) denotes accessories				VG 80 F 02 LD 33 20 3			
SR: proof of closure and visual indicator (right)				VG 100 F 02 LD 33 20 3			
SL: proof of closure and visual indicator (left)				VG 15 R 03 LD 31 36 3			
GR: proof of closure and visual indicator (with gold plated contacts, right)				VG 20 R 03 LD 31 36 3			
GL: proof of closure and visual indicator (with gold plated contacts, left)				VG 25 R 03 LD 31 36 3			
(): Designation is excluded when not applicable				VG 40 R 03 LD 33 36 3			
				VG 50 R 03 LD 33 36 3			
				VG 65 R 03 LD 33 36 3			
				VG 40 F 03 LD 33 36 3			
				VG 50 F 03 LD 33 36 3			

Nominal Size mm	Connections in	Designation	Rated Working Pressure		Nominal Size mm	Connections in	Designation	Rated Working Pressure	
			kPa	Operating Position (See Key)				kPa	Operating Position (See Key)
System Control Engineering Pty Ltd Continued					Tyco Flow Control Pacific Pty Ltd Continued				
KROMSCHRODER					KEYSTONE				
			36	3	80	3"	AR2 080 F79U 024 STO AGA	1200	2
			36	3			AR2 080 F79S 036 STO AGA		
					100	4"	AR2 100 F79U 024 STO AGA	1200	2
							AR2 100 F79S 036 STO AGA		
					125	5"	AR2 125 F79U 036 STO AGA	1200	2
							AR2 125 F79S 036 STO AGA		
					150	6"	AR2 150 F79U 065 STO AGA	1200	2
							AR2 150 F79S 072 STO AGA		
					All packages available with:				
							- Keystone F79U or F79S spring to open pneumatic actuators		
							- Asco 314, 551, 307, 327 series solenoid valves		
							- Asco MV27 series 1/4" or 1/2" quick exhaust valves		
							- Vicker AQE series 1/4" or 1/2" quick exhaust valves		
							- Keystone F792LP or F792K switch boxes with position proving and position indicating.		
Tyco Flow Control Pacific Pty Ltd					7554 11.09				
KEYSTONE					F990 Wafer Style Butterfly Automatic Shut-Off and Vent Valve Series				
7553 9.09					Rated Working Temperature 0°C - 60°C				
AR1 (Wafer Style) and AR2 (Lugged Style) Series Resilient Seated Butterfly Valve. Automatic Shut-off and Vent Valves. RWT 0°C to 60°C					Automatic Shut-off Valves (Class 1)				
Automatic Shut-off Valves (Class 1)					Automatic Shut-off Valves (Class 1)				
AR1 Series					AR1 Series				
50	2"	AR1 050 F79U 012 STC AGA	1200	2	25	1"	F990 025 F79U-006 STC AGA	900	2
		AR1 050 F79S 012 STC AGA			40	1 1/2"	F990 040 F79U-006 STC AGA	900	2
65	2 1/2"	AR1 065 F79U 012 STC AGA	1200	2	50	2"	F990 050 F79U-012 STC AGA	900	2
		AR1 065 F79S 012 STC AGA			65	2 1/2"	F990 065 F79U-012 STC AGA	900	2
80	3"	AR1 080 F79U 012 STC AGA	1200	2	80	3"	F990 080 F79U-024 STC AGA	900	2
		AR1 080 F79S 012 STC AGA			100	4"	F990 100 F79U-024 STC AGA	900	2
100	4"	AR1 100 F79U 024 STC AGA	1200	2	125	5"	F990 125 F79U-036 STC AGA	900	2
		AR1 100 F79S 036 STC AGA			150	6"	F990 150 F79U-065 STC AGA	900	2
125	5"	AR1 125 F79U 036 STC AGA	1200	2	Vent Valves				
		AR1 125 F79S 036 STC AGA			25	1"	F990 025 F79U-006 STO AGA	900	2
150	6"	AR1 150 F79U 036 STC AGA	1200	2	40	1 1/2"	F990 040 F79U-006 STO AGA	900	2
		AR1 150 F79S 036 STC AGA			50	2"	F990 050 F79U-012 STO AGA	900	2
AR2 Series					AR2 Series				
50	2"	AR2 050 F79U 012 STC AGA	1200	2	65	2 1/2"	F990 065 F79U-012 STO AGA	900	2
		AR2 050 F79S 012 STC AGA			80	3"	F990 080 F79U-024 STO AGA	900	2
65	2 1/2"	AR2 065 F79U 012 STC AGA	1200	2	100	4"	F990 100 F79U-024 STO AGA	900	2
		AR2 065 F79S 012 STC AGA			125	5"	F990 125 F79U-036 STO AGA	900	2
80	3"	AR2 080 F79U 012 STC AGA	1200	2	150	6"	F990 150 F79U-065 STO AGA	900	2
		AR2 080 F79S 012 STC AGA			F611 Wafer Style Butterfly Automatic Shut-off and Vent Valve Series				
100	4"	AR2 100 F79U 024 STC AGA	1200	2	Rated Working Temperature 0°C - 60°C				
		AR2 100 F79S 036 STC AGA			Automatic Shut-off Valves (Class 1)				
125	5"	AR2 125 F79U 036 STC AGA	1200	2	40	1 1/2"	F611 040 F79U 006 STC AGA	1000	2
		AR2 125 F79S 036 STC AGA					F611 040 F79S 006 STC AGA		
150	6"	AR2 150 F79U 036 STC AGA	1200	2	50	2"	F611 050 F79U 006 STC AGA	1000	2
		AR2 150 F79S 036 STC AGA					F611 050 F79S 006 STC AGA		
Vent Valves					Vent Valves				
AR1 Series					AR1 Series				
50	2"	AR1 050 F79U 012 STO AGA	1200	2	65	2 1/2"	F611 065 F79U 012 STC AGA	1000	2
		AR1 050 F79S 012 STO AGA					F611 065 F79S 012 STC AGA		
65	2 1/2"	AR1 065 F79U 012 STO AGA	1200	2	80	3"	F611 080 F79U 012 STC AGA	1000	2
		AR1 065 F79S 012 STO AGA					F611 080 F79S 023 STC AGA		
80	3"	AR1 080 F79U 024 STO AGA	1200	2	100	4"	F611 100 F79U 024 STC AGA	1000	2
		AR1 080 F79S 036 STO AGA					F611 100 F79S 023 STC AGA		
100	4"	AR1 100 F79U 024 STO AGA	1200	2	125	5"	F611 125 F79U 036 STC AGA	1000	2
		AR1 100 F79S 036 STO AGA					F611 125 F79S 046 STC AGA		
125	5"	AR1 125 F79U 036 STO AGA	1200	2	150	6"	F611 150 F79U 065 STC AGA	1000	2
		AR1 125 F79S 036 STO AGA					F611 150 F79S 072 STC AGA		
150	6"	AR1 150 F79U 065 STO AGA	1200	2	Vent Valves				
		AR1 150 F79S 072 STO AGA			40	1 1/2"	F611 040 F79U 006 STO AGA	1000	2
AR2 Series					AR2 Series				
50	2"	AR2 050 F79U 012 STO AGA	1200	2	50	2"	F611 050 F79S 006 STO AGA	1000	2
		AR2 050 F79S 012 STO AGA					F611 050 F79S 006 STO AGA		
65	2 1/2"	AR2 065 F79U 012 STO AGA	1200	2	65	2 1/2"	F611 065 F79U 024 STO AGA	1000	2
		AR2 065 F79S 012 STO AGA					F611 065 F79S 012 STO AGA		
					80	3"	F611 080 F79U 024 STO AGA	1000	2
							F611 080 F79S 023 STO AGA		

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)
Tyco Flow Control Pacific Pty Ltd Continued					Tyco Flow Control Pacific Pty Ltd Continued				
KEYSTONE					RICHARDS				
100	4"	F611 100 F79U 036 STO AGA	1000	2			040 R183 F79S 023 STC AGA		
		F611 100 F79S 023 STO AGA					040 R183 F79B 023 STC AGA		
125	5"	F611 125 F79U 065 STO AGA	1000	2	50	2"	050 R183 F79U 024 STC AGA	5000	2
		F611 125 F79S 046 STO AGA					050 R183 F79S 036 STC AGA		
150	6"	F611 150 F79U 065 STO AGA	1000	2			050 R183 F79B 036 STC AGA		
		F611 150 F79S 072 STO AGA			65	2½"	065 R183 F79U 036 STC AGA	5000	2
F612 Lugged Style Butterfly Automatic Shut-Off And Vent Valve Series							065 R183 F79S 036 STC AGA		
Rated Working Temperature 0°C - 60°C							065 R183 F79B 036 STC AGA		
Automatic Shut-off Valves (Class 1)							080 R183 F79U 065 STC AGA	5000	2
40	1½"	F612 040 F79U 006 STC AGA	1000	2			080 R183 F79S 072 STC AGA		
		F612 040 F79S 006 STC AGA					080 R183 F79B 072 STC AGA		
50	2"	F612 050 F79U 006 STC AGA	1000	2					
		F612 050 F79S 006 STC AGA							
65	2½"	F612 065 F79U 012 STC AGA	1000	2					
		F612 065 F79S 012 STC AGA							
80	3"	F612 080 F79U 012 STC AGA	1000	2					
		F612 080 F79S 023 STC AGA							
100	4"	F612 100 F79U 024 STC AGA	1000	2					
		F612 100 F79S 023 STC AGA							
125	5"	F612 125 F79U 036 STC AGA	1000	2					
		F612 125 F79S 046 STC AGA							
150	6"	F612 150 F79U 065 STC AGA	1000	2					
		F612 150 F79S 072 STC AGA							
Vent Valves									
40	1½"	F612 040 F79U 006 STO AGA	1000	2					
		F612 040 F79S 006 STO AGA							
50	2"	F612 050 F79U 006 STO AGA	1000	2					
		F612 050 F79S 006 STO AGA							
65	2½"	F612 065 F79U 024 STO AGA	1000	2					
		F612 065 F79S 012 STO AGA							
80	3"	F612 080 F79U 024 STO AGA	1000	2					
		F612 080 F79S 023 STO AGA							
100	4"	F612 100 F79U 036 STO AGA	1000	2					
		F612 100 F79S 023 STO AGA							
125	5"	F612 125 F79U 065 STO AGA	1000	2					
		F612 125 F79S 046 STO AGA							
150	6"	F612 150 F79U 065 STO AGA	1000	2					
		F612 150 F79S 072 STO AGA							
All packages available with:									
- Keystone F79U or F79S spring to close or spring to open pneumatic actuators									
- Asco 314, 551, 307, 327 series solenoid valves									
- Asco MV27 series ¼" or ½" quick exhaust valves									
- Vicker AQE series ¼" or ½" quick exhaust valves									
Keystone F792LP or F792K switch boxes with position proving and position indicating									
Tyco Flow Control Pacific Pty Ltd									
RICHARDS									
7555 11.09									
R183 & R184 Pneumatic Automatic Shut-Off & Vent Ball Valve Series									
Rated Working Temperature: 0°C - 60°C									
Automatic Shut-Off Valves									
R183 Series									
15	½"	015 R183 F79U 006 STC AGA	5000	2					
		015 R183 F79S 006 STC AGA							
20	¾"	020 R183 F79U 006 STC AGA	5000	2					
		020 R183 F79S 006 STC AGA							
25	1"	025 R183 F79U 012 STC AGA	5000	2					
		025 R183 F79S 012 STC AGA							
32	1¼"	032 R183 F79U 012 STC AGA	5000	2					
		032 R183 F79S 012 STC AGA							
40	1½"	040 R183 F79U 024 STC AGA	5000	2					
R184 Series									
15	½"	015 R184 F79U 003 STO AGA	5000	2					
		015 R184 F79S 003 STO AGA							
20	¾"	020 R184 F79U 006 STO AGA	5000	2					
		020 R184 F79S 006 STO AGA							
25	1"	025 R184 F79U 006 STO AGA	5000	2					
		025 R184 F79S 006 STO AGA							
32	1¼"	032 R184 F79U 012 STO AGA	5000	2					
		032 R184 F79S 012 STO AGA							
40	1½"	040 R184 F79U 024 STO AGA	5000	2					
		040 R184 F79S 012 STO AGA							
50	2"	050 R184 F79U 024 STO AGA	5000	2					
		050 R184 F79S 023 STO AGA							
		050 R184 F79B 023 STO AGA							
		065 R184 F79U 024 STC AGA							
		065 R184 F79S 036 STC AGA							
		065 R184 F79B 036 STC AGA							
		080 R184 F79U 036 STC AGA							
		080 R184 F79S 036 STC AGA							
		080 R184 F79B 036 STC AGA							
		015 R183 F79U 006 STO AGA	5000	2					
		015 R183 F79S 006 STO AGA							
		020 R183 F79U 006 STO AGA	5000	2					
		020 R183 F79S 006 STO AGA							
		025 R183 F79U 012 STO AGA	5000	2					
		025 R183 F79S 012 STO AGA							
		032 R183 F79U 024 STO AGA	5000	2					
		032 R183 F79S 012 STO AGA							
		040 R183 F79U 024 STO AGA	5000	2					
		040 R183 F79S 012 STO AGA							
		050 R183 F79U 024 STO AGA	5000	2					
		050 R183 F79S 023 STO AGA							
		050 R183 F79B 023 STO AGA							
		065 R183 F79U 065 STO AGA	5000	2					
		065 R183 F79S 072 STO AGA							
		065 R183 F79B 072 STO AGA							
		080 R183 F79U 065 STO AGA	5000	2					
		080 R183 F79S 072 STO AGA							
		080 R183 F79B 072 STO AGA							

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated		
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)	
Tyco Flow Control Pacific Pty Ltd Continued					Tyco Flow Control Pacific Pty Ltd Continued					
RICHARDS					RICHARDS					
		050 R184 F79S 023 STO AGA			100	4"	R713 100 F79U-065 STO AGA	5000	2	
		050 R184 F79B 023 STO AGA					R713 100 F79S-072 STO AGA			
65	2½"	065 R184 F79U 036 STO AGA	5000	2	150	6"	R713 150 F79U-090 STO AGA	5000	2	
		065 R184 F79S 036 STO AGA					R713 150 F79S-144 STO AGA			
		065 R184 F79B 036 STO AGA			R384 Series 3 Piece Reduced Bore Firesafe Ball Valve. BSPT and NPT Screwed and Welded End Connections.					
80	3"	080 R184 F79U 065 STO AGA	5000	2	15	½"	R384 015 F79U-002 STO AGA	6000	2	
		080 R184 F79S 072 STO AGA			20	¾"	R384 020 F79U-002 STO AGA	6000	2	
		080 R184 F79B 072 STO AGA			25	1"	R384 025 F79U-003 STO AGA	6000	2	
All R183 and R184 packages available with:					32	1¼"	R384 032 F79U-003 STO AGA	6000	2	
-		Keystone F79U, F79S or F79B spring to close or spring to open pneumatic actuators			40	1½"	R384 040 F79U-003 STO AGA	6000	2	
-		Asco 314, 551, 307, 327 series solenoid valves			50	2"	R384 050 F79U-006 STO AGA	6000	2	
-		Goyen model 10ISS5/2N solenoid valve (15m remote mount)			All R384 packages available with:					
-		Asco 542 series solenoid valve (15m remote mount)			-		Keystone F79U spring to open pneumatic actuators			
-		Asco MV27 series ¼" or ½" quick exhaust valves			-		Asco 314, 551, 307, 327 series solenoid valves			
-		Vicker AQE series ¼" or ½" quick exhaust valves			-		Goyen model 10ISS5/2N solenoid valve (15m remote mount)			
-		Keystone F792LP or F792K switch boxes with position proving and position indicating			-		Asco 542 series solenoid valve (15m remote mount)			
					-		Asco MV27 series ¼" or ½" quick exhaust valves			
					-		Vicker AQE series ¼" or ½" quick exhaust valves			
					-		Keystone F792LP or F792K switch boxes with position proving and position indicating			
7556	11.09	R711, R713 and R384 Automatic Shut-Off & Vent Valve Series			R711 and R713 packages available with:					
Rated Working Temperature 0°C - 60°C					-		Keystone F79U or F79S spring to open pneumatic actuators			
Automatic Shut-Off Valve					-		Asco 314, 551, 307, 327 series solenoid valves			
R711 Series Flanged Reduced Bore Firesafe Ball Valve Class 150.					-		Goyen model 10ISS5/2N solenoid valve (15m remote mount)			
50	2"	R711 050 F79U-006 STC AGA	2000	2	-		Asco 542 series solenoid valve (15m remote mount)			
		R711 050 F79S-012 STC AGA	2000	2	-		Asco MV27 series ¼" or ½" quick exhaust valves			
80	3"	R711 080 F79U-036 STC AGA	2000	2	-		Vicker AQE series ¼" or ½" quick exhaust valves			
		R711 080 F79S-036 STC AGA	2000	2	-		Keystone F792LP or F792K switch boxes with position proving and position indicating			
100	4"	R711 100 F79U-065 STC AGA	2000	2						
		R711 100 F79S-072 STC AGA	2000	2						
150	6"	R711 150 F79U-065 STC AGA	2000	2						
		R711 150 F79S-072 STC AGA	2000	2						
R713 Series Flanged Reduced Bore Firesafe Ball Valve Class 300.					7557	11.09	R382 and R392 Automatic Shut-Off & Vent Ball Valve Series			
50	2"	R713 050 F79U-006 STC AGA	5000	2	Rated Working Temperature: 0°C - 60°C					
		R713 050 F79S-012 STC AGA	5000	2	Automatic Shut-Off Valves					
80	3"	R713 080 F79U-036 STC AGA	5000	2	R382 Series					
		R713 080 F79S-036 STC AGA	5000	2	15	½"	R382 015 F79U 002 STC AGA	6000	2	
100	4"	R713 100 F79U-065 STC AGA	5000	2	20	¾"	R382 020 F79U 002 STC AGA	6000	2	
		R713 100 F79S-072 STC AGA	5000	2	25	1"	R382 025 F79U 002 STC AGA	6000	2	
150	6"	R713 150 F79U-065 STC AGA	5000	2	32	1¼"	R382 032 F79U 003 STC AGA	6000	2	
		R713 150 F79S-072 STC AGA	5000	2	40	1½"	R382 040 F79U 003 STC AGA	6000	2	
R384 3 Piece Reduced Bore Firesafe Ball Valve. BSPT and NPT Screwed and Welded End Connections.					50	2"	R382 050 F79U 006 STC AGA	6000	2	
15	½"	R384 015 F79U-002 STC AGA	6000	2	R392 Series					
20	¾"	R384 020 F79U-002 STC AGA	6000	2	15	½"	R392 015 F79U 002 STC AGA	6000	2	
25	1"	R384 025 F79U-003 STC AGA	6000	2	20	¾"	R392 020 F79U 002 STC AGA	6000	2	
32	1¼"	R384 032 F79U-003 STC AGA	6000	2	25	1"	R392 025 F79U 003 STC AGA	6000	2	
40	1½"	R384 040 F79U-003 STC AGA	6000	2	32	1¼"	R392 032 F79U 003 STC AGA	6000	2	
50	2"	R384 050 F79U-006 STC AGA	6000	2	40	1½"	R392 040 F79U 006 STC AGA	6000	2	
Vent Valves					50	2"	R392 050 F79U 012 STC AGA	6000	2	
R711 Series Flanged Reduced Bore Firesafe Ball Valve Class 150.					Vent Valves					
50	2"	R711 050 F79U-006 STO AGA	2000	2	R382 Series					
		R711 050 F79S-012 STO AGA			15	½"	R382 015 F79U 002 STO AGA	6000	2	
80	3"	R711 080 F79U-036 STO AGA	2000	2	20	¾"	R382 020 F79U 002 STO AGA	6000	2	
		R711 080 F79S-036 STO AGA			25	1"	R382 025 F79U 002 STO AGA	6000	2	
100	4"	R711 100 F79U-065 STO AGA	2000	2	32	1¼"	R382 032 F79U 003 STO AGA	6000	2	
		R711 100 F79S-072 STO AGA			40	1½"	R382 040 F79U 003 STO AGA	6000	2	
150	6"	R711 150 F79U-090 STO AGA	2000	2	50	2"	R382 050 F79U 006 STO AGA	6000	2	
		R711 150 F79S-144 STO AGA			R392 Series					
R713 Series Flanged Reduced Bore Firesafe Ball Valve Class 300.					15	½"	R392 015 F79U 002 STO AGA	6000	2	
50	2"	R713 050 F79U-006 STO AGA	5000	2	20	¾"	R392 020 F79U 002 STO AGA	6000	2	
		R713 050 F79S-012 STO AGA			25	1"	R392 025 F79U 003 STO AGA	6000	2	
80	3"	R713 080 F79U-036 STO AGA	5000	2	32	1¼"	R392 032 F79U 003 STO AGA	6000	2	
		R713 080 F79S-036 STO AGA			40	1½"	R392 040 F79U 006 STO AGA	6000	2	

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)
Tyco Flow Control Pacific Pty Ltd Continued					Tyco Flow Control Pacific Pty Ltd Continued				
RICHARDS					RICHARDS				
50	2"	R392 050 F79U 012 STO AGA	6000	2	20	3/4"	R721 015 F79S 003 STO AGA	2000	2
All R382 and R392 packages available with:					20	3/4"	R721 020 F79U 006 STO AGA	2000	2
- Keystone F79U spring to open pneumatic actuators							R721 020 F79S 006 STO AGA	2000	2
- Asco 314, 551, 307 or 327 series solenoid valves							R721 020 F79B 006 STO AGA	2000	2
- Asco MV27 series 1/4" or 1/2" quick exhaust valves					25	1"	R721 025 F79U 006 STO AGA	2000	2
- Vicker AQE series 1/4" or 1/2" quick exhaust valves							R721 025 F79S 006 STO AGA	2000	2
- Keystone F792LP or F792K switch boxes with position proving and position indicating							R721 025 F79B 006 STO AGA	2000	2
7558 11.09					40	1 1/2"	R721 040 F79U 012 STO AGA	2000	2
R721 and R723 Automatic Shut-Off & Vent Ball Valve Series							R721 040 F79S 012 STO AGA	2000	2
Available in Carbon Steel or Stainless Steel							R721 040 F79B 015 STO AGA	2000	2
Rated Working Temperature: 0°C - 60°C					50	2"	R721 050 F79U 024 STO AGA	2000	2
Automatic Shut-Off Valves							R721 050 F79S 023 STO AGA	2000	2
R721 Series							R721 050 F79B 023 STO AGA	2000	2
15	1/2"	R721 015 F79U 003 STC AGA	2000	2	80	3"	R721 080 F79S 065 STO AGA	2000	2
		R721 015 F79S 003 STC AGA	2000	2			R721 080 F79S 036 STO AGA	2000	2
		R721 015 F79B 003 STC AGA	2000	2			R721 080 F79B 036 STO AGA	2000	2
20	3/4"	R721 020 F79U 006 STC AGA	2000	2	100	4"	R721 100 F79U 065 STO AGA	2000	2
		R721 020 F79S 006 STC AGA	2000	2			R721 100 F79S 072 STO AGA	2000	2
		R721 020 F79B-006 STC AGA	2000	2			R721 100 F79B 072 STO AGA	2000	2
25	1"	R721 025 F79U 006 STC AGA	2000	2	150	6"	R721 150 F79U 180 STO AGA	2000	2
		R721 025 F79S 006 STC AGA	2000	2			R721 150 F79S 135 STO AGA	2000	2
		R721 025 F79B-006 STC AGA	2000	2			R721 150 F79B 135 STO AGA	2000	2
40	1 1/2"	R721 040 F79U 012 STC AGA	2000	2	R723 Series				
		R721 040 F79S 012 STC AGA	2000	2	15	1/2"	R723 015 F79U 003 STO AGA	5000	2
		R721 040 F79B-015 STC AGA	2000	2			R723 015 F79S 003 STO AGA	5000	2
50	2"	R721 050 F79U 024 STC AGA	2000	2	20	3/4"	R723 020 F79U 006 STO AGA	5000	2
		R721 050 F79S 023 STC AGA	2000	2			R723 020 F79S 006 STO AGA	5000	2
		R721 050 F79B 023 STC AGA	2000	2			R723 020 F79B 006 STO AGA	5000	2
80	3"	R721 080 F79U 036 STC AGA	2000	2	25	1"	R723 025 F79U 006 STO AGA	5000	2
		R721 080 F79S 036 STC AGA	2000	2			R723 025 F79S 006 STO AGA	5000	2
		R721 080 F79B 036 STC AGA	2000	2			R723 025 F79B 006 STO AGA	5000	2
100	4"	R721 100 F79U 065 STC AGA	2000	2	40	1 1/2"	R723 040 F79U 012 STO AGA	5000	2
		R721 100 F79S 072 STC AGA	2000	2			R723 040 F79S 012 STO AGA	5000	2
		R721 100 F79B 072 STC AGA	2000	2			R723 040 F79B 015 STO AGA	5000	2
150	6"	R721 150 F79U 180 STC AGA	2000	2	50	2"	R723 050 F79U 036 STO AGA	5000	2
		R721 150 F79S 135 STC AGA	2000	2			R723 050 F79S 036 STO AGA	5000	2
		R721 150 F79B 135 STC AGA	2000	2			R723 050 F79B 036 STO AGA	5000	2
R723 Series					80	3"	R723 080 F79U 065 STO AGA	5000	2
15	1/2"	R723 015 F79U 003 STC AGA	5000	2			R723 080 F79S 072 STO AGA	5000	2
		R723 015 F79S 003 STC AGA	5000	2			R723 080 F79B 072 STO AGA	5000	2
20	3/4"	R723 020 F79U 006 STC AGA	5000	2	100	4"	R723 100 F79U 180 STO AGA	5000	2
		R723 020 F79S 006 STC AGA	5000	2			R723 100 F79S 100 STO AGA	5000	2
		R723 020 F79B 006 STC AGA	5000	2			R723 100 F79B 100 STO AGA	5000	2
25	1"	R723 025 F79U 006 STC AGA	5000	2	150	6"	R723 150 F79U 180 STO AGA	5000	2
		R723 025 F79S 006 STC AGA	5000	2			R723 150 F79S 210 STO AGA	5000	2
		R723 025 F79B 006 STC AGA	5000	2			R723 150 F79B 210 STO AGA	5000	2
40	1 1/2"	R723 040 F79U 006 STC AGA	5000	2	All R721 and R723 packages available with:				
		R723 040 F79S 012 STC AGA	5000	2	- Keystone F79U, F79S or F79B spring to close or spring to open pneumatic actuators				
		R723 040 F79B 015 STC AGA	5000	2	- Asco 314, 551, 307, 327 series solenoid valves				
50	2"	R723 050 F79U 024 STC AGA	5000	2	- Norgren 24010, 24011, 96000 & 97105 series solenoid valve				
		R723 050 F79S 023 STC AGA	5000	2	- Norgren ISO Star solenoid valve (15m remote mount)				
		R723 050 F79B 023 STC AGA	5000	2	- Goyen model 10ISS5/2N solenoid valve (15m remote mount)				
80	3"	R723 080 F79U 065 STC AGA	5000	2	- Asco 542 series solenoid valve (15m remote mount)				
		R723 080 F79S 046 STC AGA	5000	2	- Asco 317 Series solenoid valves with integrated quick exhaust valve				
		R723 080 F79B 046 STC AGA	5000	2	- Asco MV27 series 1/4" or 1/2" quick exhaust valves				
100	4"	R723 100 F79U 180 STC AGA	5000	2	- Vicker AQE series 1/4" or 1/2" quick exhaust valves				
		R723 100 F79S 100 STC AGA	5000	2	- Norgren Maxseal QEV series 1/4" or 1/2" quick exhaust valve				
		R723 100 F79B 100 STC AGA	5000	2	- Avid F792LP or F792K switch boxes with position proving and position indicating.				
150	6"	R723 150 F79U 180 STC AGA	5000	2					
		R723 150 F79S 210 STC AGA	5000	2					
		R723 150 F79B 210 STC AGA	5000	2					
Vent Valves									
R721 Series									
15	1/2"	R721 015 F79U 003 STO AGA	2000	2					

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

VENT VALVES (AS 4629)

NOTE 1: Unless otherwise specified in the listings below, the temperature rating covered by AGA certification is from 0°C - 60°C.

NOTE 2: Also see heading Automatic Shut-Off and Vent Valves

Ascomation Pty Ltd

ASCO

2508 4.76

030 Series Disc on seat valve. D.A. Sol.
 20 ¾ BSP # * 030B83 AC 14 2
 Ambient Temperature 0°C to 60°C
 # denotes Coil and Enclosure Type
 AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.
 * denotes Thread Type
 'B' NPT, 'D' BSPT and 'E' BSPP
 Solenoids AC only, 12V-440V
 (Consult Ascomation for options)

2509 4.76

210 Series. Disc on seat valve. Diaphragm Sol.
 20 ¾ BSP # * 210B35 AC/DC 420 2
 Ambient Temperature 0°C to 60°C
 # denotes Coil and Enclosure Type
 AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.
 * denotes Thread Type
 'B' NPT, 'D' BSPT and 'E' BSPP
 Solenoids AC: 12V-440V, DC: 6V-240V
 (Consult Ascomation for options)

2510 4.76

215 Series. Disc on seat valve. Diaphragm Sol.
 20 ¾ BSP # * 215137 AC 175 2
 20 ¾ BSP # * 215137 DC 100 2
 25 1 BSP # * 215B53 AC 175 2
 25 1 BSP # * 215B53 DC 100 2
 32 1¼ BSP # * 215B63 AC 175 2
 32 1¼ BSP # * 215B63 DC 100 2
 40 1½ BSP # * 215B73 AC 175 2
 40 1½ BSP # * 215B73 DC 100 2
 50 2 BSP # * 215B83 AC 175 2
 50 2 BSP # * 215B83 DC 100 2
 Ambient Temperature 0°C to 60°C
 # denotes Coil and Enclosure Type
 AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.
 * denotes Thread Type
 'B' NPT, 'D' BSPT and 'E' BSPP
 Solenoids AC: 12V-440V, DC: 6V-240V
 (Consult Ascomation for options)

Ascomation Pty Ltd Continued

ASCO

2868 11.82

262 Series Disc on seat valve. D.A. Sol.
 8 ¼ BSP # * 262A264 AC 315 2
 8 ¼ BSP # * 262A264 DC 175 2
 8 ¼ BSP # * 262A265 AC 210 2
 8 ¼ BSP # * 262A265 DC 100 2
 Ambient Temperature 0°C to 60°C
 # denotes Coil and Enclosure Type
 AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG, NEAG, WSAG, PAAG, NCAG and WPAG.
 * denotes Thread Type
 'B' NPT, 'D' BSPT and 'E' BSPP
 Solenoids AC: 12V-440V, DC: 6V-240V
 (Consult Ascomation for options)

Flowserve Australia Pty Ltd

WORCESTER

2727 4.80

F52 and K52 Series 15mm-150mm Reduced Bore Automatic Pneumatic Vent Valves 5000 2
 05*52-**66**/10RDB40, 07*52-**66**/10RDB40, 10*52-**66**/10RDB40, 15*52-**66**/15RDB40, 20*52-**66**/20RDB40, 30*52-**66**/33RDB40, 40*52-**66**/35RDB40 and 60*52-**66**/42RDB40
 Note:
 1. 3rd character '**' designates F, K or A variation
 2. 6th and 7th characters '***' designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character '*' designates seat material ie T = PFTE, R = RPFTE, 11th Character designates stem seal material, ie T = PFTE, Z = Graphite
 3. The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.
 4. Optional Norbro J-Switch proving and position indicating switch boxes, ASCO silencers & Automatic XCL/XML Ultraswitch.

2728 4.80

F51 and K51 Series 15mm – 150mm ANSI Flanged 150, Raised Face Vent Valves, Models: 1900 2
 05*51-**66*T/10RDB40, 07*51-**66*T/10RDB40, 10*51-**66*T/10RDB40, 15*51-**66*T/15RDB40, 20*51-**66*T/20RDB40, 30*51-**66*Z/30RDB40, 40*51-**66*Z/33RDB40 and 60*51-**66*Z/40RDB40
 Note:
 1. 3rd character '**' designates F or K variation
 2. 6th and 7th characters '***' designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character '*' designates seat material ie T = PFTE, 'R' = RPFTE, 11th Character designates seal material, ie T = PFTE, Z = Graphite
 3. The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.
 4. Optional Norbro J-Switch proving and position indicating switch boxes; ASCO silencers & Automax XCL/XML Ultraswitch
 Temperature Range: 0°C to 60°C

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Flowserve Australia Pty Ltd Continued
WORCESTER

2739	5.81	F44 Series, Reduced Bore, Pneumatic Vent Valve		
15	½"	05F44-**66*Z/10RDB40	5000	3
20	¾"	07F44-**66*Z/10RDB40	5000	3
25	1"	10F44-**66*Z/10RDB40	5000	3
32	1¼"	12F44-***Z/10RDB40	5000	3
40	1½"	15F44-**66*Z/15RDB40	5000	3
50	2"	20F44-**66*Z/20RDB40	5000	3

- Note:
1. 6th & 7th Characters '**' Designates Body Material, i.e. 4= Carbon steel, 6 = Stainless Steel, 10th Character '*' Designates Seat Material, ie. T = PFTE, (teflon) R = RPFTE (15% glass reinforced Teflon)
 2. The AGA Approved Actuator/Valve Combinations are based upon a Specified Rated Supply Pressure (Air) of 550 to 700 kPa.
 3. Optional: Norbo 'J-Switch' Proving & Position Indicating Switch Boxes & Automax Ultraswitch XCL/XML
 4. End Connection Options are: 'Set' = NPT Threads, 'Sep' = BSP Threads 'SW' = Socket Weld & 'BW' = Butt Weld

6827	7.05	F519, F529, F819 and F829 Series Vent Valves		
15mm – 40mm ANSI Flanged 150 Raised Face	1900	2	One Piece Body	

05F519 *66** 10RDB40, 07F519 *66** 10RDB40, 10F519 *66** 10RDB40 and 15F519 *66** 15RDB40	50mm – 150mm ANSI Flanged 150 Raised Face	1900	2	Two Piece Body
-------------------------------------------------------------------------------------------	-------------------------------------------	------	---	----------------

20F819 *66** 20RDB40, 30F819 *66** 33RDB40, 40F819 *66** 35RDB40 & 60F819 *66** 42RDB40	15mm – 40 mm ANSI Flanged 300 Raised Face	5000	2	One Piece Body
-----------------------------------------------------------------------------------------	-------------------------------------------	------	---	----------------

05F529 *66** 10RDB40, 07F529 *66** 10RDB40, 10F529 *66** 10RDB40 & 15F529 *66** 15RDB40	50mm – 150mm ANSI Flanged 300 Raised Face,	5000	2	Two Piece Body
-----------------------------------------------------------------------------------------	--------------------------------------------	------	---	----------------

20F829 *66** 20RDB40, 30F829 *66** 33RDB40, 40F829 *66** 35RDB40 & 60F829 *66** 42RDB40				
-----------------------------------------------------------------------------------------	--	--	--	--

1. 7th Character '**' designates major component material, i.e. 4= carbon steel, 6 = stainless steel, 10th character '*' designates seat material, ie. T = PFTE, R = RPFTE, 11th character designates seal material, i.e. T = PFTE, Z = Graphite.
2. The AGA approved actuator/valve combination are based upon a specified rated supply pressure (Air) of 550 to 700 kPa.
3. Optional: Norbo 'J-Switch' proving & position indicating switch Boxes, Asco silences & Automax XCL/XML ultraswitch

Maxon Corporation –Agent: Techrite Controls Australia P/L
MAXON

2446	1.76	MA21 Series. Sliding Gate Valve. Electrically operated.		
-------------	-------------	---------------------------------------------------------	--	--

20	¾	075 S MA21	860	3
25	1	100 S MA21	860	3
40	1½	150 S MA21	480	3
50	2	200 S MA21	480	3
65	2½	250 C MA21	340	3
80	3	300 C MA21	275	3
100	4	400 C MA21	275	3

2447	1.76	MM21 Series. Sliding Gate Valve. Electrically actuated.		
-------------	-------------	---------------------------------------------------------	--	--

20	¾	075 S MM21	860	3
25	1	100 S MM21	860	3
40	1½	150 S MM21	480	3
50	2	200 S MM21	480	3

Maxon Corporation –Agent: Techrite Controls Australia P/L
MAXON Continued

7433	2.09	8000 Series Normally Open (Vent) Electro Pneumatic Valve Class 1		
-------------	-------------	------------------------------------------------------------------	--	--

20	¾"	(075)(S)(81)(2)(1,2,3) (A,C)(A,B,C,F)(1)	1380	3
----	----	------------------------------------------	------	---

25	1"	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1380	3
----	----	-----------------------------------------------	------	---

25	1"	(100)(S)(81)(2)(1,2,3)(A,C)(A,B,C,F)(1)	1760	3
----	----	-----------------------------------------	------	---

25	1"	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1380	3
----	----	-----------------------------------------------	------	---

40	1½"	(100)(S)(81)(2)(1,2,3)(A,C,E,F,G)(A,B,C,F)	1760	3
----	-----	--------------------------------------------	------	---

40	1½"	(2,5,6)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1380	3
----	-----	------------------------------------------------------	------	---

40	1½"	(150)(S)(81)(2)(1,2,3)(A,C,E,F,G)(A,B,C,F)	1760	3
----	-----	--------------------------------------------	------	---

40	1½"	(2,5,6)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1380	3
----	-----	------------------------------------------------------	------	---

50	2"	(200)(S)(81)(2)(1,2,3)(A,B,C,D,H)(A,B,C,F)	1760	3
----	----	--------------------------------------------	------	---

50	2"	(1)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1380	3
----	----	--------------------------------------------------	------	---

50	2"	(200)(S)(81)(2)(1,2,3)(A,C,E,F,G)(A,B,C,F)	1760	3
----	----	--------------------------------------------	------	---

50	2"	(2,5,6)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1760	3
----	----	------------------------------------------------------	------	---

65	2½"	(250)(C)(80)(2)(1,2,3)(A,B,C,D)(A,B,C,F)(1)	345	3
----	-----	---------------------------------------------	-----	---

65	2½"	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	345	3
----	-----	-----------------------------------------------	-----	---

65	2½"	(250)(C)(80)(2)(1,2,3)(B,D,H)(A,B,C,F)(2,5,6)	1207	3
----	-----	-----------------------------------------------	------	---

65	2½"	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	1207	3
----	-----	-----------------------------------------------	------	---

80	3"	(300)(C)(80)(2)(1,2,3)(A,B,C,D,H)(A,B,C,F)	275	3
----	----	--------------------------------------------	-----	---

80	3"	(1)(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	275	3
----	----	--------------------------------------------------	-----	---

80	3"	(300)(C)(80)(2)(1,2,3)(B,D,H)(A,B,C,F)(2,5,6)	930	3
----	----	-----------------------------------------------	-----	---

80	3"	(1,2,3,4,5)(A,B,D,E,G,H,J)(0,1,2,3,4)(A,B)(0)	930	3
----	----	-----------------------------------------------	-----	---

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

**Metso Automation USA Inc
JAMESBURY**

6777 5.05

Series 4000

15	½ 4 A ##### #1	6895	3
20	¾ 4 A ##### #1	6895	3
25	1 4 A ##### #1	6895	3
40	1½ 4 A ##### #1	6895	3
50	2 4 A ##### #1	6895	3

Reduced Bore

4th – 7th Characters denote 2236 or 3600

8th – 9th Characters denote TT, MT or XT

20	¾ 4 B ##### #1	6895	3
25	1 4 B ##### #1	6895	3
40	1½ 4 B ##### #1	6895	3

Full Bore

4th – 7th Characters denote 2236 or 3600

8th – 9th Characters denote TT, MT or XT

Assemblies marked "Vent" and includes:

Quadra-Powr II actuator – QP1C/M

Asco pilot operated solenoid valve – EF8316G54

Stonel Quartz position indicating switch types

QZM or QZP

Metso Automation USA Inc

Agent: Metso Automation (ANZ) Pty Ltd

JAMESBURY

6779 5.05

Series 7000

# 7150 31 ##### #1	2000	3
# 7180 31 ##### #1	2000	3

1st Character denotes size in inches

(½, ¾, 1, 1½, 2, 3, 4 or 6)

8th – 11th Characters denote 2236 or 3600

12th – 14th Characters denote TTT, MTT or XTZ

Vent Valve Assemblies include:

Quadra-Powrx Pneumatic actuators – QPX1C/M (½"

to 1½"), QPX2C/M(2"), QPX3C/M (3" & 4"), QPX4C/M (6")

Solenoid pilot valves - Asco EF8316G54 or

Norgren EEx I-2401012.20

Position indicating switch StoneL Quartz –QX

The AGA approved actuator/valve combinations are based upon a specified rated supply pressure (air) of 410 to 680 kPa

**OneSteel Piping Systems A Business of OneSteel Trading P/L
EMICO/EL-O-MATIC**

6566 3.04

Emico Full Bore Ball Valves/El-O-Matic Spring to Close

Actuator

15	½"	V 15 * ***	5000	2
20	¾"	V 20 * ***	5000	2
25	1"	V 25 * ***	5000	2
40	1½"	V 40 * ***	5000	2
50	2"	V 50 * ***	5000	2

V: Vent valve – Emico EA 305A or EA305C

*: Body construction ie A = Stainless Steel, B = Carbon Steel

***: Limit Switch APL = APL310N & APL510N,

HDX = El-O-Matic HDX model H2

Additional Package Details:

Actuators – El-O-Matic models:

15mm package: ES0012.MIA0202A.09K (ES12 prior to May 2003)

20mm package: ES0025.MIA04A.11K (ES25 prior to May 2003)

25mm package: ES0040.MIA04A.14K (ES40 prior to May 2003)

40mm package: ES0065.MIA04A.14K (ES65 prior to May 2003)

50mm package: ES0100.MIA04A.19K (ES100 prior to May 2003)

Solenoid valve: Burkert 6519 (namur) NB: Pressure limited to

**OneSteel Piping Systems A Business of OneSteel Trading P/L
EMICO/EL-O-MATIC Continued**

800 kPa (700 kPa with I.S. coil), Voltages (AC/DC): 24, 110, 240

Silencer (std on all packages): SAS brand, SFS series,

Model 2SEP, size ¼"

Isolation valve: Emico valves are available with NPT, BSP thread

forms or socket weld ends. Working temperature 0-60°C

**OneSteel Piping Systems A Business of Onesteel Trading P/L
KITZ/EL-O-MATIC**

6116 5.01

Class 150 and 300 Vent Valves

150	SCTAM-FS (C) Reduced Port	1900	2
300	SCTAM-FS (C) Reduced Port	4920	2
150	SCTBZM-FS (C) Full Port	1900	2
300	SCTBZM-FS (C) Full Port	4920	2

Fitted with various models El-O-Matic

Actuators and Burkert model 6519 ¼" solenoids

Sizes 15-150 mm NB

Valve Monitoring Switches Apl-310N & APL-510N

**OneSteel Piping Systems A Business of OneSteel Trading P/L
TURNFLO**

6444 9.03

T3 and T5 (Wafer Body) – T4 and T6 (Lugged Body) Butterfly

Valves, NB 50, 65, 80, 100, 125 and 150mm 1050 2

Note: Valve package includes El-o-matic type ES pneumatic

actuator/Burkert type 6519 solenoid valve, coil voltages

either 240, 110, 28, 24 and 12/VSR quick exhaust-silencer/

Valve Monitoring Switches APL-310N & APL-510N

RMG Atlas Pty Ltd

RMG

6204 6.02

EVO & EVSO Series Direct Acting, Disc on Seat Solenoid Valve.

Threaded and Flanged Valves.

Threaded Valves:

10	Rp ¾"	02-EVO 3-4R	20	3
15	Rp ½"	02-EVO 5-4R	20	3
20	Rp ¾"	02-EVO 7-4R	20	3
8	Rp ¼"	1-EVO 2-4R	100	3
10	Rp ¾"	1-EVO 3-4R	100	3
15	Rp ½"	1-EVO 5-4R	100	3
20	Rp ¾"	1-EVO 7-4R	100	3
25	Rp 1"	1-EVO 10-4R	100	3
25	Rp 1"	10-EVO 10-4R	1000	3
8	Rp ¼"	4-EVO 2-4R	400	3
10	Rp ¾"	4-EVO 3-4R	400	3
15	Rp ½"	4-EVO 5-4R	400	3
20	Rp ¾"	4-EVO 7-4R	400	3
10	Rp ¾"	6-EVO 3-4R	600	3
15	Rp ½"	6-EVO 5-4R	600	3
15	Rp ½"	25-EVSO 5-4R	2500	3
15	Rp ½"	40-EVSO 5-4R	4000	3

Flanged Valves

DN 15	1-EVO 5N-4R	100	3
	1-EVO 5NH-4R		
DN 20	1-EVO 7N-4R	100	3
	1-EVO 7N(H)-4R		
DN 25	1-EVO 10N-4R	100	3
	1-EVO 10N(H)-4R		
DN 32	1-EVO 12N-4R	100	3
	1-EVO 12NH-4R		
DN 40	1-EVO 15N-4R	100	3
	1-EVO 15NH-4R		
DN 50	1-EVO 20N-4R	100	3
	1-EVO 20NH-4R		

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

RMG Atlas Pty Ltd Continued

RMG

- Notes:
1. Operating position – all valves vertical ± 5°, except ‘W’ suffix valves, suitable for vertical or horizontal.
 2. Optional position indicator.
 3. Supply voltage – 24Vac to 230 Vac or 24 Vdc to 230 Vdc
 4. Temperature Rating: -20 to +60°C

6349 12.02

EPVO Series Electro-Pneumatic, Disc On Seat Vent Valve.

7	Rp ¾	10-4-EPVO 7-4R	1000	3
10	DN 25	10-4-EPVO 10NH-4R	1000	3
20	DN 50	10-4-EPVO 20NH-4R	1000	3
25	DN 65	10-EPVO 25NH-4R	1000	3

Note: Operating position – all valves, except “W” suffix valves, solenoid vertical

Temperature Rating: -20 to +60°C

System Control Engineering Pty Ltd

KROMSCHRODER

2725 4.80

VAN Series. Disc on seat valve. Electrohyd.

15	½ BSP	VAN ½”	20	3
20	¾ BSP	VAN ¾”	20	3
25	1 BSP	VAN 1”	20	3
40	1½ BSP	VAN 1½”	20	3
50	2 BSP	VAN 2”	20	3

Techrite Controls Australia Pty Ltd

DUNGS

4135 11.86

LGV Series. Disc on seat valve. D.A. Sol.

20	¾ BSP	LGV507/5	50	1
----	-------	----------	----	---

LPG AUTOMOTIVE COMPONENTS

VAPORISER/REGULATORS (AS/NZS 1425)

Bigas International Autogas Systems s.r.l

BIGAS

7197	10.07	LPG Automotive Vaporiser/Regulator Models: RI-21 and RI-21M
7471	4.09	LPG Automotive Vaporiser/Regulator Models: M94 and M94/AU
7472	4.09	LPG Automotive Vaporiser Regulator Models: M84/99 and M84/99-AU

Boemo Engineering Pty Ltd

BRC

5294	6.95	Automotive Vaporiser/Regulator Model AT 90 E	MWP 2.6 MPa
------	------	-------------------------------------------------	-------------

Boemo Engineering Pty Ltd

DYMCO

7715	11.10	LPG Vapouriser Regulator Model: GISL – R2000
------	-------	-------------------------------------------------

Boemo Engineering Pty Ltd

EASYJET

7365	10.08	Regulator with Integral Lock-off Model: VIR2	MWP 3 MPa
------	-------	-------------------------------------------------	-----------

Impco Technologies Pty Ltd

3103	6.80	Series E Models EB, EB-2 and EB-2-856
3104	6.80	Models Cobra, Cobra-I & Cobra-II
3423	12.82	L Series Models LB and LB-2
7585	12.09	M.T.M. Vaporiser/Regulator AT90E Series Models: 100KW, 140KW, Super

Impco Technologies Pty Ltd

M.T.M.

6749	2.05	Vaporiser Regulator Model Genius
------	------	----------------------------------

Impco Technologies Pty Ltd

M.T.M. ITALY

6748	2.05	Vaporiser Regulator Model: Genius Max
------	------	---------------------------------------

LG Motor-Gas Pty Ltd

4971	6.93	Vaporiser/Regulator Model: B2
5395	9.97	Vaporiser/Regulator Models: P4 and P6

Lovato Gas SpA - Agent: Lovato Autogas Pty Ltd

LOVATO

7524	10.09	Automotive Vaporiser/ Pressure Regulator Model: RGJ	4500 kPa
------	-------	-----------------------------------------------------------	----------

MED (Aust) Pty Ltd

AIROD AUTOGAS EQUIPMENT

4795	2.92	Airod E40	MWP 2.6 MPa
------	------	-----------	-------------

Poliauto Ing. Pietro Parletti & C snc

Agent: Parnell LP Gas Systems Pty Ltd

POLIAUTO

5026	7.93	Poliauto Vaporiser Regulator Models: 72C4 and 83C5	MWP 3.0 Mpa
------	------	-------------------------------------------------------	-------------

Rainbow CNG Service Station Ltd

NGV MOTORI

7607	12.09	Vaporiser Regulator Model: NGV G1S
------	-------	---------------------------------------

Sprint Gas (Aust) Pty Ltd

OMVL

5254	1.95	Electronic LPG Vaporiser Regulator Model R90/E
------	------	---------------------------------------------------

United MSR Pty Ltd T/as Indus Autogas Equipment

HERCULES

6957	5.06	LPG Automotive Vaporiser Model: Version C
------	------	----------------------------------------------

Vialle Alternative Fuel Systems BV

Agent: Boral Alternative Fuel Systems

5518	2.97	Type F, Type F4/F5 Adjustable & Non- Adjustable Models, Type F5 Model 5964.1
------	------	---------------------------------------------------------------------------------

FUEL LOCK OFF VALVES (AS/NZS 1425)

AMR Manufacturing Pty Ltd

AMR

5625	7.98	Fuel Lock Off Valve Model GL20	MWP 2.6 MPa
------	------	-----------------------------------	-------------

Ascomation Pty Ltd

ASCO

3130	9.80	LPG Fuel Lock-Off Valve USAGD 262 C 14V USAGB 262 C 14V Ambient Temperature 0°C - 60°C MWP: 1900 kPa Solenoid Valve: 12V DC
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------

Bigas International Autogas Systems s.r.l

BIGAS

7198	10.07	LPG Automotive Fuel Lock-off Valve Model: EGM-04
------	-------	--------------------------------------------------------

Boemo Engineering Pty Ltd

MTM

5295	6.95	Fuel Lock-Off Valve with Filter Model: ET98	MWP 3.0 MPa
7415	2.09	Fuel Lock-Off Valve Model: River	MWP 3.0 MPa

Goyen Controls Company Pty Ltd**GOYEN**

3239	6.81	Series 1Q3M and 1Q6M Fuel Lock-Off Valves 1QxM-A1BVT-7uv7 x= '3' 1/8 Pipe thread x= '6' 1/4 Pipe thread u= '0' Din Socket u= '1' Screw terminals in Nema 1 Metric enclosure u= '3' Screw terminals - open C frame u= '4' Twin flying leads u= '5' 6.3mm spade terminals – open C frame u= '6' 2 core cable - open C frame v= '2' 24V v= 'D' 12V
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Impco Technologies Pty Ltd**IMPCO**

3102	6.80	Vacuum Fuellock Filter Models VFF30 and VFF30-2
6747	2.05	Fuel Lock-off Valve (With or Without Filter) Model ET98

MED (Aust) Pty Ltd**AIROD**

5331	6.97	Electronic Service Tap (Lock-off Valve) Model: EST 072	MWP 2.6 MPa
------	------	--------------------------------------------------------------	-------------

MED (Aust) Pty Ltd

6135	10.01	Valtek and Airod LPG Fuel Lock-Off Valve Type 07 - Direct Mounting	3 MPa
		Type 07.LPG.14 – Direct Mounting	3 MPa

MED (Aust) Pty Ltd**VALTEK**

5528	5.97	Airod Series 01 Auto Lock Off Valve Model VAL01	MWP 2.6 MPa
5572	6.97	Airod Series Model EST097 – Type 73LPS.01	MWP 2.6 MPa
6558	6.04	Model 05.LPG.13 Fuel Lock Off Valve	MWP 2.6 MPa

OMB Saleri SpA**OMB/AIROD**

7211	11.07	OMB or Airod Type MB2
7212	11.07	Type B2

Poliauto Ing. Pietro Parletti & C snc

Agent: Parnell LP Gas Systems Pty Ltd

POLIAUTO

5025	7.93	LPG Fuel Lock-Off Valve Model: DGM-11009	MWP 3.0 MPa
------	------	---------------------------------------------	-------------

Valtek SpA - Agent: M.E.D. (Aust) Pty Ltd

7264	4.08	Automotive LPG Fuel Lock Off Valve Models: 08.LPG.08 DX, 08.LPG.08 SX, 08.LPG.09 DX, 08.LPG.09 SX, 08.LPG.10 DX, 08.LPG.10 SX
------	------	----------------------------------------------------------------------------------------------------------------------------------------------

CONTAINER FITTINGS (AS/NZS 1425)**AMR Manufacturing Pty Ltd****AMR**

5079	1.94	LPG Filler Valves – Panel Mount and Universal Models Designed to Suit Ford Vehicle Models RF27XF – XD, XE, XF Sedans RF27EA – EA-ED Sedans RF27EALW – EA/EL Wagons RF27EFL – EF/EL Sedans RF27AU – AU Falcon Sedans & Wagons Models Designed to Suit Holden Vehicle Models RF27VB – VB-VK Sedans and Wagons RF27VN – VN-VS Sedans and Wagons RF27VL – VL Sedans and Wagons RF27HQ – HQ Sedans RF27VT – VT Sedans RF27VTW – VT Wagons Models Designed to Suit Mitsubishi Vehicle Models RF27TE – TE Sedans RF27TEW – TE Wagons RF27TR/TS – TR/TS Sedans RF27PJ – Pajero Wagons Models Designed to Suit Toyota Vehicle Models RF27FJ80 – FJ80 Landcruiser '95 Wagons RF27FJ100 – FJ100 Series Landcruiser Wagons RF27HA – Hi Ace Vans Models Designed to Suit Nissan Vehicle Models RF27GQ – GQ Patrol Wagons RF27GU – GU Patrol Wagons Model Designed to Suit Jeep Vehicle Model RF27JEP – Grand Cherokee Wagons Note: General use RF27 P/Van under trays etc. RF20STR straight filler for general purpose, fork lift filler RF27DFA for fork lift cylinder LPG panel mounted fillers. RF20 comes in a range of 6 colours and is designed for fitment into vehicle panels.
------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Sidek Industries Pty Ltd

5169	9.94	Fuel Shut-off Valve Model ST 100C Threaded	2600 kPa
		Automatic Model ST 100B Flanged	2600 kPa
		Automatic Model ST 100 FL Threaded	3300 kPa
		Manual	
5678	9.98	LPG Multivalve Model Quadvalve	

Sprint Gas (Aust) Pty Ltd

5876	5.99	Models T1 and T2 Automotive Multivalves
------	------	--------------------------------------------

MISCELLANEOUS COMPONENTS (AS/NZS 1425)

Mann and Hummel Australia Pty Ltd

FORD

7762	5.11	Automotive Fuel Filter Model: AR29-9155-A (MWP 2.55 Mpa) Maximum Working Temp. -20°C to 120°C
------	------	-----------------------------------------------------------------------------------------------------

GAS FUEL SYSTEMS FOR FORKLIFTS AND INDUSTRIAL ENGINES (AS 4983)

**Nissan Forklift Co Ltd - Agent: Powerlift Australia Pty Ltd
NIKKI**

7151	12.07	LPG Vaporiser Regulator and Fuel Lock-off Valve Vaporiser Regulator Model: 268080A	1800 kPa
		Fuel Lock-off Valve Model: 290001-Z	1800 kPa
		Note: Valve marked 1F0, 1F1, 1G1	

HOSE ASSEMBLIES (AS/NZS 1869)

**Please note Hose Assemblies for LPG Automotive use
now listed under general Components section, sub-heading
Hose Assemblies AS/NZS 1869**

NATURAL GAS VEHICLE (NGV) EQUIPMENT

CHECK VALVES (AG 805)

Fluid System Technologies (ES) Pty Ltd

NUPRO

4657 8.91 Compact Check Valve CH Series 41 300 kPa

HOSE CONNECTIONS (AG 805)

Barfell Industries Pty Ltd

TEMA

4872	7.92	Quick-Release Self-Sealing Couplings Series	
		5000 (13 mm)	25 MPa
		7500 (20 mm)	22.5 MPa
		10000 (25 mm)	18 MPa

HOSE ASSEMBLIES (AG 807)

Parker Hannifin (Australia)

5544 5.97 Parker Parflex CNG Series Thermoplastic Hose Assemblies for Natural Gas Vehicles and Fuel Dispensers
Types 3CNG, 4CNG, 5CNG Sizes ¼" to 1" ID MWP Range 24.8 to 34.5 MPa

CYLINDER CERTIFICATION SCHEME

Size (WC)

Test Pressure
(MPa)

Welded and Brazed Cylinders

Standards:

AS 2030.1 – Gas Cylinders – General requirements

**AS 2469 - Steel cylinders for compressed gases —
Welded two-piece construction— 0.1 kg to 150 kg**

Amalgamated Hardware Merchants Ltd

7272	3.08	Campmaster, Kookaburra, Grillpro, Fiesta, Falcon, Wild Country, Freetime, Festiva, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft and Swap 'N' Go Model: YSP21.6 9 kg Steel, Two Piece Welded LPG Cylinder Test Station Number: AGA 001 Expiry Date: 26 May 2014 Design Registration Number: GC 6-87961/06 (original) Design Registration Number: GC 6-118083/09 (alteration) Standards: AS 2030.1 – 1999 & AS 2469 - 2005	21.6 L	3.3
7299	3.09	Campmaster, Kookaburra, Grillpro, Fiesta, Falcon, Wild Country, Freetime, Festiva, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft and Swap 'N' Go Model: YSP9.5 4 kg Steel, Two Piece Steel Welded Cylinder Expiry Date: 17 December 2012 Design Registration Number: GC 6-89217/06 Standards: AS 2030.1 – 1999 & AS 2469 - 2005	9.5 L	3.3
7300	3.09	Campmaster, Kookaburra, Grillpro, Fiesta, Falcon, Wild Country, Freetime, Festiva, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft and Swap 'N' Go Model: YSP7.2 3 kg Steel, Two Piece Steel Welded Cylinder Test Station Number: AGA 001 Expiry Date: 17 December 2012 Design Registration Number: GC 6-87959/06 Standards: AS 2030.1 – 1999 & AS 2469 - 2005	7.2 L	3.3
7301	3.09	Campmaster, Kookaburra, Grillpro, Fiesta, Wild Country, Freetime, Festiva, Sunshine, Campers Collection, Oztrail, Roman, Progaz, Escape, Gas Craft & Swap 'N' Go Model: YSP4.8 2 kg Steel, Two Piece Steel Welded Cylinder Test Station Number: AGA 001 Expiry Date: 17 December 2012 Design Registration Number: GC 6-87958/06 Standards: AS 2030.1 – 1999 & AS 2469 – 2005	4.8 L	3.3

Aussie Outdoor Imports & Exports Pty Ltd

7502	10.09	Aussie-Huanri 2kg Steel Two Piece Welded LPG Cylinder – Type 4 Surface Coating Model: 2.0 kg Camping Cylinder Test Station Number: AGA 007 Expiry Date: 26 May 2014 Design Registration Number: GC 6-117878/09 Standards: AS 2030.1 – 2009 and AS 2469 – 2005	4.7 L	3.3
7503	10.09	Aussie-Huanri 3kg Steel Two Piece Welded LPG Cylinder – Type 4 Surface Coating Model: 3.0 kg Camping Cylinder Test Station Number: AGA 007 Expiry Date: 26 May 2014 Design Registration Number: GC 6-117879/09 Standards: AS 2030.1 – 2009 & AS 2469 – 2005	7.2 L	3.3

TYPE TESTED CYLINDER CERTIFICATION SCHEME

Aussie Outdoor Imports & Exports Pty Ltd Continued

7504	10.09	Aussie-Huanri 4.5kg Steel Two Piece Welded LPG Cylinder – Type 2 or 4 Surface Coating Models: 4.5 kg POL Cylinder 4.5 kg 3/8 Camping Cylinder Test Station Number: AGA 007 Expiry Date: 26 May 2014 Design Registration Number: GC 6-117880/09 Standards: AS 2030.1 – 2009 and AS 2469 – 2005	10.7 L	3.3
7505	10.09	Aussie-Huanri 9 kg Steel Two Piece Welded LPG Cylinder – Type 2 or 4 Surface Coating Model: 9.0 kg POL Cylinder Test Station Number: AGA 007 Expiry Date: 26 May 2014 Design Registration Number: GC 6-117882/09 Standards: AS 2030.1 – 2009 and AS 2469 – 2005	21.6 L	3.3

Sahamitr Pressure Container Public Co Ltd

7599	5.11	SMPC 4.0 kg Steel, Two Piece Welded LPG Cylinder, Type 2 or 4 Surface Coating Model: 4.0 kg POL Cylinder Test Station Number: AGA 008 Expiry Date: 26 May 2014 Design Registration Number: GC 6-122645/09	9.6 L	3.3
7600	5.11	SMPC 9.0 kg Steel, Two Piece Welded LPG Cylinder, Type 2 or 4 Surface Coating Model: 9.0 kg POL Cylinder Test Station Number: AGA 008 Design Registration Number: GC 6-122644/09	21.6	3.3

Sitro Group Australia Pty Ltd

7478	9.09	Gasmate, Barbecues Galore, Super Cheap Auto, Cleanskin, Gasmaster, Jumbuck, Jackeroo Models: Gasmate - 020CG, Barbecues Galore - 020CGLG, Super Cheap Auto - SCA2KG, Cleanskin - 020CFCA, Gasmaster - 020CK, Jumbuck - 020CJ, Jackeroo - K020C 2 kg Steel, Two Piece Welded LPG Cylinder Test Station Number: AGA 006 Expiry Date: 26 May 2014 Design Registration Number: GC 6-113490/08 Standards: AS 2030.1 – 2009 and AS 2469 – 2005	4.7 L	3.3
7479	9.09	Gasmate, Barbecues Galore, Super Cheap Auto, Cleanskin, Gasmaster, Jumbuck, Jackeroo Models: Gasmate - 0125CG, Barbecues Galore - 0125CGLG, Super Cheap Auto - SCA1.25KG, Cleanskin - 0125CFCA, Gasmaster - 0125CK, Jumbuck - 0125CJ, Jackeroo - K0125C 1.25 kg Steel, Two Piece Welded LPG Cylinder Test Station Number: AGA 006 Expiry Date: 26 May 2014 Design Registration Number: GC 6-113489/08 Standards: AS 2030.1 – 2009 and AS 2469 – 2005	3.0 L	3.3
7480	9.09	Gasmate, Barbecues Galore, Super Cheap Auto, Cleanskin, Gasmaster, Jumbuck, Jackeroo Models: Gasmate - 030CG, Barbecues Galore - 030CGLG, Super Cheap Auto - SCA3KG, Cleanskin - 030CFCA, Gasmaster - 030CK, Jumbuck - 030CJ, Jackeroo - K030C 3 kg, Steel, Two Piece Welded LPG Cylinder Test Station Number: AGA 006 Expiry Date: 26 May 2014 Design Registration Number: GC 6-113493/08 Standards: AS 2030.1 – 2009 and AS 2469 – 2005	7.2 L	3.3

TYPE TESTED CYLINDER CERTIFICATION SCHEME

Sitro Group Australia Pty Ltd Continued

7481	7.09	<p>Gasmate, Barbecues Galore, Super Cheap Auto, Cleanskin, Gasmaster, Kleenheat/Kwikgas, Jumbuck, Jackeroo</p> <p>POL Valve Models: Gasmate-040PG, Barbecues Galore-040PGLG, Super Cheap Auto-SCA4KG-P, Cleanskin-040PFCA, Gasmaster-040PK, Jumbuck-040PJ, Jackeroo-K040P, Kleenheat/Kwikgas-4CYL</p> <p>Camping Valve Models: Gasmate-040CG, Barbecues Galore-040CGLG, Super Cheap Auto-SCA4KG, Cleanskin-040CFCA, Gasmaster-040CK, Jumbuck-040CJ, Jackeroo-K040C</p> <p>4.5 kg Steel, Two Piece Steel Welded LPG Cylinder 10.7 L</p> <p>Test Station Number: AGA 006</p> <p>Expiry Date: 26 May 2014</p> <p>Design Registration Number: GC 6-113494/08</p> <p>Standards: AS 2030.1 – 2009 & AS 2469 - 2005</p>	3.3
7482	7.09	<p>Gasmate, Barbecues Galore, Super Cheap Auto, Cleanskin, Gasmaster, Kleenheat/Kwikgas, Jumbuck, Jackeroo</p> <p>Models: Gasmate - 090PG Barbecues Galore - 090PGLG Super Cheap Auto - SCA 9KG-PC2 Cleanskin - 090PFCA Gasmaster - 090PK Kleenheat/Kwikgas - 9CYL Jackeroo - K090P Jumbuck - 090PJ</p> <p>9kg Steel, Two Piece Welded Cylinder</p> <p>Type 2 or 4 Surface Coating</p> <p>Test Station Number: AGA 006</p> <p>Expiry Date: 26 May 2014</p> <p>Design Registration Number: GC 6-113488/08</p> <p>Standards: AS 2030.1 – 2009 & AS 2469 - 2005</p>	21.6 L 3.3

TPA Metals and Machinery (Shenzhen) Co Ltd

7293	7.08	<p>TPA, Kleenheat, Outback, Mitre 10, Aldi, Masport & Hotrocks</p> <p>9 kg Steel, Two Piece Welded LPG Cylinder</p> <p>Type 2, 3 or 4 Surface Coating</p> <p>Model: LC09AS 21.6 L</p> <p>Test Station Number: AGA 003</p> <p>Expiry Date: 26 May 2014</p> <p>Design Registration Number: GC 6-108275/08</p> <p>Standards: AS 2030.1 – 2009 & AS 2469 - 2005</p>	3.3
7294	12.08	<p>TPA, Kleenheat, Outback, Mitre 10, Aldi, Masport & Hotrocks</p> <p>Steel Two Piece Welded 4kg LPG Cylinder</p> <p>Type 2, 3 or 4 Surface Coating</p> <p>Model: LC04AS (with V58-L (POL) or V5C-L valve) 9.6 L</p> <p>Test Station Number: AGA 003</p> <p>Expiry Date: 26 May 2014</p> <p>Design Registration Number: GC 6-108274/08</p> <p>Standards: AS 2030.1 – 2009 & AS 2469 - 2005</p>	3.3
7295	12.08	<p>TPA, Kleenheat, Outback, Mitre 10, Aldi, Masport & Hotrocks</p> <p>Steel Two Piece Welded 2kg LPG Cylinder</p> <p>Model: LC02AS (with V5C-L valve) 5.1 L</p> <p>Type 2, 3 or 4 Surface Coating</p> <p>Test Station Number: AGA 003</p> <p>Expiry Date: 26 May 2014</p> <p>Design Registration Number: GC 6-106849/08</p> <p>Standards: AS 2030.1 – 2009 & AS 2469 - 2005</p>	3.3

TEST STATION SCHEME

TEST STATIONS

Advanced Gas Conversions Pty Ltd

7696 8.10 Static Test Station
Test Station Number 011
Automotive LP Gas Vessels
AS 2337.2 – 2004 – Amdt 1 - Gas Cylinder Test Stations – Part 2: LP Gas Fuel Vessels for Automotive Use

All Auto Gas Service

7677 7.10 Mobile Test Station
Test Station Number 010
Automotive LP Gas Vessels & Welded and Brazed Cylinders
Re-Qualification only
Standards: AS 2337.1 – 2004 Gas Cylinder Test Stations – General Requirements, Inspection and Tests – Gas Cylinders
AS 2337.2 – 2004 – Amdt 1 - Gas Cylinder Test Stations – Part 2: LP Gas Fuel Vessels for Automotive Use

Gasmaster LPG Conversions & Repairs

7719 10.10 Static Test Station
Test Station Number 009
Automotive LP Gas Vessels
AS 2337.2 – 2004 – Amdt 1 - Gas Cylinder Test Stations – Part 2: LP Gas Fuel Vessels for Automotive Use

Hammersmith 4 Star Auto Gas

7439 1.09 Static Test Station
Test Station Number 004
Automotive LP Gas Vessels
Standard: AS 2337.2 – 2004 – Gas Cylinder Test Stations – Part 2: LP Gas Fuel Vessels for Automotive Use

Lockhart Management Pty Ltd

7449 2.09 Static Test Station
Test Station Number 005
Welded and Brazed Cylinders
Standard: AS 2337.1 – 2004 Gas Cylinder Test Stations – General Requirements, Inspection and Tests – Gas Cylinders

Sitro Group Australia Pty Ltd

7374 1.08 Static Test Station
Test Station Number 002
Welded and Brazed Cylinders
Standard: AS 2337.1 – 2004 Gas Cylinder Test Stations – General Requirements, Inspection and Tests – Gas Cylinders

Smart Gas Services Pty Ltd

7778 6.11 Static Test Station
Test Station Number 012
Welded and Brazed Cylinders
Standard: AS 2337.1 – 2004 Gas Cylinder Test Stations – General Requirements, Inspection and Tests – Gas Cylinders

TYPE TESTED GAS AND ELECTRICAL PRODUCTS

(Prescribed and Non-Prescribed Articles)

Note: Products listed are certified by AGA for combined gas and electrical product certification.

DOMESTIC AND COMMERCIAL GAS APPLIANCES

DOMESTIC COOKING APPLIANCES

FREESTANDING COOKERS

Aga Rangemaster Ltd - Agent: Andi Appliances Pty Ltd

5601	11.97	Falcon Freestanding Cooker Models: TOLEDO 90 DF†, TOLEDO 90 Gas†, TOLEDO 110 DF†, TOLEDO 110 Gas†	N	P
		CLASSIC 90 DF†, CLASSIC 90 Gas†, CLASSIC 110 DF†, CLASSIC 110 Gas†	N	P
		PROFESSIONAL + 90 DF†, PROFESSIONAL + 110 DF†	N	P
		Note: Model suffix † denotes colour/finish Expiry Date: 11 November 2014 Standards: AS 4551 – 2008 – Amt 1 – Domestic Gas Cooking Appliances AS/NZS 60335.2.102 – 2004 - Amdt 2 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances		
6614	7.04	Dual Fuel Freestanding Cookers Falcon Models: Elan 110 DF† and Elan 90DF†	N	P
		Note: Model suffix † denotes colour/finish Expiry Date: 22 June 2014 Standards: AS 4551 – 2008 – Amdt 1 – Domestic Gas Cooking Appliances AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances AS/NZS 60335.2.102 – 2004 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections		
7491	6.09	Falcon Dual Fuel Freestanding Cooker with Gas Hobs, Electric Oven & Grills Falcon Models: Professional +FX Dual Fuel, Professional +FXP Dual Fuel Toledo FX Dual Fuel and and Kitchener FX Dual Fuel	N N	P P
		Expiry Date: 22 June 2014 Standards: AS 4551 – 2008 – Domestic Gas Cooking Appliances AS/NZS 60335.1 – 2002 – Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances AS/NZS 60335.2.102 – 2004 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections		

Focus Lifestyle Products Pty Ltd

7116	8.07	Grandhall, Boretti and Allure Freestanding Cookers with Electric Oven and Griddle Plate Models: GR3606SA, GR3604GSA, GR4806GSA	N	P
		Expiry Date: 21 August 2012 Standards: AS 4551 – 2008 – Domestic Gas Cooking Appliances AS/NZS 3350.2.6 – 2006 – Safety of Household and Similar Electrical Appliances Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances		

TYPE TESTED GAS AND ELECTRICAL PRODUCTS

Glen Dimplex Home Appliances – Agent: Glen Dimplex Australia Pty Ltd

7314	9.08	Stoves Belling, Belling Sterling & Belling Richmond Freestanding Dual Fuel Cookers Models: Stoves Sterling 1100DF AU Belling DB4 900DFT AU Belling Sterling 1100DFT AU Belling Richmond 900DFT AU, 1100DFT AU Expiry Date: 30 November, 2014 Standards: AS 4551 – 2008 – Amdt 1 – Domestic Gas Cooking Appliances AS/NZS 60335.2.6 – 2002 – Amdt 4 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances AS/NZS 60335.2.102 – 2004 – Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections AS/NZS 60335.1 – 2002 – Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements	N N N N	U U U U
7483	8.09	Belling Gourmet 90cm Dual Fuel Freestanding Cooker Model: 90DF-AU Expiry Date: 24 August, 2014 Standards: AS 4551 – 2008 – Domestic Gas Cooking Appliances AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances	N	P
7672	6.10	Belling Freestanding Cookers Dual Fuel Models: FSDF60DO,FSG60DO,FSG60DOP All Gas Models: FSG60TC Expiry Date: 30 June 2015 Standards: AS 4551 – 2008 – Amdt 1 - Domestic Gas Cooking Appliances AS/NZS 60335.2.102 – 2004 – Amdt 2 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances	N N	U U

Technika Pty Ltd

7406	11.08	Technika, Veneto by Technika, Bellissimo by Technika, Arda, Mia Cucina and Veneto Freestanding Cookers with Electric Ovens/Grills Technika Models: GHE09MTSS, GHE09TDSS-4, T640TE8, T640TE8-BG, T640TE8-SB, TU950TFE8, TU950TFE8-BG, TU950TFE8-SG, TU950TLE8, TU950TLE8-BG, TU950TLE8G, TU950TLE8-SB, TU950TME8, TU950TME8-BG, TU950TME8-SB, TU640TE3SF, TU640TE3SFRL Veneto by Technika Models: V (at the end of Technika TU model numbers) = Veneto by Technika Brand Name models Bellissimo by Technika Models: B6GEFTSS-3, B6GEFTPROSS-3, B9GEFTCSS-3, B9GEFTSS-3, B9GEFTPROSS-3, TU950ME3SF, TU950ME3SFRL Arda Models: RVU60WB, RVU60WSS, RVU90CWB, RVU90CWSS, RVU90FWB, RVU90FWSS, RVU90LWB, RVU90LWSS Mia Cucina Model: MCTU950TME8 Veneto Model: VUC90SS Expiry Date: 22 February 2015 Standards: Standards: AS 4551 – 2008 – Domestic Gas Cooking Appliances AS/NZS 60335.2.102 – 2004 – Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections AS/NZS 60335.1 – 2002 – Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 – Amdt 1 – Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances	N N N N N N N	U U U U U U U
------	-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------	---------------------------------

TYPE TESTED GAS AND ELECTRICAL PRODUCTS

BUILT-IN COOKERS AND OVENS

Glen Dimplex Home Appliances – Agent: Glen Dimplex Australia Pty Ltd

7687	9.10	Belling Built-In Dual Fuel Ovens (Gas Oven/Electric Grill) Models: BI60G-AU (60cm), BI70G-AU (70cm), BI90G-AU (90cm) Expiry Date: 10 September 2015 Standards: AS 4551 – 2008 – Amdt 1 - Domestic Gas Cooking Appliances AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements AS/NZS 60335.2.6 – 2008 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances AS/NZS 60335.2.102 – 2004 – Amdt 2 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections	N	U
------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	---

INDUSTRIAL DIRECT-FIRED AIR HEATERS

Sitro Group Australia Pty Ltd

7246	4.08	Gasmate, Gasmaster, Jumbuck, Jackeroo and Blackridge Industrial Direct Fired Air Heater Models: FH14000, KFH14000, FH14010, FH14020, FH14009, FH14025, FH14095 Expiry Date: 22 April 2013 Standards: AG 404 - Approval Requirements for LPG Mobile Industrial Direct Fired Air Heaters AS/NZS 60335.1 – 2002 – Amdt 2 - Household and Similar Electrical Appliances - Safety – General Requirements AS/NZS 60335.2.102 – 2004 – Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Gas, Oil and Solid Fuel Burning Appliances having Electrical Connections	P	
------	------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	--

STORAGE WATER HEATERS (AS 4552 & AS/NZS 60335.1 & AS/NZS 60335.2.21)

Swansea Imports Ltd - Agent: CCS & Associates Pty Ltd

7348	8.08	Dual Fuel Caravan Storage Water Heater Model: The Henry Expiry Date: 21 August 2013	P	
------	------	-------------------------------------------------------------------------------------------	---	--

REFRIGERATORS

Norcold Inc - Agent: Thetford Australia Pty Ltd

7226	11.07	Thetford Three Way Refrigerator Models: N301.3, N401.3, N501.3, N304.3, N404.3, N504.3, N604.3 Expiry Date: 9 November 2012 Standards: AS 4555/AG 105 2002 – Amdt 1– Domestic Gas Refrigerators AS/NZS 60335.2.24 – 2003 – Amdt 2 – Household and Similar Electrical Appliances – Safety Particular Requirements for Refrigerating Appliances and Ice-cream Appliances and Ice-makers AS/NZS 60335.1 – 2002 - Amdt 3 – Household and Similar Electrical Appliances – Safety – - General Requirements	P	
------	-------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	--

TYPE TESTED ELECTRICAL PRODUCTS (Prescribed and Non-Prescribed Articles)

Prescribed Electrical Items

Coffee Machines

Eurolinx Pty Ltd

7342 8.08 Ilve Stainless Steel Built-in Espresso Coffee Maker
 Model: IV6-CMBI
 Expiry Date: 18 August 2013
 Standards: AS/NZS 60335.2.14 – 2007 – Household & similar electrical appliances – Safety – Particular requirements for kitchen machines
 AS/NZS 60335.2.15 – 2002 – Amd 1, 2, 3 – Household & similar electrical appliances – Safety – Particular requirements for appliances for heating liquids
 AS/NZS 60335.1 – 2002 – Amdt 3 - Household & similar electrical appliances – Safety – Part 1: General requirements

Electric Cookers/Wall Oven/Grill

Aga Rangemaster Ltd - Agent: Andi Appliances Pty Ltd

7485 6.09 Freestanding Electric Cooker
 Falcon Models: Classic 110 Ceramic, Toledo 110 Ceramic & Elan 110 Ceramic
 Expiry Date: 22 June 2014
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances

7486 6.09 Freestanding Electric Cooker
 Falcon Models: Classic 90 Ceramic, Toledo 90 Ceramic & Elan 90 Ceramic
 Expiry Date: 22 June 2014
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances

Aga Rangemaster Ltd

7691 9.10 AGA Rangemaster Falcon Electric Induction Range
 Classic 90, Classic 110
 Toledo 90, Toledo 110
 Professional +90, Professional +110
 Expiry Date: 13 September 2015
 Standards: AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances
 AS/NZS 60335.1 – 2002 – Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements

Glen Dimplex Home Appliances - Agent: Glen Dimplex Australia Pty Ltd

7637 3.10 Belling Freestanding Electric Range
 Models: FSE 60 MF-AU (444440230), FSE 60 DOP-AU (444440229) and FSE 60 I-AU (444440228)
 Expiry Date: 30 March 2015
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances

7700 9.10 Belling Built-In Electric Multifunction Ovens
 Models: BI60MF-AU, BI90MF-AU, BI70FP-AU
 Expiry Date: 17 September 2015
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances

TYPE TESTED ELECTRICAL PRODUCTS

Glen Dimplex Home Appliances - Agent: Glen Dimplex Australia Pty Ltd

- 7706 12.10 Belling Built-In Electric Induction and Ceramic Hobs
 Models: CTC60 AU Mk2, CTC70 AU Mk2, Pbi60 AU Mk2
 Expiry Date: 15 December 2015
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances
- 7712 1.11 Belling Freestanding Electric Cooker Model: FSE54DP AU
 Expiry Date: 27 January 2016
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances
- 7692 5.11 Stoves Sterling, Belling, Belling Richmond, Belling Sterling Freestanding Electric Range
 Stoves Sterling 1100E AU
 Belling DB4 90E AU
 Belling Richmond 1100E AU
 Belling Sterling 1100E AU
 Belling Richmond 900E AU
 Expiry Date: 9 May 2016
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 3 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances

Shillito Pty Ltd

- 7346 9.08 Shillito Wall Oven/Grill
 Models: WK0601, WK0602, WK0603, WK0608, WK0609
 Expiry Date: 1 September 2013
 Standards: AS/NZS 3350.2.6 – 2006 – Safety of household and similar electrical appliances – Particular requirements for stationary cooking ranges, hobs, ovens and similar appliances
 AS/NZS 3350.1 – 2002 – Safety of household and similar electrical appliances – General requirements (Incorporating Amdts 1, 2, 3 & 4)

Technika Pty Ltd

- 7664 6.10 Technika & Arda Freestanding Cookers
 Technika Models: CERHE06PSS-2, CERHE09PSS-2
 Arda Models: RVU60CERB, RVU60CERSS, RVU90CERB, RVU90CERSS
 Expiry Date: 10 June 2015
 Standards: AS/NZS 60335.1 – 2002 - Amdt 3 - Household and Similar Electrical Appliances – Safety Part 1 – General Requirements
 AS/NZS 60335.2.6 – 2008 - Amdt 1 - Household and Similar Electrical Appliances – Safety Particular Requirements for Stationary Cooking Ranges, Hobs, Ovens & Similar Appliances

Range Hoods

Aga Rangemaster Ltd

- 7360 11.08 Falcon Domestic Range Hood
 Models: FALHDCP90BC/AUS & FALHDCP90SC/AUS, FALHDCP110BC/AUS & FALHDCP110SC/AUS
 Suffix: “BC” denotes Black/Chrome finish
 “SC” denotes Stainless/Chrome finish
 Expiry Date: 11 November 2013
 AS/NZS 60335.1 – 2002 – Amdt 3 - Household and Similar Electrical Appliances – Safety – General requirements
 AS/NZS 60335.2.31 – 2004 – Amdt 2 - Household and Similar Electrical Appliances – Safety - Particular Requirements for Range Hoods

Focus Lifestyle Products Pty Ltd

- 7157 2.08 Grand Hall and Focus Range Hood
 GHW360SA (900mm) and GHW480SA (1200mm)
 Expiry Date: 4 February 2013
 Standards: AS/NZS 3350.2.31 – 2001 – Safety of household & similar electrical appliances – Particular requirements for range hoods
 AS/NZS 3350.1 – 2002 – Safety of household & similar electrical appliances – General requirements

TYPE TESTED ELECTRICAL PRODUCTS

Washing Machines

Casale Trim Co Pty Ltd

7564 9.09 DLUXX Washing Machine Model: CWM22
(Manufacturers Code: XQB22-A21GP)
Expiry Date: 4 September 2014
Standards: AS/NZS 60335.1 – 2002 - Amdt 1, 2 & 3 - Household and Similar Electrical Appliances – Safety
Part 1 – General Requirements
AS/NZS 60335.2.4 – 2002 – Amdt 1 & 2 - Household and Similar Electrical Appliances—Safety
Part 2.4: Particular requirements for spin extractors
AS/NZS 60335.2.7 – 2002 - Amdt 1, 2 & 3 - Household and Similar Electrical Appliances – Safety –
Part 2.7: Particular requirements for washing machines

Water Heaters

Leap Australasia Pty Ltd

7598 12.09 Genius Storage Water Heaters
Models: 07C008, 07C009, 07C010
Expiry Date: 17 December 2014
Standards: AS/NZS 60335.2.21 – 2002 – Amdt 2 – Household and Similar Electrical Appliances – Safety –
Particular Requirements for Storage Water Heaters
AS/NZS 60335.1 – 2002 – Amdt 3 - Household and Similar Electrical Appliances – Safety –

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

GENERAL

Appliance Fixtures

Brita GmbH

7253 11.07 Brita In-Line Water Filter
Models: Purity 300 Quell ST, Purity 450 Quell ST, Purity 600 Quell ST, Purity 1200 Quell ST
(Water filtration designed for drinking water applications)
(Note: The Purity 300 Quell ST is identical to the Purity 450 Quell ST)
Purity C50 Quell ST, Purity C150 Quell ST, Purity C300 Quell ST, Purity C500 Quell ST
(Water filtration designed for drinking water applications)
(For use with Purity C Filter heads 0%, 30% and 0-70%)
Purity C1000 AC and Online Active A 1000
(Water filtration designed for drinking water applications)
Purity 1200 Clean, Purity 1200 Clean Extra
(Water filtration designed exclusively for dishwasher applications only)
WaterMark Licence No. 60031, Level 1
Expiry Date: 29 November 2012
Standard: AS/NZS 3497 – Amdt 1, 1998 – Drinking water treatment units – Plumbing requirements

Delonghi Australia Pty Ltd

7351 8.08 De'Longhi Domestic Food Waste Disposer Model: WD1000
WaterMark Licence No. 60043, Level 2
Expiry Date: 7 August 2011
Standard: ATS 5200.028 – 2004 – Technical Specification for Plumbing & Drainage Products – Commercial Food Waste Disposal Unit

Eurotec SRL Division of MBM

7420 12.08 MBM and Hobart 700 & 900mm Commercial Pasta Cookers and Brat Pans
700 Series Pasta Cookers Models: GC477 and GC777
700 Series Brat Pan Model: GBRI77
900 Series Pasta Cookers Models: GC49 and GC992V
900 Series Brat Pan Model: GBRI9T
WaterMark Licence No. 60047, Level 2
Expiry Date: 7 December 2011
Standard: ATS 5200.101 – 2005 – Technical Specifications for Plumbing & Drainage Products – Appliances (low hazard rating)

Marine Sanitation Pty Ltd

7710 11.10 Marine Sanitation Dockside Discharge Unit (Sewerage Pump-out Station) & Portable Toilet Emptying Unit (PTEU)
Dockside Discharge Unit (Sewerage Pump-out Unit)
Model DDU HID
For use with Salt and Fresh Water
Portable Toilet Emptying Unit (PTEU)
Model 1 Portable Toilet Emptying Unit
For use with DDU
Model 2 Portable Toilet Emptying Unit (Including Pump)
For use with Fresh Water
Model 3 Portable Toilet Emptying Unit (Gravity model)
For use with Fresh Water
WaterMark Licence No. 60020, Level 2
Expiry Date: 18 November 2013
Standard: ATS 5200.104 – 2005 – Technical Specification for Plumbing & Drainage Products – Appliances (Miscellaneous)

Moffat Limited

7259 12.07 Convotherm OEB, OES, OGB and OGS Series Combination (Combi) Oven
6.10, 6.20, 10.10, 10.20, 12.20, 20.10 and 20.20
Convotherm Mini Series Combination (Combi) Ovens
6.06 Mini, 6.10 Mini, 10.10 Mini, , 6.06 Mini 2in1, 6.10 Mini 2in1
WaterMark Licence No. 60015, Level 2
Expiry Date: 12 December 2013
Standard: ATS 5200.101 - 2005 – Technical Specification for Plumbing & Drainage Products – Appliances (low hazard rating)

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

Sanitary Fixtures

The Trustee for the Spaeni Family Trust T/as Urimat Australia

7370 10.08 Urimat Waterless Urinals
eco 115.201, ecoplus 115.101,
ecoinfo 111.001, ecovideo 115.904
compactplus 114.101, compactinfo 114.001,
compactvideo 114.901
menos 112.201 (ceramic)
WaterMark Licence No. 60048, Level 2
Expiry Date: 29 October 2011
Standard: ATS 5200.459 – 2004 – Technical Specification for Plumbing & Drainage Products –
Waterless Urinals – Wall Hung

Water Heater and Water-heated Storage Tanks

Leap Australasia Pty Ltd

7154 2.10 Genius Unvented Electric Storage Water Heater
07C008, 07C009 and 07C010
"Solargenius" Evacuated tube solar water heating system (Electric boosted)
05S008 (NZ designation 05S002) - 15 tube collector system
05S009 (NZ designation 05S003) - 20 tube collector system
05S010 (NZ designation 05S004) - 30 tube collector system
Note: Solargenius systems utilise Model 07C009 storage water heater in
conjunction with evacuated tube collectors 05S025 (15 tube), 05S026 (20 tube),
and 05S027 (30 tube)
Watermark Licence No. 60013, Level 1
Expiry Date: 25 February 2015
Standards: AS 3498 – 2003 – Amdt 1 – Authorization requirements for plumbing products – Water heaters and hot-water
storage tanks
AS/NZS 2712 – 2007 – Solar and heat pump water heaters – Design and construction

Xstream Hot Water Pty Ltd

7215 9.07 Nobel XStream Super 7 Gas Fired Storage Water Heater
Model: XS135 (135L)
Model XS170 (170L)
The products referenced above are also listed under coverage of AGA Gas Certification No. 7203
XStream Storage Water Heater
XST5S130NG, XST5S160NG
XST5S130LP, XST5S160LP
XS160-1NG, XS160-2NG
XS160-1LP, XS160-2LP
Ident Manufacturers Storage Water Heater Models
Thermastar SP135N, Thermastar SP170N
Thermastar SP135L, Thermastar SP170L
Thermastar SP170-1NG, Thermastar SP170-2NG
Thermastar SP170-1LP, Thermastar SP170-2LP
The products referenced above are also listed under coverage of AGA Gas Certification No. 7695
WaterMark Licence No. 60004, Level 1
Expiry Date: 3 September 2012
Standard: AS 3498 – 2003 – Amdt 1 - Authorization requirements for plumbing products – Water heaters and hot-water
storage tanks

Water Using Appliances

Emerson Network Power Australia Pty Ltd

7568 8.09 Emerson Network Power Humidifer Steam Bottle
Models: AHUB024, AHUB027, AHUB030
WaterMark Licence No. 60048, Level 2
Expiry Date: 26 August 2012
Standard: ATS 5200.101 – 2005 – Technical Specification for plumbing and drainage products –
Appliances (low hazard rating)

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

NON-PRESSURISED PIPES AND FITTINGS

Pipes and Fittings (non-pressure)

APP Environmental Services Pty Ltd

PHS

7474 4.09 “Eco-Sleeve” Urinal Grate Model: APP11
WaterMark Licence No. 60054, Level 2
Expiry Date: 16 April 2012
Standard: ATS 5200.40 – 2005 – Technical Specification for Plumbing and Drainage Products –
Waste Pipe Connection Outlets and Gratings, Separate or Integral

Edgetec Systems Pty Ltd

7603 11.09 Drain-T Bath Drain Model: 8500
WaterMark Licence No. 60014, Level 2
Expiry Date: 4 November 2012
Standard: AS 2887 – 1993 – Plastic Waste Fittings

Enviro-Fresh (Aust) Pty Ltd

ENVIRO-FRESH

7068 11.06 Separate Urinal Replacement Grate
(Refer to Enviro-Fresh (Aust) Pty Ltd for conditions of use)
Model: Sani Sleeve No. EF 1.6
Designed to suit DN 50 and DN 100 Outlets
WaterMark Licence No. 60006, Level 2
Expiry Date: 7 November 2012
Standard: ATS 5200.040 - 2005 – Technical Specification for Plumbing and Drainage Products –
Waste Pipe Connection Outlets and Gratings, Separate or Integral

My Water Pty Ltd

7708 10.10 My-Water Grey Water Diversion Device
Grey-mate MkIII (60 litre capacity)
Inlet Connection - 50mm PVC-U socket solvent weld
Outlet Connection - 50mm PVC-U socket solvent weld
Greyboss (160 litre capacity)
Inlet Connection - 100mm PVC-U socket solvent weld
Outlet Connection - 100mm PVC-U socket solvent weld
WaterMark Licence No. 60068, Level 2
Expiry Date: 4 October 2013
Standard: ATS 5200.460 – 2005 – Technical Specification for Plumbing and Drainage Products –
Grey Water Diversion Device

PPI Corporation Pty Ltd

7249 11.07 Grey Water Diversion Device Model: H2Gro
Available as Automatic, Manual or Electric versions in 1-outlet or 4-outlet configuration
WaterMark Licence No. 21211, Level 2 Expiry Date: 15 November 2012
Standard: ATS 5200.460 – 2005 – Technical Specification for Plumbing and Drainage Products –
Grey Water Diversion Device

TCI Fasteners

7404 10.08 TCI Shower Channel
Models: TCI-SC-900, TCI-SC-1200, TCI-SC-1500, TCI-SC-1800
(Note: All models available in Oval, Round, Rectangle and Square Hole Lid Configurations)
WaterMark Licence No. 60046, Level 2
Expiry Date: 26 October 2011
Standard: ATS 5200.040 – 2005 – Technical Specification for Plumbing and Drainage Products –
Waste Pipe Connection Outlets and Gratings, Separate or Integral

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

Wattworks Pty Ltd

7317	4.08	Wattworks 160 Litre Greywater Diversion Device with PVC-U Solvent Weld Socket
		Smartpit DN65 Inlet, DN65 Outlet
		Smartpit DN100 Inlet, DN100 Outlet
		Smartpit Econo DN65 Inlet, DN65 Outlet
		Smartpit Econo DN100 Inlet, DN100 Outlet
		WaterMark Licence No: 60026, Level 2 Expiry Date: 16 April 2014
		Standard: ATS 5200.460 – 2005 - Technical Specification for Plumbing and Drainage Products – Grey Water Diversion Device

PRESSURISED PIPES AND FITTINGS

Copper Fitting

Cop-A-Mate Products Pty Ltd

COP-A-MATE

7073	11.06	Copper Capillary socket (short engagement) to Flange Adaptor and Capillary Spigot to Flange Adaptor
		CCZS*25 DN 25 MWP 3680 kPa
		CCZS*32 DN 32 MWP 2920 kPa
		CCZS*40 DN 40 MWP 2420 kPa
		CCZS*50 DN 50 MWP 1800 kPa
		CCZS*65 DN 65 MWP 1430 kPa
		CCZS*80 DN 80 MWP 1610 kPa
		CCZS*100 DN 100 MWP 1200 kPa
		CCZS*125 DN 125 MWP 960 kPa
		CCZS*150 DN 150 MWP 1000 kPa
		CCZS*200 DN 200 MWP 720 kPa
		* Denotes 'M' for socket type and 'F' for spigot type
		WaterMark Licence No. 1709, Level 1
		Expiry Date: 29 November 2011
		Standard: AS 3688 – 2005 – Water Supply – Metallic Fittings and End Connectors

Polyethylene

PPI Corporation Pty Ltd

PPI

7237	11.07	Product Classification: Polyethylene (PE) pipe for pressure applications - water
		Brand name: PPI Compound designation: PE 100
		Colour: Black or Black with (Blue, White, Purple, Red, Green, Cream, Grey) Stripe or Jacket
		(Note: For sewerage applications only, pipe may incorporate internal jacket)
		Blue
		Classification: Series 1
		Nominal Outside Nominal Pressure Standard Dimension
		Diameter (DN) Rating (PN) Ratios
		16 16, 20, 25 11, 9, 7.4
		20 12.5, 16, 20, 25 17, 13.6, 11, 9, 7.4
		25 10, 12.5, 16, 20, 25 17, 13.6, 11, 9, 7.4
		32 8, 10, 12.5, 16, 20, 25 21, 17, 13.6, 11, 9, 7.4
		40 8, 10, 12.5, 16, 20, 25 21, 17, 13.6, 11, 9, 7.4
		50 8, 10, 12.5, 16, 20, 25 21, 17, 13.6, 11, 9, 7.4
		63 6.3, 8, 10, 12.5, 16, 20, 25 26, 21, 17, 13.6, 11, 9, 7.4
		75 6.3, 8, 10, 12.5, 16, 20, 25 26, 21, 17, 13.6, 11, 9, 7.4
		90 6.3, 8, 10, 12.5, 16, 20, 25 26, 21, 17, 13.6, 11, 9, 7.4
		110 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		125 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		140 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		160 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		180 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		200 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		225 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		250 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		280 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		315 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		355 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		400 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4
		450 4, 6.3, 8, 10, 12.5, 16, 20, 25 41, 26, 21, 17, 13.6, 11, 9, 7.4

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

PPI Corporation Pty Ltd Continued

PPI

Note: Manufacturer: PPI Corporation P/L – 91 Cleveland Terrace, Ottoway SA
WaterMark Licence No. 1046, Level 1

Expiry Date: 19 September 2011

Standard – AS/NZS 4130 – 2009 – Polyethylene (PE) Pipes for Pressure Applications

7238 11.07 Product Classification: Polyethylene (PE) pipe for pressure applications - water

Brand name: PPI Compound designation: PE 100

Colour: Black or Black with (Blue, White, Purple, Red, Green, Cream, Grey) stripe or Jacket

(Note: For sewerage applications only, pipe may incorporate internal jacket)

Blue

Classification: Series 1

Nominal Outside Diameter (DN)	Nominal Pressure Rating (PN)	Standard Dimension Ratios
16	16, 20, 25	11, 9, 7.4
20	12.5, 16, 20, 25	17, 13.6, 11, 9, 7.4
25	10, 12.5, 16, 20, 25	17, 13.6, 11, 9, 7.4
32, 40, 50	8, 10, 12.5, 16, 20, 25	21, 17, 13.6, 11, 9, 7.4
63, 75, 90	6.3, 8, 10, 12.5, 16, 20, 25	26, 21, 17, 13.6, 11, 9, 7.4
110, 125, 140, 160	4, 6.3, 8, 10, 12.5, 16, 20, 25	41, 26, 21, 17, 13.6, 11, 9, 7.4

Note: Manufacturer: PPI Corporation P/L – 256 Star St, Welshpool WA

WaterMark Licence No. 21212, Level 1

Expiry Date: 4 December 2011

Standard – AS/NZS 4130 – 2009 – Polyethylene (PE) Pipes for Pressure Applications

7239 11.07 Product Classification: Polyethylene (PE) pipe for pressure applications - water

Brand name: PPI Compound designation: PE 100

Colour: Black or Black with (Blue, White, Purple, Red, Green, Cream, Grey) stripe or Jacket

(Note: For sewerage applications only, pipe may incorporate internal jacket)

Blue

Classification: Series 1

Nominal Outside Diameter (DN)	Nominal Pressure Rating (PN)	Standard Dimension Ratios
16	16, 20, 25	11, 9, 7.4
20	12.5, 16, 20, 25	17, 13.6, 11, 9, 7.4
25	10, 12.5, 16, 20, 25	17, 13.6, 11, 9, 7.4
32, 40, 50	8, 10, 12.5, 16, 20, 25	21, 17, 13.6, 11, 9, 7.4
63, 75, 90	6.3, 8, 10, 12.5, 16, 20, 25	26, 21, 17, 13.6, 11, 9, 7.4
110, 125, 140, 160, 180, 200, 225, 250, 280	4, 6.3, 8, 10, 12.5, 16, 20, 25	41, 26, 21, 17, 13.6, 11, 9, 7.4

315, 355, 400, 450, 500, 560, 630, 710, 800

Note: Manufacturer: PPI Corporation P/L – 275 Robinson Rd East, Geebung, Qld

WaterMark Licence No. 1589, Level 1

Expiry Date: 3 August 2011

Standard: AS/NZS 4130 – 2009 – Polyethylene (PE) Pipes for Pressure Applications

7651 4.10 Product Classification: Polyethylene (PE) pipe for pressure applications

Brand name: PPI Compound designation: PE 80B

Colour: Solid Black, Solid Blue, Black with (Blue) Stripe or Jacket

Classification: Series 1

Nominal Outside Diameter (DN)	Nominal Pressure Rating (PN)	Standard Dimension Ratios
20	10, 12.5, 16, 20	13.6, 11, 9, 7.4
25	8, 10, 12.5, 16, 20	17, 13.6, 11, 9, 7.4
32	6.3, 8, 10, 12.5, 16, 20	21, 17, 13.6, 11, 9, 7.4
40	6.3, 8, 10, 12.5, 16, 20	21, 17, 13.6, 11, 9, 7.4
50	6.3, 8, 10, 12.5, 16, 20	21, 17, 13.6, 11, 9, 7.4
63	6.3, 8, 10, 12.5, 16, 20	21, 17, 13.6, 11, 9, 7.4
75	4, 6.3, 8, 10, 12.5, 16, 20	33, 21, 17, 13.6, 11, 9, 7.4
90	4, 6.3, 8, 10, 12.5, 16, 20	33, 21, 17, 13.6, 11, 9, 7.4
110	3.2, 4, 6.3, 8, 10, 12.5, 16, 20	41, 33, 21, 17, 13.6, 11, 9, 7.4
125	3.2, 4, 6.3, 8, 10, 12.5, 16, 20	41, 33, 21, 17, 13.6, 11, 9, 7.4
140	3.2, 4, 6.3, 8, 10, 12.5, 16, 20	41, 33, 21, 17, 13.6, 11, 9, 7.4
160	3.2, 4, 6.3, 8, 10, 12.5, 16, 20	41, 33, 21, 17, 13.6, 11, 9, 7.4

Product Classification: Polyethylene (PE) pipe for pressure applications

Brand name: PPI Compound designation: PE 100

Colour: Solid Black, Solid Blue, Black with (Blue, Purple, White, Red, Green, Cream & Grey) Stripe or Jacket

Classification: Series 1

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

PPI Corporation Pty Ltd Continued

PPI

Nominal Outside Diameter (DN)	Nominal Pressure Rating (PN)	Standard Dimension Ratios
20	12.5, 16, 20, 25	13.6, 11, 9, 7.4
25	10, 12.5, 16, 20, 25	17, 13.6, 11, 9, 7.4
32	8, 10, 12.5, 16, 20, 25	21, 17, 13.6, 11, 9, 7.4
40	8, 10, 12.5, 16, 20, 25	21, 17, 13.6, 11, 9, 7.4
50	8, 10, 12.5, 16, 20, 25	21, 17, 13.6, 11, 9, 7.4
63	6.3, 8, 10, 12.5, 16, 20, 25	26, 21, 17, 13.6, 11, 9, 7.4
75	6.3, 8, 10, 12.5, 16, 20, 25	26, 21, 17, 13.6, 11, 9, 7.4
90	6.3, 8, 10, 12.5, 16, 20, 25	26, 21, 17, 13.6, 11, 9, 7.4
110	4, 6.3, 8, 10, 12.5, 16, 20, 25	41, 26, 21, 17, 13.6, 11, 9, 7.4
125	4, 6.3, 8, 10, 12.5, 16, 20, 25	41, 26, 21, 17, 13.6, 11, 9, 7.4
140	4, 6.3, 8, 10, 12.5, 16, 20, 25	41, 26, 21, 17, 13.6, 11, 9, 7.4
160	4, 6.3, 8, 10, 12.5, 16, 20, 25	41, 26, 21, 17, 13.6, 11, 9, 7.4

Note: Manufacturer: PPI Corporation (NZ) Ltd- 16 Edwards St, Rangiora, New Zealand

WaterMark Licence No. 60064, Level 1

Expiry Date: 20 April 2015

Standard: AS/NZS 4130 – 2009 - Amdt 1 – Polyethylene (PE) Pipes for Pressure Applications

Showers

Mildon Pty Ltd

MILDON

7569	8.09	Showers for Bathing Brand Name: Mildon Models: 3000 Series 13000S All Directional Shower w/Cover Plate Chrome WS 13001S All Directional Shower w/Cover Plate White & Chrome Trim WS 13002S All Directional Shower w/Cover Plate A/Ivory & Chrome Trim WS 13003S All Directional Shower w/Cover Plate White & Gold Trim WS 13004S All Directional Shower w/Cover Plate A/Ivory and Gold Trim WS 13005S All Directional Shower w/Cover Plate Chrome & Gold Trim WS 3000AS All Directional Shower w/Cover Plate Chrome WS 3001S All Directional Shower w/Cover Plate White w/Chrome Trim WS 3002S All Directional Shower w/Cover Plate A/Ivory w/Chrome Trim WS 3003S All Directional Shower w/Cover Plate White w/Gold Trim WS 3004S All Directional Shower w/Cover Plate A/Ivory w/Gold Trim WS 3005S All Directional Shower w/Cover Plate Chrome w/Gold Trim WS 3006S All Directional Shower w/Cover Plate Gold WS 3657S Series 13657S Shower Rose ABS - 56mm AD Arm - Chrome - Hang Sell 3657S Shower Rose ABS - 56mm AD Arm - Chrome - Trade Pack 528HS Series 528HS Aspen Deluxe Shower – Chrome WaterMark Licence No. 60060, Level 2 Expiry Date: 30 August 2012 Standard – AS/NZS 3662 - 2005 – Performance of showers for bathing
7602	11.09	Showers for Bathing Brand Name: Mildon Model: 3101S1 – Single Function Water Saving Shower Head Model: 3102S4 – Four Function Water Saving Shower Head WaterMark Licence No. 60062, Level 2 Expiry Date: 17 November 2012 Standard – AS/NZS 3662 - 2005 – Performance of showers for bathing

Shanghai Flory Import & Export Co Ltd

7720	10.10	Flory Hand Held Shower Assembly Models: FS22031 – Flow Rate 8.2 L/min FS52011 – Flow Rate 8.3 L/min FS31023 – Flow Rate 8.4 L/min Complete with flexible shower hose – ref: FHO-1100, FHO-2100 WaterMark Licence No. 60071, Level 2 Expiry Date: 28 October 2013 Standard – AS/NZS 3662 – 2005 – Amdt 3 – Performance of showers for bathing
------	-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

WATER SUPPLY VALVES AND VALVE ACCESSORIES

Control Valves and Taps

Beltrami Group Pty Ltd

7686 7.10 Water Diversion Valve Model: Acquasaver
 Supplied with pump series Reference Part No.'s
 HM Series
 2HM3-PF1615/AS, 2HM4-PF1615/AS, 2HM5-PF1622/AS, 2HM7-PF1622/AS
 4HM4-PF1615/AS, 4HM5-PF1615/AS, 4HM7-PF1622/AS, 4HM9-PF1622/AS
 2HM3-PF16/AS, 2HM4-PF16/AS, 2HM5-PF16/AS, 2HM7-PF16/AS
 4HM4-PF16/AS, 4HM5-PF16/AS, 4HM7-PF16/AS, 4HM9-PF16/AS
 BG Series
 BGR75-PF1615/AS, BGR100-PF1622/AS, BGM5-PF1615/AS, BGM7-PF1622/AS
 BGM9-PF1622/AS, BGM11-PF1622/AS, BGR75-PF16/AS, BGR100-PF16/AS
 BGM5-PF16/AS, BGM7-PF16/AS, BGM9-PF16/AS, BGM11-PF16/AS
 C Series
 CAM 70/33-PF1622/AS, CAM 70/34-PF1622/AS, CAM 70/45-PF1622/AS
 CAM 120/33-PF1622/AS, CAM 120/35-PF1622/AS, CAM 120/55-PF1622/AS
 CAM 200/33-PF1622/AS
 CAM 70/33-PF16/AS, CAM 70/34-PF16/AS, CAM 70/45-PF16/AS
 CAM 120/33-PF16/AS, CAM 120/35-PF16/AS, CAM 120/55-PF16/AS
 CAM 200/33-PF16/AS
 Note: Supplied pump does not form part of this certification under ATS 5200.477 - 2006
 WaterMark Licence No. 60075, Level 1
 Expiry Date: 28 July 2015
 Standard: ATS 5200.477 – 2006 – Technical Specification for Plumbing & Drainage Products –
 Rainwater/Mains Supply Changeover Devices

Brita GmbH

7713 10.10 Brita Water Dispenser NCP 8884 CP-GM12
 Watermark Licence No. 60067, Level 1
 Expiry Date: 7 October 2015
 Standard: AS/NZS 3718 – 2005 Water Supply – Tap Ware

Burkert Contromatic Australia Pty Ltd

7444 2.09 Burkert 2/2 way Solenoid Valve
 5281 (servo diaphragm): Sizes ½”, ¾”, 1” BSP- NO & NC
 6213 (servo assisted): Sizes ⅜”, ½”, ¾”, 1” BSP – NC
 Solenoid options: 6VDC, 12VDC, 24VDC, 24VAC, 110VAC, 240VAC
 Seal and diaphragm material: EPDM
 WaterMark Licence No. 60042, Level 1
 Expiry Date: 10 February 2014
 Standard: ATS 5200.030 – 2004 – Technical Specification for Plumbing & Drainage Products –
 Solenoid Valves

Crocwatch Control Systems Pty Ltd

AQUA AUTOMATION

7069 11.06 Rainwater/Mains supply changeover device
 Models: DA-18-300-BU (Float switch – pump supplies – see note 2)
 DA-CTRL-BU (Float switch – no pump supplied)
 DA-18-300-BU-US (Ultrasonic sensor – pump supplied – see note 2)
 DA-CTRL-BU-US (Ultrasonic sensor – no pump supplied)
 AAUM-19 (Manifold only – no pump supplied)
 AAUM-25 (Manifold only – no pump supplied)
 AAUM-19-PC (Manifold & Pump controller – no pump supplied)
 AAUM-25-PC (Manifold & Pump controller – no pump supplied)
 Note 1: For models AAUM-19, AAUM-25, AAUM-19-PC
 & AAUM-25-PC, the Dual Check Valve may be fitted External
 (upstream of the solenoid) or Internal (downstream of the solenoid)
 of the main assembly casing
 Note 2: Supplied pump does not form part of this certification under ATS 5200.477
 UPC-RW (Manifold only - no pump supplied)
 WaterMark Licence No. 60005, Level 1
 Expiry Date: 8 November 2011
 Standard: ATS 5200.477 – 2006 – Rainwater/Mains Supply Changeover Devices

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

JL Industries Inc

7258 12.07 PPP Trap Priming Valve
Prime Rite PR-500-AUS DN15
WaterMark Licence No. 60010, Level 1
Expiry Date: 18 December 2012
Standard: ATS 5200.420 – 2005 – Technical Specification for Plumbing & Drainage Products –
Trap-priming Valves

Zhejiang Chaoling Chinaware Valve Co Ltd

7446 4.09 Chaoling Ceramic Cartridges
Models: Ø35G1, Ø35S1, Ø40G1, Ø40S1, Ø35G2 360,
Ø35S2 360, Ø40G2 360, Ø40S2 360, Ø35G2, Ø35S2, Ø40G2, Ø40S2
WaterMark Licence No. 60032, Level 1
Expiry Date: 23 April 2014
Standard: AS/NZS 3718 – 2005 – Water Supply – Tap Ware

Valves for Pressure and Temperature

Global Water Solutions Ltd

7426 12.08 Pressure Wave, Grundfos & ITT Lowara Diaphragm Expansion Tank
Pressure Wave Models:
10 Bar
PWB2, PWB4, PWB 8, PWB 12, PWB 18, PWB 20H, PWB 24, PWB 24H, PWB 35,
PWB 35H, PWB 35V, PWB 60H, PWB 60V
16 Bar
PWB 8-16, PWB 18-16
Grundfos Models:
10 Bar
96528336, 97506558, 96526322, 96528337, 96528339, 96528388,
96528340, 96556002, 96528389, 96528341, 96526321, 96528340,
16 Bar
96528358
ITT Lowara
10 Bar
PWL 8, PWL 12, PWL 18, PWL 20H, PWL 24, PWL 24H, PWL 35,
PWL 35H, PWL 60H, PWL 60V
16 Bar
PWL 8-16, PWL 18-16
WaterMark Licence No. 60044, Level 1
Expiry Date: 8 December 2013
Standard: ATS 5200.485 – 2006 – Technical Specification for Plumbing and Drainage Products –
Pressure compensating tank

Honeywell Limited HONEYWELL

7628 3.10 D06F Pressure Reducing Valves
D06F (size)A – Above with threaded male connections, black filter
Bowl (up to 40°C) – DN15, DN20, DN32, DN40 & DN50
NK295S Combined Pressure Reducing Ball Valve (up and downstream) &
Breakflow Preventations
DN15 – Additional testing to AS/NZS 2485.1 – 1998 to cover blackflow
Prevention device
Watermark Licence No. 60028, Level 1
Expiry Date: 8 March 2015
Standards: AS 1357.2 – 2005 – Amdt 1 – Valves primarily for use in heated water systems –
Control valves
AS/NZS 2845.1 – 1998 – Water Supply – Blackflow prevention devices – Materials,
Design and performance requirements

TYPE TESTED PLUMBING PRODUCTS (WaterMark)

Rinnai Australia Pty Ltd

7586 10.09 Rinnai Demand Duo Warm Water Unit for Operation as a Tempering and Thermostatic Mixing Valve
DDWW32 (utilised with Siemens MXG461B15-0.6, MXG461B15-1.5, MXG461B15-3, MXG461B20-5, MXG461B25-8)
DDWW50 (utilised with Siemens MXG461B32-12, MXG461B40-20)
DDWW50 (utilised with Siemens MXG461B40-20, MXG461B50-30)
Watermark Licence No. 60059, Level 1
Expiry Date: 8 October 2014
Standards: AS 4032.1 – 2005 – Water Supply – Valves for the control of heated water supply temperature – Thermostatic mixing valves – Materials design and performance requirements
AS 4032.2 – 2005 - Amdt 2 - Water Supply – Valves for the control of hot water supply temperature – Tempering valves and end-of line temperature-actuated devices

JOINTING MATERIALS

General

Smartco Pty Ltd

7574 9.09 Smartco Copper-Phosphorous Brazing Alloy with 2% or 5% Silver
SGWS2P - 2% Silver, Alloy designation B2
SGWS5P - 5% Silver, Alloy designation B3
WaterMark Licence No. 60017, Level 1
Expiry Date: 1 September 2014
Standard: ATS 5200.14 – 2004 - Technical Specification for Plumbing and Drainage Products – Jointing Materials

Cert. Number	Suspension Date	Appliance		
--------------	-----------------	-----------	--	--

APPROVAL CERTIFICATE SUSPENSIONS

New suspensions may occur, and/or existing ones lifted or superseded by formal cancellation, at any time. For current information regarding suspensions you should contact the Technical Office on (03) 9580 4500.

CERTIFICATE SUSPENDED – AWAITING RETEST / AUDIT

Aga Rangemaster Ltd – Agent: Aga Shop Australia Pty Ltd

5013	16.8.10	Aga Heat Storage Model: Rayburn Cookmaster 200G	N	
6273	16.8.10	Dual Fuel Freestanding Cooker Model AGA Masterchef 100DF	N	P

Air and Gas Industries a Unit of Air & Gas Holdings P/L

IRIS

4993	1.10.09	500 Flame Monitoring System, with S509/IRX2 Infra-red Sensor or S506 UV Sensor Class 1D For use with burner management systems Requiring Classifications up to, and including 1A		
------	---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment

7003	6.7.10	Angelo Po Gamma Series 90 cm Range and Boiling Table Model: G1FAGS	N	U
------	--------	--------------------------------------------------------------------	---	---

Arcelik A.S. - Agent: Ron Hampton Australia Pty Ltd

7009	5.7.10	Flavel Aspen 8 Burner Dual Fuel Model: AAP10FR* * Denotes colour of product as follows: K = Black, C = Cream, S = Silver Note: Also suitable for use with New Zealand Natural Gas	N	U
7013	5.7.10	Leisure Roma and Leisure Cookmaster 5 Burner Dual Fuel Models: ACM10FR* and ARM10FR* * Denotes colour of product as follows: K = Black, C = Cream, S = Silver Note: Also suitable for use with New Zealand Natural gas	N	U

Aussie Outdoor Imports & Exports Pty Ltd

7327	26.8.09	Aussie Outdoor Imports & Exports Pty Ltd – Patio Heater Models: H1105 (stainless steel finish) and H1205 (powder coated finish)		P
------	---------	------------------------------------------------------------------------------------------------------------------------------------	--	---

**Blodgett Oven Company – Agent: Curtin Pty Ltd T/as Global Food Equipment
(Curtin P/L Global Food Equipment– Administrators appointed)**

SC348	16.5.03	Blodgett DFG 100 Series Convection Oven	N	P
SC349	16.5.03	Zephaire GL Commercial Oven, Single or Double Stacked	N	P

Bromic Pty Ltd

4193	24.3.11	Model MP201 Multigas Cock for use with Small Low Pressure Appliances, Cookers and Barbecues 7 kPa		
------	---------	------------------------------------------------------------------------------------------------------	--	--

Cadac (Pty) Ltd - Agent: CadacBBQ

6168	7.4.10	Camping Lanterns Cadac Trail Light Model 902121 GoGas/GoSystem Mini Tech Light Model 2121 (Tested with 70% B and 30% P)		B/P B/P
------	--------	----------------------------------------------------------------------------------------------------------------------------------	--	------------

Cert. Number	Suspension Date	Appliance		
Cadac (Pty) Ltd - Agent: CadacBBQ Continued				
6169	7.4.10	Cadac Camping Stove Explorer Model 902101		B/P
		GoGas/GoSystem Model 2101 (Tested with 70% Butane and 30% Propane)		B/P
6171	7.4.10	Cadac Base Camp Lantern Model 902192		B/P
		GoGas/GoSystem Eclipse Lantern Model 2192 (Tested with 80% B and 20% P)		B/P
6172	7.4.10	Cadac Base Camp Stove Model 902191		B/P
		GoGas/GoSystem Eclipse Stove Model 2191 (Tested with 80% B and 20% P)		B/P
Can's Rotisserie – (Necet Can T/as)				
7292	17.3.10	Can's Vertical Rotisserie Model: 4BN Vertical Rotisserie	N	
Changzhou Hongmaoxinda Furnace Co Ltd				
7072	26.8.10	Koch & Gasmate Outdoor Radiant Patio Heater Koch Models: HMXD-A and HMXD-B Gasmate Models: PH2040 and PH2049		U P
Coleman Brands Pty Ltd				
6569	16.12.09	Coleman Catalytic Heaters Procat Model: 5053A751		P
		Blackcat Models: 5033-700A, 5038A800XA and 5038A850XA		P
7174	20.3.09	Coleman Power Portable Gas Stove Model: 61231A		B
7192	20.3.09	Coleman Two Burner Grill Stove Model: 9922 (Matchlight and Electronic Ignition)		P
7202	20.3.09	Coleman "Roadtrip Grill Pro" Portable 2 Burner Barbecue Model: 9928 (Red Hood) Model: 9928 (Black & Red Hood) Model: 9928 (Black & Stainless Steel Hood)		P P P
CVO Fires Pty Ltd				
7099	24.5.10	CVO Fires Decorative Effect Fire Model: Fire Ribbon	Type 2	N P
Electrical Distributors Australia Pty Ltd				
6440	20.3.09	Euromaid Hotplates Models AO980SS, AO980W, AO980WFS and AO980SSFS	N	P
Enware Australia Pty Ltd				
ENWARE				
4604	1.11.10	Type 29 Bench Mounted Needle Valve 7 kPa		
Fiesta Barbeques Ltd – Agent: Cape Trading Sales				
6612	3.12.09	Gusto Two Burner Hooded Trolley Models BP26028 and BP26040 Model BP26040 with Side Burner		P
7042	25.8.09	Fiesta Blue Ember 3 Burner Hooded Barbecue Models: FG50045, FG50057 and FG50069		P

Cert. Number	Suspension Date	Appliance		
Franke Australia Pty Ltd				
6403	26.6.10	Franke Belinox, Trend, Design Plus and Design Glass 4 and 5 Burner Hotplates Belinox Models: BE60 4G, BEW60 4G, BE260 4G, BE60 4G-TC, BEW60 4G-TC and BE260 4G-TC Trend Models: TR60 4G, TR60 4G-TC, TR2P60 4G-TC-FFD, TR60 4G-TC-HT, TR70 4G-TC and TR70 5G-TC Design Plus Models: DP86 4G-TC and DPA83 4G-TC Design Glass Models: DG60 4G-TC, DG60 4G-TC-HT Note: All models are also suitable for New Zealand Natural Gas	N N N N	U U U U
6534	26.6.10	Franke Four & Five Burner Hotplates Models: DPR97 5G-TC-HT (Five Burner) FHPL704 4G XS C (Four Burners) FHPL1005 4G TC XS C (Five Burners) Note: Also suitable for use with New Zealand Natural Gas	N N N	U U U
7619	26.6.10	Franke FHM 4 and 5 Burner Hotplates 4 Burner Hotplate Models: 604 3G TC XS C (60cm) 704 3G TC XS C (70cm) 5 Burner Hotplate Model: 705 4G TC XS C (70cm) Note: Also suitable for New Zealand Natural Gas	N N N	U U U
HangZhou Fu Yang Zhen Da Gas Appliance Co Ltd				
7087	2.2.11	Gas Regulator with Hose Assembly Models: T-2A and T-3A 2.8 kPa		
Henny Penny Corporation - Agent: JL Lennard Food Equipment Pty Ltd				
7387	21.4.10	Henny Penny Deep Fat Pressure Fryer Models: PFG-600KFC, PFG-600, PFG-600F, PFG-600C	N	P
Hosun Universal Co Ltd				
5654	16.11.09	Appliance Control Valve with Flame Failure Device KKV Series Models KKV 90CX, KKV 903X, KKV 90CP, KKV 903P, KKV 90CPG and KKV 903PG with Flame Failure with or without Piezo Ignition 5 kPa		
J Goldstein & Company Pty Ltd				
4256	12.10.10	Goldstein Multi – 1, Multi – 2, Multi – 3 Commercial Ranges Models: PF-8-28/SA, PF-12G-6-28/SA, PF-24G-4-28/SA, PF-36G-2-28/SA and PF-48G-28/SA Note: Modular design appliance, dependant on the model they may include various combinations of boiling burner, oven, griddle, salamander or fryer	N	P
5696	8.2.10	Models CASG10 and CASG20 Steam/Convection Oven	N	P
Jetmaster (Pty) Limited				
6691	2.6.09	Jetmaster Mark II 700 Models 700 NG M, 700 NG E, 700 P M, 700 P E Type 2	N	P
6977	2.6.09	Jetmaster Decorative Effect Gas Fireplace Model: 700 D/S I/O Type 2	N	
Jetmaster (Pty) Limited - Agent: Jetmaster (Vic) Pty Ltd				
6993	2.6.09	Jetmaster Gas Fireplace Model: 1050 Slimline Type 2	N	
Jiangmen Cadero Hardware Products Mfg Co Ltd				
7377	6.11.09	Cadero 2, 3 & 4 Outdoor Barbecue Grills with Hood Models: CBS-200, CBS-300, CBS-310, CBS-301, CBS-311, CBS-400, CBS-410, CBS-401 & CBS-411		P
Major Electrical Appliances, A Div of Hagemeyer Brands Aust Pty Ltd				
6924	20.3.09	Blanco Hotplates Models: GMS4400MX, GWS5500MXT and GWS4400MXT	N	P

Cert. Number	Suspension Date	Appliance						
Ondot Pty Ltd T/as Broadwater Marine Stoves								
4533	19.6.07	Broadwater 2 and 4 Burner Marine Cookers						U
		Models Brigantine, Schooner and Sloop – 4 Burner Hotplate Grill & Oven						U
		Cutter – 2 Burner Hotplate, Grill & Oven						U
		Gaffer – 2 Burner Hotplate & Grill						U
		Ketch – 4 Burner Hotplate & Grill						U
		Skiff – 2 Burner Hotplate						U
Ondot Pty Ltd T/as Maxco Industries Pty Ltd								
4429	5.4.00	TC Series (Caravan) and TM Series (Marine)						
		Oven/Grill/Hotplate Combination						
		TMOF and TCOF (Stovette)						P
		TMG and TCG (Hotplate with Grill)						P
		TMO and TCO (Oven)						P
		TMOH and TCOH (Hotplate with Oven)						P
		TMH and TCH (Hotplate)						P
OneSteel Piping Systems A Business of Onesteel Trading P/L								
KITZ								
7428	17.6.10	Class 600 Full Bore Vent Valve						
		25	1"	A6005-F14A	10 000	3	Temperature -5°C to 80°C	
Ozсарac & Sons Pty Ltd								
SC337	11.6.10	Ozсарac Vertical Kebab Machine						
		Models: HO2, HO3, HO4, HO5 and HOD4 (Top mount motor)					N	P
		Models: HO4BM and HO5BM (Bottom mount motor)					N	P
Pecan Engineering Pty Ltd								
7266	2.2.10	Nectre Outdoor Decorative Fire (coal effect) Model: Outdoor Decorative Fire						P
Pitco Frialator Inc								
6075	11.12.09	Pitco Model TF2000					N	P
Prize International Pty Ltd								
7189	19.2.10	Prize Commercial Fryer Models: PF2-400 and PF3-500					N	P
Robert Bosch (Australia) Pty Ltd								
7733	10.6.11	Bosch External Storage Water Heaters						
		BGS 320 HNG		20 806	5.0/150°	N		
		BGS 320 HLP		20 806	5.0/150°		U	
		BGS 350 HNG		20 636	5.1/153°	N		
		BGS 350 HLP		20 636	5.1/153°		U	
Ryco Hydraulics Pty Ltd								
RYCO								
5523	11.9.09	RQGI Assemblies (Class D) 2600 kPa						
		ID ¼", 3/8" ½", 5/8", ¾" & 1"						
Seven Universe Industrial Co Ltd - Agent: Black & Stone Pty Ltd								
BLACK & STONE								
7323	18.11.09	Hose & Regulator Assembly (Class A)						
		Models: BSH6R00-AU & BSH6R90-AU 7 kPa						
Shillito Pty Ltd								
7364	18.2.10	Euro Grand Built-In Gas Hotplates						
		Models: WA0601, WA0612, WA0615 & WA0608					N	P
Shriro Australia Pty Ltd								
7204	21.11.09	Everdure 4 and 6 Burner Barbecues						
		Models: Fitzroy, Kimberley Premium, Subiaco and Stirling Premium					N	U

Cert. Number	Suspension Date	Appliance		
Sitro Group Australia Pty Ltd				
4698	1.3.11	Hot Ozi Round NG25 & NG26 Outdoor Barbecue		P
6364	25.10.10	Gasmate, Gasmaster, Jumbuck, Jackeroo and Eurolec CVD Mariner Series Barbecues Models: MARI410, MARI610, MARI420, MARI620, MCMARI410 and MCMARI610		P
7134	1.6.11	MARI415, MARI615, MARI425, MARI625, MCMARI415 and MCMARI615	N	
		Gasmate, Gasmaster, Jumbuck, Jackeroo and Matador 3 Burner Barbecue Grill Modular		P
		Gasmate, Gasmaster, Jumbuck and Jackeroo Model: G41504		P
		Matador Model: Taurus G41504		P
7152	24.5.11	Gasmate, Jumbuck and Jackeroo Spit Roaster Barbecue Model: GSB100		P
7337	25.10.10	Gasmate, Gasmaster, Jumbuck, Jackeroo 3 Burner Barbecue Model: BQ1005		P
Solutions Sourcing Pty Ltd				
7045	28.8.09	Permasteel Outdoor Domestic Barbecue with 4 Main and a Boiling Burner Model: PG-50403SOL		P
7078	28.8.09	Permasteel Trolley Mounted Barbecue with 6 SS Burners, Side Burner, Rotisserie Burner and Roasting Hood Model: PG-50602SRL		P
Sunbeam Corporation Ltd				
6997	13.10.10	Sunbeam 'Innovo' Domestic Outdoor Barbecue with Natural Gas Conversion Kit		
		Barbecue only Models: GB41100, GB5110, GB6110	N	U
		Natural Gas Conversion Kit Model: GBO700	N	U
Technika Pty Ltd				
6385	15.5.09	Technika Dual Fuel Freestanding Cookers Models GHE06TW, GHE09TW and GHE09TW(CAST)	N	P
Techrite Controls Australia Pty Ltd				
ANELLO				
7429	5.11.10	Safety Solenoid Valves		
		15 GSAVO15 20 2		
		GSAVO15/08B 80 2		
The Trustee for the TK & AS Discretionary Trust T/as Royal Flush (Australia) Pty Ltd				
7121	14.4.10	Royal Flush Combined Cistern/Wash Basin Model: QC-STV 1890B-NK		
		WaterMark Licence No. 20283, Level 1, Expiry Date: 18 May 2011		
		Standard: AS 1172.2 – 1999 – Water Closet (WC) Pans of 6/3 L Capacity or Proven Equivalent Part 2: Cisterns		
Think Appliances Pty Ltd				
6272	24.2.09	Baumatic, D'Amani, Dolce, Linea and Sagi 60 and 90 cm Dual Fuel 60 cm Models:		
		Baumatic BA2360, BAF2360	N	P
		D'Amani DGEUCCP6, DGEUCCPF6	N	P
		Dolce DFS600, DFS600F	N	P
		Linea LUC600, LUC600.2 (alternative clock), LUCF600	N	P
		Sagi SAUCCP6, SAUCCPF6	N	P
		90 cm Models:		
		Baumatic BK2460, BKF2460	N	P
		D'Amani DGEUCCP9, DGEUCCPF9, DGEUC9CAV, DGEUCF9CAV	N	P
		Dolce DFS900, DFS900F	N	P
		Linea LUC900, LUCF900	N	P
		Sagi SAUCCP9, SAUCCPF9	N	P
		Note: F denotes – with FFD		
6279	24.2.09	Baumatic Dual Fuel Models BA2850, BA2850.2, BA2950 and BA2950.2	N	P

Cert. Number	Suspension Date	Appliance		
--------------	-----------------	-----------	--	--

Think Appliances Pty Ltd Continued

6290	24.2.09	Baumatic 70, 90, 100, 110 and 116 cm Dual Fuel Freestanding Models TS7 (70 cm Gas Top and Electric Oven) TS9, BATS1, and BATS1.2 (90 cm Gas Top and Electric Oven) TS10 (100 cm Gas/Electric Top and Two Electric Ovens) TS12 (116 cm Gas/Electric Top and Two Electric Ovens) Note: Difference between BATS1 and BATS1.2 is aesthetic only (ie knobs and oven door). BATS1.2 and TS9 are identical	N N N N	P P P P
6309	24.2.09	D'Amani 5 Burner Built-in Hotplate Models: DGC95CW (cast iron trivets and manual ignition) DGC95CWA (cast iron trivets and auto ignition) DGC95WA (enamel mild steel trivets and auto ignition)	N N N	P P P
6319	24.2.09	D'Amani and Sagi 5 Burner Hotplates D'Amani Model DGC95W Sagi Model SA4GW9	N N	P P
6328	24.2.09	Franke and Sagi 4 Burner Built-in Hotplates Franke Model FWG60E Sagi Models SA3GW6 and SA4G6	N N	P P
6334	24.2.09	Franke and Sagi 4 and 5 Burner Built-In Hotplates Franke Models FGC60E (4 Burner) and FWG70R (5 Burner) Sagi Model SA4GW70 (5 Burner)	N N	P P
6531	24.2.09	D'Amani Five Burner Models DGC95CEXWASS (non FFD) and DGCF95CEXWASS (FFD)	N	P
6694	24.2.09	Baumatic and Lofra 4 Burner Baumatic Model BT66SS Lofra Model LOICG74WSS Note: Both models also suitable for use with New Zealand Natural Gas	N N	U U
6829	14.10.09	Lofra 4 and 5 Burner Built-In 4 Burner Model: LPICG64WSS 5 Burner Models: LPICG75WSS, LPICG95WSS, LEICG75WSS, LEICG95WSS	N N	U U

**Tiemme Raccorderie SpA
MISTRAL, HYFLO, ZETCO**

6939	20.10.09	Brass Ball Valve with F x F Configuration ½", ¾", 1", 1¼", 1½", 2"		2100 kPa
------	----------	--------------------------------------------------------------------	--	----------

TPA Metals & Machinery (Shenzhen) Co Ltd

5737	24.4.09	TPA Adjustable/non-adjustable, Single Stage Low Pressure Regulators, Models R200B and R200B/EFD (1.2 kg/h), R200, R200/EFD, R201 and R201/EFD(2 kg/h) Straight or Right Angled Inlet with Companion or POL Fitting Note: All models with the EFD suffix are fitted with an excess flow device.		
6532	7.4.10	Del Terra Outdoor Mate, Gascraft, Hotrocks, Outdoor Portable and Renaissance Single Burner Round Barbecues with or without Mobile Trolley Models RG-18 and RG-18K		P
6979	7.4.10	Type 2 Gas Valve with Flame Failure Model: SV023 @ 0°C to 60°C		7 kPa

United Four Co Ltd

6180	6.11.09	Solimar, Metro, Metro Deluxe 3 and 4 Burner Trolley Barbecues Models B1313A, B1314A, B1316A and B1317A		P
6676	6.11.09	U4B and Meteor Grande Trolley Barbecues with Side Burner Models: GB1840 and GB1860		P
6825	6.11.09	GB7130 – Stainless Steel with Cupboard Trolley GB7130CIP – Stainless Steel with Pedestal Stand GB7230 – Porcelain Enamel Finish with Cupboard Trolley GB7230CIP – Porcelain Enamel Finish with Pedestal Stand		P P P P
7132	6.11.09	Eureka, Aussie, Coolabah, Metro & U4B Solid Plate Barbecues Models: GB1372, GB1373, GB1374, GB1364T		P

United Four Co Ltd - Agent: Aussie Outdoor Imports and Exports Pty Ltd

6300	6.11.09	Solimar Patio Heaters Models P1010 Orchid and P1021 Edelweis		P
------	---------	--------------------------------------------------------------	--	---

Cert. Number	Suspension Date	Appliance
--------------	-----------------	-----------

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd

BUGATTI

6620	29.4.09	Full Bore Ball Valves Model Art 553, 2 Piece Brass Body 15, 20, 25, 32, 40 and 50 mm Connections: BSPP/NPT 100 kPa BSPT 500 kPa Temperature -20°C to 60°C
6715	24.4.09	Full Bore, 90° Outlet, Brass Bodied Ball Valve Art 577, 592 and 593 - ½" x ½", ¾" x ¾" and 1" x 1" Art 578 and 579 - ½" x ¾", ¾" x ¾", ¾" x 1" and 1" x 1" BSP/NPT 100 kPa BSPT 500 kPa Ambient Temperature -20°C to 60°C
6791	24.4.09	Art 570, 571, 575 - ½" x ½" and ½" x ¾" 100 kPa Art 576S and 597S - ½" x ½" 100 kPa BSPP/NPT - 100 kPa @ 60°C

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd

BUGATTI, HYFLO, ZETCO

6683	24.4.09	Art (Series) 451, 452, 456 and 457 Full Bore, 2 Piece Brass Body Ball Valves Art 451 - ¼", 3/8", ½", ¾", 1", 1¼", 1½" and 2" Art 452 - ¼", 3/8", ½", ¾" and 1" Art 456 - ¼", 3/8", ½", ¾", 1", 1¼", 1½" and 2" Art 457 - ¼", 3/8", ½", ¾" and 1" Connections: BSPP/NPT 100 kPa BSPT 500 kPa Temperature -20°C to 60°C
------	---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Xiamen Yi Chen Da Machinery Co Ltd

7581	27.6.11	3 Burner Trolley Mounted Barbecue Models: EDa-G002 WELLQUIP-4BLP WELLQUIP-4BNG	N N	P P
------	---------	--------------------------------------------------------------------------------------------	------------	--------

Cert. Number	Cancellation Date	Appliance				
--------------	-------------------	-----------	--	--	--	--

CANCELLATIONS

The following is a list of cancellations for the last twelve months. New cancellations may occur at any time so you should check with the AGA on (03) 9580 4500 if in any doubt about the currency of a particular Certificate.

AF Gason Pty Ltd

5578	6.10	Eureka and Jindara Inbuilt and Freestanding Log Effect				
		Eureka Topaz and Jindara Hume	13 666	2.7/83°	N	
		Eureka Topaz and Jindara Hume	10 128	3.2/98°		P

Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment

6506	4.11	Angelo Po Gamma Series Brat Pans Model 1G1BR1G			N	U
------	------	------------------------------------------------	--	--	---	---

Apollo Gas Products

MED TECNICA

5349	6.10	MED Lock Off Valve Model 131GS - MWP 2.6 MPa				
5350	6.10	MED Lock Off Valve 1414GS Series Type 800 – MWP 2.6 MPa				

AquaMax Australia Pty Ltd

4767	6.10	Aqua-Max Storage Water Heater Model G200N	20 303	5.2/157°	N	
5658	6.10	Aqua-Max Kwikot Series (External) Storage Water Heaters				
		Models: G40N & G40NMN	22 830	4.0/120°	N	
		G40LP & G40NMLP	22 830	4.0/120°		P

Aussie Outdoor Imports and Exports Pty Ltd

7082	6.11	Aussie Outdoor Patio Heaters Models: JDS01/A and JDS01/B				U
------	------	----------------------------------------------------------	--	--	--	---

Australian Dynamic Products Pty Ltd t/as Whelan Industries

3906	8.10	Whelan Vertical Rotisserie Models: NG 3B and NG 4B			N	
------	------	----------------------------------------------------	--	--	---	--

Bowin Mfg Pty Ltd

4675	10.10	Bowin LN8 Flueless Convection Heater	6237	1.4/43°	N	P
4814	10.10	Bowin SLE1 Flueless Convection Heater	6654	5.9/177.5°	N	P
4970	10.10	Bowin SLE2 Flueless Convection Heater	9289	5.9/177.5°	N	P
6401	10.10	Bowin Flueless Convection Space Heater Model Quickheat	7898	5.8/173°	N	P

B & S Commercial Kitchen Appliances Pty Ltd

4953	5.11	B & S Models L-900-4BT, L-900-5BT and L-900-6BT Open Top			N	
------	------	----------------------------------------------------------	--	--	---	--

Bromic Pty Ltd

RECA

3884	6.11	Model 73-1-8, 10 kg Single Stage Non-Adjustable Maximum Inlet Pressure 1750 kPa				
------	------	---------------------------------------------------------------------------------	--	--	--	--

Bromic Pty Ltd

BROMIC

4430	6.11	MT 8mm NB Hose Assembly(Class A)	7 kPa			
------	------	----------------------------------	-------	--	--	--

Cert. Number	Cancellation Date	Appliance				
BSH Home Appliances Pty Ltd						
7064	6.11	Siemens and Bosch Hotplates Siemens Models: ER617501A, ER512502A and ER511502A			N	U
		Bosch Models: PGE375K02P and PGF375K02P			N	U
7074	6.10	Bosch 90cm Dual Fuel Freestanding Cooker Model: HSB745256A			N	U
		Note: Also suitable for New Zealand Natural gas				
7085	6.10	Bosch 60cm Dual Fuel Freestanding Cooker Model: HSV 745055 A			N	U
		Also suitable for use with New Zealand Natural gas				
7127	6.11	Bosch, Siemens and Neff 5 and 6 Burner Inbuilt Hotplates Bosch Models: PCR915B90A, PCT915B90A, PCL985FAU and PCN985FAU			N	U
		Siemens Model: ER19350AU, EC945RB90A			N	U
		Neff Models: T29R96N0AU, T29R8N0AU			N	P
7160	7.10	Bosch and Siemens 4 and 5 Burner Hotplates Bosch Models: 4 Burner Models (60cm) PCH612DAU, PCH615FAU, PCH615DAU, PCH615CAU,			N	U
		4 Burner Model (76cm) PCK755FAU, PCI815B90A			N	U
		5 Burner Models (70cm) PCL785FAU, PCL755FAU			N	U
		Siemens Model: ER 149 53 AU			N	U
		Note: Australian and New Zealand Natural gas				
BSP Enterprises Pty Ltd						
4567	6.10	Gas Assisted Solar (G.A.S.) and Gaspac Hot Water Services, Manual and Electronic Ignition Models	Not applicable	-	N	P
Cadac (Pty) Ltd - Agent: CadacBBQ						
6123	6.11	GoSystem Hand Held Torches Models: TT2060 Tradesman Torch				B/P
		CA 2015 Chefs Automatic Blowtorch				B/P
		CB 2075 Chefs Blowtorch				B/P
		PT 2040 Plumbing Torch				B/P
		GB 2070 Blow Lamp				B/P
		AP 2010 Auto Power Torch				B/P
		PT 2020 Power Torch				B/P
		(Tested with 70% B and 30% P)				
Camec Pty Ltd						
5674	10.10	Atwood Caravan Water Heater Model I6-6E (A)	Not tested	1.0/30°		P
Candy Elettrodomestici Srl - Agent: Dom Tech Appliances Pty Ltd						
6764	6.10	Candy Five Burner Model P9SPDXAUS			N	P
6765	6.10	Candy Four Burner Model PLDA640XAUS			N	P
Carrier Air Conditioning Pty Ltd						
5503	8.10	Brivis Multi-Plex Series Internal & External Models ME20I, ME20IXA, ME20E, ME20EXA,	151/m ³	4.0/120°	N	U
		ME30I, ME30IXA, ME30E, ME30EXA, ME351	151/m ³	4.0/120°	N	
		HE20I, HE20IXA, HE20E, HE20EXA	132/m ³	5.1/153°	N	U
		HE30I, HE30IXA, HE30E and HE30EXA	126/m ³	5.5/165°	N	U
Chef Wan Solutions Pty Ltd						
7199	2.11	Chefwan Chinese Cooking Stove Duck Bill Burner Waterless Wok Stove Models – Natural Gas				
		CW WW 1 DB (1 Ring Wok – Duck bill burner)			N	
		CW WW 2 DB (2 Ring Wok – Duck bill burner)			N	
		CW WW 3 DB (3 Ring Wok – Duck bill burner)			N	
		CW WW 1 DB 1L SB (1 Ring Wok – Duck bill burner with 1 left side burner)			N	
		CW WW 2 DB 1L SB (2 Ring Wok – Duck bill burner with 1 left side burner)			N	
		CW WW 3 DB 1L SB (3 Ring Wok – Duck bill burner with 1 left side burner)			N	
		CW WW 1 DB 1L/1R SB (1 Ring Wok – Duck bill burner with 1 left /1 right side burner)			N	
		CW WW 2 DB 1L/1R SB (2 Ring Wok – Duck bill burner with 1 left /1 right side burner)			N	
		CW WW 1 DB 2L SB (1 Ring Wok – Duck bill burner with 2 left side burner)			N	
		CW WW 1 DB 2x2L SB (1 Ring Wok – Duck bill burner with 2x2 left side burner)			N	

Chef Wan Solutions Pty Ltd Continued

CW WW 2 DB 2L SB (2 Ring Wok – Duck bill burner with 2 left side burner)	N
CW WW 2 DB 2x2L SB (2 Ring Wok – Duck bill burner with 2x2 left side burner)	N
CW WW 3 DB 2L SB (3 Ring Wok – Duck bill burner with 1x2 left side burner)	N
CW WW 1 DB 1R SB (1 Ring Wok – Duck bill burner with 1 right side burner)	N
CW WW 2 DB 1R SB (2 Ring Wok – Duck bill burner with 1 right side burner)	N
CW WW 3 DB 1R SB (3 Ring Wok – Duck bill burner with 1 right side burner)	N
CW WW 1 DB 2R SB (1 Ring Wok – Duck bill burner with 2 right side burner)	N
CW WW 1 DB 2x2R SB (1 Ring Wok – Duck bill burner with 2x2 right side burner)	N
CW WW 2 DB 2R SB (2 Ring Wok – Duck bill burner with 2 right side burner)	N
CW WW 2 DB 2x2R SB (2 Ring Wok – Duck bill burner with 2x2 right side burner)	N
CW WW 3 DB 2R SB (3 Ring Wok – Duck bill burner with 1x2 right side burner)	N
CW WW 2 DB 1L/1R SB (2 Ring Wok – Duck bill burner with 1 left / 1 right side burner)	N
CW WW 2 DB 2L/2R SB (2 Ring Wok – Duck bill burner with 2 left / 2 right side burner)	N
CW WW 1 DB L ST (1 Ring Wok – Duck bill burner with left side table)	N
CW WW 2 DB L ST (2 Ring Wok – Duck bill burner with left side table)	N
CW WW 3 DB 1L ST (3 Ring Wok – Duck bill burner with left side table)	N
CW WW 1 DB R ST (1 Ring Wok – Duck bill burner with right side table)	N
CW WW 2 DB R ST (2 Ring Wok – Duck bill burner with right side table)	N
CW WW 3 DB R ST (3 Ring Wok – Duck bill burner with right side table)	N
Jet Burner Waterless Wok Stove Models – Natural Gas	
CW WW 1 JB (1 Ring Wok – Jet burner)	N
CW WW 2 JB (2 Ring Wok – Jet burner)	N
CW WW 3 JB (3 Ring Wok – Jet burner)	N
CW WW 1 JB L SB (1 Ring Wok – Jet burner with 1 left side burner)	N
CW WW 2 JB 1L SB (2 Ring Wok – Jet burner with 1 left side burner)	N
CW WW 3 JB 1L SB (3 Ring Wok – Jet burner with 1 left side burner)	N
CW WW 1 JB 2L SB (1 Ring Wok – Jet burner with 2 left side burner)	N
CW WW 1 JB 2x2L SB (1 Ring Wok – Jet burner with 2x2 left side burner)	N
CW WW 2 JB 2L SB (2 Ring Wok – Jet burner with 2 left side burner)	N
CW WW 2 JB 2X2L SB (2 Ring Wok – Jet burner with 2x2 left side burner)	N
CW WW 3 JB 2L SB (3 Ring Wok – Jet burner with 2 left side burner)	N
CW WW 1 JB 1R SB (1 Ring Wok – Jet burner with 1 right side burner)	N
CW WW 2 JB 1R SB (2 Ring Wok – Jet burner with 1 right side burner)	N
CW WW 3 JB 1R SB (3 Ring Wok – Jet burner with 1 right side burner)	N
CW WW 1 JB 2R SB (1 Ring Wok – Jet burner with 2 right side burner)	N
CW WW 1 JB 2x2R SB (1 Ring Wok – Jet burner with 2x2 right side burner)	N
CW WW 2 JB 2R SB (2 Ring Wok – Jet burner with 2 right side burner)	N
CW WW 2 JB 2x2R SB (2 Ring Wok – Jet burner with 2x2 right side burner)	N
CW WW 3 JB 2R SB (3 Ring Wok – Jet burner with 2 right side burner)	N
CW WW 2 JB 1R / 1L SB (2 Ring Wok – Jet burner with 1 right / 1 left side burner)	N
CW WW 2 JB 2R / 2L SB (2 Ring Wok – Jet burner with 2 right / 2 left side burner)	N
CW WW 1 JB L ST (1 Ring Wok – Jet burner with left side table)	N
CW WW 2 JB L ST (2 Ring Wok – Jet burner with left side table)	N
CW WW 3 JB 1L ST (3 Ring Wok – Jet burner with left side table)	N
CW WW 1 JB R ST (1 Ring Wok – Jet burner with right side table)	N
CW WW 2 JB R ST (2 Ring Wok – Jet burner with right side table)	N
CW WW 3 JB R ST (3 Ring Wok – Jet burner with right side table)	N
Low Waterless Wok Stove Models – Natural Gas	
CW WLW 1 DB (1 Ring Low Wok – Duck bill burner)	N
CW WLW 2 DB (2 Ring Low Wok – Duck bill burner)	N
Duck Bill Burner Waterless Wok Stove – LPG	
CW WW 1 DB-LP (1 Ring Wok – Duck bill burner)	P
CW WW 2 DB-LP (2 Ring Wok – Duck bill burner)	P
CW WW 3 DB-LP (3 Ring Wok – Duck bill burner)	P
CW WW 1 DB 1L SB-LP (1 Ring Wok – Duck bill burner with 1 left side burner)	P
CW WW 2 DB 1L SB-LP (2 Ring Wok – Duck bill burner with 1 left side burner)	P
CW WW 3 DB 1L SB-LP (3 Ring Wok – Duck bill burner with 1 left side burner)	P
CW WW 1 DB 1L/1R SB-LP (1 Ring Wok – Duck bill burner with 1 left / 1 right side burner)	P
CW WW 2 DB 1L/1R SB-LP (2 Ring Wok – Duck bill burner with 1 left / 1 right side burner)	P
CW WW 1 DB 2L SB-LP (1 Ring Wok – Duck bill burner with 2 left side burner)	P
CW WW 1 DB 2x2L SB-LP (1 Ring Wok – Duck bill burner with 2x2 left side burner)	P
CW WW 2 DB 2L SB-LP (2 Ring Wok – Duck bill burner with 2 left side burner)	P
CW WW 2 DB 2x2L SB-LP (2 Ring Wok – Duck bill burner with 2x2 left side burner)	P
CW WW 3 DB 2L SB-LP (3 Ring Wok – Duck bill burner with 2 left side burner)	P

Cert. Number	Cancellation Date	Appliance
--------------	-------------------	-----------

Chef Wan Solutions Pty Ltd Continued

CW WW 1 DB 1R SB-LP (1 Ring Wok – Duck bill burner with 1 right side burner)	P
CW WW 2 DB 1R SB-LP (2 Ring Wok – Duck bill burner with 1 right side burner)	P
CW WW 3 DB 1R SB-LP (3 Ring Wok – Duck bill burner with 1 right side burner)	P
CW WW 1 DB 2R SB-LP (1 Ring Wok – Duck bill burner with 2 right side burner)	P
CW WW 2 DB 2R SB-LP (2 Ring Wok – Duck bill burner with 2 right side burner)	P
CW WW 3 DB 2R SB-LP (3 Ring Wok – Duck bill burner with 2 right side burner)	P
CW WW 2 DB 1L/1R SB-LP (2 Ring Wok – Duck bill burner with 1 left / 1 right side burner)	P
CW WW 2 DB 2L/2R SB-LP (2 Ring Wok – Duck bill burner with 2 left / 2 right side burner)	P
CW WW 1 DB L ST-LP (1 Ring Wok – Duck bill burner with left side table)	P
CW WW 2 DB L ST-LP (2 Ring Wok – Duck bill burner with left side table)	P
CW WW 3 DB 1L ST-LP (3 Ring Wok – Duck bill burner with left side table)	P
CW WW 1 DB R ST-LP (1 Ring Wok – Duck bill burner with right side table)	P
CW WW 2 DB R ST-LP (2 Ring Wok – Duck bill burner with right side table)	P
CW WW 3 DB R ST-LP (3 Ring Wok – Duck bill burner with right side table)	P
Low Waterless Wok Stove – LPG	
CW WLW 1 DB (1 Ring Low Wok – Duck bill burner)	P
CW WLW 2 DB (2 Ring Low Wok – Duck bill burner)	P
Jet Burner Waterless Wok Stove – LPG	
CW WW 1 JB-LP (1 Ring Wok – Jet burner)	P
CW WW 2 JB-LP (2 Ring Wok – Jet burner)	P
CW WW 3 JB-LP (3 Ring Wok – Jet burner)	P
CW WW 1 JB L SB-LP (1 Ring Wok – Jet burner with 1 left side burner)	P
CW WW 2 JB 1L SB-LP (2 Ring Wok – Jet burner with 1 left side burner)	P
CW WW 3 JB 1L SB-LP (3 Ring Wok – Jet burner with 1 left side burner)	P
CW WW 1 JB 2L SB-LP (1 Ring Wok – Jet burner with 2 left side burner)	P
CW WW 1 JB 2x2L SB-LP (1 Ring Wok – Jet burner with 2x2 left side burner)	P
CW WW 2 JB 2L SB-LP (2 Ring Wok – Jet burner with 2 left side burner)	P
CW WW 2 JB 2X2L SB-LP (2 Ring Wok – Jet burner with 2x2 left side burner)	P
CW WW 3 JB 2L SB-LP (3 Ring Wok – Jet burner with 2 left side burner)	P
CW WW 1 JB 1R SB-LP (1 Ring Wok – Jet burner with 1 right side burner)	P
CW WW 2 JB 1R SB-LP (2 Ring Wok – Jet burner with 1 right side burner)	P
CW WW 3 JB 1R SB-LP (3 Ring Wok – Jet burner with 1 right side burner)	P
CW WW 1 JB 2R SB-LP (1 Ring Wok – Jet burner with 2 right side burner)	P
CW WW 1 JB 2x2R SB-LP (1 Ring Wok – Jet burner with 2x2 right side burner)	P
CW WW 2 JB 2R SB-LP (2 Ring Wok – Jet burner with 2 right side burner)	P
CW WW 2 JB 2x2R SB-LP (2 Ring Wok – Jet burner with 2x2 right side burner)	P
CW WW 3 JB 2R SB-LP (3 Ring Wok – Jet burner with 2 right side burner)	P
CW WW 2 JB 1R / 1L SB-LP (2 Ring Wok – Jet burner with 1 right / 1 left side burner)	P
CW WW 2 JB 2R / 2L SB-LP (2 Ring Wok – Jet burner with 2 right / 2 left side burner)	P
CW WW 1 JB L ST-LP (1 Ring Wok – Jet burner with left side table)	P
CW WW 2 JB L ST-LP (2 Ring Wok – Jet burner with left side table)	P
CW WW 3 JB 1L ST-LP (3 Ring Wok – Jet burner with left side table)	P
CW WW 1 JB R ST-LP (1 Ring Wok – Jet burner with right side table)	P
CW WW 2 JB R ST-LP (2 Ring Wok – Jet burner with right side table)	P
CW WW 3 JB R ST-LP (3 Ring Wok – Jet burner with right side table)	P

Cert. Number	Cancellation Date	Appliance				
Climate Technologies Pty Ltd						
5721	6.11	Vulcan, Bonaire Vulcan, Pyrox, Bonaire Pyrox and Bonaire Series Internal/External High Efficiency Modulating Central Heaters				
		Part No. 5010003 Model V5, BV5 or B5 15I	142/m ³	4.4/133°	N	
		Part No. 5010004 Model V5, BV5 or B5 15I	142/m ³	4.4/133°		U
		Part No. 5010043 Model V5, BV5 or B5 15E	142/m ³	4.4/133°	N	
		Part No. 5010044 Model V5, BV5 or B5 15E	142/m ³	4.4/133°		U
		Part No. 5010013 Model V5, BV5 or B5 21I	133/m ³	5.0/150°	N	
		Part No. 5010015 Model P5 or BP5 21I	133/m ³	5.0/150°	N	
		Part No. 5010014 Model V5, BV5 or B5 21I	133/m ³	5.0/150°		U
		Part No. 5010053 Model V5, BV5 or B5 21E	133/m ³	5.0/150°	N	
		Part No. 5010055 Model P5 or BP5 21E	133/m ³	5.0/150°	N	
		Part No. 5010054 Model V5, BV5 or B5 21E	133/m ³	5.0/150°		U
		Part No. 5010073 Model V5, BV5 or B5 21I X/A	133/m ³	5.0/150°	N	
		Part No. 5010074 Model V5, BV5 or B5 21I X/A	133/m ³	5.0/150°	N	
		Part No. 5010023 Model V5, BV5 or B5 30I	133/m ³	5.0/150°	N	
		Part No. 5010025 Model P5 or BP5 30I	133/m ³	5.0/150°	N	
		Part No. 5010024 Model V5, BV5 or B5 30I	133/m ³	5.0/150°		U
		Part No. 5010033 Model V5, BV5 or B5 30I X/A	133/m ³	5.0/150°	N	
		Part No. 5010035 Model P5 or BP5 30I X/A	133/m ³	5.0/150°	N	
		Part No. 5010034 Model V5, BV5 or B5 30I X/A	133/m ³	5.0/150°		U
		Part No. 5010063 Model V5, BV5 or B5 30E	133/m ³	5.0/150°	N	
		Part No. 5010065 Model P5 or BP5 30E	133/m ³	5.0/150°	N	
		Part No. 5010064 Model V5, BV5 or B5 30E	133/m ³	5.0/150°		U
		Model Number Code: V5 = Vulcan 5 Star, BV5 = Bonaire Vulcan 5 Star P5 = Pyrox 5 Star, BP5 = Bonaire Pyrox 5 Star B5 = Bonaire 5 Star I = Internal, E = External, Suffix X/A indicates extra air				
5740	6.11	Vulcan, Bonaire Vulcan, Bonaire, Pyrox and Bonaire Pyrox Mid Efficiency Central Heaters				
		Part No. 5300052 Model V3, BV3 or B3 14I	185/m ³	2.5/74°	N	
		Part No. 5310052 Model V3, BV3 or B3 20I	167/m ³	3.2/96°	N	
		Part No. 5330052 Model V3, BV3 or B3 30I	161/m ³	3.5/104°	N	
		Part No. 5300072 Model V4, BV4 or B4 14I	To be tested		N	
		Part No. 5310072 Model V4 BV4 or B4 20I	152/m ³	3.9/117°	N	
		Part No. 5310073 Model V4, BV4 or B4 20I X/A	152/m ³	3.9/117°	N	
		Part No. 5330072 Model V4, BV4 or B4 30I	145/m ³	4.3/128°	N	
		Part No. 5330073 Model V4, BV4 or B4 30I X/A	145/m ³	4.3/128°	N	
		Part No. 5300082 Model V4, BV4 or B4 14E	To be tested		N	
		Part No. 5310082 Model V4, BV4 or B4 20E	152/m ³	3.9/117°	N	
		Part No. 5330082 Model V4, BV4 or B4 30E	145/m ³	4.3/128°	N	
		Part No. 5300022 Model P3 14I	185/m ³	2.5/74°	N	
		Part No. 5310022 Model P3 20I	167/m ³	3.2/96°	N	
		Part No. 5330022 Model P3 30I	161/m ³	3.5/104°	N	
		Part No. 5300032 Model P3 14E	185/m ³	2.5/74°	N	
		Part No. 5310032 Model P3 20E	167/m ³	3.2/96°	N	
		Part No. 5330032 Model P3 30E	161/m ³	3.5/104°	N	
		Part No. 5310077 Model P4 or BP4 20I	152/m ³	3.9/117°	N	
		Part No. 5310078 Model P4 or BP4 20I X/A	167/m ³	3.9/96°	N	
		Part No. 5330078 Model P4 or BP4 30I X/A	145/m ³	4.3/128°	N	
		Part No. 5310087 Model P4 or BP4 20E	152/m ³	3.9/117°	N	
		Part No. 5330087 Model P4 or BP4 30E	145/m ³	4.3/128°	N	
		Note : Suffix X/A indicates 'Extra Air' V = Vulcan, BV = Bonaire Vulcan, B = Bonaire P = Pyrox, BP = Bonaire Pyrox V3, BV3, B3, P3 and BP3 – Non-modulating V4, BV4, B4, P4 and BP4 - Modulating				
Comcater Pty Ltd						
SC403	2.11	Garland Master Convection Oven Models MCO-(GS, GD) – (10, 20)-(M, E) U			N	P
5776	2.11	Frymaster/Dean Commercial Fryer Models: 1824G and 2424G			N	P

Cert. Number	Cancellation Date	Appliance		
D A Christie Pty Ltd				
6288	11.10	Christie 60/G Indoor/Outdoor Coin Operated Stove Model 60/G Note: Also suitable for use with NZ Natural Gas	N	U
Delta Group Industries (Aust) Pty Ltd				
5934	6.10	DGI WH-99-88BM Series, Models BM/260, BM/520, BM/780 Bains Marie (noodle cooker)	N	
Drivetrain Australia Pty Ltd				
7653	8.10	Hose Assemblies (Class D) Models: H36208 (10mm) H36206 (8mm) with various NSP Jones Fittings 2600 kPa		
Durag GmbH - Agent: Saacke Australia Pty Ltd				
6500	7.10	Microprocessor Based Burner Programmer and Optional Flame Sensors Programmer Models: D-GF 200-10 and D-GF 200-20 1A/1B Optional Flame Sensor Models: D-LE 103 UL-P, D-LE 103 UL-MP, D-LE 103 UL-CG, D-LE 103 UL-AP, D-LE 103 UAF-P, D-LE 103 UAF-MP, D-LE 103 UAF-CG, D-LE 103 UAF-AP, D-LE 103 UA-P, D-LE 103 UA-MP, D-LE 103 UA-CG, D-LE 103 UA-AP, D-LE 103 IG-P, D-LE 103 IG-MP, D-LE 103 IG-CG, D-LE 103 IG-AP Note: Class depends upon specific application, ie Atmospheric 1B, Fan Forced 1A		
Eaton Fluid Power, A Division of Eaton Industries Pty Ltd				
EATON WEATHERHEAD				
6984	2.11	H 362 Series (Class D) Hose Assembly H 36206 (5/16") 8 mm and H 36208 (13/32") 10 mm 2600 kPa		
Ecotherm Pty Ltd				
5739	7.10	ECO Model Series 50M, 70M, 100M, 130M and 150M		P
Electrical Distributors Australia Pty Ltd				
6313	4.11	Euromaid Freestanding Cooker Model: SCNG 7531 Model: SCLPG 7531	N	P
Electrolux Home Products Pty Ltd				
6362	7.10	Westinghouse GHL Series, Simpson 72G and 72H Series, Electrolux-Chef GHS, GHC, GHCF and GHCG Series, Electrolux GHE, GHEF and GHEG Series and Chef GHS, GHC, GHCF and GHCG Hotplates Westinghouse Models: GHL11, GHL12, GHL15, GHL16, GHL17, GHL24, GHL26, GHL90, GHL92, GHL95, GHL765, GHL795, GHL44* & GHL46* Simpson Models: 72G311, 72G313, 72G953, 72G957 and 72H313 Electrolux-Chef Models: GHS603, GHS613, GHC603, GHC613, GHC643, GHCF613, GHCF643, GHCG603, GHCG623, GHS903, GHS913, GHS933, GHC943, GHCF943, GHCG903 and GHCG923 Electrolux Models: GHE603, GHE613, GHE643, GHEF613, GHEF643, GHEG603, GHEG623, GHE903, GHE913, GHE933, GHE943, GHEG903, GHEG923 and GHEF943 Chef Models: GHS604, GHS614, GHC604, GHC614, GHC644, GHCF614, GHCF644, GHCG604, GHCG624, GHS904, GHS914, GHS934, GHC944, GHCG904, GHCG924 and GHCF944 Note: All model numbers suffixed by either of the following: W: White Enamel, K: Black Enamel or S: Stainless Steel, NG: Natural Gas, LP: Propane Gas *Westinghouse Models GHL44 and GHL46: Glass Top Versions	N N N N N N	U U U U U U

Cert. Number	Cancellation Date	Appliance		
Electrolux Home Products Pty Ltd Continued				
6457	7.10	Electrolux EHT, EHG and EHM Series Hotplates Models: EHT689, EHT989, EHG678, EHG682, EHG978, EHG982, EHG977, EHG983, EHM684 and EHM984 Also for use with Singapore Town Gas (known as City Gas) Note: All model numbers suffixed by either of the following: W: White Enamel or, X: Stainless Steel and CG: Singapore Town Gas or LP: Universal LP Gas. This series of appliances has been fully assessed to the Requirements of Standard EN 30.		U
Electrolux Home Products Pty Ltd (NQD)				
7038	6.10	Electrolux EKM Series Dual Fuel Freestanding Cooker with Electric Oven Models: EKM 6700 X and EKM 6701 X	N	U
7097	6.10	Chef Freestanding Upright Cookers Models: CKG5010W, CKG5060W and CKG5060S	N	U
Electrolux Laundry Systems, A Division of Electrolux Pty Ltd				
7349	5.11	Electrolux Commercial Gas Tumble Dryer Model: T4350	N	P
Elitre Co Ltd - Agent: Cape Trading Sales				
ELITRE, KEEFLEX, GASMATE, CDL				
7465	7.10	Stainless Steel Braided Hose Assembly Model: RHS-910—10mm dia 2600 kPa (-- =01 to 25 inclusive) (Class D) Model: RHS-91501 & RHS-91502 7 kPa 15mm dia (Class B) Model: RHS-92001 and RHS-92002 7 kPa 20mm dia (Class B)		
Equipment Tech Pty Ltd				
7149	11.10	Topnotch Stainless Steel Inbuilt Barbecue Models: R-36 and R-27	N	U
ERTH HYD Pty Ltd, T/as Total Hose				
TEMP TECH				
7144	9.10	Hose Assembly 2SN Series Models: 6mm (¼"), 10mm (3/8"), 13mm (½"), 19mm ¾" and 25mm (1") (Class D) 2600 kPa		
Esdan Plastics Pty Ltd				
ESDAN/WEATHERFLEX				
7100	7.10	Hose Assemblies 8mm and 10 mm with various end fittings (Class D) 2600 kPa		
Eurolinx Pty Ltd				
4904	7.10	ILVE Models 360, 4 Burner 360C, 4 Burner with Wok 361, 3 Burner with Electric Solid Plate 361C, 3 Burner with Wok and Electric Solid Plate Note: Previous to the date 3.01 all models suitable for use with ULPG.	N N N N	P P P P
Fagor Industrial S Coop - Agent: Fagor Australasia Pty Ltd				
6190	11.10	Fagor 900 Series Frytop (Griddle) Models FTG9-05, FTG/C9-05, FTG9-10 and FTG/C9-10	N	P
Ferguson Corporation Pty Ltd				
6045	6.11	H & A Tec Counter Grills HACG600 and HACG825	N	P

Cert. Number	Cancellation Date	Appliance
--------------	-------------------	-----------

**Fernco (Australia) Pty Ltd
PLUMBQUICK**

7252	1.11	<p>Fernco Plumbquick Flexible Couplings Coupling suitable for PVC/GALV/CU</p> <table> <thead> <tr> <th>Model</th> <th>Nominal Size</th> </tr> </thead> <tbody> <tr><td>1056-125</td><td>32</td></tr> <tr><td>1056-150</td><td>40</td></tr> <tr><td>TC-150</td><td>40</td></tr> <tr><td>DTC-150</td><td>40/32</td></tr> <tr><td>DTC-215</td><td>50/40</td></tr> </tbody> </table> <p>Coupling suitable for EW-PVC/CI/GALV</p> <table> <thead> <tr> <th>Model</th> <th>Nominal Size</th> </tr> </thead> <tbody> <tr><td>1006-44</td><td>100</td></tr> <tr><td>1006-100M</td><td></td></tr> <tr><td>1006-66</td><td>150</td></tr> <tr><td>1006-150M</td><td></td></tr> <tr><td>1006-99</td><td>225</td></tr> <tr><td>1051-1010</td><td></td></tr> <tr><td>1006-1212</td><td>300</td></tr> <tr><td>1002-1212</td><td></td></tr> <tr><td>1006-1515</td><td>375</td></tr> <tr><td>1051-1615</td><td></td></tr> </tbody> </table> <p>Coupling suitable for PVC/GALV/CU/CI</p> <table> <thead> <tr> <th>Model</th> <th>Nominal Size</th> </tr> </thead> <tbody> <tr><td>1056-22</td><td>50</td></tr> <tr><td>1060-150</td><td></td></tr> <tr><td>1056-50M</td><td></td></tr> <tr><td>1056-250</td><td>65</td></tr> <tr><td>1060-22</td><td></td></tr> <tr><td>1056-33</td><td>75</td></tr> <tr><td>1056-44</td><td>100</td></tr> <tr><td>1056-100M</td><td></td></tr> <tr><td>1056-66</td><td>150</td></tr> <tr><td>1056-150M</td><td></td></tr> <tr><td>1056-99</td><td>225</td></tr> <tr><td>1004-88</td><td></td></tr> <tr><td>1056-1212</td><td>300</td></tr> <tr><td>1004-1010</td><td></td></tr> <tr><td>1056-1515</td><td>375</td></tr> <tr><td>1055-1515</td><td></td></tr> <tr><td>1060-33</td><td>90</td></tr> <tr><td>QC-101</td><td>40</td></tr> <tr><td>QC-102</td><td>50</td></tr> <tr><td>QC-103</td><td>75</td></tr> <tr><td>QC-104</td><td>100</td></tr> <tr><td>QC-106</td><td>150</td></tr> <tr><td>1056-90M</td><td>90</td></tr> </tbody> </table> <p>Coupling suitable for EW</p> <table> <thead> <tr> <th>Model</th> <th>Nominal Size</th> </tr> </thead> <tbody> <tr><td>1004-44</td><td>100</td></tr> <tr><td>1004-66</td><td>150</td></tr> <tr><td>1004-99</td><td></td></tr> <tr><td>1055-1010</td><td>225</td></tr> <tr><td>1004-1212</td><td></td></tr> <tr><td>1001-1212</td><td>300</td></tr> <tr><td>1004-1515</td><td></td></tr> <tr><td>1001-1515</td><td>375</td></tr> <tr><td>QC-105</td><td>142</td></tr> </tbody> </table> <p>Coupling suitable for AC-PVC/CI/GALV</p> <table> <thead> <tr> <th>Model</th> <th>Nominal Size</th> </tr> </thead> <tbody> <tr><td>1051-44</td><td>100</td></tr> <tr><td>1051-66</td><td>150</td></tr> </tbody> </table>	Model	Nominal Size	1056-125	32	1056-150	40	TC-150	40	DTC-150	40/32	DTC-215	50/40	Model	Nominal Size	1006-44	100	1006-100M		1006-66	150	1006-150M		1006-99	225	1051-1010		1006-1212	300	1002-1212		1006-1515	375	1051-1615		Model	Nominal Size	1056-22	50	1060-150		1056-50M		1056-250	65	1060-22		1056-33	75	1056-44	100	1056-100M		1056-66	150	1056-150M		1056-99	225	1004-88		1056-1212	300	1004-1010		1056-1515	375	1055-1515		1060-33	90	QC-101	40	QC-102	50	QC-103	75	QC-104	100	QC-106	150	1056-90M	90	Model	Nominal Size	1004-44	100	1004-66	150	1004-99		1055-1010	225	1004-1212		1001-1212	300	1004-1515		1001-1515	375	QC-105	142	Model	Nominal Size	1051-44	100	1051-66	150
Model	Nominal Size																																																																																																													
1056-125	32																																																																																																													
1056-150	40																																																																																																													
TC-150	40																																																																																																													
DTC-150	40/32																																																																																																													
DTC-215	50/40																																																																																																													
Model	Nominal Size																																																																																																													
1006-44	100																																																																																																													
1006-100M																																																																																																														
1006-66	150																																																																																																													
1006-150M																																																																																																														
1006-99	225																																																																																																													
1051-1010																																																																																																														
1006-1212	300																																																																																																													
1002-1212																																																																																																														
1006-1515	375																																																																																																													
1051-1615																																																																																																														
Model	Nominal Size																																																																																																													
1056-22	50																																																																																																													
1060-150																																																																																																														
1056-50M																																																																																																														
1056-250	65																																																																																																													
1060-22																																																																																																														
1056-33	75																																																																																																													
1056-44	100																																																																																																													
1056-100M																																																																																																														
1056-66	150																																																																																																													
1056-150M																																																																																																														
1056-99	225																																																																																																													
1004-88																																																																																																														
1056-1212	300																																																																																																													
1004-1010																																																																																																														
1056-1515	375																																																																																																													
1055-1515																																																																																																														
1060-33	90																																																																																																													
QC-101	40																																																																																																													
QC-102	50																																																																																																													
QC-103	75																																																																																																													
QC-104	100																																																																																																													
QC-106	150																																																																																																													
1056-90M	90																																																																																																													
Model	Nominal Size																																																																																																													
1004-44	100																																																																																																													
1004-66	150																																																																																																													
1004-99																																																																																																														
1055-1010	225																																																																																																													
1004-1212																																																																																																														
1001-1212	300																																																																																																													
1004-1515																																																																																																														
1001-1515	375																																																																																																													
QC-105	142																																																																																																													
Model	Nominal Size																																																																																																													
1051-44	100																																																																																																													
1051-66	150																																																																																																													

WaterMark Licence No. 1692, Level 2
 Expiry Date: 28 November 2010
 Standard: AS/NZS 4327 – 1995 – Metal-Banded Flexible Couplings for Low Pressure Applications

Cert. Number	Cancellation Date	Appliance		
Fiori Holdings Australia Pty Ltd				
6466	2.11	Fiori 5 Burner Hotplate Model P5.5TCHD	N	P
Fireplace Products Australia Pty Ltd				
6547	3.11	Regency Decorative Log Effect Model: G51-2 Note: Also suitable for use with New Zealand Natural Gas	N	U
Focus Lifestyle Products Pty Ltd				
6973	4.11	Focus, Grandhall, Master Kitchen, Patio by Jamie Durie and Grillmaster Patio Series Modular 2006 Portable Models: Outdoor Range, Party Cart, Stove Module, Modular Outdoor Kitchen	N	PU
7107	4.11	Focus, Grand Hall, Kleenmaid, GLG Australia, Barbeques Galore Barbecue Crossray Range Series 2006 Outdoor Range, "Teppanyaki/Wok Burner" Model: OCCTWB Model: OCCTWB NG Models: Alfresco and Alfresco Kitchen (GLG Australia & Barbeques Galore)	N N N	P P
Fox SpA di R. Bompani & C				
6564	7.10	Milano and Oranier 5 Burner Built-In Agent: Milano Enterprises Pty Ltd Milano Model ML293YA/N Agent: Oranier Australia Pty Ltd Oranier Model OR293YB/N	N N	P P
Fox SpA di R. Bompani & C - Agent: Omega Appliances, A Division of Hagemeyer Brands Aust P/L				
6650	7.10	Omega 2 Burner Built-In Model OA19	N	P
Franke Australia Pty Ltd				
6541	10.10	Franke DP 90 Series 4 and 5 Burner Model DP90 4G-TC-VC (4 burner plus electric element) Model DP90 5G-TC-M (5 burner) Note: Also suitable for use with NZ Natural gas	N N	U U
6839	10.10	Franke 2 and 5 Burner Hotplates 2 Burner Models: BE30 2G (1 x Rapid and 1 x Auxiliary Burners) BE30 2G FFD (1 x Rapid and 1 x Auxiliary Burners and FFD) 5 Burner Model: BE90 5G TC (1 x Wok, 1 x Rapid, 2 x Semi-Rapid and 1 x Auxiliary Burners) Note: Also suitable for use with New Zealand Natural gas	N N N	U U U
6907	10.10	Franke 4 and 5 Burner Built-In Four Burner Model: AX604G-TC-HT Five Burner Models: AX705G-TC-HT and AX905G-TC-HT Note: Also suitable for use with New Zealand Natural Gas	N N	U U
7118	10.10	Franke Dual Fuel Freestanding Cooker Model: DP90FSOX Note: Also suitable for use with New Zealand Natural gas	N	U
Galaxy Import & Export Co Pty Ltd				
6514	9.10	Automatic Rice Cooker Model Tiger YC-68S	N	P
General Catering Equipments Pty Ltd				
6538	2.11	Bench Mounted or Freestanding Boiling Tables Models OB2C, OB4C, OB6C, OB2S, OB4S, OB6S, OB40R, OB60R, DRB4 and DRB6	N	P
Genesis Australia Corporation Pty Ltd				
7201	6.11	Jumbuck Double Ring Burner Model: HS-GG002L		P
7488	6.11	Jumbuck Two Burner Table Top and Freestanding Barbecue with Hood Model: HS-TP001		P
Glen Dimplex Australia Pty Ltd				
7285	2.11	5 Burner Stainless Steel Gas Hotplates Models: Stoves 700GC-AUSS and 900GC-AUSS	N	U

Cert. Number	Cancellation Date	Appliance		
GLG Australia Pty Ltd				
4574	2.11	MH and MI Series Barbecues Inbuilt or Trolley Mounted, available with or without hood		
		MH Series		
		Banquet 5 and 6 Burner	N	P
		Cook On Specialist 4 & 6 Burner	N	P
		Cordon Bleu 2, 3, 4 & 6 Burner	N	P
		Entertainer 6 Burner	N	P
		MI Series		
		Beefmaster 2, 3, 4 & 6 Burner	N	P
		Beefmaster Premium 3, 4 & 6 Burner	N	P
		Downunder 2, 4 & 6 Burner	N	P
		Entertainer Series II 4 & 6 Burner	N	P
		Partymaster Grill IV 4 Burner	N	P
		Calypso 4 Burner	N	P
		Partymaster IV 4 Burner	N	P
		Partymaster Roaster 4 Burner	N	P
6069	7.10	Maxiheat Outdoor Patio Heater Model MXOPHSS	N	P
6475	11.10	GLG (Type 2) Quick Connect Device Models QC-T2A and QC-T2B RWT @ 0°C to 60°C 7 kPa		
6752	7.10	GLG Outdoor Domestic Patio Heater Models: Patiomaster and Patiomaster Flex		P
GuangDong BestGrill Manufacture Ltd				
6811	6.10	BestGrill/Jumbuck 6 Burner with Side Burner, Infrared Rotisserie Burner and Hood Models: BS6-03SI, BS6-04 and BS6-02THS		P
6796	6.10	BestGrill, Timberline-Emperor, Red Centre-Longreach 3, 4, 5 and 6 Burner Barbecues with Side Burner and Hood Models: BS5-01S, BS4-01S, BS3-01S, BF4-01S, BF3-01S, BS4-01THS		P
Holdtite Australia Pty Ltd				
6900	7.10	Pipeseal High Viscosity Gel Paste Model: S77 2600 kPa		
Hydronic Systems (Australia) Pty Ltd T/as Hunt Heating				
3899	5.11	Sime Internal Combination Boilers Models Format 25OF and 30OF	N	P
5383	5.11	Sime Model Format 30 BF Internal Combination Boiler	N	P
		Sime Model Format 30I Internal Central Heating Boiler	N	P
		Sime Model Format 30E External Central Heating Boiler	N	P
6108	5.11	Sime Planet Internal Power Flued Hydronic Models 25BFR and 25BFT	N	P
Imexco Australia Pty Ltd				
6218	9.10	Airstream Pura-Fire Agricultural Heater Model C225		P
Impco Fuel Systems Pty Ltd				
6182	5.11	Advanced Fuel Components Model 211B (¼" NPT female thread) MWP 24.8 MPa		
Ispording Hispania SA				
ISPORDING				
3246	4.11	GH-400 Series Appliance Control Valve Type 2 Single Outlet Models: 7 kPa (Type GH-400-002): GH-405-002-001-*** GH-490-002-001-*** GH-495-006-002-*** Dual Outlet Models: 7 kPa (Type GH-400-016): GH-469-004-001-*** Note: Last three digits detail customer specific bypass rate.		
3247	4.11	GT300-029-B-1 Series Modulating Oven Thermostat, Incorporating Flame Failure Valve Model GT-361-001-001 6.5 kPa Ambient Temperature 0°C to 150°C		

Cert. Number	Cancellation Date	Appliance								
Isphording Hispania SA Continued										
ISPORDING										
3258	4.11	GH 600 Series Gas Valve with Flame Failure Models GH-654-001-006-***, GH-690-005-001-*** and GH-659-001-003-***	6.5 kPa							
		Ambient Temperature: 0°C to 150°C								
		Note: The final three characters detail customer specific by-pass.								
IVR Valvole A Sfera SpA										
6312	6.11	IVR Manual Ball Valve – Type 1 Model 20 “Ocean” NB (10, 15, 20, 25, 32, 40 and 50 mm)	2100 kPa							
		Note: Thread form complies with AS 1722 Part 1, modified ISO 7-1 and BS 21 internal threads.								
J & B Products										
1839	2.11	“Boss White” Pipe Jointing Compound	70 kPa							
Luus Industries Pty Ltd										
6084	5.11	Luus WS Series Chinese Superwok							N	
6085	6.11	Luus NC Series Noodle Cooker							N	
Nattkom Pty Ltd T/as D.P. Refrigeration										
6433	12.10	Frostek Chest Freezers Models Frostek-160 G and Frostek-240 G								P
Onya Auto Gas										
LO-GAS										
7395	10.10	LPG Vaporiser Regulator Model: 6RI00002								
Primus Australia Pty Ltd										
6522	7.10	Companion Camping Stove Model Comp502 (Tested with 80% Butane and 20% Propane)								B/P
6523	7.10	Companion Camping Lantern Model: Comp501 (Tested with 80% Butane and 20% Propane mix)								B/P
6639	7.10	Companion Single Burner Cassette Stove Model: Comp505								B
Rapano Pty Ltd										
6954	6.10	Rapano Mobile Kitchen Appliances Bongos Models: TUS BG 003, TUS BG 003 FK, TUS BG 005, TUS BG 005 FK, TUS BG 005 SP								P
		Trolley Models: TUS 2B PA, TUS 3B ST01, TUS 3B ST01 FK								P
Rheem Australia Pty Ltd										
6179	3.11	Rheem Heavy Duty Mains Pressure Quick Recovery Internal and External								
		Internal Models 620130N0, 620130P0	23 951		3.4/103°		N			P
		External Models 630130N0, 630130P0	24 314		3.2/98°		N			P
Rheem Australia Pty Ltd (Vic)										
6767	6.11	Majestic 5 Burner Inbuilt Model VCS5005BINAU Model VCS5005BIPAU							N	P
Rilas Pty Ltd										
RILAS										
6813	6.10	8mm ID Steel Braided Hose Assembly Model AYR008 (Class C) 2600 kPa								
Robert Bosch (Australia) Pty Ltd										
2386	10.10	W125K...T Series Flued Indoor Instantaneous Water Heater	23 400		3.7/111°		N	TLP	T	P
Rubinetterie Utensilerie Bonomi SRL										
RUB										
5839	2.11	S195 Manual Ball Valve Size ½” (15mm) NB with Compression End Fittings	2100 kPa							

Cert. Number	Cancellation Date	Appliance	
Sierra Products Pty Ltd			
6066	2.11	Sierra SA8 Portable Infra-Red Outdoor Patio Heater	P
SIT Gas Controls Pty Ltd			
6530	7.10	SIT 577 DBC Series Electronic Flame Safeguard Device with Igniter Models 577,002, 577,009, 577,010, 577,101, 577,102, 577,301, 577,304, 577,305, 577,306, 577,307, 577,311, 577,404, 577,405, 577,406, 577,503, 577,504, 577,601, 577,602, 577,603, 577,701 and 577,702 Class 2Cb	
Sitro Group Australia Pty Ltd			
GASMATE			
3267	5.11	Cylinder Valves to be used with Primus Type Cylinders Model GM001 R3/8" Left Hand 2600 kPa Model GM015 R1/4" Right Hand 2600 kPa	
Sitro Group Australia Pty Ltd			
OIC			
4244	5.11	Gasmate Appliance Control Valve Models GM009/S – Straight Outlet, GM009/30 – 30° Angled Outlet and GM009/45 – 45° Angled Outlet 7 kPa	
Sitro Group Australia Pty Ltd			
GASMATE			
5087	5.11	Single Stage Low Pressure, 2.5 kg/h Model 8010-1 POL Regulator Valve, Model 8010-3 Regulator for 3/8" BSP LH Cylinder, Model 8010-4 Regulator for Primus Type Valve	
Sitro Group Australia Pty Ltd			
5634	5.11	Gasmate PC 1070 Single Burner Portable Stove (Tested with 80% B and 20% P)	B/P
5950	6.11	Gasmaster Outdoor Patio Heaters Model VHL10 Model VHN40	P N
6153	5.11	Gasmate Models GSB3 & GSBT Barbecue Side Burner	P
6390	5.11	Gasmate, Gasmaster, Jumbuck, Jackeroo and Eurolec RG Series 4 Burner Barbecues – Models RG40-4F and RG41-4D	N P
6555	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor and Jackeroo Tabletop Patio Heaters Models G7050305 and G7051305 Maxi Heat Tabletop Patio Heater Model MXTTHSS	P P
6586	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Patio Heaters with Light Model PH200	P
6587	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Outdoor Patio Heater with Light Models PH300 and PH309	P
6605	6.10	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Portable 2 Burner Model G2015 Rio Grande Series	P
6638	5.11	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Maxiheat and Jackeroo Single Burner Trolley Mounted Barbecue Model GG100 Belle	P
6643	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Post Mounted Portable Kettle Style Barbecues Models: G2005 Voyager and G2005W3M Orbitor	P
6675	6.10	Gasmate, Gasmaster, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Terracotta Citronella Flares Model TK988 (Tested for use with 70% Butane and 30% Propane) Outdoor Use Only	B/P
6722	3.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Patio Heaters with Optional Table PH945 Series Models: PH945, PH945SS and KP945SS PH1045 Series Models: PH1045, PH1045SS, PH1045PP, KP100, KP100SS and KP100PP NG Series Models: NGH45, NG1P45, NG2P45 and NGW45 PH600 Series Models: PH600, PH603CH and PH609 PH1055 Series Models: PH1055, PH1055SS, PH1055PP	P P N P P

Cert. Number	Cancellation Date	Appliance				
Sitro Group Australia Pty Ltd Continued						
6738	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo PH400L Series Patio Heaters with Light Models PH400L, PH406L, PH407L and PH409L				P
6760	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Barbecues with Hood Model: G2008 Olé				P
6762	3.11	Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Jackeroo, Gasmaster, Gasmate 2 Burner Pedestal with Cabinet and with/without Hood Odyssey G2100 Models: G2100, G2102, G2103, G2120, G2121, G2122, G2133, G2140, G2141, G2142 and G2143				P
6786	5.11	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Models: PH500 and PH509				P
6800	5.11	Jackeroo, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Maxiheat, Gasmate 4 Burner Pedestal with Hood, Cabinet and Side Burner Model: Lawson G2301				P
6847	5.11	Jackeroo KT Series and Gasmaster, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Gasmate TT Series Table Top Patio Heaters KT Series Models: KT400, KT406, KT407, KT409 and KT410 TT Series Models: TT400, TT406, TT407, TT409 and TT410				P P
6852	6.11	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Jackeroo Barbecue Side Burner and Side Burner Module Barbecue Side Burner Model: Wok Burner Barbecue Side Burner Module Models: MC150 and MC250				P P
6867	6.10	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Portable Barbecues Model: Summer G2014				P
6975	3.11	Gasmaster, Gasmate, Jumbuck, Coolabah Outdoor, Maxi Heat and Jackeroo Outdoor Radiant Heater AH100, AH200 & AH300 Series Models: AH100, AH103CH, AH109, AH200WC, AH203WC, AH205WB, AH209WC, AH300MS, AH300MC, AH300MB, AH305MC, AH309MB, AH309MC, JMAH1055, AH1059, AH2050, AH2053, AH2059, AH3055, AH3059				P
7176	6.11	Gasmate, Gasmaster, Jumbuck and Jackeroo 4 Burner Barbecue with Hood and Side Burner Model: Delta G60108				P
7179	5.11	Jackeroo, Jumbuck, Gasmaster and Gasmate 3 Burner Barbecue Model: Auburn JG2150				P
7331	6.10	Gasmate, Gasmaster, Jumbuck & Jackeroo 3 Burner Barbecue with Side Burner Model: Trio KBQ2002				P
Smeg SpA - Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd						
5867	6.10	Smeg Hotplates Models PA64SX (4 Burner), PA705SX (5 Burner) and PA106SX (6 Burner)			N	P
SPL Wholesale Pty Ltd						
7128	6.10	NCE – Euro Series Portable Gas Barbecue Model: GRV341				P
Sprint Gas (Aust) Pty Ltd						
5250	6.11	ELM-1 Electro Manual Excess Flow Valve				
5286	6.11	LPG Fuel Lock-off Valves Models LSG-02-H4, LSG-03-H4, LSG-06-H4 and LSG-08-H4				
5366	6.11	Vaporiser Regulator Model BO-REG 95				
Stove Builder International Inc – Agent: Glen Dimplex Australia Pty Ltd						
5655	8.10	Osburn Freestanding Decorative Log Effect Model: LA30DVS (room sealed)	19 338	2.0/60°	N	P
		Model: LA30 (open flued)	22 244	1.0/30°	N	P
Tabachi Pty Ltd						
6925	6.11	Tabachi 2 Burner Domestic Barbecue Model: TB01-GU02				P
Technika Pty Ltd						
6061	1.11	Technika GHE06T & GHE09TP Multifuel Upright Cooker			N	P
Techrite Controls Australia Pty Ltd						
EITAR						
5353	5.11	Model 8000 Series Railcock	5 kPa			

Cert. Number	Cancellation Date	Appliance		
Terim SpA con socio unico				
6498	7.10	Agent: Andi Appliances Pty Ltd Andi Dual Fuel Upright Cookers Models: ASQ100XFS and ASQ90XFS Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas	N	U
		Agent: Builders Choice Australia Pty Ltd Terim and XPER Dual Fuel Upright Cookers Models: 1017PX, 1017PA, 2017PX, 2017PA, 1117PX, 1117PA, 2117PX, 2117PA, 2117PXW(GP) and 2117PX(GL) Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas	N	U
		Agent: Eurolec Australia Pty Ltd Eurolec Dual Fuel Upright Cooker Models: EX1065DFSS (NG/LP), EX1065DFB (NG/LP), EX965DFSS (NG/LP), EX965DF (NG/LP), EXD965DFSS (NG/LP) and EXD965DFB (NG/LP) Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas	N	U
		Agent: Eurostyle (SA) Pty Ltd Euro Dual Fuel Upright Cooker Models: EEF90MSS and EEF90MCWSS Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas.	N	U
The McCormack Family Trust T/as The Outdoor Connection				
5017	8.10	Outdoor Connection Model 1063 Single Burner Stove		P
The Montague Company – Agent: Maurice Kemp & Associates				
5794	4.11	Montague Grizzly Series Models GE, GEC and GEM Optional extras include:- Closed Boiling Table and Fry Top (Solid Grill Plate)	N	P
5949	4.11	Montague “Grizzly” Salamander Broiler Models SBE3418 & SBE3618	N	P
TPA Metals & Machinery (Shenzhen) Co Ltd				
5672	5.11	Del Terra Coolum, Del Terra Otway, Gas Craft Quattro, Gas Craft Toledo, Gas Craft Trident III, Gas Craft Trio, Hotrocks, Masport Lifestyle 4 S3, Kleenheat Gas House Star FRM4, Outback Billabong, Outback The Roo, Masport Weekender 3 & Masport Weekender 4 Models: TRG3301 and TRG4301 TRG3301E and TRG4301E	N	P P
5716	5.11	8mm Low Pressure Hose Model AS 0516L (Class A) 7 kPa		
5772	5.11	Type 2 Appliance Control Valves Models PM15, PM15-1 (Straight Nozzle) 7 kPa PM16 and PM16-1 (Angled Nozzle) 7 kPa Note: PM15-1 and PM16-1 are available with a ferric iron cap locating the spindle onto the body of the gascock.		
5886	5.11	Del Terra Flinders, Gas Craft Milano, Gas Craft Premier, Hotrocks, Jumbuck Four Burner Deluxe, Masport Lifestyle 4 Hooded S3, Masport Weekender Deluxe, Outback, Outback Coolabah, Outback Deluxe, Renaissance Hobart, Renaissance Roaster, Renaissance 4000V Roaster, Wild Country Amber, Wild Country Averil, Wild Country Delta, Wild Country Longreach, Wild Country Marlo, Masport Lifestyle 3 Hooded, Masport Lifestyle 4 Hooded 2, 3 & 4 Burner Trolley Barbecues Models: THG2209, THG3301, THG3302, THG3209, THG4209, THG4301, THG4302 and THG4303 THG3301E and THG4301E	N	P P P
6187	5.11	Gas Craft and Hotrocks Model PG02 Single Burner Portable Barbecue		P
6322	5.11	Entertainer Connoisseur, Everchef Maranello, Gas Craft Premier, Grande Entertainer, Hotrocks, Kingston Gourmet Deluxe, Masport Entertainer Supreme, Masport Entertainer Deluxe, Masport Weekender Deluxe 6, Outback, Renaissance Grand Deluxe 6, Super Grande Series II, Supreme Series II, Masport, Seasonal Living and Morrison 4 and 6 Burner Trolley with Sideburner Models: TCG6101, TCG6201, TCG6202, THG6201, TCG6101A & TCG6101B Models: TCG4101, TCG6101SS, TCG6200-2, THG6210E, THG6201E-1, THG6201E-R	N	P P

Cert. Number	Cancellation Date	Appliance		
TPA Metals & Machinery (Shenzhen) Co Ltd				
6659	5.11	Del Terra Goulburn, Hotrocks, Jumbuck, Masport, Masport Madison, Madison Super Eight, Outback, Renaissance and Wild Country Ebony 6 Burner Trolley Model: THG6209 Model: TCG6203 (fitted with infrared hood burner and smoker box) Note: Both models are fitted into either a steel trolley or cabinet trolley and a Sidekick side burner can be fitted as an optional extra.	N	P P
6668	5.11	Hotrocks, Masport Outback and Outback 2, 3 and 6 Burner Hooded Trolley Models: THG2700, THG3700 and THG6700 Model: THG4710 A Sidekick side burner can also be fitted to the trolley as an optional extra	N	P P
7185	5.11	Masport Deluxe S3, Masport Deluxe Elite, Masport Deluxe Plus, Masport Stainless Steel 4, Masport Super Grande S3, Masprt Supreme Elite, Masport Supreme S3, Masport Supreme Plus, Masport Deluxe 4, Masport Deluxe RT4, Masport Deluxe Plus 4, Masport Deluxe Elite 4, Masport SS4, Masport Supreme 6, Masport Supreme Plus 6, Masport Super Grande 6, Masport 304 Super 6 Models: TCG4202C, TCG5202C, TCG6202C, TCG4202C-B2, TCG4202C-C4, TCG4202C-C2, TCG4202C-C2M, TCG4202C-A2, TCG4202C-A2/R, TCG6202C-1, TCG6202C-C4, TCG6202C-D, TCG6202C-F, TCG6202C-A3		P P
7196	5.11	Masport Lifestyle 6 Hooded S3 6 Burner Barbecue Model: THG 6301		P P
Woodland Home Products Pty Ltd				
5257	8.10	St George Hotplate Models CG60WOK2E*, CG90WOK2E*, CG60WOKFFE*, CG90WOKFFE* and CG90WOKFFEFB* * Denotes colour variation	N	U
Zero Appliances (Pty) Ltd – Agent: Camec Pty Ltd				
6122	2.11	Zero GR265D Two Way Domestic Refrigerator		U
6142	2.11	Zero GEV70 Caravan/RV/Freezer		U
Zetco Pty Ltd				
ORION, HYFLO, ZETCO				
6895	7.10	Manual Brass Ball Valve (Full Bore) Models: F x F - ½” BSP, ¾” BSP, 2100 kPa 1” BSP, 1¼” BSP, 1½” BSP, 2” BSP Models: M x F - ½” BSP, ¾” BSP, 2100 kPa 1” BSP, 1¼” BSP, 1½” BSP, 2” BSP		
Zodiac Pool Systems Inc – Agent: Waterco Limited				
5154	3.11	Jandy Lite 2 Series 2 Internal and External Models: LC and LG 125, 175, 250, 325, 400	N	P

Cert. Number	Cancellation Date	Appliance		
28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal				
6167	9.10	Garth, Cook'n Essentials, BBQ Essentials, BBQ Classic Collection, BBQ Professional Collection, Beckley and Shark 2, 3, 4 and 6 Burner Barbecues Garth Models: Mirage Majestic, Summit, Pinnacle, Heritage, Plateau, M10, M12, Enterprise, Director, Jumbuck, Endeavour, Icon, Red Centre, Jupiter 6, Hornet 6, Bonnie, Dante, Supreme, Sunco, Saturn 4, Matador, Blair, Tristan, Dane, Tilden and Aldwyn Cook'N Essentials, BBQ Essentials, BBQ Classic Collection and Professional Collection Models: Timber 4B, Deluxe Roaster 4B, Deluxe Cabinet 4B, Deluxe Roaster 6B, Deluxe Cabinet 6B, Nullarbor, Coogee, Mitchell, Alpine 4, M29, M33, M35, Pedestal 3B, M10, M12, M37, Entertainer, Great Outdoor Chef and Weekender Beckley Models: Majestic and Heritage Shark Models: SB-18 and SB-24 Options: Built-In (Mirage Only), Enclosed Trolley (all except Mirage), Timber Trolley (Mirage & Summit), Open Steel Trolley (all), Side Burner Model T/C or F/C (Propane models only)	N	PU
6437	9.10	Garth, Red Centre, Mercury 2, Pluto 4, Cook'n Essentials, BBQ Essentials, Bourke, BBQ Classic Collection, BBQ Professional Collection, Everchef, Great Outdoor Chef, Weekender, Bonnie and Entertainer 2HP, 4HP, 4HP Long Series and 6HP Series Portable Solid Hotplate Barbecues 2HP Series Models: M21, B7, B4, M1, M39 and WH3 4HP and 4HP Long Series Models: B9, B1, M4, M25, M27, M36, JD3 and WH2 6HP Series Models: JD18, M64 & B77	N	PU PU PU
6458	9.10	GSM2 Series Type 2 Snap Lock Connector Models: GSM-01, GSM-02, GSM-03 & GSM-04 @ 20°C to 60°C 2600 kPa		
6487	9.10	Garth, Cook'n Essentials, Beckley, BBQ Essentials Barbecue Side Burner Models: T/C, F/C, Type 2	N	P
6543	9.10	Garth and Sunco Outdoor Balcony Heaters Models 200P (Painted Construction) and 200S (Stainless Steel Construction)		P
6585	9.10	Garth, Beckley, Cook'n Essentials, BBQ Classic Collection and BBQ Professional Collection Barbecue Side Burner Model M12		P
6588	9.10	Garth, Cook'n Essentials, BBQ Essentials, Nugget, BBQ Classic Collection, BBQ Professional Collection, Jumbuck, Champ, Aldi, Great Outdoor Chef, Weekender and Entertainer 18" Round Barbecues Garth, Cook'n Essentials, BBQ Essentials, BBQ Classic Collection and BBQ Professional Collection Models: M20 and M38 Jumbuck Model: B6, Champ Model: M26, Aldi Model: A1 Nugget, Great Outdoor Chef, Weekender and Entertainer Models: M20, M38 and M26		P P P
6793	9.10	Frontier II, Red Centre, Garth, Sunco, Aldi Coolabah, Warehouse "Everchef", Great Outdoor Chef, Weekender and Entertainer 2, 3, 4 and 6 Burner Trolley Mounted, Hooded/Unhooded Barbecues Models: JD4, Jumbuck, A2 and WH1		U

INDEX OF LISTED ORGANISATIONS

A & B Industries Pty Ltd	10 Pentland Rd, Salisbury Sth SA 5108	Ph: (08) 8281 1211
A Danaci & A Danaci	49A Paulson Rd, Campbellfield Vic 3061	Ph: (03) 9309 0657
AAP Industries Pty Ltd	69-71 Macbeth St, Braeside Vic 3195	Ph: (03) 9587 1778
Aalborg Industries Pty Ltd	10 Lucca Rd, North Wyong NSW 2259	Ph: (02) 4399 0000
Aber Holdings Ltd	PO Box 10095, Te Rapa New Zealand	Ph: (647) 849 7585
Abey Australia Pty Ltd	PO Box 985, Melton Vic 3337	Ph: (03) 9747 7777
Accutherm International Pty Ltd	5 Samantha Court, Knoxfield Vic 3180	Ph: (03) 9763 6335
Acolaa International Co Ltd	Unit F, 23 rd Floor Koon Wo Industrial Building, 62-75 Ta Chuen Ping Street, Kwai Chung, Hong Kong	Ph: (852) 936 65656
Adrian Hunting	117 Inwoods Close, Forest Park 8099 New Zealand	Ph: (64 21) 358 304
Advance Coin Laundry Pty Ltd	10/6 Gladstone Rd, Castle Hill NSW 2154	Ph: (02) 9894 0399
Advance Commercial Laundry Equipment Pty Ltd	Unit 10, 6 Gladstone Rd, Castle Hill NSW 2154	Ph: (02) 9894 0399
Advanced Gas Conversions Pty Ltd	5/27 Pascal Rd, Seaford Vic 3198	Ph: (03) 9786 5786
AF Gason Pty Ltd	PO Box 268, Ararat Vic 3377	Ph: (03) 5352 2151
Aga Rangemaster Ltd	Clarence St, Royal Leamington SpA Warwickshire CV31 2AD United Kingdom	Ph: (4401926) 457 400
Aga Shop Australia Pty Ltd	330 Malvern Rd, Prahran Vic 3131	Ph: (03) 9521 4965
Agnews Pty Ltd	376 Swan St, Richmond Vic 3121	Ph: (03) 9426 2905
Agricultural Automation Pty Ltd	545 Dunns Creek Rd, Red Hill Sth, Vic 3937	Ph: (03) 5987 2870
AHM Group (Australia)	5 Bindaree St, Greenslopes Qld 4120	Ph: (07) 3324 1643
Air and Gas Industries a Unit of Air & Gas Holdings Pty Ltd	PO Box 282, Carole Park Qld 4300	Ph: (07) 3271 5899
Aira Pty Ltd	144 Colchester Rd, Kilsyth Vic 3137	Ph: (03) 9728 5566
Alfresco Concepts Pty Ltd	35 Vinnicombe Drive, Canning Vale WA 6155	Ph: (08) 9256 1884
Ali SpA	Via Cavlieri di Vittorio Veneto 14, 32036 Sedico Italy	Ph: (39437) 855 411
All Auto Gas Service	20 Ferndale Dve, Frankston Vic 3199	Ph: 0406 336 541
All Valve Industries	30/205 Port Hacking Rd, Miranda NSW 2228	Ph: (02) 8543 5111
Allenzi Pty Ltd	PO Box 5168, Frankston South Vic 3199	Ph: 1300 872 332
Alliance Laundry Systems LLC	PO Box 990, Rippon WI 54971-0990 USA	Ph: (920) 748 4486
Alpha Brass Controls Inc	6 Lane 535, Sec 2 Sanmin Rd, Ching-shui Taiwan	Ph: (8864) 2627 1407
Amalgamated Hardware Merchants Ltd	2 Cawley St, Ellerslie, Auckland New Zealand	Ph: (9) 5711 310
Ambirad Limited	Fens Pool Ave, Brierley Hill West Midlands, DY5 1QA UK	Ph: (44) 1384 489 767
American Dryer Corp	88 Currant Rd, Fall River MA 02720-4781, USA	Ph: (1508) 678 9000
AMR Manufacturing Pty Ltd	20 Burlington St, Oakleigh Vic 3166	Ph: (03) 9563 1508
Andac Pty Ltd	Unit 3/5 Abundance Rd, Medowie NSW 2318	Ph: (02) 4982 9560
Andi Appliances Pty Ltd	1 Stamford Rd, Oakleigh Vic 3166	Ph: 1300 650 020
Andi-Co Australia Pty Ltd	1 Stamford Rd, Oakleigh Vic 3166	Ph: 1300 650 020
Angelo Argentaro T/as Oz BBQ Sales	19/700 Boundary Rd, Carrum Downs Vic 3201	Ph: (03) 9782 1133
Angelo Po Catering Equipment	24/43-51 College St, Gladesville NSW 2111	Ph: (02) 9879 3608
Angelo Po Grandi Cucine SPA	Strada Statale Romana Sud, 90/F, 41012 Carpi (MO), Italy	Ph: (39 59) 693 575
APP Environmental Services Pty Ltd	PO Box 519, Altona North Vic 3026	Ph: (03) 9362 4614
Appliance Corporation Pty Ltd	1/123 National Boulevard, Campbellfield Vic 3095	Ph: (03) 9358 3888

Applied Investments Pty Ltd	63-69 Nissan Dve, Dandenong Vic 3175	Ph: (03) 9791 5911
Aqua Bio Systems P/L – T/as ABS Technologies	Fielding Rd, Bridgewater SA 5152	Ph: (08) 8370 1066
AquaMax Australia Pty Ltd	463-467 Warrigal Rd, Moorabbin Vic 3189	Ph: (03) 9532 2200
Aquaknect Flexibles (A/Asia) Pty Ltd	PO Box 2025, Logan City Qld 4114	Ph: (07) 3805 3800
Arcelik A.S.	Yukari Soku Koyu Deliklitas Mevkii, 14300 Bolu, Turkey	Ph: (903742) 1520912542
Arcla Industries Pty Ltd	17 Mulgul Rd, Malaga WA 6062	Ph: (08) 9248 6511
Arisit Pty Limited	40-44 Mark Anthony Dv, Sth Dandenong Vic 3175	Ph: (03) 9768 0888
Arlec Australia Pty Ltd	PO Box 181, Lilydale Vic 3140	Ph: (03) 9727 8777
Ascomation Pty Ltd	12/25 Frenchs Forest Rd East, Frenchs Forest NSW 2086	Ph: (02) 9451 7077
Asko Appliances (Aust) Pty Ltd	35 Sunmore Close, Moorabbin Vic 3189	Ph: (03) 8551 2200
Astivitia Bathroom & Kitchens Pty Ltd	15 Suscatand St, Rocklea Qld 4074	Ph: (07) 3274 0767
Astral Pool Australia Pty Ltd	48 Hanna St, Noble Park Vic 3174	Ph: (03) 9554 2200
Auric Industries Pty Ltd	PO Box 446, Woollahra NSW 2025	Ph: (02) 9362 4498
Aurora Climate Systems Pty Ltd	PO Box 1058, Waverley Gardens Vic 3170	Ph: (03) 9795 8895
Ausboard International Pty Ltd	49 Wittenberg Dve, Canning Vale WA 6155	Ph: (08) 9455 6511
Ausquip Trading Pty Ltd	31 Connell Rd, Oakleigh Vic 3166	Ph: (03) 9569 5899
Aussie Lifestyle Industries Pty Ltd	Lot 6 Little Mulgrave River Rd, Gordonvale Qld 4865	Ph: (07) 4056 2100
Aussie Outdoor Imports and Exports Pty Ltd	PO Box 1078, Springwood QLD 4127	Ph: (07) 3808 5244
Austercrown Pty Ltd	18/634 Mitcham Rd, Vermont Vic 3133	Ph: (03) 9873 5811
Austral-Powerflo Solutions Pty Ltd	Mary Street, Ermington NSW 2115	Ph: (02) 9877 8134
Australian Barbecue Manufacturers Pty Ltd	113A Fairford Rd, Padstow NSW 2211	Ph: (02) 9773 6245
Australian Dynamic Products Pty Ltd t/as Whelan Industries	PO Box 48, Mount Waverley Vic 3149	Ph: (03) 9560 9000
Australian Valve Group Pty Ltd	PO Box 430, Belmont WA 6984	Ph: (08) 9277 5514
Austworld Commodities Pty Ltd	Unit F/20 Burgess Rd, Bayswater Nth, Vic 3153	Ph: (03) 9761 5691
AutoFlame Engineering Ltd	Unit 1-2 Concorde Business Centre, Airport Industrial Estate, Biggin Hill, Kent TN163YN UK	Ph: (0845) 872 2031
A'Vard Industries Pty Ltd	58-60 Quantum Close, Sth Dandenong Vic 3175	Ph: (03) 9799 9660
B & S Commercial Kitchen Appliances Pty Ltd	57 Plateau Rd, Reservoir Vic 3073	Ph: (03) 9469 4754
Backwell IXL Pty Ltd	PO Box 818, Geelong Vic 3220	Ph: (03) 5222 2922
Barfell Industries Pty Ltd	211-219 Boundary Rd, Mordialloc Vic 3195	Ph: (03) 9580 0055
Basil VR Greatrex Pty Ltd	Unit 14 14-16 Stanton Rd, Seven Hills NSW 2147	Ph: (02) 9620 4599
BASO Gas Products LLC	PO Box 170, Watertown 53094 WI, USA	Ph: (920) 261 2302
Baxter Manufacturing, A Division of ITW Food Equipment Group LLC	19220 St Rt 162 East, Orting WA 98360 USA	Ph: (360) 893 1395
BBQ Factory Pty Ltd	2/91 Darley St, Mona Vale NSW 2103	Ph: (02) 9999 1891
Beckley Forge Pty Ltd	3/8 Lakewood Blvd, Carrum Downs Vic 3201	Ph: (03) 9773 6200
Beltrami Group Pty Ltd	18-20 Cottage St, Blackburn Vic 3130	Ph: (03) 9878 1575
Bertazzoni SpA	Via Palazzina 8, 42016 Guastalla Reggio, Italy	Ph: (522) 830 441
Bigas International Autogas Systems s.r.l.	Via a De Gasperi 31, 50019 Sesto Fiorentino, Italy	Ph: (39055) 421 1275
Black & Stone Pty Ltd	PO Box 2536, Bowral NSW 2576	Ph: (02) 4861 4546
J Blackwood & Son Ltd	19 Lionel Rd, Mt Waverley Vic 3149	Ph: (03) 9542 4321
Blodgett Oven Company	44 Lakeside Ave, Burlington Vermont VT 05401 USA	Ph: (802) 860 3707

Boemo Engineering Pty Ltd	245 Johnston St, Abbotsford Vic 3067	Ph: (03) 9417 5474
Bompani Australia Pty Ltd as Trustee for the Eva Family Trust	662 Whitehorse Rd, Mitcham Vic 3132	Ph: (03) 9874 0722
Boral Alternative Fuel Systems Pty Ltd	10 Vangeli St, Arndell Park NSW 2148	Ph: (02) 9672 3259
Bostik Australia Pty Ltd	51-71 High St, Thomastown Vic 3074	Ph: (03) 9279 9333
Bowin mfg Pty Ltd	37-39 Chard Rd, Brookvale NSW 2100	Ph: (02) 9938 5433
B.O.T. Gas Pty Ltd T/as Maxbilt Trading Co	30 Beulah Rd, Norwood 5067 SA	Ph: (08) 8363 1955
Brandoni SpA	Via Novara 199, I-28078 Romagnano Seisa (NO) Italy	Ph: (0163) 828 111
Brandt Asia Pte Ltd	J Jalan Kilang #03-01 159407 Singapore	Ph: (65) 64761860
Bray Controls Pacific Pty Ltd	8 Phoenix Court, Braeside Vic 3195	Ph: (03) 9580 9755
Brita GmbH	Heinrich-Hertz Strasse, D-65232 Taunusstein, Germany	Ph: (49 6128) 746 170
Brivis Climate Systems Pty Ltd	PO Box 280, Braeside Vic 3195	Ph: (03) 9264 9555
Broen Armatur A/S – Broen Lab Division	Skovvej 30, DK 5610 Assens, Denmark	Ph: (45) 6471 2094
Bromic Pty Ltd	PO Box 6062, Silverwater NSW 2128	Ph: (02) 9748 3900
BSH Home Appliances Pty Ltd	PO Box 505, Moorabbin Vic 3189	Ph: (03) 1300 368 339
Builders Choice Aust P/L (No Longer Trading)		
Burkert Contromatic Australia Pty Ltd	15 Columbia Way, Norwest Business Park, NSW 2153	Ph: 1300 888 868
Burner Systems International (BSI)	8 Allee De La Robinetterie, 37250 Veigne, France	Ph: (33) 247 343236
But-Well Industrial Co Ltd	564-1 Dongguan Rd, Dongshih Township, Taichung County 423, Taiwan	Ph: (886 4) 2587 0272
Cadac (Pty) Ltd	PO Box 43196 Industria 2042, Gauten, South Africa	Ph: (27 11) 474 1466
CadacBBQ	1 Cantala Ave, Miami QLD 4220	Ph: 042 050 3967
Camec Pty Ltd	47-63 Remington Dve, Dandenong Sth Vic 3175	Ph: (03) 9799 6455
Can's Rotisserie (Necet Can T/as)	12 Brooks St, Fawkner Vic 3060	Ph: (03) 9359 9974
Cape Trading Sales	PO Box 2195, Rosebud Vic 3939	Ph: (03) 5987 1477
Casale Trim Co Pty Ltd	25 Brooklyn Crt, Campbellfield Vic 3061	Ph: (03) 9359 3068
Cascade Designs Incorporated	4000 1st Avenue South, Seattle WA 98134 USA	Ph: (1 206) 505 9500
Cavagna Group SpA	25012 Viadana di Calvisano, Via Matteotti 5 Brescia Italy	Ph: (3930) 9688 611
CCM Energy Solutions	Unit 9/14 Arcadia Street, Coogee, NSW 2034	Ph: 0401 816 650
CCS & Associates Pty Ltd	PO Box 259, West Pennant Hills NSW 2125	Ph: (02) 9872 6222
Celmec International Pty Ltd	2 Powlett St, Moorabbin East Vic 3189	Ph: (03) 9555 3667
Cesco Equipment Pty Ltd	PO Box 7138, Hemmant Qld 4174	Ph: (07) 3908 6088
CFM Europe Limited	Trentham Lakes, Stoke-On-Trent ST4 4TJ, United Kingdom	Ph: (441782) 339 033
Changzhou Gardensun Furnace Co Ltd	No 1, Xinwu Village, Boyi Town, Changzhou City, Jiangsu Province, 213141 PR China	Ph: (86 518) 331 7471
Changzhou Hongmaoxinda Furnace Co Ltd	Bldg 5, Lakeshore Industry Park, Wujin Economic Development Zone, Jiangsu Province, 213149, China	Ph: (86 139) 1500 4329
Changzhou Wellife Furnace Co Ltd	XinQiao Village Buyi Town, Zhougu District, Changzhou City, Jiangsu Province, China	Ph: (86 519) 8331 0111
Changzhou Wujing Health Equipment Co	85 Boxin Rd, Boyi Town, Jiangsu Province Changzhou City 213141 PR China	Ph: (86 519) 331 6976
Channel Products Inc	7100 Wilson Mills Rd, Chesterland, 44026-1799 Ohio USA	Ph: (1) 440 423 0113

Char-Broil LLC	No. 1442 Belfast Ave, Columbus, GA 31904 USA	Ph: (706) 571 7000
Charm Vantage Ltd	Rm 4B, Kingsway Industrial Bldg, 171 Wo Yi Hop Rd, Kwai Chung, Hong Kong	Ph: (852) 3580 7320
Chef Wan Solutions Pty Ltd	PO Box 130, Eastwood, NSW 2122	Ph: (02) 9610 3021
Chens Bros Trading Pty Ltd	Unit B 10/11-15 Moxon Rd, Punchbowl NSW 2196	Ph: (02) 9708 0283
Chinabest Home Appliance Co Ltd	Byde Industry Zone, Lianfeng Rd, Xiaolan Town, Zhongshan City China 528415	Ph: (86 760) 2136 389
Chuan Hseng Co Ltd	3rd Flr 266 Sec 1, Wen Hwa 2 Rd, Linkou Hsiang, Taipai Hsien, Taiwan Republic of China	Ph: (8662) 2609 0511
Chunky Timbers Pty Ltd T/as KW Welding & Engineering	21B Carbine Way, Mornington Vic 3931	Ph: (03) 5975 9457
CIB Enterprises Pty Ltd	2/88 Township Drive, West Burleigh Heads Qld 4220	Ph: (07) 5535 8124
Classic Marine Products	Factory 3/11 Garema St, Blue Bay Industrial Estate, Cannonvale Qld 4802	Ph: (07) 4946 7579
Climate Technologies Pty Ltd	26 Nylex Ave, Salisbury SA 5108	Ph: (08) 8307 5100
CMW BVA Valves Pty Ltd	3 Glenn St, Shepparton Vic 3630	Ph: (03) 5822 1533
Coast To Coast RV Services	20 George Young St, Auburn NSW 2144	Ph: (02) 9645 7600
Coleman Brands Pty Ltd	Suite W2C1, 75-85 O'Riordan St, Sydney Corporate Park, Alexandria NSW 2015	Ph: (02) 8762 5000
Coles Group Ltd	21 & 22 FL, Tower 3 China Hong Kong City, 33 Canton Road, Tsimshatsui, Kowloon Hong Kong	Ph: (852) 2732 9584
Colin Nelson Nominees Pty Ltd T/as Bonza BBQ's & Stoves	38A South Rd, Torrensville SA 5031	Ph: (08) 8234 5403
Comcater Pty Ltd	156 Swann Dve, Derrimut Vic 3030	Ph: (03) 8369 4600
Commercial Food Machinery Vic Pty Ltd	1418A Centre Rd, Clayton Vic 3168	Ph: (03) 9543 1611
Compass Capital Partners Pty Ltd	Level 29 Chifley Tower, 2 Chifley Square, Sydney NSW 2000	Ph: (02) 9375 2390
Complete Commercial Catering Equip Pty Ltd	37 Lillee Crescent, Tullamarine Vic 3043	Ph: (03) 9334 5999
Condari Pty Ltd	668-670 Smith St, Clifton Hill Vic 3068	Ph: (03) 9335 1244
Consolidated Fire and Steam Pty Ltd	11 Hayward Road, Ferntree Gully Vic 3136	Ph: (03) 9752 2277
Convotherm Elektrogerate GmbH	Talstrasse 35, 82436 Eglfing, Germany	Ph: (49) 8847 67516
Convolutd Technologies Pty Ltd	2/163 Prospect Hwy, Seven Hills NSW 2147	Ph: (02) 9838 9599
Cop-A-Mate Products Pty Ltd	32-36 Mologa Rd, West Heidelberg Vic 3081	Ph: (03) 9459 3644
Copreci S Coop	Avda Alava 3, E-20550 Aretxabaleta (Guipuzcoa) Spain	Ph: (34) 943 719499
Coromal Caravans Pty Ltd	25 Harrison Rd, Forrestfield WA 6058	Ph: (08) 9352 0900
Crane Distribution Ltd T/as Tradelink Plumbing Supplies	15 Stephen Rd, Dandenong Vic 3175	Ph: (03) 9212 3721
Crocodile Control Systems Pty Ltd	5 Smedley Rd, Park Orchards Vic 3114	Ph: 0407 878700
Cromford Group Pty Ltd	PO Box 1196, Moss Vale NSW 2577	Ph: (02) 4868 0311
Current Line Europe Pty Ltd	396 Princes Hwy, St Peters NSW 2044	Ph: (02) 9550 6290
Curtin Pty Ltd T/as Global Food Equipment – (Administrators Appointed)	Unit 2, 5-15 Epsom Rd, Rosebery NSW 2018	Ph: (02) 9662 3100
CVO Fires Pty Ltd	PO Box 5072, South Melbourne Vic 3205	Ph: (03) 9696 0586
DA Christie Pty Ltd	PO Box 279, Dromana Vic 3936	Ph: (03) 5981 0144
Defar Nominees Pty Ltd T/as Douglas & Co	1/47 Rushdale St, Knoxfield Vic 3180	Ph: (03) 9764 8433

Deking Corporation Co Ltd	Hi-Tech Industrial Development Zone, Zhao Qing City, Guangdong China	Ph: (86) 758 364 9801
Delonghi Australia Pty Ltd	Nexus Park, U3, 43 Lyn Parade, Prestons NSW 2170	Ph: 1800 126 659
Delta Group Industries Aust Pty Ltd	8 Nelson St, Moorabbin Vic 3189	Ph: (03) 9555 2988
Department of Defence	Victoria Barracks, St Kilda Rd, Southbank Vic 3006	Ph: (03) 9282 6360
Design House Denmark	Klostergade 2A DK-7100 Vejle, Denmark	Ph: (45) 7583 8348
Detroit Radiant Products Company	21400 Hoover Rd, Warren MI 48089 USA	Ph: (6586) 756 0950
Dexter Laundry Inc	PO Box 210, Fairfield Iowa 52556 USA	Ph: (515) 472 5131
Dimark Commercial Pty Ltd T/as Semark Sales and Service	Factory 10/23-25 Bunney Rd, Oakleigh Sth Vic 3167	Ph: (03) 9796 4583
Dixon Asia Pacific Pty Ltd	170 Francis Rd, Wingfield SA 5013	Ph: (08) 8202 6000
DKB Household Switzerland AG	Neuhaltenring 1, 6030 Ebikon, Switzerland	Ph: (41) 444 3344
Dometic Australia Pty Ltd	PO Box 1140, Clayton South Vic 3169	Ph: (03) 9545 5655
Dong Yang Diecasting Co Ltd	663-12 (96B/13L) Kojan-Dong, Namdong-Ku, Incheon-City, Korea	Ph: (82 32) 811 8886
Dormont Manufacturing Company	6015 Enterprise Dve, Export PA 15632 USA	Ph: (724) 733 4800
Doug Andrews Air Conditioning Heating & Ventilation Ltd	PO Box 6006, Otaika Whangarei, New Zealand	Ph: (64 9) 438 1484
Doyon Australia Pty Ltd	108 Nettle Dve, Hallam Vic 3803	Ph: (03) 9702 3718
Doyon Equipment Inc	1255 Main St, Liniere, Quebec, GOM 1JO, Canada	Ph: (481) 685 3431
Drivetrain Australia Pty Ltd	53-57 Abbott Rd, Hallam Vic 3803	Ph: (03) 8792 6222
Durag GmbH	Kollaustrasse 105, 22453, Hamburg, Germany	Ph: (49 40) 5542180
Dux Manufacturing Ltd	PO Box 209, Moss Vale NSW 2577	Ph: (02) 4868 0231
Eaton Fluid Power, A Div of Eaton Industries Pty Ltd	PO Box 1495, Tullamarine Vic 3043	Ph: (03) 9319 8222
Eco Pacific Pty Ltd	2/8 Swift Way, Dandenong Vic 3175	Ph: (03) 9706 6228
Edgetec Systems Pty Ltd	PO Box 8503, Carrum Downs Vic 3201	Ph: (03) 9775 0882
Edwards Hot Water a Div of Rheem Australia Pty Ltd	109 Vulcan Rd, Canning Vale WA 6155	Ph: (08) 9334 4222
Electrical Distributors Australia Pty Ltd	PO Box 340 Artarmon NSW 1570	Ph: (02) 9958 3111
Electrolux Italia SpA	Corso Lino Zanussi 30 33060 Porcia (PN) Italy	Ph: (39) 0534 709448
Electrolux Home Products Pty Ltd	PO Box 21, Prospect SA 5082	Ph: (08) 8401 8401
Electrolux Home Products Pty Ltd (NQD)	19 Pope St, Beverley SA 5009	Ph: (08) 8401 3799
Electrolux Home Products Pty Ltd (NSW)	163 O'Riordan St, Mascot NSW 2020	Ph: (02) 9317 9595
Electrolux Laundry Systems A Division of Electrolux Pty Ltd	PO Box 321, Mt Waverley Vic 3168	Ph: (03) 8561 5400
Electrolux Professional SpA	Via Cesare Battisti, 12, 31015 Conegliano (TV) Italy	Ph: (39) 0438 3621
Elitre Co Ltd	2F, No 16 Alley 5, Lane 113, Ton-Hu Rd, Nei-Hu 114 Taipei, Taiwan Republic of China	Ph: (8862) 263 36986
Elson Australasia Pty Ltd	2/44 Eddie Rd, Minchinbury NSW 2770	Ph: (02) 9625 7899
Emberton Group Incorporated	19 Medan Istana 2, Bandar Ipoh Raya, 30000 Ipoh, Perak, Malaysia	Ph: (605) 242 5707
Emerson Network Power Australia Pty Ltd	Block P, 391 Park Rd, Regents Park NSW 2143	Ph: (02) 9914 2932
Energy Technology & Control Ltd	25 North St, Lewes, East Sussex BN7 2PE United Kingdom	Ph: (441) 273 480667
ENO	95 Rue de la Terraudière BP8532, France	Ph: (33 5) 4933 2684
Enviro-Fresh (Aust) Pty Ltd	244 St Kilda Rd, St Kilda Vic 3182	Ph: 1300 658 586

Enware Australia	P O Box 2545, Taren Point NSW 2229	Ph: (02) 9525 9511
ESA srl	Via E Fermi 40, 1-24035 Curno (BG) Italy	Ph: (39 035) 622 7411
Escea Ltd	PO Box 5277, Dunedin New Zealand	Ph: (643) 479 0302
Esdan Plastics Pty Ltd	525-527 Hammond Rd, Dandenong Vic 3175	Ph: (03) 8791 7902
Euro Appliance Centre Pty Ltd	662 Whitehorse Rd, Mitcham Vic 3133	Ph: (03) 9874 0722
Eurostyle Group Pty Ltd T/as Euro Appliances	6 Pattinson Rd, Newton SA 5074	Ph: (08) 8165 1012
Eurolinx Pty Ltd	48-50 Moore St, Leichhardt NSW 2040	Ph: (02) 8589 4600
Europort International Trading (A Div of ADM Buildcorp Pty Ltd)	221 Stoney Creek Rd, Beverley Hills NSW 2209	Ph: (02) 9150 0405
Eurostyle (SA) Pty Ltd	6 Pattinson Rd, Newton SA 5084	Ph: (08) 8165 1012
Eurotec SRL Division of MBM	Via Pontaccio No. 10, Milano 20121 Italy	Ph: (0522) 686711
EXIM Asia Ltd	Unit 2909, 9/F Tower 2 Southport Central, 5 Lawson St, Southport QLD 4215	Ph: (07) 5630 6835
Ezi Concepts Pty Ltd	9 Commercial St, Marleston SA 5033	Ph: (08) 8371 1611
Fagor Australasia Pty Ltd	7 Boola Plc, Dee Why NSW 2099	Ph: (02) 9984 7533
Fagor Industrial S Coop	PO Box 17 – 2056 Onati (Guipuzcoa) Spain	Ph: (34) 943 718139
FDN Management Pty Ltd	77 Trafalgar Rd, Lesmurdie WA 6076	Ph: (08) 9458 6199
Ferrolis SpA	Via Ritonda 78A, 37047 S. Bonifacio (VR) Italy	Ph: (045) 6139 411
Fibras Y Elastomeros SA	C/EL Juncal s/n, Edificio Fuentes 2, E 48510 Valle de Trapasa, Vizcaya, Spain	Ph: (34 94) 418 0011
Fiesta Barbeques Ltd	2 Walker Drive, Brampton, Ontario L6T 5E1 Canada	Ph: (905) 791 3200
Fiorentini Minereg SpA	Via Faustina 11-15-AS, 25015 Desencano Del Garda, Brescia, Italy	Ph: (39) 030 914 8511
Fiori Holdings Australia Pty Ltd	PO Box 5277, Chullora NSW 2190	Ph: (02) 9709 4933
Firefox Industries Pty Ltd	Factory 4, 15 Stud Rd, Bayswater Vic 3153	Ph: (03) 9720 9055
Fireplace Products Australia Pty Ltd	21-23 South Link, Dandenong Vic 3175	Ph: (03) 9799 7277
Fireye Inc	3 Manchester Rd, Derry NH 03038 USA	Ph: (603) 432 4100
Fisher & Paykel Appliances Italy SpA	Via Fabbian Matteo 7, 31030 Borso Del Grappa Treviso, Italy	Ph: (39 0423) 912 400
Fisher & Paykel Appliances Limited	Private Bag 1972, Dunedin 9054 New Zealand	Ph: (643) 489 3819
Fisher & Paykel Australia Pty Ltd	Private Bag 7, Silverwater NSW 1811	Ph: (02) 8745 8200
Fix-a-Tap Australia Pty Ltd	P O Box 200, Wahroonga NSW 2076	Ph: (02) 9477 6688
Flo-Met Pty Ltd	3 June Ave, Dromana Vic 3936	Ph: (03) 5987 3085
Flowserve Australia Pty Ltd	8 Binney Rd, Marayong NSW 2148	Ph: (02) 8822 7100
Fluid System Technologies (ES) Pty Ltd	PO Box 71, Campbellfield Vic 3061	Ph: (03) 9355 3500
Focus Lifestyle Products P/L	PO Box 532, Mordialloc Vic 3195	Ph: (03) 8586 2200
Food Equipment Distributors Pty Ltd	PO Box 4545, Milperra BC NSW 2214	Ph: (02) 9772 9900
Foshan Rifeng Enterprise Co Ltd	Rifeng Bldg No. 16 Zumiano Road, Foshan City, China	Ph: (86757) 8230 1768
Foshan Shunde Everteam Industrial Co Ltd	No 2 Waicun New Rd, Ronggui-Shunde District, Foshan City, Guangdong Province, China	Ph: (86757) 2888 3728
Foshan Shunde Guangfeng Plastic Manufacture Co Ltd	No. 6-1 Xingnan Rd, Nanqu, Shunde District, Ronggui, Shunde District China 528305	Ph: (86757) 2611 3838
Fox SpA di R. Bompani & C	Via Emilia Est 1465, 41100 Modena, Italy	Ph: (39 059) 284343
Franke Australia Pty Ltd	1263 Ferntree Gully Rd, Scoresby Vic 3179	Ph: (03) 9237 8000
Fratelli Pettinaroli SpA	Via Pianelli 38, 28017 S Haurizio D'Opaglio – Novara Italy	Ph: (39) 0322 36217
G & W Imports Ltd	86 Ayton Dve, Glenfield 0629 New Zealand	Ph: (64) 2153 7988

Galaxy Import & Export Co Pty Ltd	15 Kurrara St, Lansvale NSW 2166	Ph: (02) 9728 2239
Galvin Engineering Pty Ltd	410 Victoria Rd, Malaga WA 6062	Ph: (08) 9249 5916
Gameco (NSW) Pty Ltd	PO Box 156, Auburn NSW 2144	Ph: (02) 9648 5856
Gameco Pty Ltd	17 Roy St, Milton Qld 4064	Ph: (07) 3870 7611
Garlock Pty Ltd	Cnr Rockwood & Muir Rds, Yagoona NSW 2199	Ph: (02) 9793 2511
Gas Care Services Pty Ltd	37 Eliza St, Black Rock Vic 3193	Ph: (03) 9521 9966
Gas Components Australia T/as Industrial Fitting Sales Pty Ltd	PO Box 65, Brisbane Markets Qld 4106	Ph: (07) 3255 9255
Gas Fired Products Inc	PO Box 36485, Charlotte NC 28236 USA	Ph: (001704) 372 3485
Gasmaster LPG Conversions & Repairs	73 Stanhope St, West Footscray Vic 3012	Ph: (03) 9314 6522
Genesis Australia Corporation Pty Ltd	104 Bottlebrush Dve, Kiara WA 6054	Ph: (08) 9279 4217
GIGA Grandi Cucine s.r.l.	Via Pisana 336 – Ioc. Olmo, 50018 Scandicci Firenze Italy	Ph: (39) 055 721 305
Glem Gas Australasia Pty Ltd	PO Box 62 Blaxcell PO, South Granville NSW 2142	Ph: (02) 9721 2755
Glen Dimplex Australasia Ltd	PO Box 58-473, Greenmount, Manukau, 2141 New Zealand	Ph: (64) 9271 7362
Glen Dimplex Australia Pty Ltd	Unit 2, 205 Abbots Rd, Dandenong Vic 3175	Ph: 1300 556 816
Glen Dimplex Home Appliances	Stony Lane, Prescott, Merseyside L35 3XW United Kingdom	Ph: (151) 426 6551
GLG Australia Pty Ltd	PO Box 195, Sydney Markets NSW 2129	Ph: (02) 9735 4111
Global Supply Line Pty Ltd	69-71 Barndioota Rd, Salisbury Plain, SA 5109	Ph: (08) 8285 0000
Global Valve Alliance	905 Silvercord Tower 2, 30 Canton Rd, TST Kowloon, Hong Kong	Ph: (852) 9419 3459
Global Water Solutions Ltd	300 Pond St, Randolph, Massachusetts, 02368 USA	Ph: (1781) 607 2628
Gold Coast Laundry Equipment	17 Pappas Way, Carrara QLD 4211	Ph: (07) 5596 5027
J Goldstein & Company Pty Ltd	211-213 Woodpark Rd, Smithfield NSW 2164	Ph: (02) 9604 7333
Goyen Controls Company Pty Ltd	268 Milperra Rd, Milperra NSW 2144	Ph: (02) 9771 4111
Grand Gas Equipment Incorporation	28 Kung-1st Rd, Youth Industrial Park, Tachia Taichung 437 Taiwan	Ph: (886) 4681 1126
Grand Mate Co Ltd	No. 120 Ta-hsing St, East District, Taichung City, Taiwan	Ph: (8864) 2281 7737
Green Bean Coffee Pty Ltd	PO Box 1193, North Ryde NSW 2113	Ph: (02) 9870 7898
Gregory Charles Smith T/as Fun Barbecues	6 Krawarri St, Lonsdale SA 5160	Ph: (08) 8186 1686
GSA Industries (Aust) Pty Ltd	27-28 Chapman Place, Eagle Farm Qld 4009	Ph: (07) 3105 8109
GSI Group	PO Box 110, Bremen Alabama 35033 USA	Ph: (1256) 287 1000
GSM Sales Pty Ltd	PO Box 186, Enfeld Plaza, SA 5085	Ph: (08) 8139 7394
Guangdong Chant Group Inc	Henghai St, Xiaolan Town, Zhongshan City, Guangdong 528415 China	Ph: (867 602) 106 666
Guangdong New World Hotel Equipment Co Ltd	Hengui Industry Park, Lishui Town, 528241 China	Ph: (86757) 8512 3188
Haci Ayvaz Endüstriyel Mamuller Samayive Ticaret AS,	Atatürk Sanayi Bölgesi, Prof. Mustafa Inan Cad. No 36, 34860 Hadimköy, Istanbul, Turkey	Ph: (212) 771 0145
Hafele Australia Pty Ltd	8 Monterey Rd, Dandenong Vic 3174	Ph: (03) 9212 2000
Hagemeyer Brands Australia Pty Ltd	104 Vanessa St, Kingsgrove NSW 2208	Ph: (02) 9503 2888
Hamworthy Combustion Engineering Limited	Fleets Corner, Poole, Dorset BH17 0LA, United Kingdom	Ph: (44 1202) 662 700
Hammersmith 4 Star Auto Gas	464 Main Nth Road, Blair Athol SA 5084	Ph: (08) 8349 5855
Hark Enterprises Pty Ltd	6/828 High Street, East Kew Vic 3102	Ph: (03) 9857 0999

Haur Fung Enterprise Co Ltd	PO Box 52-93, Taipei, Taiwan China	Ph: (8862) 2591 5313
Haverick Meats Pty Ltd	13-15 Green St, Banksmeadow, NSW	Ph: (02) 9316 8900
Hawleys Pty Ltd	7 Harvton St, Stafford, Qld 4053	Ph: (07) 3356 1699
WT Hawkins (Aust) Pty Ltd	PO Box 475, Rye Vic 3941	Ph: (03) 9558 1255
Hearth & Home Technologies Inc	7571 215th Street West, Lakeville MN 55044 USA	Ph: (1 952) 985 6601
Heatcraft Australia Pty Ltd	21/45 Normanby Rd, Notting Hill Vic 3168	Ph: (03) 9542 0630
Heating Australia Pty Ltd	280 High St, Kew Vic 3101	Ph: (03) 9853 4077
Heatmax NZ Limited	PO Box 331172, Takapuna, Auckland New Zealand	Ph: (64) 9428 1622
Hegwein GmbH	AM Bochwerk 7, 70469, Stuttgart, Germany	Ph: (49 711) 1357 880
Henkel Australia Pty Ltd	135-141 Canterbury Rd, Kilsyth Vic 3137	Ph: (03) 9724 6444
Henny Penny Corporation	1219 US RT 35 West, Eaton Ohio, 45320 USA	Ph: (1937) 456 8671
Hillbilly Camping Gear	23 Mt Morton Rd, South Belgrave Vic 3160	Ph: (03) 9754 5053
HangZhou FuYang Zhen Da Gas Appliance Co Ltd	15 XinQiao New Road, GaoQiao Industrial District, Fuyang Hangzhou, China 311400	Ph: (86 571) 6343 2558
Hobart Food Equipment Div of ITW Australia Pty Ltd	PO Box 6712, Silverwater NSW 2128	Ph: (02) 9714 0200
Holdtite Australia Pty Ltd	21 Heath St, Lonsdale SA 5160	Ph: (08) 8186 0844
Home Appliances Pty Ltd	2/20 Carlotta St, Artarmon NSW 2064	Ph: (02) 9986 1699
Home Laundry Appliances Pty Ltd T/as Speed Queen Home Laundry Appliances	Unit 11, 4 Gladstone Rd, Castle Hill NSW 2154	Ph: (02) 8820 0204
Hon Shen Pty Ltd	337 Liverpool Rd, Enfield NSW 2136	Ph: (02) 9745 2202
Honeywell Limited	PO Box 1123, North Richmond Vic 3121	Ph: 1300 363 936
Honeywell Limited (NSW)	5 Thomas Holt Drive, North Ryde NSW 2113	Ph: (02) 9353 7419
Hosun Universal Co Ltd	71 Alley 23, Lane 493, Sec 3, Chung-Sun Rd, 42712 Tantsu Hsiang, Taichung, Taiwan, ROC	Ph: (886 4) 2534 8567
Hot Rod Grills LLC	955 Jiowa Ave, Lake Hausau City, AZ USA	Ph: (1 928) 680 4445
Hot Water Systems Australia Pty Ltd	25 Mobius Crt, Golden Grove SA 5125	Ph: (08) 8289 3666
Howels, Keith T/as Fedseal	PO Box 62, Lawson NSW 2783	Ph: (02) 4734 8964
Hungry Jack's Australia Pty Ltd	1183 Toorak Rd, Camberwell Vic 3124	Ph: (03) 9330 2303
Hurll Nu-Way Pty Ltd	14 Aristoc Rd, Glen Waverley Vic 3150	Ph: (03) 8561 1600
Hydroheat Supplies Pty Ltd	PO Box 1045, Braeside Vic 3195	Ph: (03) 9588 1299
Hydronic Systems (Australia) Pty Ltd T/as Hunt Heating	PO Box 294, Braeside Vic 3195	Ph: (03) 9558 7077
IFA Australia Pty Ltd	598 Barkley St, West Footscray Vic 3012	Ph: (03) 9689 5885
Illusion Australia Pty Ltd	35 Greens Rd, Dandenong Vic 3175	Ph: (03) 9793 7520
Illusion Open Gas Log Fires Pty Ltd	35 Greens Rd, Dandenong Vic 3175	Ph: (03) 9793 7520
Impco Technologies Pty Ltd	25 Letcon Drive, Dandenong Sth Vic 3175	Ph: (03) 8788 1000
IMT Armaturen AG	Sonnenstrasse 8-10 CH-9434 AU/SG Switzerland	Ph: (4471) 744 3971
Indesit Company Spa	Viale Aristide Merloni 47, 60044 Fabriano (AN) Italy	Ph: (39) 0732 6611
Indesit Company Spa (TV)	ZI Crevada 63, 31020 Refrontolo (TV) Italy	Ph: (39 0438) 906 853
Integrated Appliance Group Pty Ltd	94 Penschurst St, Willoughby NSW 2068	Ph: (02) 9958 3111
International Catering Equipment Pty Ltd	PO Box 2225, Rose Bay North, NSW 2030	Ph: (02) 9690 1033
Invensys Controls Australia Pty Ltd	PO Box 63, Wentworthville NSW 2145	Ph: (02) 9631 7999
Invensys Appliance Controls SA	320 Avenue des Sorbiers, BP 5 Thyez, 74311 Cluses, Cedex, France	Ph: (33450) 893 703
Italnova Pty Ltd	3/5 Little St, Smithfield NSW 2164	Ph: (02) 9604 1226

Italstile Srl	Via Dell'Industria, 50 36035 Marano Vicentino VI Italy	Ph: (0445) 637 579
Itap SpA	Via Ruca 19/21, 25065 Lumezzane SS Brescia, Italy	Ph: (30) 892 7011
Itech Industries Pty Ltd T/as Itech Metal Industries	Factory 3-4 Kinwal Crt, Moorabbin Vic 3189	Ph: (03) 9583 3088
ITW Industrial Components srl	Via Tevere Angolo via Po, 21043 Castiglione Olona (VA) Italy	Ph: (39) 0331 690 200
IVR Valvole A Sfera SpA	Via Brughiera III No 1, Loc. Piano Rosa 28010 Boca (NO) Italy	Ph: (39) 0322 888811
J & J Industry Pty Ltd	20 Euston St, Rydalmere NSW 2116	Ph: (02) 9680 0877
James Walker Australia Pty Ltd	PO Box 13, Regents Park NSW 2143	Ph: (02) 9721 9500
Jayco Caravan Manufacturing	252 Frankston/Dandenong Rd, Dandenong Vic 3175	Ph: (03) 8792 2000
Jetmaster Fireplaces Australia Pty Ltd	10 Martin Ave, Arncliffe NSW 2205	Ph: (02) 9597 7222
Jetmaster Pty Ltd	5 Longdale Loop, Longdale, Johannesburg Gauteng 2093 South Africa	Ph: (2711) 474 2100
Jetmaster (Vic) Pty Ltd	444 Swan St, Richmond Vic 3121	Ph: (03) 9429 5573
Jiangmen Cadero Hardware Mfg Co Ltd	Xinglong Industrial Zone, Longkou Town, Heshan City, Jiangmen, 529737 China	Ph: (86 750) 876 3982
Jiedong CGS Hardware Products Industry Co Ltd	Luoshan Industrial Park, Xinheng Town, Jiedong Country, Jieyang City, Guangdong China	Ph: (86 13) 60018 8810
JL Industries Inc	6807 NE 79th Crt, Portland Oregon, 97218 USA	Ph: (011503) 445 4185
JL Lennard Food Equipment Pty Ltd	42 Giffard Street, Silverwater NSW 2128	Ph: (02) 9475 9000
Johnson Controls Australia Pty Ltd	PO Box 584, North Ryde NSW 2128	Ph: (02) 9805 8300
Karene Elizabeth Hazell T/as Eurogyr Controls and Solutions	2 Abbey Crt, Wantirna Vic 3152	Ph: (03) 9801 3785
Karl Dungs GmbH & Co	Siemenstr. 6-10, D-73660 Urbach, Germany	Ph: (4971) 81 8040
Katadyn Scandinavia AB	C/O Terravon AB, PO Box 1343, SE 181 25 Lidingö, Sweden	Ph: (468) 636 2564
Kathmandu Ltd	4 Mary Muller Drive, Christchurch 8000 New Zealand	Ph: (64 3) 373 6110
Keefer Bros (Aust) Pty Ltd	PO Box 972, Braeside Vic 3195	Ph: (03) 9580 4777
Kidde Fenwal Inc	400 Main St, Ashland, Massachusetts, 01721, USA	Ph: (508) 881 2000
Kitchen Master Pty Ltd	10 Luisa Ave, Dandenong Sth Vic 3175	Ph: (03) 9706 4090
Kleenmaid Appliances	Level 29 Chifley Tower, 2 Chifley Square, Sydney NSW 2000	Ph: (02) 9375 2390
Kleenmaid Pty Ltd	PO Box 5560, Maroochydore Sth Qld 4558	Ph: 1800 072 144
Klinger Limited	38 McDowell St, Welshpool WA 6106	Ph: (08) 9350 1100
Lacanche (Australia) Pty Ltd T/as Manorhouse Sinks and Range Cookers	1367 Malvern Rd, Malvern Vic 3144	Ph: (03) 9824 4088
Landi Renzo SpA	Via Nobel 2, 42025 Corte Tegge – Cavriago RE Italy	Ph: (390522) 943 311
Landi Srl	Via Raffaello, 33A, 42100 Reggio Emilia Italy	Ph: (390522) 514 461
Langford Metal Industries Pty Ltd	44 Curtin Ave West, Eagle Farm Qld 4009	Ph: (07) 3268 4655
Laundry Systems Group Pty Ltd T/as Aqualogic Laundry Systems	U H/2 Hudson Ave, Castle Hill NSW 2154	Ph: (02) 8850 1300
LB White Co, Inc	W6636 LB White Rd, Onalaska WI 54650 USA	Ph: (608) 783 5691
Leap Australasia Pty Ltd	35 Rooks Rd, Nunawading Vic 3131	Ph: (03) 9874 0303
LG Electronics Australia Pty Ltd	2 Wonderland Dve, Eastern Creek NSW 2766	Ph: (02) 8805 4000
LG Motor-Gas Pty Ltd	106-108 Herald St, Cheltenham Vic 3192	Ph: (03) 9532 1980
Linkware (Australia) Pty Ltd	PO Box 123, Regents Park NSW 2143	Ph: (02) 9738 7300

LKK Food Equipment Ltd
Lockhart Management Pty Ltd

PO Box 950, Henderson, Auckland 0610 New Zealand **Ph: (64) 9837 2960**
76 Lockhart Dv, Rosebud Vic 3939 **Ph: (03) 5981 1433**

Nuova Lofra Srl	Via Euganea Treponti 14/16, 35037 Teolo (Padova) Italy	Ph: (39 049) 999 7111
Lovato Autogas Pty Ltd	Unit 1/410 Churchill Rd, Kilburn SA 5084	Ph: (08) 8340 2366
Lovato Gas SpA	Strada Comunale Casale, 175, 36100 Vicenza Italy	Ph: (39) 0444 218 911
LPG Conversions Pty Ltd	PO Box 355, Tullamarine Vic 3043	Ph: (03) 9330 3555
Luus Industries Pty Ltd	41 North View Dve, Sunshine West Vic 3020	Ph: (03) 9240 6822
M & A Mead Investments Pty Ltd T/as Heatlie Engineering	5 Kenilworth Ave, Edwardstown SA 5039	Ph: (08) 8374 1999
Magma Products Inc	3940 Pixie Ave, Lakewood CA 90712-4136 USA	Ph: (1562) 627 0500
Major Electrical Appliances, A Division of Hagemeyer Brands Australia Pty Ltd	Locked Bag 4013, Kingsgrove NSW 2208	Ph: (02) 9503 2888
Mann and Hummel Australia Pty Ltd	Unit 24, 70 Holbeche Rd, Arndell Park NSW 2148	Ph: (02) 9621 4700
Marine Sanitation Pty Ltd	PO Box 118, Hastings Vic 3915	Ph: (03) 5979 4255
Masport Limited	1-37 Mt Wellington Hwy, Panmure, Auckland New Zealand	Ph: (64 9) 570 9009
Maxfaro Pty Ltd	Suite 9, 23 Susan St, Eltham Vic 3095	Ph: (03) 9439 8344
Maxitrol Company	23555 Telegraph Rd, Southfield Michigan 48037-2230 USA	Ph: (248) 356 1400
Maxon Corporation	PO Box 2068, Muncie IN 47307-0068 USA	Ph: (765) 284 3304
MED (Aust) Pty Ltd	118 Christina Rd, Villawood NSW 2163	Ph: (02) 9726 3000
Medcraf Projects Pty Ltd	PO Box 101, Neutral Bay NSW 2089	Ph: 0411 852 684
Melbourne Barbecue Centre	660 Whitehorse Rd, Mitcham Vic 3132	Ph: (03) 9873 1444
Meridian Maestro Pty Ltd	1-11 Rothesay Ave, St Marys SA 5042	Ph: (08) 8276 2355
Methven Voumard Pty Ltd	16 Gipps St, Collingwood Vic 3066	Ph: 1300 638 483
Metso Automation (ANZ) Pty Ltd	Unit 9, 173-181 Rooks Road, Vermont Vic 3130	Ph: (03) 9872 0305
Metso Automation USA Inc	44 Bowditch Dve, Box 8044, 01545-8004 MA USA	Ph: (508) 852 0200
Middleby Marshall Inc	1400 Toastmaster Dve, Elgin, Illinois 60120 USA	Ph: (847) 741 3300
Miele Australia Pty Ltd	PO Box 381, Knoxfield Vic 3180	Ph: (03) 9764 7100
Milano Enterprises Pty Ltd	713 Glenhuntly Rd, Caulfield South, Vic 3162	Ph: (03) 9582 1811
Mirror Paints Pty Ltd	PO Box 6, Flemington Vic 3031	Ph: (03) 9376 0447
Mildon Pty Ltd	4 Wandarri Crt, Cheltenham Vic 3192	Ph: (02) 9581 7444
MIT Limited	37-11, 1-GA Chang Chung Dong, Chung-Ku Seoul Korea	Ph: (822) 2279 7861
Moffat Ltd	16 Osborne St, Christchurch New Zealand	Ph: (64 3) 389 1007
Monsilk Pty Ltd	2/91 Forsyth St, O'Connor WA 6163	Ph: (08) 9331 1800
The Montague Company	1830 Stearman Ave, Hayward CA 94540-4954 USA	Ph: (510) 785 8822
Monza International	103 Frankston Gardens Dve, Carrum Downs Vic 3201	Ph: (03) 9770 8201
Morcraft Industries Pty Ltd	9 Wardleys Crt, Bayswater WA 6053	Ph: (08) 937 16011
Moretti Forni SpA	Via Meucci 4, 61037, Mondolfo (PU) Italy	Ph: (39) 0721 96161
Motorhomes Pty Ltd	Factory 11, 155 Canterbury Rd, Kilsyth Vic 3137	Ph: (03) 9753 5822
MPS Products Pty Ltd	11 George St, Avalon Beach NSW 3107	Ph: 0407 778 880
Multiglow Fires	Canterbury Rd, St Nicholson-at-Wade, Kent CT7 0PQ United Kingdom	Ph: (01843) 874 7575
Multiproget srl	Via Casonetto NR, 16 36050 Pozzoleone Loc. Friola (VI) Italy	Ph: (39) 0444 668 065
MWM Energy Australia Pty Ltd	21 McDonalds Lane, Mulgrave Vic 3170	Ph: (03) 9262 3000

My Water Pty Ltd	PO Box 445, Eltham Vic 3095	Ph: (03) 9712 0556
Nationwide Electrical Wholesale Pty Ltd	10/6-8 Allen Place, Wetherill Park NSW 2164	Ph: (02) 9756 0388
Nattkom Pty Ltd T/as D.P. Refrigeration	3 Contour Close, Research Vic 3095	Ph: (03) 9437 0737
Nepean Willows Pty Ltd T/as Indian Tandoor Oven Company	4 Moorna Drive, Airport West Vic 3042	Ph: (03) 8307 5887
Nexgrill Industries Inc (PRC)	No. 33 Yu Wo Tou Rd, Dong Chong Panyu Guangzhou China	Ph: (8620) 3492 2828
Nichias FGS SDN BHD	Plot 103, Darulaman Industrial Estate, Bandar Darulaman, 06000 Jitra, Kedah Dural Aman, Malaysia	Ph: (604) 917 3760
Nieco Corporation	7950 Cameron Dve, Windsor 95492 CA USA	Ph: (111707) 284 710
Ningbo Chaoyang Household Gas Stoves Co Ltd	No. 417 Chaoyang Road, Jiangshan Town, Yinzhou District, Ningbo 315195 PR China	Ph: (86574) 8846 4993
Ningbo Innopower Hengda Metal Products Co Ltd	Dongyang Village – Shiqi Town, Yinzhou District, Ningbo City, Zhejiang Province, China 315155	Ph: (86574) 8818 7013
Ningbo Spec Global SanitaryWare Pty Ltd	9 Hengfeng Rd, Fangqiao Industrial Zone, Fenghua, Ningbo 315514 China	Ph: (86574) 8865 7698
Nissan Forklift Co Ltd	10-1 Hironodai 2-chome, Zama-shi, Kanagawa, 2288502 Japan	Ph: (81462) 523 279
Norcold Inc	600 South Kuther Rd, Sidney 45365 OH USA	Ph: (1937) 497 3166
Norwest Gas Pty Ltd	178 Pitt Town, Kenthurst NSW 2156	Ph: (02) 9654 8551
Nomalon Imports Pty Ltd	31 Ebdon St, Moorabbin Vic 3189	Ph: (03) 9532 3900
Ocean Solutions Pty Ltd	PO Box 7452, East Brisbane Qld 4169	Ph: 1300 791 432
Olle Electrical Pty Ltd	2/133-135 Gladstone Street, Fyshwick ACT 2609	Ph: (02) 6239 1192
Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd	PO Box 55, Botany NSW 1455	Ph: (02) 9384 5678
Omega Climate Systems Pty Ltd	11-13 Quality Dve, Dandenong Sth Vic 3175	Ph: (03) 9706 6884
Ondot Pty Ltd T/as Maxco Industries	Unit 10, 45 Powers Rd, Seven Hills NSW 2147	Ph: (02) 9620 7055
OneSteel Piping Systems A Business of Onesteel Trading Pty Ltd	205 Pacific Hwy, St Leonards NSW 2065	Ph: (02) 8424 9800
Onka (H.K.) Co Ltd	Rm 1616-17 Asia Trade Centre, 79 Lei Muk Rd, Kwai Chung, Hong Kong	Ph: (852) 2421 8182
Opentrade P/L T/as Melbourne Refrigeration and Catering Equipment	159 Cheltenham Rd, Dandenong Vic 3175	Ph: (03) 9794 8627
Oranier Australia Pty Ltd	14 Harvey Place, Cherrybrook NSW 2126	Ph: (02) 9875 3770
Outback Environmental Controls Pty Ltd	2/32 Billabong St, Stafford Qld 4053	Ph: (07) 3352 6677
Overseas Industrial Corp	5th Floor 18, Lane 14, Chi Lin Rd, Taipei Taiwan, Republic of China	Ph: (886 2) 2531 8182
Ozsarac Sons Pty Ltd	27 Guernsey St, Guildford NSW 2161	Ph: (02) 9632 3119
Oztrail Leisure Products	45 Limestone St, Darra Qld 4076	Ph: (07) 3279 1800
Pacific Hoseflex Pty Ltd	PO Box 2245, Burleigh Heads MDC, Qld 4220	Ph: (07) 5593 4292
Paloma Australia	7 Geddes St, Mulgrave Vic 3170	Ph: (03) 9535 3377
Paloma Industries Ltd	6-23 Momozono-Cho Mizuho-Ku, Nagoya 467-8585 Japan	Ph: (52) 824 5031
Pan-Technic Pty Ltd – Engineering	34 Chetwynd St, Loganholme Qld 4129	Ph: (07) 3801 2600
Parasol Heaters Australia Pty Ltd	12 Yiannis Crt, Springvale Vic 3171	Ph: (03) 9562 4844
Parker Hannifin (Australia) Pty Ltd	9 Carrington Rd, Castle Hill NSW 2154	Ph: (02) 9634 7777
Parker Hannifin Corporation	30240 Lakeland Boulevard, Wickliffe, Ohio 44992-1747 USA	Ph: (440) 516 3210

Parmco Sales Ltd	519 Mt Wellington Hwy, Mt Wellington, Auckland, New Zealand	Ph: (64) 9573 5678
Parnell LP Gas Systems Pty Ltd	1/30 Little Boundary Rd, Laverton North Vic 3026	Ph: (03) 9315 1699
Pecan Engineering Pty Ltd	13 Acorn Rd, Dry Creek SA 5094	Ph: (08) 8349 8332
Permabond Engineering Adhesives Ltd	Wessex Business Park, Wessex Way, Golden Common, Winchester, Hampshire SO21 1WP United Kingdom	Ph: (44 01962) 711661
PGI – Parigi Group International SpA	Via Velleia 19, 20052 Monza MI, Italy	Ph: (39 039) 204981
Pipe Couplings (A'Asia) Pty Ltd	PO Box 205, Concord NSW 2137	Ph: (02) 9743 6566
Pitco Frialator Inc	PO Box 501, Concord NH03302-0501, USA	Ph: (603) 225 6684
POGC Sensor Technology Pty Ltd	Howthorn House, 79 Victoria Ave, Chatswood NSW 2067	Ph: (02) 9417 6688
Poliauto Ing. Pietro Parletti & C. snc	29100 Piacenza Italy – Via Emilia Pavense 120 Italy	Ph: (0523) 480261
Polix Export d.o.o	Industrijska c11, 4226 Ziri, Slovenija	Ph: (3864) 518 4473
Power Pack Entertainment Pty Ltd	PO Box 9134, Harris Park NSW 2150	Ph: (02) 9636 6620
PPI Corporation Pty Ltd	PO Box 55, Geebung Qld 4034	Ph: (07) 3860 0329
Premier Fosters (Aust) Pty Ltd	Unit 10, 108 Old Pittwater Rd, Brookvale NSW 2100	Ph: (02) 9905 0905
Prime Benefits Pty Ltd T/as Kitchenmaid	13 Howitt Rd, North Caulfied Vic 3161	Ph: (03) 9532 1433
Primo-Tech Pty Ltd	PO Box 1096 Cloverdale WA 6985	Ph: (08) 9478 6443
Primus Australia Pty Ltd	20 Enterprise Dve, Bundoora Vic 3083	Ph: 1300 555 197
PR Kitchen Systems Pty Ltd	1263 Ferntree Gully Rd, Scoresby Vic 3179	Ph: (03) 9237 8000
Prolific Trading (Australia) Pty Ltd	02 Heritage, PO Box 3081, North Willoughby NSW 2068	Ph: (02) 8901 3888
Purple Pig (Australia) Pty Ltd	Level 1, 34 Buys Crt, Derrimut Vic 3030	Ph: (02) 8348 9900
Qingdao Hengfeng Metal Products Co Ltd	3rd Floor, Dentist Building, 66 Yanan No 2 Road, Qingdao, Peoples Republic of China	Ph: (86 532) 3254 2907
Queensland Gaskets	18 Jaybel St, Salisbury Qld 4107	Ph: (07) 3277 3922
Radcoflex Australia Pty Ltd	33 Prince William Dve, Seven Hills NSW 2147	Ph: (02) 9624 2444
Rainbow CNG Service Station Ltd	31/165 Grand Boulevard, Joondalup WA 6027	Ph: (88018) 1922 4480 (International no.)
Rays Outdoors Pty Ltd	751 Gympie Rd, Lawnton Qld 4501	Ph: (07) 3482 7640
Real Fires New Zealand Ltd	PO Box 100744, NSMC 0745 New Zealand	Ph: (649) 912 2636
Real Flame Pty Ltd	1340 Ferntree Gully Road, Scoresby Vic 3179	Ph: (03) 9738 0399
Reece Pty Ltd	25-29 Carter Way, Dandenong South Vic 3175	Ph: (03) 9709 7852
Restaurant & Bar Solutions Pty Ltd	94 Hoddle St, Abbotsford Vic 3116	Ph: (03) 9419 3333
Rheem Australia Pty Limited	PO Box 6, Rydalmere NSW 2116	Ph: (02) 9684 9400
Rheem Australia Pty Limited (Vic)	39 Koornang Rd, Scoresby Vic 3179	Ph: (03) 9757 3333
Rilas Pty Ltd	1 James St, Clayton Vic 3168	Ph: (03) 9562 9928
Rinnai Australia Pty Ltd	10-11 Walker St, Braeside Vic 3195	Ph: (03) 9271 6625
RIV Rubinetteria Italiane Velatta SpA	Via delle Acacie-Zona Industriale D4-28075 Grignasco Italy	Ph: (0163) 415 221/2
RMG Atlas Pty Ltd	1/24 Berriman Dve, Wangara WA 6065	Ph: (08) 9409 4444
Robert Bosch (Australia) Pty Ltd	Locked Bag 66, Clayton South Vic 3169	Ph: (03) 9541 5555
Robertshaw Controls Co, Invensys Climate Controls	515 South Promenade Ave, Corona CA 92878-2000 USA	Ph: (951) 734 2600
Roberts-Gordon LLC	1250 William St, Buffalo New York 14206 USA	Ph: (716) 852 4400
Rodos Commercial Kitchen Equipment	38 Cochranes Rd, Moorabbin Vic 3189	Ph: (03) 9553 0575

Roladuct Spiral Tubing Pty Ltd	1820-1880 Elizabeth Dve, Kemps Creek NSW 2171	Ph: (02) 9826 1800
Ross Brown Sales Pty Ltd	PO Box 6345, Baulkham Hills NSW 2153	Ph: (02) 9899 2744
Rowe Trading Company Pty Ltd	PO Box 113, Marleston SA 5033	Ph: (08) 8234 0000
Rubinetterie Bresciane Bonomi slr	PO Box 31, via Industriale, 30 Italy	Ph: (30) 892 0461
Rubinetterie Utensilerie Bonomi SRL	via Padana Superiore 27/29 – Fraz Cilverghe 25080 Mazzano (BS) Italy	Ph: (39) 030 212 441
Ryco Hydraulics Pty Ltd	19 Whitehall St, Footscray Vic 3011	Ph: (03) 9680 8000
Saacke Australia Pty Ltd	PO Box 174, Pendle Hill NSW 2145	Ph: (02) 9636 7777
Saacke GmbH	Suedwest Strasse 13, 28237 Bremen, Germany	Ph: (49 421) 6495 5230
Sabaf SpA	Via Dei Carpini 1, 25035 Ospitaletto (BS) Italy	Ph: (39) 0306 843 220
Sahamitr Pressure Container Public Co Ltd	72/9 Moo7, Soi Pulchaleoy, Bangkhunthien-Chaitalew Rd Samaedam, Thailand	Ph: (662) 8954 139-57
Sampford IXL Pty Ltd	421 Smith St, Fitzroy Vic 3065	Ph: 1300 727 421
SC Kingflex Corporation	99 Hsiyuan Rd, Jungli Ind Park, Jungli City Taoyuan, Taiwan, Republic of China	Ph: (886) 3451 4015
SCE Company Limited	Room E & F, 20/F CDW Building, 388 Castle Peak Rd, Tsuen Wan, Hong Kong	Ph: (852) 2492 4125
SCG (Thailand) Co Ltd	47/1 Moo 5 Soi Sawai Pracharaj, Ladsawai Lumlookka 12150 Thailand	662 994 5503
Schweigen Pty Ltd	PO Box 84, Holmesglen Vic 3148	Ph: (03) 9548 8388
Schwank GmbH	PO Box 62 02 49, Cologne 50695 Germany	Ph: (49) 0221 71760
Scots Ice Australia Pty Ltd	8/13 Berry St, Clyde NSW 2142	Ph: (02) 9637 7099
Sea To Summit Pty Ltd	6 Brown Street, East Perth WA 6004	Ph: (08) 9221 6617
Seeley International Pty Ltd	1-11 Rothsay Ave, St Marys SA 5042	Ph: (08) 8276 2355
Serada Ltd	44 Montgomerie Rd, Airpark Business Centre, Mangere, Auckland New Zealand	Ph: (64) 9257 2419
Servgas Pty Ltd	19 Placid Court, Varsity Lakes Qld 4227	Ph: 0409 905 456
Seven Universe Industrial Co Ltd	5, Lane 471, Feng Shih Rd, Shihkang Hsiang, Taichung, Taiwan	Ph: (886 42) 582 6666
SFP Sheetmetal Fabricated Products Ltd	26 Stonedon Drive, East Tamaki, Auckland, New Zealand	Ph: (64) 9274 4421
SGF Laboratories Pty Ltd	1/18 Holden St, Woolloongabba, Qld 4102	Ph: (07) 3891 6011
Shamic Sheetmetal (Aust) Pty Ltd	14-18 Research Drve, Croydon Sth Vic 3136	Ph: (03) 9737 5300
Shanghai Flory Import & Export Co Ltd	Rm 1401-1407, No. 1 Nong 100, Dongtiyuhui Rd, Shanghai 200081 China	Ph: (8621) 6540 9119
Shillito Pty Ltd	PO Box 209, Wendouree Vic 3355	Ph: (03) 5332 1772
Shinda International Pty Ltd	PO Box 228, Hoxton Park NSW 2171	Ph: (02) 9608 0388
Shinerich Industrial Limited	8/F Noble Center No. 1006, 3 rd Fuzhong Rd, Futian District, Shenzhen 518026 PR China	Ph: (86 755) 8826 7676
Shin Fuji Burner Co Ltd	1-1-3 Miyukihama Mito-Cho, Hoi-gun Aichi Pref. 441-0314 Japan	Ph: (81 0533) 75 5000
Shriro Australia Pty Limited	PO Box 101, Welshpool WA 6106	Ph: (08) 9451 7555
Sidek Industries Pty Ltd	36 Nelson St, Stepney SA 5069	Ph: (08) 8362 2556
Siemens Building Technologies, A Division of Siemens Ltd	Building 3, 885 Mountain Hwy, Bayswater Vic 3153	Ph: (03) 9721 2000
Sierra Products Pty Ltd	PO Box 1168, Kangaroo Flat Vic 3555	Ph: (03) 5447 0060
Sino Trade Winds Inc	PO Box 5407, Mordialloc, Vic 3195	Ph: (03) 9590 9972
SIT Gas Controls Pty Ltd	8 Pickering Rd, Mulgrave Vic 3170	Ph: (03) 9560 1444

Sitro Group Australia Pty Ltd

Smart Gas Services Pty Ltd

Smartco Pty Ltd

33-35 Lionel Rd, Mt Waverley Vic 3149

47 Johnston St, Southport QLD 4215

57 Gilbert Park Dve, Knoxfield Vic 3180

Ph: (03) 9543 9533

Ph: 1300 303 486

Ph: (03) 9764 9988

Smeg SpA	Via Circonvallazione Nord, 36 42016 Guastalla (RE) Italy	Ph: (390) 522 837777
Snap-Tite Inc	201 Titusville Rd, Union City, Pennsylvania 16438-8699 USA	Ph: (1814) 438-3821
Snow Peak Inc	456 Nakanohara, Sanjo-City, Niigata 955-0147, Japan	Ph: (81) 256465858
Solahart Industries Pty Ltd	112 Pilbara St, Welshpool WA 6106	Ph: (08) 9351 4600
Solutions Sourcing Pty Ltd	4 Orrong Ave, Frankston Vic 3199	Ph: (03) 9781 4120
Southern Stainless Pty Ltd	PO Box 24, Arundel Qld 4214	Ph: (07) 5537 6955
Speed Queen Equipment Sales Pty Ltd	45 Quinn St, Preston Vic 3072	Ph: (03) 9495 1300
Spelean Pty Limited	PO Box 645, Artarmon, 1570 NSW	Ph: (02) 9966 9800
Spitwater Australia Pty Ltd	953 Metry St, North Albury NSW 2640	Ph: (02) 6025 7255
Sprint Gas (Aust) Pty Ltd	38 Acheson Place, Coburg Vic 3058	Ph: (03) 9350 5500
SPJ Australia Pty Ltd	634 Hungtingdale Rd, Mt Waverley Vic 3149	Ph: (03) 9562 9935
Spyral Pty Ltd	Unit 5/6 56 Eagleview Place, Eagle Farm Qld 4009	Ph: 1800 814 375
Steel SpA	Via Agricoltura 21, 41012 Capri (MO) Italy	Ph: (39 059) 645160
Stepneys Restoration	25 East Terrace, Thebarton, Adelaide SA 5031	Ph: (08) 8352 4855
Suburban Manufacturing Company	PO Box 399, Dayton Tennessee 37321 USA	Ph: (423) 775 2131
Sunbeam Corporation Ltd	Locked Bag 5040, Botany NSW 1455	Ph: (02) 9695 9904
Supagas – Division of Supagas Pty Ltd	130 Herald St, Cheltenham Vic 3192	Ph: (03) 9555 1744
S.V. General Metal Spinners Pty Ltd	10 Longview Crt, Thomastown Vic 3074	Ph: (03) 9465 4433
Swansea Imports Pty Ltd	Coed Emlyn Park, St Hilary, Vale of Glamorgan, South Wales CFT1 7DP UK	Ph: (01446) 774747
System Control Engineering Pty Ltd	5 Alfred St, Blackburn Vic 3130	Ph: (03) 9877 3211
TCI Fasteners	13 Slater Pde, East Keilor Vic 3033	Ph: (03) 9336 0155
Team Dragon International Ltd	No. 26 Feng Ning Rd, Ronggui Town, Shunde City, Foshan, Guangdong China	Ph: (86) 13077 448842
Technika Pty Ltd	91-115 Link Dve, Campbellfield Vic 3061	Ph: (03) 9948 4500
Techrite Controls Australia Pty Ltd	12 Yiannis Crt, Springvale Vic 3171	Ph: (03) 9562 4844
Tecnogas SpA	Strade, Statale 63 N 111, 42044 Gualtieri RE, Italy	Ph: (522) 222 011
Teka Australia Pty Ltd	Unit 15/45 Normanby Rd, Notting Hill Vic 3168	Ph: (03) 9550 6100
Terim SpA	Via Giardina 1420, 41040 Baggiovara (MO) Italy	Ph: (39059) 447777
Termal Elektronik Ve Devre Elemanlari San T/C A.S	Kartaltepe Mah. Yalcin Sok No. 54. 34295 Sefakoy Turkey	Ph: (90) 212 598 9500
The Indent Appliances Group Ltd	Unit E, 3 Tait Place, Albany Auckland New Zealand	Ph: (64 09) 414 4980
The McCormack Family Trust T/as The Outdoor Connection	PO Box 506, Sumner Park, Qld 4074	Ph: ((07) 3715 8400
The Trustee for SMH Trust T/as Marine BBQ's	PO Box 751, Beenleigh Qld 4207	Ph: (07) 3382 0230
The Trustee for the Spaeni Family Trust T/as Urimat Australia	PO Box 1224, Joondalup 6919 WA	Ph: (08) 9301 0903
The Trustee for the TK & AS Discretionary Trust T/as Royal Flush (Australia) Pty Ltd	1 Booth St, Coburg Vic 3058	Ph: (03) 9354 4679
The Union Gas Appliances (Holdings) Ltd	997F Kings Rd, G/F & 1/F, Quarry Bay, Hong Kong	Ph: (852) 281 18891
Thetford Australia Pty Ltd	3/7 Adrian Rd, Campbellfield Vic 3061	Ph: (03) 9358 0700
Thetford Ltd	Unit 19, Oakham Dve, Parkwood Industrial Estate, Sheffield S3 9QX United Kingdom	Ph: (44 114) 273 8157
Think Appliances Pty Ltd	416-424 Barry Rd, Coolaroo Vic 3048	Ph: (03) 9463 5111
Thomas Gooden Foundry Services Pty Ltd	PO Box 5891, Minto NSW 2566	Ph: (02) 9603 9988

Thomas Grozier & Son Pty Ltd	2/8 Prince William Dve, Seven Hills NSW 2147	Ph: (02) 9620 9843
Tiemme Raccorderie SpA	Via Cavallera 6/A, 25045 Castegnato Brescia, Italy	Ph: (39) 030 142211
Time Service Holding Pty Ltd	PO Box 4212, Homebush South NSW 2140	Ph: (02) 9793 7790
Tom Stoddart Pty Ltd	PO Box 420, Sunnybank QLD 4109	Ph: (07) 3344 2444
Tong Yang Magic Co Ltd	100-2, Donghwa-Ri, Bongdam-Eup, Hwaseong-Si, Gyeonggi-Do Korea	Ph: (8231) 299 5623
TPA Metals and Machinery (Shenzhen) Co Ltd	Guangming Industrial Zone, Guangming Overseas Chinese Farm, Shenzhen City, Guangdong Province 518107, Peoples Republic of China	Ph: (755) 740 3290
Truma Geraetetechnik GmbH & Co KG	Wernher Von Braun Strasse 12, 85640 Putzbrunn/Munich Germany	Ph: (4989) 4617 2606
Tu's Brothers Pty Ltd	77-79 Main Rd Clayton Sth Vic 3169	Ph: (03) 9546 3016
Tun Trading Pty Ltd	24 James St, Clayton Vic 3168	Ph: (03) 9543 1930
Tyco Flow Control Pacific Pty Ltd	114 Albatross Rd, Nowra NSW 2541	Ph: (02) 4448 0300
Tyco Flow Control Pacific Pty Ltd, T/as Flexible Piping Systems	1-21 Percival Road, Smithfield NSW 2164	Ph: (02) 9612 2300
Tytronic Pty Ltd	12 Circuit Dve, Hendon SA 5014	Ph: (08) 8243 5400
Ultimate Australia Pty Ltd	35 Greens Rd, Dandenong Sth Vic 3164	Ph: (03) 9706 9866
Unasco Pty Ltd	1 Amax Ave, Girraween NSW 2145	Ph: (02) 9636 1200
United Four Co Ltd	12th Floor, 137 Sec 4 Jen Ai Rd, Taipei, Taiwan Republic of China	Ph: (886 2) 2775 1318
United MSR Pty Ltd T/as Indus Autogas Equipment	165 Parramatta Rd, Haberfield NSW 2045	Ph: (02) 9618 1990
Valtek SpA	Via Guicciardi 9/c, 42100 Reggio Emilia Italy	Ph: (390522) 330 466
Valvosanitaria Bugatti SpA	PO Box 27, 25045 Castegnato (BS), Italy	Ph: (39) 0302 722361
Valvulas Arco, SL	Avda del Cid 8, 46134 Foyos, Valencia, Spain	Ph: (961) 499 429
Velan Inc	7007 Cote de Liesse, Montreal, Quebec, Canada H4T 1G2	Ph: (514) 748 7743
Veysel's International Import & Export Pty Ltd	PO Box 475, Auburn NSW 1835	Ph: (02) 9649 1544
Vialle Alternative Fuel Systems BV	PO Box 28060, 5606 JB Eindhoven, The Netherlands	Ph: (40) 2663 663
VIR Valvoindustria Ing Rizzio	Via Circonvalzione 10, 13018 Valduggia, Italy	Ph: (39) 0163 47891
VJ Bonino, HA Investments Pty Ltd & LtdMar T/as Tucker-Mate	42 Anjou Cres, Cecil Hills NSW 2171	Ph: (02) 9759 9700
Waeco Pacific Pty Ltd	21 Taree St, Burleigh Heads Qld 4220	Ph: (07) 5507 6041
Waterco Limited	36 South St, Rydalmere NSW 2116	Ph: (02) 9898 8657
Waterco Limited	77 Nealdon Dy, Meadowbrook, Qld 4131	Ph: (07) 3299 9999
Watsons Catering Equipment Pty Ltd	Factory 17/209 Liverpool Rd, Kilsyth Vic 3137	Ph: (03) 9728 3888
Wattworks Pty Ltd	17 Cleveland Rd, Ashwood Vic 3147	Ph: (03) 9888 3117
Weber-Stephen Products Co. (Aust) Pty Ltd	104 South Tce, Adelaide SA 5000	Ph: (08) 8221 6111
Weber-Stephen Products LLC	200 East Daniels Rd, Palatine 60067-6266 IL, USA	Ph: (1 708) 934 5700
Wesfarmers Kleenheat Gas Pty Ltd	276 Leach Hwy, Myaree WA 6154	Ph: (08) 9333 0333
Western Valley Flues Pty Ltd	PO Box 827, Warragul Vic 3820	Ph: (03) 5622 3566
Whirlpool (Aust) Pty Ltd	Private Bag 18, Ferntree Gully Business Centre, Vic 3156	Ph: (03) 9237 2777
Whirlpool Corporation	303 Upton Dve, MD 0220, St Joseph MI 49085 USA	Ph: (269) 923 6057
Whirlpool Europe srl	GPD Cooking, 21024 Biandronno Cassinetta (VA), Italy	Ph: (39) 0332 758872
White & McAllister (Contractors) Pty Ltd	46-48 Letita St, North Hobart TAS 7000	Ph: (03) 6234 7011

Whitworth's Nautical World Pty Ltd	PO Box W52, Warringah Mall NSW 2100	Ph: (02) 9907 3344
Wing Shun (Hong Kong) Company Ltd	Room C, 13th Floor, Phase 1, Superluck Industrial Centre, 45-53 Sha Tsui Rd, Hong Kong	Ph: (8352) 3583 1695
Winmint Manufacturing Pty Ltd	Unit 7/29 Waratah St, Kirawee NSW 2232	Ph: 0412 284 600
Wolfe Electric Inc	PO Box 9090, Wichita, 67277-0090 KS USA	Ph: (316) 943 2751
Woodland Home Products Pty Ltd	PO Box 236, Chester Hill NSW 2162	Ph: 1800 356 660
Woodstream Corporation	PO Box 327, Lititz, Pennsylvania 17543-0327 USA	Ph: (800) 800 1619 3
Wysmark	1, 3 Superior Drive, Dandenong Sth Vic 3175	Ph: (03) 9706 4556
Xstream Hot Water Pty Ltd	Unit 8, 72-74 Chifley Dve, Preston Vic 3072	Ph: (03) 9416 8833
Yanvin International (Aust) Pty Ltd	21 Hollywood Dve, Lansvale NSW 2166	Ph: (02) 9747 0866
Yuhuan Huasheng Plumbing Co Ltd	Wujia District, Chumen Technology, Industrial Zone, Zhejiang China	Ph: (86) 576-87419015
Yuhuan Jianglin Plumbing Hose & Parts Co Ltd	Packaging Industrial Zone, Yuhuan, Zhejiang, 317608 China	Ph: (8657) 6871 48850
Yung Shen Gas Appliance Co Ltd	PO Box 259, Chia Yi, Taiwan Republic of China	Ph: (886) 5 237 0412
Xiamen Yi Chen Da Machinery Co Ltd	No. 666 Yang Guang Rd, Xin Yang Industry District, Hai Cang, Xiamen China	Ph: (86) 592 522 4266
Zagreb Investments Pty Ltd	PO Box 340, Woodside SA 5244	Ph: 0419 849 181
Zenergy Australia Pty Ltd	PO Box 64, Glebe NSW 2037	Ph: (02) 9660 1023
Zepa SpA	Via A De Gasperi 20, 36060 – Pianezze San Lorenzo (VI), Italy	Ph: (390424) 470 655
Zetco Pty Ltd	PO Box 25, Alexandria NSW 1435	Ph: (02) 9516 1336
Zhejiang Chaoling Chinaware Valve Co Ltd	Dayangcheng Industry Park, Daxi, Wenling, Zhejiang China	Ph: (8621) 5298 9658
Zhejiang Double-Lin Valves Co Ltd	Yampan Hardware Industry Area, Ganjiang Town Yuhuan, Zhejiang China	Ph: (86576) 8745 9230
Zhongshan Cavallo Electrical Appliances Co Ltd	Xinxu Ceiec Industrial Area, Sanxiang Town, Zhongshan City 528463 China	Ph: (8676) 8638 3395
Zhongshan HMJD Electrical Co Ltd	No 1-1 Tongle Garden of Dongfeng Town, Zhongshan City, Guangdong Province 528429 China	Ph: (86) 0760 2278 6305
Zhongshan Keygas Gas Appliance Co Ltd	Weiming Industrial Zone, Fusha Town, Zhongshan Guangdong 528434 China	Ph: (86) 760 2335 8567
Zhongshan Vatti Gas Appliance Stock Co Ltd	No. 1 Huayuan St, South Industry Road, Xiaolan, Zhongshan, Guangdong 528416 China	Ph: (861376) 320 2641
888 Importing Pty Ltd	418A Centre Rd, Clayton Vic 3168	Ph: (03) 9543 1611



The Australian Gas Association
ABN 98 004 206 044

Head Office
2 Park Way (PO Box 122)
Braeside Victoria 3195
Australia

Tele: (03) 9580 4500 Fax: (03) 9580 5500
Email: reception@aga.asn.au
Website: www.aga.asn.au