

LENNOX® ELITE™ SERIES

ELITE 10™ & ELITE 12™

B L O W E R C O I L S



Efficiency and quiet operation combined with easy serviceability and installation to provide premium Lennox quality and comfort.



*M*atch
the right blower
coil with the
right quality
Lennox home
comfort system
and you'll
notice a
difference in
comfort and
savings. That's
because when
it comes to
moving air,
nothing else
can compare.

PERFORMANCE

Since 1895, people have trusted Lennox to make their lives more comfortable.



Lennox adds to that legacy with the Elite 10™ and Elite 12™ blower coils.

It's the job of blower coil to circulate warm or cool air throughout your home. That's an important job, and that's why it's critical to have a blower coil that can handle the task. With the Elite 10 and Elite 12 blower coils, Lennox has designed products that provide unsurpassed comfort. Our multi-position design allows the Elite 10 and Elite 12 blower coils to fit any indoor space.

WARRANTIES

We build according to internationally recognized ISO 9002 manufacturing standards. And, we stand behind our products with some of the best warranties* in the industry. The Elite 10 and



Elite 12 blower coils are backed by a 5-year limited parts warranty on covered components. That's one more reason to trust Lennox.

ENERGY SAVINGS

The correct combination of a blower coil with a heat pump or air conditioner that are designed to work together will not only extend the life of your units, but ensure that you will get maximum efficiency from your units. That's why we call them "matched systems." With the efficient design of the Elite 10 and the higher efficiency Elite 12, you can expect to see a savings on your monthly utility bill. Ask your independent Lennox dealer for the right match.

QUIET OPERATION

Thanks to our direct-drive blower motor, our extra-thick insulation and our durable, tightly-sealed cabinet, the Elite 10 and 12 blower coils are so quiet, you'll hardly notice them. Doesn't that sound great?

* Warranties noted apply to residential applications only.

ELITE 10™ & ELITE 12™



QUALITY COMPONENTS

- 1** Quiet Direct-Drive Multi-Speed Blower Motor — Provides quiet operation with no pulleys or belts to break.
- 2** Optional Electric Heat — A wide range of electric heat options are available including the EvenHeater™ Supplemental Heater to provide backup resistance heat.
- 3** High-Efficiency Evaporator Coil — Provides exceptional heat transfer and refrigerant flow for efficient operation.
- 4** Efficient Check and Expansion Device — Ensures efficiency is provided over a large variety of operations.

EASY MAINTENANCE

- 5** Easy Filter Access — Tool-free filter access makes it easy and convenient to change filters for high efficiency.

EFFICIENT DESIGN

- 6** Quiet Operation — Insulated blower compartment and cabinet, combined with quiet blowers, help mute sound levels.

- 7** No External Side Screws — Eliminates scraping walls or doors, no matter how tight the space.

- High Static Capability — Airflow can be adjusted to meet any home's comfort requirements.

- Compact Size & Convertible Airflow Design — Enables the Elite 10 and Elite 12 blower coils to be installed almost anywhere. Available in upflow, downflow, horizontal and side return applications.




LOOKS GOOD YEAR AFTER YEAR

- 8** Corrosion-Resistant Cabinet — Durable, baked-on enamel finish protects the heavy-gauge, galvanized steel cabinet against rust and corrosion.

- 9** Multi-Position Plastic Drain Pans — Guard against corrosion and prevent leaks and water damage.

LENNOX® ELITE™ SERIES

TOTAL HOME COMFORT



Lennox is committed to providing you with the finest in quality home comfort. That commitment includes offering accessories that can make your home even more energy efficient and comfortable.

QUALITY DEALERS YOU CAN COUNT ON

Choosing the right dealer for your heating and cooling needs is every bit as important as choosing a particular brand of equipment.

That's why Lennox has the industry's only Quality Dealer Standards program. Independent Lennox dealerships have to meet Lennox' high



standards. We think you'll agree they're a big reason why you can always count on getting a quality product whenever you call on Lennox.


LENNOX® ONE LESS THING TO WORRY ABOUT.®

HUMIDITY CONTROL



The EfficiencyPlus™ system allows you to adjust the relative humidity inside your home without affecting room temperatures for maximum comfort and energy efficiency.

ELECTRONIC AIR CLEANERS



An electronic air cleaner purifies the air and provides respiratory relief by removing dust, dirt and pollen.

ELECTRONIC THERMOSTATS



A proven energy saver, an electronic thermostat provides added comfort, convenience, and time-saving fingertip programming.

Elite 10™ & Elite 12™ Blower Coil Specifications

	21/26	31	41	46	51	65
ELITE 10 CB29M						
Nominal Cooling - Tons	1.5 - 2	2.5	3	3.5	4	5
kW	5.3-7.0	8.8	10.6	6.3	14.1	17.6
Blower Motor Output - hp (W)	1/5 (149)	1/3 (249)	1/3 (249)	1/2 (373)	3/4 (560)	3/4 (560)
Electrical Data-60hz	208/230v-1ph	208/230v-1ph	208/230v-1ph 460v-1ph	208/230v-1ph	208/230v-1ph 460v-1ph	208/230v-1ph 460v-1ph
Shipping Weight - lbs. (kg)	121 (55)	123 (56)	156 (71)	160 (73)	181 (83)	181 (83)
Upflow/Downflow Dimensions						
H.W.D. (in.)	45-1/4x16-1/4x20-5/8	45-1/4x16-1/4x20-5/8	49-1/4x21-1/4x20-5/8	49-1/4x21-1/4x20-5/8	52-1/2x21-1/4x22-5/8	52-1/2x21-1/4x22-5/8
H.W.D. (mm)	1149x413x524	1149x413x524	1251x540x524	1251x540x524	1334x540x575	1334x540x575
Horizontal Dimensions						
H.L.D. (in.)	16-1/4x45-1/4x20-5/8	16-1/4x45-1/4x20-5/8	21-1/4x49-1/4x20-5/8	21-1/4x49-1/4x20-5/8	21-1/4x52-1/2x22-5/8	21-1/4x52-1/2x22-5/8
H.L.D. (mm)	413x1149x524	413x1149x524	540x1251x524	540x1251x524	540x1334x575	540x1334x575
ELITE 12 CB30M						
Nominal Cooling - Tons	1.5 - 2	2.5	3	3.5	4	5
kW	5.3-7.0	8.8	10.6	12.3	14.1	17.6
Blower Motor Output - hp (W)	1/5 (149)	1/3 (249)	1/3 (249)	1/3 (249)	1/3 (249)	1/2 (373)
Electrical Data-60hz	208/230v-1ph	208/230v-1ph	208/230v-1ph 460v-1ph	208/230v-1ph	208/230v-1ph 460v-1ph	208/230v-1ph 460v-1ph
Shipping Weight - lbs. (kg)	136 (62)	157 (71)	177 (80)	181 (82)	206 (93)	206 (93)
Upflow/Downflow Dimensions						
H.W.D. (in.)	45-1/4x16-1/4x20-5/8	49-1/4x21-1/4x20-5/8	51x21-1/4-x22-5/8	52-1/2x21-1/4x22-5/8	58-1/2x21-1/4x24-5/8	58-1/2x21-1/4x24-5/8
H.W.D. (mm)	1149x413x524	1251x540x524	1295x540x575	1334x540x575	1486x540x625	1486x540x625
Horizontal Dimensions						
H.L.D. (in.)	16-1/4x45-1/4x20-5/8	21-1/4x49-1/4x20-5/8	21-1/4x51-1/4x22-5/8	21-1/4x52-1/2x22-5/8	21-1/4x58-1/4x24-5/8	21-1/4x58-1/2x24-5/8
H.L.D. (mm)	413x1149x524	540x1251x524	540x1295x575	540x1334x575	540x1486x625	540x1486x625
ELITE 12 CB30U						
Nominal Cooling - Tons	1.5 - 2	2.5	3	3.5	4	5
kW	5.3-7.0	8.8	10.6	12.3	14.1	17.6
Blower Motor Output - hp (W)	1/5 (149)	1/3 (249)	1/3 (249)	1/3 (249)	1/3 (249)	1/2 (373)
Electrical Data-60hz	208/230v-1ph	208/230v-1ph	208/230v-1ph 460v-1ph	208/230v-1ph	208/230v-1ph 460v-1ph	208/230v-1ph 460v-1ph
Shipping Weight - lbs. (kg)	136 (62)	157 (71)	177 (80)	181 (82)	206 (93)	206 (93)
Upflow/Downflow Dimensions						
H.W.D. (in.)	45-1/4x16-1/4x20-5/8	49-1/4x21-1/4x20-5/8	51x21-1/4-x22-5/8	52-1/2x21-1/4x22-5/8	58-1/2x21-1/4x24-5/8	58-1/2x21-1/4x24-5/8
H.W.D. (mm)	1149x413x524	1251x540x524	1295x540x575	1334x540x575	1486x540x625	1486x540x625
Horizontal Dimensions						
H.L.D. (in.)	16-1/4x45-1/4x20-5/8	21-1/4x49-1/4x20-5/8	21-1/4x51-1/4x22-5/8	21-1/4x52-1/2x22-5/8	21-1/4x58-1/4x24-5/8	21-1/4x58-1/2x24-5/8
H.L.D. (mm)	413x1149x524	540x1251x524	540x1295x575	540x1334x575	540x1486x625	540x1486x625

Note: Due to Lennox' ongoing commitment to quality, all specifications, ratings and dimensions are subject to change without notice.



LENNOX
COMPLETE CARE™
Extended Protection Plan

