

WILSHIRE
INTERNATIONAL

Wilshire International (Ohio)

TIME : Aug 07, 2014 10:00 AM
LOCATION: 250 E Industrial Parkway
Fayette, OHIO

TERMS AND CONDITIONS

PAYMENT: 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID, BALANCE WITHIN 48 HOURS. PAYMENT IS CASH, CASHIER'S CHECK, CERTIFIED CHECK, WIRE TRANSFER, COMPANY CHECK ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHECK FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHECKS. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE.

REMOVAL: LAST DAY OF REMOVAL IS **FRIDAY, AUG 22, 2014 BY 4:00 PM**, AND AS FURTHER DEFINED IN THE SALE CATALOGUE. **EVERYTHING IS SOLD "AS IS, WHERE IS"**. ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION, MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD.

SALE SUBJECT TO ADDITIONS, DELETIONS AND PRIOR SALE.

PLEASE REFER TO YOUR BIDDER CARD FOR A COMPLETE LISTING OF THE TERMS AND CONDITIONS

Buyers Premium 15 % Live, 18 % On-Line

Maynards
SINCE 1902

DETROIT OFFICE
21700 Northwestern Hwy.
Suite 1180
Southfield MI 48075-4923
Ph: (248) 569-9781
Fax: (248) 569-9793

Industries (1991) Inc.

VISIT US AT: **www.maynards.com**

♦ **Wilshire International (Texas)**

Upcoming

Liquidation of a Late Model Injection Molding Facility
Location : El Paso, TEXAS
Contact : Matt Gossett 248-569-9781

♦ **Texas Instruments**

Upcoming

On behalf of TEXAS INSTRUMENTS - Frontend and Backend Semiconductor Design and Manufacturing Equipment
Location : Stafford, TEXAS
Contact : Matthew 708-422-7400
DelGuidice

♦ **(3) New Andritz 2300 HP Mining Pumps**

Ongoing

Pumps Used For Emergency Underground Flooding And Mine Dewatering.
Location : Sullivan, MISSOURI
Contact : Matthew 708-422-7400
DelGuidice

♦ **Turnkey Injection Molding & CNC Tool Facility**

Ongoing

Turnkey opportunity - 425,000 SqFt State-of-the-Art Plastic Injection Molding and Tool Making Facility in El Paso, Texas, and 275,000 SqFt Manufacturing Building with Cross-Border Presence in Juarez, Mexico
Location : El Paso, TEXAS
Contact : Taso Sofikitis 248-569-9781

♦ **Houston Forest Products Ltd**

Aug 14, 2014

09:00 AM

Upon instructions from West Fraser Mills Ltd. - Sawmill Auction of Houston Forest Products Ltd.
Location : Houston, BRITISH COLUMBIA
Contact : Michael Seibold 604-675-2227

♦ **Phycal**

Aug 14, 2014

01:00 PM

Upon instructions from court appointed receiver, Late model biofuel laboratory equipment auction
Location : Highland Heights, OHIO
Contact : Matt Gossett 248-569-9781

♦ **GT Advanced Technologies - Excess Equipment**

Aug 14, 2014

11:00 AM

No Longer Required in the Continuing Operations Of GT Advanced LLC: Haas Gantry Router System, Wq Annealing Oven & Artimecc Rod Cropping Saw
Location : Missoula, MONTANA
Contact : Matthew 708-422-7400
DelGuidice

1	CRAFTS-MAN/S&K MECHANICS TOOL SET, INCLUDING SOCKETS , RATCHET HANDELS , EXTENTIONS AND BREAKER BARS FROM 1/4 INCH TO 3/4 INCH , SAE AND METRIC .	22	DAYTON 4Z911B BENCH TOP, GRINDER WITH 10 WHEEL AND 10 INCH BRUSH ,120 VOLT , 1 HP , 13 AMP MOTOR
2	CRAFTS-MAN/S&K WRENCH SETS, INCLUDING OPEN END , OFF SET , AND BOX WRENCHS , BOTH SAE AND METRIC	23	ARBOR PRESS
3	MECHANICS TOOL SET, INCLUDING (2) PIPE WRENCHES SHEARS , POP RIVET GUN AND SCREWDRIVERS.	24	ARBOR PRESS
4	CRAFTS-MAN HD TOOL BOX, WITH 8 DRAWER UPPER CHEST AND 15 DRAWER ROLLING BASE CHEST .	25	ARBOR PRESS
5	WILTON 600 BENCH TOP VISE, WITH SIX INCH JAW , ANVIL STYLE.	26	WEST-WARD TAP AND DIE , SET WITH CASE
6	PROTO 360B RETAINING RING, PLYER SET FOR INTERNAL AND EXTERNAL RINGS	27	HKP # 5 BOLT CUTTERS
7	LUBE-TEC L-2550 LUBRICATION ACCESSORIES, WITH QUICK CONNECT FITTINGS	28	IDEAL 74-003 RIDGID TUBING BENDER, 3/4 RIDGID AND 1 INCH THIN WALL BENDING CAPICITY
8	WESTWARD 4YT17 GEAR PULLER SET	29	GENERAL BENDER 911 /910 RIDGID TUBING BENDER, (2) BENDERS WITH 3/4 INCH RIDGID PIPE BENDING CAPICITY
9	REEL-CRAFT 3VE25 RETRACTABLE HOSE REEL , 12 FOOT LEADER HOSE ON BASE	30	RIDGID D-476 DEBURRING TOOL, ON RIDGID HANDLE
10	CENTRAL PNEUMATICS IMPACT WRENCH, WITH REVERSE AND FOUR POWER SETTINGS	31	RIDGID 2A/202 TUBING CUTTER, WITH 1/8 -2 INCH CAPICITY
11	CRAFTS-MAN 357 WEED WACKER, GAS OPERATED 32 CC. MOTOR	32	RIDGID DIE THREADING HANDLE, WITH TWO INCH DIE
12	MI-T-I GP-2500-4MHB PRESSURE WASHER, WITH HONDA 5 HP GAS MOTOR , 2500 MAX PSI , WITH SOAP DIPENSER TUBE.1	33	RIDGID DIE THREADING HANDLE, WITH 3/4 INCH DIE
13	MILWAUKEE 5347 ROTARY HAMMER, 120 VOLT, WITH 1-1/5 STOP ROTATION AND THREE TAPER BITS	34	RIDGID DIE THREADING HANDLE, WITH 1/2 INCH DIE
13.01	MIL-WAUKEE 4262-1 DRILL MOTOR, WITH MAGNETIC BASE	35	RIDGID 460 TRISTAND, WITH 1/8 TO 6 INCH CAPICITY , TUBE BENDING AND CLAMPING SUPPORTS.
14	DEWALT DW304P RECIPROCATING SAW, WITH VARIABLE SPEED AND QUICK CONNECT BLADE CHANGER , 120 VOLT , 10 AMP MOTOR	35.01	PARKER HYDROLIC FILTER, PUMP CART
15	MAKITA / SKILL ELECTRIC DRILLS, VARIABLE SPEED ,WITH REVERSE , AND 3/8 INCH CHUCK , 120 VOLT	35.02	PARKER HYDROLIC FILTER, PUMP CART
16	DREMEL 275 GRINDING KIT , SINGLE SPEED , 30,000 RPM MULTI PRO TOOL	36	PEWAG LIFTING CHAIN, WITH FOUR HOOK SET UP , SAFTEY RATED , GRADE 100 . STAINLESS
17	MILWAUKEE-SKILL CORDLESS DRIVERS BOTH ARE VARIABLE SPEED	37	PEWAG SGG LIFTING CHAIN, 12 ' REACH , GRADE 100
18	RYOBI DP12IL BENCH TOP , 12 INCH DRILL PRESS WITH LASER ANDDIGITAL RPM DISPLAY,120 VOLT , 500 - 3,000 RPM	38	PEWAG LIFTING CHAIN
19	DEWALT D28715 CUTOFF SAW, WITH KEYLESS BLADE CHANGE SYSTEM , 14 INCH BLADE ,120 VOLT 15 AMP MOTOR	39	PEWAG LIFTING CHAIN
20	MILWAU-KEE 6175 CUTOFF SAW, WITH 14 INCH BLADE , 120 VOLT AND A 15 AMP MOTOR	40	PEWAG LIFTING CHAIN
21	CHAMP-ION 137 COMPOUND MITER SAW, 10 INCH BLADEWITH 13 AMP MOTOR ,120 VOLT	41	EYEBOLTS, WITH SWIVEL HEAD
		42	PORTABLE GANTRY, FRAME WITH 1 TON CAPICITY
		43	C&M H-1 ELECTRIC HOIST , 1 TON CAP . SPEED 8 ' PM ,PENDANT CONTROL ,220/240 V ,
		44	STERLING -SCALE 825 COUNTING SCALE , DIDGITAL DISPLAY AND TARING FEATURES FOR FULL , EMPTY AND SAMPLE PIECES.
		45	STERLING -SCALE 825 COUNTING SCALE , DIDGITAL DISPLAY AND TARING FEATURES FOR FULL , EMPTY AND SAMPLE PIECES.
		46	STERLING -SCALE 825 COUNTING SCALE , DIDGITAL DISPLAY AND TARING FEATURES FOR FULL , EMPTY AND SAMPLE PIECES.
		47	STERLING -SCALE 825 COUNTING SCALE , DIDGITAL DISPLAY AND TARING FEATURES FOR FULL , EMPTY AND SAMPLE PIECES.
		48	METTLER - TOLEDO BC-30 LAB SCALE, 60 LBS. CAPICITY WITH DIDGITAL READOUT
		49	SEELYE INC. 1196 GP PLASTIC

	WELDER, WITH CASE , 120 VOLT , 10 POWER CONTROLL SETTINGS AND WELDING GUIDE				
50	PLASTIC PROCESS EQUIP-MENT DPM-35 PORTABLE AIR, DEW POINT MONITOR	_____		75	RINGS AND SPRINGS TENNSCO TWO DOOR CABINET, WITH CONTENTS INCLUDING PARKER HYDROLIC ,AND REXROTH VALVES AND FILTERS
51	RAYTEK RAYNGER -ST LASER THERMOMOTER	_____		76	TENNSCO TWO DOOR CABINET, WITH CONTENTS , FUSES ELECTRICAL FITTINGS AND COMPONENTS USED FOR MACHINE REPARE
52	IMS FHC-3 GATE CUTTER , WITH HEAT CONTROL	_____		77	TENNSCO TWO DOOR CABINET, WITH CONTENTS , INCLUDING FILTERS AND SMALL DRILL SHARPENER
53	ELECTRICAL TEST , EQUIPMENT INCLUDING CIRCUIT ID, MULTI METERS AND CURRENT CLAMPS	_____		78	TENNSCO TWO DOOR CABINET, WITH CONTENTS
54	HD CART, 30" X48"	_____		79	TENNSCO TWO DOOR CABINET, WITH CONTENTS INCLUDING MACHINE REPAIR PARTS
55	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX	_____		80	TENNSCO TWO DOOR CABINET, WITH CONTENTS
56	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX	_____		81	REDI-BOLT RAW STOCK , ORGINIZER WITH THREADED ROD , FLAT STOCK AND DOWELS.
57	FOLDING TABLES, (2) TABLES 24" X60"	_____		82	METAL SHELF, WITH CONTENTS
58	HARRIS OXEGEN /ACETELENE, TORCH CART WITH GAGE AND TORCH	_____		83	LISTA 11 DRAWER CABINET, WITH CONTENTS , INCLUDING ROBOT REPAIR PARTS
59	MILLER MILLERMATIC-250 S/N KJ217286 CV/DC WELDING, POWER SORCE , SINGLE PHASE 230/ 460 VOLT ,WIRE WELDER	_____		84	CAROL ELECTRICAL WIRE , SPOOL HOLDER
60	MILLER 903367 S/N LJ100338L CC-AC /DC WELDING, ECONOTIG POWER SORCE , SINGLE PHASE , 230 VOLT WITH FOOT PEDAL ,TANK AND CART INCLUDED	_____		85	TENNSCO TWO DOOR CABINET, WITH E.O.A. TOOLING
61	2001 ROLL-IN SAW EF1459 VERTICLE BANDSAW, 18X30 TABLE WITH FENCE AND VISE ,120 VOLT SINGLE PHASE. 1 HP LEESON MOTOR	_____		86	TENNSCO TWO DOOR CABINET, WITH E.O.A. TOOLING
62	ALLIANT 42 VC S/N 74045830 VERTICLE MILLING MACHINE, 2 HP VARIABLE SPEED ,9 X 42" TABLE SIZE ,80-4,500 RPM., 6" Vise, Chiba One- Shot Lubrication System, Dynamics Research Corporation 2-Axis Digital Readout.	_____		87	TENNSCO TWO DOOR CABINET, WITH E.O.A. TOOLING
63	MACHINE VISE, WITH HANDLE	_____		88	TENNSCO TWO DOOR CABINET, WITH E.O.A. TOOLING
64	MACHINE VISE, WITH HANDLE	_____		89	TENNSCO TWO DOOR CABINET, WITH E.O.A. TOOLING
65	MACHINE SET UP, CLAMPS AND COLLETS	_____		90	TENNSCO TWO DOOR CABINET, WITH E.O.A. TOOLING
66	MHC 640-0120 GRANITE SURFACE PLATE, 1 X 18 X3"	_____		91	CONTENTS, UNDER PALLET RACKING , MACHINE PARTS
67	LISTA 11 DRAWER CABINET, WITH CONTENTS , FUSES ELECTRICAL FITTINGS AND COMPONENTS USED FOR MACHINE REPARE	_____		92	CONTENTS, UNDER PALLET RACKING , MACHINE PARTS
68	LISTA 15 DRAWER CABINET, WITH CONTENTS ,INCUDING MACHINE BOLTS , WASHERS AND NUTS.	_____		93	CONTENTS, UNDER PALLET RACK CONSISTING OF (6) DRUMS OF HYDROLIC OIL
69	LISTA 8 DRAWER CABINET, WITH MACHINE REPAIR PARTS	_____		94	CONTENTS, UNDER PALLET RACKING , MACHINE PARTS
70	LISTA 11 DRAWER CABINET, WITH GALVANIZED PIPE FITTINGS	_____		95	PALLET RACKING, WITH (6) 8" UPRIGHTS AND (10) 96" BEAMS
71	EAGLE PI-47 FLAMABLE MATERIAL , STORAGE CABINET , 66"X43"X18"	_____		96	METTLER-TOLEDO BC-30 SCALE, WITH DIGITAL READOUT
72	EAGLE FLAMABLE MATERIAL , STORAGE CABINET , 66"X36"X36"	_____		97	WEIGH-TRONIX 8250 SCALE, WITH TARE COUNTING AND WEIGHT MODES
73	TENNSCO TWO DOOR CABINET, WITH CONTENTS INCLUDING HONING BRUSHES AND FILTERS	_____		98	ACE -WHITLOCK AUTOLOADER , SPARE PARTS
74	TENNSCO TWO DOOR CABINET, WITH CONTENTS INCLUDING O-	_____		99	DME MFR-12-6 MOLD TEMPERATURE , CONTROL PARTS
				100	IMS 104280-5 ZN MOLD TEMPERATURE , CONTROL PARTS
				101	ACE -WHITLOCK TDW01M12S4 MOLD TEMPERATURE , THERMOLATORS (4) ON PALLET
				102	ACE -WHITLOCK TDW01M12S4 MOLD TEMPERATURE ,

103	THERMOLATOR PARTS ON PALLET COPPER WIRE, ON SPOOL WITH TRANSFORMER INCLUDING 500 MCM WIRE	133	COOL LIGHT AND UV SETTINGS ,2000 WATT , 117 VOLT.
104	TEC INDEX CONTROL POWER CONVEYOR, WITH ADJUSTABLE INCLINE ,IHP MOTOR,120V.	134	FARO -ARM G08-02 PORTABLE MEASURING CMM, WITH HARD ROLLING CASE AND CONTROL STATION.
105	STAR T-1000-FMIII-1 S/N 80GXX18- 0013 ROBOTICS PART, HANDLING SYSTEM WITH STEC - 450 SERVO DRIVE	135	DIMEN-TION SST PROTOTYPE MACHINE, 3-D PRINTER
106	TEC INDEX CONTROL POWER CONVEYOR, WITH ADJUSTABLE INCLINE ,IHP MOTOR,120V.	136	STARRETT HB 350 OPTICAL COMPARATOR, WITH 15 " SCREEN , STARRETT SIGMA TABLE AND QUADRA CHECK PROGRAMABLE DISPLAY.
107	MITUTOYO ID-S1012EB ABSOLUTE, DIGITAL INDICATOR	137	TINIUS OLSON MP993 EXTRUSION PLASTOMETER, WITH PROGRAMABLE DIGITAL DISPLAY
108	MITUTOYO DIAL INDICATOR, IN CASE	138	GIDDINGS-LEWIS CORDAX 1808 CMM, VERTICLE ARM PC BASEWITH RENISHAW MIP PROBE 30" TRAVEL ARM,BROWN AND SHARP PC SYSTEM , SOFTWARE AND TOOLING.
109	MITUTOYO 2046F BORE GAGE , INDICATOR IN CASE WITH ANVIL SET	139	SATO CL408E PRINTER
110	WEST-WARD 6XU87 DIGITAL BORE, GAGE IN CASE	140	MAXILAM PL135 LAMINATOR 2-DOOR , STORAGE CABINATE 60X48X24"
111	MITUTOYO 329-711-30 DIGITAL DEPTH, MICROMETER IN CASE WITH STANDARDS	141	2-DOOR , STORAGE CABINATE 42X36 X18"
112	DIGITAL MICROMETER, ON ADJUSTABLE STAND	142	HON FILE CABINATES, 4 DRAWER (4) UNITS
113	MITUTOYO MICROMETER STANDARD, IN CASE	143	HON FILE CABINATES, 4 DRAWER (2) UNITS
114	MITUTOYO MICROMETER STANDARD, IN CASE	144	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
115	WEST-WARD DIGITAL VERNIER CALIPER, 24 " IN CASE	145	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
116	MITUTOYO DIGITAL VERNIER CALIPER, 6" DIGIMATIC IN CASE	146	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
117	MITUTOYO VERNIER CALIPER, 12" STAINLESS WITH POUCH	147	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
118	VERMONT SERIES B DOWEL PIN , GAGE SET FROM .061 TO .250"	148	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
119	VERMONT SERIES C DOWEL PIN , GAGE SET FROM .251 TO.500"	149	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
120	MG 2 GAGE BLOCK SET, CALIBRATED BY PCSI	150	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
121	MITUTOYO V-BLOCK SET, WITH MICROMETER MOUNTS	151	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
122	CHAN-TILLION MT 150 HEIGHT GAGE, WITH SHEFIELD 3 AXIS READOUT	152	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
123	LAB SCALE, CALIBRATION WEIGHTS WITH LEVEL	153	WORK STATION, 30"X48" WITH FLORESENT LIGHT AND GANG BOX
124	METTLER-TOLEDO SC30A-000 LAB SCALE, WITH SC-30 DIGITAL READOUT ,60 LBS. CAPICITY	154	WELDING TABLE, 96"X48" WITH GANG BOX 5/8" TABLE TOP
125	OHAUS GALAXY 4000 DIGITAL LAB SCALE	155	MHE -CORP. 55 PALLET JACK, 5,000 LBS. CAPICITY , 48"X26" FORKS
126	BYK-GARDNER MICRO-TRI-GLOSS GLOSS METER	156	BT LIFTER L2000U PALLET JACK, 4,500 LBS. CAPACITY , 48"X26"FORKS
127	BYK-GARDNER MICRO-TRI-GLOSS GLOSS METER	157	BT LIFTER L2000U PALLET JACK, 4,500 LBS. CAPACITY , 48"X26"FORKS
128	TIMCO X-RITE COLOR METER	158	TWO WHEEL DOLLY, WITH PNUEMATIC TIRES
129	FARNS-WORTH -MUSELL 100 HUE TEST GAGES	159	MITSU-BISHI FBC30K S/N n SS24100003050GS FORK TRUCK, 36 VOLT ELECTRIC LIFT, 2,000 LBS CAPICITY ,SUPERIOR ENG. SIDE LOAD ATTACHMENT,SOLID TIRE , MAX HEIGHT 192"
130	ARIZONA-INSTRU-MENT 2000XL MOISTURE ANALIZER	160	CLARK GCX17E S/N GX127E-0219- 9380FB FORK TRUCK, LP TYPE ,3150
131	ARIZONA-INSTRU-MENT 2000XL MOISTURE ANALIZER		
132	MACBETH SPECTRA LIGHT II LIGHT SORCE , WITH DAYLIGHT ,		

	LBS. CAPACITY, 3 STAGE MAST , 48 "	176	AEC WHITLOCK WD50MR S/N
161	CAT-EPILLAR GC 15 S/N 2EM-00525		98F036 AIR DRYER, 460 VOLT ,
	FORK TRUCK, LP TYPE , 2700LBS	177	INSULATED HOPPER
	CAPACITY, 189" MAX LIFT , 48 "		1998 VAN DORN 300HT30 S/N 3097-
162	GILLIS FWP34 SAFETY LIFT CAGE,		118 INJECTION MOLD SYSTEM ,
	FORK TRUCK POCKETS AND		BULK LOT INCLUDING, Computerized
	WHEELS WITH 48"X36"WORK		Enclosed Base 300-Ton x 12/20-Oz.
	PLATFORM , 1,000LBS MAX		Capacity Horizontal Reciprocating Screw
	CAPACITY.		Plastic Injection Molding Machine, s/n
163	TENNANT 602812 FLOOR SWEEPER,		3097-118 (1998), Toggle Clamp Action, 13
	24 VOLT , 50 AMP SCRUBBER		" Screw Stroke, One Shot Lubrication
164	CRAFTS-MAN LTD2000 RIDING		System, Filters, Floor Cushion Pads, 50-HP
	MOWER, 20 HP GAS MOTOR		Main Motor Drive, Knockouts, Van Dorn
165	MHE -CORP. BRIDGE CRANE, 5 TON		Pathfinder 3000 Machine Mounted
	DEMAG HOIST WITH PENDANT		Computerized Electrical Control Console,
	CONTROL , UNDERDRIVEN 6-WAY	178	Hydraulics, AEC-Whitlock-IMS Vacuum
	REMOTE , UNINSTALLED		Hopper Loader system, magnetic Separator
166	KAESER AS31 AIR COMPRESSOR ,		1998 VAN DORN 300HT30 INJECTION
	FULLY ENCLOSED ROTARY		MOLD MACHINE, Computerized
	COMPRESSOR , SIGMA PROFILE.		Enclosed Base 300-Ton x 12/20-Oz.
167	KAESER TC31 S/N 1427 AIR DRYER		Capacity Horizontal Reciprocating Screw
168	2008 SYLVAN COMPRESSED AIR,		Plastic Injection Molding Machine, s/n
	STORAGE TANK		3097-118 (1998), Toggle Clamp Action, 13
169	BRUNNER ENG. COMPRESSED AIR,		" Screw Stroke, One Shot Lubrication
	STORAGE TANK	179	System, Filters, Floor Cushion Pads, 50-HP
170	ACE -WHITLOCK COOLING SYSTEM		Main Moto
	, INCLUDING TANK , PUMPS AND		STAR-AUTOMATION T-1000FMIII-3
	COOLING TOWER		ROBOTICS PART PICKER SYSTEM ,
171	ACE -WHITLOCK COOLING SYSTEM	180	WITH SAFETY CAGE AND
	, INCLUDING TANK , PUMPS AND		CONVEYER
	COOLING TOWER		AEC WHITLOCK WD50MR AIR
172	HERMAN-SCHWABE-INC. DG DIE	181	DRYER, 460 VOLT , INSULATED
	CLICKING PRESS , 36"X24"TABLE, 460		HOPPER
	VOLT.		VAN DORN 300HT1220 S/N 3359-118
173	1997 VAN DORN 300HT30 S/N 2972-		INJECTION MOLD MACHINE,
	117 INJECTION MOLD SYSTEM ,		Reciprocating Screw Plastic Injection
	BULK LOT INCLUDING, Computerized		Molding Machine, s/n 3359 (2001), Toggle
	Enclosed Base 300-Ton x 30-Oz Capacity		Clamp Machine 24" x 24" Distance
	Horizontal Reciprocating Screw Plastic		Between Tie Bars, 13" Stroke, Van Dorn
	Injection Molding Machine, s/n 2972-117 (Pathfinder 3000 Machine Mounted Control
	1997), Toggle Clamp Action, 13-1/4"	182	Panel, Core Pull, Floor Pads, Enclosed
	Screw Stroke, One Shot Lubrication		Base, Knockouts
	System, Filters, Floor Cushion Pads, 50HP		2000 VAN DORN 230HT7201309 S/N
	Main Motor Drive Knockouts, Van Dorn		1309 INJECTION MOLD SYSTEM ,
	Pathfinder 2500 machine Mounted		BULK LOT INCLUDING, 230-Ton x 20-
	Computerized Electrical Control Console,		Oz. Capacity Reciprocating Screw Plastic
	Hydraulics, Whitlock Automatic Vacuum		Injection Molding Machine, S/N 1309 (
	Hopper Loader system with Magnet		2000), Toggle Clamp Machine, 9" Screw
	System, Start TW-1000 MFIII-3 Robotic		Stroke, 22" x 22" Distance Between Tie
	Part Picker System, s/n T08G-0302, AEC		Bars, Van Dorn Pathfinder 3000 Machine
	TCU100 Thermolator, Parts Exit Packing		Mounted Computerized Control Panel,
	System, Conveyor, Crib		Core Pull, Floor Pads, Knockouts,
174	1997 VAN DORN 300HT30 INJECTION		Whitlock Hopper and Loader System,
	MOLD MACHINE, 300HT30		Hopper Magnet System, AEC Mold
	Computerized Enclosed Base 300-Ton x 30		Temperature Control Unit – Thermolator, s
	-Oz Capacity Horizontal Reciprocating		/n 31H5596 (1996), Star Model
	Screw Plastic Injection Molding Machine, s		T1000FMIII-3 Robotic Part Picker System,
	/n 2972-117 (1997), Toggle Clamp Action,		s/n T08G-0798 (1998), (2) EMI Conveyors
	13-1/4" Screw Stroke, One Shot	183	, Bench with Sterling Digital Readout Scale
	Lubrication System, Filters, Floor Cushion		System
	Pads, 50HP Main Motor Drive Knockouts,		2000 VAN DORN 230HT7201309
	Van Dorn Pathfinder 2500 machine		INJECTION MOLD MACHINE, 230-Ton
	Mounted Computerized Electrical Control		x 20-Oz. Capacity Reciprocating Screw
	Console		Plastic Injection Molding Machine, S/N
175	STAR-AUTOMATION T-1000-FMIII-3		1309 (2000), Toggle Clamp Machine, 9"
	ROBOTICS PART, PICKER SYSTEM		Screw Stroke, 22" x 22" Distance Between
	WITH SAFETY CAGE		Tie Bars, Van Dorn Pathfinder 3000
			Machine Mounted Computerized Control
			Panel, Core Pull, Floor Pads, Knockouts,

	Whitlock Hopper and Loader System, Hopper Magnet System			
184	STAR T-1000FMIII-3 ROBOTICS PART , PICKING SYSTEM	192	STAR T-1000FMIII-3 ROBOTICS PART , PICKING SYSTEM	
185	AEC WHITLOCK WD50MR S/N 30J0316 AIR DRYER, 460 VOLT , INSULATED HOPPER	193	AEC WHITLOCK WD50MR S/N 32H0278 AIR DRYER, WITH INSULATED HOPPER	
186	VAN DORN 170HT500-1407 S/N 1407 INJECTION MOLD SYSTEM , BULK LOT INCLUDING, 170-Ton Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s/n 1407 (2001) , Toggle Clamp Action, 9” Screw Stroke, One Shot Lubrication System, Filters, Floor Cushion Pads, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Computerized Electrical Control Console, Hydraulics, Whitlock Hopper Loader, Whitlock Vacuum Hopper Loader, AEC Thermolator, Star XQ-800F Computerized Robotic Parts Handler System, Conveyor	194	1998 VAN DORN 120HT8-0916 S/N 916 INJECTION MOLD MACHINE, Computerized Enclosed Base 120-Ton x 8- Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s /n 0916-015 (1998), Toggle Clamp Action, 8-1/4” Screw Stroke, One Shot Lubrication System , Filters, Floor Cushion Pads, 20- HP main Motor Drive, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Computerized Electrical Control Console, Hydraulics	
187	VAN DORN 170HT500-1407 S/N 1407 INJECTION MOLD MACHINE, 170-Ton Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s/n 1407 (2001), Toggle Clamp Action, 9” Screw Stroke, One Shot Lubrication System, Filters, Floor Cushion Pads, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Computerized Electrical Control Console, Hydraulics, Whitlock Hopper Loader	195	2000 VAN DORN 120HT6.2-1095 S/N 1095 INJECTION MOLD SYSTEM , BULK LOT INCLUDING, 2 120-Ton 6.2- Oz. Capacity Reciprocating Screw Plastic Injection Molding Machine, s/n 1095 (2000) , Toggle Clamp Machine, 17” x 17” Distance Between Tie Bars, 8-1/4” Screw Stroke, Van Dorn Pathfinder 3000 Machine Mounted Control Panel, Core Pull, Hydraulics, Hopper, Hopper Magnet, Whitlock Vacuum Loader, Whitlock WD25MR Dryer System, s/n 32H0277, Star Automation T1000FDMIII-3 Robotic Part Picker, s/n T08G-0797 (1997), Parts Exit Packing System	
188	STAR T-1000FMIII-3 ROBOTICS PART , PICKING SYSTEM	196	2000 VAN DORN 120HT6.2-1095 INJECTION MOLD MACHINE, 120-Ton 6.2-Oz. Capacity Reciprocating Screw Plastic Injection Molding Machine, s/n 1095 (2000), Toggle Clamp Machine, 17” x 17” Distance Between Tie Bars, 8-1/4” Screw Stroke, Van Dorn Pathfinder 3000 Machine Mounted Control Panel, Core Pull , Hydraulics, Hopper, Hopper Magnet,	
189	DUKANE 43B280 PLASTIC WELDER, WITH 2020 PROCESS CONTROLER			
190	VAN DORN 120HT8-00856 S/N 856 INJECTION MOLD SYSTEM , BULK LOT INCLUDING, DORN 120HT8 Computerized Enclosed Base 120-Ton x 8- Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s /n 0856-015 (1998), Toggle Clamp Action, 8-1/4” Screw Stroke, One Shot Lubrication System, Filters, Floor Cushion Pads, 20-HP Main Motor Drive, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Electrical Control Console, Hydraulics, Magnetic Separator System, AEC- Whitlock –IMS Vacuum Hopper Loader System, Whitlock WD50MR Mini Dryer System, s/n 30J036, AEC TDW Thermolator, Star XQ-800F Robotic Part Picker System, Parts Exit Packing System / Conveyor Crib,	197	STAR T-1000FMIII-3 ROBOTICS PART , PICKING SYSTEM	
191	1998 VAN DORN 120HT8-00856 S/N 856 INJECTION MOLD MACHINE, Computerized Enclosed Base 120-Ton x 8- Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s /n 0856-015 (1998), Toggle Clamp Action, 8-1/4” Screw Stroke, One Shot Lubrication System, Filters, Floor Cushion Pads, 20-HP Main Motor Drive, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Electrical Control Console, Hydraulics, Magnetic Separator System, AEC- Whitlock –IMS Vacuum Hopper Loader System, Whitlock WD50MR Mini Dryer	198	AEC WHITLOCK WD50MR AIR DRYER, 460 VOLT , INSULATED HOPPER	
		199	1998 VAN DORN 120HT8 S/N 0.079 INJECTION MOLD MACHINE, DORN 120-HT 120-Ton Reciprocating Screw Plastic Injection Molding Machine, s/n 0788 (1997), Clamp Force 120-Ton Capacity, Clamp Stroke Max 14” , Open Daylight Max 30” , Mold Thickness Min 6” , Horizontal 17” / Vertical 17” Distance Between Tie Bars, Horizontal 25” / Vertical 25” Platen Size, 2.75” Tie Bar Dia. Platen Size, Closing 28” Sec / Opening 27 ” – SEC Clamp Speeds	
		200	IMS PORTABLE GRINDER , 7.5 HP BALDOR MOTOR , 460/230 VOLT , THREE PHASE	
		201	VAN DORN 120HT8 S/N 0.091 INJECTION MOLD SYSTEM , BULK LOT INCLUDING, 120HT8 Computerized Enclosed Base 120-Ton x 8-Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s/n 0911-015 (1998), Toggle Clamp Action, 8-1/4” Screw	

	Stroke, One Shot Lubrication System, Filters, Floor Cushion Pads, 20-HP Main Motor Drive, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Computerized Electrical Control Console, Hydraulics, AEC-Whitlock-IMS Vacuum Hopper Loader, Magnetic Separator, AEC TDW Thermolator	210	1997 VAN DORN 650HT-60 S/N 019/005 INJECTION MOLD SYSTEM , BULK LOT INCLUDING, Computerized Enclosed Base 650-Ton x 60-Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s/n 0198/005 (1997), Toggle Clamp Action, 15" Screw Stroke, One-Shot Lubrication System, Filters, Floor Cushion Pads, 100-HP Main Motor Drive, Knockouts, Van Dorn Pathfinder 2500 Machine Mounted Computerized Electrical Control Console, Hydraulics, AEC-Whitlock/IMS Vacuum Hopper Loader System, AEC TDW Thermolator, Star Automation NPW-1200GII Robotic Parts Handler, s/n na, Parts Conveyor, (2) Mold Temperature Controllers
202	AEC WHITLOCK WD50MR AIR DRYER, 460 VOLT , INSULATED HOPPER		
203	AEC WHITLOCK TEMPERATURE CONTROL , UNIT ,460 VOLT SINGLE PHASE THERMOLATER		
204	1998 VAN DORN 85HT5 S/N SN0903 INJECTION MOLD MACHINE, 85HT-5 Computerized Enclosed Base 85-Ton x 5-Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s /n 0903-017 (1998), Toggle Clamp Action, 8-1/4" Screw Stroke, One Shot Lubrication System, Filters, Floor Cushion Pads, 15-HP Main Motor Drive, Knockouts, Van Dorn Pathfinder 3000 Machine Mounted Computerized Electrical Control Console, Hydraulics, Whitlock/IMS Vacuum Hopper Loader System, Magnetic Separator	211	1997 VAN DORN 650HT-60 S/N 019/005 INJECTION MOLD MACHINE, Computerized Enclosed Base 650-Ton x 60 -Oz. Capacity Horizontal Reciprocating Screw Plastic Injection Molding Machine, s /n 0198/005 (1997), Toggle Clamp Action, 15" Screw Stroke, One-Shot Lubrication System, Filters, Floor Cushion Pads, 100-HP Main Motor Drive, Knockouts, Van Dorn Pathfinder 2500 Machine Mounted Computerized Electrical Control Console, Hydraulics, AEC-Whitlock/IMS Vacuum Hopper Loader System
205	2002 NEW-BURY 80VTCR9 S/N SN 063A INJECTION MOLD MACHINE, 80-Ton Capacity Vertical Injection Molding Machine, s/n 063A (2002), 2-Position Shuttle Table, Whitlock Hopper System with Loader and Enclosed Base, AEC Mold Temperature Controller, Transformer, Pendant Controller	212	STAR NPW-1200GII ROBOTICS PARTS, HANDLER WITHPARTS CONVEYOR AND CAGE
206	1989 NISSEI FS260S71ASE S/N S26H029 INJECTION MOLD MACHINE, 260-Ton Reciprocating Screw Plastic Injection Molding Machine, s/n S26H029 (1989), Hydraulic Clamp Machine, Hopper, Vacuum Loader, Whitlock WD-25MR Packaged Dryer, s/n 32H0278, Controls, EMI Soft Drop Inclined Conveyor,	213	AEC- TDW TEMPERATURE CONTROL , (2) THERMOLATORS
207	2000 VAN DORN 85HT5 S/N 1038 INJECTION MOLD MACHINE, 85-Ton x 5-Oz. Reciprocating Screw Plastic Injection Molding Machine, s/n 1038 (2000), Toggle Clamp Machine, 16" x 16" Distance Between Tie Bars, 8-1/4" Screw Stroke, Van Dorn Pathfinder 3000 Machine Mounted Control Panel, Core Pull, Knockouts, Whitlock Hopper Loader, Hopper Magnet, AEC Mold	214	1997 UBE UM 1000 S/N 81077 INJECTION MOLD MACHINE, 1000-Ton x 180-Cubic Inch Capacity Reciprocating Screw Plastic Injection Molding Machine, s/n 81077 (1997), Toggle Clamp Machine, Allen Bradley panel View 900 Control, Core Pull, Whitmann Robotic Part Picker, AEC Nomad PD4A Dryer System, s/n 38J0958, AEC Vacuum Loader, (2) AEC Mold Temperature Controllers
208	1993 TOSHIBA ISF720VL S/N 311205 INJECTION MOLD MACHINE, 700-Ton Hydraulic Clamp Reciprocating Screw Plastic Injection Molding Machine, s/n 311205 (1993) (Not in Service – Not Operational)	215	MAGUIER BLENDER SYSTEM, WITH WHITLOCK LOADER , 4 CHAMBER , WITH STAND
209	NISSEI P8560S28BSE S/N 56F02 INJECTION MOLD MACHINE, P8560S28BSE 560-Ton x 28-Oz. Capacity Hydraulic Reciprocating Screw Plastic Injection Molding Machine, s/n S56F002 (1987), Hydraulic Clamp Action, Enclosed Base Tie Bar Retraction, Floor Pad Cushions, Filters, Knockouts, Transformer PLC Controller, Hydraulics, Whitlock Automatic Vacuum Hopper System	216	IMS HM-850 S/N 0.043 PORTABLE HURICANE, MIXER WITH FORK TRUVK POCKETS , 115 VOLT SINGLE PHASE , 1HP LEESON MOTOR
		217	AEC WHITLOCK WD25MR S/N 32HO227 PORTABLE DRYER, 460 VOLT, 3-PHASE
		218	AEC WHITLOCK WD25MR S/N 00F0149 PORTABLE DRYER, 460 VOLT , 3-PHASE
		219	AEC WHITLOCK WD50MR S/N 99L0498 PORTABLE DRYER, 460 VOLT, 3-PHASE
		220	AEC WHITLOCK WD50MR PORTABLE DRYER, PARTS MACHINE
		220.01	AEC WHITLOCK WD25MR S/N 3110671 DRYER, 460 VOLT , INSULATED HOPPER,3-PHASE
		221	AEC NELMOR G1220M1 S/N 69062326

222	PORTABLE GRINDER, 20 HP BALDOR 230/460VOLT 3-PHASE MOTOR AEC NELMOR G1220M1 S/N 770510085 PORTABLE GRINDER, 20 HP BALDOR 230/460VOLT 3-PHASE MOTOR	244	12'10"SPREADERS INTER-LAKE PALLET RACKING, 4 SECTIONS WITH 16 ' UPRIGHTS AND 9' SPREADERS
223	AEC NELMOR G1220M1 S/N 780211189 PORTABLE GRINDER, 20 HP WANLESS 460 VOLT 3-PHASE MOTOR	245	INTER-LAKE PALLET RACKING, 4 SECTIONS WITH 16 ' UPRIGHTS AND 9' SPREADERS
224	IMS LP144SC S/N 0.087 PORTABLE GRINDER, 7 1/2 HP BALDOR 230/460 VOLT 3-PHASE MOTOR	246	INTER-LAKE PALLET RACKING, 1 SECTION WITH 16' UPRIGHTS AND 12' 10" SPREADERS
225	IMS LP144SC S/N 0.088 PORTABLE GRINDER, 7 1/2 HP BALDOR 230/460 VOLT 3-PHASE MOTOR	247	INTER-LAKE PALLET RACKING, 1 SECTION WITH 16' UPRIGHTS AND 12' 10" SPREADERS
226	IMS LP144SC S/N 0.091 PORTABLE GRINDER, 7 1/2 HP BALDOR 230/460 VOLT 3-PHASE MOTOR	248	SHELVING SECTIONS, 24"X48"
227	IMS LP144SC S/N 0.075 PORTABLE GRINDER, 7 1/2 HP BALDOR 230/460 VOLT 3-PHASE MOTOR	249	GLOBAL DRUM FAN, 48" 110 VOLT
228	IMS LP144SC PORTABLE GRINDER, 7 1/2 HP BALDOR 230/460 VOLT 3- PHASE MOTOR	250	GLOBAL DRUM FAN, 48" 110 VOLT
229	AEC NELMOR PORTABLE GRINDER, 10 HP WEG 208-230/460 VOLT 3-PHASE MOTOR	251	TPI PEDESTAL FAN, 30" ADJUSTABLE HEIGHT , 110 VOLT
230	AEC NELMOR PORTABLE GRINDER, 10 HP WEG 208-230/460 VOLT 3-PHASE MOTOR	252	TPI PEDESTAL FAN, 30" ADJUSTABLE HEIGHT , 110 VOLT
231	AEC NELMOR PORTABLE GRINDER, 10 HP WEG 208-230/460 VOLT 3-PHASE MOTOR	253	COTTER-MAN STAIR STEP, SAFTEY PLATFORM , 5-STEP
232	IMS LP86SC PORTABLE GRINDER, 5 HP BALDOR 208-230/460 VOLT 3- PHASE MOTOR	254	STAIR STEP, SAFTEY PLATFORM , 4- STEP
233	IMS LP86SC PORTABLE GRINDER, 5 HP BALDOR 208-230/460 VOLT 3- PHASE MOTOR	255	WERNER FIBERGLASS , 24' EXTENTION
234	IMS LP86SC PORTABLE GRINDER, 5 HP BALDOR 208-230/460 VOLT 3- PHASE MOTOR	256	LOUIS-VILLE FIBERGLASS , 6' A- FRAME LADDER WITH TOOL PLATFORM
235	IMS LP86SC PORTABLE GRINDER, 5 HP BALDOR 208-230/460 VOLT 3- PHASE MOTOR	257	WERNER FIBERGLASS , 8' A-FRAME LADDER
236	IMS LP86SC PORTABLE GRINDER, 5 HP BALDOR 208-230/460 VOLT 3- PHASE MOTOR	258	JUSTRITE OILYWASTE CANS, AND (1) BIO HAZARD CAN
237	IMS LP144SC PORTABLE GRINDER, 7 1/2 BALDOR 230/460 VOLT 3-PHASE MOTOR	259	CRAFTS-MAN SHOP VACS , 20 GALLON CAPACITY ,6 HP MOTOR
238	AEC TCU100 TEMPERATURE CONTROL , UNITS , (2) THERMOLATERS	260	CRAFTS-MAN SHOP VACS , 20 GALLON CAPACITY ,6 HP MOTOR
239	AEC TCU100 TEMPERATURE CONTROL , UNITS , (2) THERMOLATERS	261	BANDING CART, WITH CRIMPER AND TENTIONOR
240	METTLER-TOLEDO PLATFORM SCALE, 48"X48" WITH PANTHER PLUS DIGITAL READOUT	262	BANDING CART
241	CT/BR CT-CCW ROTARY SHRINK WRAP, WITH PALLET SIZE TURNTABLE ANDPLC READOUT.	263	TRASH CANS
242	INTER-LAKE PALLET RACKING, 3 SECTIONS WITH 16" UPRIGHTS AND 12'10"SPREADERS	264	HON VERTICLE, FILE CABINETS
243	INTER-LAKE PALLET RACKING, 3 SECTIONS WITH 16" UPRIGHTS AND	265	HON FILE , CABINETS
		266	FILE , CABINETS
		267	MAGIC-CHEF MINI FRIDGE, 3.5 SQ. FT CAP.
		268	OFFICE FURNATURE, INCLUDING(4) DESK SECTIONS AND (4) CHAIRS