

# **Version History / Issues & Solutions**

# **Nuendo 4.2.2**

The following issues have been fixed in version 4.2.2:

Issue ID	Description Leading to the control of the control o		
21640	Fixed: Under certain conditions a crash may occur selecting an audio driver (Mac OS X only)		
21599	Fixed: Frozen tracks are editable after project is reloaded		
19123	Improvement: Metronome click can be routed to VST Instrument in VST rack now		
19676	Improvement: Marker window now has switchable Auto scroll button		
17832	Improvement: AutoScroll function now has switchable "Suspend"-mode		
18885	Improvement: Automatic scrolling of Arrange area when setting locators has been improved		
20947	Improved Open Project window: Default shows Nuendo projects		
20983	Improved file compatibility exchanging projects between Mac PPC and Mac Intel platform		
20543	Improved performance and reliability when recording a large number of tracks simultaneously		
11225	Fixed AAF: Nuendo can't load AAF from Avid Express		
18389	Fixed AAF: Import of referenced AAF from Avid Xpress Pro 5.7		
19170	Fixed AAF: Exported AAF from AVID systems can't be opened in Nuendo		
19681	Fixed AAF: Crash on importing AAF		
19919	Fixed AAF: Media files of referenced AAF files will not be found (automatically).		
20310	Fixed OMF: Import window and buttons too small for German text translation		
19851	Fixed OMF: Import loses clips - wrong OMF project start time		
19337	Fixed OMF: If exported to a full disc, now a warning appears instead of beach ball (Mac OS X)		
20308	Fixed OMF: Export window and buttons too small for text display		
20884	Fixed OMF: Cut fade outs after re-import of OMF file to application		
20066	Fixed: Silence added to beginning of exported audio.		
19979	Fixed: Video from Prunus (Real-time HD Editing System) cannot be played in Nuendo		
19846	Fixed: Video frames are not matching Nuendo Time Display		
19360	Fixed: Under certain conditions MP3 Export creates files with wrong sample rate		
20025	Fixed: The "Follow Tempo" tag is ignored when audio files are imported, tagged with "Drum/Percussion" attribute		
19615	Fixed: Set Record Folder to a different location forces "Image under construction" on reloading the project		
19891	Fixed: Range selection is rejected when creating a new track		
20175	Fixed: Project Logical Editor does not select inside Cycle if tracks are set to linear time base		
20584	Fixed: Plug-ins not in compliance with VST 2.3 or higher may crash the VST Plug-in Manager when unloading them		
19632	Fixed: Mono assignment in Mixconvert/Control Room corrected to centre speaker		
19960	Fixed: ModMachine doesn't correctly restore settings		
19660	Fixed: Linked channels are not in focus with each other and don't behave linked		
20156	Fixed: Key Editor is missing the "Indicate Transposition" button		
19844	Fixed: Input position no longer jumps inconsistently to seconds and/or minutes		
18994	Fixed: Full screen does not work correctly with DirectX and DirectShow Player on PC Windows Vista systems		
20260	Fixed: Frozen tracks using an External Instrument allowed MIDI parts to be editable		
20185	Fixed: Frozen tracks are not played back anymore when toggling between two or more projects		
19413	Fixed: Direct Monitoring doesn't work in right channel of Stereo Busses		
18702	Fixed: Crash may occur when MOTU ASIO Device is switched off during operation		
20218	Fixed: Crash may occur when changing VST Connections using MOTU interfaces		
20234	Fixed: Crash may occur when audio events are transposed		
19942	Fixed: Crash may occur freezing Virtual Instruments in large projects		
19488	Fixed: Compatibility issue with exported DTS files		



	Fixed: Bounce Selection produces an error when bouncing very small audio events	
19150	Fixed: Audio Export is missing MP3-ID tags	
18918	Fixed: "Unfinished File Recovery" does not work	
19361	Fixed various Snap point positioning problems	
21040	Fixed Sample Editor: Flatten edits with MPEX or Real-time Algorithm leads to predictable results now	
20440	Fixed QuickTime Video Player: MPEG2 *.mpg file could not be imported	
20942	Fixed Post Filter: EQ curve was not updated when the filter frequencies are adjusted via remote controller	
21001	Fixed MixerDelay: Wrong Solo behaviour with modifier	
19768	Fixed MixerDelay: Presets created by user cannot get loaded	
20189	Fixed Mixconvert Control Room: Using fold down via key commands doesn't remember settings	
21181	Fixed issue with audio playback loss when switching Control Room presets	
20851	Fixed corrupted chunks in (acid) wave files which no longer crash the application	
21007	Fixed an issue working with 29.97 Non drop frames and Virtual Katy	
20390	Fixed an issue with truncated 29.97 QT video files after import	
21068	Fixed an issue with Preset management in Mixconvert (Control Room)	
20874	Fixed an issue with NTSC video positioning when using System Link	
20394	Fixed an issue with MIDI Timecode if Project offset is < 00:00:00:00 and CYCLE = ON	
21136	Fixed an issue with Matrix Encoder channel management error	
19171	Fixed an issue setting time code from cursor	
17573	Fixed a problem with leading zeros in Audio Export window	
21005	Fixed a crash when changing data in List Editor	
21134	Fixed a crash after import of SMF then switching/closing a project	
19557	Fixed a compatibility issue importing certain Broadcast Wave files	
20142	(NEK) Fixed: Crash may occur when printing notation	
19920	(NEK) Fixed: Crash may occur when opening Score Editor (Mac OS X Leopard only)	
12114	(NEK) Fixed Score: Printing at massive magnification	
21162	(NEK) Fixed Score Printing: Empty page no longer printed when printing a range of 2 or more pages	

### **Nuendo 4.1.3**

The following issues have been fixed in version 4.1.3 (Hot fix):

Issue ID	Description
20209	Fixed: Crash may occur when freezing tracks
20187	Fixed: Notes are dropped under certain conditions
19942	Fixed: Crash may occur when exporting (audio mixdown)

### **Nuendo 4.1.2**

The following issues have been fixed in version 4.1.2:

Issue ID	Description	
10704	AAF] import from Nuendo 4 to Avid or Nuendo 3 was off by 2 frames.	
11583	Undo "delete automation track" is now possible.	
12598	Spector sometimes produced hanging notes.	
17386	[Network Collaboration] Using a Common file folder on a server didn't always work.	
17479	Regions disappeared from project window after time-stretching.	



17885	"Soundminer" database functions were incompatible.		
17890	Score: Favourites were not remembered.		
17928	Sample Rate conversion was too slow.		
18333	After loading certain projects, Audio I/O didn't work (until audio device was reset).		
18377	Score: "hide measures" didn't work correctly in some cases.		
18486	Score: Display Transpose for GM Trackpresets failed.		
18557	Score: MusicXML Export: double barlines were not exported.		
18635	Video: Changing output device to Blackmagic Decklink caused a crash on some Macs.		
18773	Score: Ghost note tie at page break		
18780	Large Projects with a high number of plugins caused sluggish GUI (despite moderate CPU load).		
18789	Score: Moving Triplet brackets didn't work correctly.		
18790	Score: Moving bar numbers didn't work correctly.		
18793	Score: Ties were faulty at page break.		
18879	[WK Audio ID]: "STOP" button had to be hit two times to deactivate the shuttle wheel mode.		
18901	[MediaBay] [Tags] Tagging of a high amount of REX2 Files massively increased the system RAM consumption.		
18902	Some REX files couldn't be imported from Media Bay to Project.		
18952	NEK4 Installer 2byte character problem		
18996	Crash after key command for "Plug-in Editors Always on Top" was used.		
19011	Slicing in Sample-Editor did not work with audio files longer or shorter than a full bar		
19022	Toontrack EZ-Player crashed when loaded as VSTi in the VST-Rack.		
19027	Warped Clips got out of sync after the "straighten up" flag had been toggled ON / OFF in the pool.		
19054	Score: Crosshair cursor didn't always work.		
19056	Score: Dynamic signs One up /One down were faulty.		
19057	Score: Undo didn't work on "flip" cresc arrow.		
19069	"Align Event" functions weren't working properly. (if N3 prefs are being read).		
19084	[WK Audio ID]: paging on extension didn't work.		
19089	Score: Marker Dialog was the same as Staff Name.		
19090	Score: Automatic colouring of verses is now switchable.		
19093	Score: Undo History: Stems were "Necklen"		
19121	Score: "Auto scroll" caused scrollbars to move and therefore "disable" itself		
19124	Control room Mixconvert, default settings have been revised.		
19142	Transpose / Info Line: Multiple selected events did not retain their relationship.		
19159	Very short events in audio part editor could cause an error message / crash.		
19167	"Solo" algorithm for transpose was not recalled correctly after a Sequel project was imported.		
19191	Mixconvert Control Room: mono / stereo problem.		
19192	automation - Trim Mode changes entire mix (persistence problem)		
19210	Mono2Stereo - Delay: Some parameters weren't restored correctly.		
19257	Score: Auto layout sometimes crashed.		
19268	[MediaBay] [Filter] apostrophes broke the category search.		
19289	Preference "Link Channel & Sends routing panner" didn't always work.		
19328	[MediaBay] [UserTags] Yes/No tags were not working.		
19336	"Solo" on Mixer Delay didn't work.		
19338	Surround Panner wasn't available anymore as regular plugin.		
19349	Some MP3 files could not be imported.		
19352	Export Audio Mixdown via Tracks or Groups could cause a crash.		
19358	Inserts did not retain channel names.		
19366	"show used" on the automation panel: the focus of the display jumped away from the highlighted track		
19367	Nuendo Automation: Preview / Suspend problem (values were not restored correctly).		
19374	Surround Projects from Nuendo 3.x opened with reset surround panners in Nuendo 4.		
19386	[OMF] Export from Nuendo 4 to Avid didn't work right.		
	1		



19399	Export Mixdown sometimes resulted in files of wrong bit-depth.		
19401	Writing / reading automation could cause system hang / CPU overload in certain cases.		
19409	Some plugins caused clicking noises at event start / end points.		
19444	Inserting events from the Media Bay into project automatically set the track to musical mode.		
19475	Apple Remote didn't work on Mac OS X 10.5 aka Leopard		
19481	StudioEQ - on/off status was not restored correctly.		
19494	DeEsser Plugin: In some cases it scaled too large or too small.		
19495	Some audio files seemed to contain click noises when they were imported.		
19498	[Video] - Possible Crash when the QuickTime window was dragged across the screen during playback.		
19524	Some user interface fonts were corrupted on Mac OS 10.5 (Leopard).		
19540	Score: Wrong "Undo" was displayed after dragging notes had been dragged with the mouse.		
19581	Score: Deleting time signatures didn't work correctly.		
19592	HALion One content was defective when program was installed on Mac OS 10.5 (Leopard)		
19599	Text entry of "Length" field in Info Line was erratic.		
19634	[MediaBay] [Tags] - Tagging Multiple files didn't work under certain conditions.		
19653	Instrument tracks in a folder track did not un-mute when the parent folder was un-muted.		
19694	Control Room Bus Activation Buttons didn't work when a track was in solo.		
19701	Record-enabled linked channels do not engage record on all of them		
19759	Some WMA files imports failed (e.g. from Olympus LS-10).		
19770	MixerDelay. Channel routing doesn't work correctly		
19773	[Dolby Digital Encoder and DTS Encoder] no GUI will be displayed + crash		
19788	SOLO on parent folder tracks didn't SOLO tracks in sub folders.		

# Nuendo 4 - Issues and Solutions

The following table describes issues you may encounter using this software as well as possible workarounds.

Issue ID	Issue Text	Solution Text
21320	UAD Plugins do not work after a project is loaded.	Unload and load the plugins. Please make sure to not save a project with UAD plugins switched "OFF". Use "Bypass" instead.
21275	Routing from MIDI tracks to Audio Plugins (e.g. MIDI Gate) may get lost.	Changing the MIDI track order may cause the connections to the plugins to not get saved with the project file. Please verify and correct the MIDI routing after you have reloaded the project.
21206	MIDI routing is set to "not connected" when multiple projects are open and edited.	This may happen when MIDI parts are being copied from INACTIVE to ACTIVE projects. This should be avoided.
21161	In some cases Panner / Surround Panner settings from Nuendo 3.x projects may be interpreted wrong by Nuendo 4.	After loading projects from Nuendo 3.x, please verify the Panner / Surround Panner settings.
21052	QuickTime: Video picture is aligned wrong in the window after the video window has been resized (right-click).	Grab the lower right corner of the video window and manually resize it a bit. Picture will refresh itself.
21011	Video import dialog does not display file information after selecting a video clip (Mac OS X only).	Grab the lower right corner of the video import dialog and manually resize it a bit. Window will refresh itself and the data will be displayed.
20923	Media Bay problems (e.g. impossible to create Track Presets) depending on operating system User Account name.	To avoid potential Media Bay problems, please do not use user names consisting only of CAPITAL letters.
20811	After finishing a long recording (also loop recording) over continuous tempo changes (ramps), the program may become unresponsive for a while.	If your project contains long, continuous tempo changes (ramps), please consider recording shorter takes.



Set Tune in is set as input source in Core Audio Device Settings.  When multiple events are being offline-processed at once, only the processed by the default values.  Program crashes when MasicXML is exported.  As first, process 1 event with the desired settings, (These settings will be used as 'destaults' later). Then select the rest of the events and process them.  Settings.  Program crashes when MasicXML is exported.  Switch to Page Mode first.  Papel Mode first.  Program crashes when MasicXML is exported.  Switch to Page Mode first.  Program crashes when MasicXML is exported.  Switch to Page Mode first.  Program crash.  Progr			
site clip will get the set process parameter values, all others will be processed by the default values.  Program crashes when MusicXML is exported.  Switch to Page Mode first.  It is recommended to wait until the Media Bay scanning is complete.  Switch to Page Mode first.  The application "EUtranslate" can be used to adapt these Open TL files.  Collect controller: Automatic configuration desent work if Nuendo was faunched.  The application "EUtranslate" can be used to adapt these Open TL files.  Do not unplug the CC121 during Nuendo operation.  Turn on and plug in the CC121 during Nuendo operation.  Uno unplug the CC121 during Nuendo operation.  Lower the maximum undo count in the preferences.  Automatic Tempo Recognition doesn't work.  Automatic Tempo Recognition doesn't work.  Automatic Tempo Recognition doesn't work.  That may lead to nuesable results i.e. at Aligoints "Close and Stice"  Wrong Event Tempo and wong Event Length of the original still and waith the outcome of the calculated tempo.  Automatic Tempo Recognition doesn't work.  That Muc	20773	VST performance meter peaks on Apple laptops.	·
Rapidity stepping through VST plugins or VST instruments preset its while the Media Bay scanning is in progress may cause a program crash.  20545  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20586  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20587  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20587  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20588  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20589  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20580  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20582  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20582  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20582  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20582  Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS. If Nuendo comes up with the message "time code has changed", do not click "accept".  20582  Crash when Nuendo is set to time Coult to the CU214 control of the nuendo operation.  20583  Crash when Nuendo is set to background while a	20741	first clip will get the set process parameter values, all others will be	·
lists while the Media Bay scanning is in progress may cause a program crash.  It Nuendo comes up with the message "time code has changed", do not click "accept".  Open TL files from Tascam MX 2424 are not read correctly when they contain virtual track.  Open TL files from Tascam MX 2424 are not read correctly when they contain virtual track.  Open TL files from Tascam MX 2424 are not read correctly when they contain virtual tracks.  Open TL files from Tascam MX 2424 are not read correctly when they contain virtual tracks.  Open TL files from Tascam MX 2424 are not read correctly when they contain virtual tracks.  Open TL files from Tascam MX 2424 are not read correctly when they contain virtual tracks.  Open TL files from Tascam MX 2424 are not read correctly when the was launched before the CC121 was uncluded before the CC121 was uncluded to file the contain the con	20725	Program crashes when MusicXML is exported.	Switch to Page Mode first.
Chash when Nuenous set to timecocoe 90 PPS but receives 25 PPS  Open TL files from Tascam MX 2424 are not read correctly when Department of the contain virtual tracks.  Open TL files from Tascam MX 2424 are not read correctly when Department of the contain virtual tracks.  CC121 controller: Automatic configuration doesn't work if Nuendo was launched before the CC121 was turned on (or plugged in).  CC121 controller: Nuendo works sluggish if the CC121 was unpluged and replugged while Nuendo is running.  Do not unplug the CC121 only after Nuendo was launched.  CC121 controller: Nuendo works sluggish if the CC121 was unpluged and replugged while Nuendo is running.  Do not unplug the CC121 during Nuendo operation.  Close the local toolbar by pressing the "RETURN" key.  Lower the maximum undo count in the preferences.  Automated VST2 plugins do not automatically update their parameter value display (e.g. knobs or silders) when another song position is located in STD7 mode. Also true for the Surround Panner.  Automated VST2 plugins do not automatically update their parameter value display (e.g. knobs or silders) when another song position is located in STD7 mode. Also true for the Surround Panner.  Automate Tempo Recognition doesn't work.  Automate Tempo Recognition doesn't work.  That may lead to unusable results i.e. al Hilpoints "Close and Slice".  That may lead to unusable results i.e. al Hilpoints "Close and Slice".  That may lead to unusable results i.e. al Hilpoints "Close and Slice".  That may lead to unusable results i.e. al Hilpoints "Close and Slice".  That may lead to unusable results i.e. al Hilpoints "Close and Slice".  That may lead to unusable results is a la Hilpoint "Close and Slice".  That may lead to unusable results is a la Hilpoint "Close and Slice".  That may lead to unusable results is a la Hilpoint "Close and Slice".  That may lead to unusable results is a la Hilpoint "Close and Slice".  That may lead to unusable results is a latitude of the series set in the original file and watch the outcom	20585	lists while the Media Bay scanning is in progress may cause a	
C0212 controller. Automatic configuration desent work if Nuendo was launched before the CC121 was furned on (or plugged in).  C0212 controller. Automatic configuration desent work if Nuendo was launched before the CC121 was unplugged and replugged while Nuendo is running.  C0203 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10203 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10203 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10204 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10205 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10206 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10207 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10208 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  C10209 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed in STOP mode. Also true for the Surround Pannot.  C10209 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be parameter value display (e.g. knobs or sliders) when another song position is located in STOP mode. Also true for the Surround Pannot.  C10209 (Mac) Midi In-Place Editor local toolbar (click on create a new midi track. Then the original file and watch the outcome of the calculated tempo.  C10209 (Mac) Control settings which were saved with a track preset to do to the Sound Browser, find the Track Preset you saved and duble click it to create a new midi track. Then the Track Qui	20545	Crash when Nuendo is set to timecode 60 FPS but receives 25 FPS.	_
20376 was launched before the CC121 was turned on (or plugged in).  20370 unplugged and replugged while Nuendo is running.  20203 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI In-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Mac) MIDI in-Place Editor local toolbar (click on little triangle) cannot be closed anymore and blocks any other operation.  20203 (Automated VST2 plugins do not automatically update their on turned value dependences).  20204 Automated VST2 plugins do not automatically update their on turned value dependences.  20205 Automated VST2 plugins on turned value supported the local toolbar by pressing the "RETURN" key.  20206 Automated VST2 plugins do not automatically update their on turned value supported the local turned value supported the local turned value supported value supported the local turned value supported value supp	20396	•	·
unplugged and replugged while Nuendo is running.  (Mac) MIDI In-Place Editor local tolobar (click on little triangle) cannot be closed anymore and blocks any other operation.  Timewarp editing operations with a massive amount of MIDI data may cause an unexpected increase of RAM consumption.  Automated VST2 plugins do not automatically update their parameter value display (e.g. knobs or sliders) when another song position is located in STOP mode. Also true for the Surround Panner.  Automatic Tempo Recognition doesn't work. That may lead to unusable results i.e. at Hitpoints "Close and Slice". Wrong Event Tempo and wrong Event Length!  The Mix Convert plugin setting are reset it to default if the plugin is being dragged to another channel.  Track Quick Control settings which were saved with a track preset do not restore correctly when the track preset is applied to another track.  Track Quick Control settings which were saved with all other applications (e.g. Dolby Tools).  See the Mix Converter, BYPASS has no effect.  Use ON / OFF instead.  This message is harmless and can be ignored.  If the application is set to background while a plugin is in the process of the plugins are available and voice entry might not be possible.  If Selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  If no native Mac Intel versions of the plugins are available and voice and project and load the previously saved GM Map.	20376		Turn on and plug in the CC121 only after Nuendo was launched.
20203 cannot be closed anymore and blocks any other operation.  19901 Timewarp editing operations with a massive amount of MIDI data may cause an unexpected increase of RAM consumption.  2003 Automated VST2 plugins do not automatically update their position is located in STOP mode. Also true for the Surround Panner.  2004 Automated VST2 plugins do not automatically update their position is located in STOP mode. Also true for the Surround Panner.  2005 Automatic Tempo Recognition doesn't work.  2006 That may lead to unusable results i.e. at Hitpoints "Close and Slice".  2007 Wrong Event Tempo and wrong Event Length!  2008 Attendatic Tempo Recognition doesn't work.  2009 The Mix Convert plugin setting are reset it to default if the plugin is being dragged to another channel.  2009 The Mix Convert plugin setting are reset in the plugin is being dragged to another channel.  2019 Take Quick Control settings which were saved with a track preset do not restore correctly when the track preset is applied to another track.  2019 Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  2019 Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  2019 On the "Mixconverter", BYPASS has no effect.  2019 On the "Mixconverter", BYPASS has no effect.  2019 On the "Mixconverter", BYPASS has no effect.  2019 If selection Tool and Range Tool are toggled and used on a track of boding it's sample content, it might crash.  2019 If selection Tool and Range Tool are toggled and used on a track that is currently recording.  2019 Avoid using the editing tools on tracks that are currently recording.  2019 If no native Mac Intel versions of the plugins are available and vous need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  2019 Amount Maps are not available after loading a Sequel project.  2019 Amount Maps and save it.  2019 And Drum Maps are	20370		Do not unplug the CC121 during Nuendo operation.
may cause an unexpected increase of RAM consumption.  Automated VST2 plugins do not automatically update their parameter value display (e.g. knobs or sliders) when another song position is located in STOP mode. Also true for the Surround Panner.  Automatic Tempo Recognition doesn't work.  That may lead to unusable results i.e. at Hitpoints "Close and Slice".  Wrong Event Tempo and wrong Event Length!  The Mix Convert plugin setting are reset it to default if the plugin is being dragged to another channel.  Track Quick Control settings which were saved with a track preset do not restore correctly when the track preset is applied to another track.  Track Quick Control settings which were saved with all other applications (e.g. Dolby Tools).  19329  On the "Mixconverter", BYPASS has no effect.  19130  If the application is set to background while a plugin is in the process of loading it's sample content, it might crash.  19020  If the application of a Range Tool are toggled and used on a track that is currently recording, a crash might occur.  19032  GM Drum Maps are not available after loading a Sequel project.  Lover the maximum undo count in the preferences.  Actually the parameters are set correctly, only the graphics do not update. On playback, the parameters will display their values correctly.  Actually the parameters are set correctly, only the graphics do not update. On playback, the parameters will display their values correctly.  At definition Tab initialize the Bar-Length of the original file and watch the outcome of the calculated tempo.  At definition Tab initialize the Bar-Length of the original file and watch the outcome of the calculated tempo.  At definition Tab initialize the Bar-Length of the original file and watch the outcome of the calculated tempo.  At definition Tab initialize the Bar-Length of the original file and watch the outcome of the Calculated tempo.  At the file of the Calculated tempo.  At definition Tab initialize the Bar-Length of the original file and watch the outcome of the	20203	· · ·	Close the local toolbar by pressing the "RETURN" key.
parameter value display (e.g. knobs or sliders) when another song position is located in STOP mode. Also true for the Surround Panner.  Automatic Tempo Recognition doesn't work. That may lead to unusable results i.e. at Hilpoints "Close and Slice". Wrong Event Tempo and wrong Event Length!  19879 The Mix Convert plugin setting are reset it to default if the plugin is being dragged to another channel.  19880 Track Quick Control settings which were saved with a track preset do not restore correctly when the track preset is applied to another track.  19982 Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  19120 On the "Mixconverter", BYPASS has no effect.  19130 If the application is set to background while a plugin is in the process of loading it's sample content, it might crash.  19081 If selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  19082 On some PPC plugins running on a Mac Intel via VSTBridge, text entry might not be possible.  19084 CM Drum Maps are not available after loading a Sequel project.  19085 Automatic Tempo Recognition doesn't work.  19086 The Mix Convert plugin setting are reset it to default if the plugin is but the desired settings or load the specific preset.  20 Automatic Tempo Recognition doesn't work.  21 At definition Tab initialize the Bar-Length of the original file and watch the outcome of the calculated tempo.  22 After dragging the Mix Convert to another channel, and watch the outcome of the calculated tempo.  23 After dragging the Mix Convert to another channel, please manually set the desired settings or load the specific preset.  24 Go to the Sound Browser, find the Track Preset you saved and double click it to create a new midi track. Then the Track Quick Control settings show up correctly.  25 Use the option "Don't use Extensible wave format" in the Audio Export Mixdown window.  26 This message is harmless and can be ignored.  27 This message is harmless and can be i	19901		Lower the maximum undo count in the preferences.
That may lead to unusable results i.e. at Hitpoints "Close and Slice". Wrong Event Tempo and wrong Event Length!  The Mix Convert plugin setting are reset it to default if the plugin is being dragged to another channel.  Track Quick Control settings which were saved with a track preset do not restore correctly when the track preset is applied to another track.  Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  We only Tempo and wrong Event Length!  Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  We only OFF instead.  C++ Runtime Error message on program launch (0n Windows Vista 64 bit).  If the application is set to background while a plugin is in the process of loading it's sample content, it might crash.  If Selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  If selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta again.  Check that is currently recording, a crash might occur.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  Check are a new project with a MIDI track 2. Open a GM Drum Map and save it.  In create a new project with a MIDI track 2. Open a GM Drum Map and save it.  In create a new project with a MIDI track 2. Open a GM Drum Map and save it.  In create a new project with a MIDI track 2. Open a GM Drum Map and save it.	19674	parameter value display (e.g. knobs or sliders) when another song	not update. On playback, the parameters will display their values
being dragged to another channel.  Track Quick Control settings which were saved with a track preset do not restore correctly when the track preset is applied to another track.  Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  We the option "Don't use Extensible wave format" in the Audio Export Mixdown window.  Use ON / OFF instead.  C++ Runtime Error message on program launch (0n Windows Vista 64 bit).  This message is harmless and can be ignored.  If the application is set to background while a plugin is in the process of loading it's sample content, it might crash.  If Selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  If Create a new project with a MIDI track 2. Open a GM Drum Maps are not available after loading a Sequel project.  Multichannel Interleaved files are not compatible with all other application is enter be double click it to create a new midi track. Then the Track Preset you saved and double click it to create a new midi track. Then the Track Quick Control settings show up correctly.  Use the option "Don't use Extensible wave format" in the Audio Export Mixdown window.  Use ON / OFF instead.  This message is harmless and can be ignored.  Wait until the plugins have completed the loading process.  Avoid using the editing tools on tracks that are currently recording.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  1. Create a new project with a MIDI track 2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19657	That may lead to unusable results i.e. at Hitpoints "Close and Slice" .	
1934b not restore correctly when the track preset is applied to another track.  1932b Multichannel Interleaved files are not compatible with all other applications (e.g. Dolby Tools).  1929g On the "Mixconverter", BYPASS has no effect.  19130 C++ Runtime Error message on program launch (0n Windows Vista 64 bit).  19122 If the application is set to background while a plugin is in the process of loading it's sample content, it might crash.  19130 If Selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  19130 On some PPC plugins running on a Mac Intel via VSTBridge, text entry might not be possible.  19049 GM Drum Maps are not available after loading a Sequel project.  19040 The "Mixconverter", BYPASS has no effect.  Use ON / OFF instead.  Use ON / OFF instead.  Wait until the plugins have completed the loading process.  Wait until the plugins have completed the loading process.  Avoid using the editing tools on tracks that are currently recording.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  19049 GM Drum Maps are not available after loading a Sequel project.  19040 CM Drum Maps are not available after loading a Sequel project.  19050 CM Drum Maps are not available after loading a Sequel project.  19050 CM Drum Maps are not available after loading a Sequel project.  19060 CM Drum Maps are not available after loading a Sequel project.  19070 CM Drum Maps are not available after loading a Sequel project.  19070 CM Drum Maps are not available after loading a Sequel project.  19070 CM Drum Maps are not available after loading a Sequel project.	19379		
applications (e.g. Dolby Tools).  Export Mixdown window.  19299 On the "Mixconverter", BYPASS has no effect.  Use ON / OFF instead.  19130 C++ Runtime Error message on program launch (0n Windows Vista 64 bit).  This message is harmless and can be ignored.  Wait until the plugins have completed the loading process.  Wait until the plugins have completed the loading process.  Process of loading it's sample content, it might crash.  Wait until the plugins have completed the loading process.  Avoid using the editing tools on tracks that are currently recording, a crash might occur.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  CHARLIE OF ALL	19340	not restore correctly when the track preset is applied to another	double click it to create a new midi track. Then the Track Quick
C++ Runtime Error message on program launch (0n Windows Vista 64 bit).  This message is harmless and can be ignored.  Wait until the plugins have completed the loading process.  Wait until the plugins have completed the loading process.  Wait until the plugins have completed the loading process.  Avoid using the editing tools on tracks that are currently recording.  On some PPC plugins running on a Mac Intel via VSTBridge, text entry might not be possible.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  CM Drum Maps are not available after loading a Sequel project.  Map.  Characteristic for the plugins are available after loading a Sequel project.  1. Create a new project with a MIDI track 2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19325	•	·
19130 64 bit).  If the application is set to background while a plugin is in the process of loading it's sample content, it might crash.  If Selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  On some PPC plugins running on a Mac Intel via VSTBridge, text entry might not be possible.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  Cereate a new project with a MIDI track 2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19299	On the "Mixconverter", BYPASS has no effect.	Use ON / OFF instead.
of loading it's sample content, it might crash.  Wait until the plugins have completed the loading process.  Wait until the plugins have completed the loading process.  Avoid using the editing tools on tracks that are currently recording.  If Selection Tool and Range Tool are toggled and used on a track that is currently recording, a crash might occur.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  If no native Mac Intel versions of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  If Create a new project with a MIDI track 2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19130		This message is harmless and can be ignored.
that is currently recording, a crash might occur.  The recording of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  19049  GM Drum Maps are not available after loading a Sequel project.  The recording of the plugins are available and you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  1. Create a new project with a MIDI track 2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19122		Wait until the plugins have completed the loading process.
On some PPC plugins running on a Mac Intel via VSTBridge, text entry might not be possible.  you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start the application without Rosetta again.  19049  GM Drum Maps are not available after loading a Sequel project.  1. Create a new project with a MIDI track 2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19096		
19049 GM Drum Maps are not available after loading a Sequel project.  2. Open a GM Drum Map and save it. 3. load your Sequel project and load the previously saved GM Map.	19082		you need to enter e.g. serial numbers, start the application in "Rosetta" mode and enter the settings. After that is done, start
19047 Media Bay scanning operating system volumes might crash. Choose only drives that contain audio content to be scanned.	19049	GM Drum Maps are not available after loading a Sequel project.	Open a GM Drum Map and save it.     Ioad your Sequel project and load the previously saved GM
<u> </u>	19047	Media Bay scanning operating system volumes might crash.	Choose only drives that contain audio content to be scanned.



19024	Roomworks plugin stops working after a while (if very extreme parameter values are set).	Avoid using very extreme parameter values like e.g. Reverb Time = minimum / Room Size = maximum value.
18992	Surround Panners are being reset when channels settings are copy / pasted to other channels.	Manually re-adjust the panning after you have copied channel settings.
18728	MMC Track Arming state is not remembered after machine was set "offline" once.	Check Track Arming status on the machine if you have set it OFFLINE for a while.
18690	Copy / Paste between projects doesn't work right with Folder parts (they end up at 00:00:00:00 instead of their origin position.	Unpack audio events from their folders before copying them to another project.
18561	In some cases, depending on the ASIO buffer size, the MIDI Plugin "Step Designer" may cause monophonic instruments to play unintended "Glides".	Put MIDI Plugin "TrackFX" after the Step Designer and set "length compression" e.g. to 20/21.
18525	Media Bay stops scanning (hangs) when there are corrupted media files (mainly video) in the folder.	Please make sure there are no corrupted files in the folders you scan.
18502	Factory Loops from Sequel play out of sync in projects which are not in 44.1 kHz sample rate.	To use Sequel Loops in non-44,1 kHz projects, proceed as follows:  1. "Save project to new folder"  2. Select all Loops in the Pool and uncheck "Straighten Up".  3. Use "Conform Files" from the Media menu.  4. Select all Loops in the Pool and enable "Straighten Up" again.
18482	Projects and exported tracks from Nuendo 4 cannot be loaded in Nuendo 3.	For exchanging audio with Nuendo 3 users, use OMF, AAF or AES31 instead.
18458	For some reason the Guitar Symbols at Score Editor/Settings/Project/GuitarLib. are missing, although present in Sequencer-folder.	Copy GuitarLib.xml manually from: C:\Program Files\Steinberg\Nuendo 4\Presets to C:\Program Files\Steinberg\Nuendo 4
18398	The visible note range in parts for Drum Tracks is only A0 - D#5.	For using the Drum Editor, do not use notes outside this range.
18314	Dragging plugins from stereo to mono channels may cause problems (missing channels, garbled sound)	If possible, reinstantiate the plugin rather than dragging between stereo / mono channels.
18224	Long waiting time before Audio Export Mixdown starts to render ("not responding"). Happens with projects that carry a large number of Tempo Changes. In some cases this may take several minutes.	Please wait until the Audio Export begins.
18160	Crackling during playback and unsatisfying performance on 8 Core CPU computers.	8 core CPU's currently shouldn't be used at very small buffer sizes. Please increase the ASIO buffer size.
18003	When plugins are dragged between insert slots while "Constrain Delay Compensation" is turned ON, problems with the plugins might occur. This applies to plugins that introduce a delay, such as e.g. UAD.	Turn "Constrain Delay Compensation" OFF before dragging plugins between insert slots.
17916	5.0 AIFF file causes error message on Import "Sorry, this input configuration is unknown or not supported". This is because AIFF files do not write the channel configuration to the file.	Export Files with other Channel-widths than mono or stereo as Broadcast Wav or import AIFF files as split channels.
17721	In lane mode, if a part under another part is muted, all un-muted audio above that part is silenced as well.	Switch Preference "Treat muted events like deleted" off.
17392	QuadraFuzz, Multiband Compressor and maybe some others will crash on Intel Macs after closing their editors.	Use native alternatives.
17349	Calculated Slices are related to the whole audio file. This may lead to mismatch to the project after slice and close.	Bounce Selection before calculating Hitpoints, slice and close.
17218	Some Cinepak encoded QuickTime videos crash Nuendo.	This is a bug in the current version of QuickTime (7.2 and before). Apple is informed about it and should fix this in an update to QuickTime.
		Close folder tracks before using selection commands.



	parts	
16904	Adjustments made on a remote controller affect real-time audio mixdown.	Don't make adjustments on the remote controller during real-time audio mixdown.
16898	Possible incompatibility with GRM Tools dongle, might cause Blue Screen when plugins are initialized.	Get GRM Tools dongle driver update.
16893	Tracks with monitor on (manual) are not included in export audio mixdown.	Turn input monitoring OFF before exporting.
16876	[Mac only] Tempo Browser: copy/paste function doesn't work for multiple Time Signature Events.	Time Signature Events have to be copied individually.
16871	Time Stretch Tool does not work on very short clips.	Bounce longer clips before time stretching.
16827	Long recordings with AIFF, WAV, BWAV and SDII, which exceed the largest possible recording file supported by these file formats, will result in damaged recorded files.	If you consider making recordings with a duration longer than 4 hours in mono or longer than 1 hour in 5.1, select the WAV64 file format for recording in the project settings.
16675	Deactivating a "DirectMusic MIDI In" port results in complete loss of all "DirectMusic Midi In" ports.	Activating any "Direct Music In" cures the situation.
16674	Adding a very high number of tracks (audio or MIDI) at once can cause temporary unresponsiveness of the program.	Add less tracks at once, e.g. groups of 20 tracks each.
16672	If audio offline process is opened by a command from a remote, Preview doesn't work.	Use a regular key command instead to open offline process.
16671	MIDI panning in the inspector doesn't work with A1 VSTi. Regardless of panning movements to left, right etc. the sound from A1 comes from the centre all the time.	Use audio output panning instead.
15630	Very small audio fades (only a few samples long) may cause clicks.	Increase audio fade length.
15625	MPEX Time stretch (Offline Processing): If portions of a clip are stretched, sometimes there are audible artefacts occurring at the end of the stretched range. Sounds like parts of the processed clips are repeated.	The stretched part must be manually trimmed afterwards so that the "repeating" sound isn't audible anymore.
15203	Audio Recording might fail if individual track recording folders were used and the record disk (e.g. Firewire Device) has been removed.	Re-assign track record folder before continuing recording.
15102	Wrong MTC is sent If Preroll is used and you START from 00:00:00:00 using 29.97 fps	Set projects with NTSC frame rate to a project start time of 00:00:00:00.
14790	Video for Windows or QuickTime video player are not able to play back Windows Media Video files.	Choose DirectShow Video player in Device Setup to play back Windows Media Video files.
14538	Waves plugins crashes in Nuendo 4.	Waveshell 5.0.3 is required for Nuendo 4.
14442	While plug-ins Double delay or Mod Delay are in front, Nuendo may crash if the arrow keys are used (Mac OS X only)	Close these plug-ins or switch to project window before using the arrow keys.
14346	Media Bay Scope Window cannot display the Waveforms of SDII audio files.	If you need to work with files that are still in SDII format, please consider converting them to AIFF to make them compatible with the MediaBay.
14283	Nuendo does not show installed Rewire devices on Mac PPC computers.	Install the last Rewire Library. This should be installed with last versions of Rewire devices like actual Reason version.
14252	In previous version of Nuendo, Halion2 has been automatically replaced by a Halion3 during loading a project. This does not work in Nuendo 4.	Save your old projects with Halion3 assigned before loading them into Nuendo 4.
14096	Some Scrolling functions do not work properly if an Apple Mighty Mouse is used.	This cannot be fixed inside the program, Apple OS is controlling the mouse commands. If you experience scrolling problems, a "normal" USB mouse should be used instead.
14051	On some VST Instruments (VST2 Standard, e.g. Native Instruments), the wrong Preset name is displayed after a preset was	Please await Plugin Update.



	changed. The sound actually changes correctly.	
13938	Offline Processing (e.g. Time stretch) may fail or crash if the processed files have extremely long filenames or names containing special characters.	Check the files you import for strange naming before Offline Processing.
13873	Mixer (Extended view) Title Bar is outside the screen. (Mac dual monitor Setups only)	Put Mixer in un-extended state and move it to a lower place on the screen and then extend it again.
13838	OMF created in Cubase 4 or Nuendo 4 cannot be loaded in Logic 7.1 or 7.2 (Logic crashes).	Use the OMF 1.0 export option. (Await Logic maintenance Update.)
13745	MIDI) Recording sometimes fails (abortion or freeze) when using MIDIMan (M-Audio) MIDISport 8x8 MIDI interface with the default Windows MIDI Driver.	You need to use the DirectMusic MIDI ports which are invisible by default. Please refer to the MIDI_Port_Filter_EN.pdf on the installation disk.
13507	Some Sound Presets of HALion ONE might take up more CPU than available and sound crackled.	Be careful with playing to many voices of certain sounds with long sustain phases and high amount of effects.
13324	MediaBay might encounter problems if System Hard Disks are being scanned.	Prefer scanning dedicated media disks.
13306	Plugin IK Multimedia Amplitube version 1 causes crash.	Use version 2 of IK Multimedia Amplitube.
13276	if MIDI track inside (closed) folder track is unfreezed, that MIDI track will still be frozen and nothing can be done to fix the state.	Repeat un-freeze with the folder track in unfolded state.
13200	Some MP3 files may fail to play correctly in Project Context (Media Bay)	Prefer working with uncompressed audio files (WAV, AIFF)
13166	Cannot delete font sets	You can delete a font set by selecting it from the menu while holding down <strg>PC or <command/>Mac</strg>
12867	MediaBay doesn't automatically recognize if files have been altered, moved, added or deleted in the finder. (Mac only)	Manually force a re-scan.
12790	Exporting as wave file creates stereo wave files with ".dts" extension instead of ".wav"	After export, manually rename the files to ".wav".  PC: if file extensions are not visible (hidden) on your system, localize exported file and right-click it to open context menu.  Select "Properties" now replace ".dts" with ".wav" and click "ok" .  MAC: localize exported file and ctrl+click on it. Select "Get Info" and change the file extension ".dts" to ".wav". Press enter and confirm with "Use .wav".
12715	MediaBay: Sometimes, files with customized attributes (attributes created by the user), can not be found by the Detail Search.	The tagged files should at least once have been selected and viewed in the Tag Editor in "all (attributes)" mode.
12690	MediaBay: REX files can not be previewed in project context.	Unfortunately REX files don't allow playing in context.
12163	Amp Simulator plugin sums stereo signal to mono.	This is normal, it's a mono amp.
11811	If audio tracks are linked, engaging REC might not cause all tracks to record.	Check the preference "Enable Record on Selected Track".
11795	On certain systems with Intel Hyper Threading technology Nuendo 4 might freeze under heavy load.	Please deactivate Hyper Threading.
11606	Incompatibility with presets of older version of BFD plugin.	Make sure to use the current version of BFD plugins.
11600	Switching the ASIO / Core Audio buffer size can cause a system freeze when certain plugins (e.g. Waves RVox) when the plugins are active but in Bypass mode.	It's recommended to set the ASIO buffer size with no project loaded.
11543	REX2 files cannot be copied from MediaBay into the project.	Use the function "reveal in finder (explorer)" and drag the audio file from there into the project.
11439	Sound Designer II files get corrupted when used with the Network Collaboration feature.	Convert any SD II file to WAV or AIFF.
11430	Studio Manager MIDI ports will not be recalled correctly when loading a Cubase SX or Nuendo 3.x project into Nuendo 4.	You need to assign the proper MIDI ports manually again in the Studio Manager.



		I
11407	Copy / pasting parts between folder-parts doesn't always work right.  Pasted parts are not aligned correctly.	When copy / paste of complex part arrangements is required, try to avoid pasting into existing folder parts.
11381	BFD plugins: Sounds may be cut when Freezing Instruments channels.	If possible, use small ASIO buffer sizes before freezing BFD plugins channels.
11377	If Media Bay window is in "always on top" mode, commands executed in the project window (e.g. "delete") will affect selected files in the Media Bay browser.	To avoid this danger, don't set Media Bay window to "always on top".
11279	Incompatibility with projects created in Cubase SX 1.x. Plugin settings are not restored correctly.	You have to manually reload and adjust the plugins in Nuendo 4.
11274	Arpache SX doesn't sound smooth when ASIO buffer size is very large.	Reduce ASIO buffer size.
11186	Possible VST System Link synchronisation problem when the same port is used for both audio and VST System Link.	Run VST System Link through dedicated audio (separate from audio) port if this occurs.
11121	VST Connection Presets don't restore ASIO ports correctly if "not connected" ports are involved.	Either assign the VST connection busses to existing ports, or remove unused busses.
11073	9 Pin machine control does not work using the RS422 port of Blackmagic Decklink video cards (Windows only).	Use the built-in RS232 port using a RS232 / RS422 adapter. For accurate synchronisation a dedicated Machine Control / Sync device such as the Steinberg Sync Station is recommended.
11065	Retrospective Record: If a single Midi Input Port is selected, events from all parts are still stored.	Make sure the unselected MIDI Ports to not play unintended data.
10836	Generating Video Cache file doesn't work if the Video Player method was changed during a project.	Delete the Video Cache file manually and try again.
10823	Events can get slightly dislocated (few samples) after Pitch Shift with MPEX algorithm.	Use another algorithm if processed range is timing-critical.
10799	[Mac only] Performance / Playback problem due to sample rate mismatch between Nuendo and the audio card.	If your audio interface is clocked externally (e.g. via Word Clock), Nuendo might not take notice of sample rate changes (e.g. from 48 KHz to 44.1 KHz), which will disturb the audio playback. Make sure the sample rate is properly set in the Project Setup.
10772	Some audio files cannot be found when importing Open TL - file.	If you want OpenTL file to be used in Nuendo later on, make sure not to choose a directory path in the Media Destination field when you export the file.
10767	Some plugins based on UVIEngine are not synchronic when used with Nuendo	Wait an update of these plugins.
10728	Available Record Time isn't re-calculated correctly when tracks have been assigned to another Record Folder on another disk.	Rec disable / enable to update display
10660	Some sounds of the Prologue synth may sound slightly different on Mac (Intel) and PPC computers.	When porting projects using the between Mac (Intel) and PPC computers you might need to have to readjust some synth settings.