

Inspiring Great Spaces®



2017

PROPERTY MANAGEMENT  
AND MULTIFAMILY

YOUR PARTNER IN FLOORING

# THE ARMSTRONG FLOORING ADVANTAGE

A floor is only as sound as the company behind it.

How many floor companies can claim over 150 years of experience, quality and innovation with a world-class brand as its foundation?

Only one. Only Armstrong Flooring.

As the leader\*\* in resilient and hardwood flooring solutions, Armstrong Flooring is THE choice for busy property managers:

- Reliable availability with RSL (Recommended Style Lists) in every category
- Durability of products, which means more turns, longer life cycle and overall less cost to you
- Superb quality and realistic, beautiful designs means your floors are desirable to your residents and will help you rent units faster
- Strong product technology that allows for quick and easy repairs when needed for better damage control
- Large selection of products means a price point for every budget

This catalog represents only a portion of the Armstrong Flooring product portfolio. Please contact your local sales representative or go to [www.armstrongflooring.com](http://www.armstrongflooring.com) for additional product selections.

## SUSTAINABILITY AND COMMUNITY INVOLVEMENT

Armstrong Flooring has a total of 14 manufacturing facilities here in the US. Armstrong Flooring Corporate Headquarters is the first building in Pennsylvania, and among only 17 buildings globally, to achieve recertification at the highest level possible under USGBC's LEED rating system. For more information, go to [www.armstrongflooring.com/flooring/sustainability](http://www.armstrongflooring.com/flooring/sustainability).

### Engineered Stone

Alterna® Engineered Stone is Floor Score Certified. Armstrong Flooring does not use ortho-phthalates in our engineered stone products. Alterna® contains minimum 40% pre-consumer recycled content.

### Luxury Flooring, Vinyl Tile and Vinyl Sheet

Armstrong® vinyl sheet and LVT are FloorScore® Certified. Products with FloorScore certification are guaranteed to meet or exceed low emission standards, will not adversely affect indoor air quality and have passed a third party certification process. Armstrong Flooring does not use ortho-phthalates in our luxury flooring, vinyl tile and vinyl sheet products.

### Hardwood

Armstrong Flooring is CARB II compliant and Lacey Act compliant. FSC Certified hardwood is available from Somerset, KY and Beverly, WV manufacturing facilities. All engineered hardwood is Floor Score certified.

### Laminate

Armstrong laminate products meet the CARB Phase II requirements for emissions and is certified through NALFA and Floor Score.

BRAND LEADER  
**Builder**  
2016



Armstrong recycles LVT and VCT.  
Visit [www.armstrong.com/reclaim](http://www.armstrong.com/reclaim)



Floor Score is a trademark of the Resilient Floor Covering Institute. LEED is a trademark owned by the United States Green Building Council.

\*This product is recyclable through the Armstrong Floor Recycling Program and may be subject to limitations based on site conditions and minimum quantity requirements. To learn more visit: [www.armstrongflooring.com/reclaim](http://www.armstrongflooring.com/reclaim).

\*\*Hanley Wood Brand Leader Study 2016



Exclusive Flooring Partner





FLEXSTEP™ VALUE  
BEDROCK RIDGE™  
G9060 Brown Sugar

# TABLE OF CONTENTS

**The Armstrong Flooring Advantage**

Why Armstrong Flooring in Property Management? .....2

Environmentally Responsible. ....2

**Products**

**Engineered Stone (groutable), Luxury Flooring, LVT and Vinyl Tile** ..... 4-22

- The beauty of stone and wood combined with ease of care
- Tiles and planks for quick installation and easy repairs
- A full array of performance levels and warranties to meet all needs

Tile Accessories. ....8

**Vinyl Sheet.** ..... 23-37

- Diverse and popular visuals featuring stones, woods, textiles and graphic patterns
- Choose from full glue and modified loose-lay installation options
- ToughGuard® and ToughGuard® II, structures provide superior wear durability

**Hardwood** ..... 38-47

- The most popular hardwoods in solid and engineered construction
- Selections feature the quick, easy and glueless Lock&Fold® installation system
- Largest assortment of hand-scraped designs on the market today

Hardwood Accessories. ....47

**Laminate** ..... 48-57

- Offering a full array of realistic and beautiful designs
- Selections feature Lock&Fold® and glue down installation options
- VisionGuard® surface protects against stains, fading and wear through

Laminate Accessories. ....57

**Resources**

Recommended Adhesives. ....58

Care and Maintenance. ....58



# ENGINEERED STONE (GROUTABLE), LUXURY FLOORING AND VINYL TILE

When you explore the benefits of engineered stone, luxury flooring and vinyl tile, you'll discover a floor that's easy to maintain and performs beautifully in high-traffic and high-moisture areas. These durable flooring choices come in a variety of visuals which mimic the beauty and texture found in natural stone, ceramic, and hardwood. Installation options range from full-spread adhesive and basic peel and stick to proven floating systems. Since individual tiles or planks can easily be replaced without ruining the integrity of the floor, repairs are quick and inexpensive – ultimately saving you time and money.

## ALTERNA® Engineered Stone

**The perfect choice over stone, ceramic and porcelain — beautiful and durable like stone yet, warmer to the touch, kinder to your feet and easier to care for.**

Only Alterna® tiles combine durable engineered stone construction with nature-inspired designs to create a floor that offers the ideal balance of beauty, comfort, durability and easy care.

- Stunningly realistic – with up to 32 unique visuals in each design
- Wood designs enable Alterna to be used throughout the home – family rooms, great rooms, dining rooms and bedrooms'
- Dimensional stability – tiles can be installed in areas with direct sunlight such as temperature controlled sunrooms and inside sliding glass doors
- Numerous designs offer multiple shapes & sizes for unique patterns; Kits are available
- Waterproof tiles – perfect for kitchens, baths, basements and laundry rooms
- Easy-to-clean surface repels stains and soil, while the stain-resistant grout requires no sealing
- Installs anywhere – can be installed over minor subfloor irregularities without the risk of cracking and installs in about half the time of ceramic tile
- Installation – can be glued down directly to the subfloor with S-288 adhesive or floated using S-1841 Quiet Comfort™ Floating Underlayment
- Walls: Alterna® Engineered Stone for the wall is tested in accordance with ASTM E 84 and approved for Residential and Class C Commercial Uses. Class C= 76-200 Flame Spread

Made in the USA 

Alterna® floors are manufactured in Kankakee, Illinois and feature more than 90% domestic content.



ALTERNA® Reserve  
Grain Directions D5365 Antiqued Ivory  
Historic District D5350 Blanched Mist and D5355 Reclaim Bay  
(8" x 16" tile shown), Grout – E5 Gypsum

**GOOD  
DESIGN**



ALTERNA® Reserve  
Historic District D7345 Farmhouse Linen  
(12" x 24" tile shown), Grout – D4 Mushroom

# ALTERNA® RESERVE and ALTERNA® Engineered Stone

- Extensive collection with tile-to-tile variation- includes contemporary and authentic slate, marble, terracotta, travertine, wood, metal, linen and concrete inspired designs
- Wear Layer: Advanced nano-particle aluminum oxide wear surface
- Installation: Dry back tile can be glued down directly to the subfloor with S-288 adhesive or floated using S-1841 Quiet Comfort™ Floating Underlayment
- Warranty: Lifetime Limited Residential, 5-year Limited Light Commercial

## ALTERNA® RESERVE HISTORIC DISTRICT



Farmhouse Linen\*  
12" x 24" – D7345



Blanched Mist\*  
12" x 24" – D7350



Reclaim Bay\*  
12" x 24" – D7355



Past Perfect Kit  
12" x 24" – D7360  
8" x 16" – D5360  
(Even blend of all Historic District skus)



Farmhouse Linen:  
Opus Pattern Kit  
16" x 16", 8" x 16", 8" x 8" – D8345



Blanched Mist:  
Opus Pattern Kit  
16" x 16", 8" x 16", 8" x 8" – D8350



Reclaim Bay:  
Opus Pattern Kit  
16" x 16", 8" x 16", 8" x 8" – D8355

### PREMIUM

#### 16" x 16" TILES

- 4.06 mm
- 24.89 Sq. Ft. per Carton
- 18 Cartons per Pallet

#### 12" x 12" TILES

- 4.06 mm
- 24 Sq. Ft. per Carton
- 30 Cartons per Pallet

#### 12" x 24" TILES

- 4.06 mm
- 24.13 Sq. Ft. per Carton
- 30 Cartons per Pallet

#### 8" x 16" TILES

- 4.06 mm
- 21.17 Sq. Ft. per Carton
- 30 Cartons per Pallet

#### 8" x 8" TILES

- 4.06 mm
- 10.5 Sq. Ft. per Carton
- 60 Cartons per Pallet

## ALTERNA® RESERVE GRAIN DIRECTIONS



Antiqued Ivory\*  
12" x 24" – D7365



Tobacco Etch\*  
12" x 24" – D7370



Heirloom Greige\*  
12" x 24" – D7375



Heritage Creations Kit  
12" x 24" – D7385  
8" x 16" – D5385  
(Even blend of all Grain Directions skus)



Antiqued Ivory:  
Opus Pattern Kit  
16" x 16", 8" x 16", 8" x 8" – D8365



Tobacco Etch:  
Opus Pattern Kit  
16" x 16", 8" x 16", 8" x 8" – D8370



Heirloom Greige:  
Opus Pattern Kit  
16" x 16", 8" x 16", 8" x 8" – D8375

## ALTERNA® URBAN GALLERY




High-rise Neutral  
12" x 24" – D7118



Gallery Gray  
12" x 24" – D7117



Brownstone  
12" x 24" – D7116



Loft Gray  
12" x 24" – D7119

\* See [www.armstrongflooring.com/alterna](http://www.armstrongflooring.com/alterna) for additional sizes

# ALTERNA® Engineered Stone

## ARTISAN FORGE



Polished Pewter\*  
16" x 16" – D4193



Golden Glaze\*  
16" x 16" – D4194




Iron Ore\*  
16" x 16" – D4195



Silver Shimmer\*  
16" x 16" – D4196

## ENCHANTED FOREST



Night Owl\*  
12" x 24" – D7197



Tender Twig\*  
12" x 24" – D7198



Forest Fog\*  
12" x 24" – D7199



Hint of Gray\*  
12" x 24" – D7176

## REGENCY ESSENCE



Hint of Gray\*  
12" x 24" – D7175

## MESA STONE



Beige\*  
16" x 16" – D4106  
12" x 24" – D7106



Light Grey\*  
16" x 16" – D4113  
12" x 24" – D7113



Chocolate\*  
16" x 16" – D4109  
12" x 24" – D7109



Canyon Shadow\*  
16" x 16" – D4110  
12" x 24" – D7110



Field Stone  
16" x 16" – D4115  
12" x 12" – D2115

## DURANGO



Bleached Sand\*  
16" x 16" – D4157  
12" x 12" – D2157



Clay  
16" x 16" – D4159  
12" x 12" – D2159



Cream  
16" x 16" – D4155  
12" x 12" – D2155



Buff  
16" x 16" – D4158  
12" x 12" – D2158



Deep Gold  
16" x 16" – D4156  
12" x 12" – D2156

## MULTISTONE



Caramel Gold\*  
16" x 16" – D4123  
12" x 12" – D2123



Cream  
16" x 16" – D4122  
12" x 12" – D2122



Crème Fresh  
16" x 16" – D4137  
12" x 12" – D2137



Caramel  
16" x 16" – D4136  
12" x 12" – D2136



Taupe/Gray  
16" x 16" – D4135  
12" x 12" – D2135

## LA PLATA

Use Armstrong® S-288 for full spread floor installations or for walls and Armstrong® S-693 Pre-mixed Sanded Acrylic Grout.  
Use S-1840 Quiet Comfort Underlayment for sound reduction or S-1841 Underlayment for floating installation.  
Restrictions and complete instructions available at [www.armstrongflooring.com/alterna](http://www.armstrongflooring.com/alterna)

\* See [www.armstrongflooring.com/alterna](http://www.armstrongflooring.com/alterna) for additional sizes



## ALTERNA® Patterns

The multiple sizes and shapes available in many Alterna® collections allow you to express your personal style with a unique pattern installation. Even a subtle adjustment – like installing on an angle to create a diamond pattern or staggering the tiles like bricks – can dramatically change the look of your room.

### FOR PATTERNED INSTALLATIONS:

- ❶ Calculate the square footage of the room
- ❷ Add 10% overage to the total
- ❸ Reference the pattern guides below to calculate the percentage of each tile size to purchase


### EXAMPLE: Installing a Windmill pattern in a 20' x 20' room

$$20 \times 20 = 400 + 10\% = 440 \text{ sq ft total}$$


$$440 \times 89\% = 392 \text{ sq ft of } 8'' \times 16'' \text{ tiles}$$

$$440 \times 11\% = 48 \text{ sq ft of } 8'' \times 8'' \text{ tiles}$$


### SINGLE TILE PATTERNS | The following patterns can be created using a single Alterna tile size.




Staggered Brick  
16" x 16", 12" x 12", 12" x 24", 8" x 16" or 8" x 8" 100%



Diamond  
16" x 16", 12" x 12" or 8" x 8" 100%




Basketweave\*  
8" x 16" or 12" x 24" 100%




Herringbone  
8" x 16" or 12" x 24" 100%


### TWO-TILE PATTERNS | Using two different shapes or sizes of Alterna tiles allows you to create more intricate patterns.




Random Coursed  
12" x 24" or 8" x 16" 67%  
12" x 12" or 8" x 8" 33%



Windmill\*  
12" x 24" or 8" x 16" 89%  
12" x 12" or 8" x 8" 11%




Hopscotch  
12" x 12" 36%  
16" x 16" 64%




Whispered & Regency Essence  
Herringbone  
12" x 24" - D7176 65%  
12" x 24" - D7175 35%


### THREE-TILE PATTERNS | The most sophisticated patterns combine three shapes and sizes of Alterna tiles.



3-Way Opus\*  
16" x 16" 57%  
8" x 16" 29%  
8" x 8" 14%



Trellis\*  
16" x 16" 45%  
8" x 16" 44%  
8" x 8" 11%



Enchanted Forest  
Random Herringbone\*\*  
8" x 16" - D5197 40%  
8" x 16" - D5198 40%  
8" x 16" - D5199 20%

\*Select patterns require a 1/8" grout line for installation.

\*\*Pattern is random. Recommend performing a dry layout of tiles prior to adhering.

ALTERNA® Reserve Grain Directions  
(Three 3-way Opus Pattern Kits mixed together)  
D8365 Antiqued Ivory Opus Pattern Kit  
D8370 Tobacco Etch Opus Pattern Kit  
D8375 Heirloom Greige Opus Pattern Kit (tiles shown)  
Grout – B2 Smoke  
3-Way Opus Pattern Kits and Design Kits available (see page 5)



# ALTERNA® Accessories

## Quiet Comfort™ Underlayments

### S-1840 Luxury Flooring Underlayment

- Use for superior noise reduction of through-the-floor and in-room noise

### S-1841 Floating Underlayment

- Use to create a floating installation and to reduce subfloor preparation

### Both underlayment products are:

- Recommended for use with Alterna® engineered stone flooring
- Suitable for grouted and non-grouted installations
- Easy to install
- Made in the USA with global and domestic content
- Warranted for the life of the Alterna® engineered stone flooring



S-1841



ALTERNA® Reserve Historic District  
D7360 Past Perfect Kit (12" x 24" tile shown),  
Grout – F6 Driftwood

## The Finishing Touch Coordinating Multi-Purpose & Stairnose Trim

- Matching trim for all Alterna® designs
- Multi-Purpose trim provides a seamless look when transitioning from Alterna® engineered stone to another flooring surface
- Stairnose trim finishes the edges of stairs, step downs or landings



## ALTERNA® COORDINATED GROUT

### WARM TONES

E5 Gypsum	Gal:693408E	Qt:693124E
I9 Sea Shell	Gal:693408I	Qt:693124I
F6 Driftwood	Gal:693408F	Qt:693124F
L12 Corn Silk	Gal:693408L	Qt:693124L
C3 Sandalwood	Gal:693408C	Qt:693124C
G7 Cocoa	Gal:693408G	Qt:693124G

### COOL TONES

A1 Glacier	Gal:693408A	Qt:693124A
J10 Mist	Gal:693408J	Qt:693124J
K11 Silver Cloud	Gal:693408K	Qt:693124K
B2 Smoke	Gal:693408B	Qt:693124B
D4 Mushroom	Gal:693408D	Qt:693124D
H8 Shale	Gal:693408H	Qt:693124H

**Note:** Due to printing limitations please use only the Alterna® grout card (F-8241) to select grout. Any grout printed in this brochure is for reference only.  
See [www.armstrongflooring.com/alterna](http://www.armstrongflooring.com/alterna) for grout recommendations.



# PRYZM™ Luxury Flooring

- 100% Waterproof\* planks, ideal for high moisture areas including kitchens, bathrooms and basements
- Innovative reinforced thermoplastic core enables a smooth transition over sub floor irregularities
- Acoustical cork underlayment backing – ASTM E90 (STC Rating of 63), ASTM E492 (IIC Rating of 69)
- Award winning MasterWorks Technology® creates the clearest images, most vibrant colors and most realistic designs
- Commerical VisionGuard® with AC4 wear layer protects against scratches, spills, dents, stains, fading and wear-through
- No acclimation required before installation
- Spans larger areas before needing a transition strip for a faster, more beautiful installation\*\*
- Ultimate dent resistance - withstands the heavy weight of appliances and furniture, and daily impact from kids' cleats to high heels

## PREMIUM

### PLANK SIZES

4'5/7" x 48", 5" x 48",  
6" x 48", 7" x 48"  
Planks per carton  
4'5/7" x 48" (22.47 sq ft),  
5" x 48" (19.97 sq ft),  
6" x 48" (22.63 sq ft),  
7" x 48" (21.72 sq ft)

### OVERALL THICKNESS

6.5" mm thick

### WEAR LAYER

AC4

### BACKING

Acoustical cork

### WARRANTY

- Com: 15-year Limited
- Res: Lifetime Limited



Elements of Heritage – Vintage Multi  
PC020 (4.3", 5.6" & 7" width planks)



Antiqued Oak – Natural PC003  
(5" width planks)



Maritime – Weathered Gray PC007  
(5" width planks)



Exotic Woodgrain – Reclaimed Gray  
PC009 (5" width planks)



Azure Sea – Blue Gray PC011  
(5" width planks)




Waterfront – Pier Brown PC013  
(5" width planks)



Treeline Hickory – Amber PC006  
(5" width planks)



Waterfront – Sky Blue PC012  
(5" width planks)



Coastal Concrete – Seascape Gray  
PC010 (5" width planks)



Native Acacia – Golden PC005  
(5.7" width planks)



Forest Treasure – White PC017  
(5.7" width planks)



Forest Treasure – Brown PC019  
(5.7" width planks)



Vintage Chestnut – Antique Natural  
PC002 (5.7" width planks)



Forest Treasure – Gray PC018  
(5.7" width planks)



Artisan Floorboard – Light Brown  
PC004 (5.7" width planks)



Salvaged Plank – White PC001  
(6.6" width planks)



Brushed Oak – Brown PC015  
(6.6" width planks)



Gray's Beach – Driftwood PC008  
(6.6" width planks)



Brushed Oak – Tan PC014  
(6.6" width planks)



Brushed Oak – Gray PC016  
(6.6" width planks)

\*When exposed to water PRYZM planks will not swell, buckle or lose integrity. See warranty for details.

\*\*T-moldings must be used between rooms or in areas larger than 80' (24.38 m) across plank length or wider than 52' (15.85 m) across plank width.

## PARALLEL® 12/20

Parallel® 20 & Parallel® 12 Luxury Flooring provides a design solution where low maintenance, simple installation and easy repair are preferred. This Collection works well together when adjacent spaces require multiple performance options using the same design visuals or independently for commercial (20 mil) and light commercial (12 mil) applications.




Pacific Coast Highway  
12" x 24" – J6122 20 mil  
12" x 24" – J6222 12 mil




Mulholland Drive  
12" x 24" – J6118 20 mil  
12" x 24" – J6218 12 mil



La Jolla Drive  
12" x 24" – J6116 20 mil  
12" x 24" – J6216 12 mil



Catlina Sand  
12" x 24" – J6117 20 mil  
12" x 24" – J6217 12 mil



Redondo Beach  
12" x 24" – J6119 20 mil  
12" x 24" – J6219 12 mil



Silver Sur  
6" x 48" – J6129 20 mil  
6" x 48" – J6229 12 mil




Huntington Pier  
6" x 48" – J6124 20 mil  
6" x 48" – J6224 12 mil



Yosemite Bear  
6" x 48" – J6127 20 mil  
6" x 48" – J6227 12 mil



Trunk of Tahoe  
6" x 48" – J6125 20 mil  
6" x 48" – J6225 12 mil



Rose Parade  
6" x 48" – J6123 20 mil  
6" x 48" – J6223 12 mil



Patina LA  
6" x 48" – J6104 20 mil  
6" x 48" – J6204 12 mil



Mill Valey  
6" x 48" – J6107 20 mil  
6" x 48" – J6207 12 mil



Los Angelimed  
6" x 48" – J6130 20 mil  
6" x 48" – J6230 12 mil



Argent CRV  
6" x 48" – J6103 20 mil  
6" x 48" – J6203 12 mil

### BETTER

#### SIZES

12" x 24"  
(304.8 mm x 609.6 mm)  
6" x 48"  
(152.4 mm x 1219.2 mm)

#### OVERALL THICKNESS

(nominal)

- 20 mil: 2.5 mm / 0.100"
- 12 mil: 2.0 mm / 0.080"

#### WEAR LAYER

- 20 mil: 0.5 mm / 0.020"
- 12 mil: 0.3 mm / 0.012"

#### MAINTENANCE

Durable performance in a truly, low maintenance flooring solution. No polish required.

#### WARRANTY

- 20 mil: 10-year limited warranty
- 12 mil: 5-year limited warranty

## LUXE PLANK® with FasTak™ Installation

### NATURALLY INSPIRED. PRACTICALLY DESIGNED.

Luxe Plank® flooring offers a variety of remarkably realistic designs, brought to life with brilliant colors and authentic textures

- 100% waterproof\* planks – perfect for baths, kitchens, basements and laundry rooms
- Tough commercial grade surface resists scratches, stains and wear, makes cleanup easy
- Unlike ordinary luxury vinyl floors – Luxe Plank with FasTak Installation flooring is structurally reinforced to resist rips, tears and gouges caused by appliances, furniture and active households.

### The Quickest & Easiest Installation Available – Simply position and press into place

- No glue, no pads, no special tools needed
- Planks install smoothly over most existing hard surface floors
- Practically mistake proof; self adhering planks are repositionable during installation, then bond tight with no drying time
- Repairs easily, individual plank/tiles can be quickly replaced without affecting the rest of the floor or damaging the subfloor



\*When exposed to water Luxe Plank® tiles/planks will not swell, buckle or lose integrity. See warranty for details.



## LUXE PLANK® with Rigid Core Technology

VISUALLY STUNNING DESIGNS FOR ANY ROOM AND AN IDEAL SOLUTION FOR UNEVEN SUBFLOORS.

Luxury vinyl planks and tiles integrated with a rigid composite core and an acoustic underlayment create a highly durable, waterproof\* floor.

- 100% Waterproof\* Planks — perfect for baths, kitchens, basements and laundry rooms
- Durable — thick, rigid composite core hides minor subfloor irregularities and can span large areas without expansion strips
- Dimensionally stable — no acclimation required prior to installation
- Quiet — cork back reduces sound transmission
- Easy to clean & long-lasting — durable wear layer and factory-applied coating means floor resists scratches, stains and wear, making clean up easy
- Warranty — 30-year limited residential / 10-year limited commercial



### Luxe Plank® with Rigid Core Technology

Rigid stable core with cork back reduces noise transmission and masks minor subfloor issues minimizing prep before installation. Saves time and money by eliminating the need for acclimation and expansion strips.

\*When exposed to water Luxe Plank® tiles/planks will not swell, buckle or lose integrity. See warranty for details.

# LUXE PLANK® with FasTak™ Installation or Rigid Core Technology

● LUXE PLANK® with FasTak™ Installation

● LUXE PLANK® with Rigid Core Technology

Individual product numbers are color coded as above.

## LEXINGTON SLATE



Multi-Color  
● 18" x 18" – A6704



Sand and Sky  
● 12" x 24" – A6701  
● 12" x 24" – A6401



Sahara Beige  
● 12" x 24" – A6702  
● 12" x 24" – A6402

## PIAZZA TRAVERTINE



Dovetail  
● 12" x 24" – A6703  
● 12" x 24" – A6403

## COBBLE HILL



Butternut Beige  
● 18" x 18" – A6706

## TINLEY PARK



Cream  
● 18" x 18" – A6705

## LIMED OAK



Chateau Gray  
● 7.2" x 48" – A6714  
● 7.2" x 48" – A6414

## FARMHOUSE PLANK



Rugged Brown  
● 7.2" x 48" – A6715  
● 7.2" x 48" – A6415



Natural  
● 7.2" x 48" – A6717  
● 7.2" x 48" – A6417

## GROVELAND



Natural  
● 6" x 48" – A6709  
● 6" x 48" – A6409

## CONCRETE STRUCTURES



Gotham City  
● 6" x 48" – A6721  
● 6" x 48" – A6421



Soho Gray  
● 6" x 48" – A6722  
● 6" x 48" – A6422

## EMPIRE WALNUT



Flint Gray  
● 6" x 48" – A6711  
● 6" x 48" – A6411



Raven  
● 6" x 48" – A6720  
● 6" x 48" – A6420

## ORCHARD PLANK



Blonde  
● 6" x 48" – A6725  
● 6" x 48" – A6425

## PRIMITIVE FOREST



Falcon  
● 6" x 48" – A6723  
● 6" x 48" – A6423



Crimson Ash  
● 6" x 48" – A6724  
● 6" x 48" – A6424

## TIOGA TIMBER



Java  
● 6" x 48" – A6710  
● 6" x 48" – A6410

## TROPICAL OAK




Natural  
● 6" x 48" – A6712  
● 6" x 48" – A6412

## COUNTRYSIDE OAK



Gunstock  
● 6" x 48" – A6713  
● 6" x 48" – A6413

## ACACIA



Cinnabar  
● 6" x 48" – A6708  
● 6" x 48" – A6408



Natural  
● 6" x 48" – A6707  
● 6" x 48" – A6407

### BETTER

#### 6" x 48" PLANKS

##### FasTak™

- 4 mm
- 24 Sq. Ft. per Carton
- 60 Cartons per Pallet

##### Rigid Core

- 8 mm
- 27.39 Sq. Ft. per Carton
- 40 Cartons per Pallet

#### 7.2" x 48" PLANKS

##### FasTak™

- 4 mm
- 24.3 Sq. Ft. per Carton
- 60 Cartons per Pallet

##### Rigid Core

- 8 mm
- 28.5 Sq. Ft. per Carton
- 40 Cartons per Pallet

#### 12" x 24" TILES

##### FasTak™

- 4 mm
- 24 Sq. Ft. per Carton
- 33 Cartons per Pallet

##### Rigid Core

- 8 mm
- 28 Sq. Ft. per Carton
- 32 Cartons per Pallet

#### 18" x 18" TILES

- 4 mm
- 22.5 Sq. Ft. per Carton
- 52 Cartons per Pallet

# FINISHING TOUCHES: TRIM & UNDERLAYMENT

When you're making great spaces, the details make all the difference.

## Coordinating Multi-Purpose & Stairnose Trim

For every Luxe Plank® with FasTak™ installation and Luxe Plank® with Rigid Core floor style, there's a trim designed to match.

- Multi-purpose trim provides a seamless look when transitioning from luxury flooring to another flooring surface
- Stairnose trim finishes the edges of stairs, step downs or landings



## S-1840 Quiet Comfort™ Luxury Flooring Underlayment

Engineered to reduce sound and compensate for slight subfloor irregularities, Armstrong® Quiet Comfort™ underlayment is ideal for use with Armstrong LVT flooring. When used with Armstrong planks, it is warranted for the life of the luxury flooring.\*

\*30-year limited warranty when used with other manufacturers' luxury vinyl flooring.



Design Name	Color	FasTak™ Installation SKU	Rigid Core Technology SKU	Trim SKU	Stairnose SKU
Acacia	Natural	A6707 SA	A6407 L	A6707TRM	A6707STR
Acacia	Cinnabar	A6708 SA	A6408 L	A6708TRM	A6708STR
Cobble Hill	Butternut Beige	A6706 SA	N/A	A6706TRM	A6706STR
Concrete Structures	Gotham City	A6721 SA	A6421 L	A6721TRM	A6721STR
Concrete Structures	Soho Gray	A6722 SA	A6422 L	A6722TRM	A6722STR
Countryside Oak	Gunstock	A6713 SA	A6413 L	A6713TRM	A6713STR
Empire Walnut	Raven	A6720 SA	A6420 L	A6720TRM	A6720STR
Empire Walnut	Flint Gray	A6711 SA	A6411 L	A6711TRM	A6711STR
Farmhouse Plank	Rugged Brown	A6715 SA	A6415 L	A6715TRM	A6715STR
Farmhouse Plank	Natural	A6717 SA	A6417 L	A6717TRM	A6717STR
Groveland	Natural	A6709 SA	A6409 L	A6709TRM	A6709STR
Lexington Slate	Sand and Sky	A6701 SA	A6401 L	A6701TRM	A6701STR
Lexington Slate	Sahara Beige	A6702 SA	A6402 L	A6702TRM	A6702STR
Lexington Slate	Multi-Color	A6704 SA	N/A	A6704TRM	A6704STR
Limed Oak	Chateau Gray	A6714 SA	A6414 L	A6714TRM	A6714STR
Orchard Plank	Blonde	A6725 SA	A6425 L	A6725TRM	A6725STR
Piazza Travertine	Dovetail	A6703 SA	A6403 L	A6703TRM	A6703STR
Primitive Forest	Crimson Ash	A6724 SA	A6424 L	A6724TRM	A6724STR
Primitive Forest	Falcon	A6723 SA	A6423 L	A6723TRM	A6723STR
Tinley Park	Cream	A6705 SA	N/A	A6705TRM	A6705STR
Tioga Timber	Java	A6710 SA	A6410 L	A6710TRM	A6710STR
Tropical Oak	Natural	A6712 SA	A6412 L	A6712TRM	A6712STR



## LUXE PLANK® with Lynx® Technology Installation


### INSTALLATION IS AS EASY AS 1-2-3

STEP 1: Peel off the paper liner to expose the adhesive strip

STEP 2: Position the next plank over the exposed adhesive strip – pull up plank and reposition until perfect

STEP 3: Press down on the edges to secure

To trim, simply score a plank with a utility knife and straight edge and snap it apart. If you make a mistake, simply pull up the flexible Luxe Plank® flooring and reposition it within the set time without affecting the rest of the floor.



Peel



Position... and reposition



And Press

LUXE PLANK® is waterproof, and installs over most subfloor imperfections.



- No glue
- No special tools – just a utility knife and straight edge
- No floor preparation
- No room restrictions – waterproof and ideal for any room
- No waiting – walk on floors immediately

## LUXE PLANK® with Lynx® Technology Installation

- Incredibly realistic wood plank visuals in our most substantial 4.06 mm thickness are featured in a variety of traditional, exotic and distressed designs
- Advanced Urethane coating resists water and wear – ideal for high-traffic and high-moisture areas
- Floating planks with Lynx® Technology makes for an extremely quick and easy install
- Long 48" planks with beveled edges and ends are available in 6" or 4-1/2" widths for a more true-to-life hardwood look
- Lifetime limited residential / 10-year limited commercial warranty

### BEST

#### 4-1/2" x 48" PLANKS & 6" x 48" PLANKS

- 4.06 mm
- 24 Sq. Ft. per Carton
- 70 Cartons per Pallet

\*6" x 48" planks

### TIMBER BAY HICKORY



Barnyard Gray A6861\*



Provincial Brown A6860\*



Umber A6863\*

### AMENDOIM



Natural A6894

### KINGSTON WALNUT



Henna A6899\*



Natural A6900\*

## LUXE PLANK® with Lynx® Technology Installation

- Gorgeous exotic bamboo and traditional walnut visuals in a sturdy 3.43 mm gauge
- Urethane coating offers superior performance and resists water and wear
- Long 48" floating planks are available in 6" widths and feature beveled edges and ends for an authentic hardwood visual
- 30-year limited residential / 7-year limited commercial warranty

### PERUVIAN WALNUT



Mayan Gold A6835



Spiced Tea A6832



Tropical Coast A6834

### KENDRICK OAK



Natural A6837



Honey Butter A6836

### EMPIRE BAMBOO



Caramel A6840

## LUXE PLANK® with Lynx® Technology Installation

- The character and versatility of traditional pine, maple and oak visuals in a reliable 2.79 mm gauge
- Urethane coating offers superior performance and resists water and wear
- 36" floating planks are available in 6" widths and feature square edges and ends for easy placement during installation
- 15-year limited residential / 5-year limited light commercial warranty

### JEFFERSON OAK



Golden A6800



Gunstock A6801



Saddle A6803

### PONDEROSA PINE



Natural A6806

### SUGAR CREEK MAPLE



Natural A6805

### SEASCAPE PLANK



Driftwood A6821

### SAWMARK OAK



Chocolate A6822

#### BETTER

##### 6" x 48" PLANKS

- 3.43 mm
- 28 Sq. Ft. per Carton
- 65 Cartons per Pallet

#### GOOD

##### 6" x 36" PLANKS

- 2.79 mm
- 36 Sq. Ft. per Carton
- 60 Cartons per Pallet

## LUXE PLANK® with Lynx® Technology Installation

- Remarkably realistic stone and hardwood visuals in a thick 2.79 mm gauge
- Urethane coating offers superior performance and resists water and wear
- Innovative tile designs feature grout lines to simulate the look of stone or ceramic and square edges and ends allow for easy installation
- 36" floating planks are available in 6" widths for wood and 12" widths for stone
- 10-year limited residential / 5-year limited light commercial warranty

### VALUE

#### 6" x 36" PLANKS

- 2.79 mm
- 36 Sq. Ft. per Carton
- 30 Cartons per Pallet

\*12' x 36" planks

### SAPELLI



Spice A6780

### BREEZEWOOD



Natural A6781

### WOODFIELD



Cinnamon A6782

### HICKORY



Caramel Corn A6785

### WALNUT GLEN



Tea Chest A6784

### MIDWAY OAK



Patina A6795

### NEWBRIDGE



Foundry Gray A6786

### TALLADEGA TIMBER



Buckthorn Brown A6796

### ROCK HILL



Honey Blush A6787\*



Bombay Beige A6788\*



Inkwell A6789\*



## NATURAL LIVING® 100

- Features the beauty and luxurious look of hand-scraped hardwood in a tough 2.54 mm gauge
- Improved urethane coating is thicker than the leading competitors and offers superior protection against scratches, scuffs, and stains
- Quick and easy to install and repair, dry back vinyl planks can be installed in high-moisture areas and are individually secured down with Armstrong adhesive (see pg. 58 for adhesive options)
- 20-year limited residential / 7-year limited commercial warranty



Sahara Hickory D2425



Russet Hickory D2426



Black Walnut D2427

## NATURAL LIVING®

- Refreshed line features a wide variety of realistic hardwood visuals in a durable 2.03 mm gauge
- Improved urethane coating is thicker than the leading competitors and offers superior resistance against scratches, scuffs, and stains
- Dry back vinyl planks can be installed in high-moisture areas and are individually secured down with Armstrong® Flooring adhesive (see pg. 58 for Adhesive options)
- 15-year limited residential / 7-year limited commercial warranty



Black Walnut D2404\*



Hickory D2412\*



Golden Grove D2418



Tropical Harvest D2419



Vintage Brown Oak D2420



Old Mill Oak D2421



Brazilian Forest D2422



Patina Oak D2401



English Walnut D2424



Silver Creek Oak D2423

### BETTER

#### 6" x 36" PLANKS

- 2.54 mm Dry Back†
- 36 Sq. Ft. per Carton
- 48 Cartons per Pallet
- 35 Pounds per Carton

†Install with Armstrong® S-288 for a complete full spread installation

### BETTER

#### 6" x 36" PLANKS / \*4" x 36" PLANKS

- 2.03 mm Dry Back†
- 36 Sq. Ft. per Carton
- 48 Cartons per Pallet
- 23 Pounds / \*26 Pounds per Carton

†Install with Armstrong® S-288 for a complete full spread installation

## NATURAL PERSONALITY™ 2

- Hardwood visuals capture the graining and tones of popular wood species: oak, walnut, hickory and pine
- Durable, easy to care for vinyl wear layer
- **NEW** Urethane Finish resists scratches, stains and wear
- Dry back planks and tiles are quickly and easily secured down with Armstrong® Flooring adhesive (see pg. 58 for adhesive options)
- 7-year limited residential warranty



Hearth Oak Wheat D1032



Honey Pine Natural D1033



Aged Walnut Sepia D1034



Medium Walnut Brown D1035



Windswept Plank Driftwood D1036



Dark Rustic Umber D1037



Hickory Rustic Brown D1023



Walnut Charcoal D1024



White Oak Heather Gray D1025



Brushed Oak Natural D1026



Brushed Oak Caramel D1027



Bradbury Oak Weathered Gray D1028



Bradbury Oak Dusky Brown D1029



Thorndale Oak Cinder Gray D1030



Havenwood Cinnamon D1031

### GOOD

#### 6" x 36" PLANKS / \*12" x 12" TILES

- 2.03 mm Dry Back†
- 36 Sq. Ft. / \*45 Sq. Ft. per Carton
- 48 Cartons / \*30 Cartons per Pallet
- 29 Pounds / \*39 Pounds per Carton

†Install with Armstrong® S-288 for a complete full spread installation

## CALIBER™

- Variety of beautiful stones
- Easy to care for urethane wear layer
- Self-adhesive and glue down installation options (see pg. 58 for adhesive options)
- Lifetime limited residential warranty



Almond 21661 / 51661\*



Sand 21730 / 51730\*



Pumice 21750 / 51750\*



Mesa Stone 21745 / 51745\*



Clay 21737 / 51737\*



White Taupe 21640



Smoke 51751\*




Warm Gray 21735



Sand 21736



Mineral Beige 21741



Cream Dust 21760

### PREMIUM

#### 12" x 12" TILES

- 2.03 mm
- 45 Sq. Ft. per Carton
- 30 Cartons per Pallet
- 39 Pounds per Carton

\*Dry Back-Glue down

## CLASSIC COLLECTION

- Beautiful, realistic stone designs
- Fast, easy self-adhesive installation (see pg. 58 for adhesive options)
- 25-year limited residential warranty



Clay Shale 21495



Sandstone 21500



Pumice 21525

### BEST

#### 12" x 12" TILES

- 2.03 mm
- 45 Sq. Ft. per Carton
- 30 Cartons per Pallet
- 39 Pounds per Carton

## AFTON SERIES™

- Variety of stone and alternative visuals
- Fast, easy self-adhesive installation (see pg. 58 for adhesive options)
- 10-year limited residential warranty



Black / White 24320



Cliffstone 24495

### BETTER

#### 12" x 12" TILES

- 1.65 mm
- 45 Sq. Ft. per Carton
- 42 Cartons per Pallet
- 32 Pounds per Carton

## UNITS™

- Selection of stone, parquet and alternative visuals
- Fast, easy self-adhesive installation (see pg. 58 for adhesive options)
- 5-year limited residential warranty




Crème 25240



Sand 25285



Russet Oak 25290



Light Oak 25295

### GOOD

#### 12" x 12" TILES

- 1.14 mm
- 45 Sq. Ft. per Carton
- 54 Cartons per Pallet
- 22 Pounds per Carton



Sand 25300



Beige 25310



Multicolor 25311



Sandstone 25315



## Armstrong® Luxury Flooring and Luxury Vinyl Tile Portfolio - Glue Down

### PORTFOLIO

Products	Natural Creations®	Parallel™ 20 mil	Natural Living® 100	Parallel™ 12 mil	Natural Living®	Natural Personality™ 2
SKU's	160	16	3	16	10	17
Format	Planks & Tile	Planks & Tile	Planks	Planks & Tile	Planks	Planks & Tile
Installation Method	Glue Down	Glue Down	Glue Down	Glue Down	Glue Down	Glue Down
Relative Installed Cost / SFT	\$\$\$\$	\$\$\$	\$\$	\$\$	\$\$	\$

### SPECIFICATIONS

Structure	3.2 mm	2.5 mm	2.5 mm	2.0 mm	2.0 mm	2.0 mm
Wear Layer	20 mil	20 mil	12 mil	12 mil	12 mil	6 mil
Coating	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane
Limited Warranty	Com: 20 yr Res: Lifetime	Com: 15 yr Res: 30 yr	Com: 7 yr Res: 20 yr	Com: 7 yr Res: 15 yr	Com: 7 yr Res: 15 yr	Res: 7 yr

### DESIGN ELEMENTS

Edge Treatment	Bevel	Bevel	Square	Bevel	Square	Square
Sizes Available	4" x 36", 6" x 36", 8" x 36", 9" x 48", 12" x 24", 16" x 16", 18" x 18", 18" x 36"	6" x 48", 12" x 24"	6" x 36"	6" x 48", 12" x 24"	4" x 36", 6" x 36"	6" x 36", 12" x 12"
Designs Available	Wood, Stone, Textures	Wood, Stone	Wood	Wood, Stone	Wood	Wood

## Armstrong® Luxury Flooring and Luxury Vinyl Tile Portfolio - Glueless

### PORTFOLIO

Products	PRYZM™	Luxe Plank® with Rigid Core Technology	Luxe Plank® Best with Lynx® Installation	Luxe Plank® with FasTak™ Installation	Luxe Plank® Better with Lynx® Installation	Luxe Plank® Good with Lynx® Installation	Luxe Plank® Value with Lynx® Installation
SKU's	20	19	15	23	11	7	11
Format	Planks	Planks & Tile	Planks	Planks & Tile	Planks	Planks	Planks & Tile
Installation Method	Locking	Locking	Floating	Self-Adhering	Floating	Floating	Floating
Relative Installed Cost / SFT	\$\$\$\$	\$\$\$	\$\$\$\$	\$\$\$	\$\$\$	\$\$	\$\$

### SPECIFICATIONS

Structure	6.5mm	8.0 mm	4.0 mm	4.0 mm	3.4 mm	2.8 mm	2.8 mm
Wear Layer	AC 4 Commercial	20 mil	20 mil	12 mil	20 mil	12 mil	6 mil
Coating	VisionGuard®	UV Acrylic	Urethane	Urethane	Urethane	Urethane	Urethane
Limited Warranty	Com: 15 yr Res: Lifetime	Com: 10 yr Res: 30 yr	Com: 10 yr Res: Lifetime	Com: 10 yr Res: 30 yr	Com: 7 yr Res: 30 yr	Com: 5 yr Res: 15 yr	Com: 5 yr Res: 10 yr

### DESIGN ELEMENTS

Edge Treatment	Micro Bevel	Micro Bevel	Bevel	Pressed Bevel	Bevel	Square	Square
Sizes Available	4/5/7 x 48" 5x48" 6x48" 7x48"	6" x 48", 7" x 48", 12" x 24"	4-1/2" x 48", 6" x 48"	6" x 48", 7" x 48", 12" x 24", 18" x 18"	6" x 48"	6" x 36"	6" x 36", 12" x 36"
Designs Available	Wood	Wood, Stone	Wood	Wood, Stone	Wood	Wood	Wood


# VINYL SHEET SELECTIONS

Whether you need reliable performance and value, comfort and style, or heavy-duty wear and stain resistance for your properties, Armstrong Flooring has a vinyl sheet solution for you. Unmatched durability, unsurpassed realism and unparalleled stain, scuff and scratch protection – benefits you can depend on to give you more turns and rent units. Choose from full glue and modified loose-lay installation options.

## STRATAMAX® Layered Performance

The only "rock back" floor made from 70% limestone composite ToughGuard® II in the bottom layer for maximum durability and a loose-lay installation.


Modified loose-lay or fully adhered installation.



## FLEXSTEP Soft Comfort

Warm and soft underfoot, FlexStep adds an unexpected level of comfort to your floor.


Modified loose-lay or fully adhered installation.



## TOUGHGUARD® FELT Traditional Classics

Tried-and-true vinyl sheet flooring that offers classic beauty and value.

Fully adhered installation.



## MADE IN THE U.S.A

Armstrong resilient floors are manufactured in Stillwater, OK and Lancaster, PA and feature 55% domestic content.

## STRATAMAX® WITH LIMESTONE

**It's the smart, money-saving choice that delivers durability, efficiency and maximum value**

- **Most Durable!** Proprietary ToughGuard® II base layer is made with 70% limestone and provides maximum resistance to rips, tears and gouges when compared with fiberglass or felt.
- **Urethane Wear Layer.** Highest resistance to stains including protection from asphalt driveway sealer and rubber-backed mats, when compared to non-urethane vinyl sheet products.

### Cut your costs in half!

- **Double your turns per installation.** Better performance=less floors to replace=higher savings for you.
- **Easy repairs for maximum efficiency.** Install using releasable adhesive (S-289), permanent adhesive (S-288) or modified loose lay. Note: For both adhesive methods - install once adhesive is Dry-To-Touch.

### Rip, Tear, Gouge Test\*

Competitor S, 65 mils:



144 lbs. results in total structural failure

Armstrong® Stratamax® Value Plus 60 mils:



No damage at 144 lbs.

Competitor T, 65 mils:



125 lbs. results in total structural failure

Armstrong® Stratamax® Value Plus 60 mils:



No damage at 125 lbs.

\*70% Limestone content in base layer

## TWO STEP

Choose your design. Choose your structure.

		Gauge	Wear Layer	Top Coat	Installation	Roll Size	Limited Warranty	Floor Score®	Made in the USA	Durability
<b>LIMESTONE*</b> <small>*70% LIMESTONE CONTENT IN BASE LAYER</small>	<b>STRATAMAX® VALUE PLUS</b>  <ul style="list-style-type: none"> <li>Maximum performance and durability</li> <li>Proprietary ToughGuard® II base layer is made with 70% limestone and provides maximum resistance to rips, tears and gouges when compared with fiberglass or felt.</li> <li>Easy to repair – releasable adhesive installation available</li> </ul>	60	10	Urethane	ML, R, P+	6', 12'	15 Years	✓	✓	*****
	<b>STRATAMAX® VALUE</b>	60	10	Non-Urethane	ML, R, P+	6', 12'	10 Years	✓	✓	*****
<b>FELT</b>	<b>STATION SQUARE™</b>  <ul style="list-style-type: none"> <li>Traditional, felt-backed construction</li> </ul>	60	10	Urethane	P	6', 12'	10 Years	✓	✓	****
	<b>INITIATOR™</b>	55	10	Non-Urethane	P	6', 12'	7 Years	✓	✓	****
<b>FIBERGLASS</b>	<b>FLEXSTEP™ VALUE PLUS</b>  <ul style="list-style-type: none"> <li>Lightweight and flexible</li> <li>Easy to handle with CushionCore™</li> <li>Easy to repair – releasable adhesive installation available</li> </ul>	55	10	Urethane	ML, R, P+	6', 12'	10 Years	✓	✓	***
	<b>FLEXSTEP™ VALUE</b>	55	10	Non-Urethane	ML, R, P+	6', 12'	7 Years	✓	✓	***

### INSTALLATION:

ML = Modified loose lay, no adhesive, double faced tape  
 R = Releasable & permanent adhesive — S-289  
 P+ = Premium permanent adhesive — S-288  
 P = Premium permanent adhesive — S-254, S-235

### URETHANE WEAR LAYER

Highest resistance to stains, including protection from asphalt driveway sealer and rubber-backed mats when compared to non-urethane vinyl sheet products.

### NON-URETHANE WEAR LAYER

Vinyl No-wax



#### MADE IN USA

Armstrong vinyl sheet floors are manufactured in Lancaster, PA and Stillwater, OK and feature more than 55% domestic content.



Floor Score is a trademark of the Resilient Floor Covering Institute.

\*Texture and embossing will vary slightly by structure. Please reference the example of all 3 structures shown here in 1 design for comparison.  
 \*Pricing varies by structure.



## TWO STEP URETHANE

Choose your design. Choose your structure.

All designs of Two Step Urethane are available in 3 structures:

- FLEXSTEP™ VALUE PLUS
- STATION SQUARE™
- STRATAMAX® VALUE PLUS

**FLEXSTEP™  
VALUE PLUS**

- 6' or 12' roll width
- Gauge: 55 mils
- Wear layer: 10 mils

**STATION  
SQUARE™**

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

**STRATAMAX®  
VALUE PLUS**


- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

## WOOD COLLECTION


HEARTHTON HANDSCRAPED – Variable 4,5,6" wide, 27" & 54" length planks



Mahogany Dancer  
● G2372  
● X2142  
● X4662



Pewter Pencil  
● G2371  
● X2141  
● X4661



Jet Oil  
● G2373  
● X2143  
● X4663

Chromed Risk

- G2370
- X2140
- X4660

TITAN TIMBERS – 5" wide, 54" length planks



Cremello Surge  
● G2360  
● X2130  
● X4650



Wild Bay  
● G2361  
● X2131  
● X4651



Silver Dapple  
● G2362  
● X2132  
● X4652



Seal Brown  
● G2363  
● X2133  
● X4653

BILLY BANDSAW – 5" wide, 54" length planks



Honey Chestnut  
● G2365  
● X2135  
● X4655



Burnished Black  
● G2366  
● X2136  
● X4656



Coyote Coat  
● G2367  
● X2137  
● X4657



Red Sorrel  
● G2368  
● X2138  
● X4658

## TWO STEP URETHANE

Choose your design. Choose your structure.

All designs of Two Step Urethane are available in 3 structures:

- FLEXSTEP™ VALUE PLUS
- STATION SQUARE™
- STRATAMAX® VALUE PLUS

### FLEXSTEP™ VALUE PLUS

- 6' or 12' roll width
- Gauge: 55 mils
- Wear layer: 10 mils

### STATION SQUARE™

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

### STRATAMAX® VALUE PLUS

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

## STONE COLLECTION

### VESSA TRAVERTINE – 18" x 9" paver



Husky Street  
● G2380  
● X2150  
● X4670



Malted Emblem  
● G2381  
● X2151  
● X4671



Coal-Gas Kingdom  
● G2382  
● X2152  
● X4672



Carbide Charm  
● G2383  
● X2153  
● X4673



Spent Grindstone  
● G2384  
● X2154  
● X4674

### CLIFTON EDGE SLATE – 12" paver



Draft Hero  
● G2390  
● X2160  
● X4680



Earthy Strike  
● G2391  
● X2161  
● X4681



Swell Firework  
● G2392  
● X2162  
● X4682



Cannondale Chrome  
● G2393  
● X2163  
● X4683



Auburn Halo  
● G2394  
● X2164  
● X4684

### TURAN TRAVERTINE – 6" wide, 27" & 54" length planks



Sunday Scones  
● G2400  
● X2170  
● X4690



Musty Majestic  
● G2401  
● X2171  
● X4691



Cable Risk  
● G2402  
● X2172  
● X4692



Burnt Debonair  
● G2403  
● X2173  
● X4693



Caving Iron  
● G2404  
● X2174  
● X4694

## TWO STEP **NON-URETHANE**

Choose your design. Choose your structure.

All designs of Two Step Non-Urethane are available in 3 structures:

- FLEXSTEP™ VALUE
- INITIATOR™
- STRATAMAX® VALUE

FLEXSTEP™ VALUE	INITIATOR™	STRATAMAX® VALUE
<ul style="list-style-type: none"> <li>• 6' or 12' roll width</li> <li>• Gauge: 55 mils</li> <li>• Wear layer: 10 mils</li> </ul>	<ul style="list-style-type: none"> <li>• 6' or 12' roll width</li> <li>• Gauge: 55 mils</li> <li>• Wear layer: 10 mils</li> </ul>	<ul style="list-style-type: none"> <li>• 6' or 12' roll width</li> <li>• Gauge: 60 mils</li> <li>• Wear layer: 10 mils</li> </ul>

### WOOD COLLECTION

**HARDLAND OAK** – 6" wide, 27" & 54" length planks



Dunalino Blonde

- G9170
- 66320
- X7530



Claybank

- G9171
- 66321
- X7531



Sable Champagne

- G9172
- 66322
- X7532



Chocolate Dun


- G9173
- 66323
- X7533

**WARRINGTON WALNUT** – 5" wide, 27" & 54" length planks



Golden Isabella

- G9175
- 66325
- X7535




Mulberry Grey

- G9176
- 66326
- X7536



Red Bourbon

- G9177
- 66327
- X7537



Sabino Mud

- G9178
- 66328
- X7538



Raven Track

- G9179
- 66329
- X7539

**BRUSHEDSIDE OAK** – Variable 4", 5", 6" wide, 27" & 54" length planks



Smokey Perlino

- G9185
- 66335
- X7545



Caramel Palomino

- G9186
- 66336
- X7546



Bronze Buckskin

- G9187
- 66337
- X7547



Silver Crown

- G9188
- 66338
- X7548



Fading Black

- G9189
- 66339
- X7549



## TWO STEP **NON-URETHANE**

Choose your design. Choose your structure.

All designs of Two Step Non-Urethane are available in 3 structures:

- **FLEXSTEP™ VALUE**
- **INITIATOR™**
- **STRATAMAX® VALUE**

### FLEXSTEP™ VALUE

- 6' or 12' roll width
- Gauge: 55 mils
- Wear layer: 10 mils

### INITIATOR™

- 6' or 12' roll width
- Gauge: 55 mils
- Wear layer: 10 mils

### STRATAMAX® VALUE

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

## STONE COLLECTION

### SELUR TRAVERTINE – 6" paver



Humidors Heaven  
● G9195  
● 66345  
● X7555



Evening Charm  
● G9196  
● 66346  
● X7556



Barley Star  
● G9197  
● 66347  
● X7557



Icing Baron  
● G9198  
● 66348  
● X7558

### SKYE GATE SLATE – 6" wide planks, 18", 27" & 54" length planks



White Flaxen  
● G9215  
● 66365  
● X7575



Pale Straw  
● G9216  
● 66366  
● X7576



Henna 'n' Coal  
● G9217  
● 66367  
● X7577



Lava Treacle  
● G9218  
● 66368  
● X7578



Old Muscat  
● G9219  
● 66369  
● X7579

### EVENDALE SLATE – 9" paver



Snow Gold  
● G9205  
● 66355  
● X7565



Deep Copper Fruit  
● G9206  
● 66356  
● X7566



Yeasty Tonic  
● G9207  
● 66357  
● X7567



American Carbine  
● G9208  
● 66358  
● X7568



Medeira Orb  
● G9209  
● 66359  
● X7569



Matchbox Strike  
● G9210  
● 66360  
● X7570

## STRATAMAX® BETTER

- Maximum durability from a limestone composite base layer and ToughGuard® II construction
- Layered construction resists buckling due to seasonal climatic changes
- Urethane wear layer is easy to clean and maintain
- Full glue or modified loose-lay installation (see pg. 58 for adhesive options)
- 25-year limited residential warranty

### BETTER

- 6' or 12' roll width
- Gauge: 70 mils
- Wear layer: 12 mils

#### ANCIENT SLATE

(9" Slate)



White X2500

#### CHESWICK

(9" Slate)



Mesa Gray X2505



Sahara Sand X2507

#### FRENCH PAVER

(4-1/2" Tumbled Limestone)



White X2515

#### CARRIZO

(9" Ceramic)



Honey X2521

#### LIMESTONE

(12" Limestone)



Pebble Beige X2526

#### WOODCREST

(4-1/2", 5-1/4" & 6" Varied Plank Widths)



Honey Blond X2530



Dark Natural X2531

## STRATAMAX® GOOD

- Maximum durability from a limestone composite base layer and ToughGuard® II construction
- Layered construction resists buckling due to seasonal climatic changes
- Urethane wear layer is easy to clean and maintain
- Full glue or modified loose-lay installation (see pg. 58 for adhesive options)
- 20-year limited residential warranty

### GOOD

- 6' or 12' roll width
- Gauge: 65 mils
- Wear layer: 10 mils

#### ROCKVALE

(9" Travertine)



Alabaster X4517

#### RIDGEWAY

(4-1/4", 5-1/4" & 6" Varied Plank Widths)



Classic Tan X4520

#### BALMORAL

(12" Slate Tiles)



Khaki Brown X4500

#### NEW FOREST


(5-1/4" Plank)



Rustic Mocha X4535

#### WINSFORD OAK

(4" Plank)



Gunstock X4540

#### VILLA GROVE

(Slightly Varied Width Planks)



Natural Maple X4545

# STRATAMAX® VALUE PLUS

- Maximum durability from a limestone composite base layer and ToughGuard® II construction
- Layered construction resists buckling due to seasonal climatic changes
- Urethane wear layer is easy to clean and maintain
- Full glue or modified loose-lay installation (see pg. 58 for adhesive options)
- 15-year limited residential warranty

## VALUE PLUS

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

### HASTINGS

(12" Slate Tile)



Taupe n' Tan X4630

### MOUNTAIN SLATE

(12" Slate Paver)



Beige n' Grey X4615

### DISTRESSED HICKORY

(5-1/4" Plank)



Rustic Mocha X4602

### NATURAL PECAN

(4" Plank)



Summer Tone X4610

### WOODCREST

(4-1/4", 5-1/4" & 6" Plank)



Dark Hickory X4640

### DEEP CREEK TIMBERS



Hearth X4620

(4", 5" & 6" Varied Planks)



Fireside X4621



Dark Mocha X4622

### LAKE POINT TIMBERS

(4-1/2" Plank)



Hostler Dust X4628



Scarlet Brown X4627



Western Rise X4625



Caramel Saddle X4626



# STRATAMAX® VALUE

- Maximum durability from a limestone composite base layer and ToughGuard® II construction
- Layered construction resists buckling due to seasonal climatic changes
- Vinyl no-wax, easy to clean and maintain
- Full glue or modified loose-lay installation (see pg. 58 for adhesive options)
- 10-year limited residential warranty

## VALUE

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

## DISTRESSED HICKORY



Natural X7520

(5-1/4" Planks)



Rustic Oak X7521



Walnut X7522

## WOODCREST

(4-1/4", 5-1/4" & 6" Varied Plank Widths)



Dark Natural X7515

## BEACON ROCK



Parchment X7500

(12" Paver)



Crème X7501



Mesa Tan X7502

## LAKE POINT TIMBERS

(4-1/2" Plank)



Dark Mocha X7525



Dark Russet X7526

## ROCKVALE (9" Travertine)



Soft Sand X7510

## CHESWICK

(9" Slate Pavers)



Sahara Sand X7505



Mesa Gray X7506

# FLEXSTEP™ GOOD

- CushionCore™ layer for better underfoot comfort
- MasterWorks Technology® flooring creates remarkably realistic visuals
- Urethane wear layer is easy to clean and maintain
- Full glue or modified loose-lay installation (see pg. 58 for adhesive options)
- 10-year limited residential warranty

## GOOD

- 12' roll width
- Gauge: 65 mils
- Wear layer: 10 mils

### OAK TIMBER (4" Plank)



Natural G2140



Cougar Brown G2141

### WOOD PLANK (4" – 6" Planks)




Dark Natural G2092

### RUSTIC OAK TIMBER (8" Plank)



Oak Natural G2130




Chestnut Brown G2131


### WESTHAVEN HICKORY (Variable/Random Widths)



Cinnamon G2260



Acorn G2262



Pilgrim Brown G2261



Autumn Dusk G2270



Tanner Brown G2271




Peppercorn G2272

### WINDSOR WALNUT (5" Plank)

### INDIAN SPRING (9" Slate)



Grant Beige G2100



Peanut Shell G2101



Honeycomb G2280



Lantern Light G2281



Porcelain G2282

### BEACON ROCK (12" Travertine)

### ALAMOSA (12" Travertine)



Almond G2211

### PENROSE POINT (12" Travertine)



Crisp linen G2301



Gallant Gold G2300

### STONEY HILL (9" Stone)



Italian Earth G2250



Sierra Brown G2211



Sand Drift G2251

### BRAMPTON MANOR (12" Travertine)



Maiden's Blush G2290




Misty Morn G2291



Silver Cloud G2292

### VALLEY BROOK (12" Slate)



Dawn G2121

# FLEXSTEP™ VALUE

- CushionCore™ underlayment for better underfoot comfort
- MasterWorks Technology® flooring creates remarkably realistic visuals
- Vinyl no-wax wear layer is easy to clean and maintain
- Full glue or modified loose-lay installation (see pg. 58 for adhesive options)
- 7-year limited residential warranty

## VALUE

- 12" roll width
- Gauge: 55 mils
- Wear layer: 10 mils

### OAK CREEK (3-1/4"-4-1/4" Planks)



Chestnut Brown G9041

### ENGLEWOOD (3-1/4" Plank)



Gunstock G9050

### CHICKASAW OAK (4-1/2"-5" Varied Planks)



Cocoa Brown G9140



Autumn Glory G9141

### COVINGTON OAK (6" Plank)



Toasted Almond G9151



Gunstock G9150



Dovetail G9152

### HARDLAND OAK (6" Plank)



Dunalino Blonde G9170

### SLATESDALE (9" Slate Paver)



Beige G9010

### BEDROCK RIDGE (12" x 9" Paver)



Brown Sugar G9060

### RIDGEFIELD (12" Slate Tile)



Coral Sand G9030

### STONEGATE (9" Slate Paver)



Winchester Brown G9020

### CARRIAGE PATH (12" Slate Tile)




Amberglow G9071

### SARATOGA STONE (12" Slate)



Café Cream G9160



Antique Bronze G9161

### FOXFIELD MANOR (6" Plank)



Bisque G9080

# MEMORIES™

- Felt-backed floor provides superior wear durability
- MasterWorks Technology® flooring creates realistic visuals
- CleanSweep® layer offers best-in-class stain protection
- Full glue installation (see pg. 58 for adhesive options)
- 15-year limited residential warranty
- See [www.armstrongflooring.com](http://www.armstrongflooring.com) for full selection of designs and colors

**BEST**

- 6' or 12' roll width
- Gauge: 65 mils
- Wear layer: 12 mils

## CHESWICK



Alpine White 62944

(9" Slate)




Sahara Sand 62943



Mesa Gray 62942

## CUNNINGHAM (9" Stone)



Davenport Putty 62915

## DAVENPORT (9" Ceramic)



Beige Frost 62917

## LIMESTONE (12" Limestone)



Pebble Beige 62608

## WESTHAVEN HICKORY

(4", 5", 6", Planks)



Cinnamon X6550

## MAPLE

(3-1/2"– 4-1/4" Varied Plank Widths)



Hazelnut X6511

## OAK RIVER (2-1/4" Plank)



Gunstock 62860

## ASIAN PLANK (4-1/2" Plank)



Natural 62626



# STATION SQUARE™

- Felt-backed floor provides superior wear durability.
- MasterWorks Technology® flooring creates remarkably realistic visuals
- Urethane wear layer is easy to clean and maintain
- Full glue installation (see pg. 58 for adhesive options)
- 10-year limited residential warranty
- See [www.armstrongflooring.com](http://www.armstrongflooring.com) for full selection of designs and colors

BETTER

- 6' or 12' roll width
- Gauge: 60 mils
- Wear layer: 10 mils

VINYL SHEET

## OLD COUNTRY (4" Plank)



Light Natural X2015



Mid Natural X2016



Saddle Brown X2018

## WINDSOR WALNUT (5" Plank)



Autumn Dusk X2110

## WOODCREST (6", 5-1/4", 4-1/4" Varied Plank Widths)



Honey Blond X2000




Dark Natural X2001

## COVINGTON OAK



Dovetail X2102

## CROSS TIMBERS (8" Plank)



Russet X2090

## PINNACLE PEAK (Modular Slate)



Crystal X2055



Burnt Henna X2056



Caviar Toast X2057

## BEACON ROCK (12" Paver)



Porcelain X2122

## HASTINGS (12" Slate)



Light Beige X2010



Greige X2013



Natural X2011

## EVANSTON (12" Soft Limestone Paver)



Spice X2041

# INITIATOR™

- Full glue installation (see pg. 58 for adhesive options)
- 7-year limited residential warranty
- See [www.armstrongflooring.com](http://www.armstrongflooring.com) for full selection of designs and colors

GOOD

- 6' or 12' roll width
- Gauge: 55 mils
- Wear layer: 10 mils

## BRAXTON II



Bourbon 66232



Toffee 66231



Amber Brown 66233

(2-1/4" Strip)

## DARIEN



Almond 66155



Copper 66158

(12" Stone)

## ANCIENT SLATE



Autumn 66204



Butterscotch 66202



Peacock 66205

(9" Slate)

## CARLISLE



Talc 66085



Mocha 66089

(12" Ceramic)

## BRIDGETON



Parchment 66175



Chamois 66177



Cinnamon 66178

(12" Stone)

## GLENVILLE



Mesa Tan 66182



Crème 66180

(9" Ceramic)

## COTTAGE STONE

(12" Slate)



After Glow 66253

## HICKORY PLANK

(4" & 4-1/4" Planks)



Vintage Timber 66247

## HUNTLEY ROAD

(6" Paver)



Earthtone 66240

## SARATOGA STONE



Café Cream 66290



Antique Bronze 66291

(12" Stone)

## LAKESIDE

(9" Stone)



Natural/Beige 66082

## TEMPLETON

(9" Stone)



Light Birch 66146

## SCOTSGROVE MANOR

(12" Stone)



Almond 66301

## ELDORADO



Adobe Brown 66270



Beige Soiree 66272

(9" Stone)


## CROWN POINT



Sable 66281

## CHIKASAW OAK

(4" Plank)



Cocoa Brown 66310

# VINYL SHEET QUICK REFERENCE GUIDE

FELT					
	Collection	Gauge/ Wear Layer	Wear Layer	Installation	Warranty
BEST	MEMORIES™	65 mils/ 12 mils	MasterWorks Technology® CleanSweep®	Glue Down	15-Year Limited Residential
BETTER	STATION SQUARE™	60 mils/ 10 mils	MasterWorks Technology® Urethane	Glue Down	10-Year Limited Residential
GOOD	INITIATOR™	55 mils/ 10 mils	*MasterWorks Technology® Vinyl No-Wax	Glue Down	7-Year Limited Residential

LIMESTONE					
	Collection	Gauge/ Wear Layer	Durability & Performance	Installation	Warranty
BETTER	STRATAMAX®	70 mils/ 12 mils	MasterWorks Technology® CleanSweep®	Loose Lay or Glue Down	25-Year Limited Residential
GOOD	STRATAMAX®	65 mils/ 10 mils	MasterWorks Technology® Urethane	Loose Lay or Glue Down	20-Year Limited Residential
VALUE PLUS	STRATAMAX®	60 mils/ 10 mils	MasterWorks Technology® Urethane	Loose Lay or Glue Down	15-Year Limited Residential
VALUE	STRATAMAX®	60 mils/ 10 mils	MasterWorks Technology® Vinyl No-Wax	Loose Lay or Glue Down	10-Year Limited Residential

FIBERGLASS (CUSHION CORE)					
	Collection	Gauge/ Wear Layer	Durability & Performance	Installation	Warranty
GOOD	FLEXSTEP™	65 mils/ 10 mils	MasterWorks Technology® Urethane	Loose Lay or Glue Down	15-Year Limited Residential
VALUE PLUS	FLEXSTEP™	55 mils/ 10 mils	MasterWorks Technology® Urethane	Loose Lay or Glue Down	10-Year Limited Residential
VALUE	FLEXSTEP™	55 mils/ 10 mils	MasterWorks Technology® Vinyl No-Wax	Loose Lay or Glue Down	7-Year Limited Residential

\* Must glue down for light commercial warranty

\*\* Not shown in this catalog

† Select SKUs

# ARMSTRONG® FLOORING HARDWOOD SELECTIONS

Armstrong® Flooring and Bruce® are the most recognized brands in flooring. From solid to engineered, traditional to rustic and everything in between, we have the right hardwood floor for any space. The following pages show a sampling of our most popular hardwood floors.

## PERFORMANCE PLUS™


Acrylic infused wood coated with our premium Armstrong® Flooring Lifetime Finish combine to provide twice the protection against dents and scratches – to stand up to everyday life.

- The acrylic infusion process increases hardness more than 2 times compared to regular wood
- Armstrong® Flooring Lifetime Finish provides the ultimate protection against scratches, scuffs and wear
- Lock&Fold® profile offers fast and easy installation
- Lifetime Limited Residential and 10-year Limited Commercial Warranty/ Lifetime Structural Warranty




PERFORMANCE PLUS™  
Birch  
ESP5210 Driftscape White

### WALNUT




Shell White  
5" High Gloss ESP5250  
5" Low Gloss ESP5250LG




Beach Heather  
5" Low Gloss ESP5314LG




Golden Taupe  
5" Low Gloss ESP5305LG



Natural  
5" High Gloss ESP5251  
5" Low Gloss ESP5251LG



Warm Clay  
5" High Gloss ESP5252  
5" Low Gloss ESP5252LG




Woodland View  
5" Low Gloss ESP5309LG



Fiery Bronze  
5" High Gloss ESP5253  
5" Low Gloss ESP5253LG



Flint Hill  
5" Low Gloss ESP5310LG



Earthly Shade  
5" High Gloss ESP5254



# PERFORMANCE PLUS™


## MAPLE




Natural  
5" High Gloss ESP5240  
5" Low Gloss ESP5240LG

- Engineered
- 3/8" thick
- Lengths vary:  
10"–48"
- 5" width


## BIRCH



Driftscape White  
5" High Gloss ESP5210




Marsh Field  
5" Low Gloss ESP5302LG



Birch Cottage Suede  
5" Low Gloss ESP5212

## CHERRY



Sugared Honey  
5" High Gloss ESP5220

## HICKORY



Butternut  
5" High Gloss ESP5230



PERFORMANCE PLUS™  
Maple  
ESP5302LG Marsh Field

# PRIME HARVEST®

Best in class beauty, crafted from premium Appalachian lumber and available in a variety of colors and widths.


Taking the classic look of oak to a new level of style and sophistication

- Crafted from premium Appalachian lumber, valued for its dense wood and tight grains
- Solid or Engineered construction (see pg. 58 for adhesive options)
- Armstrong® Flooring Lifetime Finish with aluminum oxide nano for added protection
- Lifetime Limited Residential and 10-year Limited Commercial Warranty/ Lifetime Structural Warranty

**OAK** — All colors of Prime Harvest® Oak are available in 3 styles:

- **Solid High Gloss** — micro-beveled edges and square ends
- **Solid Low Gloss** — micro-beveled edges and ends
- **Engineered Medium Gloss** — micro-beveled edges and ends

Individual product numbers are color coded as above.



Oceanside Gray

- 3-1/4" ● APK3223  
3-1/4" ● APK3423LG  
5" ● APK5223  
5" ● APK5423LG  
3" ● 42100G  
5" ● 45100G



Mystic Taupe

- 3-1/4" ● APK3232  
3-1/4" ● APK3432LG  
5" ● APK5232  
5" ● APK5432LG  
3" ● 42100MT  
5" ● 45100MT



Natural

- 3-1/4" ● APK3210  
3-1/4" ● APK3410LG  
5" ● APK5210  
5" ● APK5410LG  
3" ● 42100NA  
5" ● 45100NA



Butterscotch

- 3-1/4" ● APK3216  
3-1/4" ● APK3416LG  
5" ● APK5216  
5" ● APK5416LG  
3" ● 42100BU  
5" ● 45100BU




Blackened Brown

- 3-1/4" ● APK3275  
3-1/4" ● APK3475LG  
5" ● APK5275  
5" ● APK5475LG  
3" ● 42100BB  
5" ● 45100BB



Gunstock

- 3-1/4" ● APK3211  
3-1/4" ● APK3411LG  
5" ● APK5211  
5" ● APK5411LG  
3" ● 42100GU  
5" ● 45100GU



Cocoa Bean

- 3-1/4" ● APK3277  
3-1/4" ● APK3477LG  
5" ● APK5277  
5" ● APK5477LG  
3" ● 42100CB  
5" ● 45100CB



Forest Brown

- 3-1/4" ● APK3217  
3-1/4" ● APK3417LG  
5" ● APK5217  
5" ● APK5417LG  
3" ● 42100FB  
5" ● 45100FB

**HICKORY** — All colors of Prime Harvest® Hickory are available in 2 styles:

- **Solid High Gloss** — micro-beveled edges and square ends
- **Engineered Medium Gloss** — micro-beveled edges and ends

Individual product numbers are color coded as above.



Mystic Taupe

- 3-1/4" ● APH3400  
5" ● APH5400



Country Natural

- 3-1/4" ● APH3401  
5" ● APH5401  
5" ● 4510HCN



Whisper Harvest

- 3-1/4" ● APH3406  
5" ● APH5406  
5" ● 4510HWH



Sweet Tea

- 3-1/4" ● APH3402  
5" ● APH5402  
5" ● 4510HST




Eagle Landing

- 3-1/4" ● APH3403  
5" ● APH5403  
5" ● 4510HEL



Autumn Apple

- 3-1/4" ● APH3404  
5" ● APH5404  
5" ● 4510HAA



Lake Forest

- 3-1/4" ● APH3405  
5" ● APH5405  
5" ● 4510HLF



Forest Berrie

- 3-1/4" ● APH3407  
5" ● APH5407  
5" ● 4510HFB



Light Black

- 3-1/4" ● APH3408  
5" ● APH5408  
5" ● 4510HLB



Blackened Brown

- 3-1/4" ● APH3409  
5" ● APH5409  
5" ● 4510HBB

- Solid: 3/4" thick, 2-1/4", 3-1/4" or 5" widths
- Engineered: 1/2" thick, 3" or 5" widths
- Lengths vary:  
Solid 8.25"–84"  
Engineered 9"–46.5"

## AMERICAN SCRAPE®

The look of vintage hand-scraped floors featuring the top grades of American timber—made to our highest quality standards with our toughest scratch-resistant finish.

- Armstrong® Flooring Lifetime Finish provides the ultimate protection against scratches, scuffs, and wear
- Floating, staple, or glue down installation – on any level (see pg. 58 for adhesive options)
- Lifetime Limited Residential and 10-year Limited Commercial Warranty/  
Lifetime Structural Warranty



AMERICAN SCRAPE®  
Hickory  
EA5513 Northern Twilight

### HICKORY



Amber Grain  
EAS502



Eagle Nest  
EAS504



Cajun Spice  
EAS503



Autumn Blaze  
EAS501



Wilderness Brown  
EAS509



Western Mountain  
EAS510



Smoke House  
EAS508



Natural  
EAS511



Grey Wolf  
EAS512



Northern Twilight  
EAS513

- Engineered:  
Hickory - 3/8" thick, 5" width  
Walnut & Cherry - 1/2" thick, 5-3/4" width
- Additional colors available in 3/4" thick solid, 3-1/4" or 5" width
- see [armstrongflooring.com](http://armstrongflooring.com) for more detail.
- Lengths vary: 10"–48"

### WALNUT



Walnut Garden EAS601



Natural  
EAS602



Desert Scrape  
EAS603



Buck Horn  
EAS605



Dark of Midnight  
EAS606



A portion of the sales from the American Scrape® Hardwood collection fund the Armstrong Flooring donation to Homes for Our Troops.



## RURAL LIVING™

### Featuring rustic beauty with casual elegance

- Hand-scraped design for rich texture and old-world craftsmanship
- Floating, staple, or glue down installation – on any level (see pg. 58 for adhesive options)
- 25-year Limited Residential Warranty

#### MAPLE



Spice Chest  
ERH5306



Burnt Cinnamon  
ERH5307



Rich Brown  
ERH5308



Silver Shade  
ERH5309

- Engineered
- 1/2" thick
- Lengths vary:  
10"–48"
- 5" width

#### HICKORY



Light Chestnut  
ERH5300



Fall Canyon  
ERH5301



Deep Java  
ERH5302



Misty Gray  
ERH5303



Extra Dark  
ERH5304

## TIMBERBRUSHED™

### Weathered charm that never goes out of style

- Brushed distressing brings out the natural, rustic richness of White Oak and Hickory hardwood
- Limed and deep etched artistic treatments make a striking design statement
- Low gloss visual enhances the wood's natural characteristics
- 7-1/2" wide plank

#### WHITE OAK



Limed Wolf Ridge  
EAKTB75L404



Limed Industrial Style  
EAKTB75L405



Deep Etched Dusty Ranch  
EAKTB75L407



Deep Etched Hampton Brown  
EAKTB75L408



Deep Etched Iron Mountain  
EAKTB75L410



Limed Beach Getaway  
7-1/2" EAKTB75L412



Limed Ocean Front  
7-1/2" EAKTB75L413



Limed Dark Value  
7-1/2" EAKTB75L414



Deep Etched Fall River  
7-1/2" EAKTB75L411



Deep Etched Blackend Earth  
7-1/2" EAKTB75L415

#### HICKORY



Deep Etched Natural  
EAHTB75L401



Limed Coastal Plain  
EAHTB75L402



Deep Etched Timber Mill  
EAHTB75L403



Deep Etched Buffalo Creek  
EAHTB75L404



Deep Etched Mountain Retreat  
EAHTB75L405

- Engineered
- 1/2" thick
- Lengths vary:  
15.75" - 82.7"
- 7-1/2" width





TIMBERBRUSHED™  
White Oak  
EAKTB75L406 Deep Etched Natural

## BRUCE® HARDWOOD SELECTIONS

### TURLINGTON™ SIGNATURE SERIES

A rich color palette adds luster and depth to a hardwood classic

- 5" wide
- Dura-Luster® Plus Finish
- 25-year Limited Residential Warranty

- Engineered
- 3/8" thick
- Lengths vary:  
9"–48"
- 3" & 5" widths

#### WHITE OAK



Natural  
5" – E5310



Antiqued White  
5" – E5311



Silver Oak  
5" – E5313




Mocha  
5" – E5312



Espresso  
5" – E5314

#### BIRCH



Glazed Sun  
5" – E5315



Glazed Ginger  
5" – E5316



Glazed Rust Red  
5" – E5317



Glazed Woodland  
5" – E5318



Glazed Dusky Gray  
5" – E5319



TURLINGTON™ SIGNATURE SERIES  
Red Oak  
E5312 Mocha



## TURLINGTON™

A popular choice in colors that match any decor.

- Outstanding durability and abrasion resistance from low gloss Dura-Luster® Plus Finish
- Engineered construction allows for installation on any level
- Floating or glue down installation on both sizes, 3" can also be stapled (see pg. 58 for adhesive options)
- Lock&Fold® styles offer the fastest and easiest glueless installation
- 25-year Limited Residential Warranty

- Engineered
- 3/8" thick
- Lengths vary:  
9"-48" Turlington
- 3" & 5" widths

### OAK



Oak – Natural  
3" plank – E530 | 5" plank – E550



Harvest  
3" plank – E534 | 5" plank – E554



Butterscotch  
3" plank – E536 | 5" plank – E556



Gunstock  
3" plank – E531 | 5" plank – E551



Woodstock  
3" plank – E537 | 5" plank – E557



Cherry  
3" plank – E538 | 5" plank – E558

## TURLINGTON™ AMERICAN EXOTICS™

Four favorite species in abundant colors and two widths choices

### MAPLE



Natural  
3" plank – E4300Z,  
5" plank – E4500Z



Carmel  
3" plank – E4336Z  
5" plank – E4536Z



Cinnamon  
3" plank – E4333Z  
5" plank – E4533Z

### HICKORY



Smokey Topaz  
3" plank – E3512  
5" plank – E3612



Paprika  
3" plank – E3536  
5" plank – E3636



Brandywine  
3" plank – E3518  
5" plank – E3618



Molasses  
3" plank – E3585  
5" plank – E3685

### CHERRY



Natural  
3" plank – E7300  
5" plank – E7500



Bronze  
3" plank – E7306  
5" plank – E7506

- Engineered
- 3/8" thick
- Lengths vary:  
10"-48"
- 3" & 5" widths

## FRONTIER HICKORY

Beautifully textured and uniquely scraped.

- The custom look of a vintage hand-scraped hardwood floor
- Luxurious 5" planks
- Engineered construction

- Engineered
- 3/8" thick
- Lengths vary: 9"-48"
- 5" width



Golden Brown EEL5200A



Tahoe  
EEL5201A



Bison  
EEL5202A



Color Brushed Light Mocha  
EEL5203A



Color Brushed Tumbleweed  
EEL5204A



Color Brushed Sahara Sand  
EEL5205A

## BRUSHED IMPRESSIONS

Celebrating the timeworn character and texture of brushed wood.

- Capturing the spirit of reclaimed hardwood
- The weathered look of brushed wood combines rustic character and texture
- Luxurious 5" planks
- Engineered construction

- Engineered
- 3/8" thick
- Length: 72"
- 5" width

### HICKORY



Limed Riverside Walk EBHBI53L401W



Deep Etched Golden Summer  
EBHBI53L402W



Deep Etched Haystack  
EBHBI53L403W



Deep Etched Garden Bridge  
EBHBI53L404W

### WHITE OAK



Deep Etched Parsian Cafe  
EBHBI53L405W



Limed Natural Light  
EBKBI53L401W




Limed Rainy Weather  
EBKBI53L402W



Limed Shadowy Twilight  
EBKBI53L403W



Deep Etched Essence of Light  
EBKBI53L404W



Deep Etched Starry Night  
EBKBI53L405W



## HARDWOOD TRIM & MOLDING

Add the perfect finishing touch by complementing the look of your new floor with coordinating trim and molding available in a wide selection of matching colors and profiles.



**Threshold** – Finishes the space where hardwood flooring ends (such as sliding glass doors, along wall bases, door thresholds and carpet).



**T-Molding** – Fills the gap at doorways, and finishes spaces between the two areas of hardwood flooring.



**Reducer** – Provides a smooth transition from your hardwood floor to another type of flooring of a lower height. Also, finishes the space where hardwood flooring ends against a vertical surface and where quarter round cannot be used (such as sliding glass doors, against cabinet toe kicks, or carpet).



**Quarter Round** – The classic finish to your hardwood floor, used where wall and flooring meet.



**Stair Nose** – The durability of hardwood flooring makes a great choice for staircases.

### ENGINEERED FLOORING UNDERLAYMENT

The use of quality underlayment is critical to a successful installation of engineered hardwood floors, and should be installed prior to laying planks. Use the pre-applied tape for a seamless moisture barrier, especially over concrete. These underlayments can also be used with laminate floor installations.

	PREMIUM S-1836 Quiet Comfort™ Underlayment	STANDARD S-1837 Quiet Comfort™ Underlayment
Moisture Barrier	•••	•••
Limited Warranty*	•••	•••
Superior Noise Reduction	•••	••
Great Underfoot Comfort	•••	••

\*When installed with Bruce® and Armstrong®  
Flooring Engineered Hardwood Flooring

# ARMSTRONG® FLOORING LAMINATE SELECTIONS

If you're looking to give your units a high-end look without the high cost, choose Armstrong® or Bruce® laminate. You can achieve the look of real wood, stone or ceramic and make your units look better and more desirable to tenants. Laminate floors, not only look beautiful, they are low maintenance and durable, which means easy care for your tenants and less damage control for you.

## Architectural Remnants™, Rustics™ Premium and Coastal Living® Patina

Striking designs inspired by reclaimed hardwood floors— scraped textures, wide boards, and unexpected touches of metal, concrete and weathered wood.

### ARCHITECTURAL REMNANTS™

- The look of reclaimed hardwood with up to 18 unique visuals; mixed specie and multi-width designs†
- Commercial VisionGuard® wear surface provides superior protection against wear-through, stains and fading, and is easy to clean
- HydraCore™ Plus helps provide stability, lasting durability and moisture resistance – plus, it gives the floor a more substantial feel and the optimum in sound absorption\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 50-year limited residential / 10-year limited commercial warranty



Woodland Reclaim Old Original  
Wood Brown L6626\*†



Woodland Reclaim Old Original Dark  
L3101\*†



Woodland Reclaim Old Original  
L3102\*†



Woodland Reclaim Old Original  
Barn Gray L6627\*†



Global Reclaim – Worldly Gris  
L6657†



Saw Mark Oak – Natural  
L3103



Antique Structure – Milk Paint  
L3100



To The Sea – Sea Glass Teal  
L6631



To The Sea – Milk Glass Clam  
L6632



Seaside Pine – Salt Air  
L6635



Seaside Pine – Dockside  
L6656



Surf Side – Azure Mist  
L6633

### PREMIUM

- \* Multiwidth 3.5", 5.6" and 7.6"
- 12 mm thick
- 22.28 Sq. Ft. per carton
- AC4 wear layer
- Micro bevel
- L3103/L3104/ L3105/L6625 L6631/L6632/ L6633/L6635/ L6656: 4.9" wide
- 13.07 Sq. Ft. per carton
- L3100/L3106/ L3107/ L6658: 7.6" wide
- 15.14 Sq. Ft. per carton
- 12 mm thick
- AC4 wear layer
- Micro bevel



\*When installing this multi-width product, a 5.6" wide plank must be used in every other row. This sequence must be followed throughout the entire installation

\*\*See page 57, Laminate Underlayment, for details







## RUSTICS™ PREMIUM

- The look of hand-sculpted exotics, plus highly textured, scraped and rustic American species
- Up to 24 unique visuals; mixed specie\*\*\* and multi-length† designs
- Commercial VisionGuard® wear surfaces provides superior protection against wear-through, stains and fading and is easy to clean
- HydraCore™ Plus helps provide stability, lasting durability and moisture resistance – plus, it gives the floor a more substantial feel and the optimum in sound absorption\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 50-year limited residential / 10-year limited commercial warranty
- VisionGuard® wear surfaces protects against wear-through, stains and fading and provides for easy cleaning
- 30-year limited residential / 10-year limited light commercial / 5-year limited commercial warranty



Forestry Mix White Washed L6620†



Forestry Mix Brown Washed L6622†



Reclaimed American Chestnut Sepia L6624



Acacia Natural L0242 (Multi-length)\*\*\*



X-Grain Khaki L6602



Urban Walnut Scraped Bronze L6637



Woodland Hickory Scraped Golden L6639



WB-Oak Etched Gray L6644



Homestead Plank Harvest Medley L6647\*



Forestry Mix Gray Washed L6621†



Reclaimed American Chestnut L6604



Millwork Block Burnt Ombre L6623



X-Grain Sable L6603



Urban Walnut Scraped Natural L6636



Woodland Hickory Scraped Bronze L6640



WB-Oak Etched Tan L6642



Homestead Plank Heirloom L6649\*



Homestead Plank Farm Fence L6648\*

### PREMIUM

- 4.9", 5.3", 5.6", 6.5" and 7.6" wide
- 12 mm thick
- L6623/L6630/L6639/L6640/L6641: 13.07 Sq. Ft. per carton
- L6561/L6563/L6564/L6647/L6648/L6649: 14.01 Sq. Ft.\* per carton
- L6604/L6624/L6642/L6643/L6644: 15.11 Sq. Ft. per carton
- L0242/L0243: 14.77 Sq. Ft. per carton
- L6602/L6603: 15.14 Sq. Ft. per carton
- L6636/L6637/L6638: 14.85 Sq. Ft. per carton
- L6620/L6621/L6622: 16.7 Sq. Ft. per carton
- AC4 and AC3\* wear layer
- Micro bevel and pressed bevel\*



\*\* See page 57, Laminate Underlayment, for details

\*\*\* A mix of 15.7", 31.5" and 47.8" long planks is contained in each carton

† Mixed species: Hickory, Red Oak and White Oak



## COASTAL LIVING® PATINA

- Unexpected metal, concrete and weathered wood visuals
- Commercial VisionGuard® wear surface provides superior protection against wear-through, stains and fading and is easy to clean
- HydraCore™ Plus helps provide stability, lasting durability and moisture resistance – plus, it gives the floor a more substantial feel and the optimum in sound absorption\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 50-year limited residential / 10-year limited commercial warranty
- VisionGuard® wear surface protects against wear-through, stains and fading and is easy to clean
- 30-year limited residential / 10-year limited light commercial / 5-year limited commercial warranty



Weathered L3080\* (7.6" Plank)



Ore L3081 (Multi-width)



Sea Wall L3082 (Multi-width)

## COASTAL LIVING®

- Unique color-washed designs
- VisionGuard® wear surface protects against wear-through, stains and fading and is easy to clean.
- HydraCore™ Plus helps provide stability, lasting durability and moisture resistance – plus, it gives the floor a more substantial feel and the optimum in sound absorption\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 30-year limited residential / 10-year limited light commercial / 5-year limited commercial warranty



Sand Dollar Oak L3048



White Wash Walnut L3051



Oyster Bay Pine L3052\*



White Wash Boardwalk L3063



White Wash Campfire L3064

### PREMIUM

- Multi-width 3.5", 5.6", 7.6" and 7.6"\* only\*
- 12 mm thick
- 22.28 Sq. Ft. and 15.14 Sq. Ft.\* per carton
- AC4 and AC3\* wear layer
- Micro bevel and pressed bevel\*

\*L3080 only

### PREMIUM

- 4.9" and 5.3" wide
- 12 mm thick
- 14.01 Sq. Ft. and 13.09 Sq. Ft.\* per carton
- AC3 wear layer
- Pressed bevel and micro bevel\*

\*L3052 only

When installing this multi-width product, a 5.6" wide plank must be used in every other row. This sequence must be followed throughout the entire installation

\*\*See page 57, Laminate Underlayment, for details

# PREMIER CLASSICS™

- A wide selection of wood visuals that range from traditional to exotic, each distinctively different
- VisionGuard® wear surface protects against wear-through, stains and fading and provides for easy cleaning
- HydraCore™ helps provide stability, lasting durability and moisture resistance\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 30-year limited residential / 5-year limited light commercial warranty

BEST

- 6.2" wide
- 7 mm thick
- 21.30 Sq. Ft. per carton
- AC3 wear layer
- Micro bevel



Natural Oak 78281



Grove Park Walnut 78283



Natural Hickory 78282



Country Side Hickory 78285



Seneca Hickory 78284



Rustic Lodge Oak 78287



Moon Shadow Oak 78286



Hearthstone Gray Oak 78291



Oakland Taupe 78289

\*\*See page 57, Laminate Underlayment, for details

## TIMELESS NATURALS™

- A variety of timeless hardwood looks in an array of popular colors
- VisionGuard® wear surface protects against wear-through, stains and fading and provides for easy cleaning
- ArmaLock® installation aligns for a virtually seamless appearance
- 20-year limited residential warranty

### GOOD

- 7.6" wide
- 7 mm thick
- 28.73 Sq. Ft. per carton
- AC3 wear layer
- Square end/edge



Pale Brown Oak L0031



Country Ivory Oak L0035



Naturally Oak L0032



Coastal Gray Oak L0036



Classic Brown Oak L0033



Dark Gray Oak L0037



Timber Brown Oak L0034

### MULTI-STRIP VISUALS



Timeless Oak L0030



\*\*See page 57, Laminate Underlayment, for details

TIMELESS NATURALS™  
L0034 Timber Brown Oak

## BRUCE® LAMINATE SELECTIONS

### RESERVE™

- Choose from a selection of rustic, specialty and exotic wood visuals
- G3™ Wear Layer protects against wear-through, stains and fading and provides for easy cleaning
- Magnum HDF™ Core helps provide stability, lasting durability and moisture resistance\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 30-year limited residential / 5-year limited light commercial warranty



Hickory Auburn Spice L0221\*



Noguera Walnut L0214



Hickory Barley Harvest L0220\*



Black Forest L0212



Windsor Maple L0209

#### BEST

- 4.9" wide
- 8 mm thick
- 13.06 and 12.91\* Sq. Ft. per carton
- AC3 wear layer
- Micro bevel and pressed bevel\*

### CHELSEA PARK™ LUSTRE-SAWN

- This design of rare pear wood allows you to bring this luxurious species into your units for a high end look
- G3™ Wear Layer protects against wear-through, stains and fading and provides for easy cleaning
- Magnum HDF™ Core helps provide stability, lasting durability and moisture resistance\*\*
- Lock&Fold® system is the fastest and easiest way to install laminate, installs over most existing floors with no mess and no hassle
- 30-year limited residential / 5-year limited light commercial warranty



Golden Shade L4015



Spice Blush L4016



Inland Forest L4017

#### BEST

- 5.5" wide
- 8 mm thick
- 20.05 Sq. Ft. per carton
- AC3 wear layer
- Pressed bevel

\*\*See page 57, Laminate Underlayment, for details



# LAMINATE QUICK REFERENCE GUIDE

PREMIUM	ARMSTRONG® LAMINATE					
	Collection	Thickness	Width	Durability and Performance	Installation	Limited Warranty
BEST	<b>ARCHITECTURAL REMNANTS™</b>					
	Global Reclaim / Saw Mark Oak / To The Sea / Surf Side / Seaside Pine	12 mm	4.9"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	Woodland Reclaim	12 mm	3.5"; 5.6"; 7.6"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	Skip Planed / Antique Structure	12 mm	7.6"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	<b>COASTAL LIVING® PATINA</b>					
	Ore / Sea Wall	12 mm	3.5"; 5.6"; 7.6"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	Weathered	12 mm	7.6"	VisionGuard®: AC3, HydraCore™ Plus	Lock&Fold®	30-Year Residential, 10-Year Light Commercial, 5-Year Commercial
	<b>COASTAL LIVING®</b>	12 mm	4.9" & 5.3"	VisionGuard®: AC3, HydraCore™ Plus	Lock&Fold®	30-Year Residential, 10-Year Light Commercial, 5-Year Commercial
	<b>RUSTICS™ PREMIUM</b>					
	Forestry Mix / Acacia / Urban Walnut	12 mm	5.6"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	Millwork Block† / Woodland Hickory	12 mm	4.9"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	X-Grain	12 mm	7.6"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	Reclaimed American Chestnut / WB-Oak	12 mm	6.5"	Commercial VisionGuard®: AC4, HydraCore™ Plus	Lock&Fold®	50-Year Residential, 10-Year Commercial
	Homestead Plank	12 mm	5.3"	VisionGuard®: AC3, HydraCore™ Plus	Lock&Fold®	30-Year Residential, 10-Year Light Commercial, 5-Year Commercial
	<b>NEW ENGLAND LONG PLANK**</b>	12 mm	7.6"	VisionGuard®: AC3, HydraCore™ Plus	Lock&Fold®	30-Year Residential, 10-Year Light Commercial, 5-Year Commercial
GOOD	<b>PREMIER CLASSICS™</b>	8 mm	5.6" & 6.2"	VisionGuard®: AC3, HydraCore™	Lock&Fold®	30-Year Residential, 5-Year Light Commercial
	<b>TIMELESS NATURALS™***</b>	7 mm	7.6"	VisionGuard®: AC3, HydraCore™	ArmaLock®	20-Year Residential
BEST	BRUCE® LAMINATE					
	Collection	Thickness	Width	Durability and Performance	Installation	Limited Warranty
	<b>RESERVE™</b>	8 mm	4.9"	G3™ Wear Layer, Magnum HDF™ Core	Lock&Fold®	30-Year Residential, 5-Year Light Commercial
	<b>CHELSEA PARK LUSTRE-SAWN™</b>	8 mm	5.5"	G3™ Wear Layer, Magnum HDF™ Core	Lock&Fold®	30-Year Residential, 5-Year Light Commercial

\* Planks are three lengths

\*\* Planks are 7' 5" length

\*\*\* Plank, 2-strip and 3-strip visuals

# LAMINATE

## Award-winning works of art that deserve to be hung on your walls.

What would your walls look like if you had no limits? If the hottest interior trends were entirely affordable... if the most sophisticated wall designs were a complement to your lifestyle... if you could fall in love with your walls. This is all possible! Simply elevate Laminate Flooring to your walls. Superior design, premium quality and practical value — all from the most trusted brand in flooring.

LAMINATE




## Coordinating trim & molding


Molding and trim can completely transform a room. It's the equivalent of completing "the look" of your favorite outfit with the perfect shoes, or your best suit with just the right tie.




Wall base line the joint and covers the gap where the floor and wall meet.



Chair rail breaks up the appearance of a wall for practical or decorative purposes.



Inner corner covers the corner where adjoining walls meet.



Outer corner covers the exposed exterior corner.



Quarter round the classic finish to your laminate floor, where wall and flooring meet.

## ARMSTRONG® & BRUCE® LAMINATE ACCESSORIES

### LAMINATE TRIM & MOLDING

Add the perfect finishing touch by complementing the look of your new floor with coordinating trim and molding available in a wide selection of matching colors and profiles.



**T-Molding** – Fills the gap at doorways, and finishes spaces between the two areas of laminate flooring.



**Multi-Purpose Reducer/Threshold** – Provides a smooth transition from your laminate floor to another type of flooring at a lower height. Also, finishes the space where laminate flooring ends against a vertical surface and where quarter round cannot be used such as, sliding glass doors, against cabinet toe kicks, or carpet.



**Quarter Round** – The classic finish to your laminate floor, used where wall and flooring meet.



**Flush Stair Nose** – The durability of laminate flooring makes a great choice for staircases.



**Stair Nose** – Used where laminate flooring meets a step down or landing or a great choice for staircases.

### LUXURY FLOORING UNDERLAYMENT\*\*

The use of quality underlayment is critical to a successful installation of laminate floors, and should be installed prior to laying planks. Use the pre-applied tape for a seamless moisture barrier, especially over concrete. These underlayments can also be used with engineered hardwood floor installations.

#### S-1840 Quiet Comfort™ Luxury Flooring Underlayment

- Designed for use with Armstrong Luxury Flooring, Alterna™, and LVT products
- Excellent acoustic barrier for through-the-floor and in-room footfall noise reduction
- Cross-linked polypropylene provides moisture barrier which resists mold and mildew
- Weight: 6 lbs./roll
- STC/IIC: 62/64



300 sf Roll

#### S-1841 Quiet Comfort™ Floating Underlayment

- Turn any Alterna installation into a floating floor
- Reduces subfloor preparation and simplifies Alterna installation
- Construction: saturated polyester provides strength and stability
- STC/IIC: 62/57



100 sf Roll

#### S-1836 Quiet Comfort™ Premium

- Noise: provides superior reduction versus standard closed cell foam and fiber pad underlayments
- Moisture: does not promote mold or mildew growth and will not decay
- Construction: high density cross-linked polyethylene foam laminated to 3 mil polyethylene film
- STC/IIC: 66/68



100 sf Roll

1600 sf Roll

#### S-1837 Quiet Comfort™ Underlayment

- Noise: provides superior reduction versus standard closed cell foam and fiber pad underlayments
- Moisture: does not promote mold or mildew growth and will not decay
- Construction: closed-cell polyethylene foam laminated to 3 mil polyethylene film
- STC/IIC: 51/53



100 sf Roll

1600 sf Roll

# ADHESIVE AND FLOOR CARE RECOMMENDATIONS

		Armstrong® Adhesive #	Common Name	Benefit	FloorScore certification
HARDWOOD & LAMINATE	All-in-One	Armstrong® Summit™	All-in-One Wood Flooring Adhesive	• Sound diminisher* • Moisture barrier* • Crack isolation membrane* • Easy cleanup	✓
	Premium	Armstrong® ProConnect™	Acrylic Wood Flooring Adhesive	• Nonflammable • Solvent free • Low-VOC • Easy cleanup	
	Standard	Armstrong® Equalizer™	Urethane Wood Flooring Adhesive	• Moisture cured – contains no water • Long working time	✓
ALTERNA	Grout	S-693	Pre-mixed, Sanded Acrylic Grout	• No sealing required – saves you time and money • Stain-resistant • Can grout right away – no need to wait	
	Adhesive	S-288	Premium Flooring Adhesive	• Creates a strong, permanent bond to your floor • Easy to trowel	✓ +CS2 Gold
LVT	High-Moisture	S-543	Commercial Sheet Flooring & LVT Adhesive	• High moisture guarantee • Commercial grade adhesive	✓ +CS2 Gold
	Premium	S-288	Premium Flooring Adhesive	• Creates a strong, permanent bond to your floor • Easy to trowel	✓
	Releasable	S-289	Releasable & Permanent Adhesive	• Easy to replace the floor once installed • Allows for easy repairs	✓
FELT BACKED SHEET	Premium	S-235	Sheet Flooring Premium Adhesive	• Short open time • Fast initial grab • Additional bond strength • Installable on wider range of subfloors • Commercial grade	✓
	Standard	S-254	Residential Sheet Flooring Adhesive	• Short open time • Fast initial grab	✓
FIBERGLASS BACKED SHEET	Premium	S-288	Premium Flooring Adhesive	• Creates a strong permanent bond to your floor • Floors can be installed wet or dry to touch • Easy to trowel	✓ +CS2 Gold
	Releasable	S-289	Releasable & Permanent Adhesive	• Releasable and permanent adhesive • Allows for easy repairs • Easy to replace the floor once installed	✓
VCT	High-Moisture	S-515	Floor Tile Adhesive	• High moisture guarantee • Dries clear to easily see chalk lines • Longer working time	✓
	Premium	S-750	Premium Floor Tile Adhesive	• Can be used as a primer • Recommended for tile-on installations	✓
	Standard	S-700	Thin Spread Floor Tile Adhesive	• Black asphalt adhesive • Covers 350-400 sf/gallon	✓
SPECIALTY	Spray Adhesive	Flip™	Flip® Spray Adhesive	• Quick install with one step application • High-moisture guarantee • No waiting to return to space • For use with LVT, VCT and Commercial Sheet	✓
	Seams	S-761**	Seam Adhesive for Sheet Floors	• Quick and easy seaming method • Excellent seam integrity • Can install in 15 minutes	
		S-500	Seam Coater	• Quick and easy coated method • Covers 50-60 linear feet • No special tools • For use with residential felt-backed products	

\*When Summit trowel is used and when used in accordance with Armstrong installation instructions.

\*\*Not for use with residential felt-backed products or Stratamax Value/Plus



Armstrong® Summit™ All-in-One Wood Flooring Adhesive  
(Available in 4-gallon)



S-289 Releasable & Permanent Adhesive



S-693 Grout

## RESILIENT FLOOR CARE PRODUCTS

Armstrong® Multi-Surface Floor Cleaner Spray and Refill—Fresh linen scent and ammonia-free formula.

- Armstrong Multi-Surface Floor Cleaner Spray (32 oz.)—Ready to use, leaves no streaks or residue
- Armstrong Multi-Surface Floor Cleaner Refill (64 oz.)—Use to refill spray mops and spray bottles

Also available:

- Armstrong Multi-Surface Floor Cleaner Concentrate (32 oz.)—Sponge mop, no rinse/no residue, makes 16 gallons
- Armstrong Multi-Surface Floor Finish (27 oz.)—Shines, protects and restores



## HARDWOOD & LAMINATE FLOOR CARE PRODUCTS

Armstrong® Hardwood & Laminate Floor Cleaner Spray and Refill—Fresh citrus scent and ammonia-free formula.

- Armstrong Hardwood & Laminate Floor Cleaner Spray (32 oz.)—Ready to use, leaves no streaks or residue
- Armstrong Hardwood & Laminate Floor Cleaner Refill (64 oz.)—Use to refill spray mops and spray bottles

Also available:

- Bruce® Fresh Finish (32 oz.)—Brings new life to pre-finished urethane hardwood floors



For additional information about specific floor care products and where to purchase, please visit [www.armstrongflooring.com/floorcare](http://www.armstrongflooring.com/floorcare)





LUXE PLANK® with Rigid Core Technology  
GROVELAND  
A6409 Natural

Inspiring Great Spaces®



Armstrong Flooring has all your floors covered:

**Hardwood • Luxury Vinyl • Engineered Stone • Laminate • Vinyl Sheet**

For more than a century, Armstrong Flooring has been known and trusted the world over for consistent quality, innovative design and satisfied customers.



Armstrong Flooring is proud to be a national sponsor of Homes for Our Troops, a non-profit organization dedicated to helping wounded veterans achieve freedom and independence by providing newly constructed, specially adapted homes at no cost. For more information, visit [www.hfotusa.org](http://www.hfotusa.org).



Armstrong and the Armstrong Logo are trademarks of AWI Licensing LLC. Unless otherwise indicated, all other trademarks are owned by AFI Licensing LLC.

FloorScore™ is a trademark of the Resilient Floor Covering Institute. Hanley Wood® is a registered trademark of Hanley-Wood, LLC.

NOTE: Due to printing limitations, colors pictured cannot be guaranteed to match actual flooring material.

© 2017 AFI Licensing LLC

F-8564-117

[www.armstrongflooring.com](http://www.armstrongflooring.com)

QUESTIONS? Please email your name and address to: [propertymanagement@armstrongflooring.com](mailto:propertymanagement@armstrongflooring.com) for your local rep to contact you.

To View All Products:  
[www.armstrongflooring.com](http://www.armstrongflooring.com)

For Technical and Installation Information:  
[www.floorexpert.com](http://www.floorexpert.com)

*Shown on cover:*  
ALTERNA® ENGINEERED STONE  
Urban Gallery™ D7116 Brownstone  
(12" x 24" tile shown),  
Grout – F6 Driftwood