MATERIAL SAFETY DATA SHEET

| | | - | | | | | |
|---|---|--|------------|------------------|----------------|----------------|--|
| This MSDS complies with OSHA'S Hazard Communic | | | | OSHA Form 1 | 74 | | |
| IDENTITY AND DISTRIBUTOR'S INFORMATION | | | | | | | |
| NFPA Rating: Health-2; Flammability-3; Reactivity-0; Special-0 Manufactured For: Triple S | | HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B DOT Hazard Classification: ORM-D | | | | | |
| Address: 2 Executive Park Dr. | | Identity (trade name as used on label): | | | | | |
| Address: 2 Executive Fail Dr. Address: Billerica. MA 01862 | lue | SSS Double Action Residual Insecticide | | | | | |
| | MC | | | | | | |
| Phone: 978-667-7900 EMERGENCY RESPONSE NUMBER: 1-800-255-3924 | - | MSDS Number: 425 Revision- 13 Date Prepared: 08/28/96 Prepared By: LF/IB | | | | | |
| NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA | | Date Prepared: 08/28/96 Prepared By: LF/IB Information Calls: 978-667-7900 | | | | | |
| SECTION 1 - MATERIAL IDEN | | | | | | | |
| COMPONENTS-CHEMICAL NAMES AND COMMON NAMES | | CAS Number | SARA | OSHA PEL | ACGIH | Carcinogen | |
| (Hazardous Components 1% or greater; Carcinogens 0.1% or greater) | | | III LIST | (ppm) | TLV (ppm) | Ref. Source ** | |
| ACETONE | | 67-64-1 | No | 1000 | 750 | d | |
| PROPOXUR | 114-26-1 | Yes | 0.5mg/M3 | 0.5mg/M3 | d | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 113-48-4 | No | N/E | N/E | d | | |
| ISOPROPANOL | 67-63-0 | No | 500 | 400 | d | | |
| ISOBUTANE / PROPANE BLEND | | 75-28-5 | No | 800 | 800 | d | |
| | | 74-98-6 | No | 1000 | 1000 | d | |
| SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS | | | | | | | |
| Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 0.780 | | | | | | | |
| Vapor Pressure: PSIG @ 70°F (Aerosols): Max. 60 | | Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A | | | | | |
| Vapor Density (Air = 1): N/E | Eva | Evaporation Rate (= 1): N/E | | | | | |
| Solubility in Water: Insoluble | | Water Reactive: No | | | | | |
| Appearance and Odor: Clear, light straw colored liquid with insecticide / pineapple fragrance. | | | | | | | |
| SECTION 3 - FIRE AND EXPLOSION HAZARD DATA | | | | | | | |
| | Ito Ignition Temperature Flammability Limits in Air by % in Volume: | | | | | | |
| (aerosols) EXTREMELY FLAMMABLE | | N/E % LEL: N/E % UEL: N/E | | | | | |
| FLASH POINT AND METHOD USED (non-aerosols): N/A | EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide. | | | | | | |
| SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus | | | | | | | |
| Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures | | | may ruptu | re. | | | |
| | | | | | | | |
| STABILITY [X] STABLE [] UNSTABLE Incompatibility (Mat. to avoid): Water, reactive metals, aluminum, magnesium | HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR | | | | | | |
| potassium, sodium, alkalis, strong oxidizing agents. | COI | iulions to Avoiu. Ope | ii name, w | eluling arcs, ne | sai, spaiks. | | |
| Hazardous Decomposition Products: CO, CO2 | | | | | | | |
| SECTION 5 - HEALTH HAZARD DATA | | | | | | | |
| PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION []SKIN ABSORPTION []EYE []NOT HAZARDOUS | | | | | | | |
| ACUTE EFFECTS: | | | | | | | |
| Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, anesthetic effects, asphyxia, and possible unconsciousness. | | | | | | | |
| Eye Contact: Irritation. Skin Contact: Possible mild irritation due to defatting of skin. | | | | | | | |
| Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea. | | | | | | | |
| CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of | of this r | nixture) May cause care | diac abnor | malities, centr | al nervous sys | stem | |
| depression, lung, kidney, liver damage, inhibits cholinesterase. Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions. | | | | | | | |
| EMERGENCY FIRST AID PROCEDURES | | | | | | | |
| EMERGENCE FIRST AID PROCEDURES Eve Contact: Flush with water for 15 minutes. If irritated, seek medical attention. | | | | | | | |
| Skin Contact: Wash with soap and water. If irritated, seek medical attention. | 1. | | | | | | |
| Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention | n. | | | | | | |
| Ingestion: GET IMMEDIATE MEDICAL ATTENTION. Atropine sulfate is antic | | Freat like typical organic | phosphate | e poisoning. | NDUCE VOM | TING ONLY | |
| AT PHYSICIAN RECOMMENDATION. | | ,, , | | | | | |
| SECTION 6 - CONTROL A | | | | | | | |
| Respiratory Protection (specify type): If vapor concentration exceeds TLV, us | se resp | pirator approved by U.S. | Bureau of | Mines for org | anic vapor. | | |
| Protective Gloves: Rubber gloves recommended. | Eye | Eye Protection: Safety glasses recommended. | | | | | |
| Ventilation Requirements: Adequate ventilation to keep vapor concentration b | elow T | -LV. | | | | | |
| Other Protective Clothing & Equipment: None | | | | | | | |
| Hygienic Work Practices: Wash with soap and water before handling food. Re | | · · · · · · · · · · · · · · · · · · · | | | | | |
| SECTION 7 - PRECAUTIONS | - | | | | | | |
| Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable n NOT FLUSH TO SEWER. | | | | | r Federal regu | Ilations. DO | |
| Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure | | | | | | | |
| Precautions To Be Taken In Handling & Storage: Do not puncture or incinera | | | | | | | |
| Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILD | | | | | | | |
| We believe the statements, technical information and recommendations contain ** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NT | | | | | | | |
| THIS MSDS IS CURRENT AS OFJANUARY 10, 2000. The DATE | | | | | | | |

THIS MSDS IS CURRENT AS OFJANUARY 10, 2000. The DATE PRÉPARED section is the original date assembled and remains current until a change is necessary.