### Icemakers/Dispensers

- 2 Year parts on all components
- 2 Year labor on all components
- 5 Year parts only on compressor

### Ice/Beverage Dispensers

- 2 Year parts on all components
- 1 Year labor on all components

#### **Hotel Dispensers**

- 3 Year parts on all components
- 3 Year labor on all components

#### DISPENSER ACCESSORIES

	MDT2C12	MDT3F12	MDT4F12	MDT5N25	MDT5N40	MDT6N90	ID150	ID200	ID250	HD22	HD30
Wall Mounting Kits											
KWB4											
KWB3											
Splash Panel Kits											
KSP5											
Water Filtration System By EverPure® Filtration Systems, Replacements & Prefilters											
SSM1-A-Single System			-								
SSMRC1-Replacement Cartridge (package of 1)	•			•	•						
SC10-A-10" Coarse Prefilter	•	•	•	•	•						
SC20-A-20" Coarse Prefilter	•		•		•						
Kits											
KWGFID-Field Installed Water Glass Filler Kit							•	•	•		
KNUGDIV-Field Installed Nugget Ice Dispensing Kit								•			
Machine Stands											
IOBDMS22-Machine Stand											
IOBDMS30-Machine Stand								•	•		
Bin Tops											
KBT32-Bintop Adapter for Eclipse 22"											-
KBT35-Bintop Adapter for Eclipse 22"											
KBT36-Bintop Adapter for Eclipse 22"								•	•	•	
KBT40A-Bintop for Eclipse Cubers											
KBT41-Bintop for Eclipse Cubers								•	•		
KBT42-Bintop for 22" Cuber or 21" Nugget Maker											
KBT43-Bintop for 22" Cuber								-	•		
KBT44-Bintop for 30" Cuber								•	•		
KBT46A-Bintop for 21" Nugget Maker								-			
Hotel Dispenser Kits											
KTOKN-500 Tokens0984" diameter											
KPCCD200-Vend Portion Kit											








775 Corporate Woods Parkway • Vernon Hills, IL 60061 • (800) SCOTSMAN • Fax (847) 913-9844 Website: www.scotsman-ice.com • customer.service@scotsman-ice.com





# INTRODUCING THE NEW & IMPROVED TOUCHFREE® ICE-MAKER/WATER DISPENSERS

At Scotsman, we enhanced our TouchFree icemaker/water dispenser inside and out with new, sleek, European styling and a 25% reduction in fan noise. Our new TouchFree dispensers are perfect for the quietest hallway or the busiest cafeteria. Plus, we improved the dispensing area on our smaller units to accommodate a greater variety of containers.

Specifically designed to meet the strict requirements of health care facilities, the Scotsman TouchFree icemaker/water dispenser is becoming a favorite for patient care, food service and laboratories. The TouchFree MDT5N25, MDT5N40 and MDT6N90 produce from 500-757 lbs. of soft, chewable nugget ice, while the MDT3F12 and MDT4F12 produce from 250-450 lbs. of flake ice. Our recently introduced new MDT2C12 TouchFree unit dispenses cubelet ice, which is a harder, slow-melting, ice form that allows for more reliable and easier dispensing. All three ice forms are a favorite for patient care as well as beverages.

The TouchFree dispensers eliminate the use of levers and buttons because of its unique infrared sensor design that determines when to dispense ice or water. The MDT2C12 has an unique infrared sensor design that determines when to dispense ice, water or both. Since there is no physical contact with the surfaces of the machine, the risk of cross-contamination is dramatically reduced. The TouchFree Icemaker/Water Dispensers comply with the most stringent requirements of the National Sanitation Foundation and the spirit of the Americans with Disabilities Act.



A consumer

preference, soft,

chewable nugget

ice is not only

versatile and slowmelting, but helps

drinks stay cool

longer.

Scotsman	COUNTERTOP ICE MAKER/DISPENSERS								
Scotsman	MDT2C12 MDT3F12		MDT4F12 MDT5N25		MDT5N40		MDT6N90		
<b>Dimensions</b> -WxDxH	15 <sup>9</sup> / <sub>32</sub> x27 <sup>7</sup> / <sub>64</sub> x34 <sup>13</sup> / <sub>32</sub>		14x23³/ <sub>4</sub> x34 <sup>5</sup> / <sub>16</sub>	26x22 <sup>1</sup> / <sub>2</sub> x41				35 <sup>3</sup> / <sub>16</sub> x29 <sup>1</sup> / <sub>4</sub> x45 <sup>3</sup> / <sub>4</sub>	
Electrical-Volts/Hz/Phase		115/60/1	115/60/1	115/60/1		115/60/1		115/60/1	
Bin Capacity-Lbs./Kg	12/6	12/6	12/6	26/12		40/18		90/4	
Ice Form	Cubelet	Flake	Flake	Nugget		Nugget		Nug	•
ice roilli	*	*	*	* D		* O		* D	
Max. Fuse Size	10	20	20	25	20	25	20	25	20
Compressor HP	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3/4	3/4
No. of Wires	2	2	2	2	2	2	2	2	2
Min. Circuit Ampacity	13	14.9	14.9	19.3	17.8	19.3	17.8	18.1	16.5
, ,									
Shipping Weight-Lbs./Kg	161/73         155/70         155/70         260/118         280/127         330/150						/150		
lce Production – 24 Hours – Power & Water Usage 70° Air/50° Water									
Air-Cooled-Lbs./Kg	273/124	392/178	453/205	523	/237	523	/237	720	/327
Water-Cooled-Lbs./Kg	NA	NA	NA	525/238		525/238		715/324	
Ice Production - 24 Hours - Power & Water Usage									
		90° A	Air/70° Water						
Air-Cooled-Lbs./Kg	198/90	294/133	351/159	409	/186	409	/186	540	/245
KWH	13.0	5.6	5.6	5.4		5.4		5.6	
Water (Potable)	24	12.0	12.0	12.0		12.0		12.0	
Water-Cooled-Lbs./Kg	NA	NA	NA	455/208		455/208		610/277	
KWH	NA	NA	NA	4.0		4.0		4.3	
Water (Potable)	NA	NA	NA	12.0		12.0		12.0	
Water (Cond.)	NA	NA	NA	97	7.0	97	7.0	98	3.2
Machine Stands* (Dimensions: WxDxH)									
DMS21B				.		Ι.			
26x22 <sup>1</sup> / <sub>2</sub> x30 <b>DMS31B</b>									
35 <sup>3</sup> / <sub>16</sub> x29 <sup>3</sup> / <sub>8</sub> x30									

\* Air Cooled

Water Cooled \*Add 6" for leg height on stands KWH & water based on 100 Lbs. of ice







MDT3F12

MDT6N90

Determining ice usage depends on how and where you're using the ice. For hospitals, you should plan on using 7 lbs. per patient and 2 lbs. per employee per day. To be safe, you may want to add 20% to that usage to accommodate future growth or peak demand periods.

## ICE ONLY DISPENSERS

Because self-serve beverages are one of a convenience store's most profitable products, the dispensing equipment is extremely important. It has got to be easy for customers to use, easy to maintain and it must have outstanding reliability.

Scotsman ID & BD series dispensers provide durable, reliable performance under the most demanding conditions. Heavy-duty construction and components assures longer life. The insulated, heavy-duty drip tray prevents condensation that can leak on countertop causing damage and/or sanitary issues. Stainless steel exteriors provide an attractive and inviting contemporary design yet resist corrosion and rust. Designed to Scotsman's specifications, ID & BD dispensers are a perfect match for CM³ cubers.



CME1056 on BD200

Scotsman

dispensers are

designed to match

with CM³ cubers

which offer the

**Lowest Lifetime** 

Ownership Cost.



#### Choice of Configurations

Ice-only or ice and beverage dispensers are available in popular widths: 22 or 30 inches, with storage capacities of 150, 200 or 250 lbs. Popular UF1 valves are standard and can be combined with cube or nugget ice machines.

#### **Durable Construction**

The easy-to-clean stainless steel exterior resists corrosion and can withstand the punishment of everyday use. The storage bin is made of rust-free plastic and the dispensing mechanism is comprised of heavy-duty components for long life.

#### CM<sup>3</sup> Ready

Scotsman dispensers are designed to specifically match CM³ cubers which offer the Lowest Lifetime Ownership Cost. The combination provides the greatest value, the most appealing aesthetics and assures a factory-tested, perfectly matched system.



**BD150** 

Scotsman		RTOP ICE DISP			
	ID150	ID200	ID250		
<b>Dimensions</b> -WxDXH	22x30x35⁵/₃	30x30x35⁵/ <sub>8</sub>	30x30x39⁵/₃		
<b>Electrical</b> -Volts/Hz/Phase	115/60/1	115/60/1	115/60/1		
<b>Bin Capacity</b> -Lbs/kg	150/68	200/91	250/114		
Actuation	Cup Activated	Cup Activated	Cup Activated		
Max Fuse Size	15	15	15		
No. of Wires	2	2	2		
Min. Circuit Ampacity	Cord	Cord	Cord		
Shipping Weight-Lbs/kg	150/68	250/113	300/136		
Ice Mach	ine Options (Dim	ension: WxDxH)			
CME306-22x24x28					
lce Prod.*-Lbs/kg-330/150	_				
CME456-22x24x28					
lce Prod.*-Lbs/kg-490/222	_				
CME256-30x24x27					
lce Prod.*-Lbs/kg-320/145		_	_		
CME506-30x24x27					
lce Prod.*-Lbs/kg-510/231		_	_		
CME656-30x24x27					
lce Prod.*-Lbs/kg-645/293		_	_		
CM806-30x24x27					
Ice Prod.*-Lbs/kg-705/345		_	_		
CME1056-30x24x28					
lce Prod.*-Lbs/kg-910/413					

<sup>\*</sup>Above ice machines are based on water-cooled units. See individual spec sheets for air & remote cooled units.



ID200



**ID250** 

As a guideline for ice usage, assume that customers will use 4 oz. of ice per 12 oz. cup; 7 oz. per 20 oz. cup; and 10 oz. per 32 oz. cup. If you sell bagged ice, Scotsman has a variety of machines to match your store's volume—from 300 lbs. to 2,000 lbs. a day.

## YOU'LL VALUE OUR ICEVALET™ HOTEL ICE DISPENSER

**iceValet** The reliability of the new iceValet™ will keep your guests supplied with ice always, so you can pay attention to their other needs. Because it is so reliable, it will be like adding another

member to your staff.

This sleek-looking family is available in 22" and 30" widths and features an easy to use ice dispensing chute. The 22" wide unit offers storage up to 120 lbs. while the 30" unit stores up to 180 lbs.

Both units feature a new and improved sink depth of 7.75" that will accommodate virtually every sized hotel ice bucket. Plus, the 30" wide model is available with optional coin/token mechanism or water filler.

Match the iceValet with Scotsman's CM³ ice machines featuring Auto IQ™plus control system, the CM3 evaporator and a rust free polyethylene base and food zone that's backed by a lifetime rust free warranty. CM3 technology features ReliaCleanTM, a simplified, push button cleaning process, to help keep your ice machine clean. All these features add-up to offering the Lowest Lifetime Cost of Ownership.



CME506 on HD30 Dispenser

Scotsman has two self-serve dispensers specifically designed for hotel/motel use. The high-capacity HD30 stores up to 180 lbs. of ice per day. At just 22 inches wide, the HD22 stores up to 120 lbs. of ice, allowing for maximum guest convenience.

#### Sleek Appearance

Both the HD30 and the HD22 have a durable stainless steel exterior that looks attractive in any decor. The HD30 rounded corners and rust-free plastic top panel are specifically designed to match the cuber to the dispenser.

#### Easy Access Bin

The iceValet's bin access door allows easy access to the bin for cleaning and service without having to remove the ice machine head. Plus, it features a unique power lock switch to ensure operator safety during maintenance.

#### Reliable Performance

CM<sup>3</sup> ice machines are the perfect match for our hotel dispensers. Lower utility usage leads to Best-in-Class performance, and reliability is assured with features like Scotsman's unique AutolQ™, with patented Adaptive Harvest, patented AntiSlush and AutoRestart.

Hotel/Motel Dispensers	HD22	HD30			
Dimensions-WxDxH	22 x 33.5 x 53.25	30 x 33.5 x 53.25			
Electrical-Volts/Hz/Phase	115/60/1	115/60/1			
Bin Capacity	120/59	180/81			
Actuation	Push Chute	Push Chute			
Max Fuse Size	15	15			
No. of Wires	2	2			
Min. Circuit Ampacity	2.1	2.1			
Options	N/A	Water Filler/Coin/Token			
Shipping Weight-Ibs/kg	199/91	220/99			
Ice Machine Options (Dimensions:WxDxH)					
CME306 22 x 24 x 28	_				
Ice Prod.**(lbs/kg) 330/150	_				
CME456 22 x 24 x 28	_				
Ice Prod.**(lbs/kg) 490/222	•				
CME256 30 x 24 x 28		_			
Ice Prod.**(lbs/kg) 320/145		-			
CME506 30 x 24 x 28		_			
Ice Prod.**(lbs/kg) 510/231		_			
CME656 30 x 24 x 28		_			
Ice Prod.**(lbs/kg) 645/293					






Dispensers rated in accordance with ARI standards 820-95 Ice machines rated in accordance with ARI standard 810-95



CME306 on HD22 Dispenser



Sink Area



Coin Mechanism

In an average hotel or motel, operators should base their ice needs on 3 lbs. of ice per room per day. However, plan on substantially more demand if guests are allowed to fill ice chests.

6