



CONVERGENCE
» network «

SIRENS & SPEAKERS



Experience the brilliantly engineered SmartSiren Platinum at fedsig.com/smartsirenplatinum

SMARTSIREN PLATINUM WITH SMART SOFTWARE FOR SIMPLE PC INTERFACE & THE UNIQUE "PLUG AND PLAY" FS CONVERGENCE NETWORK

SmartSiren® Platinum

- FS Convergence Network compatible
- Simple Windows® based programming
- Total system diagnostics
- Provides serial communication to all ROC (Reliable Onboard Circuitry™) technology enabled lightbars
- Fourteen discreet and programmable outputs for non-serial products
- Four auxiliary inputs
- Locking, rugged power connectors
- Familiar and functional control head design



Model	Description	Price
SSP3000	100/200W, programmable, diagnostic and full featured light and siren controller including SignalMaster	\$1,699.00

COMMON REPLACEMENT PARTS

Z1751357A-02	RS485 cable, 25-ft	20.00
Z1751357A-06	Cable to link boards, 8"	4.00
Z1751530A	Cable assembly, amplifier control	94.00
Z1751532A	Cable assembly, ethernet	7.00
Z1751541A	Relay cable assembly	27.00
Z1751542A	Cable assembly, SignalMaster and input	45.00
Z1751543A	Cable, control head	17.00
Z258B577B-03	Microphone replacement	58.50
Z85361208A	Control head assembly, SSP3000	770.00
Z85361211A	Amplifier assembly, SSP3000	1,235.00
Z85361214A	Kit, accessory, SSP3000	20.00
Z8572294C	Legend inserts	4.50



Fourteen Relay Outputs

More than ever before.

SmartSiren Platinum has the flexibility for more control in your vehicle with up to 14 relay outputs.



SignalMaster Functionality

Form meets function.

SmartSiren Platinum features four 3-amp auxiliary outputs and SignalMaster control outputs in the rear of the unit – plus four control inputs for additional automation.



Siren Control and Diagnostics

Total Control & Confirmation.

Easily accessible, the external volume adjustment for radio rebroadcast and public address is at your finger tips – and at a glance visual confirmation that power is being supplied to the unit.



Visual Communication

Improved visual communications.

For convenient visual reference, the SmartSiren Platinum control system emulates the selected pattern of the SignalMaster operation.



Simple Siren Maintenance

Easy maintenance and trouble-shooting.

Finding short circuits and changing fuses for horns and sirens has never been simpler.



Smart Software / Fleet Management

Brilliance multiplied.

SmartSiren Platinum gives you the ability to clone an entire fleet of remote control head functions. Simply connect the SmartSiren to the PC and download the functions of the programmed software from one head to another...and another.



Serial Communication

Brilliantly simple Convergence Network.

Six plug-n-play serial ports on SmartSiren Platinum can be used with Federal Signal's unique Convergence Network for on-connection to the remote control head and all compatible lightbars and Federal Signal's Internal Lighting System.



EnergizeIt

- Legend
- Arjent S2
- Raydian S2
- ILS

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

PA640

- Combined light/siren controls with PA and microphone
- 100-Watt SAE J1849 and Class A sound output
- Internal programmable siren functions
- Four-position progressive slide switch
- Six backlit and rubberized relay push-button switches
- Scrolling TAP II intersection clearing feature



Siren tones
available online

Model	Description	List Price
640000	Siren, 640 Series, 100W, programmable slide switch and light control	\$606.25

COMMON REPLACEMENT PARTS

Z258B577B-03	Microphone replacement, 640 Series	58.50
Z141A102	Knob, gain control	2.50
Z141A111	Knob, function/tone selector	3.75
Z140338A-11	Connector, 11-position, right angle for SignalMaster PC board	14.00
Z122374A	Slide switch	35.25
Z8536C1041A	Knob, slide switch, plastic	6.25

NOTE

- California Code of Regulations (CCR) Title 13, Article 5 states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

Rumbler®

- Intersection clearing system
- Upgrades user safety and siren effectiveness
- Can be used with most available siren products
- Vibrating tones provide feel with emergency warning sound
- Mounting brackets available for late model Crown Victorias and Chevrolet Tahoes
- Ideal for use in highly populated urban environments



Model	Description	List Price
RUMBLER	Siren amp, Rumbler, secondary warning system, 12V, low frequency tones, hardware kit, housing bands and cradles	\$638.00

ACCESSORIES AND KITS

RB-CVIC05	Kit, pair of mount brackets with hardware for Ford Crown Victoria police package vehicles	42.25
RB-ES08	Kit, pair of mount brackets with hardware for 2008 Ford E-Series Chassis	42.25

COMMON REPLACEMENT PARTS

Z82831070A	Replacement woofer	90.00
Z82831071A	Kit, connector/bracket, Rumbler speaker	49.00
Z82831072A	Speaker	210.00
Z82831080A	Rumbler speaker body	51.50

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

PA300

- High reliability with durable switching
- External PA gain control
- Full featured siren in compact package
- Built-in noise-cancelling microphone
- Easily accessible fuse protection
- Effective TAP II intersection clearing feature
- Meets Class A sound output requirements



Siren tones available online

Model	Description	List Price
690000	100W, PA300-012MSC, hi-lo tone, hard-wired microphone	\$400.25
690002	100W, PA300-012MSCPTY, priority tone, hard-wired microphone	400.25
690009	200W, PA300-024MSC, hi-lo tone, hard-wired microphone, 24V	421.50
690010	200W, PA300-012MSC, hi-lo tone, hard-wired microphone	422.50
690011	100W, PA300-012MSC, 7-ft harness, hi-lo tone, hard wired microphone	404.25

ACCESSORIES AND KITS

761300	Kit, PA300 Series, adapter cable harness converts to new 690000 PA300 design	13.00
MNCT-SB	Microphone, noise-cancelling, PA/Radio	47.25
DSM	Kit, PA300 Series, bezel for dash mount	46.75

COMMON REPLACEMENT PARTS

Z122376A	Switch, 690 series, function/tone selector	15.25
Z122377A	Switch, 690 series, air horn	8.00
Z125467A	Transistor, 690 series, output	27.25
Z141A102	Knob, PA300, gain control	2.75
Z141A111	Knob, PA300, function/tone selector	3.75
Z1461360A	Wire harness, 690 series, 4-ft length, 12VDC	62.00
Z258B577B-03	Microphone, PA300, use with 690 models	58.50
Z8537561A	Accessory kit, connectors, bracket, hardware	79.00

NOTES

- To use Park Siren feature on '98 or newer Ford vehicles and '01 and newer Chevrolet vehicles, the UPKM-3 Park Siren Deactivator must be used (purchased separately).
- California Code of Regulations (CCR) Title 13, Article 5, states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

PA300R

- Available in single and dual remote mounted control versions
- Includes remote mount noise-cancelling microphone and volume control
- Siren features wail, yelp, air-horn, hi/low tones, manual, and Tap II intersection clearing
- Use with (1) or (2) 100-watt speakers or (1) 200-watt speaker
- Control heads feature illuminated legends, LED indicators and large durable switches for easy control



Siren tones available online

Model	Description	List Price
690014	100/200, remote mounted control, dual control head, noise-cancelling microphone	\$798.25
690015	100/200, remote mounted control, single control head, noise-cancelling microphone	669.50

NOTES

- To use Park Siren feature on '98 or newer Ford vehicles and '01 and newer Chevrolet vehicles, the UPKM-3 Park Siren Deactivator must be used (purchased separately).
- California Code of Regulations (CCR) Title 13, Article 5, states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

650 Series

- Full featured 100-watt remote siren with PA and light control
- Integrated microphone and switch controls in handset
- Progressive push button control mimics slide switch action
- Eight 10-amp light and auxiliary relay positions



Model	Description	List Price
650001	Siren, 650 Series, 100W, microphone push-button controlled, full featured, wail/no wail tone activation, (8) 10A relay outputs	\$521.00
650003	Siren, 650 Series, 100W, microphone push-button controlled, full featured, wail-to-priority tone activation, (8) 10A relay outputs	521.00

COMMON REPLACEMENT PARTS

Z146903B	Cable assembly, RJ45, 25-ft	20.00
Z8615011A	Amplifier replacement, 100W, 650001	488.25
Z8615011A-03	Amplifier replacement, 100W, 650003	488.25
Z8615012A	Bracket, mounting/support, 650 Series	20.75
Z8615013A	Kit, cable harness	80.75
Z8615014A	Connection box	48.00
Z8615015A	Cable, controller	16.00
Z8615016A	Microphone and controller replacement, 650 Series	154.00
Z8615016A-03	Microphone, controller, 650003	154.00
Z8615017A	Mount, controller	15.50
Z8615018A	Kit, hardware, siren support	4.50
Z8615019A	Kit, connector, relay output	2.50

NOTE

- California Code of Regulations (CCR) Title 13, Article 5 states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

MS4000

- Mini-siren with intersection clearing tones
- Faceplate switching or remote control style
- Compact and easy to operate
- 100-Watt Class A and SAE sound output
- Great for undercover and administrative vehicles



Siren tones available online

Model	Description	List Price
MS4000	MS4000 Mini-Siren, 100W, air horn, manual, wail, yelp, priority intersection tone	\$212.00
MS4000U	MS4000 Undercover, 100W, air horn, manual, wail, yelp, priority intersection, remote	235.50

NOTE

- California Code of Regulations (CCR) Title 13, Article 5 states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

PA4000

- 200-Watt electronic siren
- Flush mount controller with remote amplifier
- Noise-cancelling microphone included
- Diagnostic feature checks system status



Siren tones available online

Model	Description	List Price
PA4000	200W, flush mount control, remote amplifier	\$530.25

COMMON REPLACEMENT PARTS

Z146903B	Cable assembly, RJ45, 25-ft	20.00
Z258B577B-02	Microphone, PA4000	58.50
Z85361106A	Control head assembly, PA4000	238.75
Z85361108A	Amplifier assembly, PA4000	519.75

NOTE

- California Code of Regulations (CCR) Title 13, Article 5 states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

TouchmasterTM Delta/TouchmasterTM

- Totally enclosed full-function featured sirens with PA available
- High current switching-up to 205-amps of total switching capacity
- Rugged high current (60-amp) slide switch
- Quick installation with marked wires and screw-down terminals
- Five tone intersection clearing sweep available
- Adjustable external PA volume controls
- Common microphone adapters allow both radio and siren to operate from a single microphone



 Siren tones available online

Model	Description	List Price
Touchmaster Delta, 58/110/200W		
UTMD	60A progressive slide switch, 205A switch capacity, manual, air horn, wail, yelp, (5) override/sweep tones, (6) rubberized 20A accessory switches (5 latching, 1 momentary)	\$695.25
UTMD-MB	60A progressive slide switch, 205A switch capacity, manual, air horn, wail, yelp, (5) override/sweep tones, (6) rubberized 20A accessory switches (5 latching, 1 momentary), microphone and bracket included	716.00
Touchmaster, 58/100/200W		
UTM1	35A switch capacity, (1) 15A warning light circuit, manual, wail, yelp, air horn, (5) sweep tones	541.50
UTM3	80A switch capacity, (5) light circuits (60A), horn ring, manual, air horn, wail, yelp, (5) sweep tones	792.50
UTM4	205A switch capacity, (5) light circuits (60A), (6) accessory switches, manual, air horn, wail, yelp, (5) sweep tones	885.00
UTM4-1	160A switch capacity, (5) light circuits (60A), (4) accessory switches, manual, air horn, wail, yelp, (5) sweep tones	872.25
UTMPA1	Siren/PA, Touchmaster, 100/200W, PA/Air Horn only	435.25
UTMPA6	PA/Air Horn, Touchmaster, 58/100W, 60A progressive slide switch, (4) on/off 20A accessory switches	628.75

ACCESSORIES AND KITS

ULM10	Common microphone adapter, Touchmaster/Omega sirens, Motorola 9000/Syntor/Spectra radios	191.25
ULM16	Common microphone adapter, Touchmaster/Omega sirens, Motorola Maxtrac 300T/Radius/Astro radios	281.50
ULM19	Common microphone adapter, Touchmaster/Omega sirens, Motorola MCS2000 radios	295.00
UOP10	Kit, Touchmaster, dual mode amplifier modification	77.75
UOP13	Touchmaster, radio power control transfer modification	78.50
UOP20	Kit, Touchmaster, plug-in gun lock timer	65.50
UOP25	Kit, Touchmaster, Jog switches for Smart Vector	90.00
USGT	Kit, Gun Lock Timer, Touchmaster/Omega/80K	47.00
UMNCT-SB	Microphone, Omega/Touchmaster/80K, standard noise-cancelling	47.25
UPKM-3	Kit, Park Siren Deactivator module, all siren models	47.25
UOP100	Black out	61.50

NOTES

- To use the Park Siren feature on '98 and newer Ford vehicles and '01 and newer Chevrolet vehicles, the UPKM-3 Park Siren Deactivator must be used (purchased separately)
- California Code of Regulations (CCR) Title 13, Article 5, states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".
- Products are upgraded on a regular basis. Call the factory for other options or common microphone adapters.
- Option pricing applies to new orders. Retrofitting existing equipment will require an additional service charge.
- Most options require factory installation.
- Customer needs to specify radio used when ordering common mic adaptor.

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

80K

- Compact plug-n-play cable connectors for fleet-wide solutions
- Wide variety of control head and auxiliary switch choices
- Toughest high current (60 amp) slide switch available
- ACP - Automatic Component short circuit Protection
- No battery drain in standby mode



Siren tones
available online

Model	Description	List Price
U180K	Undercover/motorcycle, UM180K controller, UMC029, C063 pigtail, (1) warning light control circuit	\$621.50
U183K-15	Undercover, UM183K controller, 80K amp, UMC030-15, UCAR-183K, C063 pigtail, (4) warning light circuits, 15-ft cable length	720.50
U183K-4	Undercover/motorcycle, UM183K controller, 80K amp, UMC030-4, UCAR-183K, C063 pigtail, (4) warning light circuits, 4-ft cable length	673.75
U280K-15	UM280K controller, 80K amp, UMC030-15 cable, C060 pigtail, (1) warning light control circuit, 15-ft cable length	894.75
U280K-4	UM280K controller, 80K amp, UMC030-4 cable, C060 pigtail, (1) warning light control circuit, 4-ft cable length	855.50
U480K-15	100/200W, 60A, UM480K controller, UM80K amp, (5) warning light control circuits, 15-ft cable harness	1,059.75
U480K-4	100/200W, 60A, UM480K controller, UM80K amp, (5) warning light control circuits, 4-ft cable harness	1,007.00
U480K-SU	100/200W, 60A, UM480K controller, UM80K amp, (5) warning light control circuits	420.50
Amplifier		
UM80K	80K Series, 100/200W	554.75
UDMK	80K Series, dual mode siren with cable	611.50
Controllers		
UM180K	80K, (1) amplifier warning light control circuit	67.00
UM183K	80K, (3) 20A warning light control circuits	270.00
UM280K	80K, PA, (3) 20A warning light circuits	398.00
UM480K	80K, PA, (5) 20A warning light circuits	420.50
Cables		
UCAR-183K	80K, remote microphone/PA connection, 183K controller	89.00
UCARK	80K, remote microphone jack, 180K controller	55.50
UMCO30-4	80K, amplifier to controller connection, 4-ft cable length	64.50
UMCO30-15	80K, amplifier to controller connection, 15-ft cable length	99.75
UMCO30T	80K, dual mode amplifier to controller connection	52.75
UMCO29	80K, connects amplifier to (1) 80K controller	31.00
UMCO30T	80K, dual mode amplifier to controller connection	52.75
UMCO29	80K, connects amplifier to (1) 80K controller	31.00
Custom Auxiliary Switches		
AC2	Switchpack controller, 80K, (2) 20A on/off or momentary switch options	95.25
AC3	Switchpack controller, 80K, (3) 20A on/off or momentary switch options	111.00
AC4	Switchpack controller, 80K, (4) 20A on/off or momentary switch options	121.75
AC5	Switchpack controller, 80K, (5) 20A on/off or momentary switch options	121.75
AC6	Switchpack controller, 80K, (6) 20A on/off or momentary switch options	158.75
AC7	Switchpack controller, 80K, (7) 20A on/off or momentary switch options	185.75

ACCESSORIES AND KITS

UPA1	Kit, 80K, public address microphone	125.50
UPA2	Kit, 80K, public address microphone specific to 183K controller	125.50
UPKM-3	Park Siren Deactivator	47.25
UMNCT-SB	Microphone, 80K/Omega/Touchmaster standard noise-cancelling	47.25
USGT	Gun lock timer 80K/Omega/Touchmaster	47.00

NOTES

- To use the Park Siren feature on '98 and newer Ford vehicles and '01 and newer Chevrolet vehicles, the UPKM-3 Park Siren deactivator must be used (purchased separately).
- California Code of Regulations (CCR) Title 13, Article 5 states "Electronic sirens shall have a wail function and may also have manual and yelp functions. No other function is permitted on sirens sold (in CA) after January 1, 1982, except for voice communications".

Q-Siren®

- The sound of the Q-Siren is a registered trademark of Federal Signal Corporation
- Distinct sound provides recognizable long distance warning
- Utilizes a unique clutch design that provides a longer coast down sound while reducing the amp draw
- Beautifully streamlined and polished electro-mechanical siren produces 123 decibels at 10-feet



 Siren tones available online

Model	Description	List Price
Q2B-012NNSD	Q2B, mechanical siren, chrome, recess mount	\$2,059.00
Q2B-012PSD	Q2B, mechanical siren, chrome, pedestal mount	2,295.75

ACCESSORIES AND KITS

Q2FSK	Kit, Q2B, foot switch	44.00
Q-MT	Kit, Q2B, bracket for recess mounting Q2B siren	175.50

COMMON REPLACEMENT PARTS

Z8280065B-K	Rotor and clutch kit, Q2B siren	415.00
Z8280080B	Motor, Q2B siren	716.25
Z8280084A	Clutch assembly	67.00
Z8280104B	Front grille, Q2B siren/BP200-Q	352.75
Z8280106A	Stator guard, Q2B siren	88.00
Z8280C077A	Mounting base, Q2B siren, highly polished	230.00
ZH5205-03	Rear housing, Q2B siren, polished stainless steel	309.50
Z8280B003J-02	Brake assembly	92.25

Electronic Q-Siren (E-Q2B®)

- Features the traditional Q-Siren sound with additional electronic siren features such as yelp, air horn, PA and radio rebroadcast
- Use one 200-watt speaker or a pair of 100-watt speakers with the E-Q2B
- Current draw of only 30 amps makes it ideal for fire apparatus, ambulances and personal vehicles



 Siren tones available online

Model	Description	List Price
EQ2B	200W, remote amplifier, surface mount control head	\$1,587.50
EQ2B-100W	100W, remote amplifier, surface mount control head	1,587.50

COMMON REPLACEMENT PARTS

Z140417A-04	Connector, male plug, 4 position, EQ2B	10.00
Z140418A-07	Connector, male plug, 7 position, EQ2B control head	13.00
Z140418A-08	Connector, male plug, 8 position, EQ2B control head	15.00
Z140535A	Connector, male plug, 50A	22.75
Z258B577B-03	Microphone, EQ2B, noise-cancelling	58.50
Z8616005B	Amplifier, EQ2B	1,405.75
Z8616015A	Control head, EQ2B	328.25
Z8616019A	Accessory kit, series B amplifiers	80.00

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

DynaMax®/ES100



- Features Neo-driver for increased dependability
- Quick, easy and cost efficient installations
- 100-Watt high output power
- Black, corrosion-resistant aluminum housing
- Sound output meets SAE J1849 and Class A
- 5.9"W x 5.5"H x 2.7"D / 5.5 lbs
- Pre-assembled grille mount brackets available
- Vehicle specific mounting brackets available for most commonly used vehicles

Model	Description	List Price
ES100	Speaker, DynaMax/ES100, 100W, high output, compact, Class A	\$255.75

ACCESSORIES AND KITS

ESB-U	Universal bail bracket, all vehicles	20.75
ESB-V97	Ford Crown Vic Interceptor, '97	20.75
ESB-V01	Ford Crown Vic, Interceptor, '98-'01	20.75
ESB-V08	Ford Crown Vic, Interceptor, '02-'08	20.75
ESB-TAH02	Chevrolet Tahoe, '02 & earlier	20.75
ESB-TAH08	Chevrolet Tahoe, '03-'08	20.75
ESB-IMP02	Chevrolet, Impala, '00-'02 police, '04 civilian	20.75
ESB-IMP05	Chevrolet Tahoe, '03-'05 Police only	20.75
ESB-IMP08	Chevrolet, Impala, '06-'08	20.75
ESB-CRG07	Dodge Charger, '07	20.75
ESB-HMR	Hummer H3, '07	20.75
ESB-EXP07	Ford Explorer, '07	20.75
ESB-EXP05	Ford Explorer/Expedition, '95-'05	20.75
ESBMT-SB	Bumper/surface mount bracket	51.00
ESFMT	Recess mount, polished trim ring	73.75
ESFMT-EF	Recess mount, stainless steel "Electric F" grille	68.25

NOTE

- Speakers noted as Class A meet CCR, Title 13, Class A, and SAE J1849 specifications when used with a Class A approved Federal Signal siren amplifier.

AS124



- Economically priced and full 100-watt output power
- Field-replaceable neodymium driver
- Moisture, heat and corrosion-resistant PET housing
- Sound output meets SAE J1849 and Class A
- 7.7"W x 5.7"H x 4.45"D / 6.5 lbs

Model	Description	List Price
750501	Speaker, 100W, with universal mount bolts and hardware, high output, Class A	\$149.25

ACCESSORIES AND KITS

750501-00	Mount bracket, no grille removal, '02-'08 Ford Crown Victoria Interceptor	36.75
750501-01	Mount bracket includes Cuda light brackets, no grille removal, '02-'08 Ford Crown Victoria Police Interceptor	56.25
750501-02	Mounting bracket, no grille removal, '06-'08, Chevrolet Impala both civilian and police package	36.75
750501-03	Mounting bracket, no grille removal, '07 Ford Expedition	35.50

COMMON REPLACEMENT PARTS

Z8280090A	Driver, AS124	121.75
Z8556120B	Kit, BP100/BP200/AS124, speaker head	98.75
Z8650106A	Housing assembly with labels, AS124	87.00

NOTE

- Speakers noted as Class A meet CCR, Title 13, Class A, and SAE J1849 specifications when used with a Class A approved Federal Signal siren amplifier.

Speakers

TS100-N

- Highly-efficient neodymium driver
- Weather-resistant housing
- Full 100-watt output power
- Sound output meets SAE J1849 and Class A



Model	Description	List Price
TS100-N	Speaker, 100W, high output, standard bracket, Class A	\$172.50

COMMON REPLACEMENT PARTS

Z8470D118	Projector, molded plastic, TS100-N, Black	21.00
Z8556082C	Kit, speaker head, TS100-N/CP100	98.75
Z8556B096A	Cone, 3.25", Black, TS100/TS100-N	21.50
Z8619145A	Driver, TS100-N	121.75

NOTE

- Speakers noted as Class A meet CCR, Title 13, Class A, and SAE J1849 specifications when used with a Class A approved Federal Signal siren amplifier.

BP Series

BP100

- Features sturdy neodymium driver
- Unique design projects sound evenly to the front as well as to the sides of the vehicle
- Black finish helps prevent corrosion and increase service life
- 100-watt speaker meets Class A standards when used with any Federal Signal siren

BP200

- 200-Watt speaker features neodymium driver for increased service life
- Designed to be attractively recess-mounted through the bumper of a vehicle
- Available with the stainless steel "Electric F" grille or the traditional chrome Q-Siren grille
- Sound output meets SAE J1849 and Class A
- 7.7"W x 5.7"H x 4.45"D/6.5 lbs
- Pre-assemble grille light mounting brackets available



BP200-EF



BP100

Model	Description	List Price
BP100	100W, Black	\$410.00
BP200-EF	200W, stainless steel "Electric F" grille, recess mount	654.25
BP200-Q	200W, chrome Q-Siren grille, recess mount	908.50

ACCESSORIES AND KITS

BPGR	Kit, grille mount	54.75
BPMT	Kit, universal bumper mount	54.75

COMMON REPLACEMENT PARTS

Z8280090A	Driver, 100W, neomagnet	121.75
Z8280104B	Front grille, Q2B siren/BP200-Q, chrome-plated Q-Siren emblem	352.75
Z8556120B	Kit, BP100/BP200/AS124, speaker head	98.75
Z8567102A	Grille, MSFMT-EF/BP200-EF, stainless steel "Electric F"	21.00
Z8567144A	Standoff, Z8280090A required when replacing old style driver	6.00

NOTE

- Speakers noted as Class A meet CCR, Title 13, Class A, and SAE J1849 specifications when used with a Class A approved Federal Signal siren amplifier.

Warning: Sirens and Speakers may produce LOUD sounds necessary to request the right-of-way. Siren and Speakers may cause hearing damage. Wear hearing protection.

CP100

- High-efficient neodymium driver
- 100-Watt output power
- Highly polished, stainless steel speaker
- Designed for mounting on or through the bumper of a fire apparatus
- Traditional design and attractive finish complements other chrome or polished accessories on the vehicle



Model	Description	List Price
CP100-S	100W, highly polished finish, bumper mount	\$715.00

COMMON REPLACEMENT PARTS

Z8283C526A-01	Speaker housing, CP100, Chrome	573.00
Z8556082C	Kit, speaker head, TS100-N/CP100	98.75
Z8619145A	Driver, neodymium	121.75
ZH5052-0A	Polished base, CP100	54.50

Dodge Chassis Speakers

- Fits chassis of 2008 Dodge 3500 Series
- 100-Watt speaker
- Driver and passenger side models
- Installation matches with existing fog lamp cut-outs for clean installation
- Suitable for use in GSA K-spec complaint systems
- Features the dependable Federal Signal neodymium speaker driver



Model	Description	List Price
DS100-D	100W, driver side mount	\$195.00
DS100-P	100W, passenger side mount	195.00

COMMON REPLACEMENT PARTS

Z82831009C	Projector MC100	156.00
Z85566082C	Kit, speaker head, TS100-N/CP100	98.75
Z8556B096A	Cone, 3.25", Black	21.50
Z8619145A	Driver, neodymium	121.75

NOTE

- Speakers noted as Class A meet CCR, Title 13, Class A, and SAE J1849 specifications when used with a Class A approved Federal Signal siren amplifier.