

Replacement TRIMMER Parts



TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
ARIENS 8mm x 1.25 LHM — BC350, BC400, TB220E, TB260	385-407	385-430	385-465		385-284		385-730	385-734
ASTRON 7mm x 1.00 LHM — S150 (1986), S250 (1984 and 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734
8mm x 1.25 LHM — 256E, KFS4 series, KFS12, KFS22, KFS24, P750, PK2400E, PK3300E, S250 (1983)	385-407	385-430	385-465		385-284	385-288	385-730	385-734
10mm x 1.25 LHF — S250 (1988)	385-407	385-430	385-465		385-284	385-288	385-730	385-734
BLACK & DECKER 3/8 x 24 RHF — 82255, 82257, 82267, 8271-04, 8289-4	385-405	385-435		385-587 or 385-580	385-285		385-730	
BRUSH KING 8mm x 1.25 LHM — BK32, BK32LT, BK49, BK85, BK100	385-407	385-430	385-465	385-585	385-284	385-288	385-730	385-734
BUNTON 8mm x 1.25 LHF — LBS18K, LBS24K		385-427				385-288	385-730	385-734
DOLMAR 3/8 x 24 RHF — BDC212, LT16, LT210		385-435		385-587 or 385-580	385-285		385-730	
10mm x 1.25 LHM — BC250, BC330, BC400					385-284		385-730	385-734
10mm x 1.25 LHF — BC210, BC212	385-407	385-430	385-465		385-284	385-288	385-730	385-734
10mm x 1.00 LHF — BC337, BC377 F Bolt	385-407	385-430	385-465		385-284	385-288	385-730	385-734
8mm x 1.25 LHF — BC225, LT154, MS20C, MS2501, MS253, MS2514, MS2810, MS3210		385-427			385-284	385-288	385-730	385-734
ECHO 10mm x 1.25 LHF— SRM series, 140, 140A, 140D, 200, 200A, 200AE, 200BE, 200Ce, 200D, 200DA, 200DB, 200DE, 202DA, 202FA, 210, 210AE, 210E, 210I, 210SB, 210U, 230, 230S, 230U, 250, 250E, 260, 260S, 260U, 300, 300AE, 300AE1, 300AE/1, 300E, 300E/1, 302, 302ADX, 303E, 311, 311S, 311U, 340, 400AE, 400B, 400BE, 400E, 400U, 1500, 1500A, 1501, 2100, 2100SB, 2101, 2110, 2200, 2201, 2300, 2301, 2400, 2400SB, 2410, 2500, 2501, 2501S, 2502, 2510, 2601, 3000, 3001, 3010, 3100, 3100S, 3110, 3400, 3410, 3800, 4600	385-407	385-430	385-465		385-284	385-288	385-730	385-734
3/8 x 24 RHF — GT series, 100, 140, 140B, 160, 160AE, 200, 200A, 200B, 200BE, 200CE, 200I, 200R, 230, 1000, 1100, 1100A, 2000, 2000SB, 2100, 2101, 2102, 2103, 2200, 2301, 2400, SRM2000		385-435		385-587 or 385-580	385-285		385-730	

2-CYCLE ENGINE/
OTHER EQUIPMENT



Replacement TRIMMER Parts

TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
GREEN MACHINE 8mm x 1.25 LHM — GRX-525H, 1200, 1500, 1600, 1700, 1900, 1930, 1940, 1950, 2000, 2100, 2130, 2200, 2230, 2300, 2331, 2340, 2345, 2500, 2500LP, 2510LP, 2540, 2540LP, 2600, 2800, 2810, 2840, 2841, 2850, 3000, 3000B, 3000J, 3000LP, 3000M, 3000SS, 3040M, 3050M, 3451, 3510, 3540, 3541, G2A, G2C, GT20, GT21, GT22, GT25, GT31, GT31B, GT35B, GT40B, GT41, SRM3000, SRM3000LP, SRM3000M, SRM3000SS, SRM3040M 10mm x 1.25 LHM — 4000, 4000B, 4000J, 4000M, 4000LP, 4500, 4500LPX, 4600LPX, BC250, BC400, D17, D18, G4C, SRM4000, SRM4000LP, SRM4000M	385-407	385-430	385-465	385-585	385-284	385-288	385-730	385-734
HOFFCO 3/8 x 24 RHF — 1600, Critter, GT series, 14A, 14B, 14H, 21, 22, 160B, 160T, 160TL, 210, 211, 211A, 215H, 215T, 225, 225SPL, 256SPL, 320B, 320HT, 320T, 280, GR320B, GTX, GTSR, HOFFIE22, P22, LIL WIZ, 600, 1600, WC22, WC215, WT series, 14, 160, 160H, 160HT, 215, 250C, 250HT, 250HTA, 250WT, 320, 320H, 320HT, PC series, 22, 225, 380, WH series 10mm x 1.25 LHF — JP series, 215, 215GT, 220F, 225, 260, 260A, 260C, 270, 300, 300A, 300B, 300C, 300F, 320, 390, 390A, 390C, 390XL, 420, 420D, 660		385-435		385-587 or 385-580	385-285		385-730	
HOMELITE 8mm x 1.25 LHM — HK24 (to 1986), HK30 (after 1985), HK33 (to 1986) 3/8 x 24 LHF — ST160, ST180, ST200, ST210 8mm x 1.25 LHF — HK18 (after 1985), HK24 (after 1985), HK25, HK30 (before 1986), HK33 (after 1985), HK38, PBC3600, PBC3800, PBC4000, ST285, ST385 8mm x 1.25 LHF CB — HBC30, ST485 Universal — ST175, ST175BC, ST185, ST145, ST155, ST285	385-407	385-430	385-465		385-284	385-288	385-730	385-734
				385-591				
		385-427			385-284	385-288	385-730	385-734
		385-427					385-730	385-734
				385-580				
HONDA 10mm x 1.25 LHF — UMK422LNA, UMK422LTA, UMK431LNA, UMK431LTA, UMK431UNBZ, HHT25SLTA, HHT31SLTA, HHT31SUNBA	385-407	385-430	385-465		385-284	385-288	385-730	385-734

Replacement TRIMMER Parts



TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
HUSQVARNA								
8mm x 1.25 LHM — 16R (up to 1986), 22R (up to 1986), 24R (after serial #603702), 25R (up to 1986), 25RL (after 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734
7mm x 1.0 LHM — 24R (up to Ser. #603702)	385-407	385-430	385-465		385-284	385-288	385-730	385-734
3/8 x 24 RHF — 123C, 216CN, 26LC, 26RLC, 32LC, 32RLC, 325CX, 326C, Mondo	385-405	385-435		385-587 or 385-580	385-285		385-730	
10mm x 1.25 LHF — 122L, 123L, 123LD, 225L, 225LD, 225R, 225RD, 225RJ, 227LD, 232L, 232R, 235R, 322L, 322R, 323R, 325LX, 325RX, 326L, 326LX, 326RJX, 326RX	385-407	385-430	385-465		385-284	385-288	385-730	385-734
3/8 x 24 LHF — 32L, 32LR, 32R, 32RL				385-591				
5/16 x 24 RHF — 21LCN, 23LC, 322C, 325C				385-587				
IDC								
10mm x 1.25 LHF — 540, 540-1, 540-2, 540 Supreme, 580, 580-1, 580-2, 580 Supreme	385-407	385-430	385-465		385-284	385-288	385-730	385-734
Universal — 364, 500, 520, 530, 540				385-580				
JOHN DEERE								
10mm x 1.25 LHF — 24S, 25S, 30S, 38B, 38R, 38S, 60G, 90G, 99G, 240G, 250G, 260G, 300G, 305, 350G, 360G, 380G, 385, 450G, 460G	385-407	385-430	385-465		385-284	385-288	385-730	385-734
3/8 x 24 RHF — 21C, 21S, 80G, 82, 82G, 83G, 85, 100G, 110G, 120G, 200G, 210G, 220G, 250G	385-405	385-435		385-587 or 385-580	385-285		385-730	
JONSERED								
3/8 x 24 RHF — GT25L GT26, GT26L		385-435		385-587 or 385-580	385-285		385-730	
8mm x 1.25 LHM — BP40, BP40 Combi, BP2040, BR400, BR420, BR450, BR460, BR480, GT21L, GT22L, GT24L, GR26D, GR26L, GR26 Combi, GR32L, GR32L Cat, GR2026CL, GR2026D, GR2032, GR2032D, GR2032L, GR2036, LR200, LR220, LR220B, LR220L, LR260, LR260B, LR260L, LR300, LR320, LR400, LR420, LR450, LR460, Tiger 40	385-407	385-430	385-465		385-284	385-288	385-730	385-734
3/8 x 24 LHF — GT32				385-591				
10mm x 1.25 LHF — GR41, GR44, RS44	385-407	385-430	385-465		385-284	385-288	385-730	385-734
KAAZ								
10mm x 1.25 LHF — BS400, BX440, BX540, G3CR, G4CR, J40FD, J400G, J400GX, J480, J4BD, JQ40, JQ50, K10, K40D, KQ30, KQ30B, KT10, KT30R, RQ30, RQ30B, T240, T30, T50, U10, V15, V18, V25, V35, V40, VRP201, VRP301, VRP400, VRS201, VRS301, VRS400, VRX360, VRX440, VRX540, VS300, VS400, VS441, VX360, VX430, VX440, VX540	385-407	385-430	385-465		385-284	385-288	385-730	385-734
8mm x 1.25 LHF — G3CR, G4CR, K20, KLQ20, KQ20, KQ40, KQP20B, KT15R, KT17R, KT18R, RQ20, RQP20, VP15, VP20, VRS200, VRS300, VS220, VS250, VSP250, VX230, VX260		385-427			385-284	385-288	385-730	385-734
7mm x 1.0 LHM — V20	385-407	385-430	385-465		385-284	385-288	385-730	385-734

2-CYCLE ENGINE/
OTHER EQUIPMENT



Replacement TRIMMER Parts

TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
KAWASAKI 8mm x 1.25 LHM — KBL23A, KBL26A, LBL34A	385-407	385-430	385-465		385-284		385-730	385-734
8mm x 1.25 LHF — KBL23A, KBL26A, KBL34A		385-427				385-288	385-730	385-734
LAWN-BOY 10mm x 1.25 LHF — 1460, 1480, 1480CC, 61653, 61953	385-407	385-430	385-465		385-284	385-288	385-730	385-734
MAKITA 8mm x 1.25 LHM — EM4251, RB251, RBC221, RBC230, RBC251, RBC252, RBC255, RBC260, RBC261, RBC281, RBC310, RBC311, RBC321, RST250	385-407	385-430	385-465		385-284	385-288	385-730	385-734
MARUYAMA 8mm x 1.25 LHM — BC184, BC184C, BC200, BC201, BC241, BC260, BC260H, BC260CB, BC320, BC320H, BC326, BC340DL, BC402, BC420H, BC500H, BC2300, BC2320, BC2600, BC2620, BC3020, BC3200, BC4200H, BCGX22, BCGX31, BCL2250, BCL2250C, BCL2550, BST23, MC8, MC-S 7mm x 1.0 LHM — BC220DL, BC221DL 10mm x 1.25 LHM — BC430DWM, BC440DWM, BC500	385-407	385-430	385-465		385-284	385-288	385-730	385-734
McCULLOCH 10mm x 1.25 LHF — EB series, III, IIISX, IV, IVSL, 32BC, 35L, 280, 282, 285BCS, 287BCS, 297BCS, 325BC, 327BC, 2815, 2816, 2817, 2818, 2845, 3225, 3225HD, 3227, 3227HD, Mac series, 90, 90A, 95, 95A, 99A, 99SL, 100A, 100AHD, 100HD, Pro Mac series, III, IIISUP, IVSUP, 2335J, 2635B, 2635J, 3335L, 4335B, Proscaper series, IS, II, IIHD, III, IV, V, PSI, PS2, PS3, PS4, PS5, 28S, 32HD, 32HDS, SEBIV, Silver Eagle, 32BCDLX, 32BCS, SupMac 100A, Titan series, 2300, 230AV, 2310, 2360, 2400, 2500AV, 2565AV, 3000, 2900 3/8 x 24 RHF — EB series, I, ILS, ISX, II, IISL, IISX, IIISL, IIISX, 285BC, 287BC, Mac series, 60, 60A, 60S, 60SX, 65, 65SL, 70, 70A, 75, 80, 80A, 80S, 80SL, 80SX, 85A, 85S, 85SL, 85SX, 2816, 2825, 2827, Pro Mac series, II, II-Sup, ISX, IVHD, 2320L, 2035, 2045, 2510, Proscaper series, I, IS, ISX, Proscaper, Roadrunner series, Roadrunner, II, III, SL, SEBISX Special, SEBIIS, SEBIIS, Super EBIS, Silver Eagle, 28, 28C, 32BC, Titan, 2100, 2200, 138SJ, 138SL 3/8 x 24 LHF — Series 10 brushcutter 10mm x 1.25 LHM — MAC57, MAC90, MAC95, MAC100A Universal — 60SX, 65, 65SL, 80SL, 80SX, MAC15RT, MAC2815, MAC2815, MAC2817, MAC2818, Eager Beaver models, Super, Super-SL, ISX, IISX, IISL, 280, 285, Pro Mac, Road Runner models	385-407	385-430	385-465		385-284	385-288	385-730	385-734
		385-435		385-587 or 385-580	385-285		385-730	
				385-591				
		385-430				385-288	385-730	385-734
				385-580				

Replacement TRIMMER Parts



TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
MTD PRO 10mm x 1.25 LHF — ST23, ST26, ST35	385-407	385-430	385-465		385-284	385-288	385-730	385-734
OLYMPYK 8mm x 1.25 LHM — 433BP, 727S, 727T, 733S, 733T, 740S, 740T, B200, B220, B220L, B220S, B260, B260L, B300, B320, B400, B420, B450, B460, OL8260BAV, OL8260DAV, OL8260LAV, OL8260TA, OL8350BAV, OL8350LAV, OL8405BP, OL8360BAV, OL8725BAV, OL8725LAV, OL8726TA, OL8735BAV, OL8735LAV, OL8740BAV, OL8742BAV, OL8746BAV, OL8750PRO, OL8753BAV, OL88510BAV, PRO38	385-407	385-430	385-465		385-284	385-288	385-730	385-734
POULAN 3/8 x 24 RHF — 770, PPC22, PPC25, PPC25E, PPC31, Pro series, 111, 112, 113, 115, 559, 609, 1350, 1500, 2400, 2500, 2600, 2610, 2615, 2700, Pro114, Pro117, Yard Pro series, 115, 120A, 130A, 145, 160, 200 3/8 x 24 LHF — 165, 175, 185, 195, 200, 800, 900, 2620, 2820		385-435		385-587 or 385-580	385-285		385-730	
RED MAX 8mm x 1.25 LHM — BC260DL, BC261DL, BC262DL, BC340DL, BC341DL, BC342DL, BC2200E, BC2200LDC, BC2301S, BC2600DL, BC2601S, BC3400DL, BC4400DL, BCX2600S, BCZX2500S, BT2200LDC, G2KC, SGC2300DL, SGCX2600S 10mm x 1.25 LHF — BC200, BC250, BC200DL, BC2300DL, BC3401DL, BC4401DW, BCX2600S, BC2240S, BCZ2500SU, BCZ2500SWG, BCZ2600S, BCZ3000S, BCZ300SW, BT2000, BT2001DL, ECZ2500S-BC, SGCZ2500S, SGCZ2600S 7mm x 1.0 LHM — BC220DL, BC221DL, BC240DL, BC300DL 10mm x 1.25 LHM — BC430DWM, BC440DWM, BC441DWM, BC442DWM	385-407	385-430	385-465		385-284	385-288	385-730	385-734
ROBIN 8mm x 1.25 LHF — NB02, NB02-3A, NB02T, NB03, NB16, NB16S, NB16T, NB20T, NB27, NB27AU, NB31, NB31AU, NB211, NB223, NB231, NB253, NB281, NB281AU, NBF16F, NBT415 10mm x 1.0 LHF — NB04, NB042D, NB30, NB50, NB50L, NB321, NB321AU, NB351, NB411, NB415, NB2001, NBKT415		385-427			385-284	385-288	385-730	385-734
RYAN 10mm x 1.25 LHF — 284, 284-2, 284-3, 285, 285-1 Universal — 260, 261, 263, 264, 265, 270, 274, 275, 280	385-407	385430	385465		385-284	385-288	385-730	385-734
				385-580				

2-CYCLE ENGINE/
OTHER EQUIPMENT



Replacement TRIMMER Parts

TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
RYOBI 10mm x 1.25 LHF — 740R, 740R-1, 750R, 775R, 780 series, 780R, 780R-1, 780RB, 780RE, 790R, 840R, 865R, 885R, 990R, 1079R, 2079R Universal — 700R, 710R, 720R, 760R, 764R, 770R, 960R	385-407	385-430	385-465	385-580	385-284	385-288	385-730	385-734
SEARS 3/8 x 24 RHF — 28151, 79534, 79541, 79542, 79544, 79551, 79552, 79556, 79580, 79590, 79603, 79604, 79605, 79606, 79608, 79611, 79612, 79613, 79614, 79616, 79621, 79680, 79690, 79703, 79713, 79715, 79717, 79718, 79721, 79772, 79782, 79803, 79804, 79805, 79812, 79814, 79815, 79924, 79821, 79826, 79925, 79929, 99512, 99515, 99516, 79725 3/8 x 24 LHF — 79543, 79622, 79623, 79624, 79714, 79727, 79753, 79754, 79755, 79762, 79821, 79822, 79827, 79828, 79844, 79845, 79846, 79847, 79849, 79854, 79856, 79857, 79926, 79973, 79975, 791760, 797161, 798471, Weedeater series 10mm x 1.0 LHF — 63679545, 63679558 5/16 x 24 RHF — 79801, 79809, 79852, 79853, 79855, 79908, 79909, 79911, 79912, 79922, 80956, 797101, 799211, HP22	385-407	385-435	385-465	385-587 or 385-580 385-591 385-587	385-285		385-730	
SHINDAIWA 8mm x 1.25 LHM — BP35, BP45, C25, C27, C250, F20, R20, R25, R35, T25, T250, T260, T261, T27, T270, T350 7mm x 1.0 LHM — C20, C230, LT18, LT20, T18, T20, T20A, T35, T230, T230XR, T231 10mm x 1.25 LHF — T270, T272X, T350, T2510, T3410X	385-407	385-430	385-465		385-284	385-288	385-730	385-734
SNAPPER 10mm x 1.25 LHF — 210SS, 2101SST, 211SS, 211ST, 215ORI, 215SST, 240SS, 240SST, 245ORT, 245SST, 310, 311, 311S, 410, 410SST, 411SST, 415ORT, SST2111, SSTBC, SST2401, SST4111, 410SST, P212LST 3/8 x 24 RHF — 212, 212CST, 213, 213CST, 214DCST, P212CST	385-407	385-430	385-465	385-585	385-284	385-288	385-730	385-734
SOLO 8mm x 1.25 LHF — 120, 122, 124, 126, 135, 140, 200, 300, S200, S300 10mm x 1.25 LHF — 014, 100, 130S, 400, S100, S400	385-407	385-427	385-465		385-284	385-288	385-730	385-734
STIHL 8mm x 1.25 LHM — FS50, FS50E, FS50F, FS51, FS51AVE, FS55, FS55R, FS60, FS61, FS61AE, FS61E, FS65, FS65AVE, FS65AVRE, FS80E, FS80RE, FS86, FS90, FS90AVE, FS91, FS96	385-407	385-430	385-465		385-284	385-288	385-730	385-734

Replacement TRIMMER Parts



TRIMMER HEAD APPLICATION CHART

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"
STIHL (Con't.) 10mm x 1.0 LHF — FR106, FR108, FS44, FS44B, FS44J, FS44R, FS48, FS52, FS52AVE, FS52AVRE, FS55, FS56, FS56AVRE, FS62, FS62AVE, FS62AVRE, FS66, FS66AVE, FS66AVRE, FS74, FS74AVE, FS74AVRE, FS76, FS76AVE, FS76AVRE, FS80, FS80R, FS81, FS81AVE, FS81AVRE, FS83, FS83R, FS85, FS85R, FS85RX, FS85RT, FS86, FS86AVE, FS86AVRE, FS88, FS96, FS106, FS106AVE, FS108, FS110, FS11R, FS110RX, FS120, FS120R, FS250, FS250R, FS350, FS450K, FS550, FS550K	385-407	385-430	385-465		385-284	385-288	385-730	385-734
TANAKA 8mm x 1.25 LHM — AST210, AST7000, SUM301, SUM321, TBC series, 162, 205, 215, 218, 220, 220E, 220SS, 232, 233, 240, 250, 262, 265, 270PF, 300, 301, 321, 322, 325, 373, 400, 420PF, 422, 422C, 425, 500, 501, 2100, 2110, 2211, 2510, 2800, 3010, 4500, 4501, TST218, TST501 8mm x 1.25 LHF — TBC160, TBC202, TBC210, TC1600 3/8 x 24 RHF — TBC200	385-407	385-430	385-465		385-284	385-288	385-730	385-734
		385-427			385-284	385-288	385-730	385-734
		385-435		385-587 or 385-580	385-285		385-730	
TMC 8mm x 1.25 LHM — 1800, 2400, 3300, 3350	385-407	385-430	385-465		385-284	385-288	385-730	385-734
TORO 10mm x 1.25 LHF — 1000, 2000, 30900, 30901, 30920, 51628, 51641, 51645, 51650, 51660, CL700, CL2100, CL30900, CL30901, CL30920, TC300, TC350, TC400, TC600, TC650, TC700, TC800, TC2100, TC3000, TC3100, TC3500, TC4000, TC5000 3/8 x 24 RHF — TC1000, TC2000	385-407	385-430	385-465		385-284	385-288	385-730	385-734
		385-435		385-587 or 385-580	385-285		385-730	
TURF POWER 10mm x 1.25 LHF — 740TP, 780TP	385-407	385-430	385-465	385-585	385-284	385-288	385-730	385-734
WEEDEATER 3/8 x 24 RHF — 85, 100, 125, 125B, 165, 175, 185, 195, 500, 507, 559, 587, 599, 600, 607, 608, 609, 1400, 1400T, 1500, 1600, 1600T, 1700, 1700A, 1740, 3500, GT115, GT116, GT117C, GT117T, GT118, GT118B, GT118KT, GT118T, Gt119, GT152, GT1 Super 16, Pro-Lite, Pro-Lite Plus, Pro series, 111, 112, 114, 115, 117, Pro Trim, Ultra Trim, Weedy 2215, XR series, 20, 20T, 30, 50, 50A, 50S, 70, 75, 80, 80A, 85, XT series, 20, 35, 50T, 80, 85, 85T, Yard Pro series, 110, 115, 116, 120, 120A, 130, 130A, 145 3/8 x 24 LHF — GT119, HP30SB, HP30SBP, TBC57, XR125, XT20, XT50, XT85, XT90, XT100, XT125, XT125B, XT125KT, XT125T, XT125TR, Yard Pro 105, Yard Pro 140 5/16 x 24 RHF — Featherlite, GT117, GT117E, GT117LE, HP22, HP22T, HP30T, LT7000, LT7500, XT20T, XT25, XT40, XT40T		385-435		385-587	385-285		385-730	
				385-591				
				385-587				
YAZOO 8mm x 1.25 LHM — TBC31, YBC16, YBC23, YBC31	385-407	385-430	385-465		385-284	385-288	385-730	385-734

2-CYCLE ENGINE/
OTHER EQUIPMENT