

Colby 1, 2, 3, and 4 Light Vanity Strip

VS4000_ 1.1

FEISS®

EST. 1955

Wall

GENERAL PRODUCT INFORMATION:

These fixtures are intended to be installed utilizing NEC compliant junction boxes.

This product is safety listed for damp locations.


This product may be dimmed with a standard incandescent dimmer.

This instruction shows a typical installation.

CAUTION - RISK OF FIRE

This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.

Use minimum 90°C supply conductors.



1 Follow enclosed supplement installation instructions for electrical and fixture installation onto house outlet box.

Note: For single light fixture, mounting plate studs must face horizontally.

2 Install the shade by placing it over the socket and onto the shade base.


3 Screw the lamp into the socket. Refer to the label on the lamp socket for Max Wattage information.

4 If necessary, repeat steps 2 and 3 for remaining shades.

ATTENTION : RISQUE D'INCENDIE

Ce produit doit être installé conformément au code d'installation en vigueur par une personne familière avec la construction et l'exploitation du produit et les risques qu'il entraîne.

Utiliser les conducteurs d'alimentation supérieure à 90° c.



1 Suivez supplément ci-joint des instructions électriques et installation d'accessoires dans la boîte de prise de maison.
Remarque : Pour le luminaire unique, goujons de montage doivent faire face horizontalement.

2 Installer l'abat-jour en le plaçant au-dessus de la douille et sur la base de l'abat-jour.


3 Vissez l'ampoule dans la douille. Consulter l'étiquette sur la douille de lampe pour information Max Wattage.

4 Si nécessaire, répétez les étapes 2 et 3 pour les abat-jours restants.

PRECAUCIÓN: RIESGO DE INCENDIO

Este producto debe instalarse de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los riesgos que conllevan.

Utilizar conductores de suministro mínimo 90° c.



- 1** Siga las instrucciones de instalación incluido suplemento para eléctricos e instalación del luminario en caja de salida de la casa. **Nota:** Para una sola lámpara, los esparragos de montaje deben ser horizontal.
- 2** Instale la pantalla colocándolo sobre el enchufe y en el base de la pantalla.
- 3** Enrosque la lámpara en el enchufe. Consulte la etiqueta en el enchufe de la lámpara para información sobre la Max Wattage.
- 4** Si es necesario, repita los pasos 2 y 3 para las pantallas restantes.

SAVE THESE INSTRUCTIONS!

FEISS[®]

EST. 1955
7400 Linder Ave, Skokie, IL 60077

800.969.3347

www.Feiss.com

© 2015 Feiss. All rights reserved. The "Feiss" graphic is a registered trademark of Feiss. Feiss reserves the right to change specifications for product improvements without notification.
A Generation Brands Company