

# WERTHER INTERNATIONAL AIR COMPRESSORS

8614 Veterans Memorial Dr.  
Houston, TX 77088  
Contact: Roumen Atanason  
Phone: 800-972-7668 ext. 110  
Cell: 713-366-1872  
Ratanason@werther.com  
www.werther.com



| Part number | Werther Model number | Tank size gal. (L) | Free-air capacity cfm (L/min) | Max pressure psi (bar) | Port size NPT(F) | hp | Power |    |      | Noise level | Dimensions in inches | Shpg wt lb (kg) |
|-------------|----------------------|--------------------|-------------------------------|------------------------|------------------|----|-------|----|------|-------------|----------------------|-----------------|
|             |                      |                    |                               |                        |                  |    | VAC   | Hz | Amps |             |                      |                 |

## Silent compressor pumps

|       |              |     |           |         |        |      |     |       |      |    |                |           |
|-------|--------------|-----|-----------|---------|--------|------|-----|-------|------|----|----------------|-----------|
| C1607 | 0.18 Hp 115V | N/A | 0.7 (20)  | 120 (8) | 1/8" M | 0.18 | 115 | 50/60 | 1.9  | 30 | 11 x 7 x 8     | 23 (10.5) |
| C1606 | 0.18 Hp 220V | N/A | 0.7 (20)  | 120 (8) | 1/8" M | 0.18 | 220 | 50/60 | 1.05 | 30 | 11 x 7 x 8     | 23 (10.5) |
| C1609 | 0.25 Hp 115V | N/A | 1.05 (30) | 120 (8) | 1/8" M | 0.25 | 115 | 50/60 | 2.6  | 40 | 11 x 7 x 8     | 25 (11.5) |
| C1608 | 0.25 Hp 220V | N/A | 1.05 (30) | 120 (8) | 1/8" M | 0.25 | 220 | 50/60 | 1.4  | 40 | 11 x 7 x 8     | 25 (11.5) |
| C0458 | 0.5 Hp 115V  | N/A | 2.1 (60)  | 120 (8) | 1/8" M | 0.5  | 115 | 50/60 | 4.8  | 40 | 11 x 7.5 x 9.5 | 33 (15)   |
| C0222 | 0.5 Hp 220V  | N/A | 2.1 (60)  | 120 (8) | 1/8" M | 0.5  | 220 | 50/60 | 2.4  | 40 | 11 x 7.5 x 9.5 | 33 (15)   |

## Silent compressor packages

|          |                 |            |            |         |      |      |     |       |      |    |              |             |
|----------|-----------------|------------|------------|---------|------|------|-----|-------|------|----|--------------|-------------|
| M01090   | P15-TC 115V     | 0.93 (3.5) | 0.7 (20)   | 120 (8) | 1/4" | 0.18 | 115 | 50/60 | 1.9  | 30 | 11 x 13 x 14 | 38 (17.3)   |
| M01010   | P15-TC 220V     | 0.93 (3.5) | 0.7 (20)   | 120 (8) | 1/4" | 0.18 | 220 | 50/60 | 1.05 | 30 | 11 x 13 x 14 | 38 (17.3)   |
| M02090   | P30 TC 115V     | 0.93 (3.5) | 1.05 (30)  | 120 (8) | 1/4" | 0.25 | 115 | 50/60 | 2.6  | 40 | 11 x 13 x 14 | 42 (19)     |
| M02010   | P30-TC 220V     | 0.93 (3.5) | 1.05 (30)  | 120 (8) | 1/4" | 0.25 | 220 | 50/60 | 1.4  | 40 | 11 x 13 x 14 | 42 (19)     |
| M03090US | P50-TC 115V     | 0.93 (3.5) | 2.1 (60)   | 120 (8) | 1/4" | 0.5  | 115 | 50/60 | 4.8  | 40 | 12 x 13 x 14 | 46.5 (21)   |
| M03010   | P50-TC 220V     | 0.93 (3.5) | 2.1 (60)   | 120 (8) | 1/4" | 0.5  | 220 | 50/60 | 2.4  | 40 | 12 x 13 x 14 | 46.5 (21)   |
| M05090US | P50/15AL/115V   | 4.00 (3.5) | 2.15 (60)  | 120 (8) | 1/4" | 0.5  | 115 | 50/60 | 4.8  | 40 | 14 x 14 x 22 | 61 (27.67)  |
| M05010   | P50/15AL 220V   | 4.00 (3.5) | 2.15 (60)  | 120 (8) | 1/4" | 0.5  | 220 | 50/60 | 2.4  | 40 | 14 x 14 x 22 | 61 (27.67)  |
| M06090US | P50/24AL 115V   | 6.3 (24)   | 2.1 (60)   | 120 (8) | 1/4" | 0.5  | 115 | 50/60 | 4.8  | 40 | 16 x 16 x 17 | 66 (30)     |
| M06010   | P50/24AL/220V   | 6.3 (24)   | 2.1 (60)   | 120 (8) | 1/4" | 0.5  | 220 | 50/60 | 2.4  | 40 | 16 x 16 x 17 | 66 (30)     |
| M07090US | P100/24AL 115V  | 6.3 (24)   | 4.2 (120)  | 120 (8) | 1/4" | 1    | 115 | 50/60 | 9.6  | 42 | 27 x 13 x 26 | 100 (45.4)  |
| M07010   | P100/24AL/220V  | 6.3 (24)   | 4.2 (120)  | 120 (8) | 1/4" | 1    | 220 | 50/60 | 4.8  | 42 | 27 x 13 x 26 | 100 (45.4)  |
| M08090US | P100/50AL 115V  | 13 (50)    | 4.2 (120)  | 120 (8) | 1/4" | 1    | 115 | 50/60 | 9.6  | 42 | 41 x 13 x 27 | 121 (54.9)  |
| M08010   | P100/50AL 220V  | 13 (50)    | 4.2 (120)  | 120 (8) | 1/4" | 1    | 220 | 50/60 | 4.8  | 42 | 41 x 13 x 27 | 121 (54.9)  |
| M09090   | P150/50AL 115V  | 13 (50)    | 6.3 (180)  | 120 (8) | 1/4" | 1.5  | 115 | 50/60 | 14.4 | 42 | 41 x 13 x 27 | 181 (82.1)  |
| M09010   | P150/50AL/220V  | 13 (50)    | 6.3 (180)  | 120 (8) | 1/4" | 1.5  | 220 | 50/60 | 7.2  | 42 | 41 x 13 x 27 | 181 (82.1)  |
| MI04010  | P200/50AL 220V  | 13 (50)    | 8.4 (240)  | 120 (8) | 1/4" | 2    | 220 | 50/60 | 9.6  | 42 | 41 x 13 x 27 | 167 (75.7)  |
| MI05010  | P300/100AL 220V | 26 (100)   | 12.6 (360) | 120 (8) | 1/4" | 3    | 220 | 50/60 | 14.4 | 44 | 57 x 17 x 28 | 378 (171.5) |



| Part number | Werther Model number | Tank size gal. (L) | Free-air capacity cfm (L/min) | Max pressure psi (bar) | Port size NPT(F) | hp | Power |    |      | Noise level | Dimensions in inches | Shpg wt lb (kg) |
|-------------|----------------------|--------------------|-------------------------------|------------------------|------------------|----|-------|----|------|-------------|----------------------|-----------------|
|             |                      |                    |                               |                        |                  |    | VAC   | Hz | Amps |             |                      |                 |

### Wobble Piston Oilless Motors

|        |                 |     |           |          |      |      |      |       |     |    |                    |            |
|--------|-----------------|-----|-----------|----------|------|------|------|-------|-----|----|--------------------|------------|
| MI0090 | PC12 115V       | N/A | .42(12)   | 116      | 1/8" | 0.14 | 115  | 50/60 | 0.6 | 45 | 6 x 3.4 x 5        | 4          |
| MI0010 | PC12 220V       | N/A | .42(12)   | 116      | 1/8" | 0.14 | 220  | 50/60 | 0.6 | 45 | 6 x 3.4 x 5        | 4          |
| C7003  | PC15-DC 12V-40  | N/A | .35 (10)  | 29 (2)   | 1/4" | N/A  | 12DC | 12DC  | 1.4 | 54 | 4.33 x 2.75 x 1.57 | .77 (.35)  |
| C0970  | PC15-1DC 12V-48 | N/A | .42 (12)  | 36 (2.5) | 1/4" | N/A  | 12DC | 12DC  | 2.5 | 54 | 5.11 x 3.54 x 2.75 | 1.25 (.57) |
| C2573  | PC90 115V       | N/A | 3.14 (88) | 101 (7)  | 1/4" | 0.6  | 115  | 50/60 | 4.8 | 56 | 9.8 x 5.1 x 6.9    | 15.4 (7)   |
| C2572  | PC90 220V       | N/A | 3.25 (92) | 101 (7)  | 1/4" | 0.6  | 220  | 50/60 | 2   | 56 | 9.8 x 5.1 x 6.9    | 17.6 (8)   |

### Straight Piston Oilless Motors

|        |                        |     |            |          |      |     |                              |       |     |    |                       |          |
|--------|------------------------|-----|------------|----------|------|-----|------------------------------|-------|-----|----|-----------------------|----------|
| C0401  | PC1 115V               | N/A | 4.4 (110)  | 120 (8)  | 3/8" | 0.8 | 115                          | 50/60 | 8   | 70 | 12.59 x 10.23 x 10.62 | 26       |
| C0958  | PC1 220V/60Hz          | N/A | 4.4 (110)  | 120 (8)  | 3/8" | 0.8 | 220                          | 60    | 4.8 | 70 | 12.59 x 10.23 x 10.62 | 26       |
| C0501  | PC1 220V/50 Hz         | N/A | 4.4 (110)  | 120 (8)  | 3/8" | 0.8 | 220                          | 50    | 4.8 | 70 | 12.59 x 10.23 x 10.62 | 26       |
| C0402  | PC2 115V               | N/A | 6.0 (170)  | 120 (8)  | 3/8" | 1.5 | 115                          | 50/60 | 17  | 72 | 13.56 x 11.02 x 13.77 | 41       |
| C0959  | PC2 220V/60Hz          | N/A | 6.0 (170)  | 120 (8)  | 3/8" | 1.5 | 220                          | 60    | 8   | 72 | 13.56 x 11.02 x 13.77 | 41       |
| C0502  | PC2 220V/50Hz          | N/A | 6.0 (170)  | 120 (8)  | 3/8" | 1.5 | 220                          | 50    | 8   | 72 | 13.56 x 11.02 x 13.77 | 41       |
| C0983  | PC3 220V/60Hz          | N/A | 12.5 (350) | 120 (8)  | 3/8" | 2   | 220                          | 60    | 10  | 74 | 16.92 x 12.99 x 11.81 | 61       |
| C0503  | PC3 220V/50Hz          | N/A | 12.5 (350) | 120 (8)  | 3/8" | 2   | 220                          | 50    | 10  | 74 | 16.92 x 12.99 x 11.81 | 61       |
| 202597 | PC 5 208-240V/60Hz/3Ph | N/A | 27.5 (780) | 145 (10) | 1"   | 5.5 | 208/240/4<br>60 V 3<br>phase | 60    | 8.5 | 72 | 23.23 x 15.75 x 13.78 | 122 (55) |

### Wobble Piston Oilless Compressor Packages

|         |                |            |           |         |      |     |     |       |     |    |                          |           |
|---------|----------------|------------|-----------|---------|------|-----|-----|-------|-----|----|--------------------------|-----------|
| MI25090 | PC90-TC 115V   | 0.93 (3.5) | 2.5 (67)  | 120 (8) | 1/4" | 0.6 | 115 | 50/60 | 4.9 | 62 | 10-1/2 x 13-3/4 x 13-3/8 | 46.3 (21) |
| MI25010 | PC90-TC 220V   | 0.93 (3.5) | 2.5 (67)  | 120 (8) | 1/4" | 0.6 | 220 | 50/60 | 2.5 | 62 | 10-1/2 x 13-3/4 x 13-3/8 | 46.3 (21) |
| MB0790  | PC90/4C 115V   | 0.93 (3.5) | 2.5 (67)  | 120 (8) | 1/4" | 0.6 | 115 | 50/60 | 4.9 | 56 | 17-1/2 x 9 x 15-1/2      | 28 (17.2) |
| MB0710  | PC90/4C 220V   | 0.93 (3.5) | 2.5 (67)  | 120 (8) | 1/4" | 0.6 | 220 | 50/60 | 2.5 | 56 | 17-1/2 x 9 x 15-1/2      | 28 (17.2) |
| MI28090 | PC90/24 115V   | 6.3 (24)   | 2.5 (67)  | 120 (8) | 1/4" | 0.6 | 115 | 50/60 | 4.9 | 62 | 16 x 16 x 27             | 58 (26.3) |
| MI28010 | PC90/24 220V   | 6.3 (24)   | 2.5 (67)  | 120 (8) | 1/4" | 0.6 | 220 | 50/60 | 2.5 | 62 | 16 x 16 x 27             | 58 (26.3) |
| MI27090 | PC90x2/24 115V | 6.3 (24)   | 5.0 (134) | 120 (8) | 1/4" | 1.2 | 115 | 50/60 | 9.8 | 62 | 27 x 13 x 22             | 95 (43)   |
| MI27010 | PC90x2/24 220V | 6.3 (24)   | 5.0 (134) | 120 (8) | 1/4" | 1.2 | 220 | 50/60 | 5   | 62 | 27 x 13 x 22             | 95 (43)   |



| Part number | Werther Model number | Tank size gal. (L) | Free-air capacity cfm (L/min) | Max pressure psi (bar) | Port size NPT(F) | hp | Power |    |      | Noise level | Dimensions in inches | Shpg wt lb (kg) |
|-------------|----------------------|--------------------|-------------------------------|------------------------|------------------|----|-------|----|------|-------------|----------------------|-----------------|
|             |                      |                    |                               |                        |                  |    | VAC   | Hz | Amps |             |                      |                 |

### Straight Piston Oilless Compressor Packages

#### Tank Mounted Compressors

|          |                        |          |            |         |      |      |     |       |     |    |              |           |
|----------|------------------------|----------|------------|---------|------|------|-----|-------|-----|----|--------------|-----------|
| M50091   | PC1/24/3 115V          | 6.3 (24) | 3.57 (100) | 101 (7) | 1/4" | 0.75 | 115 | 50/60 | 7.8 | 70 | 26 x 16 x 28 | 40 (88)   |
| M50011   | PC1/24/3 220V50Hz      | 6.3 (24) | 3.57 (100) | 101 (7) | 1/4" | 0.75 | 220 | 50/60 | 4.8 | 70 | 26 x 16 x 28 | 40 (88)   |
| M50021   | PC1/24/3 220V60Hz      | 6.3 (24) | 3.57 (100) | 101 (7) | 1/4" | 0.75 | 220 | 50/60 | 4.8 | 70 | 26 x 16 x 28 | 40 (88)   |
| M57090US | PC2/50/3 115V          | 13 (50)  | 5.54 (155) | 101 (7) | 1/4" | 1.5  | 115 | 50/60 | 17  | 72 | 16 x 26 x 35 | 110 (50)  |
| M57010   | PC2/50/3 220/50Hz      | 13 (50)  | 5.54 (155) | 101 (7) | 1/4" | 1.5  | 220 | 50/60 | 8   | 72 | 16 x 26 x 35 | 110 (50)  |
| M57020US | PC2/50/3 220/60Hz      | 13 (50)  | 5.54 (155) | 101 (7) | 1/4" | 1.5  | 220 | 50/60 | 8   | 72 | 16 x 26 x 35 | 110 (50)  |
| M58011   | PC3/50/3 220/50Hz      | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 50    | 10  | 74 | 25 x 18 x 29 | 132 (60)  |
| M58020US | PC3/50/3 220/60Hz      | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 60    | 10  | 7  | 25 x 18 x 29 | 132 (60)  |
| M71510   | PC2x2/100/3 220/50Hz   | 26 (100) | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 50    | 8   | 72 | 57 x 30 x 42 | 220 (100) |
| M71520   | PC2x2/100/3 220/60Hz   | 26 (100) | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 60    | 8   | 72 | 57 x 30 x 42 | 220 (100) |
| M72010   | PC3x2/100/3 220/50Hz   | 26 (100) | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 50    | 10  | 74 | 57 x 30 x 42 | 242 (100) |
| M72020   | PC3x2/100/3 220/60Hz   | 26 (100) | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 60    | 10  | 74 | 57 x 30 x 42 | 242 (100) |
| 42995P   | PC5/200 208-240-460V   |          |            |         |      |      |     |       |     |    |              |           |
| 42996P   | PC5x2/500 208-240-460V |          |            |         |      |      |     |       |     |    |              |           |

#### Tank Mounted Compressors w/ Silencing Cabinet

|          |                     |          |            |         |      |      |     |       |     |    |                      |           |
|----------|---------------------|----------|------------|---------|------|------|-----|-------|-----|----|----------------------|-----------|
| M8037US  | PC106 115V          | 1.57 (6) | 4.4 (110)  | 120 (8) | 1/4" | 0.8  | 115 | 50/60 | 7.8 | 57 | 24 x 13-3/8 x 22-3/8 | 70 (31.8) |
| M803     | PC106 220V/50Hz     | 1.57 (6) | 4.4 (110)  | 120 (8) | 1/4" | 0.8  | 220 | 50/60 | 4.8 | 57 | 24 x 13-3/8 x 22-3/8 | 70 (31.8) |
| M8033US  | PC106 220V/60Hz     | 1.57 (6) | 4.4 (110)  | 120 (8) | 1/4" | 0.8  | 220 | 50/60 | 4.8 | 57 | 24 x 13-3/8 x 22-3/8 | 70 (31.8) |
| M50491   | PC1/24/39 115V      | 6.3 (24) | 3.57 (100) | 101(7)  | 1/4" | 0.75 | 115 | 50/60 | 4.8 | 55 | 29 x 23 x 32         | 187 (85)  |
| M50421   | PC1/24/39 220V/60Hz | 6.3 (24) | 3.57 (100) | 101(7)  | 1/4" | 0.75 | 220 | 60    | 2.4 | 55 | 29 x 23 x 32         | 187 (85)  |
| M50411   | PC1/24/39 220V/50Hz | 6.3 (24) | 3.57 (100) | 101(7)  | 1/4" | 0.75 | 220 | 50    | 2.4 | 55 | 29 x 23 x 32         | 187 (85)  |
| M57490US | PC2/50/39 115V      | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 115 | 50/60 | 17  | 56 | 29 x 23 x 32         | 231 (105) |
| M57411   | PC2/50/39 220/50Hz  | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 50    | 8   | 56 | 29 x 23 x 32         | 231 (105) |
| M57420US | PC2/50/39 220/60Hz  | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 60    | 8   | 56 | 29 x 23 x 32         | 231 (105) |
| M58410   | PC3/50/39 220/50Hz  | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 50    | 10  | 62 | 29 x 23 x 32         | 242 (110) |
| M58420US | PC3/50/39 220/60Hz  | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 60    | 10  | 62 | 29 x 23 x 32         | 242 (110) |



| Part number | Werther Model number | Tank size gal. (L) | Free-air capacity cfm (L/min) | Max pressure psi (bar) | Port size NPT(F) | hp | Power |    |      | Noise level | Dimensions in inches | Shpg wt lb (kg) |
|-------------|----------------------|--------------------|-------------------------------|------------------------|------------------|----|-------|----|------|-------------|----------------------|-----------------|
|             |                      |                    |                               |                        |                  |    | VAC   | Hz | Amps |             |                      |                 |

### Straight Piston Oilless Compressor Packages Cont'd

#### Tank Mounted Compressors w/ Air Dryer

|        |                       |          |            |         |      |      |     |       |     |    |                          |           |
|--------|-----------------------|----------|------------|---------|------|------|-----|-------|-----|----|--------------------------|-----------|
| M50291 | PC1/24/37 115V        | 6.3 (24) | 3.57 (100) | 101 (7) | 1/4" | 0.75 | 115 | 50/60 | 7.8 | 70 | 26 x 16 x 28             | 110 (50)  |
| M50211 | PC1/24/37 220/50Hz    | 6.3 (24) | 3.57 (100) | 101 (7) | 1/4" | 0.75 | 220 | 50/60 | 4.8 | 70 | 26 x 16 x 28             | 110 (50)  |
| M50221 | PC1/24/37 220/60Hz    | 6.3 (24) | 3.57 (100) | 101 (7) | 1/4" | 0.75 | 220 | 50/60 | 4.8 | 70 | 17-7/8 x 22-7/8 x 25-5/8 | 110 (50)  |
| M57291 | PC2/50/37 115V        | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 115 | 50/60 | 17  | 72 | 25 x 22 x 29             | 132 (60)  |
| M57211 | PC2/50/37 220/50Hz    | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 50    | 8   | 72 | 25 x 22 x 29             | 132 (60)  |
| M57221 | PC2/50/37 220/60      | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 60    | 8   | 72 | 25 x 22 x 29             | 132 (60)  |
| M58211 | PC3/50/37 220/50Hz    | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 50    | 10  | 74 | 25 x 22 x 29             | 154 (70)  |
| M58221 | PC3/50/37 220/60Hz    | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 60    | 10  | 74 | 25 x 22 x 29             | 154 (70)  |
| M71710 | PC2x2/100/37 220/50Hz | 26 (100) | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 50    | 8   | 72 | 57 x 30 x 42             | 264 (120) |
| M71720 | PC2x2/100/37 220/60Hz | 26 (100) | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 60    | 8   | 72 | 57 x 30 x 42             | 264 (120) |
| M70710 | PC3x2/100/37 220/50Hz | 26 (100) | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 50    | 10  | 74 | 57 x 30 x 42             | 286 (130) |
| M70720 | PC3x2/100/37 220/60Hz | 26 (100) | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 60    | 10  | 74 | 57 x 30 x 42             | 286 (130) |

#### Tank Mounted Compressors w/ Air Dryer and Silencing Cabinet

|         |                     |          |            |         |      |      |     |       |     |    |                      |            |
|---------|---------------------|----------|------------|---------|------|------|-----|-------|-----|----|----------------------|------------|
| M8081US | PC106E 115V         | 1.57 (6) | 4.4 (110)  | 120 (8) | 1/4" | 0.8  | 115 | 50/60 | 7.8 | 57 | 24 x 13-3/8 x 22-3/8 | 70 (31.8)  |
| M8082   | PC106E 220/50Hz     | 1.57 (6) | 4.4 (110)  | 120 (8) | 1/4" | 0.8  | 220 | 50/60 | 4.8 | 57 | 24 x 13-3/8 x 22-3/8 | 70 (31.8)  |
| M8083   | PC106E 220/60Hz     | 1.57 (6) | 4.4 (110)  | 120 (8) | 1/4" | 0.8  | 220 | 50/60 | 4.8 | 57 | 24 x 13-3/8 x 22-3/8 | 70 (31.8)  |
| M50491  | PC1/24/379 115V     | 6.3 (24) | 3.57 (100) | 116 (8) | 1/4" | 0.75 | 115 | 50/60 | 8   | 55 | 29 x 23 x 32         | 150 (68.3) |
| M50421  | PC1/24/379 220/50Hz | 6.3 (24) | 3.57 (100) | 116 (8) | 1/4" | 0.75 | 220 | 50/60 | 4.8 | 55 | 29 x 23 x 32         | 150 (68.3) |
| M50411  | PC1/24/379 220/60Hz | 6.3 (24) | 3.57 (100) | 116 (8) | 1/4" | 0.75 | 220 | 50/60 | 4.8 | 55 | 29 x 23 x 32         | 150 (68.3) |
| M57391  | PC2/50/379 115V     | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 115 | 50/60 | 17  | 56 | 29 x 23 x 32         | 253 (115)  |
| M57311  | PC2/50/379 220/50Hz | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 50    | 8   | 56 | 29 x 23 x 32         | 253 (115)  |
| M57321  | PC2/50/379 220/60Hz | 13 (50)  | 5.54 (155) | 101 (7) | 3/8" | 1.5  | 220 | 60    | 8   | 56 | 29 x 23 x 32         | 253 (115)  |
| M58312  | PC3/50/379 220/50Hz | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 50    | 10  | 62 | 29 x 23 x 32         | 264 (120)  |
| M58321  | PC3/50/379 220/60Hz | 13 (50)  | 7.39 (207) | 101 (7) | 3/8" | 2    | 220 | 60    | 10  | 62 | 29 x 23 x 32         | 264 (120)  |