

SPIRITTM



Z9
Motorized Treadmill

OWNER'S MANUAL

**PLEASE CAREFULLY READ THIS ENTIRE MANUAL BEFORE
OPERATING YOUR NEW TREADMILL!**

Table of Contents

Product Registration.....	2
Important Safety Instructions.....	3
Important Electrical Information.....	4
Important Operation Instructions.....	5
Assembly Instructions.....	6
Folding Instructions.....	7
Operation of Your New Treadmill.....	8
Programmable Operation.....	10
Target Heart Rate.....	14
Using a Heart Rate Transmitter.....	15
Heart Rate Control Operation.....	16
Maintenance of Your New Treadmill.....	17
Service Checklist - Diagnosis Guide.....	19
Manufacturer's Limited Warranty.....	20

ATTENTION-THIS TREADMILL IS INTENDED FOR RESIDENTIAL USE ONLY AND IS WARRANTED FOR THAT APPLICATION. ANY OTHER APPLICATION VOIDS THIS WARRANTY IN ITS ENTIRETY.



**CONGRATULATIONS ON YOUR
NEW TREADMILL AND WELCOME
TO THE SPIRIT FAMILY!**

Thank you for your purchase of this quality treadmill from Spirit Manufacturing, Inc. Your new treadmill was manufactured by one of the leading fitness manufacturers in the world and is backed by one of the most comprehensive warranties available. Through your dealer, Spirit will do all we can to make your ownership experience as pleasant as possible for many years to come. The local dealership where you purchased this treadmill is your administrator for all Spirit warranty and service needs. Their responsibility is to provide you with the technical knowledge and service personnel to make your experience more informed and any difficulties easier to remedy.

Please take a moment at this time to record the name of the dealer, their telephone number, and the date of purchase below to make any future, needed contact easy. We appreciate your support and we will always remember that you are the reason that we are in business. Please complete and mail your registration card today and enjoy your new treadmill.

Yours in Health,
Spirit Manufacturing, Inc.

Name of Dealer _____
Telephone Number of Dealer _____
Purchase Date _____

Product Registration

RECORD YOUR SERIAL NUMBER

Please record the Serial Number of this fitness product in the space provided below.

Serial Number _____

REGISTER YOUR PURCHASE

The self-addressed product registration card must be completed in full and returned to Spirit Manufacturing, Inc or visit www.spiritfitness.com to register online.

Important Safety Instructions

WARNING - Read all instructions before using this appliance.

DANGER - To reduce the risk of electric shock disconnect your Spirit treadmill from the electrical outlet prior to cleaning and/or service work.

WARNING - To reduce the risk of burns, fire, electric shock, or injury to persons, install the treadmill on a flat level surface with access to a 120-volt, 20-amp grounded outlet.

DO NOT USE AN EXTENSION CORD: DO NOT ATTEMPT TO DISABLE THE GROUNDED PLUG BY USING IMPROPER ADAPTERS, OR IN ANY WAY MODIFY THE CORD SET. A serious shock or fire hazard may result along with computer malfunctions. See Grounding Instructions, page 4.

- Do not operate treadmill on deeply padded, plush or shag carpet. Damage to both carpet and treadmill may result.
- Do not block the rear of the treadmill. Provide a minimum of 3 1/2 feet clearance between the rear of the treadmill and any fixed object.
- Keep children away from the treadmill. There are obvious pinch points and other caution areas that can cause harm.
- Keep hands away from all moving parts.
- Never operate the treadmill if it has a damaged cord or plug. If the treadmill is not working properly, call your dealer.
- Keep the cord away from heated surfaces.
- Do not operate where aerosol spray products are being used or where oxygen is being administered. Sparks from the motor may ignite a highly gaseous environment.
- Never drop or insert any object into any openings.
- Do not use outdoors.
- To disconnect, turn all controls to the off position, remove tether cord, then remove the plug from the outlet.
- Do not attempt to use your treadmill for any purpose other than for the purpose it is intended.
- The pulse sensors are not medical devices. Various factors, including the user's movement, may affect the accuracy of heart rate readings. The pulse sensors are intended only as exercise aids in determining heart rate trends in general.
- Use handrails provided; they are for your safety.
- Wear proper shoes. High heels, dress shoes, sandals or bare feet are not suitable for use on your treadmill. Quality athletic shoes are recommended to avoid leg

fatigue.

**Remove tether cord after use to prevent unauthorized treadmill operation.
SAVE THESE INSTRUCTIONS - THINK SAFETY!**

Important Electrical Information

WARNING!


- **NEVER** use a ground fault circuit interrupt (GFCI) wall outlet with this treadmill. Route the power cord away from any moving part of the treadmill including the elevation mechanism and transport wheels.
- **NEVER** remove any cover without first disconnecting AC power.
- If voltage varies by ten percent (10%) or more, the performance of your treadmill may be affected. **Such conditions are not covered under your warranty.** If you suspect the voltage is low, contact your local power company or a licensed electrician for proper testing.
- **NEVER** expose this treadmill to rain or moisture. This product is **NOT** designed for use outdoors, near a pool or spa, or in any other high humidity environment.

Grounding Instructions

This product must be grounded. If the treadmill should malfunction or breakdown, grounding provides a path of least resistance for electric current, reducing the risk of electric shock. This product is equipped with a cord having an equipment-grounding plug. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

DANGER - Improper connection of the equipment-grounding conductor can result in a risk of electric shock. Check with a qualified electrician or serviceman if you are in doubt as to whether the product is properly grounded. Do not modify the plug provided with the product if it will not fit the outlet, have a proper outlet installed by a qualified electrician.

This product is for use on a nominal 120-volt circuit, and has a grounding plug that looks like the plug illustrated in sketch A. A temporary adapter that looks like the adapter illustrated in sketches B and C may be used to connect this plug to a 2-pole receptacle as shown in sketch B if a properly grounded outlet is not available. The temporary adapter should be used only until a properly grounded outlet (sketch A) can be installed by a qualified electrician. The green colored rigid ear-lug, or the like, extending from the adapter, must be connected to a permanent ground such as a properly grounded outlet box cover. Whenever the adapter is used, it must be held in place by a metal screw.



Important Operation Instructions

- **NEVER** operate this treadmill without reading and completely understanding the results of any operational change you request from the computer.
- Understand that changes in speed and incline do not occur immediately. Set your desired speed on the computer console and release the adjustment key. The computer will obey the command gradually.
- **NEVER** use your treadmill during an electrical storm. Surges may occur in your household power supply that could damage treadmill components.
- Use caution while participating in other activities while walking on your treadmill; such as watching television, reading, etc. These distractions may cause you to lose balance or stray from walking in the center of the belt; which may result in serious injury.
- **NEVER** mount or dismount the treadmill while the belt is moving. Spirit treadmills start at a very low speed and it is unnecessary to straddle the belt during start up. Simply standing on the belt during slow acceleration is proper after you have learned to operate the unit.
- Always hold on to a handrail or hand bar while making control changes (incline, speed, etc.).

Do not use excessive pressure on console control keys. They are precision set to function properly with little finger pressure. Pushing harder is not going to make the unit go faster or slower. If you feel the buttons are not functioning properly with normal pressure contact your Spirit dealer.

Safety Tether Cord

A safety tether cord is provided with this unit. It is a simple magnetic design that should be used at all times. It is for your safety should you fall or move too far back on the tread-belt.

Pulling this safety tether cord will stop tread-belt movement.

To Use:

1. Place the magnet into position on the round metal portion of the console control head. Your treadmill will not start and operate without this. Removing the magnet also secures the treadmill from unauthorized use.

2. Fasten the plastic clip onto your clothing securely to assure good holding power.

Note: The magnet has strong enough power to minimize accidental, unexpected stopping. The clip should be attached securely to make certain it does not come off. Be

familiar with its function and limitations. The treadmill will stop, depending on speed, with a one to two step coast anytime the magnet is pulled off the console. Use the red Stop / Pause switch in normal operation.

Assembly Instructions (Z9)

ASSEMBLY PACK CHECK LIST

5/16"x 1/2" Button Head Socket Screw (14 pcs)

5/16" x 18 x 1.5T Flat Washer (6pcs)

5/16" x 23 x 1.5T Curve Washer (2pcs)

Safety Key (1pc)

Lubricant (1pc)

M5 Allen Wrench (1pc)

M6 Allen Wrench (1pc)

Assembly

- **STEP 1**

Remove all parts from the carton.

- **STEP 2**

Connect Computer Cable (middle) with Computer cable (lower).

- **STEP 3**

Hand tighten the Left and Right Handrails into the Base with 8 pcs of 5/16" x 1/2" Button Head Socket Screws, 6 pcs of 5/16" x 18 x 1.5T Flat Washers and 2pcs of 5/16"x 23x1.5T Curve Washers by using the M5 Allen Wrench.

- **STEP 4**

Connect Speed Adjustment Switch w/Cable with Speed Cable (middle).
And connect Incline Adjustment Switch w/Cable with Incline Cable (middle).

- **STEP 5**

Hand tighten the Left and Right Handrails with 4 pcs of 5/16" x 1/2" Button Head Socket Screws by using the M5 Allen Wrench.

- **STEP 6**

Connect 12 pin 1300 mm Computer Cable (middle) with 12 pin 800 mm Computer cable (upper).

Connect Speed Cable (middle) with Speed Cable (upper) and Incline Cable (middle)

with Incline Cable (upper).

- **STEP 7**

Install the Console onto the Left and Right Handrails with 2 pcs of 5/16" x 1/2" Button Head Socket Screws by using the M5 Allen Wrench.

- **PLEASE LOCK DOWN ALL HARDWARE AFTER THE ACCESSORIES HAVE BEEN ASSEMBLED.**

Z9 Folding Instructions

Do not attempt to move the unit unless it is in the folded and locked position. Be sure the power cord is secured to avoid possible damage. Use both handrails to maneuver the unit to the desired position.

- **To Fold The Treadmill:**

Make certain the treadmill is at minimum incline. Lift the treadmill running deck until it is secured by the locking telescoping tube assembly in center back of base.

- **To Unfold The Treadmill:**

Apply slight forward pressure* on the treadmill running deck with one hand. Pull down on the unlocking lever and slowly lower the running deck to the floor. The deck will lower unassisted when it reaches about waist high.

*At the rear roller area to relieve pressure on the locking system.

Transport


- **Z9**

The treadmill is equipped with four transport wheels which are engaged when the treadmill is folded. After folding simply roll the treadmill away.

Operation of Your Treadmill

Getting familiar with the control panel

- **Z9 Console**



WINDOW DISPLAY

PROFILE • 8x20 dot matrix window, displays program information and profiles.

TIME/LAPS: Accumulates total working time from 0:00 to 99:59 and total lap quantity.

(Please press “ENTER” for interchanging)

DISTANCE: Accumulates total working distance up to 999 miles from 0.00.

CALORIES: Accumulates the user’s calorie consumption during exercise from 0 to 999 calories.

PULSE: Displays your current heart rate in beats per minute during workout. When handpulse doesn’t receive any value, window will display “P”.

INCLINE: Displays the incline position from 0 to 10. If user folds the running deck, window will display “---”.

SPEED: Displays the current running speed from 1.0 MPH to 12MPH.

FUNCTION BUTTONS

SAFETY KEY: Placing the safety key in position will power on the computer. When safety key is pulled away from its position, computer will be automatically shut down.

START: Press "START" button to start training.

STOP: Press "STOP" button to stop training or press and hold "STOP" button for 2 seconds to reset all screen data.

FAST• Press "FAST" button to increase your speed. The maximum speed is 12 MPH.

SLOW• Press "SLOW" button to decrease your speed. The minimum speed is 1.0Mph/1.0KMPH.

UP• Press "UP" button to raise incline position. The maximum incline position is 10. To fold the running deck, press Auto-Folding Switch and "up" button to fold the treadmill.

DOWN• Press "DOWN" button to lower incline position. The minimum incline position is 0. To unfold the running deck, press Auto-Folding Switch and "down" button to unfold the treadmill.

PROGRAM• Press "PROGRAM" button to select different training mode.

P1 are MANUAL programs.

P2 ~ P6 are PRESET programs.

H1 ~ H2 are H.R.C. programs.

U1 ~ U3 are USER programs.

ENTER• Press "ENTER" button to set the program values in different training mode.

P1 (MANUAL) can set the program time.

P2 ~ P6 (PRESET PROGRAM) can set the program time and maximum speed.

H1 ~ H2 (H.R.C.) can set program time, age and pulse target.

U1 ~ U3 (USER) can set program time, speed and incline.

SPEED RAPID KEY• 5 preset buttons for rapid speed: 2, 4, 6, 8, 10 MPH / KMPH.

User can press the 5 buttons, mentioned above, at any time, to start treadmill and treadmill will automatically increase to preset speed.

INCLINE RAPID KEY• 5 preset button for rapid incline: 1, 3, 5, 7, 9 (POSITION).

During program, pressing these 5 buttons will achieve the preset incline position.

CONSOLE OPERATION

1. Turn on power and place safety key in position. All data will be displayed for 1 second, and then the major screen will show "Press user WEIGHT". User can set user weight by pressing FAST/SLOW or UP/DOWN button. Weight is displayed in TIME/LAPS window.
2. If, after computer powers on, "INCLINE" level is not in lowest position, the treadmill will automatically adjust incline level to "0" then computer will display all initial data.
3. Press "start" button to immediately begin P1 (MANUAL). Or you can press "PROGRAM" button to choose any pre-set program you like and then press "START" button to begin the program.
4. While exercising, you can press FAST/SLOW button to adjust the speed, press UP/DOWN button to adjust the incline position, press "ENTER" button to interchange TIME/LAPS.
5. When treadmill powers on, hold handpulse sensor (or use chest belt) and computer will show heart rate. A dot will flash in bottom right of the window. If you stop holding the handpulse sensor for 8 seconds or no chest belt is received, "PULSE" window will show "P" which means heart rate is 0.
6. While exercising, you can press "SP/RESET" button to pause your workout or pull safety key away from its position to shut down the computer.
7. If after pressing "SP/RESET" button to pause the treadmill, you want to resume your workout, you can press "SP/RESET" button again to start the treadmill and then data of TIME, DISTANCE and CALORIES will remain counting. But if you press "SP/RESET" for 2 seconds, all the window displays will return to initial data and main screen will show "Press user WEIGHT".

Programmable Operation

PROGRAM

P1 (MANUAL)

- Step 1. Press "START" button to start running or press the SPEED RAPID KEY or press "PROGRAM" button to choose P1.
- Step 2. Before running, press "ENTER" button to set the count down time. The range is from 10:00 to 99:00. If users do not set the count down, console will count up from zero.
- Step 3. After running, user can adjust the speed by pressing "FAST/SLOW" and adjust the incline by pressing "UP/DOWN". User may press rapid keys to adjust SPEED and INCLINE also.
- Step 4. Press "SP/RESET" button to stop your workout or pull safety key away from its

position to shut down the computer.

P2 ~ P6 (PRESET PROGRAM)

- Step 1. Press “PROGRAM” button to choose the P2 ~ P6, every program has a preset value of speed, incline. The speed profile will be displayed in the major screen.
- Step 2. Before running, press “ENTER” button to set the count down time. The range is from 10:00 to 99:00. If users do not set the count down, console will count up from zero.
- Step 3. Press “ENTER” button again to set maximum speed setting. The range is 5~12mph. (Please see the content of profile)
- Step 4. Press “START” button to start running, treadmill will adjust the SPEED /INCLINE in accordance with profile. Profile information is discussed in the content of profile section.

H1 ~ H2(HEART RATE CONTROL)•

- Step 1. Press “PROGRAM” button to choose the H1~H2.
- Step 2. Before running, press “ENTER” to set count down time. The range is from 10:00 to 99:00.
If users do not set the count down, console will count up from zero.
- Step 3. Press “ENTER” button to set “AGE”. The range is from 10 to 99 and presetting value is 30.
- Step 4. Press “ENTER” button to set “H.R.C”. The range is from 60 to 220.
 $H1 = (220 - \text{age}) * 60\% = \text{TARGET HEART RATE}$
 $H2 = (220 - \text{age}) * 80\% = \text{TARGET HEART RATE}$
- Step 5. If setting is finished, press START to start running.
- Step 6. If computer doesn't receive heart rate input, LCD will show "• ?" and incline won't change any position until computer receives heart rate from handpulse or chest belt. If user's heart rate doesn't achieve set value (T.H.R), the treadmill will increase INCLINE height automatically till user achieves set value. Then treadmill will decrease INCLINE height.

U1 ~ U3 (USER SETTING)

- Step 1. Press “PROGRAM” button to choose the U1~U3.
- Step 2. Press “START” button to start running, user can press “FAST/SLOW” to adjust the speed, press “UP/DOWN ”to adjust incline position.

Step 3. Before running, press “ENTER” button to set count down time. The range is from 10:00 to 99:00.

Step 4. User can set profile values by themselves. Press “ENTER” to set speed and incline values for the 20 columns.

Each section includes speed, press “FAST/SLOW” to adjust and incline, press “UP/DOWN” to adjust the incline.

Step 5. Press START to start running after setting, or during setting process. Console will automatically set speed and incline position. It will also save the settings.

Content of profile

Content of profile is speed value.

SPEED value • Max speed * percent of profile

INCLINE doesn't have PROFILE, the value of incline will display in INCLINE window.

Preset program values as below:

	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S17	S18	S19	S20
P2 SPEED	50	62.5	62.5	75	75	75	87.5	75	87.5	87.5	100	75	87.5	75	87.5	87.5	75	62.5	62.5	50
P2 INCLINE	L1	L2	L3	L4	L4	L5	L4	L5	L5	L6	L4	L5	L4	L5	L6	L5	L4	L2	L2	L1
P3 SPEED	50	62.5	62.5	75	87.5	100	100	100	100	100	100	100	100	100	100	100	87.5	75	62.5	50
P3 INCLINE	L1	L2	L3	L4	L4	L5	L6	L4	L5	L5	L4	L3	L4	L5	L6	L7	L5	L3	L2	L1
P4 SPEED	50	62.5	62.5	75	75	87.5	75	75	87.5	62.5	75	87.5	75	75	100	75	87.5	62.5	62.5	50
P4 INCLINE	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1	L1
P5 SPEED	62.5	62.5	75	75	75	75	87.5	87.5	87.5	100	100	87.5	87.5	87.5	75	75	75	62.5	62.5	62.5
P5 INCLINE	L1	L2	L3	L4	L5	L7	L8	L7	L6	L5	L4	L4	L5	L6	L7	L7	L6	L4	L2	L1
P6 SPEED	50	62.5	62.5	75	87.5	62.5	62.5	87.5	62.5	75	100	62.5	75	100	62.5	75	87.5	62.5	62.5	50
P6 INCLINE	L1	L2	L3	L4	L5	L3	L4	L6	L3	L4	L7	L3	L4	L8	L3	L4	L6	L4	L2	L1

For example: Setting 10MPH is P2 high speed, the speed will calculate through above formula and show in program drawing.

	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S17	S18	S19	S20
P2 SPEED	5 Mph	6.2 Mph	6.2 Mph	7.5 Mph	7.5 Mph	7.5 Mph	8.7 Mph	7.5 Mph	8.7 Mph	8.7 Mph	10 Mph	7.5 Mph	8.7 Mph	7.5 Mph	8.7 Mph	8.7 Mph	7.5 Mph	6.2 Mph	6.2 Mph	5 Mph

For example: Setting 8MPH is P2 high speed, the speed will calculate through above formula and show in program drawing.


	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S17	S18	S19	S20
P2 SPEED	4 Mph	5 Mph	5 Mph	6 Mph	6 Mph	6 Mph	7 Mph	6 Mph	7 Mph	7 Mph	8 Mph	6 Mph	7 Mph	6 Mph	7 Mph	7 Mph	6 Mph	5 Mph	5 Mph	4 Mph

For example: Setting 16KPH is P2 high speed, the speed will calculate through above formula and show in program drawing.


	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S17	S18	S19	S20
P2 SPEED	8 Kph	10 Kph	10 Kph	12 Kph	12 Kph	12 Kph	14 Kph	12 Kph	14 Kph	14 Kph	16 Kph	12 Kph	14 Kph	12 Kph	14 Kph	14 Kph	12 Kph	10 Kph	10 Kph	8 Kph

For example: Setting 10KPH is P2 high speed, the speed will calculate through above formula and show in program drawing.


P1 (MANUAL)•




PROGRAM 2(SPEED)Beginning Walker•




PROGRAM 5(SPEED)Hill Intervals•




PROGRAM 3(SPEED)Rolling Hills•



PROGRAM 6(SPEED)Hill Repeats•



PROGRAM 4(SPEED)Interval Speed•



ERROR MESSAGE

- 1• LS• Treadmill doesn't receive the speed signal for 8 seconds.
- 2• E2• Incline position error.
- 3• Err• Memory of console malfunction or accessing problem.


Target Heart Rate

• The old motto, “no pain, no gain”, is a myth that has been overpowered by the benefits of exercising comfortably. A great deal of this success has been promoted by the use of heart rate monitors. With the proper use of a heart rate monitor, many people find that their choice of exercise intensity is either too high or too low and exercise is much more enjoyable by maintaining their heart rate in the desired benefit range.

• To determine the benefit range in which you wish to train, you must first determine your Maximum Heart Rate.

This can be accomplished by using the following formula: $220 - \text{User's Age} = \text{Maximum Heart Rate}$. If you enter your age during programming of the console the console will perform this calculation automatically. This is used for the HR control programs and also for the Heart rate bar graph (Z500/Z700 only) After calculating your Maximum Heart Rate, you can decide upon which goal you would like to pursue. The two most popular reasons for, or goals of exercise, are cardiovascular fitness (training for the heart and lungs) and weight control.

The black columns on the chart above represent the Maximum Heart Rate for a person whose age is listed at the bottom of each column. The training heart rate, for either cardiovascular fitness or weight loss, is represented by two different lines that cut diagonally through the chart. A definition of the lines' goal is in the bottom left-hand corner of the chart. If your goal is cardiovascular fitness or if it is



weight loss, it can be achieved by training at 90% or 70%, respectively, of your Maximum Heart Rate on a schedule approved by your physician. Consult your physician before participating in any exercise program.

With all Spirit Heart Rate Control treadmills, you may use the heart rate monitor feature without using the Heart Rate Control program. This function can be used during manual mode or during any of the nine different programs. The Heart Rate Control program automatically controls incline.

CAUTION!

The target value used in H-1 and H-2 programs is a suggestion only for normal, healthy individuals. Do not exceed your limits! You may not be able to obtain your chosen target. If in question, enter a higher age value that will set a lower target goal.

Using a Heart Rate Transmitter

How to wear your wireless chest strap transmitter:

1. Attach the transmitter to the elastic strap using the locking parts.
2. Adjust the strap as tightly as possible as long as the strap is not too tight to remain comfortable.
3. Position the transmitter with the Spirit logo centered in the middle of your body facing away from your chest (some people must position the transmitter slightly left of center). Attach the final end of the elastic strap by inserting the round end and, using the locking parts, secure the transmitter and strap around your chest.
4. Position the transmitter immediately below the pectoral muscles.
5. Sweat is the best conductor to measure very minute heart beat electrical signals. However, plain water can also be used to pre-wet the electrodes (2 black square areas on the reverse side of the belt and either side of transmitter). It's also recommended that you wear the transmitter strap a few minutes before your work out. Some users, because of body chemistry, have a more difficult time in achieving a strong, steady signal at the beginning. After "warming up", this problem lessens. As noted, wearing clothing over the transmitter/strap doesn't affect performance.
6. Your workout must be within range - distance between transmitter/receiver – to achieve a strong steady signal. The length of range may vary somewhat but generally stay close enough to the console to maintain good, strong, reliable readings. Wearing the transmitter immediately against bare skin assures you of proper operation. If you wish, you may wear the transmitter over a shirt. To do so, moisten the areas of the shirt that the electrodes will rest upon.

Note: The transmitter is automatically activated when it detects activity from the user's heart. Additionally, it automatically deactivates when it does not receive any activity. Although the transmitter is water resistant, moisture can have the effect of creating false signals, so you should take precautions to completely dry the transmitter after use to prolong battery life (estimated transmitter battery life is 2500 hours). The replacement battery is Panasonic CR2032.

Erratic Operation:

Caution! Do not use this treadmill for Heart Rate Control unless a steady, solid Actual Heart Rate value is being displayed. High, wild, random numbers being displayed indicate a problem.

Areas to look for on interference:

- (1) Treadmill not properly grounded - **A must!**
- (2) Microwave ovens, T.V.'s, small appliances, etc.

- (3) Fluorescent lights.
- (4) Some household security systems.
- (5) Perimeter fence for a pet.
- (6) Loose treadmill console / upright.

WARNING!

DO NOT USE THE HEART RATE CONTROL PROGRAM IF YOUR HEART RATE IS NOT REGISTERING PROPERLY ON THE TREADMILL'S DISPLAY!

Special Operations of Heart Rate Functions:

All Spirit treadmills that are factory equipped with a Heart Rate Control system have many distinct features both in the Heart Rate Control program and during heart rate monitoring. This section will give you a more detailed background to use your treadmill in the most effective manner.

How the Heart Rate Control Program Works:

Heart Rate Control uses your treadmill's incline system to adjust your heart rate. Increases and decreases in elevation affect heart rate much more efficiently than changes in speed. Additionally, changes in incline keep you in control of the machine's speed instead of the machine controlling you.

Selecting a Heart Rate Control Program:

You have the option, during the setup mode, to choose either the Weight Control (H-1) program or the Cardiovascular (H-2) program. Weight Control attempts to maintain your heart rate at 70% of your Maximum Heart Rate. Cardiovascular attempts to maintain your heart rate at 90% of your Maximum Heart Rate. Your Maximum Heart Rate is based upon a formula that subtracts your age from 220. Your age input is performed during the setup mode.

CAUTION!

The target value used in H-1 and H-2 programs is a suggestion only for normal, healthy individuals. Do not exceed your limits! You may not be able to obtain your chosen target. If in question, enter a higher age value that will set a lower target goal.

Heart Rate Control

CAUTION!

Intended for wireless transmitter chest strap only. Do not use Pulse Grip bar for Heart Rate Control. You must receive a strong / steady value in heart rate window.

STEP 1: Press HR1 or HR2 button.

STEP 2: The Pulse window will be blinking, showing the default HR for this program. You may adjust it and press enter if you want or just press enter to accept the default value.

STEP 3: The Calorie will now be blinking showing bodyweight. Adjust and press enter or press enter to accept default.

STEP 4: The Pulse window will now be blinking showing age. Adjust and press enter or press enter to accept default.

STEP 5: The Time window will now be blinking. Adjust the time and press enter.

STEP 6: Press Start to begin program.

General Maintenance

Belt and Bed - Your treadmill uses a very high-efficient low-friction bed. Performance is maximized when the bed is kept as clean as possible. Use a soft, damp cloth or paper towel to wipe the edge of the belt and the area between the belt edge and frame. Also reach as far as practical directly under the belt edge. This should be done once a month to extend belt and bed life. Use water only - no cleaners or abrasives. A mild soap and water solution along with a nylon scrub brush will clean the top of the textured belt.


Allow to dry before using.

Belt Dust - This occurs during normal break-in or until the belt stabilizes. Wiping excess off with a damp cloth will minimize buildup.

General Cleaning - Dirt, dust, and pet hair can block air inlets and accumulate on the running belt. On a monthly basis, vacuum underneath your treadmill to prevent buildup. Once a year, you should remove the black motor hood and vacuum out dirt that may accumulate. **UNPLUG POWER CORD BEFORE THIS TASK.**

BELT ADJUSTMENTS:

Treadbelt Tension Adjustment - Belt tension is not critical for most users. It is very important for joggers and runners in order to provide a smooth, steady running surface. Adjustment must be made from the right side of the rear roller in order to adjust tension with the 6 mm Allen wrench provided in the parts package. The adjustment bolt is located at the end of the right side rail as noted in diagram below.



Note: Adjustment is thru small hole of end cap.

Tighten the rear roller only enough to prevent slippage at the front roller. Turn the treadbelt tension adjusting bolt in increments of 1/4 turn and inspect for proper tension. **When an adjustment is made to the belt tension, you must also make a tracking adjustment to compensate for the change in belt tension.** This is accomplished by turning both the tension and tracking Allen bolts an equal amount. This adjustment should be made by turning both bolts clockwise by no more than a 1/4 turn at a time. **DO NOT OVERTIGHTEN** – Over tightening will cause belt damage and premature bearing failure.

TREADBELT TRACKING ADJUSTMENT:

The performance of your treadmill is dependent on the frame running on a reasonably level surface. If the frame is not level, the front and back roller cannot run parallel, and constant belt adjustment may be necessary.


The treadmill is designed to keep the treadbelt reasonably centered while in use. It is normal for some belts to drift near one side while the belt is running with no one on it. After a few minutes of use, the treadbelt should have a tendency to center itself. If, during use, the belt continues to move toward one side, adjustments are necessary.

TO SET TREADBELT TRACKING:

A 6 mm Allen wrench is provided to adjust the rear roller. Make tracking adjustments from the **left** side only. Set belt speed at approximately 2 to 3 mph.

A small adjustment can make a dramatic difference. Turn the bolt only a 1/4 turn and wait a few minutes for the belt to adjust itself. Continue to make 1/4 turns until the belt stabilizes in the center of the running deck. The belt may require periodic tracking adjustment depending on use and

walking/running characteristics. Some users will affect tracking differently. Expect to make adjustments as required to center the treadbelt. Adjustments will become less of a maintenance concern as the belt is used. Proper belt tracking is an owner responsibility common with all treadmills.



ATTENTION:

DAMAGE TO THE RUNNING BELT RESULTING FROM IMPROPER TRACKING / TENSION ADJUSTMENTS IS NOT COVERED UNDER THE SPIRIT WARRANTY.

BELT / DECK LUBRICATION:

Do not re-lube with other than Spirit lubricant. Spirit provides one application with this unit. See your Spirit dealer for additional purchases. The use of some other lubricants may destroy the deck surface or belt and will void warranty. Conditions exist beyond Spirit's control on belt / deck cleanliness which relates to friction.

You should apply the enclosed belt lubrication after approximately the first 50 hours of

operation. Use all the contents of one container (no more) and spread lubricant onto middle portion (away from edges) of the deck (under treadbelt) along its **width**. When walked on, the belt will make certain an even coat is applied. Lubricant is not harmful to the skin. Lube will be distributed properly by walking at 2 to 3 mph for 3 to 5 minutes on all areas of the belt. Use handrails for support. The first few minutes you will be polishing your deck and lubricating the belt backing. **Do not run on a newly lubricated belt until the above break-in procedure is done.** If the treadmill belt/deck is kept reasonably clean it is possible to expect over 1000 hours before additional re-lubing is necessary.

CAUTION - KEEP HANDS CLEAR OF MOVING REAR PULLEY!

Service Checklist - Diagnosis Guide

Before contacting your dealer for aid, please review the following information. It may save you both time and expense. This list includes common problems that may not be covered under the treadmill's warranty.

PROBLEM	SOLUTION/CAUSE
Display does not light	Tether cord not in position. Circuit breaker on front grill tripped. Push circuit breaker in until it locks. Plug is disconnected. Make sure plug is firmly pushed into AC household wall outlet. Household circuit breaker may be tripped. Treadmill defect. Contact your Spirit dealer.
Treadbelt does not stay centered Treadmill belt hesitates when walked/run on	A user may be walking while favoring or putting more weight on either the left or right foot. If this walking pattern is natural, track the belt slightly off-center to the side opposite from the belt movement. See General Maintenance section on Treadbelt Tension. Adjust as necessary.
Motor is not responsive / Display is lit	Make certain clock is running.
Treadmill will only achieve approximately 7 mph but shows higher speed on display	This indicates motor should be receiving power to operate. Low AC voltage to treadmill. Do not use an extension cord. If an extension cord is required it should be as short as possible and heavy duty 16 gauge minimum. Low household voltage. Contact an electrician or your Spirit dealer. A minimum of 110 volt AC current is required.
Treadbelt stops quickly/suddenly when tether cord is pulled	High belt/deck friction. See General Maintenance section on lubrication.
Treadmill trips on board 15 amp circuit	High belt/deck friction. See General Maintenance

Computer shuts off when console is touched (on a cold day)while walking/running

Treadmill is not grounded. Static electricity is “crashing” the computer. Refer to Grounding Instructions on page 4.

Manufacturer’s Limited Warranty

Effective October 15, 2004 TREADMILL WARRANTY

Spirit Manufacturing Inc. warrants all its treadmills’ parts for a period of 5 years from the date of retail sale, as determined by sale receipt, or eighteen (18) months from the original factory shipping date, whichever comes first. Spirit’s responsibilities include providing new or remanufactured parts, at Spirit’s option, and technical support to our independent dealers and servicing organizations. In the absence of a dealer or service organization, these warranties will be administered by Spirit directly to a consumer. An extended warranty period applies to the following components:

Drive Motor	30 Years
Deck Wear	5 Years
Electronics / Belt / Rollers	5 Years
Frame Weldments	Lifetime
All Other Components	5 Years

NORMAL RESPONSIBILITIES OF THE CONSUMER

This warranty applies only to products in ordinary household use, and the consumer is responsible for the items listed below:

1. The warranty registration card must be completed and returned to the address listed on the card within 10 days of the original purchase to validate the manufacturer’s limited warranty.
2. Proper use of the treadmill in accordance with the instructions provided in this manual, including belt tracking.
3. Proper installation by an authorized Spirit service company in accordance with instructions provided with the treadmill and with all local electric codes.
4. Proper connection to a grounded power supply of sufficient voltage, replacement of blown fuses, repair of loose connections or defects in house wiring.
5. Expenses for making the treadmill accessible for servicing, including any item that was not part of the treadmill at the time it was shipped from the factory.
6. Damages to the treadmill finish during shipping, installation or following installation.

EXCLUSIONS

This warranty does not cover the following:

1. CONSEQUENTIAL, COLLATERAL, OR INCIDENTAL DAMAGES SUCH AS PROPERTY DAMAGE AND INCIDENTAL EXPENSES RESULTING FROM ANY BREACH OF THIS WRITTEN OR ANY IMPLIED WARRANTY.

Note: Some states do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.

2. Service call reimbursement to the consumer. Service call reimbursement to the dealer that does not involve malfunction or defects in workmanship or material, for units that are beyond the warranty period, for units that are beyond the service call reimbursement period, for treadmills not requiring component replacement, or treadmills not in ordinary household use.
3. Damages caused by services performed by persons other than authorized Spirit service companies; use of parts other than original Spirit parts; or external causes such as alterations, modifications, abuse, misuse, accident, improper maintenance, inadequate power supply, or acts of God.
4. Products with original serial numbers that have been removed or altered.
5. Products that have been sold, transferred, bartered, or given to a third party.
6. Products that do not have a warranty registration card on file at Spirit Mfg. Spirit reserves the right to request proof of purchase if no warranty record exists for the product.
7. **THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE.**

SERVICE

Keep your bill of sale. Twelve (12) months from the date on the bill of sale or eighteen (18) months from the date of factory shipping as determined by the serial number establishes the warranty period should service be required. If service is performed, it is in your best interest to obtain and keep all receipts. This written warranty gives you specific legal rights. You may also have other rights that vary from state to state. Service under this warranty must be obtained by following these steps, in order:

1. Contact your selling authorized Spirit dealer. OR

2. Contact your local authorized Spirit service organization.
3. If there is a question as to where to obtain service, contact our service department at (870) 935-1107.
4. If no local service is available, Spirit will repair or replace the parts, at Spirit's option, within the warranty period at no charge for parts. All transportation costs, both to our factory and upon return to the owner, are the responsibility of the owner. The owner is responsible for adequate packaging upon return to Spirit. Spirit is not responsible for damages in shipping. Make all freight damage claims with the appropriate freight carrier. DO NOT SHIP ANY UNIT TO OUR FACTORY WITHOUT A RETURN AUTHORIZATION NUMBER. All units arriving without a return authorization number will be refused.
5. For any further information, or to contact our service department by mail, send your correspondence to:

Spirit Manufacturing, Inc.
P.O. Box 2037
Jonesboro, AR 72402-2037

Product features or specifications as described or illustrated are subject to change without notice. All warranties are made by Spirit Manufacturing, Inc. This warranty applies only in the 50 states of the U.S.A. and Canada.