Andersen WINDOWS • DOORS

400 SERIES
200 SERIES
100 SERIES
WINDOWS & DOORS

REPLACEMENT SOLUTIONS
FOR PROFESSIONALS

REPLACE WITH ANDERSEN.®

Andersen® replacement casement windows are available without a nailing flange for easy installation.

PRODUCTS FOR REPLACEMENT. SOLUTIONS FOR YOUR BUSINESS.

For over 100 years, Andersen has built a reputation for innovation, reliability and customer support. In fact, Andersen is the most trusted brand of windows and doors among builders and remodelers.* Today, we're bringing that same commitment to window and patio door replacement contractors. No one is more dedicated to delivering the replacement solutions you need than Andersen.

Whether it's custom-sized windows designed specifically for replacement, tools to get more jobs, or an easier way to order, Andersen has solutions to help your business and to make you look good to your customers. And because your reputation is the cornerstone of your business, we back** you as only Andersen can — with time-tested products, a renowned limited warranty** and support that gives homeowners confidence and peace of mind.

With Andersen, you're not just choosing replacement windows and doors. You're choosing the most trusted name in the industry.

CUSTOM SIZES

ALL OF THE WINDOWS AND DOORS FEATURED IN THIS BROCHURE ARE CUSTOM-SIZED TO FIT YOUR PROJECTS.

*2014 Hanley Wood Brand Perception Study.
**Visit andersenwindows.com/warranty for details.

REPLACEMENT SOLUTIONS FOR EVERY JOB.

We put the same industry-leading quality and standards you've come to know and trust into every replacement window and patio door. With Andersen, you get the replacement solutions you need, the comfort and low maintenance your customers want and the confident installs your reputation requires.

400 SERIES
FRENCHWOOD® GLIDING
PATIO DOOR

400 SERIES
WOODWRIGHT® DOUBLE-HUNG
INSERT WINDOW

400 SERIES
TILT-WASH DOUBLE-HUNG
INSERT WINDOW

400 SERIES
REPLACEMENT CASEMENT
WINDOW

100 SERIES
SINGLE-HUNG
WINDOW

AVAILABLE IN CUSTOM SIZES FOR REPLACEMENT:

400 Series Woodwright® windows

400 Series casement and awning windows

400 Series tilt-wash double-hung insert windows

400 Series specialty windows

400 Series bay, bow and box windows

400 Series Frenchwood® patio doors

200 Series gliding patio doors

100 Series windows

100 Series gliding patio doors

Storm doors

TOOLS FOR SUCCESS

We understand you need support before, during and after the sale. That's why we offer more than just replacement windows and doors. We offer tools for growing your business every step of the way.

EASIER TO WIN JOBS

Credibility for your business that comes from offering the brand purchased by more trade professionals*.

Selection bag with tools such as real color and hardware finish samples, literature and more to help your customers select products.

Sales support including beautiful, photo-filled consumer catalogs to help sell your customers, plus product guides with complete, detailed information on all of our products.

EASIER TO ORDER PRODUCTS

Measurement guides that simplify the ordering process to make sure your order is right the first time.

Innovative app helps you quickly and easily find the sill angle of existing double-hung windows. Available for free for both iPhone® and Android™ smartphones.

*2014 Hanley Wood Brand Perception Study.

"iPhone" is a registered trademark of Apple Inc. "Android" is a trademark of Google, Inc.

QUICKER, MORE CONFIDENT INSTALLS

Products designed specifically for replacement make your job easier.

Custom sizes are available with all Andersen® replacement products to provide a perfect fit for any project in any architectural style.

Installation materials with backer rod, screws, shims and complete instructions are included with replacement casement windows, replacement awning windows and double-hung insert windows for consistent quality installations.

Time-saving translucent film helps protect Andersen® 400 Series and 200 Series windows and doors during delivery and construction, minimizes time spent masking on the jobsite, and then peels away for a spotless window.



Cellular Fibrex® trim board is available in 10-foot lengths that are 3 ½" wide by ¾" thick. Available in the same 11 colors as the exterior trim system, this solid trim board can be cut or ripped to size and can be fastened using nails or screws.

Andersen® aluminum coil stock can be ordered to match any of our 11 trim colors. Made from .019-gauge aluminum, it's available in 24" x 50' rolls. Color-matched 1 ¼" stainless steel trim nails are also available and can be ordered in one-pound boxes.

Andersen® exterior trim for windows installs in about five minutes.
See page 7 for details.

INDUSTRY-LEADING SUPPORT

The Andersen national service network includes over 900 factory-trained service provider companies to resolve both warranty and nonwarranty requests, so you can spec Andersen® products with confidence.

Replacement parts are readily available, even for some products that were discontinued 50 years ago.

ANDERSEN EXCLUSIVES

We strive to engineer and build products that are different and better than any others on the market. It's an approach we've embraced for over 110 years. That's because we believe our job is to do more than just make windows and doors. It's to make your job easier, and to make you look good to your customers today and for years to come.

TRUSCENE® INSECT SCREENS — 50% GREATER CLARITY

TRUSCENE® INSECT SCREENS

Andersen® TruScene® insect screens for windows provide more than 50% greater clarity than our conventional insect screens for a beautifully unobstructed view. And they let in more fresh air and sunlight, while doing a better job of keeping out small insects.

PERMA-SHIELD® EXTERIORS

The Andersen® Perma-Shield® system gives our 400 Series and 200 Series products a tough, protective shell that safeguards the wood inside. Perma-Shield® exteriors repel water, resist dents and won't peel, flake, blister or corrode,* so they stay beautiful for years* and are virtually maintenance-free.

*Visit andersenwindows.com/warranty for details.

EXTERIOR TRIM SYSTEM

When you're replacing windows, doors or siding, Andersen® exterior trim saves time and money. In fact, you can install a preassembled trim surround in about five minutes per window. It eliminates measuring, cutting, mitering and filling nail holes while providing an exceptional fit and finish.

Choose from a variety of profiles, plus 11 factory-finished colors that won't fade, flake, blister, chalk or peel no matter what the climate.* Trim can match window and door colors, or select complementary colors to create a variety of looks. Color-matched drip caps are included. Cornices or a decorative drip cap are also available.

Watch videos and use our visualizer tool to create your own look at:
andersenwindows.com/exteriortrim

Red Rock trim and cornice with Sandtone window

ANDERSEN INNOVATION

TRIM COLORS

White | Canvas | Sandtone | Terratone

Forest Green | Dark Bronze | Black | Cocoa Bean

Red Rock | Prairie Grass | Dove Gray

Printing limitations prevent exact color duplication.
See your Andersen supplier for actual color samples.

INSTALLS IN ABOUT 5 MINUTES

FIBREX® MATERIAL

Fibrex® composite material contains 40% pre-consumer reclaimed wood fiber by weight, so it's environmentally smart. It also provides these additional benefits for you and your customers:

- Two times stronger than vinyl — won't bend, rot, pit or corrode.*
- Available in dark colors that won't fade, flake, blister, chalk or peel.*
- Blocks thermal transfer nearly 700 times better than aluminum to help reduce heating and cooling bills.
- Retains its stability and rigidity in all climates for exceptional durability.
- Andersen exterior trim and 100 Series windows are made with Fibrex® material. It's also used as a component in other Andersen® products.

*Visit andersenwindows.com/warranty for details.

400 SERIES

400 Series replacement products offer a classic blend of engineering and craftsmanship with traditional styling. They feature beautiful wood interiors that add value to your customers' homes — so they're not just replacing, they're upgrading. In addition, they're available with a full range of options and accessories to complement any home or customer's taste.

400 SERIES REPLACEMENT WINDOW OPTIONS:

- Full-frame & insert double-hung windows
- Full-frame casement windows
- Full-frame awning windows
- Full-frame & insert stationary windows
- Full-frame specialty windows
- Full-frame bay & bow windows

Andersen® 400 Series windows have been named a Best Buy for replacement windows by Consumers Digest. Criteria for the award included performance ratings, quality of construction and materials, ease of operation and warranty. For more information, visit **andersenwindows.com/bestbuy.**

400 SERIES REPLACEMENT PATIO DOOR OPTIONS:

- Gliding patio doors
- Hinged inswing patio doors
- Hinged outswing patio doors

HARDWARE FINISHES



Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.

The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com.

ANDERSEN®

WINDOW & PATIO DOOR OVERVIEW

Whether you need an insert window, a replacement casement window or a full-frame replacement window or patio door, Andersen has custom-sized products for every opening, price point and preference. The information here will give you a quick, at-a-glance overview of our replacement offerings for each Andersen® product line.

200 SERIES

200 Series patio doors feature sleek, narrow profiles with a larger glass area for a contemporary appearance, plus low-maintenance exteriors. This series allows you to deliver Andersen quality at an uncommon value while still offering customers our most popular options.

200 SERIES REPLACEMENT PATIO DOOR OPTION:

- Gliding patio doors

100 SERIES

100 Series windows and patio doors are made with our revolutionary Fibrex® composite material, which allows us to offer a value that others can't match. It's environmentally responsible and energy efficient, and it comes in durable colors that are darker and richer than most vinyl windows.

100 SERIES REPLACEMENT WINDOW OPTIONS:

- Full-frame and insert single-hung windows
- Full-frame and insert casement windows
- Full-frame and insert awning windows
- Full-frame and insert gliding windows
- Full-frame and insert stationary windows

100 SERIES REPLACEMENT PATIO DOOR OPTION:

- Gliding patio doors

*Visit andersenwindows.com/warranty for details.

GLASS OPTIONS

Andersen has the glass you need to get the performance you want. From SmartSun™ glass with HeatLock® coating that is ENERGY STAR® certified in all climate zones* to PassiveSun® glass that helps heat homes in northern areas, there's an option for every climate, project and customer. Check with your supplier for the selections that are ENERGY STAR® certified in your area.

GLASS	U- FACTOR How well a product prevents heat from escaping.	SOLAR HEAT GAIN COEFFICIENT How well a product blocks heat caused by sunlight.	VISIBLE LIGHT TRANSMITTANCE How much visible light comes through a product.	UV PROTECTION How well a product blocks ultraviolet rays.
SmartSun™ Thermal control similar to tinted glass, but with the visible light transmittance of clear glass.	★★★☆	★★★★	★★½☆	★★★★
SmartSun with HeatLock® Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors.	★★★½	★★★★	★★☆☆	★★★★
Low-E4®/Low-E Outstanding overall performance for climates where both heating and cooling costs are a concern.	★★★☆	★★★☆	★★★☆	★★★☆
Low-E4 with HeatLock® Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors.	★★★½	★★★☆	★★½☆	★★★☆
Sun Outstanding thermal control in southern climates where less solar heat gain is desired.	★★★☆	★★★★	★☆☆☆	★★★☆
PassiveSun® Ideal for northern, passive solar construction applications where solar heat gain is desired.	★★½☆	★☆☆☆	★★★☆	★★☆☆
Clear Dual-Pane High visibility with basic thermal performance.	★☆☆☆	☆☆☆☆	★★★★	☆☆☆☆

Center of glass performance only. Ratings based on glass options available as of June 2015. Visit andersenwindows.com for ENERGY STAR® map and NFRC total unit performance data.

ADDITIONAL GLASS OPTIONS**

Tempered safety glass (standard on patio doors).

Laminated glass for added strength, enhanced security and sound control.

Patterned glass to let in light while obscuring vision (patterns shown below).

Obscure

Reed

Cascade

Fern

Cascade and Reed patterns can be ordered with either a vertical or horizontal orientation.
*Limitations may apply. See your Andersen supplier for details.
**Andersen 400 and 200 Series products only with SmartSun™ glass with HeatLock® coating (argon gas blend), no grilles, no breather tubes. Excludes patterned/textured glass.

GRILLE OPTIONS

With Andersen, you'll find grille patterns, widths and configurations to fit any architectural style or the taste of any homeowner. If you're replacing windows and doors, we can match virtually any existing grille. We'll even work with you and your customers to create custom patterns.

Note: Some grille options not available in all configurations and products.



Colonial



Prairie



Diamond



Tall Fractional



Tall Fractional with 2 ¼" rail



Short Fractional



Short Fractional with 2 ¼" rail



Simulated Double-Hung

Our 2 ¼-inch-wide grille can make a casement window look like a double-hung.



Specified Equal Light* Fractional



2 x 2



1 x 4

Specified Equal Light*







Custom Patterns

Contact your Andersen supplier for your custom needs.

GRILLE CONFIGURATIONS

Full Divided Light

For an authentic look, full divided light grilles are permanently applied to the interior and exterior of the window with a spacer between the glass.



Permanent Exterior
Permanent Interior with Spacer

Simulated Divided Light

Simulated divided light offers permanent grilles on the exterior and interior with no spacer between the glass. We also offer permanent exterior grilles with removable interior grilles in natural wood or prefinished white.



Permanent Exterior
Removable Interior



Permanent Exterior
Permanent Interior

Convenient Cleaning Options

Removable interior grilles come off for easy cleaning. Andersen® Finelight™ grilles are installed between the glass panes and feature a contoured 1" or ¾" profile.



Removable
Interior Grille



Finelight™ Grilles-Between-the-Glass

*Specify number of same-size rectangles across or down.

DOUBLE- AND SINGLE-HUNG WINDOWS

400 SERIES WOODWRIGHT® WINDOWS

Woodwright® windows help replicate the look of traditional architecture. Their thick, sloped sills and historically accurate grille patterns bring old-world character to homes of all ages. To help match existing interiors when replacing or remodeling, you can order them in a variety of wood species, with custom extension jambs, and with a range of hardware and grille options, including custom grilles.

Woodwright® windows give you the option to use a variety of graceful arches that can add an uncommon elegance.

Unequal Arch

Arch

Springline™

400 SERIES WOODWRIGHT® INSERT WINDOWS

Woodwright® insert windows give you all the advantages of Woodwright® full-frame windows, plus they install faster and easier while keeping the mess and disruption to a minimum. In most cases, you can even keep the original trim and preserve the character of your customers' homes. **Installation materials included.**

400 SERIES TILT-WASH INSERT WINDOWS

All the features of our best-selling double-hung windows — including their energy-efficient design and wide array of decorative and performance options — are now available in an insert window that's faster and easier to install. **Installation materials included.**



NARROLINE® WINDOW CONVERSION KIT

For homes with Andersen® Narroline® windows that were made after 1967, our quick conversion kit lets you turn them into tilt-wash double-hung windows with high-performance Low-E4® glass.

100 SERIES SINGLE-HUNG WINDOWS

These single-hung windows come with a 3 ¼" overall frame depth and are available with or without a nailing flange for ease of installation. They may also be ordered with an arched top for additional style.

CUSTOM SIZES

All double- and single-hung windows shown here are available in custom sizes with the exception of the Narrroline® Window Conversion Kit.



INSTALLATION EXTRAS

Exterior stop covers and installation materials are included with all Andersen® double-hung insert windows. Contains backer rod, screws, shims and complete instructions. Stop covers provide a clean transition from the new window to the existing opening.

400 SERIES STANDARD DOUBLE-HUNG HARDWARE

400 SERIES WOODWRIGHT® WINDOWS

Stone | White

400 SERIES TILT-WASH WINDOWS

STANDARD: Stone | White
OPTIONAL: Black | **Gold Dust**

400 SERIES OPTIONAL DOUBLE-HUNG HARDWARE*

ESTATE™

Lock & Keeper

Hand Lift

Finger Lifts

Antique Brass | **Bright Brass** | Brushed Chrome | Distressed Bronze
Distressed Nickel | Oil Rubbed Bronze | Polished Chrome | Satin Nickel

TRADITIONAL

Bar Lift

Hand Lift

Finger Lifts

Antique Brass | Bright Brass | Brushed Chrome | **Oil Rubbed Bronze**
Polished Chrome | Satin Nickel | Stone | White

CLASSIC SERIES™

Sash Lift

Hand Lift

Finger Lifts

Stone | **White**

100 SERIES SINGLE-HUNG HARDWARE

Standard Window Lock

Optional Hand Lift

Sandtone | **White**

DOUBLE- AND SINGLE-HUNG WINDOW FEATURES

		400 SERIES WOODWRIGHT®	400 SERIES WOODWRIGHT® INSERT	400 SERIES TILT-WASH INSERT	NARROLINE® CONVERSION KIT	100 SERIES SINGLE-HUNG
Low-Maintenance Exteriors						
	White	●	●	●	●	●
	Canvas	●	●	●		
	Sandtone	●	●	●	●	●
	Terratone	●	●	●	●	●
	Forest Green	●	●	●		
	Cocoa Bean					●
	Dark Bronze	●	●	●		●
	Black	●	●	●		●
Interiors						
	Maple	●	●			
	Oak	●	●			
	Pine	●	●	●	●	
	White	●	●	●	●	●
	Sandtone					●
Easy Cleaning						
Tilt-to-Clean Sash		●	●	●	●	
Grilles						
Full Divided Light		●	●	●	●	
Simulated Divided Light		●	●	●	●	
Finelight™ (Grilles-Between-the-Glass)		●	●	●	●	●
Removable Interior Grilles		●	●	●	●	
Glass Additional glass options are available. See page 10 for details.						
Low-E4®		●	●	●	●	
Low-E4 Sun		●	●	●	●	
Low-E4 SmartSun™		●	●	●	●	
Low-E						●
Low-E Sun						
Low-E SmartSun						●
Dual-Pane						●
Unit Sizes						
Minimum Width		21 5/8"	16 1/2"	21 1/4"	AVAILABLE IN ALL STANDARD NARROLINE® WINDOW SIZES	17 1/2"
Maximum Width		45 5/8"	45 5/8"	44 7/8"		47 1/2"
Minimum Height		36 7/8"	26 3/4"	35 3/8"		23 1/2"
Maximum Height		76 7/8"	78"	91 3/4"		89 1/2"

For complete technical details, visit andersenwindows.com. Or reference Andersen® product guides.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Printing limitations prevent exact duplication of colors and replication of finishes. See your Andersen supplier for actual color and finish samples. Naturally occurring variations in grain, color and texture of wood make each window one of a kind. *All Andersen® hardware is sold separately, except standard hardware.

CASEMENT | AWNING | GLIDING WINDOWS

400 SERIES CASEMENT WINDOWS

The Andersen® 400 Series casement window is our best-selling casement window. It has an extremely energy-efficient design and a solid wood sash that's covered inside and out by low-maintenance Perma-Shield® cladding to protect against water damage. The interior features rich, natural pine.

400 SERIES REPLACEMENT CASEMENT WINDOWS

This window has the same customer-pleasing features as our 400 Series casement window, but comes fully prepped for replacement with predrilled, through-the-jamb installation holes and the nailing flange removed. Thick replacement extension jambs are also available to preserve the original alignment of trim and paint lines. **Installation materials included.**

400 SERIES AWNING WINDOWS

These windows are built on the same platform as our casement windows and deliver the same outstanding performance.

400 SERIES REPLACEMENT AWNING WINDOWS

Like our replacement casement, this window comes without a nailing flange and is available with thick replacement extension jambs to preserve the original alignment of trim and paint lines. It also has predrilled, through-the-jamb installation holes, so it installs easily from inside or out. **Installation materials included.**

100 SERIES GLIDING WINDOWS

Our gliding windows come with a 3 ¼" overall frame depth and are available with or without a nailing flange for ease of installation. These units have one stationary sash and one that opens for ventilation.

A three-sash configuration, where two sash glide past a fixed center sash, is also available.

100 SERIES CASEMENT & AWNING WINDOWS

100 Series casement and awning windows come with a 3 ¼" overall frame depth and are available with or without a nailing flange for ease of installation. Both styles can also be ordered as stationary windows.

CUSTOM SIZES

All casement, awning and gliding windows shown here are available in custom sizes.

INSTALLATION MATERIALS

Contains flat, self-hanging shims, backer rod, installation screws and complete instructions.

400 SERIES CASEMENT & AWNING HARDWARE*

ESTATE™

Antique Brass | Bright Brass | Brushed Chrome
Distressed Bronze | Distressed Nickel | Oil Rubbed Bronze
Polished Chrome | Satin Nickel

CLASSIC SERIES™

Stone | **White**

TRADITIONAL FOLDING

Antique Brass | Black | Bright Brass | **Distressed Bronze**
Distressed Nickel | Gold Dust | Oil Rubbed Bronze
Satin Nickel | Stone | White

CONTEMPORARY FOLDING

Black | Bright Brass | Gold Dust | Oil Rubbed Bronze
Satin Nickel | Stone | White

100 SERIES HARDWARE

Optional Gliding Window Handle

Sandtone | **White**

Standard Gliding Window Lock

Sandtone | **White**

Standard Casement and Awning

Sandtone | **White**

CASEMENT, AWNING & GLIDING WINDOW FEATURES	400 SERIES CASEMENT	400 SERIES REPLACEMENT CASEMENT	400 SERIES AWNING	400 SERIES REPLACEMENT AWNING	100 SERIES GLIDING	100 SERIES CASEMENT	100 SERIES AWNING
Low-Maintenance Exteriors							
White	●	●	●	●	●	●	●
Canvas	●	●	●	●			
Sandtone	●	●	●	●	●	●	●
Terratone	●	●	●	●	●	●	●
Forest Green	●	●	●	●			
Cocoa Bean					●	●	●
Dark Bronze	●	●	●	●	●	●	●
Black	●	●	●	●	●	●	●
Interiors							
Pine	●	●	●	●			
White	●	●	●	●	●	●	●
Sandtone					●	●	●
Grilles							
Full Divided Light	●	●	●	●			
Simulated Divided Light	●	●	●	●			
Finelight™ (Grilles-Between-the-Glass)	●	●	●	●	●	●	●
Removable Interior Grilles	●	●	●	●			
Glass Additional glass options are available. See page 10 for details.							
Low-E4®	●	●	●	●			
Low-E4 Sun	●	●	●	●			
Low-E4 SmartSun™	●	●	●	●			
Low-E					●	●	●
Low-E Sun							
Low-E SmartSun					●	●	●
Dual-Pane	●	●	●	●	●	●	●
Unit Sizes							
Minimum Width	17"	17"	24 1/8"	24 1/8"	23 1/2"	17 1/2"	17 1/2"
Maximum Width	35 7/8"	35 7/8"	84 5/8"	71 7/8"	71 1/2"	35 1/2"	47 1/2"
Minimum Height	24 1/8"	24 1/8"	17"	17"	11 1/2"	23 1/2"	17 1/2"
Maximum Height	71 7/8"	71 7/8"	48"	48"	71 1/2"	71 1/2"	35 1/2"

For complete technical details, visit andersenwindows.com. Or reference Andersen® product guides.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Printing limitations prevent exact duplication of colors and replication of finishes. See your Andersen supplier for actual color and finish samples. Naturally occurring variations in grain, color and texture of wood make each window one of a kind. *All Andersen® hardware is sold separately, except standard hardware.

SPECIALTY | STATIONARY WINDOWS

CUSTOM SIZES

Available in custom sizes to fit all projects, including replacement.

400 SERIES SPECIALTY WINDOWS

Andersen® 400 Series specialty windows give you the ability to replace uniquely shaped windows. Ask your Andersen supplier for further details.

SPRINGLINE™ FLANKER

ARCH

TRAPEZOID

HALF CIRCLE

PICTURE AND TRANSOM WINDOWS

Andersen offers custom-sized picture and transom windows to complement the sizes and profiles of our double-hung, casement and awning windows and patio doors.





400 SERIES FLEXIFRAME® WINDOWS

Flexiframe® windows are available in custom sizes and can be designed in nearly any shape made with straight lines, providing no angle is less than 14 degrees. When other window companies say it can't be done, Andersen does it easily — and beautifully.



EXAMPLES OF ALTERNATIVE SHAPES

100 SERIES PICTURE & SPECIALTY WINDOWS

Arch, Springline,™ half circle, quarter circle, full circle, rectangle shapes and more are available to complement any home's architecture.



EXAMPLES OF ALTERNATIVE SHAPES

BAY, BOW & BOX WINDOWS

Andersen® 400 Series bay, bow and box units utilize all of the individual qualities of our Woodwright,® tilt-wash and casement windows. They can easily replace traditional flat windows, which means you can give customers an opportunity to dramatically change a room without major remodeling. Each is delivered as a complete unit to speed installation. Custom sizes are available for casement units, and all offer a choice of pine veneer or oak veneer head and seat boards. We also offer a cable support system for easier installation.

BAY

BOW



BOX

See the *Andersen® Product Guide* for more information.

GLIDING PATIO DOORS

400 SERIES FRENCHWOOD® GLIDING PATIO DOORS

With interiors that feature wide wood profiles in a variety of species, Frenchwood® gliding patio doors have the old-world character of traditional French doors, but also offer the convenience and space savings no hinged door can provide. Available assembled or unassembled.

200 SERIES NARROLINE® GLIDING PATIO DOORS

Our 200 Series Narroline® gliding patio doors combine the beauty of natural wood with sleek contemporary profiles to maximize views and fill homes with sunlight. Available assembled or unassembled.

200 SERIES PERMA-SHIELD® GLIDING PATIO DOORS

A tried-and-true classic, Perma-Shield® gliding patio doors are protected inside and out with rigid vinyl cladding to give homes a contemporary look while keeping maintenance to a minimum. Available assembled or unassembled.

100 SERIES GLIDING PATIO DOORS

Made with our exclusive Fibrex® material, these patio doors deliver all of the low maintenance of vinyl replacement doors, but with a material that's twice as strong. All interiors come in an attractive matte white or sandtone finish.

CUSTOM SIZES

All gliding patio doors shown here are available in custom sizes.

AVAILABLE COMBINATIONS (As viewed from exterior)



Stationary Panel

Two-Panel Right Opening

Two-Panel Left Opening

When replacing a three-panel door, combine a stationary panel with a two-panel operating unit.

Four-Panel Center Opening

Available for 400 Series patio doors and 200 Series Narroline® patio doors.

400 SERIES/200 SERIES GLIDING PATIO DOOR HARDWARE*

YUMA®

Distressed Bronze
Distressed Nickel

ENCINO®

Distressed Bronze
Distressed Nickel

NEWBURY®

Antique Brass
Bright Brass
Brushed Chrome
Oil Rubbed Bronze
Polished Chrome
Satin Nickel

ANVERS®

Bright Brass
Oil Rubbed Bronze
Satin Nickel

COVINGTON™

Antique Brass
Bright Brass
Oil Rubbed Bronze

WHITMORE®

Antique Brass
Bright Brass
Oil Rubbed Bronze
Satin Nickel

ALBANY

Black
Gold Dust
Stone
White

TRIBECA®

Stone
White

100 SERIES GLIDING PATIO DOOR HARDWARE*

TULSA HARDWARE

EXTERIOR

Matches exterior unit color.

INTERIOR

Sandtone
White

AFTON HARDWARE

EXTERIOR

Antique Brass
Black
Bright Brass
Satin Nickel

INTERIOR

Antique Brass
Black
Bright Brass
Satin Nickel

GLIDING PATIO DOOR FEATURES	400 SERIES FRENCHWOOD®	200 SERIES NARROLINE®	200 SERIES PERMA-SHIELD®	100 SERIES
Low-Maintenance Exteriors				
White	●	●	●	●
Canvas		●	●	
Sandtone	●	●	●	●
Terratone	●	●	●	●
Forest Green	●			
Cocoa Bean				●
Dark Bronze		●	●	●
Black		●	●	●
Interiors				
Maple	●			
Oak	●			
Pine	●	●		
White	●			●
Sandtone				●
Same as Exterior			●	
Grilles				
Full Divided Light	●			
Simulated Divided Light	●	●	●	
Finelight™ (Grilles-Between-the-Glass)	●	●	●	●
Removable Interior Grilles	●	●	●	
Glass Additional glass options are available. See page 10 for details.				
Low-E4® Tempered	●			
Low-E4 Sun Tempered	●			
Low-E4 SmartSun™ Tempered	●			
Low-E Tempered		●	●	●
Low-E Sun Tempered		●	●	
Low-E SmartSun Tempered		●	●	●
Dual-Pane Tempered		●	●	●
Unit Sizes				
Minimum Width	55 1/4"	55 1/4"	59 1/4"	59 1/4"
Maximum Width	189"	189"	95 1/4"	95 1/4"
Minimum Height	79 1/2"	79 1/2"	79 1/2"	79 1/2"
Maximum Height	95 1/2"	95 1/2"	95 1/2"	95 1/2"

For complete technical details, visit andersenwindows.com. Or reference Andersen® product guides.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Printing limitations prevent exact duplication of colors and replication of finishes. See your Andersen supplier for actual color and finish samples. Naturally occurring variations in grain, color and texture of wood make each window one of a kind. *All Andersen® hardware is sold separately, except standard hardware.

HINGED PATIO DOORS

400 SERIES FRENCHWOOD® HINGED INSWING PATIO DOORS

Frenchwood® hinged inswing patio doors are a good choice for opening to a small balcony, deck or patio, and are often used in colder climates where snow might build up outside the door. They are available in one-, two- and three-panel units. These doors can also replace a gliding door to give you a wider entryway.

400 SERIES FRENCHWOOD® HINGED OUTSWING PATIO DOORS

Frenchwood® hinged outswing patio doors are often used in warmer climates and allow furniture, artwork and decorations to be placed closer to the entryway. They are available in one- and two-panel configurations. These doors can also replace a gliding door to give you a wider entryway.

MULTI-POINT LOCKING SYSTEM

The Frenchwood® hinged patio door has a multi-point locking system with two hook bolts above and below the center deadbolt. This system provides added weathertightness and enhanced security.

EXTERIOR KEYED LOCK

A six-pin key cylinder lock is available for all patio doors in styles and finishes that coordinate with hardware. This lock allows the patio door to be locked and unlocked from the exterior.



RAMPED SILL INSERT

Ramped sills provide a smooth transition from interior to exterior and can be used with a retractable insect screen, but not a gliding insect screen. Shown here with an Andersen® Frenchwood® patio door. (Specifier must check with local and federal officials to determine if product meets accessibility codes.) For inswing doors only.

ADJUSTABLE HINGES AND REMOVABLE DOOR PANELS

Adjustable hinges have ball-bearing pivots for smooth, frictionless movement. They offer easy horizontal and vertical adjustment, plus a quick-release feature for easy panel removal. The release feature is ideal for transporting large units up stairs or to other hard-to-reach areas. Removable panels also simplify finishing.

CUSTOM SIZES

All hinged patio doors shown here are available in custom sizes.

AVAILABLE COMBINATIONS



Single | Two-Panel | Three-Panel

Available for 400 Series inswing patio doors only.

400 SERIES HINGED PATIO DOOR HARDWARE*

YUMA®

Distressed Bronze
Distressed Nickel

ENCINO®

Distressed Bronze
Distressed Nickel

NEWBURY®

Antique Brass
Bright Brass
Brushed Chrome
Oil Rubbed Bronze
Polished Chrome
Satin Nickel

ANVERS®

Bright Brass
Oil Rubbed Bronze
Satin Nickel

COVINGTON™

Antique Brass
Bright Brass
Oil Rubbed Bronze

WHITMORE®

Antique Brass
Bright Brass
Oil Rubbed Bronze
Satin Nickel

ALBANY

Black
Gold Dust
Stone
White

TRIBECA®

Stone
White

HINGED PATIO DOOR FEATURES		400 SERIES FRENCHWOOD® INSWING	400 SERIES FRENCHWOOD® OUTSWING
Low-Maintenance Exteriors			
	White	●	●
	Sandtone	●	●
	Terratone	●	●
	Forest Green	●	●
Interiors			
	Maple	●	●
	Oak	●	●
	Pine	●	●
	White	●	●
Grilles			
Full Divided Light		●	●
Simulated Divided Light		●	●
Finelight™ (Grilles-Between-the-Glass)		●	●
Removable Interior Grilles		●	●
Glass Additional glass options are available. See page 10 for details.			
Low-E4® Tempered		●	●
Low-E4 Sun Tempered		●	●
Low-E4 SmartSun™ Tempered		●	●
Unit Sizes			
Minimum Width		30 1/8"	30 1/8"
Maximum Width		107 1/8"	71 1/4"
Minimum Height		79 1/2"	79 1/2"
Maximum Height		95 1/2"	95 1/2"

For complete technical details, visit andersenwindows.com. Or reference an Andersen® product guide.

Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Printing limitations prevent exact duplication of colors and replication of finishes. See your Andersen supplier for actual color and finish samples. Naturally occurring variations in grain, color and texture of wood make each window one of a kind. *All Andersen® hardware is sold separately, except standard hardware.

STORM DOORS

If you're replacing windows and doors for your customers, chances are their storm doors also need replacing. We have a full line of storm doors with the styles, innovative features, energy efficiency and low-maintenance designs homeowners want. And since they're made with the craftsmanship you'd expect from Andersen, you'll look as good as the storm doors you install. Ask your Andersen supplier for details about our complete line.

DOOR STYLE & VENTILATION OPTIONS

Andersen has over 30 door styles and a variety of ventilation options.

Storm Door Lifetime Limited Warranty
All Andersen® storm doors are backed by a lifetime limited warranty that covers paint adhesion, hinges and frame with a 5-year limited warranty on all of the components.*

Oops-Proof Installation
We replace any parts lost or miscut during your storm door installation. Coverage good within 90 days of purchase.*

ANDERSEN EXCLUSIVES

TruScene® insect screens provide 50% greater clarity than our conventional insect screens for an unobstructed view.

ANDERSEN INNOVATION

Patented quick-release glass/insect screen change system makes switching between glass and insect screen fast and easy.

ANDERSEN INNOVATION

ANDERSEN INNOVATION

SplineLoc® insect screen has 3x greater holding strength than our standard insect screen.

Image for demonstration purposes only.
DO NOT STAND ON INSECT SCREEN.
Standing on the insect screen may damage the product and is not covered under the Lifetime Limited Warranty.

ANDERSEN BEAUTY

Andersen® storm doors are available in up to eight colors, up to 13 glass options and a variety of hardware styles and finishes so you can add instant curb appeal, complement virtually any architectural style and suit any customer's taste.

STORM DOOR COLORS

White
Almond
Sandtone
Forest Green
Terratone
Black
Bronze
Cinnamon Toast

Warranties,* features and options will vary by door style. Not all are offered on all door styles.

EMCO Enterprises LLC. manufactures and supports the limited warranties for Andersen® storm doors. *See your Andersen supplier for complete terms of limited warranties.

Respect for the environment is nothing new at Andersen.

For more than a century, it's been part of who we are. Our commitment to recycle and reclaim materials began simply because it was good business. Now it's part of our commitment to sustainability and responsible stewardship of all our resources. Andersen Corporation is committed to providing you with long-lasting, energy-efficient windows and doors.

ASK ABOUT ENERGY STAR

Andersen makes windows and doors with options that achieve **ENERGY STAR® 6.0** certification throughout the United States.

U.S. GREEN BUILDING COUNCIL MEMBER

Andersen is a charter member of the **U.S. Green Building Council** and a strong supporter of its LEED® (Leadership in Energy and Environmental Design) Green Building Rating System.

PROUD PRODUCERS OF GREEN SEAL CERTIFIED PRODUCTS

Andersen was the first window and door manufacturer with **Green Seal™** certified products. Please visit our web site at www.andersenwindows.com for a list of certified products.

MIX From responsible sources FSC® C022483

Green-e

10% POST CONSUMER RECYCLED FIBER

Printed on FSC® certified paper, produced using Green-e certified renewable energy, with 10% post-consumer recovered fiber.

WINDOWS • DOORS Andersen AW

Come home to Andersen®

andersenwindows.com

"ENERGY STAR" is a registered trademark of the U.S. Environmental Protection Agency.
"Andersen" and all other marks where denoted are trademarks of Andersen Corporation and its subsidiary.
©2015 Andersen Corporation. All rights reserved. 09/15 Part #9046527