

**Community Care Referral and Authorization (CCRA)
Software as a Service (SaaS) and Integration
Development**

**GMRC 99 and GMRC 106 Patch
Technical Manual**



September 2018

Version 5.0

Department of Veterans Affairs

Office of Information and Technology (OIT)

Revision History

NOTE: The revision history cycle begins once changes or enhancements are requested after the document has been baselined.

Version	Date	Author	Description
0.1	04/02/2018	Morgan Jeppson	Initial draft
0.2	04/12/2018	Kevin Kania	Review with comments
0.3	04/12/2018	VA	Review with comments
0.4	04/16/2018	Sam Weaver	QC Review <ul style="list-style-type: none"> • Title page: Added version number • Throughout doc: <ul style="list-style-type: none"> ○ Made minor changes to language and grammar ○ Applied consistent text styles ○ Replaced “the VA” with “VA” where appropriate ○ Added alt text to all exhibits • Exhibits 1–3, 6, and 8–25: Replaced non-508-compliant figures with 508-compliant images • Section 1: Updated intro text • Appendix A: Replaced table of acronyms
1.0	04/18/2018	Susan Burke	DPM Review
2.0	04/26/2018	Susan Burke	<ul style="list-style-type: none"> • Update required associated patch numbers in document to match Patch Description document
2.1	07/18/2018	Morgan Jeppson	Updates to include GMRC Patch 106 <ul style="list-style-type: none"> • Section 2.1.6: Added this section with details about Patch 106 • Exhibit 4: Added this image • Section 4: Added a new routine to the list
2.2	07/18/2018	Sam Weaver	QC Review <ul style="list-style-type: none"> • Title page: Updated title, month, and version number • Footer: Updated title and month • Throughout doc: <ul style="list-style-type: none"> ○ Made minor changes to language and grammar ○ Updated exhibit numbering • Exhibits 5–9: Added linked references within the text
3.0	07/23/2018	Susan Burke	DPM Review

Version	Date	Author	Description
3.1	08/21/2018	Susan Burke	<ul style="list-style-type: none"> Updated Section 1 – Included overview of both patches Updated Section 2 – Removed patch specific information, as the section applies to both patches
3.2	08/21/2018	Sam Weaver, Phil Burkhalter	Updates <ul style="list-style-type: none"> Section 2.1.3.1: Updated the installation instructions for Patch 99 Section 2.1.3.1: Updated the installation instructions for Patch 99 Section 4: Added text to specify which routine applies to which patch
4.0	08/21/2018	Susan Burke	DPM Review
4.1	09/25/2018	Phil Burkhalter	Section 2.1.3: Updated the installation instructions for patch 99
4.2	09/25/2018	Sam Weaver	QC review of updated installation instructions
5.0	09/25/2018	Susan Burke	DPM Review

Table of Contents

1. Introduction	6
1.1. Purpose.....	6
1.2. System Overview	7
1.3. Document Orientation.....	7
1.3.1. Disclaimers	7
1.3.2. References.....	7
2. Implementation and Maintenance	7
2.1. System Requirements	8
2.1.1. Hardware Requirements	8
2.1.2. Software Requirements.....	8
2.1.3. Installation of Patch 99.....	8
2.1.4. Enable the Interface Link	11
2.1.5. Verify that the Interface Link Is Running	11
2.1.6. Installation of Patch 106.....	12
3. Files	14
4. Routines	14
5. Exported Options	15
6. Mail Groups, Alerts, and Bulletins	15
7. Public Interfaces	15
7.1. HL7 Messaging.....	15
8. Standards and Conventions Exemptions	15
9. Security	15
10. Archiving	16
11. Non-Standard Cross-References	16
12. Troubleshooting	16
12.1. Check the System Link Monitor	16
12.2. Stop/Start the Interface Link	20
12.3. Edit the Logical Link Parameters.....	20
12.4. Edit the Application Parameters	24
12.5. Edit the Protocols	25
12.6. View HL7 Message Transmission Log	27
12.7. Special Instructions for Error Correction.....	31
Appendix A: Acronyms and Abbreviations	33

Table of Exhibits

Exhibit 1: Sample Patch 99 Install Dialogue.....	10
Exhibit 2: Screenshot: Start the Logical Link GMRCCCRA.....	11
Exhibit 3: Screenshot: Ping TCP/IP Port.....	12
Exhibit 4: Sample Patch 106 Install Dialogue.....	14
Exhibit 5: Screenshot: System Management Menu.....	17
Exhibit 6: Screenshot: Select Systems Link Monitor.....	17
Exhibit 7: Screenshot: Shutdown or Inactive Link.....	18
Exhibit 8: Screenshot: Select Filer and Link Management Option.....	19
Exhibit 9: Screenshot: Select Logical Link Node to Restart.....	20
Exhibit 10: Screenshot: HL Main Menu in VistA.....	21
Exhibit 11: Screenshot: Interface Developer Options Menu.....	21
Exhibit 12: Screenshot: Select Logical Link GMRCCCRA.....	21
Exhibit 13: Screenshot: HL7 Logical Link Edit Screen.....	22
Exhibit 14: Screenshot: Edit TCP/IP Parameters.....	23
Exhibit 15: Screenshot: List of GMRC CCRA Application Parameters.....	24
Exhibit 16: Screenshot: HL7 Application Edit.....	24
Exhibit 17: Screenshot: List of GMRC CCRA Protocols.....	25
Exhibit 18: Screenshot: HL7 Interface Setup.....	26
Exhibit 19: Screenshot: Update Subscriber from within Edit Protocol Option.....	27
Exhibit 20: Screenshot: Message Management Options.....	28
Exhibit 21: Screenshot: Search Transmission Log Selection.....	28
Exhibit 22: Screenshot: Start/Stop Time Selection for Viewing Transmission Log.....	29
Exhibit 23: Screenshot: Message Search Criteria – Status Codes.....	29
Exhibit 24: Screenshot: Message Search Selection Criteria.....	30
Exhibit 25: Screenshot: List of Messages that Match the Criteria.....	30
Exhibit 26: Screenshot: Message Contents.....	31
Exhibit 27: Acronyms and Abbreviations.....	33

1. Introduction

HealthShare Referral Manager (HSRM) is an enterprise-wide system in support of community care used by facility community care staff to generate referrals and authorizations for Veterans receiving care in the community. Clinical and Department of Veterans Affairs (VA) community care staff located at VA medical centers, outpatient clinics, community-based outpatient clinics, and Veterans Integrated Service Network offices use this solution to enhance Veteran access to care. HSRM is an integral component of the community care information technology (IT) architecture that allows Veterans to receive care from community providers.

HSRM allows VA to transition from what is currently a largely manual process to a more streamlined process that generates standardized referrals and authorizations according to clinical and business rules. HSRM supports clinical and administrative processes expected to:

- Seamlessly provide eligible Veterans with prompt referrals to a community provider of their choice
- Provide community providers with referrals and authorizations consistent with industry standards
- Decrease the administrative burden on VA clinical and facility community care staff members by establishing clinical and business pathways that reflect best practices, consistent outcomes, and reduced turnaround times, along with a solution that automates those pathways
- Facilitate communication between facility community care staff and community providers via a unified platform that enables the secure exchange of medical information

This document contains the instructions to install patch GMRC*3.0*99 into the Veterans Health Information Systems and Technology Architecture (VistA) system. This patch will load the routines and protocols necessary for a Health Level 7 (HL7) interface messaging process for the Community Care Referral and Authorization (CCRA) project. It also contains the instructions to install patch GMRC*3.0*106 This patch contains changes to the code that generates the HL7 consult messages introduced by patch GRMC*3.0*99. The CCRA Project required the addition of the following information to the existing HL7 message to support additional functionality in HealthShare Referral Manager:

- The addition to IN1 segments to support other health insurance (OHI)
- The addition of the Reimbursable flag to the interface to communicate to HSRM that the VA may not be the primary insurance plan for the requested service
- The addition of the division or site ID that is separate from the station ID of the site hosting the VistA instance. This is necessary for VistA instances supporting multiple division sites so that HSRM has the division identifier

1.1. Purpose

The purpose of this document is to detail how to install this patch on the VistA system. It is intended for personnel who navigate and maintain the HL7 message processing system for community care users.

1.2. System Overview

Clinicians using the Computerized Patient Record System (CPRS) sometimes need to create a consult for services outside of the VA facility. This patch updates the protocols necessary to allow CPRS to send those community care consult requests from VistA to HSRM using VistA's existing HL7 message processing technology. HSRM is a commercial off-the-shelf product used to track these non-VA consult services.

Note: The term “non-VA consult services” stems from the fact that VistA is generating consult requests that are to be delivered outside VA facilities. The request is sent via HL7 message to HSRM, where the consult is tracked further. However, the consult itself is delivered in a non-VA environment, which is what pushes the consult into community care.

1.3. Document Orientation

The intended audience for this technical manual is local IT support, management, development personnel, and those responsible for maintaining the VistA HL7 architecture at the VA site.

1.3.1. Disclaimers

1.3.1.1. Software Disclaimer

This software was developed at VA by employees of the federal government in the course of their official duties. Pursuant to Title 17 Section 105 of the United States Code, this software is not subject to copyright protection and is in the public domain. VA assumes no responsibility whatsoever for its use by other parties and makes no guarantees, express or implied, about its quality, reliability, or any other characteristic. We would appreciate acknowledgement if the software is used. This software can be redistributed and/or modified freely provided that any derivative works bear some notice that they are derived from it, and any modified versions bear some notice that they have been modified.

1.3.1.2. Documentation Disclaimer

The appearance of external hyperlink references in this manual does not constitute endorsement by VA of these websites or the information, products, or services contained therein. VA does not exercise any editorial control over the information you may find at these locations. Such links are provided and are consistent with the stated purpose of VA.

1.3.2. References

VA Software Document Library (VDL) – HL7 (VistA messaging) section, including:

- Technical Manual
- Site Manager Developer Manual v 1.6*161
- Community Care Referral and Authorization Patch 99 Technical Manual
- Consult/Request Tracking Technical Manual

2. Implementation and Maintenance

This patch is implemented using the VistA Kernel and Installation Distribution System (KIDS). During the installation process the user will be asked to identify the Internet protocol (IP)

address and port for the HSRM server that is provided to facilities during initial implementation of HSRM.

After implementation, any maintenance required should be handled through the standard VistA HL7 message processing options.

2.1. System Requirements

This patch is a release for GMRC.

2.1.1. Hardware Requirements

Not applicable. This patch does not require any changes to the hardware currently in use at the site.

2.1.2. Software Requirements

Note: Patches GMRC*3.0*75, GMRC*3.0*85, GMRC*3.0*96 must already be installed in order to install this patch. GMRC*3.0*99 needs to be installed before GMRC*3.0*106.

This patch is designed to make use of existing HL7 hardware and software. No updates to these existing systems, user setup, or configuration is necessary beyond the information required within the installation instructions themselves. The setup of the HSRM system is outside the scope of this patch.

2.1.3. Installation of Patch 99

This section includes the steps followed to load the patch into VistA. These steps can be completed with users on the system. This should take less than 15 minutes to configure.

Note: Patches GMRC*3.0*75, GMRC*3.0*85, GMRC*3.0*96 must already be installed in order to install this patch. This patch should take less than 15 minutes to install.

The IP address and port for the HealthShare Server will be provided when HealthShare Referral Manager is connected to the site. If you have not been provided this information by the implementation manager, you are instructed to enter the following:

IP address: 0.0.0.0

Port Number: 0000

Please note that the installation of this patch is not complete until all the steps are followed. At a high level, these steps are:

1. Load the patch.
2. Install the patch (shown here).
3. Enable the logical link (see **Section 2.1.4**).
4. Confirm that the link is operational by sending a message.

Once the installation is complete, creation of a consult using a community care service should generate an HL7 message to HSRM.

2.1.3.1. Setup/Configure Instructions

1. Choose the PackMan message containing this patch.

2. Choose the INSTALL/CHECK MESSAGE PackMan option.
3. From the KIDS menu, select the Installation menu. From this menu, you may elect to use the following options. When prompted for the INSTALL NAME, enter GMRC*3.0*99.
 - a. Back up a Transport Global – This option creates a backup message of any routines exported with this patch. It does not back up any other changes (e.g., data dictionaries, templates).
 - b. Compare Transport Global to Current System – This option allows you to view all changes that will be made when this patch is installed. It compares all components of this patch (e.g., routines, data dictionaries, templates).
 - c. Verify Checksums in Transport Global – This option allows you to ensure the integrity of the routines that are in the transport global.
4. From the Installation menu, select the Install Package(s) option; when prompted for the INSTALL NAME, enter GMRC*3.0*99.
5. At the prompt, "Enter the Coordinator for Mail Group 'GMRCCCRA NOTIFICATIONS:", enter the name of person responsible for populating this mail group with users. This VistA Mail Group will receive notifications when problems occur with transmitting consults.
6. At the prompt, "Enter the IP address for the HealthShare server," enter the IP address for the HealthShare server you will send the NON-VA Consults to. (The IP address for the HealthShare server will be provided when HealthShare Referral Manager is connected to the site. If you have not been provided this information by the implementation manager, you are instructed to enter the following IP address: 0.0.0.0.)
7. At the prompt, "Enter the Port for the HealthShare server," enter the port the HealthShare server is listening on. (The port for the HealthShare server will be provided when HealthShare Referral Manager is connected to the site. If you have not been provided this information by the implementation manager, you are instructed to enter the following port number: 0000.)
8. If prompted, "Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//," respond NO.
9. When prompted, "Want KIDS to INHIBIT LOGONs during the install? NO//," respond NO.
10. If prompted, "Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//," respond NO.
11. If prompted, "Delay Install (Minutes): (0 - 60): 0//," respond 0.

An example of KIDS install dialogue for this patch is provided in **Exhibit 1**.

Exhibit 1: Sample Patch 99 Install Dialogue

```
Select Installation <TEST ACCOUNT> Option: INstall Package(s)
Select INSTALL NAME: GMRC*3.0*99_3/23/18@10:29:59
=> GMRC*3.0*99T4

This Distribution was loaded on Mar 23, 2018@10:29:59 with header of
GMRC*3.0*99T4
It consisted of the following Install(s):
GMRC*3.0*99
Checking Install for Package GMRC*3.0*99

Install Questions for GMRC*3.0*99

Enter the IP address for the HealthShare Server: xxx.xxx.xxx.xxx
Enter the Port for the HealthShare server: xxxx

Want KIDS to INHIBIT LOGONs during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.
You can queue the install by enter a "Q" at the device prompt.
Enter a "^" to abort the install.

DEVICE: HOME// HOME (CRT)
```

Note: In this example, the highlighted x's are used instead of numbers to denote user responses and an IP address and relevant information are not identified in a public document. The sites will have to determine the correct values for these fields before they will be able to install the patch. If the user gets to this point and does not have the required information, he or she will have to exit and uninstall the patch, then come back with the correct information to complete the installation.

Once installation is completed, the system will run the post-install routine, using the user-entered responses for IP address and port to update the HL7 application protocols and logical link values needed for the CCRA project. This avoids the necessity for the user to update these protocols and links manually within VistA.

Note: If the IP address or port later need to be changed for any reason, instructions can be found in **Section 12**.

2.1.4. Enable the Interface Link

To enable the HL7 interface link created by this patch, go into the VistA HL main menu and select the Filer and Link Management Options. From there, select the SL Stop/Start Links option, as shown in **Exhibit 2**.

Exhibit 2: Screenshot: Start the Logical Link GMRCCCRA

```
LM    TCP Link Manager Start/Stop
SA    Stop All Messaging Background Processes
RA    Restart/Start All Links and Filers
DF    Default Filers Startup
SL    Start/Stop Links
PI    Ping (TCP Only)
ED    Link Edit
ER    Link Errors ...

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Filer and Link Management Options <TEST ACCOUNT> Option: SL Start/Stop L
inks

This option is used to launch the lower level protocol for the
appropriate device. Please select the node with which you want
to communicate

Select HL LOGICAL LINK NODE: GMRCCCRA
The LLP was last shutdown on MAR 27, 2018 17:31:10.
This LLP has been enabled!
```

Once this logical link is thus enabled, messages can proceed through the interface.

2.1.5. Verify that the Interface Link Is Running

VistA allows the user to ping a link to verify that it is running properly and that the connections are in place. In the Filer and Link Management options, select the PI Ping (TCP Only) option, as shown in **Exhibit 3**. If an acknowledgement is not received as shown here, then there is a problem with the connection. Verify the logical link, application parameters, and protocols. If the problem persists, call the Enterprise Service Desk to check on the HSRM side of the connection, and refer to the Site Manager Developer Manual in the VDL as needed.

Exhibit 3: Screenshot: Ping TCP/IP Port

```
Select OPTION NAME: HL MAIN MENU          HL7 Main Menu

      Event monitoring menu ...
      Systems Link Monitor
      Filer and Link Management Options ...
      Message Management Options ...
      Interface Developer Options ...
      Site Parameter Edit
HLO   HL7 (Optimized) MAIN MENU ...

Select HL7 Main Menu <TEST ACCOUNT> Option: Filer and Link
Management Options

SM      Systems Link Monitor
FL      Monitor, Start, Stop Filers
LM      TCP Link Manager Start/Stop
SA      Stop All Messaging Background Processes
RA      Restart/Start All Links and Filers
DF      Default Filers Startup
SL      Start/Stop Links
PI      Ping (TCP Only)
ED      Link Edit
ER      Link Errors ...

Select Filer and Link Management Options <TEST ACCOUNT> Option:
PI Ping (TCP On
ly)
What HL Logical Link do you want to test?
Select a TCP link:GMRCCRA
Do you want to PING the port used by HLO or the one used by HL7
1.6?

      Select one of the following:

          1          HLO      --> Port #5001
          2          HL7 1.6 --> Port #5026

Enter response: 1// 2 HL7 1.6 --> Port #5026
Trying to connect...
Connected!
Sending PING ...
PING sent!
Reading acknowledgment....
Acknowledgment received!
```

Note that once the patch is installed and the link is working, an HL7 message is created within VistA when a community care or Department of Defense treatment consult service is entered and signed. This triggers the message creation to HSRM.

2.1.6. Installation of Patch 106

Please note that the installation of this patch is not complete until all the steps are followed. At a high level, these steps are:

1. Load the patch.

2. Install the patch (shown here).

2.1.6.1. Setup/Configure Instructions

1. Choose the PackMan message containing this patch.
2. Choose the INSTALL/CHECK MESSAGE PackMan option.
3. From the KIDS menu, select the Installation menu. From this menu, you may elect to use the following options. When prompted for the INSTALL NAME, enter GMRC*3.0*106.
 - a. Back up a Transport Global – This option creates a backup message of any routines exported with this patch. It does not back up any other changes (e.g., data dictionaries, templates). In order to back out this patch, this option must be used.
 - b. Compare Transport Global to Current System – This option allows you to view all changes that will be made when this patch is installed. It compares all components of this patch (e.g., routines, data dictionaries, templates).
 - c. Verify Checksums in Transport Global – This option allows you to ensure the integrity of the routines that are in the transport global.
4. From the Installation menu, select the Install Package(s) option; when prompted for the INSTALL NAME, enter GMRC*3.0*106.
5. If prompted “Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//,” respond NO.
6. When prompted, “Want KIDS to INHIBIT LOGONs during the install? NO//,” respond NO.
7. If prompted, “Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//,” respond NO.
8. If prompted, “Delay Install (Minutes): (0 - 60): 0//,” respond 0.

An example of KIDS install dialogue for this patch is provided in **Exhibit 4**.

Exhibit 4: Sample Patch 106 Install Dialogue

```
Select INSTALL NAME: GMRC*3.0*106 7/7/18@11:32:36
=> GMRC*3.0*106 V3

This Distribution was loaded on Jul 07, 2018@11:32:36 with header of
GMRC*3.0*106 V3
It consisted of the following Install(s):
GMRC*3.0*106
Checking Install for Package GMRC*3.0*106

Install Questions for GMRC*3.0*106

Want KIDS to INHIBIT LOGONs during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.
You can queue the install by enter a "Q" at the device prompt.
Enter a "^" to abort the install.

DEVICE: HOME// HOME (CRT)
```

Note: Patch 106 includes enhancements to Patch 99, adding data to the HL7 messages without changing any processes.

3. Files

No VistA file structures are affected by this patch. Data is updated within the existing protocol file related to the new HL7 message processing for community care.

4. Routines

This patch includes the following routines:

GMRCCCRA: This new routine is used by the VistA system to generate the appropriate HL7 messages when a community care consult is entered into the system. (Patch 99 and Patch 106)

POST^GMRCP99: This new routine uses the information entered by the user during the installation process to set up the appropriate HL7 application protocols and logical links. (Patch 99)

GMRCGUIB: This existing routine is modified at the line tag CMT. A line of code was added to verify that a consult was created for community care; if so, it will trigger a new HL7 message to HSRM that includes the comment. (Patch 99)

GMRCACMT: This existing routine is modified at the line tag COMMENT. A line of code was added to verify that a consult was created for community care; if so, it will trigger a new HL7 message to HSRM that will include the comment. (Patch 99)

GMRCCCR1: This is a subroutine from GMRCCCRA created in Patch 106.

5. Exported Options

Not applicable. There are no VistA options to be exported as part of this patch.

6. Mail Groups, Alerts, and Bulletins

Mail groups can be created to respond to any system failures related to HL7 message processing. This will be managed at the individual sites.

Included in the patch is a new mail group; created specifically for the HSRM interface process, this mail group is populated automatically as part of the link setup. This new mail group is called GMRCCCRA NOTIFICATIONS, and it includes the devops.ccra@va.gov exchange email as a member. The mail group is added to the GMRC CCRA SEND HL7 application parameter.

7. Public Interfaces

This patch refers to the community care message processing with the HSRM system. It updates HL7 protocols and links to allow message processing to take place between VistA and HSRM.

7.1. HL7 Messaging

The following protocols are created and/or updated:

- GMRC CCRA REF-I12 CLIENT
- GMRC CCRA REF-I13 CLIENT
- GMRC CCRA REF-I14 CLIENT
- GMRC CCRA-HSRM REF-I12 SERVER
- GMRC CCRA-HSRM REF-I13 SERVER
- GMRC CCRA-HSRM REF-I14 SERVER
- CONSULTS TO CCRA

There are two new HL7 application parameters:

- GMRC CCRA RECEIVE
- GMRC CCRA SEND

There is a new HL7 logical link: GMRCCCRA.

These are used to transmit data to HSRM via HL7 message processing. The data being moved is information regarding clinical consults that will be fulfilled via community care.

8. Standards and Conventions Exemptions

Not applicable. No exemptions to VA or VistA standards are required for this patch.

9. Security

Security of the software is handled through existing measures within VistA, and those measures do not need to be updated for this patch. We are running this on the VA network along with its other applications. Data is transmitted and stored only over the VA's trusted Internet connection network and on VA servers.

10. Archiving

Archiving of data related to this patch and the HL7 messages created for community care follow the same processes as existing HL7 constructs. These do not need to be updated.

11. Non-Standard Cross-References

Not applicable. There are no changes made by this patch to cross-references, standard or non-standard.

12. Troubleshooting

General troubleshooting guidelines:


- Troubleshooting the interface and its links on the VistA side of the interface should be performed by IT personnel responsible for the HL7 system within VistA.
- If messages are not transmitting from VistA, check the System Link Monitor to confirm that all messages are sent. If messages are stopped or if the link is in an OpenFail status, then shut down and restart the link.
- If the message queue in the System Link Monitor shows that all messages are sent, and the count increases when a new message is sent, then the problem is with the HSRM connection. In this case, the Enterprise Service Desk must be contacted.
- If an OpenFail status remains after stopping and restarting the logical link, refer to the Site Manager Developer Manual V 1.6*161 in the HL7 portion of the VDL for more tips and guidelines, or call the Enterprise Service Desk for assistance.

12.1. Check the System Link Monitor

If messages are not being received in HSRM, the first thing to do is to check the link monitor and verify that messages are being created in VistA and sent out via the interface.


1. Navigate to the HL7 Menu, shown in **Exhibit 5**.

Exhibit 5: Screenshot: System Management Menu



2. Select Systems Link Monitor, highlighted in **Exhibit 6**.

Exhibit 6: Screenshot: Select Systems Link Monitor



- Check to see if the GMRCCCRA link is listed as Shutdown or Inactive, highlighted in **Exhibit 7**.

Exhibit 7: Screenshot: Shutdown or Inactive Link

SYSTEM LINK MONITOR for CHEYENNE VAMC (T System)

NODE	MESSAGES RECEIVED	MESSAGES PROCESSED	MESSAGES TO SEND	MESSAGES SENT	DEVICE TYPE	STATE
BC ECU			104		NC	Shutdown
BCBU NURS			104		NC	Shutdown
BCBU PHARM			104		NC	Shutdown
DSIHF IADT			2		NC	Shutdown
DSIHF IPS			4		NC	Shutdown
GMRCCCRA	36	36	36	36	NC	Inactive
GMRCHCP	25	25	42	25	NC	Shutdown
IIV EC			19		NC	Shutdown
LLESROUT			7		NC	Shutdown
RINUASTAFF			7		NC	Shutdown

Incoming files running => 3 TaskMan running
 Outgoing files running => 1 Link Manager running
 Monitor current [next job 0.4 hr]

Select a Command:
 (N)EXT (B)ACKUP (A)LL LINKS (S)CREENED (V)IEWS (Q)UIT (?) HELP: Q

SYSTEM LINK MONITOR for CHEYENNE VAMC (T System)


NODE	MESSAGES RECEIVED	MESSAGES PROCESSED	MESSAGES TO SEND	MESSAGES SENT	DEVICE TYPE	STATE
BC ECU			104		NC	Shutdown
BCBU NURS			104		NC	Shutdown
BCBU PHARM			104		NC	Shutdown
DSIHF IADT			2		NC	Shutdown
DSIHF IPS			4		NC	Shutdown
GMRCCCRA	36	36	36	36	NC	Shutdown
GMRCHCP	25	25	42	25	NC	Shutdown
IIV EC			19		NC	Shutdown
LLESROUT			7		NC	Shutdown
RINUASTAFF			7		NC	Shutdown

Incoming files running => 3 TaskMan running
 Outgoing files running => 1 Link Manager running
 Monitor current [next job 0.3 hr]

Select a Command:
 (N)EXT (B)ACKUP (A)LL LINKS (S)CREENED (V)IEWS (Q)UIT (?) HELP: █

- If the link is Inactive, this usually means a message hasn't been sent for a certain amount of time and probably does not indicate a problem. If the status is Shutdown, use the Filer and Link Management Options menu item under the HL7 menu (highlighted in **Exhibit 8**) to restart the link.

Exhibit 8: Screenshot: Select Filer and Link Management Option



5. If the link is in an OpenFail state, this indicates a problem with the connection. Stop/restart the link to see if this fixes the problem. If it doesn't, review the logical link, application parameters, and protocols for accuracy. If the problem persists, call the Enterprise Service Desk for assistance. You may also refer to the Site Manager Developer Manual in the VDL.
Note: Troubleshooting of HL7 issues should be done by an HL7 support person who has knowledge of VistA HL7 and how it works. If support is unable to find the issue, it should be escalated to the next troubleshooting tier.
6. Restart the link using Menu item SL Start/Stop Links. Type "GMRCCCRA" when given the prompt "Select HL LOGICAL LINK NODE," highlighted in **Exhibit 9**.

Exhibit 9: Screenshot: Select Logical Link Node to Restart

```
LM    TCP Link Manager Start/Stop
SA    Stop All Messaging Background Processes
RA    Restart/Start All Links and Filers
DF    Default Filers Startup
SL    Start/Stop Links
PI    Ping (TCP Only)
ED    Link Edit
ER    Link Errors ...

You've got PRIORITY mail!

Select Filer and Link Management Options <TEST ACCOUNT> Option: SL  Start/Stop L
inks

This option is used to launch the lower level protocol for the
appropriate device. Please select the node with which you want
to communicate

Select HL LOGICAL LINK NODE: GMRCCCRA
The LLP was last started on MAR 23, 2018 14:30:30.

Okay to shut down this job? █
```

Note that in this screen example the logical link is already active. If it were not, this option would start the link immediately once it is identified as shown. (An example of this is found in **Exhibit 2**.)

12.2. Stop/Start the Interface Link

Section 2.1.4 provides instructions on starting/stopping the logical link. Note that if the logical link needs to be edited for any reason, the link must first be stopped. Stopping the GMRCCCRA HL7 logical link will stop sending messages to the GMRC CCRA HealthShare server. After editing the link, it must be restarted using the same menu option as shown. This will allow messages to be sent once again. The HL7 system will immediately send any messages that may have accrued in a backlog while the link was shut down.

12.3. Edit the Logical Link Parameters

If the information entered during the install is incorrect or needs to be modified at a later date, this can be done by editing the logical link GMRCCCRA.

1. Go to the VistA HL main menu, as shown in **Exhibit 10**.

Exhibit 10: Screenshot: HL Main Menu in VistA

```
Select Filer and Link Management Options <TEST ACCOUNT> Option:

      Event monitoring menu ...
      Systems Link Monitor
      Filer and Link Management Options ...
      Message Management Options ...
      Interface Developer Options ...
      Site Parameter Edit

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select HL7 Main Menu <TEST ACCOUNT> Option: █
```

2. Select the Interface Developer Options from the menu, as shown in **Exhibit 11**.

Exhibit 11: Screenshot: Interface Developer Options Menu

```
EA   Application Edit
EP   Protocol Edit
EL   Link Edit
VI   Validate Interfaces
      Reports ...

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Interface Developer Options <TEST ACCOUNT> Option:
```

3. Next, select the EL Link Edit option to make changes to the logical link. This will bring up a single-line prompt, asking you to identify the logical link to be modified, as shown in **Exhibit 12**.

Exhibit 12: Screenshot: Select Logical Link GMRCCRA

```
Select HL LOGICAL LINK NODE: GMRCCRA█
```

- Once you have identified the logical link to edit, the edit screen appears, as shown in **Exhibit 13**.

Exhibit 13: Screenshot: HL7 Logical Link Edit Screen

```

                                HL7 LOGICAL LINK
-----
                                NODE: GMRCCCRA                DESCRIPTION: +
                                INSTITUTION: [REDACTED]
                                MAILMAN DOMAIN:
                                AUTOSTART: Enabled
                                QUEUE SIZE: 10
                                LLP TYPE: TCP
                                DNS DOMAIN: [REDACTED]-vista
-----
COMMAND:                                Press <PF1>H for help  Insert

```

For privacy purposes, the Institution value and DNS Domain have been removed in this example. The DNS Domain is not part of this patch, but it is determined at the site if used.

This is the option used to edit the logical link. To edit the IP address and port, go to the LLP Type prompt, which shows a value of TCP/IP, and hit <Enter>. This will bring up a new pop-up window, as shown in **Exhibit 14**.

Exhibit 14: Screenshot: Edit TCP/IP Parameters

```
HL7 LOGICAL LINK
-----
TCP LOWER LEVEL PARAMETERS
GMRC CCRA

TCP/IP SERVICE TYPE: CLIENT (SENDER)
TCP/IP ADDRESS: 
TCP/IP PORT: 
TCP/IP PORT (OPTIMIZED):

ACK TIMEOUT:
READ TIMEOUT:
BLOCK SIZE:

STARTUP NODE:
RETENTION: 30

RE-TRANSMISSION ATTEMPTS:
EXCEED RE-TRANSMIT ACTION: restart
SAY HELD:
TCP/IP OPENFAIL TIMEOUT:
PERSISTENT: NO
UNI-DIRECTIONAL WAIT:

COMMAND: Press <PF1>H for help Insert
```

For privacy purposes, the IP address and port number have been removed in this example.

Here, the IP address and the port number used for this logical link can be updated. Other fields in this screen are dependent upon the policies of the individual site. Enter the values you want for these fields, move to the end of the screen, and close it to return to the Logical Link Edit screen. When you have completed all modifications, save what you have done in the Logical Link Edit screen, and exit the menu option.

The value provided in the Re-Transmission Attempts field indicates how many retries will occur if the message fails. If no value is provided for this field, the default is set to five retries.

In this example, the Exceed Re-Transmit Action is set to Restart, which means that the link/process will shut down and restart the link. When the link is restarted, it will attempt to send the messages in the queue. This loop continues until the messages are sent and acknowledged by the receiving station. Our link has been set up to send a notification email to the default notification VistA email group for that VistA system. If the link fails and it restarts, an email is sent to the members of this VistA email group. Upon receiving the email, the site's HL7 support team should investigate to see why the link is failing and fix the issue.

Note that the Retention field should be left alone without strict guidelines from the site. The ACK and READ Timeout values can be increased if the network is slow. Note also that if messages are not sent, they are not automatically purged from the system; they remain in queue until the connection is reestablished, then sent in the order they were created.

12.4. Edit the Application Parameters

There are two application parameters associated with this patch: GMRC CCRA SEND and GMRC CCRA RECEIVE. To modify either of these, from within the Interface Developer Options menu select EA Application Edit. This will bring up a one-prompt window, asking you to identify the Application Parameter Name, as shown in **Exhibit 15**.

Exhibit 15: Screenshot: List of GMRC CCRA Application Parameters

```
Select HL7 APPLICATION PARAMETER NAME: GMRC CCRA
  1  GMRC CCRA RECEIVE      ACTIVE
  2  GMRC CCRA SEND        ACTIVE
CHOOSE 1-2: █
```

Identify the GMRC CCRA application you wish to edit and hit <Enter>. This will bring up the Application Edit screen, shown in **Exhibit 16**.

Exhibit 16: Screenshot: HL7 Application Edit

```
HL7 APPLICATION EDIT
-----
NAME: GMRC CCRA RECEI      ACTIVE/INACTIVE: ACTIVE
FACILITY NAME: █          COUNTRY CODE: USA
HL7 FIELD SEPARATOR: |    HL7 ENCODING CHARACTERS: ^^\\&
MAIL GROUP:
-----
COMMAND:                      Press <PF1>H for help  Insert
```

For privacy purposes, the facility name has been blanked out in this example. The two HL7 fields contain standard values and should not be altered.

This is where a mail group associated with the application can be created or updated. A mail group is populated automatically as part of this patch. This mail group, using the VistA MailMan

functionality, receives alerts that may occur in relation to the application. Individual mail groups are edited in the VistA MailMan functions.

12.5. Edit the Protocols

This section discusses how to update or modify the client and server protocols created by this patch. From the Interface Developer Options menu, select the EP Protocol Edit option. You will immediately be asked which protocol you wish to edit. A list of the GMRC CCRA protocols created by this patch is presented in **Exhibit 17**.

Exhibit 17: Screenshot: List of GMRC CCRA Protocols

```
Select PROTOCOL NAME: GMRC CC
  1  GMRC CCRA REF-I12 CLIENT      Consult REF-I12 Create Message from CCRA
to HSRM
  2  GMRC CCRA REF-I13 CLIENT      Consult REF-I13 Update Message from CCRA
to HSRM
  3  GMRC CCRA REF-I14 CLIENT      Consult REF-I14 Cancel Message from CCRA
to HSRM
  4  GMRC CCRA-HSRM REF-I12 SERVER  Consult REF-I12 Create Message from
CCRA to HSRM
  5  GMRC CCRA-HSRM REF-I13 SERVER  Consult REF-I13 Update Message from
CCRA to HSRM
Press <Enter> to see more, '^' to exit this list, OR
CHOOSE 1-5:
  6  GMRC CCRA-HSRM REF-I14 SERVER  Consult REF-I14 Cancel Message from
CCRA to HSRM
CHOOSE 1-6:
```

Select the protocol you wish to edit. For this example, we will take the first one. Selecting it brings up the HL7 Interface Setup screen, as shown in **Exhibit 18**.

Exhibit 18: Screenshot: HL7 Interface Setup

```
HL7 INTERFACE SETUP                                PAGE 1 OF 2
-----
NAME: GMRC CCRA REF-I12 CLIENT
DESCRIPTION (wp): + [Sends HL7 REF^I12 v2.5 messages from CCRA to HS]
ENTRY ACTION:
EXIT ACTION:
TYPE: subscriber
-----
COMMAND:                                           Press <PF1>H for help  Insert
```

This screen has hooks into the other interface edit screens (note that text at the top right says, “page 1 of 2”). The Name field is the protocol you selected. If you hit <Enter> at the Name prompt, screen 2 will appear, as shown in **Exhibit 19**.

Exhibit 19: Screenshot: Update Subscriber from within Edit Protocol Option

HL7 SUBSCRIBER		PAGE 2 OF 2
GMRC CCRA REF-I12 CLIENT		

RECEIVING APPLICATION:	GMRC CCRA RECEI	
RESPONSE MESSAGE TYPE:	ACK	EVENT TYPE: I12
SENDING FACILITY REQUIRED?:	RECEIVING FACILITY REQUIRED?:	
SECURITY REQUIRED?:		
LOGICAL LINK:	GMRCCRA	
PROCESSING RTN:		
ROUTING LOGIC:		

COMMAND:	Press <PF1>H for help Insert	

Screen 2, shown here, is the subscriber edit screen. Note that the Receiving Application field contains the application value we saw earlier. If you hit <Enter> at this field, you will be able to edit the application parameters, as shown previously. The Logical Link field performs in the same manner. If you hit <Enter> at that field, a new pop-up window will allow you to edit the logical link and all its parameters.

12.6. View HL7 Message Transmission Log

The VistA HL7 message processing system includes an option to view messages in the transmission log. The data within the message can help determine any potential errors with the data collected for a consult. At the HL Main screen shown in **Exhibit 9**, select Message Management Options. This brings up a new screen, shown in **Exhibit 20**.

Exhibit 20: Screenshot: Message Management Options

```
Select HL7 Main Menu <TEST ACCOUNT> Option: MESSaGE Management Options

PRG   Purge Messages
PJM   Purge jobs monitoring
LOG   View Transmission Log (TCP only)
PTX   Awaiting/Pending Transmission Report (non-TCP)
FTX   Failed Transmission Report (non-TCP)
ELOG  Event Log
REQ   Message Requeuer (non-TCP)
OLD   HL7 V1.5 OPTIONS ...

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Message Management Options <TEST ACCOUNT> Option:
```

From within this screen, select the View Transmission Log option. This option will present questions to determine what group of messages to include. You will be asked what type of search to conduct, as shown in **Exhibit 21**.

Exhibit 21: Screenshot: Search Transmission Log Selection

```
Search Transmission Log

Select one of the following:

M     Message Search
P     Pending Transmissions
E     Error Listing
Q     Quit (also uparrow, or <RETURN>)

Selection: █
```

If you want to check on a message that went out today, for example, select “M.”

The next screen asks for a start date and ending date/time for your search, as shown in **Exhibit 22**.

Exhibit 22: Screenshot: Start/Stop Time Selection for Viewing Transmission Log

Start/Stop Time Selection

Enter START Date and Time. Date is required.

Enter a date and optional time: T// (APR 11, 2018)

Enter END Date and Time. Date is required.

Enter a date and optional time: NOW// (APR 11, 2018@15:59:17)

Next, you will be asked questions to identify the type of message to search for and which link these messages were associated with (GMRCCRA in our case). You can select by specific status code, as shown in **Exhibit 23**.

Exhibit 23: Screenshot: Message Search Criteria – Status Codes

Message Criteria for Search

Select Status Code for Report: ALL//?
Answer with HL7 MESSAGE STATUS NUMBER, or NAME

Do you want the entire 11-Entry HL7 MESSAGE STATUS List? y (Yes)

Choose from:

1	PENDING TRANSMISSION
1.5	BEING TRANSMITTED
1.7	AWAITING RESPONSE
2	AWAITING APPLICATION ACKNOWLEDGEMENT
3	SUCCESSFULLY COMPLETED
4	ERROR
5	ERROR DURING GENERATION
6	ERROR DURING PROCESSING
7	APPLICATION LEVEL ERROR
8	BEING GENERATED
9	AWAITING PROCESSING

Select Status Code for Report: ALL//

You will also be asked to select other options, including the link and the message type. For this example, we will use our GMRCCRA link and the message type REF for Patient Referral, as shown in **Exhibit 24**.

Exhibit 24: Screenshot: Message Search Selection Criteria

```
Select Logical Link for Report: ALL//GMRCCCRA

Select Message Type for Report: ALL//REF      Patient referral

Select Event Type for Report: ALL//█
```

After the last prompt has been entered, a screen shows all the messages that meet the selection criteria. As shown in **Exhibit 25**.

Exhibit 25: Screenshot: List of Messages that Match the Criteria


MESSAGE ID #	D/T Entered	Log Link	Msg:Evnt	ID	Sndg	Apl	Revr	Apl
50039947	041118.084422	GMRCCCRA	REF:I12	OT	GMRC	CCR	GMRC	CCR
50039949	041118.084539	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039951	041118.084609	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039953	041118.08471	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039955	041118.101717	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039957	041118.104219	GMRCCCRA	REF:I12	OT	GMRC	CCR	GMRC	CCR
50039959	041118.104414	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039961	041118.104657	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039963	041118.104803	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039965	041118.114505	GMRCCCRA	REF:I12	OT	GMRC	CCR	GMRC	CCR
50039967	041118.114535	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039969	041118.114915	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039971	041118.120406	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039973	041118.121845	GMRCCCRA	REF:I12	OT	GMRC	CCR	GMRC	CCR
50039975	041118.121909	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039977	041118.122139	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039979	041118.123133	GMRCCCRA	REF:I12	OT	GMRC	CCR	GMRC	CCR
50039981	041118.123151	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
<u>50039983</u>	041118.123336	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039985	041118.12514	GMRCCCRA	REF:I12	OT	GMRC	CCR	GMRC	CCR
50039987	041118.125232	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
50039989	041118.125433	GMRCCCRA	REF:I13	OT	GMRC	CCR	GMRC	CCR
HYPER-TXT Press <PF1>H for help Line>			22 of 44	Screen>	1 of 2			

The list can be shortened by selecting one of the specific event types, such as I12 or I13, instead of choosing “ALL.”

The up and down arrows can be used to move through the list. On the first screen the up-arrow key is not available (the list assumes you start at the bottom of the screen you are on), but the user can use the Q key on the keyboard to move the cursor farther up from the bottom of the page. The message number underlined is the one that will be selected when the user hits <Enter>.

From within Message Contents screen, shown in **Exhibit 26**, different portions of the message can be seen by scrolling up and down. You can also use the “N” key to open a text search window, which will take you to the associated text within the message. To exit the message, type <CTRL-E>.

Exhibit 26: Screenshot: Message Contents



This set of instructions enables the search for specific message. VistA does not allow users to search for a specific patient name without knowing the message ID. This requires intervention from someone with FileMan access, who would need to perform an Inquire to File Entries search within the HL7 message text file.

12.7. Special Instructions for Error Correction

Error correction will occur as normal within the confines of HL7 message processing. As stated above, the troubleshooting of HL7 issues should be done by an HL7 support person who has

knowledge of VistA HL7 and how it works. If support is unable find the issue, it should be escalated to the next troubleshooting tier.

Appendix A: Acronyms and Abbreviations

Exhibit 27: Acronyms and Abbreviations

Acronym or Abbreviation	Definition
CCRA	Community Care Referral and Authorization
CPRS	Computerized Patient Record System
DNS	Domain Name System
HL7	Health Level 7
HSRM	HealthShare Referral Manager
IP	Internet Protocol
IT	Information Technology
KIDS	Kernel Installation and Distribution System
OIT	Office of Information and Technology
VA	U.S. Department of Veterans Affairs
VDL	VA Software Document Library
VistA	Veterans Health Information Systems and Technology Architecture