




List of EPA Certified Wood Stoves February 14, 2007



EPA Wood Heater Program

Enclosed is the list of wood stoves certified by the United States Environmental Protection Agency. An EPA certified wood stove or wood heating appliance has been independently tested by an accredited laboratory to meet a particulate emissions limit of 7.5* grams per hour for noncatalytic wood stoves and 4.1* grams per hour for catalytic wood stoves. All wood heating appliances subject to the New Source Performance Standard for Residential Wood Heaters under the Clean Air Act offered for sale in the United States are required to meet these emission limits. An EPA certified wood stove can be identified by a temporary paper label attached to front of the wood stove and a permanent metal label affixed to the back or side of the wood stove (See examples below). Please contact John DuPree at 202-564-5950 should you have questions regarding a particular model line or manufacturer.



*

Temporary Wood Stove Label



Permanent Wood Stove Label

Wood stoves offered for sale in the state of Washington must meet a particulate emissions limit of 4.5 grams per hour for non catalytic wood stoves and 2.5 grams per hour for catalytic wood stoves.



Certified Wood Heaters

Manufacturer	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
--------------	---------------------	------------	-------------------------	--------------------

Aladdin Hearth Products

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.aladdinhearth.com/>

1890(S30)

Pellet

5.7

78 %

11200-42700

08/31/95

5700 ACT

Noncatalytic

4.2

63 %

11800-45900

4/24/2007

7100FP

Noncatalytic

3.1

63 %

13,800-67,300

04/01/2008

Arrow 14, 20

Noncatalytic

4.0

63 %

14000-36100

06/30/90

Arrow 18

Noncatalytic

7.2

63 %

14500-34400

06/30/90

Arrow 55

Catalytic

3.0

72 %

9900-37500

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Arrow Fireplace Insert 25	Catalytic	4.7	72 %	11300-55000	06/30/90
Arrow S12 (Stove) & I12 (Insert)	Noncatalytic	3.7	63 %	9900-32100	8/26/2003
Aurora Model 700	Noncatalytic	4.3	63 %	11800-30900	11/14/2001
Heat-N-Glo FT-210	Noncatalytic	3.9	63 %	9,800-36,600	08/28/2007
Heatilator 11, 12	Noncatalytic	5.1	63 %	12400-36100	06/30/90
Heatilator 1190/Arrow 1490(S20)	Noncatalytic	6.1	63 %	10500-44500	08/10/95
Heirloom 390	Catalytic	2.8	72 %	9100-31800	01/24/96
Horizon 500 CC	Catalytic	3.6	72 %	8300-28000	04/18/95
Model 2590	Catalytic	3.8	72 %	9900-34300	11/29/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 2700I	Noncatalytic	4.2	63 %	11200-35900	6/20/2008
Model 400	Noncatalytic	2.9	63 %	8700-2200	11-23-2007
Quadra Fire 2100 Millinnium & 2100 ACT	Noncatalytic	2.0	63 %	10900- 37200	2/12/2012
Quadra Fire 4300 ACT	Noncatalytic	1.2	63 %	11900-58500	7/23/2007
Quadra-Fire 1800	Noncatalytic	5.1	63 %	10600-31300	06-25-97
Quadra-Fire 2000, 2000-I	Noncatalytic	6.1	63 %	7400-43700	06/30/90
Quadra-Fire 3000F, 3000 I	Noncatalytic	6.5	63 %	9000-44700	06/30/90
Quadra-Fire 4100	Noncatalytic	4.0	63 %	11700-50500	1/30/2000
Quadra-Fire 5100-I Fireplace Insert	Noncatalytic	2.7	63 %	11800-49900	10/26/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Quadra-Fire Cumberland Gap	Noncatalytic	3.4	63 %	11,200-44,300	09/08/2008
Quadra-Fire Model 4100I	Noncatalytic	3.1	63 %	9,000-41,800	08/28/2007
Quadrafire 1800 I	Noncatalytic	4.9	63 %	10000-33200	11-17-97
Quadrafire 1900	Noncatalytic	2.2	63 %	11500-32200	05/12/2010
S-22 & S-22I	Noncatalytic	4.0	63 %	12000-36900	3/11/2004
S10 and I10	Noncatalytic	5.9	63 %	11200-40600	09-18-97
Sunburst II Model 2208	Noncatalytic	4.4	63 %	11500-36300	11/16/2003
Yosemite	Noncatalytic	2.7	63 %	10900-28600	7/20/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

American Road Equipment Company

4201 North 26th Street
Omaha NE68111 ,
USA
402-451-2575

Erik SW II Catalytic Environmentalist SSW-1000

Catalytic 1.2 72 % 9800-46900 06/30/88

Appalachian Stove & Fabricators, Inc.

329 Emma Road
Asheville NC28806 ,
USA
(828) 253-0164

<http://www.appalachianstove.com/>

28 CD

Catalytic 4.5 72 % 9500-16300 06/30/90

32-BW-XL-88, Gemini-XLB 1989

Catalytic 4.0 72 % 8400-19800 10/24/93

36-BW-1988

Catalytic 3.9 72 % 9500-19300 10/06/93

Heritage Classic A, T16, Cast heat & Catskill

Noncatalytic 4.4 63 % 10,300-31,200 12/12/2008

Heritage Classic;

Noncatalytic 6.8 63 % 11057-31327 10/11/2006

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 30-CD	Catalytic	3.7	72 %	8500-21400	07/10/2006
Model 32-BW	Catalytic	2.5	72 %	10400-24500	2/22/2008
Model 36 BW	Catalytic	3.3	72 %	10600-30200	10/15/2007
Model 360-CR	Catalytic	2.8	72 %	10600-29100	08/16/2011
Model 52 WXL 1988	Catalytic	4.2	72 %	10500-15400	06/30/90
Trailmaster 4N1-XL	Catalytic	4.7	72 %	9600-19600	06/30/90
Trailmaster Model 4N1-XL II	Catalytic	3.4	72 %	10100-26900	05/23/2006

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Archgard Industries, Ltd.

7116 Beatty Dr.

Mission BCV2V6B4 ,

Canada

604-820-8262

<http://www.archgard.com/>

Chalet 1800

Noncatalytic

3.6

63 %

10,700-35,500

07/21/2010

Austroflamm Industries Inc.

1007 International Drive

Oakdale PA15071-922 ,

USA

724-695-2430

<http://www.austroflamm.com/>

Esprit Wood 119.1

Noncatalytic

6.3

63 %

11400-43600

12/07/2000

Integra C1121

Pellet

2.7

78 %

9300-31100

05/03/99

Irony M

Pellet

6.6

63 %

11800-46800

08/09/2011

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Barbeques Galore/Pricotech

45 Princes Road West

Auburn 02144 ,

Australia

+61 363811322

<http://www.tasmaniacentral.tas.gov.au/saxon/>

Rosewood

Noncatalytic

2.7

63 %

11600-36200

01/23/2006

Blaze King Industries, Inc.

146 A Street

Walla Walla WA99362 ,

USA

509-522-2730

<http://www.blazeking.com/>

Blaze King, Auto Light PAL-4000

Pellet

2.5

78 %

12200-33700

03/29/94

Blaze King KEJ 1107

Catalytic

1.8

72 %

9100-39800

07/09/2007

Blaze King KEJ-1102

Catalytic

3.9

72 %

7900-42600

08/03/2010

Blaze King, King Catalytic Insert KEI-1300

Catalytic

2.2

72 %

10100-34500

06/30/90

Blaze King, King Catalytic KEJ-1101

Catalytic

1.9

72 %

9000-35300

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Blaze King PEJ 1003	Catalytic	3.5	72 %	10300-41600	08/22/2010
Blaze King, Princess Catalytic PEJ-1002	Catalytic	3.7	72 %	8400-35400	06/30/90
Blaze King Princess Insert Model PI 1010	Catalytic	2.8	72 %	9,300-31,200	11/04/2008
Blaze King, Royal Guardian RGT-3001	Noncatalytic	5.8	63 %	9400-39800	12/20/2008
Blaze King, Royal Heir RHT-2100	Catalytic	3.0	72 %	6800-57100	06/30/90
Blaze King, Royal Heir RHT-2200, 2250	Catalytic	2.5	72 %	7700-31100	06/30/90
Briarwood II/90	Noncatalytic	3.5	63 %	10600-36000	10/27/2009
Eagle/Pioneer E90, PZ-90, Briarwood XE-90, XEI-90	Noncatalytic	5.2	63 %	13500-38000	04/05/2010
Heat Pro C110	Catalytic	2.8	72 %	9600-32400	12/20/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Heat Pro C210	Catalytic	2.1	72 %	10700-43300	08/29/2008
Princess Insert Model PI 1010A	Catalytic	2.0	72 %	7,200-29,500	02/28/2010
Princess PEJ 1006	Catalytic	2.4	72 %	12000-35600	11/07/2010

Ceramiche Savio di Elio & C. s.n.c.

10010 Torre Canavese ,
Italy

<http://www.ceramichesavio.it/uk/default.htm>

Catellante di Castellante and Real Castillo di Ague Model CS1	Noncatalytic	5.1	63 %	11200-40800	06/25/2007
Real Castelllo di Moncaueri/Castllo Della Venaria	Noncatalytic	5.6	63 %	10100-24200	6/27/2007

CFM Corporation

Route 107, P.O. Box 501
Bethel VT05032 ,
USA
802-234-2300

<http://www.cfmcorp.com/>

Aspen 1920 & Plymouth HWS10	Noncatalytic	4.3	63 %	9100-18000	8/25/2009
-----------------------------	--------------	-----	------	------------	-----------

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
CW2500X00, CW2500X02, JW2500X00, CJW2500X02, DW2500 and JW2500X10					
	Noncatalytic	4.7	63 %	9500-57800	03/13/2010
DutchWest Large 2479					
	Noncatalytic	1.3	63 %	11,300-26,500	09/10/2009
DutchWest Medium 2478					
	Noncatalytic	1.5	63 %	10,600-25,300	06/24/2009
DutchWest Small Model					
	Noncatalytic	1.4	63 %	7,800-25,100	09/28/2009
FW247001 to FE247004 and JW1000PF1					
	Noncatalytic	5.0	63 %	11500-18900	03/24/2009
Model EWF 36A					
	Catalytic	2.4	72 %	11,300-75,500	09/03/2008
Vermont Castings Defiant 1610					
	Noncatalytic	0.8	63 %	10,000-30,000	07/14/2011

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

CFM Corporation (Jacuzzi Leisure Products, Inc.)

Route 107, P.O. Box 501

Bethel VT05032 ,

USA

802-234-2300

Campbell/Jacuzzi FW300005-FW300008 & FW300019-FW300027,

Noncatalytic

4.4

63 %

12000-55100

08/12/2007

S27X/S28X & FW27 Series, CJW1500L02, JW1500L10 and JW1500P10, FW1500, DW1500

Noncatalytic

4.4

63 %

10300-29200

10/07/2007

CFM Corporation (Vermont Castings, Inc.)

Route 107, Box 501

Bethel VT05032 ,

USA

(802) 234-2300

<http://www.vermontcastings.com/>

2370

Catalytic

1.0

72 %

5700-18300

06/30/90

Aspen Model 1920

Noncatalytic

6.3

63 %

10100-26400

04/28/2004

C.D. Adirondack Wood Heater FA267CL

Catalytic

3.7

72 %

8400-40000

06/30/90

C.D. Extra-Lg. Federal Convection Heater FA288CCL

Catalytic

2.6

72 %

8400-38700

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
C.D. Federal "A Plus" FA224ACL	Catalytic	3.5	72 %	7200-30000	06/30/90
C.D. Large Federal Box Heater FA209CL	Catalytic	4.3	72 %	9000-25600	06/30/90
C.D. Lg. Fed. Convection Heater FA264CCL, FA264CCR	Catalytic	1.6	72 %	6600-26700	06/30/90
C.D. Rocky Mountain Heater FA211CL	Catalytic	2.9	72 %	6800-27800	06/30/90
C.D. Sequoia FA455	Catalytic	3.6	72 %	8700-60300	06/30/90
C.D. Small Federal Box Heater FA207CL	Catalytic	4.3	72 %	6200-28000	06/30/90
C.D. Small Federal Convection Heater FA224CCL	Catalytic	2.8	72 %	7000-30600	06/30/90
Century/Dutchmaster FW and CDW	Noncatalytic	1.0	63 %	11,800-32,300	01/22/2012
Defiant 1910 & 1945	Catalytic	0.8	72 %	10600-44400	4/7/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Defiant Encore	Catalytic	0.6	72 %	6200-32900	06/30/90
Defiant Encore 2140	Catalytic	1.8	72 %	9000-41300	02/22/95
Defiant Encore 2550 (Formerly 2190)	Catalytic	1.6	72 %	8700-41700	09/11/2006
Dutchwest Extra Large Convection 2462	Catalytic	1.3	72 %	8300-28000	06-12-2008
Dutchwest Large Convection Heater (Model 2461)	Catalytic	1.4	72 %	10700-29500	04/12/2008
Dutchwest Small Convection Heater #2460	Catalytic	1.1	72 %	6600-27300	05/11/2008
Encore 1450 N/C	Noncatalytic	0.7	63 %	10,600-24050	06/23/2010
EWF36		2.7	72 %	11,800-68,600	4/18/2008
FA224	Catalytic	3.1	72 %	9100-34800	04/25/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
FA264	Catalytic	2.2	72 %	9500-31700	04/25/95
FA288	Catalytic	3.1	72 %	7800-29300	04/17/95
FA455	Catalytic	1.3	72 %	10400-26500	05/18/95
Intrepid II 1308	Catalytic	3.1	72 %	10200-22500	01/29/95
Intrepid II Model 1990	Catalytic	2.1	72 %	8300-26700	07/16/2007
Intrepid II Model 2070	Catalytic	2.4	72 %	9200-19300	12/22/99
Intrepid Model 1640	Noncatalytic	3.3	63 %	8200-19500	08/16/2005
Madison 1650	Noncatalytic	5.5	63 %	11400-31000	12/05/2005
Model 2170	Catalytic	2.1	72 %	9400-22800	06/06/2001

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Resolute Acclaim 0041	Catalytic	5.1	72 %	8700-30900	09/23/98
Resolute Acclaim (Model Number 2490) & TLWS1	Noncatalytic	3.4	63 %	9500-33900	03/18/2008
Seville 1630	Noncatalytic	6.3	63 %	12000-27300	10/11/2005
Seville 1635 and 1600 Insert	Noncatalytic	4.5	63 %	9,900-30,800	06/04/2006
Seville Insert	Noncatalytic	5.5	63 %	10200-27400	02/17/2007
WinterWarm Fireplace Insert Model 1280	Catalytic	2.1	72 %	10300-30000	09/15/2008
WinterWarm Small Insert Model 2080	Catalytic	2.1	72 %	8700-31100	01/25/2010
WinterWarm Small Insert (model 2370)	Catalytic	4.0	72 %	9250-21500	9/30/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Consuming Fire, Inc.

12033 Mariposa Road

Wrightwood CA92345 ,

USA

760-949-2077

Perfect Hearth

Noncatalytic

3.4

63 %

11,700-38,100

09/24/2007

Country Flame Technologies, Inc.

900 George Street

Marshfield MO65706 ,

USA

417-466-7161

<http://www.countryflame.com/>

B-6, B-I

Catalytic

4.6

72 %

9600-48200

06/30/90

B/A

Catalytic

2.0

72 %

10400-55500

05/18/2010

BBF

Catalytic

3.0

72 %

10500-51400

02/15/2010

BBF-6, BBF-I

Catalytic

3.0

72 %

9500-48600

06/30/90

Combo Air

Noncatalytic

7.0

63 %

9300-46400

11-14-96

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
E-1/90	Catalytic	1.7	72 %	9600-37800	12/12/2005
E-2	Catalytic	3.3	72 %	13000-34400	06/12/95
E1-6, E1-I	Catalytic	3.7	72 %	12400-55300	06/30/90
Inglenook INGW-02	Noncatalytic	4.4	63 %	11,600-38,000	09/06/2007
NC-6D	Noncatalytic	4.7	63 %	11700-54900	07/28/2009
O-2	Catalytic	2.5	72 %	8000-30000	06/30/90
O-2/90	Catalytic	3.0	72 %	10800-34100	04/11/2006
OV-21	Noncatalytic	4.2	63 %	11700-42200	06/16/2008
OV-2100	Noncatalytic	4.1	63 %	11700-32700	03/03/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
OV-2600	Noncatalytic	3.5	63 %	11500-33600	03/03/2008
OV-26BF-I	Noncatalytic	3.7	63 %	11400-41300	06/16/2008
OV-3000	Noncatalytic	2.9	63 %	11800-34000	2-11-2008
Patriot	Noncatalytic	6.9	63 %	11300-34000	09/25/96
R-6	Catalytic	3.3	72 %	13800-50700	06/30/88
R/90	Catalytic	1.5	72 %	10600-46800	01/29/2006
S-6, S-I	Catalytic	6.5	72 %	13100-48900	06/30/90
SBF/A	Catalytic	3.6	72 %	8700-33600	05/18/95

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Country Stoves, Inc.

1502 14th Street NW

Auburn WA98071 ,

USA

253-735-1100

<http://www.countrystoves.com/>

C-240 and E-240

Noncatalytic

5.1

63 %

11500-36700

12-20-96

Canyon S310, T-Top Model S310

Noncatalytic

3.2

63 %

11400-34900

07/07/2010

Converter C-30, C-35

Catalytic

4.0

72 %

8000-49200

06/30/90

Converter C310/ST310, Elite E310

Noncatalytic

3.5

63 %

11600-38800

06/03/2006

Legacy S260, T-TOP S260, CONVERTER C260, and ELITE E260

Noncatalytic

4.1

63 %

11800-48000

10/25/2010

Performer S180, C180, E180

Noncatalytic

6.6

63 %

11400-38700

06/23/93

PS 40 & PI 40

Pellet

%

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
S-210,C-210,E210, SA210,CA210 and EA210	Noncatalytic	4.2	63 %	9500-36100	07-14-2007
Starlite C-20, C-21	Noncatalytic	9.6	63 %	7700-43500	06/30/90
Striker Model S 160/C 160	Noncatalytic	1.6	63 %	12500-41200	11/10/2008
STRIKER S130, C-50L, C130, CA-50, CA-50L, CA-55	Noncatalytic	5.6	63 %	9300-43600	08/29/94
T-Top C-40, C-45, C-46	Noncatalytic	5.7	63 %	10700-40900	07/25/93
T-TOP S 240	Noncatalytic	4.9	63 %	11300-42700	10/21/96
CRD Precision Fabricators Inc. (Chippewa)					
Route 5, Box 190					
Chippewa Falls WI54729 ,					
USA					
715-723-9667					
Energy King Legacy 1600	Noncatalytic	7.0	63 %	11700-23100	7/19/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Energy King Legacy 1650	Noncatalytic	3.7	63 %	11400-41300	04/20/98
Energy King Legacy 2100	Noncatalytic	3.2	63 %	11000-31100	07/29/93
Energy King Legacy 2150	Noncatalytic	2.9	63 %	11800-34000	04/20/98
Energy King Legacy 900	Noncatalytic	6.5	63 %	10200-30800	7/19/98
Energy King Legacy 950	Noncatalytic	4.2	63 %	11700-42200	04/20/98

Dell Point Technologies

3 Rue Montmartre

Blainville Quebec J7C 2Z6 ,

Canada

514-331-6212

<http://www.pelletstove.com/>

DC 2000, Europa

Pellet 0.6 78 % 10400-24100 02/16/2010

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Derco, Inc./Grizzly Stoves

10005 East U.S. 223
P.O. Box 9

Blissfield MI49228 ,
USA

Little Blazer FP-20

Catalytic

4.7

72 %

7200-28400

06/30/90

Little Blazer FP-20

Catalytic

4.7

72 %

7200-28400

06/30/90

Super Achiever FPI-2-LEX

Catalytic

2.4

72 %

9800-34200

06/30/90

Deville

Charleville ,
France

<http://www.flamme-bleue.com/english.php>

Deville 7794 - Comfort

Noncatalytic

6.9

63 %

11,300-35,100

11/01/2009

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Dovre, Inc.

401 Hanks Avenue

Aurora IL60505 ,

USA

(312) 844-3353

<http://www.aladdinhearth.com/>

Heirloom 300 HC

Catalytic

4.5

72 %

11600-45100

06/30/90

Horizon 500 CC

Catalytic

2.9

72 %

10300-33800

06/30/88

Drolet Stoves and Fireplaces

1700 Leonharmel Street

Quebec City QuebecG1N 4R9 ,

Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

Model HT-1200 Std., HT-1200 Deluxe and Ht-1200 Siberian

Noncatalytic

6.5

63 %

8300-36000

06/25/2007

Empire Products, Inc.

5061 Brooks Street

Montclair CA91763 ,

USA

909-399-3355

<http://www.empireproductsinc.com/>

EF-2100

Noncatalytic

5.7

63 %

11,000-42,900

04/05/2009

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Sweet Home AFX-HT, AFI-HT

Noncatalytic

6.4

63 %

11300-28200

06/14/2003

England's Stove Works, Inc.

589 S. Five Forks Road

Monroe VA24574 ,
USA

(804) 929-0120

<http://www.englishstoves.com/>

13-NCMH

Noncatalytic

2.4

63 %

11,579-32,017

08/02/2010

22 PIC

Catalytic

5.1

72 %

9000-30200

06/30/90

24 ACD

Catalytic

2.7

72 %

9000-20100

05/01/2007

30-NC

Noncatalytic

1.6

63 %

11,950-28,337

11/03/2009

Englander 13-NC Summers Heat,50-snc Golden Eagle and 50-TNC Timber Ridge 13-NCI/50-TNC131

Noncatalytic

2.6

63 %

10,000-29,200

10/01/2008

Englander 25-PDV, Summers Heat 55SHP22, and Timber Ridge 55TRP22 Pellet

Pellet

2.6

78 %

10,700-24,500

09/13/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Englander Econo Radiant 18PC	Catalytic	3.6	72 %	8500-31000	06/30/88
Englander Fireplace Insert 28JC	Catalytic	4.4	72 %	8400-29100	06/30/90
Englander Freestanding Radiant 24FC	Catalytic	2.4	72 %	7200-35600	06/30/90
Englander Front Loading Fireplace 28IC	Catalytic	2.5	72 %	8200-24400	06/30/90
Englander Front Loading Space Saver 28CC	Catalytic	2.7	72 %	7900-25500	06/30/90
Model 18 PC	Catalytic	2.2	72 %	8700-26400	05/18/2005
Model 18M-H	Catalytic	2.0	72 %	7800-26900	10/04/2006
Model 24IC	Catalytic	2.6	72 %	10200-27100	07/06/2000
Pellet Fuel Burning Room Heater	Noncatalytic	3.1	78 %	8200-22400	04/06/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Summers Heat Model 50-SHW20	Catalytic	2.1	72 %	7200-28600	06/27/2005
Summers Heat Model 50-SHW22	Catalytic	3.8	72 %	9100-25400	05/30/2005
Summers Heat Model 50-SHW25	Catalytic	2.4	72 %	5400-17400	10/13/2005

Eureka Heating PTY Limited
459 Dorset Road
Bayswater Victoria 3153 ,
Australia
01161397291422
<http://www.eureka-heating.com/>

Emerald	Noncatalytic	4.4	63 %	11000-35500	06/26/2005
---------	--------------	-----	------	-------------	------------

Evergreen Marketing, Inc.
Suite 310
8196 SW Hall Boulevard
Beaverton OR97229 ,
USA
503-598-7667

Mohawk 60A	Catalytic	3.8	72 %	4700-14300	06/30/90
------------	-----------	-----	------	------------	----------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Evergreen Metal Products Inc.

910 Sleater-Kinney Road S.E.
Suite 202

Lacey WA98503 ,
USA
206-459-0445

Schrader Pelletmiser 905-P

Pellet 1.0 78 % 11000-32700 06/15/93

F. Huemer Ges. M.B.H.

A-4631 Krenglbach

Schmieding 25 ,
Austria

Austroflamm Wega II

Pellet 1.3 78 % 8500-42000 8/28/97

Fireplace Products International Limited

6988 Venture Street

Delta BCV4G 1H4 ,

Canada

604-946-5155

<http://www.regency-fire.com/>

F1100S, I1100S I1200S

Noncatalytic 3.0 63 % 10600-34700 03/16/2010

F1100S, I1100S Small Flush Insert, F1100S-1

Noncatalytic 3.8 63 % 09400-38700 11/13/94

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
F2000M Medium Freestanding Stove	Noncatalytic	7.1	63 %	11800-34200	03/29/95
F2100M-Medium Freestanding Stoves, I2100M-Medium Fireplace Insert	Noncatalytic	3.8	63 %	11700-38700	12-23-2007
F2100MI	Noncatalytic	3.9	63 %	11,300-38,800	04/04/2007
Fireplace Insert R-16	Noncatalytic	6.6	63 %	11100-32900	07/18/94
FP90, EX-90/R90 Wood Fireplace	Noncatalytic	3.8	63 %	11,700-42,300	06/22/2010
H200 Hampton Cast Freestanding Stove	Noncatalytic	3.9	63 %	10,900 - 19,400	08/02/2005
H2100M Hearth Heater Insert	Noncatalytic	3.5	63 %	10800-46900	12/12/2011
Hampton Medium Cast Freestanding Woodstove Model H300	Noncatalytic	4.2	63 %	10,600-28,500	06/06/2008
I2000M14	Noncatalytic	4.5	63 %	11200-42700	06/30/90

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Large Freestanding Stove - F3100L & Large Noncatalytic	4.2	63 %	11900-42900	05/06/2008
Large Freestanding Woodstove R6,RA6,RA8 Noncatalytic	3.9	63 %	11500-59000	08/26/93
Medium Freestanding R3, RA3, R9 Noncatalytic	4.2	63 %	11200-35500	06/30/90
Model 2400M, I2400M, S3400, HI300 Noncatalytic	3.4	63 %	12000- 36800	12/13/2007
Regency R14-2 Noncatalytic	5.0	63 %	11500-37500	03/29/95
Small Freestanding R7, RA7, R5 Noncatalytic	8.3	63 %	5900-33500	06/30/90
Z2500L Zero Clearance Fireplace Noncatalytic	5.2	63 %	10600-39700	02/07/2011

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Foundries du Lion S.A.

5 Voie Axiale

Couvin 5660 ,

Belgium

+ 32 60 31 01 04

Efel Harmony 386.75

Catalytic

3.8

72 %

7100-51000

08/16/93

Efel Symphony 387.74

Catalytic

5.1

72 %

10600-49700

06/30/90

Efel Symphony 390.74

Catalytic

1.8

72 %

10700-33000

01/15/96

Harmony I

Noncatalytic

4.4

63 %

11800-55000

02/26/2006

Harmony IIIB

Noncatalytic

2.7

63 %

11,200-57,300

09/08/2007

Model S-33,S-83,H33,R22,X33

Noncatalytic

3.3

63 %

8,600-37,300

11/21/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Foyers Supreme Incorporated

**Montreal Quebec ,
Canada**

<http://www.supremem.com/index.html>

Supreme Plus

Noncatalytic 7.0 63 % 96,000-16,300 09/02/2009

Frantech, Inc.

**900 George Street
Marshfield MO65706 ,
USA
417-466-7161**

<http://www.countryflame.com/>

Seefire 1600 S

Noncatalytic 7.0 63 % 11700-23100 7/9/98

Seefire 2100 S

Noncatalytic 3.2 63 % 11000-31100 07/29/98

Seefire 900 S

Noncatalytic 6.5 63 % 10200-30800 7/9/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Gibraltar Stoves, Inc.

512-72nd Street

Holmes Beach FL34217 ,

USA

813-779-2217

LCC, MCC, SCC, CFS, CFI & DDI

Catalytic

2.8

72 %

8400-28700

04/17/2000

GLG Australia

Auburn New ,

Australia

Pearl Bay

Noncatalytic

3.8

63 %

11,300-35,300

10/18/2007

Glo King/Pierce Engineered Products Inc.

P.O. Box 10107

Eugene OR97440 ,

USA

400HT

Noncatalytic

7.0

63 %

10000-40200

05/26/2004

GK 100 HT

Noncatalytic

3.2

63 %

10600-61400

10/17/2005

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

GK-300HT

Noncatalytic

7.0

63 %

11000-31000

10/25/2004

GK-500HT

Noncatalytic

6.4

63 %

10000-22400

08/04/2004

Godin Imports, Inc.

8 Lahave St.

South Portland ME04106-490 ,

USA

207-773-1920

Nouvelle Epoque 3137

Catalytic

3.9

72 %

10500-20700

08/16/93

H.M.F. Forlong and Maisey Ltd.

15 Vickery Street

Private Bag 3126

Te Rapa - Hamilton ,

New Zealand

64-7-849 2212

<http://www.forlongmaisey.co.nz/>

Merlin "3", M 3000

Noncatalytic

6.1

63 %

12300-37000

11/04/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hajduk

,

Prima MR-51

Noncatalytic

3.8

63 %

11,636-35,246

06/02/2010

Harman Stove Company

Box 619

352 Mountain House Road

Halifax PA17032 ,

USA

(717) 362-9080

CW30

Noncatalytic

3.6

63 %

10000-34000

2-8-98

Invincible RS

Pellet

1.5

78 %

6200-32800

04/12/2011

Model Exception TL200

Noncatalytic

4.4

63 %

11000-42400

07/28/2010

Oakwood

Noncatalytic

2.3

63 %

10,900-30,500

09/09/2007

Treemont TAC-260C,TAC-260CF

Catalytic

3.9

72 %

8400-40700

10/21/98

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Treemont TAC-340C	Catalytic	2.8	72 %	7400-33800	10/21/98
Treemont TAC-520C	Catalytic	5.2	72 %	12000-37300	06/30/90

Hawke Manufacturing Company, Inc.

19 Warehouse Circle
P.O. Box 507
Marietta SC29661 ,
USA
803-836-8008

HMI 28II	Catalytic	2.6	72 %	6100-39600	09/22/2000
----------	-----------	-----	------	------------	------------

Hearth and Home Technologies

P.O. Box 1247
720 North Mulberry Street
Hildale UT84784 ,
USA

4300ACC	Noncatalytic	1.0	63 %	10400-53400	01/20/2007
---------	--------------	-----	------	-------------	------------

Heat N Glo Number FT-300	Noncatalytic	3.3	63 %	10,000-41,000	02/10/2008
--------------------------	--------------	-----	------	---------------	------------

Northstar/Constitution	Noncatalytic	3.3	63 %	11,300-51,200	03/05/2008
------------------------	--------------	-----	------	---------------	------------

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Quadra-Fire 2100, 2100 I	Noncatalytic	3.6	63 %	9300-39300	8/04/2009
Quadra-Fire 3100 ACC	Noncatalytic	1.1	63 %	11900-43200	01/31/2011
Quadra-Fire 3100F, 3100 I	Noncatalytic	2.1	63 %	11900-43200	09/14/2009
Quadra-fire Cape Cod	Noncatalytic	2.2	63 %	11500-43000	8/05/2009
Quadrafire 4300	Noncatalytic	2.1	63 %	11900-39900	07/30/2011

Hearth & Home Technologies
1445 North Highway
Colville WA99114 ,
USA
509-684-3745

<http://www.aladdinhearth.com/>

Quadra-Fire 3100 ACT & 3100I ACT	Noncatalytic	1.3	63 %	11400-46900	03/23/2011
Quadra-Fire Isle Royale	Noncatalytic	2.9	63 %	10400-46800	09/19/2010

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hearthstone Quality Home Heating Products Inc.

317 Stafford Avenue

Morrisville VT05661 ,

USA

802-888-5232

<http://www.hearthstonestoves.com/>

Bennington

Noncatalytic

3.6

63 %

11900-32600

03/15/2011

Clydesdale Model 8490

Noncatalytic

3.1

63 %

11,900-33,100

12/29/2009

Heritage

Noncatalytic

2.3

63 %

10700-29400

09/22/2007

Homestead 8570

Noncatalytic

1.9

63 %

10500-33600

07/13/2010

Morgan model 8470

Noncatalytic

4.3

63 %

10500-29300

05/12/2008

Phoenix 8612

Noncatalytic

2.4

63 %

10500-41500

04/08/2008

Shelburne Model 8370

Noncatalytic

2.1

63 %

11,800-32,400

09/05/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	--	---------------------	------------	-------------------------	--------------------

Starlet

Noncatalytic 3.6 63 % 9200-25400 11/6/2005

Tribute Model 8040

Noncatalytic 3.0 63 % 10,600-28,300 05/21/2009

Heat Tech Industries

P.O. Box 727

Biggs CA95917 ,

USA

916-868-1020

<http://www.heat-techstoves.com/>

No. 26 GM

Noncatalytic 4.0 63 % 11300-35800 08/30/96

Heat-N-Glo Fireplace Products, Inc.

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.heatnglo.com/>

CBS-41

Noncatalytic 3.9 63 % 10000-30300 01-14-2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Heatilator, Inc.

1915 W. Saunders Street

Mt. Pleasant IA52641 ,

USA

319-385-9211

Heatilator LE

Noncatalytic

4.5

63 %

11500-44400

05/02/2005

Heating Energy Systems, Inc.

14300 SE Industrial Way

P.O. Box 593

Clackamas OR97015 ,

USA

503-786-4004

Trailblazer 1700/1706

Noncatalytic

4.6

63 %

11000-32400

10/3/2001

Trailblazer Classic 1300/1306

Noncatalytic

3.2

72 %

11300-32400

06/14/2001

Trailblazer Classic 1500/1700

Noncatalytic

4.9

63 %

9500-36600

11/29/95

Trailblazer Genesis 1600, Classic 1500

Noncatalytic

8.2

63 %

12100-28100

06/30/90

Trailblazer Genesis 1600/1800

Noncatalytic

3.0

63 %

11400-36400

11/09/2000

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Trailblazer Genesis 2000-C

Catalytic

3.1

72 %

10600-37500

09/12/99

Heritage Stoves Inc.

352 South Main Street

Clearfield UT84015 ,
USA

801-773-8606

American 2000C

Catalytic

5.5

72 %

13600-33800

06/30/90

Bostonian 2500 C (Insert)

Catalytic

3.8

72 %

10600-22300

11/10/98

Bostonian 2500C

Catalytic

6.8

72 %

9600-37300

06/30/90

Hi-Teck Stoves

2985 South, 3600 West

Salt Lake City UT84119 ,
USA

1-800-456-8606

Hi Teck H 2000C

Catalytic

3.6

72 %

12600-41400

12/03/95

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

High Energy Manufacturing, Limited

PO Box 400

Vermillion Bay, Ontario POV 2VO ,

Canada

807-227-2745

J1000 Pellet Stove

Pellet

2.1

78 %

13,000 - 21,800

05/01/2011

High Sierra Stoves, Ltd.

P.O. Box 1247

720 North Mulberry Street

Hildale UT84784 ,

USA

Ambassador 4700TE

Catalytic

2.5

72 %

10100-37600

06/30/90

Cricket 5300

Noncatalytic

6.6

63 %

11000-36400

07/11/2004

Cricket MHCR 5200

Catalytic

3.5

72 %

6800-27600

06/30/90

Diplomat 4300 TE

Catalytic

5.1

72 %

10400-53400

06/30/88

Evolution 7000TE,7000C

Catalytic

4.0

72 %

11200-43000

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Evolution 8000TE	Catalytic	2.2	72 %	7900-40500	06/30/90
Evolution Model 7000C	Catalytic	2.8	72 %	7700-29400	09/24/2006
Sierra Ambassador 4700 TEC	Catalytic	3.2	72 %	10800-42600	02/26/2006
Sierra Classic 1500B	Noncatalytic	6.9	63 %	8600-34700	9/18/2006
Sierra Classic 1500T	Noncatalytic	7.5	63 %	6900-34600	9/30/2006
Sierra Evolution 8000 TEC	Catalytic	2.5	72 %	9700-35900	02/13/2006
Sweet Home Catalytic Fir AK-18	Catalytic	3.1	72 %	8800-29500	06/30/90
Sweet Home NFX-HT	Noncatalytic	7.8	63 %	14500-33200	06/30/90
Sweet Home Solitaire PFA 2000	Pellet	4.0	78 %	9700-28200	06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

High Valley Construction & Maintenance Corp.

6573 Highway 226S

Spruce Pine NC28777 ,

USA

828-765-4004

<http://www.highvalleystoves.com/start.shtml>

High Valley 2000, Craft Stove 2000

Catalytic

3.3

72 %

10800-43100

12/20/2004

High Valley Bay 2500

Catalytic

3.1

72 %

7700-40900

06/16/2008

High Valley Model 1500

Catalytic

3.4

72 %

9400-34200

5/2/2009

Model 1600

Noncatalytic

2.7

63 %

11800-40400

05/06/2004

Hitzer, Inc.

269 East Main Street

Berne IN46711 ,

USA

(219) 589-8536

<http://www.hitzer.com/>

Glo King 300HT

Noncatalytic

7.0

63 %

11000-31000

10/25/94

Glo King 400HT

Noncatalytic

7.0

63 %

10000-40200

05/26/94

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Glo King 500SD

Noncatalytic

6.4

63 %

10000-22400

08/04/94

Horizon Research Inc.

Suite #105

17905 Bothell Way Southeast

Bothell WA98012 ,

USA

Eclipse

Pellet

1.0

78 %

7800-33100

12/20/94

Model HR-2

Pellet

0.9

78 %

10500-33400

11/08/95

Hussong Manufacturing Company, Inc.

204 Industrial Park Drive

Lakefield MN56150 ,

USA

507-662-6641

<http://www.kozyheat.com/>

Kozy Heat Z 42

Noncatalytic

3.3

63 %

11500-35100

08/02/2006

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Hutch Manufacturing Company

200 Commerce Avenue
P.O. Box 350

Loudon TN37774 ,
USA
(800) 251-9232

DWI-42C

Catalytic

1.6

72 %

9800-54600

06/30/90

DWI-42C-2 (EPA)

Catalytic

1.5

72 %

10700-52800

07/11/2004

HRD-18C

Catalytic

4.5

72 %

9300-39100

06/30/90

HRD-27C Catalytic Freestanding

Catalytic

2.5

72 %

10300-56200

09/13/2004

HRS-18C Small Freestanding

Catalytic

2.9

72 %

10300-38400

09/13/2004

Industrial Chimney Company, Inc.

400 J.F. Kennedy

St Jerome QCJ7Y 4B7 ,
Canada
450-565-6336

HT (Onyx)

Noncatalytic

4.5

63 %

11800-35600

04/29/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Opel 2000C	Catalytic	3.7	72 %	10600-49700	03/26/2007
Topaz (With Fan)	Noncatalytic	5.5	63 %	9500-25800	10/25/2006
Topaz (Without Fan)	Noncatalytic	4.0	63 %	11100-25700	10/24/2006

Ingenieria De Combustion Bosca Chile S.A.
 Americo Vespucio 2077
 Santiago ,
 Chile

Gold 400	Noncatalytic	4.4	63 %	11,800-26,800	07/28/2010
----------	--------------	-----	------	---------------	------------

J. A. Roby
 490 Rue de L'Argon
 Charlesbourg, Quebec ,
 G2N 2C9

Evolution	Noncatalytic	6.9	63 %	9,043 - 28,675	01/20/2011
-----------	--------------	-----	------	----------------	------------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Jacuzzi Leisure Products, Inc.

Route 107, P.O. Box 501

Bethel VT05032 ,

USA

802-234-2300

Cabot Elite S17XE

Noncatalytic

4.5

63 %

11300-34400

07/15/98

Campbell Elite S14XE

Noncatalytic

5.1

63 %

11000-31100

06/21/95

Douglas Elite S131E, S132E; Mini Elite S111E,S112E

Noncatalytic

7.1

63 %

10400-22200

06/30/90

Fraser Elite I, S407E, S408E, S409E

Noncatalytic

3.4

63 %

10000-37900

07/15/2003

Gordon Elite S18XE

Noncatalytic

3.0

63 %

11300-31200

06/06/96

Model Campbell II Elite S-24X & FW24 Series, CJW1000L02,

Noncatalytic

5.3

63 %

10600-26100

7/01/2011

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Jayline Heating Ltd.
106 Henderson Valley Road
Auckland ,
New Zealand
64 9 836 0858

AMZED JAYLINE 1B AND FS

Noncatalytic

5.4

63 %

9500-40400

04/05/1999

Amzed Jayline Ukal U-12

Noncatalytic

2.9

63 %

9900-28200

03/18/99

Jotul North America (Jotul U.S.A., Inc.)

400 Riverside Street

Portland ME04104 ,

USA

207-797-5912

<http://www.jotulflame.com/>

Alpha 350132

Catalytic

3.1

72 %

10100-33000

06/14/93

American Fireplace Stove 3TDC

Catalytic

4.0

72 %

8800-31700

06/30/90

C450, Tamarack, Kennebec

Noncatalytic

4.4

63 %

11,900-36,100

09/06/2007

Castine F400

Noncatalytic

3.8

63 %

11300-27800

07/25/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
F100 Nordic QT	Noncatalytic	3.0	63 %	7,700- 27,400	3/21/2007
F118 CB	Noncatalytic	3.5	63 %	12,000-23,500	8/2/2010
F3CBII	Noncatalytic	3.8	63 %	11400-43500	09/29/2010
F500	Noncatalytic	3.2	63 %	12000-34700	6/13/2008
Firelight 12	Catalytic	2.4	72 %	10500-32100	07/09/2003
Firelight 12CB	Noncatalytic	4.4	63 %	13500-45900	05/20/2004
Jotul F600	Noncatalytic	4.1	63 %	11,600-32,500	03/31/2009
Jotul Model 602 CB Classic	Noncatalytic	5.2	63 %	9700-42100	7/28/2009
Jotul Oslo F-500	Noncatalytic	3.0	63 %	10900-35000	04/05/2004

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Jotul Petite	Noncatalytic	4.5	63 %	10500-39900	11/4/2004
Model 3 CB	Noncatalytic	5.8	63 %	11900-58300	03/14/2001
Model 3 TDIC-2	Catalytic	3.6	72 %	10900-30600	10/12/2000
Model 8 TDIC	Catalytic	3.8	72 %	10900-35100	09/07/94
Model C350	Noncatalytic	4.0	63 %	11,500-34,200	11/13/2011
Model Series 8	Catalytic	3.1	72 %	12600-33000	09/11/2001
Jydepejsan A/S Wittus Fire by Design PO Box 120 , Pound Ridge, NY 10576 914-764-5679 www.wittus.com					
Trendline, Soft Line, Fine Line, Zeus, Athene, Troja, Hera, Avanti	Noncatalytic	3.9	63 %	11300- 28100	08/17/2011

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Kent Heating Limited

**P.O. Box 23-340 Papatoetoe
59 Tidal Road Mangere
Auckland
New Zealand
Fax 649-275-7558
<http://www.kentheating.com/>**

Catalytic Tile Fire

Catalytic

2.0

72 %

5900-24500

06/30/90

Log Fire 2000

Noncatalytic

7.0

63 %

11200-23700

09/15/93

Log Fire LPE

Noncatalytic

5.9

63 %

8900-28200

06/30/90

Sherwood 2000

Noncatalytic

8.1

63 %

13000-26600

06/30/89

Sherwood L.E.M. XLE-1

Noncatalytic

6.5

63 %

9600-33400

06/30/87

Tile Fire 2000, Ultima 2000

Noncatalytic

6.3

63 %

12500-21700

06/30/90

Tile Fire L.E.M. TLE-1

Noncatalytic

5.9

63 %

8500-38600

06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Ultima 2000S

Noncatalytic

4.5

63 %

11000-23000

03/08/95

Krog Iversen & Co. A/S

Glasvaenget 3-9

Postboks 60

Vissenbjerg 5492 ,

Denmark

45 64 47 31 31

<http://www.warmfurniture.com/>

Andersen 8

Noncatalytic

2.9

63 %

11900-30100

05/03/2005

Andersen 8.2

Noncatalytic

3.5

63 %

7,600-28,800

03/09/2009

Basic 1 & 3

Noncatalytic

2.2

63 %

10032-17906

07/29/2009

Basic 4

Noncatalytic

2.2

63 %

10000-22100

05/02/2011

DSA 4

Noncatalytic

1.1

63 %

10,500-27,900

05/10/2006

Model Scan 61

Noncatalytic

4.5

63 %

10,600-29,300

02/26/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Scan 10-A	Noncatalytic	4.4	63 %	11,600-37,700	1/12/2009
Scan 20	Noncatalytic	5.1	63 %	9900-19000	03/11/2004
Scan 24	Noncatalytic	2.9	63 %	11300-22500	06/14/2004
Scan 47.2	Noncatalytic	3.1	63 %	10400 - 30900	02/26/2008
Scan 5.2	Noncatalytic	4.2	63 %	11800-26500	6/29/2009

Kuma Stove And Iron Works
450 Old Highway 95
Hayden ID83858 ,
USA
208-762-8002

<http://www.kumastoves.com/>

Kuma K-300/K-400, K-100B	Catalytic	2.8	72 %	12100-65200	09/29/2004
Kuma Scott HT-1	Noncatalytic	3.5	63 %	11700-29800	10/11/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Kuma Wood Classic Model HT-2	Noncatalytic	3.2	63 %	11300-48000	10/21/2009
Model Kuma 100/300/400	Catalytic	2.2	72 %	10100-52100	7/16/2007
Lennox Hearth Products					
1110 West Taft Ave.					
Orange CA92865 ,					
USA					
714-921-6100					
http://www.lennoxhearthproducts.com/					
1000HT, 1100HT, 2000HT, 2200HT	Noncatalytic	8.3	63 %	6600-32200	06/30/88
1003-C	Catalytic	3.7	72 %	11700-36800	5/23/2008
2800HT	Noncatalytic	4.5	63 %	11500-46700	12/3/2006
Bayview BV400, BV450	Catalytic	5.5	72 %	11000-53700	06/30/90
Bayview BV450C/BV400C-2	Catalytic	3.0	72 %	11000-48100	04/19/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Bayview II, 2000C, BV4000C, BV4000C-2	Catalytic	1.9	72 %	6600-40900	04/03/2010
Bayview II BV4000	Catalytic	3.1	72 %	9200-42300	06/30/90
Brass Flame KS-1005, KS-2000I	Noncatalytic	6.0	63 %	11800-44000	11/01/2000
Brass Flame KS-805	Noncatalytic	6.0	63 %	9300-49800	05/31/2005
Brass Flame KS-805	Noncatalytic	5.3	63 %	9300-49800	06/30/90
Earth Stove and Ranger 1500HT, 1400HT	Noncatalytic	6.6	63 %	11700-37000	6/02/2009
KS-1005, SV-14; KS-2000, FI-15	Noncatalytic	6.0	63 %	9500-41100	06/30/90
Model T200C	Catalytic	3.2	72 %	8500-34900	8-19-2002
Traditions T-100	Catalytic	3.8	72 %	8300-43800	06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Traditions T150C, T100SC	Catalytic	4.1	72 %	6500-35300	03/02/2005
Traditions T300HT & T3000HT	Noncatalytic	2.6	63 %	10700-37400	07/10/2007
Whitfield Advantage WP-2	Pellet	1.3	78 %	10900-35100	08/01/93
Whitfield Fireplace/Hearth Stove	Pellet	1.0	78 %	11000-35700	06/30/90
Whitfield WP-1, III T, II-T, II-TC, Advantage Series	Pellet	1.0	78 %	9100-37800	07/16/2007
WP-2 III T, II-TC, Advantage Series	Pellet	1.0	78 %	9100-37800	7/16/2007

Les Produits d'Acier Nordic International
11725 Philippe-Panneton
Montreal Quebec H1E 4M1 ,
Canada
514-494-4522

Diamant	Noncatalytic	7.5	63 %	11,100-26,100	08/22/2007
---------	--------------	-----	------	---------------	------------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Olympia

Catalytic

4.6

72 %

9,659-26,407

11/01/2009

Long Agribusiness

111 Fairview Street

P.O. Box 1139

Tarboro NC27886 ,

USA

252-823-4151

2062 Catalytic freestanding/insert

Catalytic

3.3

72 %

10600-20700

03/09/94

Silent Flame 2058

Catalytic

5.3

72 %

9000-27100

06/30/90

Silent Flame Model 2058A

Catalytic

2.3

72 %

9600-30600

08/31/2000

Silent Flame Model 2062

Catalytic

2.4

72 %

9900-32600

11-05-97

Luap Associates, Inc.

2720 Roosevelt Blvd.

Eugene OR97402 ,

USA

503-461-2141

Eagle 2001

Pellet

2.6

78 %

8400-55200

06/30/88

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Martin Industries, Inc.

**301 E. Tennessee Str.
P.O. Box 128**

**Florence AL35631 ,
USA
256-767-0330**

Ashley

Catalytic 3.8 72 % 5700-35300 03/15/94

Ashley APC2,APC2C; King KC2,KC2B; Atlanta AC2,AC2B

Catalytic 3.0 72 % 9700-27900 06/30/90

Ashley APS5,APS5B; King KC5,KC5B; Atlanta AC5,AC5B

Catalytic 3.8 72 % 9400-35400 06/30/90

Ashley CAHF,CAHFB; King MCF,MCFB; Atlanta ACF,ACFB

Catalytic 4.8 72 % 9900-30000 06/30/90

C-92

Catalytic 2.4 72 % 7200-29500 06/30/88

C-92

Catalytic 5.3 72 % 5200-33200 06/30/90

C-92

Catalytic 3.0 72 % 13900-35700 08-07-97

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Max Blank Gmbh

Lake Bluff IL ,
USA

<http://www.maxblank.com/>

Florenz K0 2, Volterra, Padua, Atlanta BF

Noncatalytic

3.1

63 %

11,842-34,680

03/24/2010

Mega K 03

Noncatalytic

5.1

63 %

10,500-33,000

12/08/2010

Metal M.D.R. Inc.

536 Guy Street

Granby Quebec J2G 7J8 ,
Canada

450-777-6070

Model HE-1400, XE-1400, & XTD-1.5

Noncatalytic

4.3

63 %

10800-34000

04/23/2007

XVR-111, XT-4000, XLT-11000

Noncatalytic

%

11,700-28,300

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Morso Jernstoberi

Furvej 6
DK-7900
Nykobing Mor ,
Denmark
45 96 69 19 00
<http://www.morsoe.com/us/index.html>

2B Classic

Noncatalytic 3.9 63 % 10900 -23600 1/9/2011

Morso Jernstoberi

Furvej 6
DK-7900
Nykobing Mors ,
Denmark
45 96 69 19 00
<http://www.morsoe.com/us/index.html>

Model 2B

Noncatalytic 4.1 63 % 9,300-30,700 11/29/2011

Morso Jernstoberi A/S

Furvej 6
DK-7900
Nykobing Mors ,
Denmark
45 96 69 19 00
<http://www.morsoe.com/us/index.html>

3600 Series

Noncatalytic 5.2 63 % 11,400-49,500 09/25/2011

8140, 8142, 8147, 8151 and 8150

Noncatalytic 4.5 63 % 10,864-25,370 12/08/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 2040	Noncatalytic	3.8	63 %	11,100-40,100	03/15/2010
Model 4600	Noncatalytic	3.2	63 %	11,100-25,600	02/06/2008
Model 4650 (Soapstone)	Noncatalytic	3.7	63 %	10,900-25,700	07/03/2008
Model 7110	Noncatalytic	3.8	63 %	10,700-27,900	05/06/2009
Morso 1710	Noncatalytic	4.4	63 %	12,000-39,800	09/01/2011
Owl 3410/3440 & 3450	Noncatalytic	3.5	63 %	8400-23600	10/25/2010
Panther 2110	Noncatalytic	4.7	63 %	10300-60500	1/9/2006
Panther Model 2110B	Noncatalytic	4.3	63 %	8,600-42,100	10/11/2007
Squirrel 1410 and 1420	Noncatalytic	3.3	63 %	9600-22000	06/15/2010

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

National Steelcrafters of Oregon

P.O. Box 24910

P.O. Box 2501

Eugene OR97402 ,

USA

(503) 683-3210

<http://www.breckwell.com/>

Breckwell W3000FS/W3000I

Noncatalytic

2.3

63 %

11600-33700

06/18/2004

Chateau NC24

Noncatalytic

5.4

63 %

14500-51000

06/30/90

Craft CB-4830 Insert

Catalytic

3.4

72 %

9100-22400

08/22/95

Craft Stove CB-4426

Catalytic

3.9

72 %

12100-35600

06/30/90

Craft Stove CB-4426, CB-26, CAT 44-1

Catalytic

3.9

72 %

12100-35600

06/30/88

Craft Stove CB-4830

Catalytic

3.1

72 %

11600-41100

06/30/88

Craft Stove CB-4830, CB-300

Catalytic

3.1

72 %

11600-41100

06/30/88

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Navigator Stove Works, Inc.

68 South First St.

Brooklyn N.Y.11211 ,

USA

718-486-8049

<http://www.marinestove.com/>

Navigator NSW2

Noncatalytic

3.6

63 %

10500-28200

03/08/2006

NSW-1 Sardine

Noncatalytic

3.5

63 %

11,400-19,400

08/20/2007

New Buck Corporation (Buck Stove Corp.)

1265 Bakersville Highway

P.O. Box 69

Spruce Spring NC28777 ,

USA

828-765-6144

<http://www.buckstovecorp.com/>

41BCV, BBay, CD, CS, CV, CBAY, PCV, PCBAY

Catalytic

2.6

72 %

6900-27800

08/18/93

50PCV, 50PBay, 50CV, 50CBay, 50CD, 50BCV, 50BBay

Catalytic

2.5

72 %

10100-38000

06/02/94

Bay Model 91

Catalytic

3.5

72 %

10400-50400

08/20/2006

Big Buck 28000-C

Catalytic

4.7

72 %

8500-39100

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Buck Bay Model 91	Catalytic	1.2	72 %	8,800-51,200	11/06/2007
Buck Master	Catalytic	2.1	72 %	10,800-49,800	08/05/2008
Little Buck 26000-C	Catalytic	4.0	72 %	6800-38700	06/30/90
Model 18	Noncatalytic	3.1	63 %	10000-22400	07/23/2008
Model 20, catalytic	Catalytic	3.2	72 %	10800-37500	09/04/2010
Model 21	Noncatalytic	6.2	63 %	11400-41200	09/09/2006
Model 21	Noncatalytic	4.4	63 %	12,000-444,000	
Model 26	Noncatalytic	5.4	63 %	11900-42600	10/24/2011
Model 51	Noncatalytic	3.6	63 %	11,600-41,400	08/10/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Model 51 Buck Carolina	Noncatalytic	6.7	63 %	11800-40900	11/7/2011
Model 70	Catalytic	5.0	72 %	9800-31300	06/30/90
Model 71 Freestanding/Insert Catalytic	Catalytic	3.6	72 %	13100-40200	12/06/94
Model 81/85	Noncatalytic	4.3	63 %	11900-45400	02/14/2011
MODEL XL-80	Catalytic	2.7	72 %	9200-40500	8/19/2007
New Buck/Carolina Model 17	Catalytic	1.2	72 %	8100-27900	06/20/2001
Regular Buck 27000-C	Catalytic	3.8	72 %	14700-25100	06/30/90
Regular Buck 27000-CR	Catalytic	4.8	72 %	14700-30800	06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

NHC Inc.

317 Stafford Avenue

Morrisville VT05661 ,

USA

802-888-5232

<http://www.hearthstonestoves.com/>

Harvest A-HII catalytic

Catalytic

2.5

72 %

10500-36400

09-25-97

Harvest HII

Catalytic

3.8

72 %

8800-28900

09/09/93

Heritage I, Model 8021

Noncatalytic

2.7

63 %

11,700-32,800

06/26/2007

Mansfield

Noncatalytic

3.2

63 %

10200-27900

09/20/2000

Mansfield I

Noncatalytic

2.9

63 %

13600-45300

06/01/2009

Model 3-C

Noncatalytic

2.0

72 %

7900-15000

06/30/90

Phoenix

Noncatalytic

4.9

63 %

10300-43000

03/16/95

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Phoenix

Noncatalytic

3.4

63 %

10400-35200

04-27-2000

Nordpeis A/S

Lierskogen ,
Norway

<http://www.nordpeis.no/>

Saturn A

Noncatalytic

6.0

63 %

10,100-25,000

11/10/2007

NU-TEC/Upland Distributors, Inc.

72 College Street
P.O. Box 908
East Greenwich RI02818 ,
USA
(401) 738-2915

<http://www.nutec-castings.com/>

Brenden BR-60

Catalytic

1.4

72 %

11000-29400

08/25/98

Townsend Woodstove TN-25

Catalytic

2.7

72 %

10200-27500

09/10/95

Upland Amity AM-40

Catalytic

2.6

72 %

10600-23600

12/20/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

OK Doke, Ltd.

1425 Weld County Road 32

Longmont CO80501-961 ,

USA

(303) 776-2300

Sweethearth Presidential 800/800XL

Catalytic

3.6

72 %

9900-20000

07/11/99

Olsberg Hermann Everken, Gmbh

176 Saunders Road

Barrie ONL4N 9A4 ,

Canada

705-721-1388

<http://www.olsberg.com/>

Bristol OH-L

Noncatalytic

2.1

63 %

11,800-32,200

04/04/2010

Bristol OH-M

Noncatalytic

2.7

63 %

11,000-33,200

08/16/2007

Oregon Woodstoves, Inc.

1844 Main St.

P.O. Box 70107

Springfield OR97477 ,

USA

541-747-8868

#1, Design 01

Catalytic

2.7

72 %

9600-49700

06/30/90

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	--	---------------------	------------	-------------------------	--------------------

Model OS/1

Catalytic

1.4

72 %

7800-40000

02/21/2001

Orley's Manufacturing Company, Inc.

1718 W. Antelope Road

White City OR97503 ,

USA

503-777-5340

Cougar G-225

Catalytic

2.7

72 %

9100-36200

06/30/90

Leopard U245,U246,UO245,UO246; Panther F245,F246

Catalytic

3.5

72 %

9100-39000

06/30/87

Orrville Products, Inc.

375 East Orr Street

P.O. Box 902

Orrville OH44667-090 ,

USA

800-232-4010

<http://www.comfortecgasfireplace.com/>

CC 350

Catalytic

3.8

72 %

13700-68900

07/23/2005

CC-185l and 165l

Noncatalytic

3.8

63 %

11500-48600

08/29/96

CC175 and CC155

Noncatalytic

4.4

63 %

10900-39200

09/21/95

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
CC180	Noncatalytic	3.9	63 %	10700-57600	04/05/2006
CC185 and CC165	Noncatalytic	5.3	63 %	11300-46100	06/21/96
CC250	Catalytic	3.5	72 %	13200-29800	08/31/95
Country Comfort CC100	Noncatalytic	8.5	63 %	8700-33400	06/30/90
Country Comfort CC125	Noncatalytic	9.5	63 %	12300-27600	06/30/88
Country Comfort CC150, CC1000, CC150H	Noncatalytic	7.5	63 %	7200-23900	06/30/90
Country Comfort CC160	Noncatalytic	5.3	63 %	11600-36500	08/09/98
COUNTRY COMFORT CC160	Noncatalytic	2.9	63 %	11900-47800	08/29/2005
Country Comfort CC325	Catalytic	3.5	72 %	18600-60600	09/09/2003

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Country Comfort CC350

Catalytic

4.3

72 %

11200-29100

06/30/90

Osburn Manufacturing, Inc.

1700 Leonharmel

Quebec City QuebecG1N 4R9 ,
Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

1050

Noncatalytic

6.9

63 %

10600-42900

10/06/2003

2200

Noncatalytic

5.7

63 %

10400-41500

9/14/2004

Imperial 2000

Noncatalytic

4.6

63 %

9000-33000

06/30/90

Imperial MKII, MKII Insert, Goldenaire

Noncatalytic

7.0

63 %

10700-51600

06/30/90

Pacific Energy Fireplace Products Limited

P.O. Box 1060

Duncan BCV9L 3Y2 ,
Canada

250-748-1184

<http://www.pacificenergy.net/>

Alderlea, Super 27 Design D, Spectrum, Standard, Pacific Ins, Spectrum Classic and Fusion

Noncatalytic

3.4

63 %

11000-34600

06/02/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
S-27, Spectrum, Standard, Pacific					
	Noncatalytic	6.4	63 %	10600-36400	06/30/90
Summit Series A, Summit Insert, and Summit Classic					
	Noncatalytic	3.6	63 %	10300-37500	03/12/2008
Vista Series C, Vista Classic and Vista Artisan & Vista Insert					
	Noncatalytic	2.9	63 %	12400-26300	09/10/2008

Panda Wood Stoves
6261 Crater Lake Highway
Medford OR97504 ,
USA
503-826-7804

UMF-400					
	Catalytic	5.0	72 %	7600-38300	06/30/88

Pellefier Inc.
P.O. Box 487
Morton WA98356-048 ,
USA

Venturi PVI-87					
	Pellet	0.5	78 %	9000-31800	06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Piazzetta S.p.A.
31010 Casell d'Asolo
Treviso ,
Italy

904
Noncatalytic 7.5 63 % 6700-28300 08/09/98

Model 905
Noncatalytic 6.8 63 % 11600-30300 08/09/1998

Polar Fireplaces
4390 Paletta Court
Burlington Ontario L7L 5R2 ,
Canada
905-632-4710

Woodchief 300 E
Noncatalytic 4.8 63 % 11600-43700 11/18/98

Woodchief 400 E
Noncatalytic 5.1 63 % 11500-59000 11/18/98

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Precision Gas Technologies

1390 17th Avenue S.E.

Calgary Alberta T2G 5J3 ,

Canada

403-262-4421

WS-250

Noncatalytic

4.0

63 %

11700-50500

01/30/2000

PSG Distribution Inc.

798, 8 Ieme Avenue Est.

La Guadeloupe Quebec G0M 1G0 ,

Canada

1-418-459-6458

<http://www.psg-distribution.com/site.asp>

Caddy (duct furnace)

Noncatalytic

6.6

63 %

12000-52900

3/19/2008

Rais A/S

23 Hack Green Road

Pound Ridge NY 10576 ,

USA

(914) 764-5679

<http://www.raiswittus.com/>

Gabo Pina Vola

Noncatalytic

2.1

63 %

12,000-26,700

03/24/2009

Malta, Bando and Bora

Noncatalytic

4.3

63 %

11400-32900

12/11/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Rais 60-A Insert	Noncatalytic	7.2	63 %	11600-51300	10/31/2011
Rondo, Mino II Steel and Mino II SST	Noncatalytic	4.3	63 %	11,431-22,561	12/14/2010
Renfyre Stove Co./Maco Enterprises, Inc					
RR 2					
Drayton	Ontario	N0G 1P0			
Canada					
519-638-2746					
2800	Noncatalytic	3.4	63 %	11900-23700	11/29/2010
5000 Combination Range Design #50001	Noncatalytic	5.5	63 %	13600-21600	06/30/90
Fireview 2300	Noncatalytic	7.0	63 %	11700-27500	7/11/2009
Fireview Insert 2700	Noncatalytic	3.8	63 %	9400-27500	9/11/2009

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Reverso Manufacturing, Ltd.

790 Rowntree Dairy Road

Woodbridge Ontario L4L 5V3 ,

Canada

(416) 748-3064

Challenger MMX

Noncatalytic

2.6

63 %

11200-33800

08/22/2000

Riteway-Dominion Manufacturing Company, Inc.

Box 5

1680 Country Club Road

Harrisonburg VA22801 ,

USA

(703) 434-3800

Dominion 005

Catalytic

4.5

72 %

7000-29100

06/30/90

RJM Manufacturing, Inc

P.O. Box 27

1210 Lowater Road

Chippewa Falls WI54729 ,

USA

715-720-1794

<http://www.energyking.com>

Achiever FPI-1-LEX

Catalytic

2.0

72 %

7900-26700

10/24/2003

Energy King 2500C

Catalytic

3.0

72 %

16100-39800

01/26/2010

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Energy King Bay 2000C	Catalytic	2.5	72 %	11400-34600	02/08/2010
FPI-2-LEX/90	Catalytic	1.6	72 %	10300-36500	06/29/2005
Model Silhouette 2850C	Catalytic	3.2	72 %	8100-34700	06-02-2009

RSF Energy Ltd.
801 St. Nicholas
St. Jerome QCJ7Y 4C7 ,
Canada
450-565-6336

<http://www.northweststoves.ca/>

Ardent HF 40	Noncatalytic	9.9	63 %	6400-30600	06/30/90
--------------	--------------	-----	------	------------	----------

Russo Products, Inc.
61 Pleasant Street
Randolph MA02368 ,
USA
781-963-1182

GV-30C	Catalytic	3.1	72 %	10300-39400	06/30/90
GV-30S	Catalytic	2.5	72 %	9500-38700	08/29/2001

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Russo Glassview GV-21	Catalytic	2.9	72 %	10200-29600	10/21/2003
W-18C	Catalytic	6.2	72 %	7900-40900	06/30/90
W-25C	Catalytic	2.4	72 %	8400-31300	06/30/90

Salvo Machinery, Inc.

P.O. Box 6145
 220 Shove Street
 Fall River MA02724 ,
 USA
 508-678-7507

Citation Classic W45NC/WI45NC	Noncatalytic	7.1	63 %	11800-32200	1/27/97
Model Citation	Catalytic	2.4	72 %	9600-33500	08/01/94

Sarratt Agencies Limited

1/677 Boronia Road
 c/o Meridian Heating
 Wantirna 3152 ,
 Australia
 (0061-3) 887-2687

Merlin 3 FS-15, IS-15	Noncatalytic	6.1	63 %	9800-21100	06/30/90
-----------------------	--------------	-----	------	------------	----------

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Saxon Wood Heaters Pty, Ltd.

45 Princes Road West

Auburn 02144 ,

Australia

+61 363811322

<http://www.tasmaniacentral.tas.gov.au/saxon/>

Rosewood

Noncatalytic

2.7

63 %

11600-36200

01/23/2006

Security Chimneys International Ltd.

2125 Monterey

Laval Quebec H7L 3T6 ,

Canada

450-973-9999

<http://www.securitychimneys.com/>

Bis Design No. 1.2

Noncatalytic

5.5

63 %

14200-55800

06/30/90

BIS II

Noncatalytic

5.3

63 %

11300-41500

06/15/2005

BIS Panorama, Villa Vista

Catalytic

4.1

72 %

10900-35,600

06/15/2011

BIS Tradition and Montecito Estate

Noncatalytic

7.3

63 %

11,500-39-300

11/10/2009

BIS Ultima, Brentwood, BIS Tradition CE, and Montecito

Noncatalytic

3.7

63 %

10,442-27,746

03/26/2012

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

BIS Ultra

Noncatalytic

5.1

63 %

11033-46700

10/21/2009

Selkirk Canada Corporation

HAMILTON ON ,
CANADA

<http://www.selkirkcanada.com>

Model HE40

Noncatalytic

5.7

63 %

11,383-45,459

12/20/2009

Shenandoah Manufacturing Company, Inc.

P.O. Box 839
HARRISONBURG VA22801 ,
USA
(703) 434-3838

CH-77, CH-84

Catalytic

3.1

72 %

8000-33800

08/03/93

Sherwood Industries, Ltd.

6782 Oldfield Road
SAANICHTON BCV8M 2A3 ,
CANADA
604-652-6080

<http://www.enviro-fire.com/>

Empress/Windsor

Pellet

78 %

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Enviro 1200, 1200I	Noncatalytic	3.4	63 %	11,500-34,200	1/14/2010
Enviro Model 1700I, 1700	Noncatalytic	4.5	63 %	9,400-31,800	11/01/2009
Vista Flame Enviro Fire 1000FS and Vista Flame 1000FS	Noncatalytic	4.1	63 %	11700-32700	02/03/2009
Vista Flame Envirofire 1000	Noncatalytic	6.5	63 %	10200-30800	07/09/93
Vista Flame Envirofire 1500	Noncatalytic	7.0	63 %	11700-23100	7/9/98
Vista Flame Envirofire 1600 FS, 1600 FPI	Noncatalytic	3.5	63 %	11500-33600	02/03/2009
Vista Flame Envirofire 2000	Noncatalytic	3.2	63 %	11000-31100	07/29/98
Vista Flame Envirofire 2100 FS	Noncatalytic	2.9	63 %	11800-34000	02/03/2009
Vista Flame Envirofire EF II	Pellet		78 %		

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
------------	------------------	------------	----------------------	-----------------

Vista Flame Envirofire Evolution Model EF 5/VF 5

Pellet 63 %

Vista Flame Envirofire Pellet Stove

Pellet 78 %

Stove Builder International

,

Apollo

Noncatalytic 63 % 11/01/2011

Stove Builder International Inc.

1700 Leonharmel

Quebec City Quebec G1N 4R9 ,

Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

1600

Noncatalytic 4.4 63 % 11800-42400 08/02/2009

1600 B-I/Ashley 4600/Forester 4700

Noncatalytic 4.8 63 % 11900-35500 08/02/2009

2200 Bay/2000

Noncatalytic 2.7 63 % 11700-30400 11/27/2005

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Apollo/Apollo II	Noncatalytic	3.6	63 %	10600-24700	12/11/2006
Emerald 2000	Pellet	1.7	78 %	7500-24500	02/26/96
Gemini 1500 (With Blower)	Noncatalytic	6.2	63 %	11500-43900	04/17/2011
Gemini 1500N (Without Blower)	Noncatalytic	7.5	63 %	11100-37300	05/03/2011
HT 1600-Standard/HT 1600 Deluxe/HT-1600 Siberian/Ashley 1600	Noncatalytic	3.5	63 %	11200-26400	10/04/2010
HT-2000 Standard/HT-2000 Deluxe/HT-2000	Noncatalytic	3.9	63 %	11600-60300	11/18/2008
Le Chancelier	Noncatalytic	4.5	63 %	11900-29400	06/26/2007
LeBachelier	Noncatalytic	4.9	63 %	11800-24500	08/05/2007
New Generation NG 1800	Noncatalytic	5.7	63 %	11,500-30,800	05/24/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Osburn 1100	Noncatalytic	5.7	63 %	11000-35000	08/26/2011
Osburn 1800	Noncatalytic	2.7	63 %	9700-36300	08/02/2006
Osburn 2400 B	Noncatalytic	3.5	63 %	11900-40900	12/12/2006
Sahara	Noncatalytic	7.5	63 %	11,000-25,700	12/21/2011
XVR-I/XLT-1/XT-1800 Classic EPA	Noncatalytic	6.9	63 %	11,400-27,500	08/30/2011
XVR-II, XT-1400 adn XLT-II	Noncatalytic	5.9	63 %	11800-27300	5/02/2007

StoveBuilder International, Inc.

536 Guy Street

Granby Quebec J2G 7J8 ,

Canada

450-777-6070

Model HE-1800, XE-1800 & XTD-1.9

Noncatalytic 5.9 63 % 11600-38700 06/13/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

XTD1.1/XE-1000

Noncatalytic

6.0

63 %

9900-47300

08/22/2006

Suburban Manufacturing Company

676 Broadway Street

P.O. Box 399

Dayton TN37321 ,

USA

(615) 775-2131

Woodchief W6-88C, Woodmaster W6-88WC

Catalytic

3.4

72 %

9500-42500

09/15/93

TEC Enterprises

Box 23

Lewiston ID83501 ,

USA

(208) 843-7297

2000 pellet stove

Pellet

4.7

78 %

11600-22500

08/01/94

Thelin Company Inc.

P.O. Box 847

Nevada City NV95959 ,

USA

(916) 273-1976

<http://www.thelinco.com/>

Thelin T-4000

Noncatalytic

3.6

63 %

9,900-38400

11/06/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Thermic Distribution Europe

5 Voie Axiale

Couvin 5660 ,

Belgium

+ 32 60 31 01 04

Efel Harmony 386.75

Catalytic

3.8

72 %

7100-51000

08/16/93

Efel Symphony 387.74

Catalytic

5.1

72 %

10600-49700

06/30/90

Efel Symphony 390.74

Catalytic

1.8

72 %

10700-33000

01/15/96

Harmony I

Noncatalytic

4.4

63 %

11800-55000

02/26/2006

Harmony IIIB

Noncatalytic

2.7

63 %

11,200-57,300

09/08/2007

Model S-33,S-83,H33,R22,X33

Noncatalytic

3.3

63 %

8,600-37,300

11/21/2008

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Thermic, Inc.

P.O. Box 11986
N. 9510 Newport Highway
Spokane WA99211 ,
USA
509-467-4328

Crossfire FS-1

Pellet

0.5

78 %

6900-39900

06/30/90

Tianjin Berkeley Furniture Corporation

18400 East Gale Avenue
Berkeley Forge and Foundry
City of Industry CA91748 ,
USA
626-810-0101
<http://www.berkeleyforge.com/>

TR 001

Noncatalytic

4.2

63 %

9200-28300

8/27/2006

Tolotti Manufacturing, Inc.

670 Dunn Circle
Sparks NV89431 ,
USA
702-359-5661

Benchmark, 1800; P,I,ZC

Noncatalytic

7.8

63 %

10000-32000

06/30/90

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Travis Industries, Inc.

4800 Harbour Point Blvd. SW

Mukilteo WA98275 ,

USA

425-827-9505

<http://www.travisproducts.com/>

Avalon 1000C2

Catalytic

3.5

72 %

7300-47100

06/30/90

Avalon 1196, Lopi 520/96, Flush Bay-96

Noncatalytic

7.4

63 %

11300-43600

03/20/95

Avalon 700

Noncatalytic

5.9

63 %

9200-39100

06/30/90

Avalon 901

Noncatalytic

5.2

63 %

7500-45500

06/30/90

Avalon 996

Noncatalytic

5.5

63 %

9500-45600

03/20/95

Avalon Cottage/Mission

Noncatalytic

2.9

63 %

11600-36500

04/04/2010

Avalon Olympic, Lopi Liberty, Lopi Freedom Bay

Noncatalytic

2.6

63 %

12000-45100

04/20/2009

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Avalon Pendelton 90/Pendelton 45	Noncatalytic	3.0	63 %	8700-44400	04/25/2010
Avalon Rainier 90/Rainier 45	Noncatalytic	2.0	63 %	11200-40000	05-02-2009
Fireplace Xtrordinair 44 Elite	Catalytic	2.5	72 %	11000-45300	3/27/2008
Fireplace Xtrordinair Elite 36 Z.C. & B.I.	Catalytic	2.3	72 %	11900-47100	04/03/2010
Fireplace Xtrordinair Model 36A	Catalytic	4.1	72 %	10300-54700	05/21/97
Flex-95 FL, LX, and FS	Catalytic	4.1	72 %	10900-55300	10/12/94
Flush Wood A Fireplace Insert	Noncatalytic	4.1	63 %	11,300-33,400	11/18/2008
LOPI 380-96	Noncatalytic	5.2	63 %	9400-52800	03/20/95
LOPI ANSWER/LOPI PATRIOT/LOPI PARLOR/LOPI Republic, Model Number 1250 and Avalon Spokane	Noncatalytic	4.4	63 %	11600-38500	10/22/2007

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
LOPI Answer/Patriot (Formerly Answer-NT)					
	Noncatalytic	3.3	63 %	12000-41000	10/13/98
Lopi Elan E1, E2					
	Noncatalytic	4.3	63 %	11700-26300	06/30/90
Lopi Elan-96					
	Noncatalytic	7.4	63 %	12000-51400	03/20/95
Lopi Endeavor, Lopi Revere (Formerly 380-NT & X-NT)					
	Noncatalytic	1.9	63 %	9300-42200	05/06/2008
Lopi Flawless Performance 380, 440					
	Noncatalytic	7.0	63 %	6900-48700	06/30/90
Lopi Flex FS, FL, LX					
	Catalytic	2.9	72 %	10900-31000	07/19/93
LOPI Freedom					
	Noncatalytic	3.6	63 %	11800-47500	07/18/2011
Lopi Premiere Answer Series PA1, PA2, PA3, PA4,PA5					
	Noncatalytic	7.0	63 %	8000-31500	06/30/90
Lopi Sheffield					
	Noncatalytic	3.9	63 %	10,300-34,400	09/14/2011

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Lopi The Answer	Noncatalytic	6.7	63 %	10500-63100	07/26/94
Lopi X Fireplace Insert	Noncatalytic	6.0	63 %	13600-29100	06/30/90
Lopi X/96	Noncatalytic	7.2	63 %	11600-53900	03/20/95
Model 36 F	Catalytic	4.0	72 %	11900-55000	10/26/94
Model 44-A BI and Z.C.	Catalytic	2.3	72 %	10700-75700	03/22/2000
Tri-Fab, Inc.					
62880 Peerless Court					
Bend OR97701 ,					
USA					
503-389-0304					
SunRise P-48-H, P-48-L	Noncatalytic	5.5	63 %	11700-25800	09/11/94
SunRise P-54 & SunRise PIL-8	Noncatalytic	5.0	63 %	10600-26500	10/05/95

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

SunRise P56

Noncatalytic

6.2

63 %

10700-39700

06/30/90

Tulikivi Oyj

Tulikivi Maxi XV 2

Noncatalytic

4.2

63 %

12,058-38,224

09/06/2010

Tulikivi MINI XV 1

Noncatalytic

4.5

63 %

12,100-38,200

09/06/2010

U.S. Stove Company

227 Industrial Park Drive

South Pittsburg TN37380 ,

USA

(615) 837-2100

<http://www.usstove.com/>

Ashley AFS24, King K3, cat., freestanding/insert

Catalytic

2.6

72 %

10300-34600

11/11/2000

Ashley AHS2, AHS2B; King KHS2

Catalytic

1.9

72 %

13700-34300

08/02/2000

Ashley C-92

Catalytic

3.0

72 %

11000-36900

3/16/2003

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Ashley CAHF-2, Atlanta ACF-2, King MCF-2	Catalytic	1.6	72 %	12800-38900	12/22/99
ASHLEY NCA-1/KING KPS	Noncatalytic	7.2	63 %	6500-23200	8/24/2000
Bay Insert 4500	Catalytic	3.7	72 %	9600-30700	02/16/94
Clayton Mfg Clay 60B, 70	Catalytic	2.7	72 %	12100-54300	04/30/96
Magnolia Model 2015	Noncatalytic	5.7	63 %	11,500-30,800	10/22/2008
Wonder Wood 6000, 2821, Sears 143.8404	Catalytic	3.7	72 %	9100-18700	12/13/93
Wonder Wood (Glass Front) 2921, Sears 143.8417	Catalytic	3.3	72 %	12500-54600	03/09/94

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

United States Stove Company

APS 1100B

Noncatalytic

5.9

63 %

10,100-25,000

10/11/2011

Vestal Manufacturing

P.O. Box 420

Sweetwater TN37874 ,

USA

615-337-6125

Vestal Fireplace Insert V-200-I, V-200-P, V-200-L

Catalytic

2.0

72 %

11700-26500

07/06/2000

Vestal Radiant Heater V-100

Catalytic

2.2

72 %

9400-27700

07/06/2000

Vogelzang International Corporation

18400 East Gale Avenue

400 West 17th Street

Holland MI49423 ,

USA

616-396-1911

<http://www.berkeleyforge.com/>

Defender

Noncatalytic

4.2

63 %

9200-28300

8/27/2006

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Highlander, Shiloh Insert

Noncatalytic

5.8

63 %

9000-26300

3/8/2007

Wamsler Herd und Ofen GmbH

Landsberger Strasse 372

D-8000 Munchen 21 ,

Germany

89-589-6243

HOK 10

Noncatalytic

4.6

63 %

9200-16900

06/30/90

Waterford Stanley Limited

Bilberry Waterfo ,

Ireland

011-353-51-302300

<http://www.waterfordstanley.com/>

100B 90 32 RV

Noncatalytic

3.9

63 %

10600-26500

08/31/2011

100B 90 32 TV

Noncatalytic

3.1

63 %

10800-32400

05/25/2010

100B Design 29

Noncatalytic

7.5

63 %

7200-27500

06/30/90

104 MK II 31

Noncatalytic

2.9

63 %

8800-25900

10/26/2004

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Ashling	Noncatalytic	4.1	63 %	12000-29800	10/19/2008
Erin	Noncatalytic	7.6	63 %	11800-41500	06/30/90
Erin OA	Noncatalytic	4.1	63 %	10400-30300	07/09/2008
Erin/90 TV	Noncatalytic	5.7	63 %	10200-39900	01/17/2010
Erin/90 TV	Noncatalytic	4.2	63 %	10500-40900	10/17/2010
Model 100B, 100B O.S.A., Leprechaun	Noncatalytic	4.3	63 %	9000-26700	07/19/2008
Trinity 35	Noncatalytic	7.0	63 %	11800-39300	12/28/97
Trinity OA	Noncatalytic	4.0	63 %	11500-43800	02/15/2010

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Webco Industries

105 East Street

Woodland CA95695 ,

USA

(916) 666-6107

Marquis 800, 800 XL

Catalytic

3.6

72 %

9900-20000

06/02/99

Weitz & Co., Inc.

1447 E. State St.

P.O. Box 340

Boise ID83616 ,

USA

208-939-8218

<http://www.blazeking.com/>

Briarwood BB, BBI and BBZC

Noncatalytic

4.8

63 %

10600-25300

11-05-2002

Briarwood II 87

Noncatalytic

7.3

63 %

9900-45900

06/30/88

Briarwood XE 88

Noncatalytic

6.4

63 %

12800-34200

06/30/88

Eagle 88, Pioneer ZC

Noncatalytic

6.4

63 %

12800-22800

06/30/88

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Welenco Manufacturing, Inc.

533 Thain Rd

Lewiston ID83501-553 ,

USA

(208) 743-5525

P-1000W

Pellet

0.7

78 %

9600-23900

06/30/88

Weso-Aurorahautte GmbH

Pleasant Drive

Ceramic Radiant Heat

Lochmere NH03252 ,

USA

603-524-9663

Prestige 125, 225, 325, 425

Noncatalytic

7.3

63 %

8900-31200

06/30/90

Renaissance 326

Noncatalytic

8.0

63 %

9200-32900

06/30/90

Winrich International

P.O. Box 51

Bristol WI53104 ,

USA

414-857-7800

Winrich Pellet Stove

Pellet

1.6

78 %

8500-27900

12-23-97

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Winston Stove Company

13643 Fifth Street

Chino CA91710 ,

USA

909-591-7405

Model WP-18

Pellet

0.6

78 %

10000-21300

08/29/94

Model WP-24

Pellet

1.5

78 %

9700-29400

08/29/94

Wolf Steel Ltd.

9 Napoleon Road

Barrie ONL4M 4Y8 ,

Canada

705-721-1212

<http://www.napoleon.on.ca/>

1600C-1

Noncatalytic

7.2

63 %

9,200-33,400

07/15/2009

EPA1600C

Noncatalytic

5.4

63 %

12,375-28,127

1/29/2009

Napoleon 1000

Noncatalytic

6.5

63 %

10200-30800

06/14/93

Napoleon 1100

Noncatalytic

4.1

63 %

11700-32700

04/20/2008

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)	Expiration Date
Napoleon 1400	Noncatalytic	3.5	63 %	11500-33600	04/20/2008
Napoleon 1500	Noncatalytic	7.0	63 %	11700-23100	06/14/93
Napoleon 1900	Noncatalytic	2.9	63 %	11800-34000	04/20/2008
Napoleon 2000	Noncatalytic	3.2	63 %	11000-31100	07/29/93
Napoleon Prestige NZ-26	Noncatalytic	5.4	63 %	11500-27400	8/30/2009
Wolf's Casual Living					
6101 N Blackstone Avenue					
Fresno CA93710 ,					
USA					
559-431-6120					
BV	Catalytic	3.8	72 %	10800-35400	01/17/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Woodkiln Inc.

24 Jamestown Street

Sinclairville NY14782 ,

USA

(716) 962-8178

Woodkiln WK-23

Noncatalytic

3.8

63 %

10700-27200

7/15/98

Woodstock Soapstone Company, Inc.

66 Airpark Road

West Lebanon NH03784 ,

USA

603-298-5955

<http://www.woodstocksoapstone.com/>

Catalytic Fairview Soapstone Stove #201

Catalytic

3.5

72 %

13200-40000

7/26/2009

Catalytic Fireview Soapstone Stove #205

Catalytic

1.4

72 %

10900-42900

3/6/2011

Paladian Model 202 & Model 204

Catalytic

1.9

72 %

8500-35000

8/7/2007

Model Name

Emissions
(g/hr)

Efficiency

Heat Output
(BTU/hr)

Expiration
Date

Yunca Heating

P.O. Box 932
38 Bowmont Street
Invercargill ,
New Zealand

Yunca WEGJ E/481

Noncatalytic

5.0

63 %

10700-30300

06-28-98

Total number of certified stoves:

652

Efficiencies shown are default efficiencies. These stoves have not been laboratory tested for efficiency.

The default efficiencies are: noncatalytic wood heaters - 63%, catalytic wood heaters - 72% and pellet stoves - 78%.