




# 14 Inch Color TV

## FUNAI **200** MKII Color TV

- 181-Channel PLL Frequency Synthesized Tuning
- Automatic Channel Memory
- Last Channel Recall
- 21-Key Remote Control - All Functions including Menu
- Picture Control - Contrast, Brightness, Color, Tint, and Game Mode
- Bi-Lingual On-Screen Menu Display (English/Spanish)
- Control for On-Screen Menu on TV Front and On Remote Control
- Auto Sleep-Timer for Power Off
- Resume Power-On after brief power outage
- Closed Caption Decoder
- V Chip
- UL Listed, FCC Approved, DHHS
- Product Dimensions: 14.13" W x 12.75"H x 14.0"D
- Carton Dimensions: 15.75" W x 14.75"H x 16.75"D
- Weight: 18.7 lbs./22.0 lbs. in Carton
- Owner's Manual Printed in English and Spanish
- Energy Star
- 1,015 Sets/High Cube Container
- 875 Sets/40ft. Container
- UPC Code: 053818420508




On-Screen Menu Display

---


**FUNAI CORPORATION**  
 100 North Street  
 Teterboro, NJ 07606-1202

Telephone: **800-966-3862**


# BLOCK




# BLOCK DIAGRAM




# SCHEMATIC DIAGRAM




# C DIAGRAM







Point : A  
 1Div = 5ms  
 1Div = 20V




Point : E  
 1Div = 20us  
 1Div = 50V




Point : I  
 1Div = 20us  
 1Div = 2V




Point : B  
 1Div = 20us  
 1Div = 5V




Point : F  
 1Div = 10us  
 1Div = 100V




Point : J  
 1Div = 20us  
 1Div = 2V




Point : C  
 1Div = 20us  
 1Div = 250V




Point : G  
 1Div = 20us  
 1Div = 0.5V




Point : K  
 1Div = 5ms  
 1Div = 0.5V



Point : D  
 1Div = 20us  
 1Div = 2V




Point : H  
 1Div = 20us  
 1Div = 0.5V




Point : L  
 1Div = 20us  
 1Div = 2V







Point : I  
 1Div = 20us  
 1Div = 2V




Point : M  
 1Div = 20us  
 1Div = 2V




Point : Q  
 1Div = 20us  
 1Div = 50V




Point : J  
 1Div = 20us  
 1Div = 2V




Point : N  
 1Div = 20us  
 1Div = 2V




Point : R  
 1Div = 20us  
 1Div = 0.1V




Point : K  
 1Div = 5ms  
 1Div = 0.5V



Point : O  
 1Div = 20us  
 1Div = 50V



Point : L  
 1Div = 20us  
 1Div = 2V



Point : P  
 1Div = 20us  
 1Div = 50V

[www.s-manuals.com](http://www.s-manuals.com)