

Materials & Handling

CRANES, WINCHES, CASTORS, CHAIN & FITTINGS



99 Robinson Avenue Belmont WA 6104 1300 78 79 95 www.iims.com.au

OFFSHORE //
RESOURCE //
CONSTRUCTION //



AL-KO Vehicle Technology Aftermarket Product Range

Quality Components for a wide range of caravan, RV and trailer requirements.

- Unbraked Hub (& Stub) Kits
- Disc Brake Hub Kits
- Bearing Kits (incl Marine Trailers)
- Bearing protector kits
- Wheel stud & nut kits
- Grease cap sets
- Electric & Mechanical Drum Brakes
- Brake Caliper Kits
- Trailer Couplings
- Jockey Wheels
- Master Cylinders
- Wheel Clamps
- U-Bolt Kits
- Corner Steadys
- Trailer & Caravan winches

AL-KO has a complete range of Caravan, Trailer and RV accessory equipment to suit a multitude of applications. Quality, Reliable products that have been through rigorous quality control testing, so you can be assured when fitting an AL-KO product it is going to last.

Make sure you have AL-KO products on your shelf.



AL-KO Power Garden Equipment

Water Pump technology and Lawn care equipment from one of the worlds leading manufacturers.

- HWA 1001 – 1000Watt Electric Pump
- HW802 – 800Watt Electric Pump
- HW601 – 600Watt Electric Pump
- Jet 802 – Garden Transfer Pump
- Jet 601 – Garden Transfer Pump
- Drain 6001 – Dirty Water Sub Pump
- Sub 8001 – Clean Water Sub Pump
- Hydrocontrol Pressure Switch
- Water Pump Accessories Range
- T20-102HDE Ride on Tractor
- T18-102HDS Ride on Tractor
- T18-102HD Ride on Tractor
- Powerline 5200BR Lawn Mower
- 520BR Premium Lawn Mower
- 470BR Premium Lawn Mower

AL-KO now has a complete range of domestic, electric water pumps, along with submersible and accessories that are perfect for every garden and household requirement. With 2 and 3 year replacement warranties, and excellent suggested RRP, the AL-KO range is a customers dream

AL-KO also has a range of premium quality Ride on Tractors and Lawn Mowers – for the serious lawn enthusiast.



**5105
Slipper Spring**

- Full Range of Springs
- 1100Kg per Pair
- Eye to Slipper Spring
- 6mm to 8mm
- Full Range of Galvanised Springs



**5138
Shackle Spring**

- Full Range of Springs
- 1900Kg per Pair
- Eye to Eye Spring
- 6mm to 8mm
- Full Range of Galvanised Springs



**1907
Unbraked Hub**

- Full Range of Hubs
- Hubs with or without Bearings
- Full Range of PCD
- Stud Patterns
- Galvanised
- Black



**2112A
JOCKEY WHEEL**

- Full Range of Jockey Wheels
- With or without clamps
- Full range of jacks available




**1920
Braked Hubs**

- Full Range of Hub/Drums
- Electric Braked Hub/Drums
- Mechanical Braked Hub/Drums
- Hydraulic Braked Hub/Drums
- S.Cam Brakes



Axles

- Full Range of Axles
- 39 Round
- 40 Square
- 45 Square
- 50 Square
- Galvanised
- Black




**1602
Electric Brake Plate**

- 10" Electric Brake Plate
- 12" Electric Brake Plate



**1604
Mechanical Brake Plate**

- 9" Mechanical Brake Plate
- 9" Hydraulic Brake Plate





BEL1103S

BEL- 1 Beaver Liftall Electric Chain Hoists

- (240volt 50Hz single phase) Complies with AS1418.2-2004
- 1000Kg x 3m lift height
- Other capacities & lift heights available
- Single phase electric trolleys also available.
- Also available in 415v 50Hz three phase Hoists & Trolleys



CSA072225

Beaver Grade 80 Double Leg Chain Sling with Clevis Sling Hook

- Complete with Safety latches & 2 Shortening Grab Hooks
- Complies to AS3775.1-2004
- Chain size 7mm
- Effective Length 2m
- WLL @60° 2600kg
- Pre-tested & supplied with NATA Test Certificate, Stainless steel Safety Tag 7 & Reusable PVC bucket & Lid.
- Other sizes & configurations Available



500103M

Beaver Colour Coded 3G Industrial Manual Chain Blocks

- Complies to AS1418.2 & CE approved
- Colour coded to match international lifting standards.
- Capacity 1000kg
- Lift Height 3m
- Colour Violet
- Other capacities & configurations available



504075M

Beaver Colour Coded 3G Industrial Manual Chain Lever Blocks

- Complies to AS1418.2 & CE approved
- Colour coded to match international lifting standards.
- Capacity 750kg
- Lift Height 1.5m
- Colour White
- Other capacities & configurations available



100306PP

Beaver Regular Link Mild Steel Hardware Chain

- 6mm x 60m Hot Dipped Galvanised
- Pre packed 50kg Handy Hardware Display Pail
- Not to be used for lifting
- Other sizes available:

100304PP	4mm
100308PP	8mm
100310PP	10mm
100312PP	13mm



RTD055PL

50mm x 11m Ratchet Tie Down

- 2500kg Lashing Capacity
- Complete with Hook & Keeper
- Complies to AS/NZS 4380-2001



347010HD

Beavers Truckers Silver Lashing Rope

- Complies to AS 4142.2 1993
- 3 strand Polyethelene - Ultra violet treated
- 10mm x 12m (cartons of 10)
- Other sizes & styles of rope available



145128

8mm x 9m Grade 70 Load Chain Kit Complete with Grab Hooks Each End

- Lashing capacity 3800kg
- Other sizes & configurations available
- Not to be used for lifting



342601

Beaver Hand Pallet Trucks

- Powder coated finis
- Complete with PU wheels &
- Complies to AS2615
- Other style & Finishes Available






2 speed 5:1 / 1:1 Ratio Boat Trailer Winch

- Rated capacity – 700kg
- Multiple options to suit all conditions
- Heat treated gears for strength
- Zinc plated for corrosion protection
- Spare parts availability
- 12 months warranty
- Technical support

Model Number
F10217 (Displayed) –
See listing below



Model (Pulling)	No Cover	Cover	Galvanised
Webbing	F10206	F10206WC	F10206G
Fibre Rope (Ø6mm)	F10207	F10207WC	F10207G
Winch only	F10218	F10218WC	
Cable (Ø5mm)	F10217	F10217WC	

8000 series Brake Winch

- Rated capacity – 3:1/200kg, 5:1/300kg, 10:1/500kg
- Multiple options to suit all conditions
- Heat treated gears for strength
- Zinc plated for corrosion protection
- Fully enclosed self actuated brake
- Spare parts availability
- 12 months warranty
- Technical support

Model Number
F18260 (displayed) –
See listing below



Model (Lifting)	3:1 Ratio	5:1 Ratio	10:1 Ratio
Fibre Rope (Ø6mm)	F18215	F18235	F18265
Winch only	F18220	F18240	F18280
Cable (Ø5mm)	F18210	F18230	
Cable (Ø6mm)			F18260

3 speed 10:1 / 5:1 / 1:1 Ratio Boat Trailer Winch

- Rated capacity
- F10950 / 52 - 800kg
- F10949 / 53 - 1000kg
- Multiple options to suit all conditions
- Heat treated gears for strength
- Zinc plated for corrosion protection
- Spare parts availability
- 12 months warranty
- Technical support

Model Number
F10949 (displayed) –
See listing below



Model (Pulling)	No Cover	Cover	Galvanised
Webbing	F10952	F10952WC	F10952G
Fibre Rope (Ø6mm)	F10949	F10949WC	F10949G
Winch only	F10951	F10951WC	
Cable (Ø5mm)	F10950	F10950WC	
Cable (Ø6mm)	F10953	F10953WC	

600 series Brake Winch

- Rated capacity – 8:1/630kg – 15:1/1250kg
- Zinc plated (components) and powder coated finish
- Self actuating brake mechanism
- Spare parts availability
- 12 months warranty
- Technical support

Model Number
F11650 (displayed) –
See listing below



Model (Lifting)	5:1 Ratio	15:1 Ratio
Winch only	F11620	F11650



Jarret Backsaver Cranes

- Sturdy construction • Low maintenance • Accurate positioning of loads
- Easy assembly and securing when not in use
- 360 degree mechanical slewing by worm drive gear
- Simple, but effective operation • Extendable boom easily extended / retracted
- Spare parts availability • 12 months warranty • Technical support

Jarret Backsaver Cranes 300kg

Model Number
F12643 (displayed)
– See listing below



Model Number	Description
F12643	Backsaver Crane (BSC) with cable
F12643R	BSC with rope
F12643G	Galvanised BSC
F12643GR	Galvanised BSC with rope
F12696E12	BSC with Electric Winch 12V
F12696E24	BSC with Electric Winch 24V
F13643W	BSC powder coated white with cable
F13643WR	BSC powder coated white with rope

Jarret Backsaver Cranes 500kg

Model Number
F19001 (displayed) –
See listing below



Model Number	Description
F19001	Backsaver Crane (BSC) with cable
F19001R	BSC with rope
F19001E12	BSC with Electric Winch 12V
F19001E24	BSC with Electric Winch 24V
F19001W	BSC powder coated white with cable
F19001WR	BSC powder coated white with rope

Jarret Galvanised Boat Trailer Winches (NEW)

Model Number
F0202G (displayed) –
See listing below



Boat Trailer Winch Model:	3:1 ratio (500kg)	5:1 ratio (700kg)
Webbing	F10202G	F10204G
Fibre Rope (Ø6mm)	F10203G	F10205G

Boat Trailer Winch Model:	2 speed 5:1 / 1:1 ratio (700kg)	3 speed 10:1/5:1/1:1 ratio (800kg)
Webbing	F10206G	F10952G
Fibre Rope (Ø6mm)	F10207G	F10949G

Jarret 25:1 ratio Worm Drive Winches 300kg

Model Number
F10382 (displayed) –
See listing below



Narrow Body

Model Number	Description
F10380	w/ handle and cable
F10381	w/ handle only
F10388	w/ handle and rope
F10382	w/ D-drive and cable (as shown)
F10383	w/ D-drive only
F10389	w/ D-drive and rope

Wide Body

Model Number	Description
F10384	w/ split drum and handle
F10385	w/ split drum and D-drive
F10386	w/ handle only
F10387	w/ D-drive only



Materials & Handling

Contents

FW71500 Large Refrigerator Handtruck - Stairclimber

- Ideal for large refrigerators, and large items of furniture
- Heavy duty construction powder coated in yellow
- Fully welded frame gives maximum strength and longevity
- Ratchet safety strap and jockey wheels fitted as standard
- Plastic protector strips to help prevent damage to the load
- Three wheel options available to suit most applications



FW71508 Multi Purpose Pram Handled Handtruck – Pneumatic Wheel

- Solid construction for strength and fully powder coated in green
- Full welded frame for strength and longevity
- Straight back frame and ergonomically designed pram style handle offers better comfort and control with single handed use
- Width = 512mm
- Ideal for transporting papers and magazines, cartons and boxes in the office and delivery industries



FW71510 Medium Duty Handtruck - Pneumatic Wheels

- Medium duty construction for extra strength and fully powder coated in blue
- Fully welded frame gives maximum strength and longevity
- Contoured back frame and ergonomically designed handles offer better comfort and control
- Two wheel options to suit most applications
- Width = 512mm
- Ideal for transporting sacks, bags, drums and containers in the landscaping and process industries



FW71015 Double Oxy Handtruck - Pneumatic Wheels

- Robust construction for extra strength and fully powder coated in blue
- Fully welded frame gives maximum strength and longevity
- Safety chains provided to secure cylinders
- Solid shoe with wide lips
- Larger 16" diameter tyres for ease of movement
- Width - 840mm
- Used for the storage and movement of "G" sized oxygen and acetylene gas cylinders



FW15001 Master Builder's Barrow

- | | |
|----------------|--|
| Tray | <ul style="list-style-type: none"> • Powder coated steel tray • Heavy duty moulded shock board • InvisiBolt tray locking system • Wedges to position tray for easy control |
| Handles | <ul style="list-style-type: none"> • Galvanised steel 57mm x 35mm • Countoured grips for easy use & control |
| Frame | <ul style="list-style-type: none"> • Heavy duty 32mm tubular steel frame, galvanised & powdercoated • Welded with double brace |
| Wheel | <ul style="list-style-type: none"> • Available in 4" standard tread (FW15000) & 6.5" Block tread (FW15001) • 25mm steel bearings |



FW14000 XHD Master Builder's Barrow - 4" Block Tread Wheel

- Extra heavy duty powder coated steel tray 1.2mm
- Extra heavy duty moulded shock board
- InvisiBolt™ tray locking system
- Galvanised, steel handles 57mm x 35mm
- Contoured grips for easy use and control
- Extra heavy duty 32mm galvanised powder coated tube
- Extra heavy duty tipping guard with lifting hook
- Available in 6 1/2" Block Tread or 4" Block Tread
- 25mm steel bearings



FW17000 XHD NarraBarra - 4" Block Tread Wheel

- 550mm wide tray (20% narrower than conventional trays)
- Black poly tray with a pouring lip
- 32mm galvanised powder coated tube handles
- Contoured grips for easy use and control
- Extra heavy duty 32mm galvanised powder coated tube
- Welded with double brace
- Extra heavy duty foot pads
- Extra heavy duty one piece handle and tipping guard
- 4" Block Tread • 25mm steel bearings



FW15003 Master Builder's Poly - Wide Wheel

- Heavy duty moulded shock board
- InvisiBolt™ tray locking system on steel tray
- Wedges to position tray for easy load control
- Galvanised, steel handles 57mm x 35mm
- Contoured grips for easy use and control
- Heavy duty 32mm galvanised powder coated tube
- Welded with double brace
- Heavy duty tipping guard
- Available in 6 1/2" Block Tread or 4" Standard Tread
- 25mm steel bearings





Materials & Handling

Contents

FW71500 Large Refrigerator Handtruck - Stairclimber

- Ideal for large refrigerators, and large items of furniture
- Heavy duty construction powder coated in yellow
- Fully welded frame gives maximum strength and longevity
- Ratchet safety strap and jockey wheels fitted as standard
- Plastic protector strips to help prevent damage to the load
- Three wheel options available to suit most applications




FW71508 Multi Purpose Pram Handled Handtruck – Pneumatic Wheel

- Solid construction for strength and fully powder coated in green
- Full welded frame for strength and longevity
- Straight back frame and ergonomically designed pram style handle offers better comfort and control with single handed use
- Width = 512mm
- Ideal for transporting papers and magazines, cartons and boxes in the office and delivery industries



FW71510 Medium Duty Handtruck - Pneumatic Wheels

- Medium duty construction for extra strength and fully powder coated in blue
- Fully welded frame gives maximum strength and longevity
- Contoured back frame and ergonomically designed handles offer better comfort and control
- Two wheel options to suit most applications
- Width = 512mm
- Ideal for transporting sacks, bags, drums and containers in the landscaping and process industries



FW71015 Double Oxy Handtruck - Pneumatic Wheels

- Robust construction for extra strength and fully powder coated in blue
- Fully welded frame gives maximum strength and longevity
- Safety chains provided to secure cylinders
- Solid shoe with wide lips
- Larger 16" diameter tyres for ease of movement
- Width - 840mm
- Used for the storage and movement of "G" sized oxygen and acetylene gas cylinders



FW15001 Master Builder's Barrow

- | | |
|----------------|--|
| Tray | <ul style="list-style-type: none"> • Powder coated steel tray • Heavy duty moulded shock board • InvisiBolt tray locking system • Wedges to position tray for easy control |
| Handles | <ul style="list-style-type: none"> • Galvanised steel 57mm x 35mm • Countoured grips for easy use & control |
| Frame | <ul style="list-style-type: none"> • Heavy duty 32mm tublar steel frame, galvanised & powdercoated • Welded with double brace |
| Wheel | <ul style="list-style-type: none"> • Available in 4" standard tread (FW15000) & 6.5" Block tread (FW15001) • 25mm steel bearings |



FW14000 XHD Master Builder's Barrow - 4" Block Tread Wheel

- Extra heavy duty powder coated steel tray 1.2mm
- Extra heavy duty moulded shock board
- InvisiBolt™ tray locking system
- Galvanised, steel handles 57mm x 35mm
- Contoured grips for easy use and control
- Extra heavy duty 32mm galvanised powder coated tube
- Extra heavy duty tipping guard with lifting hook
- Available in 6 1/2" Block Tread or 4" Block Tread
- 25mm steel bearings



FW17000 XHD NarraBarra - 4" Block Tread Wheel

- 550mm wide tray (20% narrower than conventional trays)
- Black poly tray with a pouring lip
- 32mm galvanised powder coated tube handles
- Contoured grips for easy use and control
- Extra heavy duty 32mm galvanised powder coated tube
- Welded with double brace
- Extra heavy duty foot pads
- Extra heavy duty one piece handle and tipping guard
- 4" Block Tread • 25mm steel bearings



FW15003 Master Builder's Poly - Wide Wheel

- Heavy duty moulded shock board
- InvisiBolt™ tray locking system on steel tray
- Wedges to position tray for easy load control
- Galvanised, steel handles 57mm x 35mm
- Contoured grips for easy use and control
- Heavy duty 32mm galvanised powder coated tube
- Welded with double brace
- Heavy duty tipping guard
- Available in 6 1/2" Block Tread or 4" Standard Tread
- 25mm steel bearings

