Cisco Networking Academy Lab Equipment Promotion Ordering Information Revised February 1, 2016

General information:

The intent of the Networking Academy promotion is to provide a vehicle for Cisco Networking academies around the world to purchase the recommended lab equipment required to deliver hands-on skills based assessment labs for Cisco Networking Academy curriculum at a preferred discount.

Only the specific equipment and associated services recommended by Cisco for delivery of Networking Academy curriculum is included in the promotion. See specific equipment lists in the Products & Services section of this document-page 2.

Eligibility: All Networking Academy member institutions with a CCNA trained instructor actively teaching CCNA, CCNA Security, or CCNP are eligible to participate in the Networking Academy equipment promotion.

How to order: Academy institutions should work with their local Cisco Reseller Partner of choice for equipment pricing information and order fulfillment. To locate a Cisco Partner/Reseller, please use the Partner Locator Tool Found here: http://tools.cisco.com/WWChannels/LOCATR/openBasicSearch.do
The following information should be provided to the chosen Cisco Partner in order to confirm eligibility and negotiate the most favorable pricing for the partner/reseller on behalf of the academy institution.

Academy Institution Name & ID#: Full Name of the Institution Purchasing the Equipment and Cisco Academy ID # as displayed in the Academy Locator (If not known, this information is the number displayed in parenthesis after the academy name/address information accessible through the Academy Locator url: https://www.netacad.com/web/about-us/academy-locator) *Please select the Name/ID search option.*

For assistance or questions regarding the Networking Academy Lab Equipment Fulfillment Promotion, please email: eem-academyapproval@cisco.com.

Product Order Quantity Limits: An academy is not permitted to order more than the total quantity indicated below <u>per quarter</u>:

- 10 CCNA bundles
- 10 CCNA Security bundles
- 4 CCNP bundles
- 10 of each product add-on

If a request exceeds the maximum quantity limits indicated above, deal approval authorization from the NetAcad CSR Manager and/or NetAcad Regional Manager will be required.

PROMOTION ELIGIBLE PRODUCTS & SERVICES

Cisco reserves the right to modify or discontinue the Networking Academy™ Equipment Discount Program at any time without prior notice or liability. Only the promotion eligible products and services listed below are eligible for the Networking Academy promotional discount. Please note part number substitutions required in Brazil and Russia where select locally manufactured product versions must be substituted for global product versions.

Bundle Name	Part Number	Part/Product Family Description	Quantity
BUNDLE CCNA - CCNA BASIC CORE			
NOTE FOR ACADEMY AWARENESS: CCNA Routing &			
Switching curriculum lab delivery currently requires Qty 2 of	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	3
any wireless router that is readily available in the local region that offers the following functionality:	CAB-CONSOLE-RJ45=	Console Cable off with RJ45 and DB9F	3
- Compatibility with 802.11 b/g/n			
- Compatibility with IPv6	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	3
- 4 Gigabit or 4 Fast Ethernet ports			
- WPA2 encryption	040 00 1/0550	VOS Ochle DOS Sevente de Organi Ochiel 40 Sept	0
While no promotional discount is/can be provided by Cisco for this product, the chosen Cisco Reseller Partner, at their	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	3
discretion, may be able to assist the Networking Academy			
with procuring this product in order to provide a complete	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	3
CCNA Routing & Switching curriculum delivery solution.			
	010004044440	0; 4044 /0 0F 0 FINNIO 14 0FOND 0F 540ND DDANAID D	
	CISCO1941/K9 HWIC-2T=	Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base 2-Port Serial WAN Interface Card	3
	WS-C2960+24TC-L	2-Poit Serial WAIN Interface Card	3
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE; IN RUSSIA		
	SUBSTITUTE WS- C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	3
BUNDLE CCNA - CCNA STANDARD CORE	C2900K+241C-L	Catalyst 2900 24 10/100 + 2 1000B1 LAN Base Image	<u> </u>
NOTE FOR ACADEMY AWARENESS: CCNA Routing &	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	3
Switching curriculum lab delivery currently requires Qty 2 of	07.12 0 0 1 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1		
any wireless router that is readily available in the local region			
that offers the following functionality:	0.00.000.00.000		
- Compatibility with 802.11 b/g/n - Compatibility with IPv6	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	3
- 4 Gigabit or 4 Fast Ethernet ports			
- WPA2 encryption			
While no promotional discount is/can be provided by Cisco	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	3

for this product, the Partner, at their discretion, may be able to assist the Networking Academy end customer with			
procuring this product in order to provide a complete CCNA Routing & Switching curriculum delivery solution.	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	3
Routing & Switching curriculum delivery solution.	CISCO2901/K9	Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base	3
	HWIC-2T=	2-Port Serial WAN Interface Card	3
	WS-C2960+24TC-L	2 For Condi 177 II Cindo Card	
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE; IN RUSSIA		
	SUBSTITUTE WS- C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	3
BUNDLE CCNA - CCNA PREMIUM CORE	C2900R+241C-L	Catalyst 2900 24 10/100 + 2 1000B1 LAN Base Illiage	3
NOTE FOR ACADEMY AWARENESS: CCNA Routing &			
Switching curriculum lab delivery currently requires Qty 2 of			
any wireless router that is readily available in the local region			
that offers the following functionality:	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	3
- Compatibility with 802.11 b/g/n			
- Compatibility with IPv6			
- 4 Gigabit or 4 Fast Ethernet ports	CAR CONSOLE LISP	Canada Cabla C 4 with LICE Time A and mini B	3
- WPA2 encryption While no promotional discount is/can be provided by Cisco	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	3
for this product, the chosen Cisco Reseller Partner, at their			
discretion, may be able to assist the Networking Academy			
with procuring this product in order to provide a complete	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	3
CCNA Routing & Switching curriculum delivery solution.			
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	3
	CISCO2911/K9	V.33 Cable, DTE Male to Small Senal, 10 Feet	3
	NOTE: IN BRAZIL-		
	SUBSTITUTE		
	CISCO2911BR/K9=		
	NOTE; IN RUSSIA		
	SUBSTITUTE	Cinca 2044 w/2 CE 4 FLINNIC 2 DCD 4 CM 250MD CE 542MD DDAM IDD	
	CISCO2911R/K9	Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512MB DRAM,IPB	3
	HWIC-2T= WS-C2960+24TC-L	2-Port Serial WAN Interface Card	3
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE; IN RUSSIA		
	SUBSTITUTE WS-	0.41.40000.0440/400.040000.071444.0	
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	3
BUNDLE CCNAS - CCNA SECURITY BASIC CORE	AOAEEOE DUNING		
	ASA5505-BUN-K9 NOTE: IN RUSSIA	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES	
	SUBSTITUTE	NOTE: IN RUSSIA ASA 5505 Appliance with SW, 10 Users, 8 ports,	
	ASA5505-K8	DES	₁
		1	

	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	4
	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	3
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	3
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	3
	CISCO1941/K9	Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base	1
	CISCO1941-SEC/K9	Cisco 1941 Security Bundle w/SEC license PAK	2
	HWIC-2T=	2-Port Serial WAN Interface Card	3
	WS-C2960+24TC-L	2 Fort Sorial With Interface Said	
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE; IN RUSSIA		
	SUBSTITUTE WS-		_
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	3
BUNDLE CCNAS - CCNA SECURITY STANDARD CORE			
	ASA5505-BUN-K9	100	
	NOTE: IN RUSSIA	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES	
	SUBSTITUTE ASA5505-K8	NOTE: IN RUSSIA ASA 5505 Appliance with SW, 10 Users, 8 ports, DES	4
			1 1
	CAB CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	4
	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	3
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	3
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	3
	CISCO2901/K9	Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base	11
	CISCO2901-SEC/K9	Cisco 2901 Security Bundle w/SEC license PAK	2
	HWIC-2T=	2-Port Serial WAN Interface Card	3
	WS-C2960+24TC-L		
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS- C2960+24TC-BR=		
	NOTE: IN RUSSIA		
	SUBSTITUTE WS-		
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	3
BUNDLE CCNAS - CCNA SECURITY PREMIUM CORE			
BONDEL GONA GEGORITT TREMION CORE	ASA5505-BUN-K9		
	NOTE: IN RUSSIA	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES	
	SUBSTITUTE	NOTE: IN RUSSIA ASA 5505 Appliance with SW, 10 Users, 8 ports,	
	ASA5505-K8	DES	1
	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	4
	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	3
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	3
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	3
	CISCO2911/K9	, , , , , , , , , , , , , , , , , , , ,	-
	NOTE: IN BRAZIL-		
	SUBSTITUTE		
	CISCO2911BR/K9=		
	NOTE: IN RUSSIA	0' 0044 /0 05 4 5	
	SUBSTITUTE	Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512MB DRAM,IPB	1

	CISCO2911R/K9		Í
	CISCO2911-SEC/K9		
	NOTE: IN BRAZIL-		
	SUBSTITUTE		
	C2911BR-SEC/K9=		
	NOTE: IN RUSSIA		
	SUBSTITUTE		_
	CISCO2911R-SEC/K9	Cisco 2911 Security Bundle w/SEC license PAK	2
	HWIC-2T=	2-Port Serial WAN Interface Card	3
	WS-C2960+24TC-L		
	NOTE: IN BRAZIL- SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE: IN RUSSIA		
	SUBSTITUTE WS-		
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	3
BUNDLE CCNP - CCNP BASIC CORE			
	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	4
	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	4
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	5
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	5
	CISCO1941-SEC/K9	Cisco 1941 Security Bundle w/SEC license PAK	4
	HWIC-2T=	2-Port Serial WAN Interface Card	5
	WS-C2960+24TC-L	2-Port Serial WAIN Interface Card	3
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE; IN RUSSIA		
	SUBSTITUTE WS-		
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	2
	WS-C3650-24TS-E	Cisco Catalyst 3650 24 Port Data 4x1G Uplink IP Services	
			2
BUNDLE CCNP - CCNP STANDARD CORE			
	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	4
	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	4
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	5
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	5
	CISCO2901-SEC/K9	Cisco 2901 Security Bundle w/SEC license PAK	4
	HWIC-2T=	2-Port Serial WAN Interface Card	5
	WS-C2960+24TC-L		
	NOTE: IN		
	BRAZILSUBSTITUTE		
	WS-C2960+24TC-BR=		
	NOTE: IN RUSSIA		
	SUBSTITUTE WS-		
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	2
	WS-C3650-24TS-E	Cisco Catalyst 3650 24 Port Data 4x1G Uplink IP Services	
			2

BUNDLE CCNP - CCNP PREMIUM CORE			
	CAB-CONSOLE-RJ45=	Console Cable 6ft with RJ45 and DB9F	4
	CAB-CONSOLE-USB=	Console Cable 6 ft with USB Type A and mini-B	4
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	5
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	5
	CISCO2911-SEC/K9		
	NOTE: IN		
	BRAZILSUBSTITUTE		
	C2911BR-SEC/K9=		
	NOTE: IN RUSSIA SUBSTITUTE		
	CISCO2911R-SEC/K9	Cisco 2911 Security Bundle w/SEC license PAK	4
	HWIC-2T=	2-Port Serial WAN Interface Card	5
	WS-C2960+24TC-L		<u> </u>
	NOTE: IN BRAZIL-		
	SUBSTITUTE WS-		
	C2960+24TC-BR=		
	NOTE: IN RUSSIA		
	SUBSTITUTE WS-	Catalyst 2000 24 40/400 + 2 4000PT AN Page Impre	0
	C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	2
	WS-C3650-24TS-E	Cisco Catalyst 3650 24 Port Data 4x1G Uplink IP Services	2
			2

PRODUCT ADD-ON OPTIONS

* To qualify for the equipment discount, quantity limitation of 1-10 units per product will be monitored.



Mind Wide Open™

Cisco reserves the right to modify or discontinue the Networking Academy™ Equipment Discount Program at any time without prior notice or liability.

Name	Part Number	Part/ Family Description	Quantity
Base Router 1941	CISCO1941/K9	Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base	1-10
Optional Router 1921	CISCO1921/K9 NOTE: IN BRAZIL SUBSTITUTE CISCO1905BR/K9=	C1921 Modular Router, 2 GE, 2 EHWIC slots, 512DRAM, IP Base	1-10

Base Router 2901	CISCO2901/K9	Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base	1-10
Base Router 2911	CISCO2911/K9 NOTE: IN BRAZIL SUBSTITUTE CISCO2911BR/K= NOTE: IN RUSSIA SUBSTITUTE CISCO2911R/K9	Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512MB DRAM,IPB	1-10
Security Router 1941	CISCO1941-SEC/K9	Cisco 1941 Security Bundle w/SEC license PAK	1-10
Security Router 2901	CISCO2901-SEC/K9	Cisco 2901 Security Bundle w/SEC license PAK	1-10
Security Router 2911	CISCO2911-SEC/K9 NOTE: IN BRAZIL SUBSTITUTE C2911BR-SEC/K9= NOTE: IN RUSSIA SUBSTITUTE CISCO2911R- SEC/K9	Cisco 2911 Security Bundle w/SEC license PAK	1-10
Multilayer Switch for CCNP R&S	WS-C3650-24TS-E	Cisco Catalyst 3650 24 Port Data 4x1G Uplink IP Services	1-10
OPTIONAL Multilayer Switch for CCNP R&S	WS-C3650-24PS-E	Cisco Catalyst 3650 24 Port PoE 4x1G Uplink IP Services	1-10
Layer 2 Switch	WS-C2960+24TC-L NOTE: IN BRAZIL SUBSTITUTE WS- C2960+24TC-BR= NOTE: IN RUSSIA SUBSTITUTE WS- C2960R+24TC-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image	1-10
Layer 2 48 port Switch for NetLab	WS-C2960+48TC-L NOTE: IN RUSSIA SUBSTITUTE WS- C2960R+48TC-L	Catalyst 2960 Plus 48 10/100 + 2 T/SFP LAN Base	1-10
ASA5505	ASA5505-BUN-K9 NOTE: IN RUSSIA SUBSTITUTE ASA5505-K8	ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES NOTE: IN RUSSIA ASA 5505 Appliance with SW, 10 Users, 8 ports, DES	1-10
WAN Interface Card	HWIC-2T=	2-Port Serial WAN Interface Card	1-10
Serial Cable *	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet	1-10
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	1-10
Rackmount Kit	ACS-1941-RM-19=	19 inch rack mount kit for Cisco 1941/1941W ISR	1-10

16 port serial card for NetLab	HWIC-16A=	16-Port Async HWIC	1-10
Octo Cable for NetLab	CAB-HD8-ASYNC	High Density 8-port EIA-232 Async Cable	1-10
RJ45 Console Cable	CAB-CONSOLE- RJ45=	Console Cable 6ft with RJ45 and DB9F	1-10
USB Console Cable	CAB-CONSOLE- USB=	Console Cable 6 ft with USB Type A and mini-B	1-10

OPTIONAL SERVICE PRODUCT ADD-ON OPTIONS

NOTE: NETWORKING ACADEMY ONLY RECOMMENDS AND PROVIDES A PROMOTIONAL DISCOUNT FOR SMBS LEVEL SERVICE PRODUCTS, WHERE AVAILABLE, AND WHERE SMBS LEVEL IS NOT AVAILABLE, PROVIDES A PROMOTIONAL DISCOUNT FOR SNT LEVEL SERVICE PRODUCTS FOR ACADEMIES THAT NEED HARDWARE REPLACEMENT SERVICE COVERAGE. PLEASE VERIFY THAT ALL SERVICES REGISTERED AGAINST THE NETWORKING ACADEMY PROMOTION ARE THE APPROPRIATE SERVICE LEVEL TO HELP ENSURE DEAL APPROVAL. DUE TO GLOBAL AVAILABILITY OF NETWORKING ACADEMY MAINTENANCE, ORDERING SERVICE PRODUCTS IS OPTIONAL UNLESS ACADEMIES NEED HARDWARE REPLACEMENT SERVICE COVERAGE.



Cisco reserves the right to modify or discontinue the Networking Academy™ Equipment Discount Program at any time without prior notice or liability.

Service Name	Part Number	Part/Product Family Description	*Quantity* Should =Corresponding Hardware Quantity
CCNA BASIC CORE*	CON-SMBS-WSC296TC NOTE: IN BRAZIL- SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*

	CON-SMBS-1941	SMBS 8X5XNBD Cisco 1941 w/2 GE,Cisco 1941 w/2 GE,2 EHWIC slo	*
CCNA PREMIUM CORE*	CON-SMBS-WSC296TC NOTE: IN BRAZIL- SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
	CON-SNT-2911 NOTE: IN BRAZIL SUBSTITUTE CON-SNT- C2911BR NOTE: IN RUSSIA SUBSTITUTE CON-SNT- CSC2911R	SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4	*
CCNA STANDARD CORE*	CON-SMBS-WSC296TC NOTE: IN BRAZIL- SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
	CON-SNT-2901	SMARTNET 8X5XNBD Cisco 2901	*
CCNA SECURITY BASIC CORE*	CON-SMBS-AS5BUNK9 NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-AS5K8	SMBS 8X5XNBD ASA5505-BUN-K9 NOTE: IN RUSSIA SMBS 8X5XNBD ASA5505-K8	*
	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
	CON-SMBS-1941	SMBS 8X5XNBD Cisco 1941 w/2 GE,Cisco 1941 w/2 GE,2 EHWIC slo	*
	CON-SMBS-1941SEC	SMBS 8X5XNBD Cisco 1941 w/2 GE,Cisco 1941 Security Bundle w/	*
CCNA SECURITY PREMIUM CORE*	CON-SMBS-AS5BUNK9 NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-AS5K8	SMBS 8X5XNBD ASA5505-BUN-K9 NOTE: IN RUSSIA SMBS 8X5XNBD ASA5505-K8	*
	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON-	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*

	SMBS-WS6024PC		
	CON-SNT-2911 NOTE: IN BRAZIL SUBSTITUTE CON-SNT- C2911BR NOTE: IN RUSSIA SUBSTITUTE CON-SNT- CSC2911R	SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4	*
	CON-SNT-2911SEC NOTE: IN BRAZIL SUBSTITUTE CON-SNT- C2911BRS NOTE: IN RUSSIA SUBSTITUTE CON-SNT- CISC291SE	SMARTNET 8X5XNBD Cisco 2911 Security	*
CCNA SECURITY STANDARD CORE*	CON-SMBS-AS5BUNK9 NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-AS5K8	SMBS 8X5XNBD ASA5505-BUN-K9 NOTE: IN RUSSIA SMBS 8X5XNBD ASA5505-K8	*
	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
	CON-SNT-2901	SMARTNET 8X5XNBD Cisco 2901	*
	CON-SNT-2901SEC	SMARTNET 8X5XNBD Cisco 2901 Security	*
CCNP BASIC CORE*	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
	CON-SMBS-WS5024SE	SMBS 8X5XNBD Cisco Catalyst 3650 24 Port PoE 4x1G Upl	*
	CON-SMBS-1941SEC	SMBS 8X5XNBD Cisco 1941 w/2 GE,Cisco 1941 Security Bundle w/	*
CCNP STANDARD CORE*	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*

	CON-SMBS-WS5024SE	SMBS 8X5XNBD Cisco Catalyst 3650 24 Port Data 4x1G Up	*
	CON-SNT-2901SEC	SMARTNET 8X5XNBD Cisco 2901 Security	*
CCNP PREMIUM CORE*	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
	CON-SMBS-WS5024SE	SMBS 8X5XNBD Cisco Catalyst 3650 24 Port Data 4x1G Up	*
	CON-SMBS-WS6524PS	SMBS 8X5XNBD Cisco Catalyst 3650 24 Port PoE 4x1G Upl	*
	CON-SNT-2911SEC NOTE: IN BRAZIL SUBSTITUTE CON-SNT- C2911BRS NOTE: IN RUSSIA SUBSTITUTE CON-SNT- CISC291SE	SMARTNET 8X5XNBD Cisco 2911 Security	*
1921 Optional Router	CON-SMBS-CISCO192 NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-CISCO195R	SMBS 8X5XNBD C1921 Modular Router	*
1941 Base Router	CON-SMBS-1941	SMBS 8X5XNBD Cisco 1941 w/2 GE,Cisco 1941 w/2 GE,2 EHWIC slo	*
2901 Base Router	CON-SNT-2901	SMARTNET 8X5XNBD Cisco 2901	*
2911 Base Router	CON-SNT-2911 NOTE: IN BRAZIL SUBSTITUTE CON-SNT- C2911BR NOTE: IN RUSSIA SUBSTITUTE CON-SNT- CSC2911R	SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4	*
1941 Security Router	CON-SMBS-1941SEC	SMBS 8X5XNBD Cisco 1941 w/2 GE,Cisco 1941 Security Bundle w/	*
2901 Security Router	CON-SNT-2901SEC	SMARTNET 8X5XNBD Cisco 2901 Security	*
2911 Security Router	CON-SNT-2911SEC NOTE: IN BRAZIL SUBSTITUTE CON-SNT- C2911BRS NOTE: IN RUSSIA SUBSTITUTE CON-SNT-	SMARTNET 8X5XNBD Cisco 2911 Security	*

	CISC291SE		
2960 Layer 2 Switch	CON-SMBS-WSC296TC NOTE: IN BRAZIL SUBSTITUTE CON- SMBS-WS24TCBR NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WS6024PC	SMBS 8X5XNBD Catalyst 2960 24 10/100 + 2 1000BT LAN	*
2960 Layer 2 48 port Switch for NetLab	CON-SMBS-WSC2968C NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-WSC248CL	SMBS 8X5XNBD Catalyst 2960 Plus 48 10/100 + 2 T/SFP L	*
3650 Multilayer Switch for CCNP R&S	CON-SMBS-WS5024SE	SMBS 8X5XNBD Cisco Catalyst 3650 24 Port Data 4x1G Up	*
OPTIONAL 3650 Multilayer Switch for CCNP R&S when switch is primarily used for Voice related curriculum delivery	CON-SMBS-WS6524PS	SMBS 8X5XNBD Cisco Catalyst 3650 24 Port PoE 4x1G Upl	*
ASA5505	CON-SMBS-AS5BUNK9 NOTE: IN RUSSIA SUBSTITUTE CON- SMBS-AS5K8	SMBS 8X5XNBD ASA5505-BUN-K9 NOTE: IN RUSSIA SMBS 8X5XNBD ASA5505-K8	*