INTERIOR WORK

FEIN. Powered by innovation.



FEIN MULTIMASTER ► FMM 250 ► FMM 250 Q FEIN MULTIMASTER The universal system for interior work and renovation



After 40 years of oscillating technology expertise: The new FEIN MULTIMASTER Generation.

Made in Germany, the new generation of the MULTIMASTER system for interior work and renovation is here: The new FEIN MULTIMASTER was developed from the unique experience that FEIN has acquired over the last 40 years of oscillation technology. With its oscillating movement and user-friendly accessories, the FEIN MULTIMASTER is an unbeatably versatile, high-precision specialty tool – perfect for all professional outfitting, renovation and repair work. A solution from FEIN, the premier manufacturer of professional and highly reliable power tools.

On the following pages you will find the most important applications for the FEIN MULTIMASTER, arranged by subject, and the accessories we recommend for each application.

Interior fittings

The FEIN MULTIMASTER works level with the surface, allowing the user to cut off protruding nails, screws or pipes completely flush.



Ceramic tile restoration

Replacing individual damaged tiles creates very little dust and cleaning off old adhesive is easy.



All kinds of car repairs


From cutting out body sections right through to paint and polishing work – the FEIN MULTIMASTER is a high-precision tool that requires very little strength to operate.




Renovating windows and doors

Even very weatherbeaten surfaces can be completely renovated to look new again within an astonishingly short time.





PAGE		SAWING	GROUT REMOVAL	RASPING	SHAVING	SANDING	FILING	CUTTING	SHARPENING	POLISHING
6-7	Renovating windows and doors									
8-9	Interior fittings									
10	Furniture assembly									
11	Floor covering				A .					
12-13	Ceramic tile restoration									
14-15	Car repairs of all kinds									A
16	Boat building									
17	Hobby & Home Projects									
18-20	Accessories									
21	FEIN MULTIMASTER sets									



Hobby & Home Projects



The wide range of accessories allows for a surprising number of applications, from hobbies such as model-building to house or garden tasks like sharpening tools.

Boat building



Thanks to its high-performance cutting and sanding, the FEIN MULTIMASTER works perfectly with every appropriate material, eliminating manual work and improvised solutions.

Furniture assembly



When assembling furniture, previously time-consuming manual work, such as adding cutouts, can be accomplished far more quickly and efficiently.

Floor covering



The FEIN MULTIMASTER requires very little strength to operate, removing old floor coverings and cutting parquet or laminated flooring, undercutting boards and door frames easily.

Unique expertise, versatile performance: The new FEIN MULTIMASTER generation can do more.

As the inventor of the electric drill, FEIN has been developing innovative and efficient solutions for all kinds of uses, both under heavy-duty industrial conditions and in DIY applications. We use this expertise to improve the oscillating FEIN MULTIMASTER system continuously, adding new accessories so that all the challenges encountered during a working day can be met with just one tool.

In the lead thanks to oscillation technology:

- Unsurpassed versatility in its application thanks to the oscillating action.
- Perfectly smooth running when sanding and rasping
 even into corners and edges.



Up to 21,000 oscillations per minute

Perfect handling



The FEIN MULTIMASTER's new ergonomic shape makes for particularly comfortable handling. Design and operating elements are perfectly adapted to the working processes to guarantee safe, fatigue-free work with a minimum of effort. The new SoftGrip insert ensures optimal grip.

Quick-action technology



The new QuickIN rapid change system enables tool-free accessory changes, saving time, offering comfort and facilitating the use of different accessories.

Technical data

Power input	250 watts
Oscillations	11,000 - 21,000 rpm
Cable	16 ft
Sanding pad, corner to corner	3 1/8"
Tool mounting	QuickIN*

* Only for FEIN MULTIMASTER SELECT and TOP





New MULTIMASTER accessories maximize applications


New Universal E-CUT saw blade, bi-metal



The tried and tested universal E-CUT saw blade is now available in the wider $1\frac{3}{4}$ " design. The saw blade can be used with or without depth stop.

Order number 6 35 02 152 01 0 saw blade 3 26 07 065 01 0 depth stop

HSS saw blade for wood



MINICUT and file set





Table and drill stand support



Order number 6 39 01 025 06 0

The FEIN MULTIMASTER can be attached to a table or drill stand, and is suitable for all commercially available drill stands.

Order number 9 26 02 083 01 0

A safe bet for windows, and number one for doors.

Windows, garage doors and outdoor installations can be renovated perfectly with the FEIN MULTIMASTER. Windows are coarse sanded with a 40 or 60 grit sandpaper. After this, smooth the surface with 150 or 180 grit, to achieve excellent results in no time. For best results, use the carbide rasp for heavily weathered surfaces because it provides 5 times more sanding capacity than sandpaper. Even brittle puttied edges can be removed easily and without any danger of glass breakage. The result is completely renovated windows in a surprisingly short time.




1. Sanding frames:



Perfectly sanded surfaces for all conditions of material with the comprehensive range of sanding sheets from 36 to 800 Grit.

For accessories, see page 19 under "Sanding"

2. Sanding spaces and profiles:



The flat sanding pad also gives access to tight spaces, e.g. the slats of shutters.

Order number 6 38 06 142 02 9



A dust-free operation with dust extraction for clean results.

For accessories, see page 20 under "Extraction"

4. Sanding and polishing stone window sills:



Natural or artificial stone windowsills can be maintained with the special series of sanding materials and the polishing pad.

Order number 6 38 06 129 06 7



Sanding weathered material:



With the carbide rasp, remove stubborn signs of weathering thoroughly and quickly thanks to the high sanding capacity.

Order number 6 37 31 001 01 4

Working into every corner:



Removing glass and putty: 8.



Renovate very old windows perfectly and work effortlessly into corners with the HSS segment saw blade.

Order number 6 35 02 106 01 5



Clean work with the FEIN TURBO I

The FEIN MULTIMASTER with the profile sanding set is ideal for sanding garage doors, tongue and groove boards and other concave and convex profiles.

Order number 6 38 06 183 01 3



Brittle puttied edges can be removed without any problem and without any danger of glass breakage.

Order number 6 35 02 106 01 5


Sanding, releases considerable dust that settles as a fine film on surrounding surfaces. Easily contain or clean up this dust with the FEIN TURBO I dust extractor. An integrated on off switch enables the dust extractor to be controlled easily via the FEIN MULTIMASTER switch. Further information on the FEIN TURBO I set can be found on page 20 and 21.




Order number 9 11 55

Capable of everything important to you and your interior.

Indispensable in interior fittings. Whether you are renovating your roof, fitting a partition wall or hiding your stereo cable behind the wall, the FEIN MULTIMASTER is the perfect tool for all repairs and installation work. It saws precisely into angles and corners, even in tight spaces, and sands with high sanding capacity, saving time and labor.





The standard E-CUT saw blade is ideal for working plastic components such as cable ducts, air ducts or downspouts.

Order number 6 35 02 133 01 7

Please see the section on **saws** on page 18 for more information about the E-CUT models Standard, Universal and Precision.

2. Sawing structural wood:



Saw into wood 2 $3\%^{\prime\prime}$ deep with the new universal E-CUT saw blades.

Order number 6 35 02 152 01 0

3. Cutting out structural wood:



The cutting depth for all E-CUT and HSS saw blades for wood can be set with infinite variability with the depth stop.

Order number 3 26 07 065 01 0

I. Cut drywall or plasterboard:



With the E-CUT saw blades, trim plasterboard and make cut-outs easily for electrical installations etc. in sheets that have already been installed.

Order number 6 35 02 133 01 7



. Sawing pipes flush to the wall:



Ideal for dismantling installations that are no longer required. Using the universal E-CUT saw blades the pipes are clipped off for subsequent grouting flush to the wall.

Order number 6 35 02 152 01 0

7. Sawing shadow joints:



The HSS saw blade for wood turns the FEIN MULTIMASTER into an oscillating "mini" circular saw ideal for long, exact cuts like expansion sealants in parquet and laminate. Can be used with or without depth stop.

Order number 6 35 02 154 01 0



Sanding down plaster:

Use the carbide rasp to sand down cement, concrete, stone, plaster, tile adhesive, paint and wood and save timeconsuming and costly manual work.

Order number 6 37 31 001 01 4

Always accurate – even in tight spaces.

Professional assembly and restoration: with the FEIN MULTIMASTER you have the ideal tool for assembling kitchens and furniture. Even difficult operations in the tightest of spaces, such as sawing recesses in elements that have already been assembled, can be carried out accurately and without any difficulty. And when restoring furniture, previously time-consuming manual work, such as profile sanding, can be accomplished far more quickly and efficiently with the FEIN MULTIMASTER.



1. Recesses for cable and pipe access:



Make cut-outs for cable inlets, sockets and plumbing connections using the E-CUT saw blades – without time-consuming dismantling.

Order number 6 35 02 152 01 0

2. Fitting and adapting work sites:



Cutting recesses for subsequent installations and conversions is not a problem with the E-CUT saw blades, even for sheets that have already been installed.

Order number 6 35 02 127 01 7

3. Restoring and renovating upholstered furniture:



The flush cut HSS saw bladesaves you effort and the upholstery, as staples can be easily removed and do not have to be pulled out with pliers.

Order number 6 35 02 144 01 4

. Profile sanding:



. Table and drill stand support:



The replaceable inserts of the profile sanding set enable you to sand comfortably in cramped spaces, grooves and on profiles with considerably greater sanding speed.

Order number 6 38 06 183 01 3


The combined fixture suitable for all available drill stands makes it possible to cut out grooves and recesses precisely. The drill stand mechanism allows exact adjustments.

Order number 9 26 02 083 01 0

Restore your floors and gain ground in no time at all.

Perfect for all floor work: the FEIN MULTIMASTER caters to the entire range of tasks when it comes to floors – from effortlessly removing old floor coverings, such as carpet or PVC to cutting parquet, laminate, floor strips and door jambs to the correct height, to sanding parquet flooring accurately into difficult corners and edges. The FEIN MULTIMASTER saves you a great deal of time and effort in all operations with its accessories that are specially developed for individual applications.







Cut rigid material such as plastic or carpet simply and without any problems with the convex segment blade.

Order number 6 39 03 192 01 4

. Removing floor coverings / adhesive residues:



Altering door jambs precisely:

Carpet adhesive residues, coatings or other stubborn materials don't stand a chance against the rigid scraper blade.

Order number 6 39 03 178 01 7



Sanding down parquet:

6. Sawing out baseboard or trim work:

Trimming parquet and laminate:



The high precision and cutting speed of the E-CUT saw blades are impressive when altering door jambs for higher floor coverings or making recesses in parquet and laminate.

Order number 6 35 02 127 01 7



Whether parquet, laminate or composite materials, the universal E-CUT saw blade cuts exactly and appropriately for the particular material.

Order number 6 35 02 152 01 0

The FEIN MULTIMASTER will impress you with its sanding accessories, high sanding speed and consistent results in situations where other tools don't work at all.

For accessories, see page 19 under "Sanding"


Saw installed baseboard without damaging the wall and floor, thereby avoiding timeconsuming touch-up work.

Order number 6 36 02 151 01 8

11

Achieve clean results quickly in bathrooms.

Quick and economic for bathroom and kitchen renovation. Use the Fein MULTIMASTER to replace individual tiles without damaging the surrounding ones. With the diamond saw blades or carbide blades, the FEIN MULTIMASTER cuts tile grout with the utmost precision and the minimum of dust. The old tile adhesive can then be conveniently removed with the carbide rasp or scraper blade.





The segment saw blade is used for removing defective tile joints in corners and on edges accurately and without overcutting. It is available in carbide or diamond quality; the latter will impress you with its noticeably higher service life and is also suitable for epoxy resins.

Order number 6 35 02 118 01 6 Carbide segment saw blade 6 35 02 114 01 7 Diamond segment saw blade

2. Sanding supporting surfaces flat:



Removing caulking:

The carbide rasp is the allaround accessory for tiling. It smoothes adhesive glue, sands edges and ensures a flat supporting surface.

Order number 6 37 31 001 01 4



The flexible scraper blade is perfect for removing elastic materials, such as caulking, adhesive residues or paint


Order number 6 39 03 165 01 3

I. Completely removing tile joints:



Where tile joints have to be removed and regrouted, the round diamond saw blade is the economic solution, both in terms of time saved and blade life.

Order number 6 35 02 105 01 2



TOP: equipped for kitchen and bathroom


Do you want to replace defective tiles in your kitchen or retile your bathroom? The FEIN MULTIMASTER TOP comes complete with the full range of accessories needed for perfect results. For example, the carbide-tipped segment saw blade for cutting through grout, the carbide rasp for problem-free removal of tile adhesive and accessories for a dust-free operation are all included. Further information on the FEIN MULTIMASTER TOP set can be found on page 21. Order number



7 229 37 51

Bring your workshop into the car.

Top class vehicle repairs: with its versatile range of applications – from cutting out body parts right through to paint and polishing work – the FEIN MULTIMASTER is an effective solution for everyone who regularly repairs and customizes cars. It works with precision even in hard-to-reach places and its high sanding capacity makes it remarkably labor saving. Accessories are perfectly designed for a variety of automotive applications.





Cut sheet steel and plastics up to a max. 19 gauge (1 mm) thick with the HSS segment blades, burr-free and non-warping, with a minimum of flying sparks – without complicated touch-up work. Can also be used universally in corners.

Order number 6 35 02 106 01 5

2. Panel and bodywork repairs:



. Removing undercoating:



Even stubborn undercoatings can be removed easily with the rigid scraper blade in the fastest possible time.

Order number 6 39 03 178 01 7

I. Restoring and renovating paint:



Paint defects, flaws and areas that you would otherwise have to sand by hand, are made for the FEIN MULTIMASTER. High sanding capacity and an even sanding pattern are guaranteed.

For accessories, see page 19 under "Sanding"



5. Adding fittings:



With the MINICUT and File Set even the tiniest of cuts 3/8" and above are not a problem, even in difficult-to-reach places. Available for plastics, metals and wood.

Order number 6 39 01 025 06 0 Set

7. Finishing aluminium rims:



8. Sanding in tight spaces:



The Supersoft sanding pad from FEIN enable you to work gently but thoroughly on aluminum rims and sensitive paintwork.

For accessories, see page 19 under "Sanding"

The sanding finger is very effective for working in tight or hidden spots.

For accessories, see pages 19/20 under "Sanding"



The felt polishing pad set brings a bright shine back to paintwork and chrome.

Order number 6 38 06 140 02 7 Set

Definitely one to take on board.

Indispensable for applications on the water: achieve great results in boat building and restoration with the FEIN MULTIMASTER. Thanks to its high cutting performance, the MULTIMASTER works perfectly with wood, fiberglass, carbon fiber-reinforced plastic and virtually all other relevant materials, eliminating manual work and improvised solutions. Great for renovating teak decks!



. Sanding:



Finishing and renovating the deck:

Ideal for restoring and maintaining boats: the FEIN MULTIMASTER sands effortlessly and precisely into every corner and on edges.

For accessories, see page 19 under "Sanding"

4. Filing recesses:



Recesses can be filed precisely to shape with the MINICUT and File Set.

Order reference 6 39 01 025 06 0 Set

5. Repairing the hull / floor areas:




Remove deck sealing materials quickly and thoroughly with the cutting blades. The time saving is 80% and more when renovating teak decks.

For accessories, see page 20 under "Cutting"



The round HSS saw blades are excellent for sawing work on fibreglass and carbon fiberglass reinforced plastic hulls. Make perfectly clean cuts (0.5 mm wide) without any cracking or damage to the laminate.

Order number 6 35 02 097 02 7





The MINICUT saw blades are exactly the right size for working in tight spaces, difficult-toreach spots or for sawing small recesses (above $\frac{3}{3}$ ").

Order number 6 39 01 025 06 0 Set

The finishing touch to your home.

For hobbies, home and garden: When sharpening tools, working stone or stone products, laying foundations or model building down to the finest detail, the FEIN MULTIMASTER is efficient and precise. Its comprehensive system of accessories open up undreamed of possibilities. And of course it will impress you with everything that it does, with high cutting and sanding performance, flexible handling and great sensitivity.



1. Cutting out when model building:



For minimum cuts in the space, use the MINICUT and File Set.

Order number 6 39 01 025 06 0 Set

2. Filing when model building:



Recesses can be filed out precisely with the MINICUT and File Set.

Order number 6 39 01 025 06 0 Set

Sharpen tools and gardening equipment, in most cases without even having to remove the blades, with the MINICUT and File Set.

Order number 6 39 01 025 06 0 Set



Fix your FEIN MULTIMASTER with the new table and drill stand support to work accurately.

Order number 9 26 02 083 01 0



The FEIN MULTIMASTER accessories at a glance.

The FEIN MULTIMASTER produce optimal results in the most varied of application areas: from interior fittings and renovation to boat building, and right through to vehicle repairs. So that you can also really

undertake any work with the FEIN MULTIMASTER with great results, FEIN offers a comprehensive range of additional accessories that have been developed specifically for various applications and materials.

MULTIMASTER Profi Kits MULTIMASTER Profi Kit Wood **MULTIMASTER Profi Kit Floor MULTIMASTER Profi Kit Tile** Consisting of 1 E-CUT saw blade 127, Consisting of 1 E-CUT saw blade 126, Consisting of 1 carbide tipped E-CUT saw blade 133, 1 E-CUT saw blade 127, segmented saw blade standard, 1 E-CUT saw blade 134, 1 E-CUT saw blade 151, 1 carbide tipped segmented 1 carbide rasp, 1 sanding pad, saw blade thin, 1 E-CUT saw 1 rigid scraper, 5 sanding sheets Grit 60, blade 134, 1 E-CUT saw blade 151, 1 segment blade convex 1 carbide rasp, 1 flexible scraper 5 sanding sheets Grit 120 Order number Order number Order number 6 39 03 167 41 1 6 39 03 167 40 2 6 39 03 167 39 9 ► Sawing Segment saw blade, HSS saw blade, circular HSS segment saw blade HSS saw blade, For plastics, fiberglass, circular, recessed, angled wood, putty, non-ferrous For plastics, fiberglass, wood, Only for soft materials. flush cut capable metals and sheet steel up to putty, non-ferrous metals and Ideal for working corners, For plastics, fiberglass, approx. 19 gauge (1 mm). sheet steel up to approx. 19 gauge wood, putty, non-ferrous flat to the surface. ø Pkg Qty Órder number (1 mm). Ideal for working in corners. metals and sheet steel up to approx. Recessed, flush cut capable. 2 1/2" 6 35 02 096 02 3 19 gauge (1 mm), level with the surface. 2 1/2" 2 1/2" 2 1/2" 3 1/8" 2 6 35 02 096 01 7 Ø Pkg Qty Order number 5 6 35 02 096 05 0 6 35 02 097 02 7 3 1/8" 6 35 02 106 01 5 Ø Pkg Qty Order number 1 1 Pkg Qty 3 1/8" 2 6 35 02 106 07 0 3 9/16" 6 35 02 144 01 4 ø Order number 3 1/8" 6 35 02 097 01 1 2 3 1/8" 6 35 02 106 08 0 3 %16" 6 35 02 144 02 0 3 5/16" 6 35 02 113 01 9 5 6 35 02 097 05 0 3 1/8' 5 E-CUT combo kit Standard E-CUT-saw blade, Standard E-CUT-saw Precision E-CUT-saw blade, narrow (1 3/8") blade, wide (2 %/16") narrow (1 3/8") Highest cutting speed and preci-sion with double-row Japanese consisting of: Saws wood up to 2", drywall Saws wood up to 2", drywall and 1 each of the 127, soft plastics. Enables easy entry and soft plastics. Enables easy into the material at any point, entry into the material at any 133 and 152 E-CUT toothing. For wood up to 2", blades flush cut capable. point, flush cut capable. drywall and soft plastics, flush cut capable. Width Pkg Qty Order number Width Pkg Qty Order number Width Pkg Qty Order number 1 3/8" 6 35 02 133 01 7 2 9/16" 6 35 02 134 01 5 1 3/8" 6 35 02 126 01 3 1 order number 1 3/8" 2 % 16" 1 3/8" 6 35 02 133 03 0 6 35 02 126 03 0 3 3 6 35 02 134 02 5 3 6 35 02 127 04 0 1 3/8" 2 %/16 1 3/8 10 6 35 02 133 04 0 10 6 35 02 134 03 0 10 6 35 02 126 04 0 Universal E-CUT-saw blade Precision E-CUT-saw blade. Universal E-CUT-saw blade. HSS saw blade for wood wide (2 %/16") narrow (1 1/8") wide (1 ³/4") Circular HSS-saw blade for Highest cutting speed and Wide range of applications thanks wood – the "mini" circular Wide range of applications thanks saw is ideal for long straight precision with double-row to bi-metal toothing. Saws wood to bi-metal toothing. Saws wood Japanese toothing. For wood up to 2", plastics, sheet metal up to up to 2", plastics, sheet metal up cuts and for cutting parquet, laminate up to 2", drywall and 14 gauge (2 mm), copper or aluminium to 14 gauge, copper or aluminium pipe and wood panelling. soft plastics, flush cut capable. pipes and profiles, flush cut capable. and profiles, flush cut capable. Pkg Qty Width Pkg Qty Order number Width Pkg Qty Order number Width Pkg Qty Order number Ø Order number 2 %16" 6 35 02 127 01 7 1 1/8" 6 35 02 151 01 8 1 3/4" 6 35 02 152 01 0 4" 6 35 02 154 01 0 1 1 3/4" 2 %16 3 6 35 02 127 02 0 1 1/8" 3 6 35 02 151 02 0 3 6 35 02 152 02 0 Set with 2 %16 10 6 35 02 127 03 0 1 1/8" 10 6 35 02 151 03 0 1 3/4" 10 6 35 02 152 03 0 depth stop 3 26 07 065 02 0

MINICUT and File Set

For cut-outs 3/8" and

above. 2 saw blades for wood and soft plastics,

2 HSS saw blades for hard plastics, fiberglass and sheet steel up to 19 gauge (1 mm), 1 diamond file, 1 carbide file.

Order number 6 39 01 025 06 0



Width

7/16"

For wood and other soft materials, plunge depth 1 3/16",

Or	der	nun	nbo	eı
6 3	5 02	132	01	3
63	5 02	131	01	0

MINICUT HSS saw blade	
For non-ferrous metals and plastic, plunge depth ^{16/16} ", pack of 2.	ŕ

Width

3/8

3/4"

Order number 2 6 35 02 130 01 1 2 6 35 02 129 01 9

Diamond file

For sharpening blades and cutters.



Grit	Width	Order number
Extra fine	3/8"	6 37 06 014 02 6
ine	3/4"	6 37 06 013 02 8
Normal	3⁄4"	6 37 06 012 02 4

► Sawing Rasping Carbide file set Depth stop Carbide rasp Carbide rasp (triangular) (finger shape) For coarse sanding, filler, For filing out recesses and Suitable for all E-CUT saw For coarse sanding, filler, tile for deburring work. Suitable for the MINICUT and File Set. blades and for the HSS tile adhesive, concrete, adhesive, concrete, stone circular saw blade for stone and wood. Suitable and wood. Both sides of the finger are coated - particularly good pack of 2. wood (6 35 02 154 01 0). for use without or without Only suitable for the new FEIN dust extraction. for artistic work. MULTIMASTER FMM 250/250Q. Order number Order number Order number Order number 6 37 06 015 01 0 3 26 07 065 01 0 6 37 31 001 01 4 6 37 31 002 01 7 Removing grout Diamond saw blade **Cleaning block** Carbide-tipped saw blade **Diamond segment saw** For cutting out defective tile blade Rhombo for cleaning For cutting through, joints and for milling cracks For cutting out defecin plaster, porous concrete epoxy grout, marble and tive tile joints and for of carbide and diamond and similar building materials. Recessed, concrete trass joints. Low milling cracks in plaster, tools. flush cut capable. dust generation, very high service life. porous concrete and similar building Ø Order number materials. Long service life. 2 1/2" Thin blade circular 6 35 02 125 01 0 Recessed, flush cut capable. 2 1/2" Standard blade 6 35 02 118 01 6 Order number Order number Order number segment Ø 2 1/2" 2 1/2" Thick blade circular 6 35 02 128 01 5 6 35 02 105 01 2 6 35 02 114 01 7 6 37 19 007 01 0 Sanding Scraping **Rigid scraper blade** Flexible scraper blade Sanding pad set Set of sanding pads For sanding without dust - plastic With plastic backing plate For removing stubborn old For removing silicone or extraction, pack of 2. The acrylic caulking. most popular sanding pad. to avoid marks, pack of 2. paint, adhesive residues, carpeting, tile adhesive and pack of 2. undercoatings, caulking, and flush cut capable. Order number Order number Order number Order number 6 39 03 178 01 7 6 39 03 165 01 3 6 38 06 129 02 6 6 38 06 153 02 2 Sanding Pack of 50 Grit Sanding pad set - thin Sanding sheet set Sanding sheets Pack of 5 Order no. Order no. With H&L. For universal 6 37 17 ... 6 37 17 ... For universal application For very narrow openings ... 083 01 5 ... 083 04 3 on practically all surfaces. application on practically 80 (e.g. slats on louvers, etc.), ... 084 04 1 ... 084 01 3 Corundum sanding Grits 100 pack of 2. all surfaces. ... 085 04 5 ... 085 01 7 and bonded artificial resins guarantee Grit Pack of 5 Pack of 50 120 ... 087 04 2 ... 087 01 4 high sanding capacity. 10 sheets per set, with H&L 60, 80, 120, 180, 240 grit. **Order no.** 6 37 17 ... Order no. 150 ... 088 04 0 6 37 17 088 01 2 180 ... 086 04 8 ... 086 01 0 ... 089 04 4 ... 089 01 6 36 220 ... 081 01 8 ... 090 04 6 ... 090 01 8 ... 081 04 6 Order number Order number 40 240 ... 082 04 9 ... 082 01 1 ... 091 04 5 ... 091 01 7 6 38 06 142 02 9 6 37 17 082 03 3 60 280 Supersoft sanding pad **Profile sanding set** Supersoft sanding Sandpaper for the profile sanding set For special applications, sheets Includes 1 holder and 6 such as aluminium rims and For special applications. different professional at-For practically all materials, paint repairs. Use only with tachments: 1 V-form for e.g. wood, metal, paint and 90°-angle, 1 x trapezoidal for tongue "Supersoft" sanding sheets. plastics, 25 to a pack. Pack of 2. and groove joints, 1 for straight edges Grit Pkg Qty Order number 1 x convex form (large), 1 x concave Grit 240 50 6 37 17 126 01 5 and 1 convex form (small) and 5 sheets Order number 50 320 6 37 17 127 01 9 each 80, 120, 180 grit sandpaper. 80 6 37 17 217 01 6 Order number 400 50 6 37 17 128 01 7 120 6 37 17 218 01 4 6 38 06 141 02 6 500 50 6 37 17 179 01 6 Order number 6 38 06 183 01 3 180 6 37 17 219 01 8 Sanding set, stone San G Sanding fi 4

Universally suitable for sanding stone and stone products. Includes 5 each of 40, 80, 120, 220, 320, 400, 600, 800 grit sandpaper; 1 of each type of sanding pad with aluminium and plastic backing plate; 1 felt polishing pad.

Order number 6 38 06 129 06 7

Sanding sheets, stone	
Especially for sanding natural and artificial stone. In 8 grades for coarse to fine sanding.	

Grit	Pkg Qty	Order number
40	50	6 37 17 120 01 4
80	50	6 37 17 121 01 3
120	50	6 37 17 122 01 6
220	50	6 37 17 123 01 0
320	50	6 37 17 124 01 8
400	50	6 37 17 125 01 2
600	50	6 37 17 175 01 7
800	50	6 37 17 176 01 0

Sanding finger	
For use in extremely tight and hidden spots, channels,	C
grooves, openings and folds.	_
Also for mold-making, in concave	and

Height 7 mm

1 mm

convex forms, 2 to a pack.

С)rd	er	nun	nber	•
6	38	06	159	02 3	
6	38	06	157	02 1	

Sanding Sanding finger Sanding sheets for sanding Grit Order number Set of sanding pads-6 37 17 186 01 9 fingers 80 dust extraction With H&L, fully bonded with 100 6 37 17 187 01 3 With H&L on top and under-For sanding with dust 6 37 17 188 01 1 side. Pack of 2. artificial resin, high sanding 120 extraction, pack of 2. capacity, corundum. Application: 6 37 17 189 01 5 150 wood, metal, soldered joints, fiberglass-180 6 37 17 190 01 7 reinforced plastic, plastic, paint, filler, 220 6 37 17 191 01 6 leather, pack of 20. 240 6 37 17 192 01 9 Grit Order number 6 37 17 193 01 3 280 6 37 17 184 01 2 320 6 37 17 194 01 1 Height Order number 40 Order number 6 38 06 158 02 9 6 37 17 185 01 6 6 37 17 195 01 5 6 38 06 136 02 9 1/16 60 400 Grit Pack of 50 Grit Sanding sheet set Sanding sheets-dust Pack of 5 Pack of 5 Pack of 50 extraction Order no. Order no. Order no. Order no. 6 37 17 ... 6 37 17 ... 6 37 17 ... 6 37 17 ... 10 of each type of sanding ... 107 04 9 ... 107 01 1 ... 115 04 1 ... 115 01 3 For sanding with dust 36 220 sheet, perforated for dust ... 108 04 7 ... 108 01 9 ... 116 04 4 ... 116 01 6 40 extraction. For universal 240 extraction, with H&L ... 109 04 1 ... 109 01 3 ... 117 04 8 corundum, grit 60, 80, 120, 180, 240 grit. ... 117 01 0 application on practically all surfaces. 60 280 ... 110 04 3 Corundum sanding grains, fully bonded 80 ... 110 01 5 ... 111 01 4 ... 111 04 2 with artificial resins guarantee high san-100 ... 112 01 7 ding capacity. From grit 36 to 280 grit. 120 ... 112 04 5 Order number ... 113 04 9 ... 113 01 1 150 6 37 17 109 03 5 180 ... 114 04 7 ... 114 01 9 Sanding ► Polishing Cutting

Adapter hose

For connecting the dust extractor to vacuum cleaners. Suction hose attachment Ø 1 1/16".

Model	Order number
Thin	3 06 05 110 00 8
Thick	3 06 05 109 00 6

Cutting

Cutter blade

For cutting out panelled deck sealant materials. Also for problem areas such as cabins, rails, gunwales, cleats and curves.

Blade width	Order number
1/8"	6 39 03 200 01 7
5/32"	6 39 03 201 01 6
3/16"	6 39 03 202 01 9

Extraction

FEIN TURBO I

The addition for dust-free work, wet or dry. With a socket on the device, automatic on/off, 5 casters for unlimited freedom of movement.

- 6 38 06 140 02 7 6 39 03 205 01 5 General accessories Dust extraction Table and drill stand support Filter bags for FEIN Turbo I Perfect for precision cut-outs: the FEIN MULTIMASTER can be clamped to a Pack of 3 table or $1\frac{3}{4}$ " workbench. It can also be clamped to commercially available drill stands with a 43 mm collar diameter. Only suitable for the FEIN MULTIMASTER FMM 250/250Q. Order number Order number 9 26 02 083 01 0 913038K01 Included in the set: Technical data: 1 suction hose, 16 ft, Ø 1 1/4"; Power consumption 1 000 W 1 Crevice tool: Air flow rate 116 cfm 90" 1 Adaptor; Static water lift 1 Brush; Container volume 6 gal 1 5 Micron cloth bag

Set of felt polishing

For polishing metal parts,

as well as for polishing and

also be polished. Pack of 2.

Order number

decorative polishing of stone and stone

products. Gelcoat layers on boats can

pads



Weight Cable with plug

Segment blade, concave

For cutting soft materials

such as felt, leather and

polystyrene.

Order number

6 39 03 193 01 8

17.7 lbs 16 ft

Dust extractor kit for FMM only: 2 sanding pads, perforated; 5 of each type of sanding sheet perforated, grit 60, 80and 120: 1 extractor hood with suction tube; 2 hose nozzles for hose connection Ø 1 $^{1}/_{16}$ " and 1 $^{1}/_{4}$ " plus 2 adapters for connection to the most common domestic vacuum cleaners. For the FEIN MULTIMASTER FMM 250/250Q. Order number 9 26 02 081 01 0

Segment blade, convex

For cutting rigid materials

such as plastic, linoleum,

Order number

rubber, cardboard, leather,

woven wire cloth, looped fabric/carpet

floor coverings, and much more.

Order number 9 11 55

General accessories

Carrying case, filled

The plastic case with Top equipment for your Select pack. 1 sanding pad, perforated for dust extraction; 5 of each perforated sanding sheets, grit 60, 80, and 120; 180. 1 dust extractor, 2 hose nozzles hose connection Ø 1 $\frac{1}{16}$ 1 $\frac{1}{4}$ and 2 adaptors for common domestic vacuum cleaners, profile sanding set, 1 carbide rasp.

Order number 3 39 01 118 04 0



Carrying case, unfilled

Plastic carrying case with practical inner spacing, without machine and accessories. Optimally suited for storing FEIN MULTIMASTER START and FEIN MULTIMASTER SELECT.

Order number 3 39 01 118 03 0



Just the right one for everyone: the FEIN MULTIMASTER sets

1. FEIN MULTIMASTER START



Starter set - provides great results at a lower price.

- ► 1 FEIN MULTIMASTER FMM 250, variable speed
- 1 sanding pad
- ▶ 5 grit each 60, 80, 120, 180 grit sandpaper
- ▶ 1 universal E-C∪⊤ saw blade
- 1 rigid scraper blade
- 1 key and mounting bolts

2. FEIN MULTIMASTER SELECT



For everyone, who expects professional tools and results and wants to use the complete application range for interior fittings and renovation.

 1 FEIN MULTIMASTER FMM 250 Q, variable speed and with QuickIN quick-action system

Complete accessories of the START equipment plus

- 1 Carbide-tipped segment saw blade
- ► 1 HSS segment saw blade

FMM 250Q Select

Order number

3. FEIN MULTIMASTER TOP



The all-round carefree package with which all applications can be carried out professionally in interior fittings, renovation and hobbies – from floor work to renovating windows.

► 1 FEIN MULTIMASTER FMM 250 Q, variable speed and with quick action system in a sturdy plastic case

Complete range of accessories of the SELECT equipment and

- ▶ 1 sanding pad, perforated
- ► 5 of each type of sanding sheet, grit 60, 80, 120 and 180, perforated
- ► 1 dust extraction device
- ▶ 1 carbide rasp, perforated
- ► 1 Profile sanding set

Order number

FMM 250 Start Order number

4. FEIN MULTIMASTER TOP EXTRA



How can we make the TOP-Model even better? By also supplying the clean work site at the same time with FEIN TURBO I.

► 1 FEIN MULTIMASTER FMM 250 Q, variable speed and with quick action system in a sturdy plastic case

Complete range of accessories of the TOP equipment and FEIN TURBO I set for dust-free work

FEIN TURBO I

Included in the set: 1 suction hose 16 ft, Ø 1 $\frac{1}{4}$; Crevice tool; Adaptor; 5 Micron cloth bag

FMM 250Q Top Extra

FEIN. Powered by innovation.



Do you have any further questions? Would you like to test the new FEIN MULTIMASTER?

Your specialist supplier is happy to help.

USA: FEIN Power Tools Inc., 1030 Alcon Street, Pittsburgh, PA 15220, Tel. 1-412-922-8886, Toll Free: 1-800-441-9878 Canada: FEIN Canadian Power Tool Company, 323 Traders Boulevard East Mississauga, Ontario L4Z 2E5, Tel. (905) 890-1390, Toll Free: 1-800-265-2581 FEIN Québec Ltée , 2810 De Miniac St. Laurent, Quebec H4S 1K9, Tel. (514) 331-7390, Toll Free: 1-800-789-8181 Printed in Germany. Illustrations are non-binding. Subject to technical modifications. 1 88 31 680 21 0 05.07 USA.

Great Britain: FEIN Industrial Power Tools U.K. Ltd., 4 Badby Park, Heartlands Business Park, Daventry, Northants NN11 5YT, Tel. 01327 308730 Australia: FEIN Australasia Pty. Ltd., P.O. Box 287, Unit 2/ 110 Bonds Road, Riverwood N.S.W. 2210, Tel. 02 9534 3533 South Africa: FEIN Power Tools South Africa (Pty) Ltd., P.O. Box 1411 Bramley 2018, 1st Floor Delpark House, 77 Fifth Street, Wynberg, Johannesburg, Tel. 011 4442228 Germany: C.& E. FEIN GmbH, Hans-Fein-Straße 81, 73529 Schwäbisch Gmünd-Bargau, Tel. 071 73/1 83-0, Fax: -180