

NEW Leupold Rifle Scopes

Leupold Rifle Scopes are built with exceptional quality and backed with fantastic customer service. If we don't list the scope you are looking for, please give us a call - we'll be glad to quote you a price and special order it for you. All Leupold scopes are backed by a Lifetime Warranty, and you don't even have to be the original owner.

VX-I Scopes

VX-I Scopes offers hunters Leupold quality and accuracy with 1" tubes, ¹/₄ minute "click" adjustments and Leupold's lockable eyepiece for a secure focus. Models available for shotguns/muzzleloaders, rimfire rifles and standard rifles.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
Leupold VX-I Scop	es (1" Tubes)				
#526-000-133ST	2-7x33mm	Matte	VX-1 Heavy Duplex	10.5 oz.	\$209.99
#526-000-134ST	VX-1 2-7x28mm	Gloss	Fine Duplex	8.2 oz.	219.99
#526-000-156ST	VX-1 2-7x28mm	Matte	Fine Duplex	8.2 oz.	219.99
#526-000-121ST	2-7x33mm	Matte	Duplex	10.5 oz.	209.99
#526-000-214ST	3-9x40mm Shotgun/ Muzzleloader	Silver	Duplex	11.2 oz.	229.99
#526-000-213ST	3-9x40mm Shotgun/ Muzzleloader	Matte	Long-Range Duplex	11.2 oz.	249.99
#526-000-215ST	3-9x50mm	Matte	Duplex	13.3 oz.	299.99
#526-000-216ST	4-12x40mm	Matte	Long-Range Duplex	11.6 oz.	319.99

VX-II Scopes

VX-II Scopes feature 1" tubes, 1/4 minute "click" adjustments, and the Multicoat 4 lens system formerly available only on VX-III rifle scopes.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
Leupold VX-II Sco	pes (1" Tubes)				
#526-000-217ST	3-6x40mm CDS	Matte	Duplex	11.7 oz.	\$349.99
#749-008-365ST	3-9 x 40mm	Matte	Duplex	12.0 oz.	299.99
#526-000-219ST	4-12x40mm	Matte	Duplex	11.6 oz.	399.99
#526-000-218ST	4-12x40mm A0 CDS	Matte	Fine Duplex	13.7 oz.	499.99
#526-000-220ST	6-18x40mm A0 CDS	Matte	Fine Duplex	15.5 oz.	549.99

Competition Benchrest Scopes

These high magnification scopes feature a 30mm main tube with 1/8 MOA click adjustments and tall target turrets. Includes side focus parallax knob and threaded lens covers.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
Leupold Benchrest	Scopes (30mm Tubes)				
#749-008-483ST	35x	Matte	1/8Min Dot	21.5 oz.	\$1099.99
#749-008-484ST	40x	Matte	Crosshair	21.5 oz.	1099.99
#749-008-485ST	40x	Matte	1/8Min Dot	21.5 oz.	1099.99
#749-008-486ST	45x	Matte	Crosshair	21.5 oz.	1099.99
#749-008-487ST	45x	Matte	1/8Min Dot	21.5 oz.	1099.99

FX-3 Competition Scopes

FX-3 Competition scopes are lightweight to meet strict weight requirements and include adjustable objectives that focus from 40 yards to infinity. FX-3 competition scopes have tall target turrets with ^{1/4} minute click adjustements.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE			
Leupold FX-3 Target Scopes (1" Tube Adj. Objectives)								
#526-000-195ST	6x42mm	Gloss	Duplex	13.6 oz.	\$399.99			
#526-000-196ST	6x42mm	Matte	Heavy Duplex	13.6 oz.	399.99			
#526-000-197ST	6x42mm	Matte	Long-Range Duplex	13.6 oz.	429.99			
#749-008-430ST	6x42mm AO Competition Hunter	Matte	1/2 MOA Target Dot	15.0 oz.	469.99			
#749-008-442ST	12 x 40mm	Matte	Fine Duplex	13.5 oz.	499.99			
#749-008-446ST	12 x 40mm	Matte	Leupold Dot	13.5 oz.	549.99			
#749-008-453ST	25 x 40mm	Matte	Leupold Dot	14.6 oz.	649.99			
#526-000-198ST	25x40mm	Matte	½ MOA Leupold Dot	14.6 oz.	649.99			
#749-008-460ST	30 x 40mm	Matte	Leupold Dot	14.6 oz.	699.99			

FX-II Scopes

The FX[∞] Series of riflescopes is made for those hunters and shooters who appreciate the no-nonsense of a fixed power riflescope. Perfect for nearly every firearm, from rifles to shotguns and handguns.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
#526-000-139ST	2.5x28mm	Matte	Duplex	7.5 oz.	\$309.99
#526-000-144ST	4x33mm	Matte	Wide Duplex	9.3 oz.	309.99



VX-3 Scopes

VX-3 Scoper

VK³Handgun Scotles

W-3CD5 SCOPES

WK3 Long Range Scopes

The VX-3 series scopes feature Leupold's Xtended Twilight Lens System* which optimizes the transmission of low-light wavelengths and brings greater, brighter detail in low light conditions. Also features the DiamondCoat 2" lens coatings which provide the highest level of scratch resistance Leupold has ever offered. VX-3 scopes also feature dual cryogenic treated ejector springs, same as the Mark IV scopes, which provide stronger, more repeatable adjustment. VX-3 scopes include the fast focus eyepiece along with ¹/₄ minute finger-adjustment windage and elevation dials. Includes scopecoat and removable rubber eyepiece.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-3 Scopes (1" Tube	es)				
#749-008-420ST	2.5-8 x 36mm	Matte	Duplex	11.5 oz.	\$399.99
#749-008-432ST	2.5-8 x 36mm	Matte	Boone & Crockett	11.5 oz.	479.99
#749-008-434ST	3.5-10 x 40mm	Gloss	Duplex	13.0 oz.	479.99
#526-000-221ST	3.5-10x40mm	Matte	Boone & Crockett	12.6 oz.	559.99
#749-008-433ST	3.5-10 x 40mm	Matte	Duplex	13.0 oz.	479.99
#749-008-444ST	3.5-10 x 50mm	Matte	Duplex	14.9 oz.	549.99
#749-008-451ST	3.5-10 x 50mm	Matte	Boone & Crockett	14.9 oz.	639.99
#749-008-441ST	4.5-14 x 40mm	Matte	Duplex	15.4 oz.	529.99
#526-000-222ST	4.5-14x40mm	Matte	Boone & Crockett	13.0 oz.	619.99
#749-008-448ST	4.5-14 x 40mm A0	Matte	Duplex	15.4 oz.	599.99
#749-008-449ST	4.5-14 x 40mm A0	Matte	Fine Duplex	15.4 oz.	599.99
#749-008-455ST	4.5-14 x 40mm A0	Matte	Varmint Hunter	15.4 oz.	679.99
#749-008-454ST	4.5-14 x 50mm	Matte	Duplex	16.0 oz.	659.99
#749-008-462ST	4.5-14 x 50mm	Matte	Varmint Hunter	16.0 oz.	739.99
#749-008-459ST	6.5-20 x 40mm A0	Matte	Fine Duplex	17.0 oz.	699.99
#749-008-470ST	6.5-20 x 40mm A0	Matte	Varmint Hunter	17.0 oz.	779.99

VX-II EFR Rimfire Scopes

The VX-II 3-9 x 33mm scopes offer parallax adjustment and Duplex reticles for precision shot placement. These are the premier scopes for sporter rimfire rifles.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-II and VX-3 EFR 1	farget Scopes (1" Tubes)				
#749-008-421ST	3-9 x 33 Rimfire	Matte	Fine Duplex	11.0 oz.	\$399.99
#749-008-419ST	3-9 x 33 Ultralight	Gloss	Duplex	11.0 oz.	399.99

VX-3 EFR Rimfire Scopes

The VX-3 6.5-20x40mm EFR scopes feature tall target turrets and a 40mm adjustable objective. These scopes allow precise focusing as close as 10 meters. Ideal for varmint, target, rimfire and air rifle shooting.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-II and VX-3 EFR	Target Scopes (1" Tubes				
#749-008-464ST	6.5-20 x 40mm	Matte	Fine Duplex	17.0 oz.	\$749.99
#749-008-471ST	6.5-20 x 40mm	Matte	Target Dot	17.0 oz.	799.99

VX-3 CDS Scopes

Leupold CDS[™] models allow you to quickly dial-in your range for dead-on hits without holdover. A custom elevation turret, matched to your specific ballistics information, provides quick access to different sight-in ranges (order separately from Leupold).

The CDS dials change out easily, allowing you flexibility with different calibers and loads.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-3 – 1" TUBES					
#526-000-130ST	3.5-10x40mm	Matte	Duplex CDS	12.6 oz.	\$539.99
#526-000-132ST	4.5-14x40mm	Matte	Duplex CDS	13 oz.	579.99

VX-3 Long Range Scopes (30mm Tube)

Feature 30mm tubes with either 40mm or 50 mm objectives. Includes the low profile ¼ minute finger adjustments. All Long Range Scopes include side focus parallax adjustment.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-3 Long Range	Scopes (30mm Tubes)				
#749-008-456ST	4.5-14 x 40mm	Matte	Duplex	15.4 oz.	\$679.99
#749-008-457ST	4.5-14 x 40mm	Matte	Fine Duplex	15.4 oz.	679.99
#749-008-469ST	4.5-14 x 40mm	Matte	Varmint [:] Hunter	15.4 oz.	759.99
#749-008-465ST	4.5-14 x 50mm	Matte	Duplex	17.0 oz.	759.99
#749-008-472ST	4.5-14 x 50mm	Matte	Varmint Hunter	17.0 oz.	839.99
#749-008-466ST	6.5-20 x 40mm	Gloss	Fine Duplex	16.0 oz.	759.99
#749-008-467ST	6.5-20 x 40mm	Matte	Fine Duplex	16.0 oz.	759.99
#749-008-473ST	6.5-20 x 40mm	Matte	Varmint ['] Hunter	16.0 oz.	839.99
#749-008-468ST	6.5-20 x 40mm	Silver	Fine Duplex	16.0 oz.	759.99

VX-3 Long Range Target

Feature 30mm tubes with 50mm objectives and tall target turrets. Long Range Target scopes include side focus parallax adjustment.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-3 Long Range T	arget Scopes (30mm Tubes)				
#749-008-476ST	6.5-20 x 50mm	Matte	Fine Duplex	21.0 oz.	\$899.99
#749-008-479ST	6.5-20 x 50mm	Matte	Target Dot	21.0 oz.	939.99
#749-008-480ST	6.5-20 x 50mm	Matte	Varmint Hunter	21.0 oz.	979.99
#749-008-477ST	6.5-20 x 50mm	Silver	Fine Duplex	21.0 oz.	899.99
#749-008-481ST	8.5-25 x 50mm	Matte	Fine Duplex	21.0 oz.	969.99
#749-008-488ST	8.5-25 x 50mm	Matte	Target Dot	21.0 oz.	1019.99
#749-008-489ST	8.5-25 x 50mm	Matte	Varmint Hunter	21.0 oz.	1049.99

VX-R FireDot LED Illuminated Scope

Offers a state-of-the-art fiber optic LED illuminated center-dot reticle. Bright and clear, the rest of the reticle stays non-illuminated, drawing the eye instinctively toward the dot. All scopes have 30mm tubes with 1/4 MOA fingeradjustments.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
VX-R FireDot Scopes (3	30mm Tubes)				
#526-000-165ST	1.25-4x20mm	Matte	FireDot Duplex	11.5 oz.	\$439.99
#526-000-166ST	2-7x33mm	Matte	FireDot Duplex	12.7 oz.	459.99
#526-000-167ST	3-9x40mm	Matte	FireDot Duplex	15.3 oz.	479.99
#526-000-209ST	3-9x40mm	Matte	Ballistic FireDot	15.3 oz.	499.99
#526-000-168ST	3-9x50mm	Matte	FireDot Duplex	16.1 oz.	549.99
#526-000-169ST	4-12x40mm	Matte	FireDot 4	14.6 oz.	579.99
#526-000-210ST	4-12x40mm	Matte	Ballistic FireDot	14.6 oz.	599.99
#526-000-211ST	4-12x40mm CDS	Matte	FireDot Duplex	15.1 oz.	629.99
#526-000-212ST	4-12x50mm	Matte	FireDot Duplex	16.5 oz.	649.99

VX-3 Long Eye Relief Handgun Scope

Same great features as the VX-3, Diamond Coat 2[™] lens coatings, ¹/4-MOA click windage and elevation adjustments, and built-in range estimation function with the added benefit of a generous 15" of eye relief.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
#526-000-119ST	2.5-8x32mm	Matte	Duplex	10.9 oz.	\$549.99
#526-000-120ST	2.5-8x32mm	Silver	Duplex	10.9 oz.	549.99

VX-6 CDS Scopes

These 30mm scopes feature a huge 6x zoom ratio that brings distant targets right up to you in clear, crisp, bright images. The CDS (Custom Dial System) lets you send your favorite load's ballistic information to Leupold to make a custom elevation turret marked to match your load's trajectory. Just turn your CDS turret to match the range and shoot. Of course, these Argon/Krypton gas-purged scopes have Leupold's DiamondCoat 2 lens coating that protects the lenses from scratches and abrasion, while still allowing superb light transmission. VX-6 scopes are available with a variety of popular Leupold reticles: Duplex, Long Range Duplex, the Boone & Crockett reticle for quickly ranging big game animals, and various combinations with the illuminated FireDot aiming point, including the FireDot 4 - a German-style #4 with the illuminated FireDot. Scopes with FireDot reticles have auto-off feature that turns off the reticle after 5 minutes without movement to preserve battery life. 3-18x44mm scope has side-focus parallax adjustment.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	PRICE
Leupold VX-6 CDS Sc	opes (30mm Tubes)				
#526-000-171ST	1-6x24mm	Matte	Duplex	14.6 oz.	\$799.99
#526-000-173ST	1-6x24mm	Matte	FireDot Duplex	14.6 oz.	899.99
#526-000-175ST	1-6x24mm	Matte	FireDot Circle	14.6 oz.	899.99
#526-000-223ST	1-6x24mm	Matte	FireDot 4	14.1 oz.	899.99
#526-000-225ST	2-12x42mm	Matte	Duplex	16.5 oz.	899.99
#526-000-224ST	2-12x42mm	Matte	Boone & Crockett	16.5 oz.	979.99
#526-000-226ST	2-12x42mm	Matte	FireDot 4	16.5 oz.	999.99
#526-000-227ST	2-12x42mm	Matte	FireDot Duplex	16.5 oz.	999.99
#526-000-228ST	2-12x42mm	Matte	FireDot LR Duplex	16.5 oz.	999.99
#526-000-229ST	3-18x44mm	Matte	FireDot Duplex	21.8. oz.	1199.99

Need A Little Help? We have Tech Support! Call Us Monday thru Friday, 8am - 6pm at 2800-717-8211



Special Purpose

Wide Duplex Tactical Milling

SA.B.R. Leupold Dot

Mil-Dot Long Range Boone & Crocket Duplex

Mil-Dot Varmint Illuminated Hunter

Duplex

Duplex

Duplex www.sinclairintl.com 179 Marka Mart Scopes

Mark Mart Scopes

Mark 4 MR/T Scopes

Mark 4 Mid-Range Tactical line has illuminated reticles for excellent low light visibility plus night vision compatibility. User-friendly illumination system features 8 intensity settings with an innovative motion sensor. Bullet Drop Compensated (BDC) models have an elevation turret calibrated for the ballistics of a specific military cartridge. Turn the dial to the appropriate range setting, aim and squeeze the trigger for dead-on accuracy out to 500 yards and beyond. TMR* models feature a Tactical Milling Reticle that is similar to a Mil-Dot reticle except uses fine "hash" marks instead of traditional Mil-Dots for more accurate range estimation. Finger-adjustable windage and elevation knobs with audible, tactile clicks. M1 TMR has ¹/₄ MOA windage and elevation adjustments. M2 models are adjustable in ¹/₂ MOA increments. M2 SP has a BDC dial calibrated to the .223/5.56mm NATO cartridge with a 62 grain FMJ (.307 BC) bullet at 3,100 fps. Special Purpose (SP) reticle combines a German #4 Mil-Dot and circle reticle into one that works great during tactical operations or hunting. M2 Mil-Dot/TMR models are BDC dial calibrated to the .308/7.62mm NATO cartridge with a 168 grain (.462 BC) bullet at 2,650 fps.

ITEM #	DESCRIPTION	FINISH	RETICLE	WEIGHT	
Leupold Mark 4 MR/T	Scopes (30mm Tubes)				
#749-012-521ST	1.5-5x20mm	Matte	M2 Illum SP	15	\$899.99
#749-012-522ST	2.5-8x36mm	Matte	M1 IIIum TMR	16	1099.99
#749-012-523ST	2.5-8x36mm	Matte	M2 Illum Mil-Dot	16	1199.99
#749-012-524ST	2.5-8x36mm	Matte	M2 IIIum TMR	16	1199.99

Mark 4 LR/T Scopes

Leupold Mark 4 Long Range/Tactical riflescopes have a reputation built on precision, accuracy and dependability. It all starts with the Multicoat 4 lens system that delivers extreme clarity from edge to edge of the visual field, outstanding contrast, and a bright sight picture even in extreme low-light conditions. With side focus parallax adjustment for fast, easy parallax focusing from 50 yards to infinity. The engraved Bullet Drop Compensation dial allows an easy return to zero once your sighted in. Available with Mil Dot or Tactical Milling Reticle (TMR); standard or illuminated. The M5 model is a front focal plane scope that maintains the exact spacing of the Mildot subtensions regardless of the magnification selected. All other models are rear focal plane scopes that change subtension spacing at each different magnification setting. M1/M5 models have ¹/₄ MOA elevation/windage adjustments; M3 models have 1 MOA elevation and ¹/₂ MOA windage adjustments.

ITEM #	DESCRIPTION	RETICLE	FINISH	WEIGHT	
Mark 4 LR/T Scopes (30mm Tube)				
#526-518-500ST	3.5-10x40mm	M3 Mil-Dot	Matte	21 oz.	\$1199.99
#526-000-149ST	3.5-10x40nn	M5-FF Mil-Dot	Matte	19.5 oz.	1499.99
#526-000-199ST	4.5-14x40mm Target	Duplex	Matte	16 oz.	749.99
#526-000-150ST	4.5-14x40mm	Tgt Mil-Dot	Matte	19.5oz (553g)	899.99
#526-000-064ST	4.5-14x50mm	M1 Mil-Dot	Matte	22 oz.	1199.99
#526-000-151ST	4.5-14x50mm	M1 Illum Mil-Dot	Matte	16 oz.	1399.99
#526-000-152ST	4.5-14x50mm	M1 Illum TMR	Matte	22 oz.	1399.99
#526-000-153ST	6.5-20x50mm	M1 Mil-Dot	Matte	22 oz.	1299.99
#526-000-200ST	6.5-20x50mm	M1 TMR	Matte	22 oz.	1299.99
#526-000-155ST	8.5-25x50mm	M1 Mil-Dot	Matte	22 oz.	1399.99
#526-000-201ST	8.5-25x50mm	M1 TMR	Matte	22.5 oz.	1399.99
#526-476-380ST	10x40mm	M3 Mil-Dot	Matte	22 oz.	1499.99

Leupold UltimateSlam Scopes

UltimateSlam scopes help extend the range of your muzzleloader or shotgun with the advanced SABR (Sabot Ballistics Reticle) that has holdover marks out to 300 yards. You get the same clarity, contrast, and brightness you expect from Leupold scopes, with precise ¼ MOA adjustments and a Leupold scope cover. Available in 2-7x33mm with either matte black or silver finish, or the 3-9x40mm with an illuminated FireDot in the middle of the SABR reticle for fast aiming up close, or for moving targets. 2-7x33mm scopes have 65 MOA of internal adjustments, are 11.3" long, and offer 5.2"" of mounting space. 3-9x40mm model has 55 MOA of internal adjustment, is 12.6" long, and offers 5.6" of mounting space.

ITEM #	DESCRIPTION	FINISH	RETICLE			
Leupold UltimateSlam Scopes (1" Tubes)						
#526-000-206ST	2-7x33mm	Matte Black	SABR	\$249.99		
#526-000-207ST	2-7x33mm	Silver	SABR	249.99		
#526-000-208ST	3-9x40mm	Matte Black	FireDot SABR	399.99		

Leupold Mark 4 CQ/T Scope 1-3x14mm

Rugged tactical scope combines the fast target acquisition of a red dot sight with the utility of a 1x to 3x riflescope.

- Illuminated circle dot reticle glows red to provide a bold aiming point with built-in range estimating capability

- Eleven reticle brightness settings; control knob on top
- With power off (or if the battery runs down) reticle reverts to black and continues to be visible
- Runs on a single AA battery; 600+ hours run time at medium setting
- Comes with mounts for quick attach/detach/reattach to AR-15/M16 carry handle or Picatinny flattop receiver rail without loss of zero
- Windage and elevation adjustable in $\frac{1}{2}$ MOA coin-clicks
- Integrated Mil-STD 1913 rails lets mount a variety of accessories directly to the top or sides of CQ/T
- Sealed aluminum housing and optics are 100% waterproof; comes with flip up lens covers



180 800-717-8211

Leupold Mark AR[®] MOD 1 Riflescopes

Leupold's Mark AR MOD 1 scopes have variable power settings for fast, accurate engagement of close and distant targets. Perfect for AR-15s because the P5 BDC dial aids in precise aiming with .223/5.56 NATO loads, though these scopes also work very well on traditional bolt-actions, too. Leupold's Quantum Optical System[™] and proprietary Multicoat' lens coatings combine to deliver optimal brightness, contrast, and edge-to-edge clarity in all light conditions. Purged with a unique Argon/Krypton gas blend, these scopes are waterproof and highly resistant to damage from shock. Duplex/Fine Duplex reticles are standard crosshair-style reticles. Mil-Dot reticle is a standard mil-based reticle. FireDot SPR[™] (Special Purpose Reticle) features an illuminated green center-dot with a range estimating circle, plus holdover hash marks out to 850 meters. FireDot TMR[™] reticle has a green illuminated center-dot, plus windage and holdover hash marks to assist with longer-distance targeting. Both illuminated models feature 6 brightness-intensity settings for quick target acquisition – day or night. Aluminum tube, matte black finish, 1[™] O.D. Illuminated models use a CR-2032 battery, included. AO - Adjustable Objective.

ITEM #	DESCRIIPTION	FINISH	RETICLE	WEIGHT	
Leupold Mark AR [®]	MOD 1 Scopes (1" Tubes)				
#526-000-184ST	1.5-4x20mm	Matte	Duplex	9.6 oz./272g	\$299.99
#526-000-185ST	1.5-4x20mm	Matte	FireDot SPR	9.6 oz./272g	399.99
#526-000-186ST	3-9x40mm	Matte	Mil-Dot	12.4 oz./351g	349.99
#526-000-187ST	3-9x40mm	Matte	Duplex	12.4 oz./351g	299.99
#526-000-188ST	3-9x40mm	Matte		12.4 oz./351g	439.99
#526-000-189ST	4-12x40mm A0	Matte	Fine Duplex	14.9 oz./422g	449.99
#526-000-190ST	4-12x40mm A0	Matte	Mil-Dot	14.9 oz./422g	499.99
#526-000-191ST	6-18x40mm A0	Matte	Fine Duplex	15.3 oz./433g	499.99
#526-000-192ST	6-18x40mm A0	Matte	Mil-Dot	15.3 oz./433g	549.99

Leupold Mark 6 Rifle Scopes

Mark 6 scopes have 34mm main tubes and feature mil-based ZeroLock[™] windage and elevation dials that prevent unintentional adjustments in the field. They are available with different styles of ranging reticles located on the front focal plane (FFP), so the subtensions remain true at all magnifications. The 1-6x20mm allows both-eyes-open shooting without magnification, with the ability to zoom up to 6x for longer shots. It's available with the illuminated TMR (Tactical Milling Reticle), the CMR-W 5.56 reticle calibrated for military M855 ammo at 900 yards, the CMR-W 7.62 reticle calibrated for 175 grain .308 loads out to 1,200 yards. The 3-18x44mm scope is available with the CMR-W 7.62 reticle, the illuminated TMR, or the Horus H58 mil-based reticle. TMR models require a battery, included, and do not have the FFP feature. 1-6x20mm is 10.3" long with 5" mounting space, 3.7" eye relief and weighs 17 oz. 3-18x44mm scopes are 11.9" long, have 5.3" mounting space, 3.8" eye relief and weigh 23.6 oz.

#526-000-177ST Mark 6 1-6x20mm - CMR-W 5.56 FFP Reticle **#526-000-177ST** Mark 6 1-6x20mm - CMR-W 5.56 FFP Reticle **#526-000-202ST** Mark 6 1-6x20mm - CMR-W 5.56 FFP Reticle **#526-000-179ST** Mark 6 1-6x20mm - TMR **#526-000-203ST** Mark 6 1-6x20mm - TMR **#526-000-204ST** Mark 6 3-18x44 - TMR **#526-000-205ST** Mark 6 3-18x44 - H58 FFP Reticle

Leupold Mark 8 CQBSS Rifle Scope

Leupold's Mark 8 CQBSS (Close Quarters Battle Sniper Scope) offers maximum versatility in a compact rifle optic. Features 1.1-8x magnification range and the illuminated H-27D Horus front focal plane reticle that keeps subtensions true at all magnification levels. So with the CQBSS you can engage targets up close and fast with both eyes open at low magnification, and then range and hit at extended distances with high magnification. The 34mm O.D. main tube gives space for 150 MOA internal adjustments windage and elevation, while the Auto-Locking feature lets you precisely adjust the scope and locks in the setting by preventing accidental dial movement. 11.8" long with 6.5" mounting space, 3.3" eye relief, 23.2 oz. weight. Battery included.

#526-000-193ST Mark 8 CQBSS 1.1-8x24mm - H-27D Reticle

\$3799.99

\$1949.99

1949.99

1949.99

1949.99

2199.99

2109.89

2549.99

Leupold Alumina[™] Flip-Back Lens Covers

Leupold's Alumina flipback lens covers provide protection against water, snow, dust, and dirt; yet allow your scope to be ready at a moment's notice. These thread-on covers feature powerful rare earth magnets to hold the lens covers securely closed. Objective and eyepiece covers have triple O-ring seals to keep the lens clean and dry. These covers feature rugged aluminum construction. They flip back to a low-profile position where they are out of the way and out of your line of sight. Leupold Alumina flip-back lens covers are available for most Leupold scope objectives and eyepieces. Fits newer VX model scopes only.

#749-005-425ST 50mm Alumina Flip-Back Lens Cover **#749-005-424ST** 40mm Alumina Flip-Back Lens Cover **#749-005-426ST** Standard Eyepiece Alumina Flip-Back Lens Cover

\$39.99	
39.99	
39.99	

Marson

IN BOIRSS AME SOME

Nikon M-223/M-308 Riflescopes NEW

Nikon's M-223 and M-308 riflescope lines are engineered specifically for use with the AR family of rifles to give the user speed, accuracy and shooting confidence. The M-223 scopes are calibrated for the 223 Remington, 55-grain polymer tipped bullet's flight characteristics. M-308 models are designed for the trajectory of the 308/7.62 NATO, 168-grain HPBT bullet. These fine riflescopes feature the same durable construction used in the Monarch line: Ultra ClearCoat Optics, Eye Box Technology, and one-piece water/fog/shockproof bodies. Flip-open eyepiece and objective lens caps included. M-223 models, except the 1-4x20mm, also come with a removable anti-reflective lens cover to help eliminate glare. Other unique features:

> **Rapid Action Turrets** – Allow you to select your desired elevation range in less than one revolution. **Return to Zero** – After rifle sight-in, simply lift the adjustment knob, rotate to your "zero", and re-engage.







#100-009-878ST M-308 4-16x42SF w/Nikoplex Reticle #100-009-692ST M-308 4-16x42SF w/BDC 800 Reticle

\$529.95 549.95

499.95

Nikon M-223 Laser IRT 2.5-10x40 Scope

The M-223 Laser IRT employs Immediate Ranging Technology and a BDC 600 reticle to remove the guesswork from determining proper shot placement out to 600 yards. The built-in laser rangefinder eliminates having to carry a separate piece of equipment and means you don't even have to lift your cheek from the stock. Hit the remote control button that can be mounted on the gun where it's most convenient for you, and the scope's electroluminescent display reads horizontal distance and compensates for incline/decline shooting angles up to ± 89°. You can set the rangefinder to read out in yards or meters, in continuous-ranging or normal mode, and it's accurate to ± 1 yard. Eye relief is a generous 3.5", and the quick-focus eyepiece helps eyeglass wearers focus on the reticle. Adjustable for windage and elevation in $\frac{1}{4}$ MOA clicks. Integral mount attaches to Picatinny flattop rail for easy on/off without loss of zero. Nitrogen-filled, O-ring sealed tube is fogproof, shockproof, and waterproof (except battery compartment). Uses one, readily available CR-2 battery. 12.2" overall length.


#749-012-555ST M-223 Laser IRT 2.5-10x40 Scope w/BDC 600 Reticle \$849.95

Nikon M-223 Scope Mount

The Nikon M-223 Scope Mount is designed for the Nikon M-223 series scopes or similar scopes with 1" O.D. main tubes, and fits MIL-STD 1913 Picatinny rails found on flattop AR-15 rifles and other aftermarket Picatinny bases. Constructed of lightweight aluminum alloy with a black anodized finish to match your scope. Available in standard configuration - matte black (MB), RealTree' Max-1 (Max) or Mossy Oak Brush (Brush) camouflage - or the XR model with built-in 20 MOA elevation to maximize your long-range shooting capability without exceeding your scope's elevation adjustment.

#100-011-751ST M-223 Mount, MB #100-012-143ST M-223 Mount, Max #100-012-142ST M-223 Mount, Brush #100-011-750ST M-223XR 20 MOA Mount, MB

\$79.95
109.95
109.95
99.95



Nikon M-223 1-4x20

Nikon M-223 2-8x32

Nikon M-223 3-12x42SF

Nikon M-223 4-16x42SF

The 1-4x20 is lightweight and compact. Exclusive to the 1-4x20, its Point Blank Reticle offers a wide field of view and quick target acquisition for fast, accurate shots out to 200 yards, making it a great choice for 3-gun competitors. Just cover the target with reticle dot and shoot; thick outer posts allow fast target reacquisition with a center dot for targeting paper and steel targets at various distances. Also available in the BDC 600 Reticle, ballistically matched to compensate for bullet drop. The 1-4x20 includes Return to Zero technology. 13.9 oz. wt. 10.35" length. 1" O.D. tube.

#100-014-000ST M-223 1-4x20 w/Point Blank Reticle #100-014-001ST M-223 1-4x20 w/BDC 600 Reticle

\$289.95 299.95

The M-223 2-8x32 offers a versatile power range and a choice of reticles. Both 2-8x32 scopes feature Return to Zero, and the Rapid Action Turret Technology is available on the Nikoplex reticle. With either reticle option the shooter can quickly dial in shots for virtually any distance out to 600 yards. 15.2 oz. wt. 11.5" length. 1" O.D. tube.

#100-014-002ST M-223 2-8x32 w/Nikoplex Reticle #100-014-003ST M-223 2-8x32 w/BDC 600 Reticle

\$329.95
349.95

The 3-12x42SF features side focus parallax adjustment and a power range for long-range precision shooting. This enables the shooter to take full advantage of the .223 round from zero to 600 yards. Return to Zero is available on both 3-12x42SF scopes, and the Rapid Action Turret Technology is included w/Nikoplex reticle. Weight is 19.9 oz., and length 13.1". 1" O.D. tube.

#100-014-004ST M-223 3-12x42SF w/Nikoplex Reticle #100-014-005ST M-223 3-12x42SF w/BDC 600 Reticle

\$449.95 459.95

The largest in the M-223 lineup, the 4-16x42SF offers superb versatility and long-range effectiveness. Perfect for heavybarrel AR-15 platforms, these impressive scopes maximize the 600-yard distance potential of the .223/5.56 round. The large 42mm objective lens gathers 95% of ambient light to enable you to effectively sight targets in the last seconds of daylight. Both models offer side focus parallax adjustments and Zero-Reset turrets. Weight is 19 oz. Length: 13.5". 1" O.D. tube.

#749-013-536ST M-223 4-16x42SF w/Nikoplex Reticle \$479.95 **#749-013-537ST** M-223 4-16x42SF w/BDC 600 Reticle

Nikon M-308 4-16x42SF

The 4-16x42SF M-308 riflescopes are a perfectly suited to maximize both the short-range power and the long-range accuracy offered by the AR-style .308 rifle. These scopes come complete with side focus parallax adjustments, Zero-Reset tactical turrets, and a one-piece Picatinny mount with built-in 20 MOA elevation. Weight is 19 oz. Length is 13.5". 1" O.D. tube.

BDC 600

BDC 150

3432

^{3.9}840

^{BDC 150}

Nikon P-223 Riflescopes (1" Tube)

Nikon's P-223 Riflescope line is specifically designed to provide AR-15 shooters with impressive optics at irresistible prices. A more basic version of Nikon's popular M-223 line, the P-223 is an excellent choice for a shooter who doesn't need all of the M-223's high-end features. P-223 scopes are factory calibrated for the ballistic performance of 5.56mm NATO, 55-grain polymer-tipped bullets with muzzle velocities of 3,240 fps. However, Nikon's Spot-On technology assists you with sighting alternative cartridges. The multicoated optics deliver an impressive 98% light transmission – superb for low-light shooting. Zero-Reset tactical-style turrets allow fast adjustments and return-to-

zero with a simple lift-and-twist motion. The BDC Carbine reticle is designed for a 200-yard zero and features hash mark holdover points at 400 and 600 yards. The BDC 600 reticle compensates for bullet drop up to 600 yards. All P-223's are

waterproof, fogproof	, and shockproof. 1" O.	D. tube. Matte l	olack finish.	1	1	1 /	
			CLICK		EYE		
ITEM #	DESCRIPTION	RETICLE	VALUE	RANGE	RELIEF	RETICLE	
#749-013-540ST	3x32mm	150 M0A/¼	3.4"	8.1"/3.5"	11.2/318	BDC Carbine	\$149.95
#749-013-541ST	3-9x40mm	80 MOA /1⁄4	3.6"	12.4"/5.2"	15/425	BDC 600	199.95
#100-012-081ST	4-12x40mm	60 MOA/ 1/4	3.7"	14.1"/5.2"	17.5 / 496	BDC 600	249.95

Nikon P-22 Rimfire Riflescopes

Nikon's variable power P-22 scopes are optimized for AR-15 rifles that are purpose-built for converted to the 22 LR rimfire cartridge. They feature water-, fog-, and shock-proof 1" O.D. tubes, and come with a 50-yard fixed parallax setting. Precise, tactical-style Zero-Reset turrets allow you to make quick adjustments and return to zero with a simple pull-and-twist motion. Fully-multicoated optics provide excellent distortion-free clarity from dawn to dusk. The Nikoplex reticle model includes Standard (1,200-1,300 fps) and Hyper Velocity (1,500-1,640 fps) turrets. BDC reticle compensates for bullet drop of a typical 22 LR load from 50 to 150 yards. Matte black finish.

			CLICK				
ITEM #	DESCRIPTION	RETICLE	VALUE	LENGTH	RETICLE	WEIGHT	
#749-013-538ST	2-7x32mm	80 MOA/ ¼"	3.8"	11.5"/5.2"	Nikoplex	16.5 / 468	\$179.95
#749-013-539ST	2-7x32mm	80 MOA/ ¼"	3.8"	11.5" / 5.2"	BDC 150	16.5 / 468	179.95

Nikon P-Series Rifle Scope Mount

With the P-Series two-piece mounting system, Nikon has taken the minimalist approach to installing an optic on a flattop AR-15. An ideal mount for Nikon's P-223/22 AR-15 scopes, these rings will fit any 1" O.D. scope or red dot sight and mount it to a MIL-STD 1913 Picatinny flattop rail. The graceful, cantilevered design combines each base and ring into one streamlined, snag-free package to keep weight and bulk to the absolute minimum while retaining more than enough strength to hold the scope securely so it won't lose its zero. The mount's pronounced forward slope keeps it from interfering with access to the charging handle. Provides enough height for comfortable "heads-up" shooting; reverse the front mount so the cantilever points toward the rear mount to reduce the space between the rings to accept ultra-compact scopes.

#100-011-752ST Nikon P-Series 2-Piece Scope Mount \$49.95

Nikon Monarch 3 Riflescopes

The upgraded Monarch 3 line has a broad array of variable-power scopes ideal for all kinds of shooting. Bright, clear multi-coated lenses with up to 95% light transmission give sharp, flat images. Quick-focus eyepiece lets you instantly focus the reticle, and the 1" O.D. tubes are long enough to provide plenty of mounting space to fit onto almost any kind of rifle. Waterproof, fogproof, and shockproof, these scopes are available with a variety of popular Nikon reticle patterns, including the Nikoplex with a modified duplex that directs the eye to the middle, the BDC "Bullet Drop Compensating" reticle with holdover points for extreme ranges, the Mil Dot for ranging targets and the Fine Crosshair and Fine Crosshair With Dot for precise target shooting. Scopes 3-12x42mm and higher in magnification include side focus parallax adjustments that range from 50 yards to infinity. Matte black finish, unless otherwise noted in table. Flip-up objective covers included.

		ADJ. RANGE/	EYE	OAL/MOUNT			
ITEM #	MAG./OBJ	CLICK VALUE	RELIEF	LENGTH	RETICLE	WEIGHT	
#100-012-085ST	1-4x20mm	120 MOA/½ MOA	4"	10.4"/5.3"	German #4	12.2 oz.	\$279.95
#100-012-086ST	1-4x20mm	120 MOA/½ MOA	4"	10.4"/5.3"	BDC	12.2 oz.	279.95
#100-012-087ST	2-8x32mm	80 MOA/ ¼ MOA	4"	11.5"/5.2"	Nikoplex	13.4 oz.	289.95
#100-012-088ST	2-8x32mm	80 MOA/ ¼ MOA	4"	11.5"/5.2"	BDC	13.4 oz.	299.95
#100-012-089ST	2.5-10x42mm	70 MOA/ ¼ MOA	4"	12.6"/5.2"	Nikoplex	16.6 oz.	389.95
#100-012-090ST	2.5-10x42mm	70 MOA/ ¼ MOA	4"	12.6"/5.2"	BDC	16.6 oz.	399.95
#100-012-092ST	2.5-10x42mm (Silver)	70 MOA/ ¼ MOA	4"	12.6"/5.2"	BDC	16.6 oz.	419.95
#100-012-091ST	2.5-10x42mm	70 MOA/ ¼ MOA	4"	12.6"/5.2"	Mil Dot	16.6 oz.	399.95
#100-012-093ST	2.5-10x50mm	70 MOA/ ¼ MOA	4"	13.7"/5.2"	Nikoplex	18.0 oz.	469.95
#100-012-094ST	2.5-10x50mm	70 MOA/ ¼ MOA	4"	13.7"/5.2"	BDC		479.95
#100-012-095ST	3-12x42mm	60 MOA/ 1/4 MOA	4"	13.1"/5.8"	Nikoplex	18.7 oz.	429.95
#100-012-096ST	3-12x42mm	60 MOA/ ¼ MOA	4"	13.1"/5.8"	BDC	18.7 oz.	439.95
#100-012-097ST	4-16x42mm	40 MOA/ ¼ MOA	4"	13.5"/5.8"	Nikoplex	19.0 oz.	449.95
#100-012-098ST	4-16x42mm	40 MOA/ ¼ MOA	4"	13.5"/5.8"	BDC	19.0 oz.	459.95
#100-012-099ST	4-16x42mm	40 MOA/ ¼ MOA	4"	13.5"/5.8"	Mil Dot	19.0 oz.	469.95
#100-012-101ST	4-16x50mm	40 MOA/ 1⁄4 MOA	4"	14.7"/6.1"	Nikoplex	19.4 oz.	499.95
#100-012-102ST	4-16x50mm	40 MOA/ ¼ MOA	4"	14.7"/6.1"	BDC	19.4 oz.	509.95
#100-012-103ST	5-20x44mm	34 MOA/ ¼ MOA	4"	14.1"/5.7"	Nikoplex	19.0 oz.	539.95
#100-012-104ST	5-20x44mm	34 MOA/ ¼ MOA	4"	14.1"/5.7"	BDC	19.0 oz.	559.95
#100-012-106ST	6-24x50mm	30 MOA/ ¼ MOA	4"	15.5"/5.8"	FC	20.5 oz.	689.95
#100-012-108ST	6-24x50mm	30 MOA/ ¼ MOA	4"	15.5"/5.8"	FC w/Dot	20.5 oz.	689.95
#100-012-105ST	6-24x50mm	30 MOA/ 1/4 MOA	4"	15.5"/5.8"	Nikoplex	20.5 oz.	659.95
#100-012-107ST	6-24x50mm	30 MOA/ ¼ MOA	4"	15.5"/5.8"	BDC	20.5 oz.	689.95



5-20X44



ZeroStop[®]

Nightforce's unique ZeroStop[™] turret guarantees a quick and accurate return to your original elevation zero. After sighting in your rifle,

set the turret to the desired range and forget about counting clicks. Make all the adjustments you need – the ZeroStop turret's clutch mechanism ensures the knob rotation will halt at your initial reference point without going subzero. Especially valuable when dialing for extended long-range shots, in the heat of the moment, or in poor lighting conditions.


NXS 5.5-22x56 The NXS 5.5-22x56 is the u

The NXS 5.5-22x56 is the ultimate long range precision rifle scope, offering the best in clarity and resolution across the entire magnification range. The NXS 5.5-22x56 offers a broad magnification range, 4" of eye relief and 100MOA of elevation travel making it easily adaptable to a wide range of mounting systems and very popular for a number of applications.

1959.00

#524-000-161ST NXS 505-22x50mm Scope -MOAR-T ZeroStop Adjustments

#749-008-502ST	NXS 5.5-22x56mm Scope - NP-R1 Reticle .25MOA Adjustments	\$1766.00
#749-012-204ST	NXS 5.5-22x56mm Scope - NP-R2 Reticle .25MOA Adjustments	1766.00
#749-012-096ST	NXS 5.5-22x56mm Scope - MLR Reticle .25MOA Adjustments	1766.00
#524-000-133ST	NXS 5.5-22x56mm Scope – MOAR Reticle	1766.00
#749-012-097ST	NXS 5.5-22x56mm Scope - NP-R1 Reticle .25MOA ZeroStop Adjustments	1959.00
#749-012-100ST	NXS 5.5-22x56mm Scope - Mil-Dot Reticle .20 Mil-Radian ZeroStop Adj.	2044.00
#749-012-101ST	NXS 5.5-22x56mm Scope - MLR Reticle .20 Mil-Radian ZeroStop Adj.	2044.00
	NXS 5.5-22x56mm Scope – MOAR Reticle/ZeroStop	1959.00
#524-000-162ST	NXS 5.5-22x56mm Scope - MOAR-T Reticle .25MOA Adjustments	1766.00
#524-000-163ST	NXS 5.5-22x56mm Scope - MOAR-T Reticle ZeroStop Adjustments	1959.00



\$1899.99 1899.00 2092.00 1899.00 2092.00 2092.00 2092.00 2177.00 2177.00 1899.00 1899.00 2092.00

\$1428.00

1428.00

8-32x56mm

8-32x56mm Benchrest

12-42x56mm Benchrest

15-55x52mm Competition

NXS 8-32x56

After countless wins in 1000 yard benchrest competitions with our Benchrest scopes, we have taken that knowledge and adapted it to the NXS line to create the ultimate in long range scopes. With 3.8" of eye relief, side parallax adjustment and 65 MOA of internal adjustment, the NXS 8-32x56 offers fast, repeatable adjustments for precise shot placement at long ranges. This model is becoming increasingly popular for the shooter that desires to take their shooting beyond 1000 yds.

#749-008-503ST	NXS 8-32x56mm Scope - NP-R1 Reticle .25MOA Adjustments
#524-000-137ST	NXS 8-32x56mm Scope – MOAR Reticle
#524-000-139ST	NXS 8-32x56mm Scope – MOAR Reticle/ZeroStop
#100-012-576ST	NXS 8-32x56mm Scope – NP-2DD Reticle
#100-012-579ST	NXS 8-32x56mm Scope – NP-2DD Reticle/ZeroStop
#100-012-577ST	NXS 8-32x56mm Scope – NP-R1 Reticle/ZeroStop
#100-012-578ST	NXS 8-32x56mm Scope – NP-R2 Reticle/ZeroStop
#100-012-580ST	NXS 8-32x56mm Scope – MLR Reticle, .1 Mil-Rad Adj./ZeroStop
#100-012-581ST	NXS 8-32x56mm Scope – Mil-Dot Reticle, .1 Mil-Rad Adj./ZeroStop
#524-000-164ST	NXS 8-32x56mm Scope - MOAR-T Reticle .125 MOA Adjustments
#524-000-165ST	NXS 8-32x56mm Scope -MOAR-T Reticle .25 MOA Adjustments
#524-000-166ST	NXS 8-32x56mm Scope -MOAR-T Reticle .125 MOA Adjustments

Benchrest 8-32x56

The Benchrest 8-32x56 offers 1/8th MOA adjustments and an adjustable objective that allows ultra-fine focus to adjust parallax from 25 yards to infinity. The Nightforce Benchrest scopes also offer a fast-focus eyepiece and an etched illuminated reticle to provide optimum image/reticle contrast regardless of the lighting conditions. This model is very popular with varmint shooters and competitors alike.

#749-008-494ST	BR 8-32x56mm Target Scope - NP-R2 Reticle .125MOA Adjustments	\$1286.00
#100-012-586ST	BR 8-32x56mm Target Scope - Mil-Dot Reticle	1286.00
#749-012-103ST	BR 12-8x56mm Target Scope - NP-2DD Reticle .125MOA Adjustments	1286.00

Benchrest 12-42x56


The Benchrest 12-42x56 offers 1/8 MOA adjustments and an adjustable objective that allows ultra-fine focus to adjust parallax from 25 yards to infinity. The Benchrest 12-42x56 has repeatedly dominated 1000 yard Benchrest and F-Class competition. The Nightforce Benchrest scopes also offer a fast-focus eyepiece and an etched illuminated reticle to provide optimum image/reticle contrast regardless of the lighting conditions.

BR 12-42x56mm Target Scope - NP-2DD Reticle .125MOA Adjustments #749-008-496ST #749-008-497ST BR 12-42x56mm Target Scope - NP-R2 Reticle .125MOA Adjustments

Nightforce 15-55x52 Competition Scopes


Developed with input from world-class benchrest competition shooters and crafted to exacting specifications, the Competition line is designed to exceed the performance of Nightforce's Precision Benchrest Scopes. With precision-ground, extra-low dispersion glass and an impressive 92% light transmission, these high-performance scopes reveal targets in crisp, color-correct focus and enable shooters to maintain ultra-tight, predictable groups and long distances. Easy-to-use, side-focus parallax turret and precise 1/8-MOA adjustments deliver dependable, repeatable accuracy, over an unusually wide 60 MOA adjustment range. 30mm tube made of 6061 T6 aluminum contributes to 20% lighter weight than comparable-size NXS™ and Benchrest scopes. Available with two reticle styles: DDR" (Double-Dot Reticle) gives an uncluttered sight picture with a 1/8-MOA center dot, plus holdover marks at 34, 11/2, 2 and 21/2 minutes. DDR-2th has two .172 MOA horizontal stadia outside of .016 MOA center lines with a .026-MOA center dot, plus holdover marks at 1/2, 1, 2 and 21/2 minutes. CTR-1^{-sc} reticle has fine .016-MOA crosshairs and a 1/8-MOA center dot. CTR-2[™] reticle has fine .016-MOA crosshairs and a .095-MOA center dot. CTR-3[™] reticle has fine .016-MOA crosshairs only. FCR-1[™] has .016 MOA crosshairs with vertical and horizontal marks and numbers in 1-MOA increments.

#524-000-169ST15-55x22mm Scope - Satin Black - DDR-2 Reticle ZeroStop Adjustments2352.#524-000-147ST15-55x52mm Scope - Satin Matte Black - CTR-1 Reticle2231.#524-000-145ST15-55x52mm Scope - Satin Matte Silver - CTR-1 Reticle2231.#524-000-167ST15-55x22mm Scope - Satin Black - CTR-2 Reticle ZeroStop Adjustments2352.#524-000-168ST15-55x22mm Scope - Satin Black - CTR-3 Reticle ZeroStop Adjustments2352.	231.00 231.00 252.00 231.00 231.00 252.00 252.00 252.00
---	--



Velocity 1000 Reticle

Nightforce's Velocity¹¹ 1000 drop-compensating reticle enables fast, precise holds that are accurate to within a 1/2 MOA out to 1,000 yards. Eliminates guessing at holdover, calculating bullet drop, or counting elevation adjustments, so you can get maximum performance from your rifle and ammo. Once the reticle is sighted in, just verify the distance to the target, and hold dead on at the correct elevation mark. Elevation is marked for 100, 200, and 300 yards, then in incremental drops of 25 yards out to 1,000 yards. Windage holds are marked in 5, 10, and 15 mph increments.





4x24mm

2.5-10x32mm

2.5-10x42mm

4-14x56

Compact ZeroStop Turret

Nightforce[®] ATACR[™] 5-25x56 (34mm tube) Building on the success of Nightforce's NXS[™] series, the compact ATACR (Advanced Tactical Riflescope) features even longer

Building on the success of Nightforce's NXS[®] series, the compact ATACR (Advanced Tactical Riflescope) features even longer range and higher image quality, pushing the envelope of precision for serious shooters and hunters. The 34mm tube allows 20% more elevation travel than a 30mm tube. Fully multicoated, low-dispersion glass delivers more than 90% light transmission, brilliant images and exceptional color contrast. A magnification of 5x to 25x, and a wider field of view because of its unique optical prescription (17.96 feet at 5x), will cover a broad spectrum of targeting situations. Comes with ZeroStop[®] adjustment for quick return-to-zero without counting clicks or looking at the turret. 14.3[°] (363mm) OAL. 6.13[°] (156mm) mounting length. Eye reliee 3.54[°]. 38 oz. (1,077g) wt. MOAR[®] reticle has 120 MOA elevation, 60 MOA windage adjustments, and ¹4 MOA click value.

#100-012-574ST ATACR 5-25x56mm Scope – MOAR Reticle **#100-012-574ST** ATACR 5-25x56mm Scope – MOAR Reticle **#100-012-575ST** ATACR 5-25x56mm Scope – MIL-R Reticle

\$2328.00 2328.00 2328.00

Nightforce NXS[™] Compact Riflescopes

These scopes provide the same high-quality optics and feature set of the larger models in the NXS line combined with a small physical size that's ideal for today's modern sporting rifles where real estate for optics is at a premium. All NXS Compacts come with a Power Throw Lever that can be installed to enable instant changes in magnification with the flick of a finger. Some models also available with Nightforce's highly precise ZeroStop turret system. Note: for images of reticle patterns, see page 184-185.

1-4x24 (30mm Tube)

At a mere 8.8" overall length, the NXS 1-4x24 is an ideal scope for tactical shooters, 3-gun competitors, and hunters who need a rugged, low-magnification scope that comes through at a critical moment. The true 1x "magnification" setting enables both-eyesopen targeting that's as fast as open sights. The built-in reticle illumination system is night vision compatible, too. Adjustment range: 100 MOA elevation and windage in ¼ MOA increments. Eye relief: 3½". 17 oz. wt.

#100-012-550ST	NXS Compact 1-4x24mm Scope – FC-36 Reticle	\$1329.00
#100-012-552ST	NXS Compact 1-4x24mm Scope – FC-36 Reticle/ZeroStop	1514.00
#100-012-551ST	NXS Compact 1-4x24mm Scope – IHR Reticle	1329.00
	NXS Compact 1-4x24mm Scope – IHR Reticle/ZeroStop	1514.00
#100-012-554ST	NXS Compact 1-4x24mm Scope – FC-2 Reticle/ZeroStop	1514.00

2.5-10x32 (30mm Tube)

The 2.5-10x32 is only 12" long, giving it an outstanding size-to-weight ratio that makes it a popular choice for law enforcement officers, military, and tactical competition shooters who want a rugged scope with a wide magnification range in a compact package. An illuminated reticle, large exit pupil and forgiving parallax aid in fast target acquisition. Adjustment range: 100 MOA elevation and windage in ¼ MOA increments (Mil-Dot model in .1 Mil-Rad increments). Eye relief: 3.7". 19 oz. wt.

#100-012-555ST	NXS Compact 2.5-10x32mm Scope – IHR Reticle	\$1421.00
	NXS Compact 2.5-10x32mm Scope – IHR Reticle/ZeroStop	1609.00
#100-012-556ST	NXS Compact 2.5-10x32mm Scope – Nonilluminated MOAR Reticle	1421.00
#100-012-557ST	NXS Compact 2.5-10x32mm Scope – MOAR Reticle/ZeroStop	1609.00
	NXS Compact 2.5-10x32mm Scope – Mil-Dot Reticle/.1 Mil-Rad Adj.	1692.00

2.5-10x42 (30mm Tube)

Still barely 12" long, this scope adds to the 2.5-10x32 model a larger objective lens for even better low-light performance, plus other features required by military and law enforcement shooters. You can switch between red or green reticle illumination, with adjustable brightness level so you can match ambient light conditions – plus ultra-low intensity settings for use with night vision equipment. The side parallax adjustment with a range of 25 yards to infinity is extremely helpful - and uncommon on compact scopes. Adjustment range: 100 MOA elevation and windage in ¼ MOA or .1 Mil-Rad increments. Eye relief: 3½". 20.5 oz. wt.

#100-012-560ST #100-012-561ST	NXS Compact 2.5-10x42mm Scope – IHR Reticle NXS Compact 2.5-10x42mm Scope – Nonilluminated IHR Reticle NXS Compact 2.5-10x42mm Scope – MOAR Reticle/ZeroStop NXS Compact 2.5-10x32mm Scope – Mil-Dot Reticle/.1 Mil-Rad Adj.	\$1892.00 1615.00 1892.00 1940.00
	NXS Compact 2.5-10x32mm Scope – MLR Reticle/.1 Mil-Rad Adj.	1940.00

Nightforce SHV 4-14x56

Nightforce has taken their renowned performance and put it into a scope that's more affordable to a broader range of shooters. Starting with a 56mm objective lens and a 30mm tube, the SHV delivers exceptional light transmission. The 4-14 magnification range is ideal for most applications, and the fast-focus European style eyepiece quickly gets you on target. Reticles are available in IHR and MOAR, and can be either illuminated or non-illuminated. Capped windage and elevation turrets are finger adjustable. Adjustments are in ¼ MOA clicks with a total travel of 100 MOA elevation and 70 MOA windage. Eye Relief: 3.14" - 3.54". FOV: 24.9'100 Yards. 14.8" OAL. 28.5 oz. (illuminated), 26.9 oz. (non-illuminated) wt.

 #524-000-156ST
 Nightforce SHV 4-14X56 IHR

 #524-000-158ST
 Nightforce SHV 4-14X56 IHR Illuminated

 #524-000-157ST
 Nightforce SHV 4-14X56 MOAR

 #524-000-159ST
 Nightforce SHV 4-14X56 MOAR



186 800-717-8211

26(1)1

26(1)2.5-15X

26(1) 3-18450

26(1) 5-30150

253.518x4mm



Swarovski Optik

When you hear the name Swarovski, you think of legendary European optics built with top-of-the-line technology and superior components that deliver "diamond-bright" clarity and the most rugged construction available. A favorite among hunters, Swarovski ensures it meets the highest-quality standards by using some of the most advanced manufacturing techniques, their optimized roof-prism system and high-precision parts, and by incorporating features hunters value and engineering knowledge that is second to none. This endeavor has put Swaroski at the top, creating optical tools that give hunters a decisive advantage at the precise moment nature provides the ultimate target. All Swarovski riflescopes feature a lifetime warranty.

Swarovski Z6(i) Riflescopes (30mm Tube)

The Z6(i) line of world-class riflescopes boasts all of the great benefits offered in the first generation of Z6 illuminated optics, with the addition of new features and a redesigned, slimmer illumination housing. These added features include SWAROLIGHT - which automatically turns the illumination on/off – depending on the firearm's position, SWAROCLEAN – an innovative coating that facilitates the easy removal of fingerprints or watermarks - and a lockable 100-yard parallax setting (for adjustable parallax models only).

Z6(i) 1-6x24

This variable low-power optic is designed with an impressive 127.5 ft 100 yards FOV, making it ideal for 3-gun competitors or anyone shooting at moving targets. Optimized for use with "tactical" calibers, the BRT-I reticle offers incredible low-light target acquisition, and its marker bars and dots allow for accurate shot placement out to 500-600 meters/yards. Eye relief: 3.75". 11.6" length. 15.5 oz. weight.

#100-010-597ST Swarovski Z6(i)1-6x24 - BRT-I Reticle - Matte \$2499.00

Z6(i) 2.5-15x44

A great multipurpose scope, the variable low- to mid-power range is great for close-up or long-range shots, and the doit-all 4A-I reticle provides a classic, reliable aiming reference. This versatile scope also features Swarovski's HD optics that deliver incredible edge-to-edge clarity. Eye relief: 3.75". FOV: 48 ft 100 yards. 14.1" length. 20.3 oz. weight.

#100-010-598ST Swarovski Z6(i) 2.5-15x44 - 4A-I Reticle - Matte \$3199.00

Z6(i) 3-18x50

"Perfect for long-range shooting, this scope features Swarovski's BRH reticle with both holdover dots and stadia for different ranges, and hash marks for wind. The scope can also be cranked down to low power for wide-angle viewing with HD-quality clarity and color transmission from edge to edge. Comes with reticle decals allowing you to keep the holdover points for your specific caliber on your rifle at all times. Eye relief: 3.74". FOV: 39 ft 100 yards. 15.1" length. 21.7 oz. wt. Matte black finish. "

#100-011-785ST Swarovski Z6(i) 3-18x50 L HD, BRH Reticle \$2469.99

Z6(i) 5-30x50


This specialized long-range scope features a ballistic turret that you can set to match your particular cartridge and load at any range. The turret holds three color-coded range settings, and more range settings can be quickly calculated using the BT Ballistic Calculator on the Swarovski website. The 4A-I reticle has fine crosshairs with illuminated center dot for instant target acquisition. Just range, dial and shoot. Eye relief: 3.74". FOV: 23 ft 100 yards. 15.5" length. 21.2 oz. wt. Matte black finish.

#100-011-786ST Swarovski Z6(i) 5-30x50 P L BT, 4AI Reticle \$3509.00

Swarovski Z5 Riflescopes (1" Tube)

Z5 scopes are reliable and durable – and of course they boast Swarovski's world-renowned lens clarity. Internal microstructure grooves produce high-efficiency baffling that prevents residual reflections inside the tube to help deliver crystal clear, high contrast images, even in intense sunlight. A third turret allows easy parallax adjustment from 55 yards to infinity. Eye relief: 3.7". 3.5-18x44 models – FOV: 56 ft. elev./36 ft. windage 100 yards. 14.3" O.A.L. 15.9 oz. wt. 5-25x52 models – FOV: 43 ft. elev./25 ft. windage 100 yards. 14.6" O.A.L. 17.5 oz. wt.

#749-011-015ST #749-012-194ST #749-012-194ST #749-011-025ST #100-010-574ST #100-010-574ST #749-011-029ST #749-012-195ST #749-012-195ST	Z5 3.5-18x44mm – Plex Reticle Z5 3.5-18x44mm – Plex Reticle Z5 3.5-18x44mm – BRH Reticle Z5 3.5-18x44mm – BT Plex Reticle Z5 3.5-18x44 - BT Plex Reticle Z5 3.5-18x44 - BRX Reticle Z5 5-25x52mm – Plex Reticle Z5 5-25x52mm – BRH Reticle	\$1449.00 1449.00 1569.00 1579.00 1499.00 1599.00 1699.00 1609.00
#749-012-195ST	Z5 5-25x52mm – BRH Reticle	1649.00
#749-011-050ST	Z5 5-25x52mm – BT Plex Reticle	1699.00
#100-011-837ST	Z5 5-25x52 - BT-4W Reticle	1699.00





NEW Burris Optics

Burris combines state-of-the-art lens manufacturing technology with practical features preferred by real-world shooters to create leading-edge scopes that deliver extraordinary sharpness, contrast, and clarity - at amazingly affordable prices. Every Burris scope is individually quality-tested for resistance to water and fog-incursion, with innovative quad seals that provide double insurance against leakage. Precision-ground lenses are multi-coated for ultrabright, glare-free sighting. Many models available with Burris's advanced Ballistic Plex Reticle that compensates for bullet drop on targets at 100 to 500 yards without holdover.

FullField II[™] Rifle Scopes (1" Tubes)

Features high performance and modest prices, plus a large selection of magnification ranges and reticle configurations to choose from. European style, integrated eyepiece and focus adjustment with non-slip rubber grip for easy magnification changes. The 2-7x and 3-9x Fullfield IIs are perfect for muzzleloaders, slug guns, and brush rifles.

ITEM #	DESCRIPTION	FINISH	RETICLE	
#749-101-136ST	2-7x35mm	Matte	Ballistic Plex	\$149.00
#749-101-146ST	3-9x40mm	Matte	Plex	199.00
#749-101-148ST	3-9x40mm	Nickel	Ballistic Plex	199.00
#749-101-156ST	6.5-20x50mm	Matte	Ballistic Mil-Dot	399.00

Fullfield E1[™] Rifle Scopes (1" Tubes)

Fullfield E1 variable-power scopes feature a Ballistic Plex E1 reticle that takes the guesswork out of determining hold-off for wind compensation and holdover for elevation out to 500 yards. Thumb-adjustable control knobs enable fast, accurate changes to your point of impact in ¹/₄ MOA clicks, with an integrated power ring and eyepiece that accept flip-up lens caps. Precision ground lenses offer excellent light transmission, index-matched lenses with HiLume^{*} Storm multi-coatings; double internal springs and positive steel-on-steel adjustments for repeatable accuracy. Aluminum tube has a hardcoat anodized, matte black finish.

ITEM #	DESCRIPTION	FINISH	RETICLE	
#118-000-033ST	2-7x35mm	Matte	Ballistic Plex E1	\$199.00
#118-000-029ST	3-9x40mm	Matte	Ballistic Plex E1	249.00
#118-000-064ST	3-9x40mm	Matte	Ballistic Plex E1 Illuminated	299.00
#118-000-034ST	3-9x50mm	Matte	Ballistic Plex E1	299.00
#118-000-030ST	4.5-14x42mm	Matte	Ballistic Plex E1	349.00
#118-000-065ST	6.5-20x50mm	Matte	Ballistic Plex E1 MV*	449.00

Burris Timberline[™] (1" Tubes)

Designed to mount low on short action rifles to maintain the agile feel and balance of a short magnum. The Timberline scope's compact profile and long eye relief make it ideal for use on a mountain rifle, a rifle used in a tree stand, and any application where you want low bulk without compromising optical performance and versatility.

ITEM #	DESCRIPTION	FINISH	RETICLE	
#749-101-208ST	4.5-14x32mm	Matte	Ballistic Plex	\$279.00

Burris Handgun (1" Tubes)

Burris Handgun Scopes feature fully multi-coated optics and the Burris Forever Warranty. Visit burrisoptics.com for complete details on the Ballistic Plex system for handgun use.

ITEM #	DESCRIPTION	FINISH	RETICLE	
#749-101-161ST	2x20mm	Nickel	Plex	\$229.00
#749-101-166ST	2-7x32mm	Matte	Plex	349.00
#749-101-165ST	2-7x32mm	Matte	Ballistic Plex	349.00
#749-101-168ST	2-7x32mm	Nickel	Plex	349.00
#749-101-169ST	2-7x32mm	Matte	Ballistic Plex Posi-Lock™	379.00
#749-101-172ST	3-12x32mm	Matte	Ballistic Plex	429.00

Burris Fullfield TAC30[™] Scope (30mm)

The TAC30's variable low-power magnification provides a wide field of view for fast target acquisition in hunting and tactical applications, while the Ballistic CQ 5.56 illuminated reticle - ballistic calibrated for 5.56mm NATO cartridge - offers multiple concentric circles that draw the eye to the target for a fast shot placement. Elevation dots provide fast, easy hold adjustment for longer shots. Positive click, waterproof on/off and rheostat switch is conveniently located in windage and elevation housing. Eye relief: 3.5"-4". 11.3" OAL, 17 oz. wt. ¹/₂ MOA wind/elev. adj. with 130 MOA max. at 100 yards. Includes lens cover and lithium CR-2032 battery.

ITEM #	DESCRIPTION	FINISH	RETICLE	
#118-000-035ST	1-4x24mm	Matte	Ballistic CQ 5.56	\$299.00

Burris Scout[™] Rifle Scope (1" Tube)

The Burris Scout rifle scope is uniquely suited and designed specifically for scout rifles. The generous 11"-21" eye relief and its low profile allow it to be mounted closely to the receiver for the absolute best accuracy, plus its 2x-7x magnification range allows for close- to mid-range sighting.

ITEM #	DESCRIPTION	FINISH	RETICLE	
#118-000-066ST	2-7x32mm	Matte	Ballistic Plex	\$379.00



3-9X40


2-7×35

3-9x50

2x20

2-7×32

1-4x24





Redfield[®] **Revolution Scopes**

The rebirth of an American legend; the all-new Redfield Revolution scopes, built in the USA by Leupold using state-of-the-art

design, manufacturing, assembly, and testing techniques that guarantee functional superiority that no import can rival. The Illuminator Lens System[™] combines premium lenses with cutting edge vapor-deposition coatings for best-in-class light transmission in the critical low-light/blue wavelengths most common when game is active. Painstaking design efforts resulted in Redfield's exclusive Rapid Target Acquisition[™] (RTA) technology, meaning no more missed opportunities because you couldn't find the "sweet spot" behind the scope. Available with 4-plex (duplex reticle) or Accu-Range reticle with ballistic hold points out to 500 yards and calibrated trajectory data for most popular calibers. Waterproof, fog proof, shock proof, and covered by the Redfield Full Lifetime Warranty. Objective and ocular bells are threaded to accept Leupold Rain-Coat and other filters and accessories.

2-7x33mm Revolution Scope

The Redfield 2-7x33mm is a low profile scope designed for lightweight hunting rifles. Features a 1" diameter main tube, Accu-Trac^{∞} 1/4" MOA windage and elevation, finger "click" adjustment system. 3.7" to 4.9" eye relief.

\$179.99

189.99

#749-007-836ST 2-7x33mm 4-Plex Reticle **#749-011-289ST** 2-7x33mm Accu-Range Reticle

3-9x40mm Revolution Scope

The 3-9x40mm is designed to be the perfect scope for medium range, small and big game hunting rifles. Features a 1" diameter main tube, Accu-Trac $^{1}/_{4}$ " MOA windage and elevation "click" adjustment system. 3.7" to 4.2"eye relief.

 #749-008-017ST
 3-9x40mm
 4-Plex
 \$199.99

 #749-011-290ST
 3-9x40mm
 Accu-Range
 209.99

3-9x50mm Revolution Scope

The extra large, 50mm diameter objective lens ensures superior light transmission for bright, crystal clear viewing during extreme low light conditions, especially at dusk or dawn. Features a 1" diameter main tube, Accu-Trac $^{1}/_{4}$ " MOA windage and elevation "click" adjustment system. 3.7" to 4.2" eye relief.

#749-008-189ST 3-9x50mm 4-Plex Reticle	\$239.99
#749-011-291ST 3-9x50mm Accu-Range Reticle	279.99

4-12x40 Revolution Scope

A varmint hunters favorite that also serves double duty as a big game hunting scope. Low to high power versatility allows lightning quick target acquisition. 1" diameter tube with Accu-Trac $^{1}/_{4}$ " MOA windage and elevation "click" adjustment system. 3.7" to 4.9" eye relief.

#749-011-292ST 4-12x40mm 4-Plex Reticle **#749-011-293ST** 4-12x40mm Accu-Range Reticle

\$249.99	
259.99	



Accu-Range

Reticle

Low Profile Click Adjustments



100% Waterproof/Fog Proof



2-7x33mm

3-9x40mm


3-9x50mm

6-18x44mm



Redfield Revenge[™] Rifle Scopes

These durable rifle scopes from Redfield are uniquely set up to help you exact "revenge" on the elusive target you missed the last time you were afield. Equipped with all of Redfield's famous features, these scopes are designed to exceed your expectations – whether you're hunting whitetail or prairie dogs. Available with Redfield's popular 4-Plex reticle, or the Accu-Ranger (A-R) reticle with a bracketing system that helps you identify target range and hold-over dots to aid in accurate sighting reference out to 600 yards. All that's left to do is pull the trigger and "revenge" is yours! A-R Hunter reticle is great for deer-sized targets; A-R Varmint is perfect for hunting prairie dogs or coyotes. 1" O.D. main tube, anodized aluminum, matte black or silver, as indicated in table below. 6-18x44 models have an adjustable objective (AO).



* AO denotes adjustable objective.

5g 199.99 0g 249.99

Redfield Battlezone[™] 3-9x42 Scope

The Battlezone riflescope combines Redfield quality and reliability with features desired by AR-platform tactical shooters – at a remarkable price. This nitrogen-purged, water/fog/shockproof

²²³/s.56 NATO cartridges and the other for .308/7.62 NATO cartridges. A

^{22/5}:56 NATO cartridges and the other tor .308/7.62 NATO cartridges. A specially-configured TAC-MOA reticle features hash marks separated at 2 MOA increments on both crosshairs to make windage hold-off and elevation hold-overs simple. Coupled with the convenient pop-up, finger-adjustable turrets, this scope offers tremendous accuracy and reliability at both medium and long-range. 1" OD main tube; aluminum, hardcoat anodized, matte black.



		ADJ. RG/ CLICK		OAL/MOUNT.			
ITEM #	DESCRIPTION	VALUE	EYE RELIEF	LENGTH	RETICLE	WEIGHT	
#100-011-947ST	3-9x42mm	70 MOA/1/4	3.5"	14.2"/5.6"	TAC-MOA	14.8 oz/420g	\$199.99

Redfield Counterstrike[™] Optic

Redfield's non-magnifying (1x) Counterstrike optic is designed specifically for operation on flattop AR-15 rifles with no front sight tower. It features a user-selectable red or green 4 MOA dot, plus a belly-mounted aiming laser to give you plenty of sighting versatility in any targeting situation. Zero the center dot at a longer distance, set the laser for short ranges, and you're ready for whatever comes your way! Both aiming points may also co-witness to give you extra assurance. The center dot features 11 brightness-intensity settings and 2 night-vision compatible settings to keep it visible in the brightest or dimmest light. Integral mount secures the optic firmly to a Picatinny rail. 5.9" OAL, 14.8 oz. 90 MOA adjustment range; ½ MOA click value.

#100-011-948ST Redfield Counterstrike Optic \$179.99





NEW Bushnell Elite Tactical Riflescopes

Bushnell Elite Tactical scopes featue finger-tip adjustable windage and elevation knobs, and ¹/4 MOA values to help you get on target, no matter how far your target. Available in a variety of power ranges with different types of range-finding reticles including Mil-Dot, BTR-Mil with hash marks, or the G2 reticle. All scopes have 30mm main tubes, except for 10x40 fixed power that has 1" tube. Some models have First Focal Plane (FFP) reticles. 5-15x40 has front parallax adjustment. All other scopes have side adjustable parallax except for 10x40 fixed power.



	DECODIDEION		ADJ. RANGE/	EYE		MOUNTING		
ITEM #	DESCRIPTION	RETICLE	CLICK VALUE	RELIEF	LENGTH	SPACE	WEIGHT	
#590-300-028ST	ERS 4.5-30x50	Mil-Dot	70 MOA//1/4 MOA	4"	13.1"	5.8"	24.1 oz.	\$979.00
#590-300-027ST	LRS 5-15x40	Mil-Dot	40 MOA//1/4 MOA	3.5"	14"	6"	21 oz.	469.00
#590-300-029ST	ERS 6-24x50	FFP Mil-Dot	70 MOA//1/4 MOA	4"	13.5"	5.9"	27 oz.	859.00
#590-300-030ST	ERS 6-24x50	FFP BTR Mil-Dot	70 MOA//1/4 MOA	4"	13.5"	5.9"	27 oz.	999.00
#590-300-026ST	LRS 10x40	Mil-Dot	80 MOA//1/4 MOA	3.5"	11.5"	6"	15.5 oz.	259.00
#590-300-031ST	3.5-21x50	FFP G2DMR	100 MOA//1/4 MOA	3.75"	13.2"	6"	32.5 oz.	1999.00

Weaver T-Series Riflescope

Back by popular demand, Weaver's T-Series "Target and Varmint Terminator" is a classic-style longrange scope. With a ¹/₈ MOA dot within fine crosshairs for very fine, precise aiming and fixed 36x power that lets you see the smallest details, the target will absolutely fill your vision. Target turrets let you make instant adjustments, and the adjustable objective gives parallax-free shooting at any range. 40 MOA adjustment range in ¹/₈ MOA clicks. 1" diameter main tube. 15" OAL. 17 oz. wt. Matte black finish. Includes sunshade, screw-in metal lens caps, and oversized benchrest adjustment knobs.



ITEM #	DESCRIPTION	FINISH	RETICLE	ADJ. RANGE/ CLICK VALUE	EYE RELIEF	OAL	WT.	
#749-011-840ST	36x40	Matte Black	¹ /8 MOA Dot	40 MOA	3"	15"	17 oz.	\$449.99

6.5-20x44mm

^{6.5-20x50mm}

^{2.5-10x44mm}

^{4-16x50mm}

^{2.5-10}x32mm



Vortex Viper Rifle Scopes NEW

Variable-power scopes with high resolution optics, parallax adjustment and crystal clear reticles are ideal for long range predator, varmint and target shooting. Extra large 44mm or 50mm objectives combine with a 30mm main tube for maximum light transmission during low light conditions. With easy-to-grasp target turrets for positive windage and elevation adjustments. Available reticles:

Dead-Hold BDC Reticle - Bullet drop reticle helps eliminate guesswork on hold-over and windage corrections. Just determine the distance to the target, aim using the correct hash mark and fire for first shot accuracy.

V-Plex Wide Reticle - Standard duplex reticle features an extra fine crosshair that prevents blocking the target. Ideal for precise shot placement.

Mil-Dot Reticle - Estimate range, windage and bullet hold-over at the same time. Mil Dot sub-tensions are accurate at 14x.

EBR-1 (Enhanced Battle Reticle) - A hashmarked ranging reticle using MOA or MRAD based subtension lines for ranging, holdover, and windage corrections.

6.5-20x44mm Viper Scopes

Delivers incredible performance with premium features like fully multi-coated optics for 95% light transmission, heavy duty Precision Force spring systems and Precision Glide windage and elevation adjustments for consistent repeatability and tracking. Easy-to-read magnification settings face rearward for instant viewing without raising your head. Features a built-in index pointer for fast positive magnification changes using just your thumb. Side parallax adjustment allows precise focus adjustments from 50 yards to infinity, plus the range numbers are visible while in the shooting position. ¼ MOA click adjustments. 14.4" long. 21 oz. wt.

\$429.99 #749-012-209ST 6.5-20x44mm – Dead-Hold BDC – Matte Black #749-012-210ST 6.5-20x44mm – Mil-Dot – Matte Black 429.99

6.5-20x50mm Viper Scopes

50mm objective bell for maximum light transmission during low light conditions, with the same performance features as the 44mm Viper scope. ¼ MOA click adjustments. 14.4" long. 21.6 oz. wt.

459.99

459.99

#749-012-206ST 6.5-20x50mm - Dead-Hold BDC Reticle - Matte Black \$459.99 #749-012-207ST 6.5-20x50mm - V-Plex Wide Reticle - Matte Black #749-012-208ST 6.5-20x50mm - Mil-Dot Reticle - Matte Black

Vortex Viper PST Rifle Scopes (30mm)

The Viper PST scope line was designed from the ground up for the long-range shooter and features sophisticated reticles for estimating range, holdover, and windage normally found on scopes costing much more. The glass-etched, illuminated reticle has 10 brightness settings and side parallax adjustment to provide a clear sight picture at all ranges and under different light conditions. All models feature the EBR (Enhanced Battle Reticle) with subtension lines graduated in MRAD units (3.6" at 100yds). FFP (First Focal Plane) models have reticle lines that stay valid at all magnifications. 2.5-10 x 44mm – 12" long, 18.4 oz. wt. 4-16 x 50mm – 13" long, 22 oz. wt. 6-24 x 50mm - 151/2" long, 23 oz. wt.

#100-007-285ST 2.5-10x44 Viper Scope, EBR/MRAD	\$599.99
#100-007-284ST 4-16x50 Viper Scope, EBR/MRAD	699.99
#100-007-282ST 4-16x50 FFP Viper Scope, EBR/MRAD	899.99
#100-007-283ST 6-24x50 Viper Scope, EBR/MRAD	749.99
#100-007-281ST 6-24x50 FFP Viper Scope, EBR/MRAD	949.99
#100-013-110ST 2.5-10x32mm FFP Viper Scope, MRAD	799.99
#100-013-111ST 2.5-10x32mm FFP Viper Scope, MOA	799.99

Viper HS Rifle Scopes

The Viper HS line features extra elevation and windage adjustment travel, making these scopes perfectly suited for short- and long-range hunting and target shooting. Exposed, easy-to-grasp elevation turrets and side-focus parallax adjustments help you dial in optimal accuracy at nearly any range. Extra-low dispersion glass and XR lens coatings work in tandem to deliver bright, crisp, color-correct target images. 2.5-10x44mm - 12" long, 18.4 oz. wt. 4-16x44mm - 13.7" long, 20 oz. wt. 4-16x50mm - 13.7" long, 22 oz. wt. All models have a matte black finish.

#100-010-490ST 2.5-10x44mm – V-Plex Reticle
#100-010-488ST 2.5-10x44mm – Dead-Hold BDC Reticle
#100-010-485ST 4-16x44mm – V-Plex Reticle
#100-010-483ST 4-16x44mm – Dead-Hold BDC Reticle
#100-010-480ST 4-16x50mm – V-Plex Reticle
#100-010-478ST 4-16x50mm – Dead-Hold BDC Reticle
#100-013-114ST 6-24x50mm - Dead-Hold BDC Reticle
#100-013-115ST 6-24x50mm V-Plex Reticle

Viper HS LR Rifle Scopes

HS LR (Long Range) scopes are specifically designed for super-accurate, long-range performance. They include all the capable features of the standard HS series, plus Vortex's CRS (Customizable Rotational Stop) Zero Stop elevation turret. These ultra-precise, target-style turrets ensure that zero is maintained after dialing up large elevation corrections. 4-16x44mm - 13.7" long, 20 oz. wt. 4-16x50mm - 13.7" long, 22 oz. wt. Matte black finish.

\$389.99 399.99 489.99


> 499.99 539.99 549.99 599.99 589.99

#100-010-198ST 4-16x44mm - Dead-Hold BDC Reticle #100-010-196ST 4-16x50mm - Dead-Hold BDC Reticle #100-013-112ST 6-24x50mm FFP - XLR Reticle #100-013-113ST 4-16x50mm FFP - XLR Reticle

\$549.99 599.99 899.99 849.99







4-16x44mm

³⁻⁹x40mm

⁴⁻¹²x40mm

6-18x44mm

4-12x40mm

4-12x44mm

2-7x32mm

Vortex Viper HS-T Rifle Scopes

Combining the best features of the PST and HS Viper Scopes, the HS-T scopes feature a second focal plane hashmark reticle in either MOA or MRAD. Precise 1/4 MOA click adjustments and side focus knob help you get on target quickly and clearly. The 30mm tube allows for 75 MOA of windage and elevation range, and the generous 4" eye relief gives you plenty of clearance on hardkicking magnums. 4-16 x 44mm. 13.7" long. 20.8 oz. wt.

> #100-013-622ST HS-T 4-16x44mm VMR-1 MOA Reticle #100-013-623ST HS-T 4-16x44mm VMR-1 MRAD Reticle

\$559.99 559.99



Diamondback Scopes (1" Tube)

Diamondback scopes offer popular high-end features - without the high-end price. One-piece, 1" diameter aluminum tube with dual braced lenses provides ruggedness and dependability in a rifle scope designed for big game, magnum rifles, and slug hunting. Precision-ground, multi-coated optics enhance target picture in all useable light conditions, and Argon gas purging keeps the lenses fog-free even in extreme temperatures. Plus, you get the first-shot accuracy of Vortex's Dead-Hold BDC reticle, good for hunting or shooting at varying ranges where estimating hold-over is a concern. 1/4 MOA windage/elevation click adjustments (70 MOA max). Both models approx. 12" long, 14.5 oz. wt.

#100-008-113ST	Vortex 3-9x40mm Diamondback Scope, Dead-Hold BDC	\$199.99
#100-008-114ST	Vortex 4-12x40mm Diamondback Scope, Dead-Hold BDC	199.99
#100-013-119ST	Vortex 4-12x40mm Diamondback Scope, AO Dead-Hold BDC, MOA	299.99
#100-013-120ST	Vortex 4-12x40mm Diamondback Scope, Dead-Hold BDC, MOA	249.99
#100-013-121ST	Vortex 2-7x35mm Diamondback Scope, Rimfire V-Plex, MOA	179.99

Vortex Crossfire II Scopes NEW

Vortex's innovative Crossfire II scopes deliver optimum visual performance when you need to make shots that count. Fully multi-coated lenses offer increased light transmission and edge to edge clarity with less haze, ensuring you a clearer target picture even at dawn or dusk. The long eye relief and fast focus eyepiece lets you quickly acquire targets and keep the reticle in focus at all times. Easily make windage and elevation adjustments with the zero resettable MOA turrets. AO models also feature an adjustable objective. Crafted from 1" aircraft-aluminum, these rugged scopes are nitrogen purged and O-ring sealed for 100% waterproofing and fogproofing. Shockproof scope body is hard-coat-anodized with a matte black finish to reduce glare.

#100-013-122ST	6-18x44mm AO V-Brite Reticle	\$269.99
#100-013-122ST	6-18x44mm AO V-Brite Reticle	269.99
#100-013-123ST	6-18x44mm AO Dead-Hold BDC Reticle	219.99
#100-013-124ST	4-12x40mm AO Dead-Hold BDC Reticle	189.99
#100-013-125ST	4-12x44mm Dead-Hold BDC Reticle	159.99
#100-013-126ST	2-7x32mm Rimfire V-Plex Reticle	119.99

Vortex Razor HD Rifle Scopes NEW

Razor HD scopes are designed to meet the demands of extreme hunting and tactical situations. Illuminated First Focal Plane (FFP) ranging reticles ensure consistent subtensions at all magnifications, with 11 illumination settings for daytime, low-light, or night-vision devices. Subtension marks on the reticles match the click value on the turrets. The 1-4x24mm model's EBR-556 reticle is calibrated for the 5.56mm NATO cartridge, making it ideal for rapid close- and midrange shooting with fast handling modern sporting rifles. 5-20x50mm model has a side parallax adjustment to fine-tune focus from 40 yards to infinity, with Rapid Zero Return to keep the turret from dialing below sight-in range. 1-4x24mm Adj. range 200 MOA in ¼ MOA clicks. 10.3" O.A.L., 20.2 oz. wt. 5-20x50mm: Adj. range - 125 MOA in ¼ MOA clicks (EBR-1) or 36 MRAD in .1 MRAD clicks (EBR-3). 15.8" O.A.L., 35.2 oz. wt. 35mm O.D. tube. All models: Eye relief is 3.9". 30mm O.D. tube. Low-glare matte black finish.

\$1999.99
1999.99
1999.99
1999.99
1999.99
1999.99
1999.99



Vortex Razor HD Gen II

"Versatile 1x to 6x riflescope is optimized for AR-platform rifles chambered in 5.56mm/.223 or .308/7.62mm, making it ideal for competition shooters, hunters, and law enforcement/military personnel. A forgiving eye box, generous eye relief, and the illuminated reticle with 11 brightness-intensity settings make for quick, instinctive acquisition of any short- to mid-range target. JM-1 BDC (Bullet Drop Compensation) reticle is designed for a 200-yard zero, with hash marks to assist with hold-overs at 300, 400, 500 and 600 yards. Adjustment range 110 MOA in ½ MOA clicks. Eye relief is 4". 10" O.A.L. 25.2 oz. wt. '

#100-009-922ST 1-6x24mm Razor HD Gen II Scope

SIGHTRON

3.5-10x44

Sightron Series II Scope (1" Tube)

The Sightron Series II 36x42 BRD offers Sightron's unique ExacTrack windage and elevation adjustment system in a scope designed expressly for benchrest shooting. The fixed 36x magnification lets you see exactly where your hits are - and how small your group is. The adjustable objective lets you focus from 15 yards to infinity, and at 100 yards the field of view is 36". Matte black with 1" main tube.

6-24x50

#749-013-488ST Sightron Series II 26x42 BRD

. 10-50x60 \$435.55

NEW Sightron Series III Scopes (30mm)

Since 1993, Sightron Scopes have built a reputation for excellent optical quality and reliably repeatable adjustments. These scopes feature the ZACT-7 seven-layer multi-coat on their precision-ground lenses and Sightron's unique ExacTrack windage and elevation adjustment system. Your choice of a wide range of magnification and MOA or MRAD based reticles good for a variety of shooting applications. These scopes feature windage and elevation target knobs with either .05 MRAD, .1 MRAD, ¹/₄ MOA or ¹/₈ MOA click adjustments, and side focus knobs. Scopes have 30mm main tubes and matte black finish.

			CLICK	ADJ.	EYE		MOUNTING		
ITEM #	DESCRIPTION	RETICLE	VALUE	RANGE	RELIEF	LENGTH	SPACE	WT	
#749-014-193ST	3.5-10x44 LRMD	Mil-Dot	1/4 MOA	120 MOA	3.8"-3.8"	13.1"	5.9"	20.8 oz.	699.99
#749-014-194ST	3.5-10x44 LRMD/CM	Mil-Dot	.1 MRAD	31.9 MRAD	3.6"-3.8"	13.1	5.9"	20.8 oz.	649.99
#749-014-195ST	3.5-10x44 LRIRMOA	Illum. MOA-3	1/4 MOA	120 MOA	3.6"-3.8"	13.1"	5.9"	20.8 oz.	759.99
#749-013-399ST	6-24x50 LRMOA	MOA-2	1/4 MOA	100 MOA	3.6"-3.8"	15"	6"	21.9 oz.	\$915.01
#749-013-400ST	6-24x50mm LRMD	Mil-Dot	1/4 MOA	100 MOA	3.6"-3.8"	15"	6"	21.9 oz.	849.22
#749-013-402ST	8-32x56mm LRMOA	MOA-2	1/4 MOA	70 MOA	3.6"-4.0"	15.3"	6 ¹ /4"	24.7 oz.	951.93
#749-013-401ST	8-32x56mm LRMD	Mil-Dot	1/4 MOA	70 MOA	3.6"-4.0"	15.3"	6 ¹ /4"	24.7 oz.	886.14
#749-013-282ST	10-50x60mm LRMD	Mil-Dot	1/8 MOA	50 MOA	3.8"-4.5"	16.9"	6 ³ /4"	28.9 oz.	1047.26
#749-014-196ST	6-24x50 LRMD/CM	Mil-Dot	.1 MRAD	26.9 MRAD	3.6"-3.8"	14.9"	6"	24.3 oz.	888.70
#749-014-197ST	6-2x50 LRD	1 MOA Dot	1/4 MOA	100 MOA	3.6"-3.8"	14.9"	6"	24.3 oz.	834.45
#749-014-198ST	8-32x56 LRD	1 MOA Dot	1/4 MOA	70 MOA	3.6"-4.0"	15.3"	6.3"	26.5 oz.	886.14
#749-014-199ST	8-32x56 LRTD	1/2 MOA Dot	1/4 MOA	70 MOA	3.6-4.0	15.3"	6.3"	26.5 oz.	886.14
#749-014-200ST	8-32x56 LRTDTDT	1/2 MOA Dot	1/8 MOA	70 MOA	3.6"-4.0"	15.3"	6.3"	26.5 oz.	886.14
#749-014-201ST	8-32x56 LRFCH	Fine Crosshair	1/4 MOA	70 MOA	3.6"-4.0"	15.3"	6.3"	26.5 oz.	886.14
#749-014-202ST	8-32x56 LRMDCM	Mil-Dot	.1 MRAD	18.6 MRAD	3.6"-4.0"	15.3"	6.3"	26.5 oz.	925.62
#749-014-203ST	10-50x60 LRTD	¹ / ₂ MOA Dot	1/8 MOA	50 MOA	3.8"-4.5"	16.9"	6.6"	30.1 oz.	1047.26
#749-014-204ST	10-50x60 LRFCH	Fine Crosshair	1/8 MOA	50 MOA	3.8"-4.5"	16.9"	6.6"	30.1 oz.	1047.26
#749-014-205ST	10-50x60 LRMDCM	Mil Dot	.05 MRAD	13.2 MRAD	3.8"-4.5"	16.9"	6.6"	30.1 oz.	1086.74
#749-014-206ST	10-50x60 LRM0A	MOA-2	1/4 MOA	50 MOA	3.8-4.5"	16.9"	6.6"	30.1 oz.	1086.74
#749-014-207ST	10-50x60 LRIRMOA	Illum. MOA-2	1/4 MOA	50 MOA	3.8"-4.5"	16.9"	6.6"	30.1 oz.	1315.68
#749-014-208ST	10-50x60 LRIRMH	Illum. Mil-Hash	.05 MRAD	13.2 MRAD	3.8"-4.5"	16.9"	6.6"	30.1 oz.	1355.16
#749-014-209ST	10-50x60 LRIRSIL	Illum Silhoutte Mil-Hash	.05 MRAD	13.2 MRAD	3.8"-4.5"	16.9"	6.6"	30.1 oz.	1355.16

6-24x50

Sightron 1-7x24 Scopes

Sightron's 1-7x24 scope offers the same high optical quality, 30mm tube, ExacTrack and ZACT-7 lens coating as their long-range scopes, in a slim, tactical package ideal for AR-15s or 3-Gun shooting. True 1x at the low end and true 7x at the top end. Illuminated reticles run off common CR2032 battery.

			CLICK	ADJ.	EYE		MOUNTING	G	
ITEM #	DESCRIPTION	RETICLE	VALUE	RANGE	RELIEF	LENGTH	SPACE	WT.	
#749-014-191ST	1-7x24 IR4A	Illum. German 4A	.1 MRAD	26.9 MRAD	3.9"-4.8"	13"	8.2"	20 oz.	\$799.99
#749-014-192ST	1-7X24 IRMOA	Illum. MOA	1/2 MOA	100 MOA	3.9"-4.8"	13"	8.2"	20	799.99

Sightron 10x42 MMD

The fixed-power 10x42 "Modified Mil-Dot" scope has the same high optical quality, ExacTrack windage and elevation adjustment system and Zact-7 multi-coating Sightron is know for, but eliminates confusion in high-stress situations caused by forgetting to zoom in or out, or adjust parallax. The Modified Mil-Dot reticle has standard mil-dots with .5 hash marks between each to help further refine mil readings.

			CLICK	ADJ.	EYE		MOUNTIN	G	
ITEM #	DESCRIPTION	RETICLE	VALUE	RANGE	RELIEF	LENGTH	SPACE	WT.	
#749-014-210ST	10x42 MMD	Modified Mil-Dot	1/4 MOA	10x fixed	3.6	13.1"	5.6"	19.4 oz. 🕯	\$578.88



1-7x24

Spotting Scopes





\$1599.99 1599.99

1199.99 1199.99

169.99

Vortex Razor HD Spotting Scopes

The Razor HD takes spotting scope performance to the next level by employing high density extra-low dispersion glass lens elements, which delivers images in true to life clarity and color accuracy. Lenses are fully multicoated and feature XR anti-reflective coatings for enhanced resolution and increased light transmission. A triple-apochromatic lens system further eliminates any color distortion across the entire field of view. Exterior lenses are protected from scratching with an ultra-hard ArmorTek coating which also repels oil, dirt and corrosive salts from fingerprints. Scope is argon gas purged for waterproof and fogproof performance. Lightweight diecast magnesium alloy body features a rubber armor for added strength and durability. Digital camera adapter lets you take advantage of the fine optics of the Razor HD spotting scope with a DSLR camera. Includes: 30mm, 37mm, 43mm, 52mm, 55mm and 58mm adapter rings. Most digital point-and-shoot cameras require an accessory lens adapter and/or step ring (not included). 15 ¼" OAL. 65.7 oz. wt.

#749-012-217ST 20-60x85mm Razor HD Angled Spotting Scope **#100-013-105ST** 20-60x85mm Razor HD Straight Spotting Scope **#100-013-106ST** 16-48x65mm Razor HD Angled Spotting Scope **#100-013-107ST** 16-48x65mm Razor HD Straight Spotting Scope **#749-012-218ST** Razor HD Digital Camera Adapter





NEW Vortex Viper HD Spotting Scope 15-45x65mm

Combining proprietary XR anti-reflective coatings and HD (High Density) extra-low dispersion glass, this rugged scope offers increased resolution, color fidelity, and maximum brightness. Features dual control for precision focusing with both coarse and fine focus adjustments. The argon gas purging ensures fogproof performance in all weather conditions. Scratch resistant lenses are protected with an ultra-hard ArmorTek coating. Durable O-rings seal the scope, preventing moisture, dust, and debris from getting inside. The builtin Picatinny rail can be used to easily attach red dot type sights. Scope comes complete with a zoom eyepiece, rotating tripod mount, built-in sunshade, and a custom fitted case.

#100-013-183ST	Viper 15-45x65mm Angled Spotting Scope	\$649.99
	Viper 15-45x65mm Straight Spotting Scope	649.99



Vortex Diamondback Spotting Scope 20-60x60mm

Combining quality and performance into a lightweight package, the Diamondback provides a bright image throughout the magnification range. Proprietary XR anti-reflective, fully multicoated lenses increase light transmission for maximum brightness. To ensure clear, accurate color images, the Porro prisms are dielectric coated for enhanced subject detail. Coupled with the 20 to 60 power zoom eyepiece and you are assured to get the up-close looks you need. All exterior lenses are protected from scratching with an ultra-hard ArmorTek coating. Nitrogen gas purging and O-ring seals deliver fogproof and waterproof performance no matter the weather. A built-in sunshade shields the objective lens from glare and precipitation. Rotating tripod collar allows you to turn the scope body to change viewing angles.

#100-013-186ST Diamondback 20-60x60mm Angled Spotting Scope **#100-013-185ST** Diamondback 20-60x60mm Straight Spotting Scope

\$399.99 399.99

\$759.99 399.99 239.99 69.99

\$2449.99

609.99

349.99

139.99

KOWA High Performance Spotting Scopes

Kowa one the leading optics companies in the world combines state-of-the-art technology with the finest optical glass available to deliver phenomenal clarity, resolution and crystal clear images. Features an angled eyepiece to help prevent fatigue and discomfort when viewing. Kowa spotting scopes are the most popular choice of high power and long range competitive shooters.



KOWA TSN-82SV 82mm Angled Spotting Scope

Designed to go-one-better and offer greater magnification, clarity and resolution then comparable priced spotting scopes. Features an impressive 82mm objective lens for maximum light transmission and brightness. Available eyepieces include 21-63x variable magnification or long eye relief, 25x fixed magnification. Eyepieces and spotting scope case must be purchased separately. Spotting scope can be used while enclosed in wrap-around storage case. 15.1" OAL. 52.2 oz.

#749-012-345ST	TSN-82SV Spotting Scope
#749-012-346ST	TE-10Z 21-63x Zoom Eyepiece
#749-012-347ST	TE-20HD 25x Long Eye Relief Eyepiece
#749-012-348ST	TSN-82SV Storage Case

KOWA TSN-883 88mm Angled Spotting Scope

Raises the bar in optical quality with leading edge "fluorite-crystal" technology that eliminates chromatic aberration and delivers incredibly, sharp clear images. Lightweight compact system has an overall length of just 13.5" yet offers one of the largest diameter objective lenses (88mm) in the business. Dual focus adjustment knob features quick focus in two revolutions and one revolution fine focus. Durable magnesium alloy body is lightweight without sacrificing strength. Secures to both 1/4" and 3/8" tripods. 20-60x variable magnification eyepieces feature aspherical lenses for maximum field of view over the entire power range. Long relief, 25x fixed magnification eyepiece provides the extra room needed when wearing glasses. Eyepieces and storage case must be purchased separately. Spotting scope can be used while enclosed in wrap-around storage case. 13.5" OAL. 53.6 oz.

#749-012-360ST	TSN-883 Spotting Scope
#749-012-361ST	TE-10Z 20-60x Zoom Eyepiece
#749-012-362ST	TE-20H 25x Long Eye Relief Eyepiece
#749-012-363ST	TSN-883 Storage Case



The folks at Nightforce designed the TS-82 to give the same optical clarity as shooters have come to expect from their rifle scopes. It produces vivid, high-contrast images with razor-sharp resolution and no distortion from edge to edge - even at the top of its 20-70x magnification range. The 82mm objective lens ensures exceptional low-light performance, and an internal prism system provides maximum light transmission, unlike mirrors that can absorb critical light. Lens is ground from high-grade APO (apochromatic) fluorite glass for exceptionally true, brilliant color. Nightforce's proprietary coatings - same as used on their rifle scopes - result in superb contrast and brightness, and images stay crisp and clean with an additional hydrophobic coating that repels fingerprints and smudges and immediately sheds water without leaving residue. Large center focus ring is precise, comfortable, and fast, even while wearing gloves. Waterproof aluminum body provides outstanding strength and thermal stability. Adapter lets you attach an iPhone 4 or 5, centering the photo/video lens over the eyepiece to capture high-resolution photos of wildlife, birds or other faraway objects year-round. Straight model is 16.4" OAL. Angled is 15.9" OAL. Eye relief: 18mm. 67 oz. approx. wt.

	TS-82 Spotting Scope - Straight Eyepiece TS-82 Spotting Scope - Angled Eyepiece	\$2522.00 2522.00
	TS-82 20-70x Eyepiece	588.00
	TS-82 30-60x Ŵide Angle Eyepiece	588.00
	TS-82 Accessory Rail	87.00
#524-000-176ST	TS-82 iPhone 4/4S Adapter	53.00
	TS-82 iPhone 5 Adapter	53.00
#524-000-178ST	TS-82 Lens Cap Set	24.00
	TS-82 Knurled Grommet Set	24.00

Nikon Prostaff 5 Fieldscope and Accessories

Nikon's durable spotting scopes are well respected among outdoor enthusiasts and offer edge-to-edge clarity, bringing distant objects into clear, colorcorrect focus. The compact, lightweight Prostaff 5 series features porro-prisms, an integrated sliding sunshade, rubber armoring, and internal blackening to reduce glare. Turnand-slide eyecups ensure appropriate eye relief for eyeglass wearers. Models are available with angled or straight body eyepieces in both 60mm and 82mm objective lenses. Scopes can be used while enclosed in protective, Vue-Thru case. The first number in the eyepiece magnification values below indicates power when attached to 60mm object lens; second number indicates power when attached to 82mm objective lens.

#100

#100 #100

#100 #100

#100

#100

	16-48x60mm Spotting Scope - Straight Body Zoom Eyepiece 16-48x60mm Spotting Scope - Angled Body Zoom Eyepiece	\$499.95 499.95
	20-60x82mm Spotting Scope - Straight Body Zoom Eyepiece	599.95
0-009-161ST	20-60x82mm Spotting Scope - Straight Body Zoom Eyepiece	599.95
	20x/25x Fixed Eyepiece	99.95
0-009-163ST	30x/38x Fixed Eyepiece	129.95
0-009-164ST	16-48x/20-60x Zoom Eyepiece	169.95

Spotting Scopes & Rangefinders



The Redfield Rampage 20-60x60mm spotting scope has all the features you need for a lifetime of use in the field, with none of the added cost. Features a polycarbonate body to reduce weight; fully multicoated lenses and a premium BAK4 prism for a superior image; a retractable lens shade to reduce glare; a twist up/down eyecup for use with or without eyeglasses; and Redfield's renowned waterproof and fog proof technology. With a magnification range from 20x to 60x, the Rampage allows for the perfect balance of magnification and field-of-view regardless of the situation; and the standard ¹/4-20 threaded port allows for easy installation on any standard tripod or window mount. Includes a compact tripod, view-thru soft case, neoprene neck strap, and lens covers. Covered by the Redfield Limited Lifetime Warranty.

#749-011-288ST Rampage 20-60x60mm Spotting Scope

Sinclair Bench/Scope Stand

Our bench spotting scope stand employs two large clamping plates to lock the stand securely to the bench. A bench thickness of 1/4" to 12" is eas- ily accommodated. The scope mounting head moves smoothly up and down on the 18" stainless steel shaft for proper scope height adjustment. The head locks in place with a comfortable knob and contoured locking piece. The scope mounting head incorporates a double spring loaded adjusting mechanism which permits easy target acquisition. The scope mounting surface is designed

to mount 1/4-20 threaded scopes with a mating surface of 1-3/4" x 2-1/4" or less (almost all field and spotting scopes with threaded mounts).

We usually mount the scope stand to the left side of the bench so all we have to do is move our head off the riflescope to view the results of our shooting. If you shoot off the bench using open sights or lower powered scopes, this is a piece of equipment that puts your spotting scope to great use.

#749-007-844ST Sinclair Bench/Scope Stand

\$149.99

NEW Swarovski ATX/STX Spotting Scopes

Never worry about having the right spotting scope again with this innovative modular design from Swarovski. Instead of being locked into one size or style of scope, simply choose an angled or straight eyepiece, and then based on your needs, attach it to either a 65mm, 85mm, or 95mm objective lens. Magnification range of the eyepiece is 25-60x with the 65mm or 85mm objective lenses and 30-70x on the 95mm objective lens. Crystal clear viewing is delivered by the HD lenses which provide rich contrast, exceptional color fidelity and optimum contrast in low light conditions. Eyepieces feature field flattener lenses which produce razor-sharp image with clarity right up to the periphery, without the need for constant refocusing. An extra-long eye relief and twist-in removable eye cup ensures there is no distortion or discomfort for users wearing eyeglasses. The ergonomic design of the scope places the focusing and zooming ring close together, allowing for quick zooming and focusing without losing sight of the object.

#100-013-400ST #100-013-401ST #100-013-402ST #100-013-402ST #100-013-404ST #100-013-404ST #100-013-404ST #100-013-404ST

\$2249.00 2249.00
879.00
1599.00 1899.00

\$289.99

\$199.99



25-60x85 Modular Objective

30-70x95 Modular Objective

Leica Rangemaster CRF 1600-B Laser Rangefinder Leica's compact mon-

ocular rangefinder features an integrated ballistics computer that automatically adjusts for barometric pressure, temperature and angle of incline. The eye-safe invisible laser

gives true target range in meters or yards out to 1,600 yards, no matter how steep the angle or what the altitude is. The scan feature lets you constantly range moving targets. The Rangemaster 1600-B also lets you choose data output from three different modes, depend-



ing on what kind of scope you use: inches of holdover for traditional-reticle hunting scopes, true hold distance for scopes with ballistic reticles or ballistic turrets, and MOA adjustments for Mil-Dot reticles. It includes data on a variety of ballistic curves to help you match your particular load's performance as closely as possible. The featherweight carbon-fiber reinforced body and magnesium chassis means you can easily carry it all day long. The AquaDura lens coating repels dirt and water. Runs on one 3v lithium battery, included.

#100-011-162ST Leica Rangemaster CRF 1600-B Rangefinder

B

Bushnell Scout 1000 ARC Rangefinder

The Bushnell Scout 1000 Angle Range Compensation rangefinder features an integrated inclinometer that measures angles

from -60° to + 60° to combine distance readings and angle-ofthe-target calculations to deliver precise hold-overs for the specific rifle cartridge you are shooting. Multi-coated, 5x magnification optics provide a crisp sight picture, and display distances in yards or meters out to a maximum of 1,000 yards. Targeting modes include: Scan for on-thefly scouting, BullsEye to focus the laser on a specific target, and Brush for ranging targets while you're positioned behind tree branches or

other light vegetation. Bow hunters will appreciate the Bow mode with ARC up to 99 yards. Lightweight and compact, the durable unit is water resistant, and features Bushnell's exclusive RainGuard* HD lens coating to ensure that the optic remains clear in the rain. Includes nylon carry case, CR-2 lithium battery, neck strap, and instructions.

#105-000-093ST Bushnell Scout 1000 ARC





Rangefinders & Binoculars

Leupold RX Rangefinders

These compact rangefinders give superior ranging speed and accuracy combined with to 6x and offer the user a selection of aimuse, and easy-to-see readouts. DNA (Digitally eNhanced Accuracy) technology increases ranging dependability on soft, non-reflective targets, regardless of color. Advanced technology quickly gives you the ballistic information you need to make the shot when it counts. Fold-down rubber eye-

RX 600i

RX 800i

the crystal-clear optical quality that made Leupold famous. They magnify images up ing reticles. Weatherproof and small enough to slip into your pocket, RX rangefinders feature intuitive menus, simple push-button

cups make it easy to use them with or without eyeglasses. All models require one CR-2 lithium battery, included.

RX 600i

accurately ranges targets as close a 6 yards and out to a maximum of 600 yards. At only slightly more than 4" long and weighing 6.8 oz., you can take the RX 600i anywhere.

RX 600i Digital Laser Rangefinder #526-000-235ST \$249.99

RX 800i

features Leupold's unique Trophy Scale system: simply set the baseline measurement you're looking for - between 10" and 60" - and the RX 800i will tell you if the animal measures up. Also available with the TBR

(True Ballistic Range) system, which automatically accounts for incline on steep-angle shots, to help get you on target, no matter the terrain. Both versions of the RX800i accurately range from 5.9 yards out to 800 yards. 4.2" long, 7 oz. wt.

RX 800i Digital Laser Rangefinder - Black #526-000-236ST \$279.99

RX 800i Digital Laser Rangefinder -Black/Grav #526-000-237ST \$319.99

RX-1000i

RX 1000i

#5 #5 #5

accurately ranges from 5 yards all the way out to 1,000 yards and is also available with the optional TBR system. TBR model is available with a two-tone black-gray exterior finish or, for added stealth in the field, Mossy Oak Break-Up camo. All RX-1000i models are only 3.8" long and weigh only 7.8 oz.

526-000-234ST	RX 1000i Digital Laser Rangefinder - Black	\$349.99
526-000-232ST	RX 1000i Digital Laser Rangefinder - Black/Gray	399.99
526-000-233ST	RX 1000i Digital Laser Rangefinder - Mossy Oak	419.99

Nikon RifleHunter 1000 Rangefinder

With the push of a single button, the RifleHunter 1000 displays the distance to the target so you can plan your shot. Tru-Target ranging technology displays range distances in 0.1-yard/meter increments out to 999.9 vards/meters, and lets vou lock onto an individual target in a group. I/D technology measures incline/decline shooting angles to calculate the actual distance your bullet will travel over uneven terrain. The Active Brightness Control liquid crystal display viewfinder detects



the brightness of the target itself and automatically activates a light-emitting diode to adjust the brightness of the display for best contrast with the target. Includes carry case, lanyard, and instructions. Powered by one CR2 lithium battery, included.

Nikon RifleHunter 1000 Rangefinder - Metallic Silver/Gray #749-101-406ST

\$349.95

Nikon Aculon Rangefinder NEW

Extremely compact and lightweight, the easy-to-use Aculon quickly measures distances from 6 yards out to 550 yards. Single button operation gives distances in one yard increments on the uncluttered LCD display. If target is partially obscured by brush or grass, the Distant Target Priority Mode displays the range of the furthest object in a group. For moving targets, the Aculon gives a continuous reading for up to 20 seconds. The 6x magnification and the

20mm multi-coated lens provides for maximum light transmission and optimal brightness. Rubber-coated, water-resistant exterior and fog proof lens ensure visual clarity even in wet conditions. The long eye relief is ideal for people wearing glasses and provides a full field of view when ranging targets. Operates on one CR-2 lithium battery and automatically shuts off after eight seconds of inactivity to save battery life.

#100-014-006ST Aculon Rangefinder

\$189.95

Vortex Ranger 1000 NEW Rangefinder

Accurate up to 1,000 yards, this easy to use rangefinder keeps things simple, yet provides a high level of performance. A highly intuitive menu and clean display makes it easy to navigate the various features of this rangefinder. The primary HCD (Horizontal Component Distance) mode displays true angle compensated distances in either yards or meters. A Line of Sight (LOS) mode and a continuous scan mode judges distances in real time while you are scanning for or tracking game. Fully multi-coated lenses deliver optimal light transmission and combined with a focusing diopter provides a clear, precise image.



The rubber exterior withstands harsh weather conditions, while the O-ring sealing provides waterproof and dustproof performance. Unit can be worn around your neck using the included lanyard or carried on your belt with the adjustable clip. Powered by one CR2 lithium battery, included.

#100-013-182ST Vortex Ranger 1000 Rangefinder

\$379.99

Vortex Viper HD Roof Prism Binoculars

Advanced roof prism technology combines with high resolution, extralow dispersion optics to deliver a bright, crystal clear image. Features a high-tech "phase correction" coating for enhanced contrast, increased light transmission and maximum brightness. Rubber armored for a secure, non-slip grip and durable external protection. Adjustable eyecups provide a precise fit with eyeglasses; diopter focus's left and right side for different users and center wheel adjusts the main focus. Rugged, compact and lightweight-some of the lightest fullsize binoculars available. Compatible with tripod adapter. Models available in 42mm and 50mm objective diameters, plus 8x, 10x or 15x magnification.

#749-012-215ST 8x42mm Viper HD Binoculars #749-012-214ST 10x42mm Viper HD Binoculars #749-012-213ST 10x50mm Viper HD Binoculars **#749-012-212ST** 15x50mm Viper HD Binoculars



8x42

\$589	.99
599	.99
649	.99
659	.99

Binoculars

Nikon Binoculars

Nikon binoculars feature precision-ground, multi-coated lenses that give bright, razor-sharp images to help you pick out that trophy on the hillside, or see your target clearly any time of day – dawn to dusk. All models come with removable lens covers and neck straps. Available in a wide range of models and magnification levels, Nikon has binoculars to fill your needs.



Monarch 7 Binoculars

have ED (Extra-Low Dispersion) lenses that deliver superb sharpness and image detail, and give a field of view that spans 351' at 1,000 yards. Dielectric high-reflectivity coated roof prisms offer exceptional low-light performance and the 42mm objective lenses help gather plenty of light at dawn and dusk. O-ring sealed and nitrogen-filled, Monarch 7 binoculars are waterproof and fogproof. Rubber armor coating on the exterior protects against shock and impact. Adjustable eye cups let you find the perfect eye-relief, even if you wear glasses. Will focus on objects as close as 8.2'.

#100-012-073ST 10x42 Monarch 7 Binoculars **\$499.95**

Monarch 3 Binoculars

feature phase-correction-coated roof prisms that give bright, high-resolution images. High-reflective silver alloy prism coatings help gather every last photon of light from morning until sunset. Adjustable rubber eye cups help you find the perfect eye relief. Waterproof and fogproof, Monarch 3 Binoculars will focus as close as 9.8', and offer a field of view that stretches 299' at 1,000 yards. Coated in rubber armor, these binoculars are available in black and Realtree APG' camouflage.

#100-012-071ST	10x42 Monarch 3 Binoculars – Black
#100-012-072ST	10x42 Monarch 3 Binoculars - Realtree APG

\$249.95 269.95

Prostaff 7 Binoculars

have phase-correction-coated roof prisms for high-resolution images. Adjustable eye cups allow for a clear field of view, even when wearing glasses. Rubber armor resists shock and provides a firm, comfortable grip. Nikon Prostaff 7 Binoculars will focus as close as 13' and are available in black and Realtree APG' camouflage.

#100-012-069ST	10x42 Prostaff 7 Binoculars – Black	\$199.95
#100-012-070ST	10x42 Prostaff 7 Binoculars – Realtree APG	219.95

Aculon Binoculars

feature traditional porro prism technology that gives crisp, clear images at an economical price. Aspherical eyepiece lenses help minimize aberrations, and adjustable eyecups help you find the perfect eye relief, every time. Rubber armor on the housing absorbs shock and impact from handling.

#100-012-074ST	
#100-012-075ST	
#100-012-076ST	
#100-012-077ST	

8x42 Aculon Binoculars 10x42 Aculon Binoculars 10x50 Aculon Binoculars 12x50 Aculon Binoculars

\$89.95
99.95
119.95
129.95

Swarovski Binocular Tripod Adapter and Binocular Suspenders

Tripod Adapter lets you use your Swarovski binoculars with any standard camera tripod or spotting scope tripod. The base can either screw in or clamp into the tripod mount, and the thick, flexible strap slips over the binoculars to secure them. The strap is adjustable and has marks indicating cinch spots for binoculars with 32mm, 42mm and 50mm lenses.

800-717-8211

Swarovski Tripod Adapter #100-011-780ST \$98.99

198





Binocular Suspenders feature thick elastic construction for all-day comfort, and a leather slider that helps you adjust them perfectly. Plastic quick-detach buckles that let you clip your binoculars onto the suspenders, or a neck strap.

#100-011-779ST Swarovski Binocular Suspenders



Leica Binoculars







10x42 Ultravid

For more than a century, Leica has been known for some of the highest quality binoculars in the world. Premium lenses deliver superb color and contrast with uniquely bright and clear detail resolution. Perfectly-smooth focus, and lightweight but very strong magnesium alloy and titanium construction make them delightful to carry and use. Rubber armor protects your investment against shock and impact. Available in either 8x42 or 10x42, they come in three different models with varying features. Ultravid HD Binoculars feature roof prisms and focus as close as 10 yards out to infinity. Geovid HD Binoculars have the same premium optical quality, and add a laser rangefinder that reads in yards, and is accurate out to 1,400 yards. Never take your eyes off the target while simultaneously ranging it. Geovid HD-B are laser rangefinding binoculars with porto prisms, and an integrated ballistic computer including an inclinometer, barometer and thermometer. Pre-loaded with 12 ballistic curves for various calibers and bullet weights, you can enter your rifle's zero distance and view to calculated values all at the push of a button, without taking your eyes off the target.

	Leica 8x42 Ultravid HD Binoculars Leica 10x42 Ultravid HD Binoculars	\$2099.00 2199.00
#100-013-802ST	Leica 8x42 Geovid HD Bincoluars w/Laser Rangefinder	2349.00
#100-013-803ST	Leica 10x42 Geovid HD Bincoluars w/Laser Rangefinder	2399.00
#100-013-804ST	Leica 8x42 Geovid HD-B w/Laser Rangefinder & Ballistic Computer	2945.00
#100-013-805ST	Leica 10x42 Geovid HD-B w/Laser Rangefinder & Ballistic Computer	2995.00



8x42 Geovid HD w/Laser Rangefinder



10x42 Geovid HD-B w/Rangefinder & Ballistic Computer

Swarovski Binoculars

The Swarovski name is synonymous with the highest quality optics. Swarovski binoculars combine advanced roof prism technology with highly specialized coatings to provide extraordinarily bright images. Field Flattener lenses give consistent edge-to-edge clarity and natural reproduction of shapes and colors while virtually eliminating the "rolling ball" edge distortion when panning. Magnesium frames provide a rugged housing that's less dense than aluminum so it keeps Swarovski binoculars light enough to pack everywhere. Adjustable eye cups let you find the perfect eye relief, even if you wear glasses, and the dioptric adjustment rings let you quickly and easily adjust for any differences between eyes. Swarovski binoculars come with an attractive nylon carrying case, lens caps, neck strap, manual and other accessories.

EL Range Binoculars

EL Range binoculars combine an advanced laser rangefinder with Swarovski EL binoculars, creating an all-in-one system that lets you see and range targets in the field at the push of a button. The range finder reads in both meters and yards, and works from 30 yards out to 1,500 yards, both on stationary targets and moving targets in scan mode. It includes an inclinometer and gives both the actual range and corrected range for shooting at steep angles. Available in both 8x and 10x, the EL Range runs on one CR2 battery, included. 949.99

	EL Rangefinding Binoculars, 8x	\$2949.99
#100-011-784ST	EL Rangefinding Binoculars, 10x	3099.00

CL Companion Binoculars

Swarovski's CL Companion binoculars offer their customary high-quality glass and lens coatings in a compact, lightweight package that forms one of the smallest 30mm binoculars available. Weighing only about 18 oz. and measuring only 4.7' long, CL Companion binoculars can focus on objects as close as 9.8 feet away. Available in 8x and 10x, CL Companion binoculars represent a great entry-level model for high-end optics.

#100-011-781ST CL Companion Binoculars, 8x **#100-011-782ST** CL Companion Binoculars, 10x \$979.00 1059.00



American Precision Arms Scope Rings

These rugged Picatinny scope rings offer machined aluminum bodies combined with Titantium crossbolts and claws to provide exceptional strength in a lightweight package. Four Torx'-head screws keep the rings securely around your scope, and four more Torx-head screws



keep the claws firmly attached to the MIL-STD 1913 Picatinny base of your choice. Available in 30mm and 34mm diameters, they come in the heights listed below.

ITEM #	SIZE	HEIGHT	
#100-014-155ST	30mm	Low .75"	\$194.99
#100-014-156ST	30mm	Standard .856"	194.99
#100-014-157ST	30mm	Medium 1.031"	194.99
#100-014-158ST	30mm	High 1.125"	194.99
#100-014-159ST	30mm	Extra High 1.250"	194.99
#100-014-160ST	34mm	Low .856"	194.99
#100-014-161ST	34mm	Standard .950"	194.99
#100-014-162ST	34mm	Medium 1.031"	194.99
#100-014-163ST	34mm	High 1.125"	194.99
#100-014-164ST	34mm	Extra High 1.250"	194.99

Leupold Mark IV Rings and Bases



The Leupold Mark IV Mounts are regarded by many in the tactical and law enforcement community as the best. These heavyduty rings and bases employ a slot and spline design. Also fit Weaver style bases and Picatinny rails. All rings and bases

Mark IV Rings are available in air-

craft-grade aluminum as well as solid steel construction. Machined from a single aluminum billet, the Leupold Mark IV Aluminum rings are incredibly strong, yet lightweight. When every ounce is critical, these are the rings to get the job done. Measurements are from the top of the base to the center of the ring.

Mark IV bases are all steel and available in 1 piece and 2 piece configuration.

Mark IV Rings (Steel)

ITEM #	DESCRIPTION	HGT.	
#749-008-006ST	1" Medium Steel Rings	.84"	\$163.99
#526-502-220ST	1" Super High Steel Rings	1.4"	163.99
#749-008-007ST	30mm Medium Steel Rings	.84"	163.99
#526-000-053ST	30mm High Steel Rings	1.06"	163.99
#526-520-830ST	30mm Super High Steel Rings	1.4"	163.99

Mark IV Rings (Aluminum)

ITEM #	DESCRIPTION	HGT.	
#749-012-006ST	34mm High	.90"	\$182.99
#749-012-007ST	34mm Super High	1.25"	182.99
#526-000-085ST	1" Medium Aluminum Rings	.84"	163.99
#526-000-086ST	1" Super High Aluminum Řings	1.4"	163.99
#526-000-082ST	30mm Medium Aluminum Rings	.84"	163.99
#526-000-083ST	30mm High Aluminum Rings	1.06"	163.99
#526-000-084ST	30mm Super High Aluminum Rings	1.4"	163.99

Mark IV Bases (Steel)

ITEM #	DESCRIPTION	ACTION	
#749-012-010ST	1 Piece	Win 70 Short	\$132.99
#749-012-009ST	1 Piece	Win 70 Long	132.99
#749-010-086ST	1 Piece	700 Short RH	132.99
#749-012-008ST	2 Piece	Win 70	132.99
#749-010-085ST	2 Piece	700 Short	132.99
#749-010-087ST	2 Piece*	Savage	132.99
* Round top actions only.		Ū.	

Leupold Mark IV Torque Wrench

Mark IV Torque Wrench will both tighten and loosen the mounting screws on Mark IV style rings. Delivers the proper amount of torque value (65 in lbs.) for return to zero accuracy. 3/8" square drive, requires socket.



Mark 1 Rail Mount

Mark 2 Rail

Mount

\$102.99

102.99

#749-007-316ST Leupold Mark IV Torque Wrench

\$217.99

Leupold Integral **Mounting System**

Designed for the precision AR-15 shooter, Leupold's IMS optic mounts clamp directly to a MIL-STD 1913 Picatinny flattop rail to raise the scope and push it forward, eliminating the need for separate risers or specialized short eye relief optics. Slides into place and secures with steel crossbolts that hold tight. Aluminum, hardcoat anodized finish, matte black.

Mark 1/Mark 2 Rails feature eleven MIL-STD 1913 Picatinny cross-slots on top that offer plenty of flexibility in ring spacing. Mark 1 locks into place on the recevier with two, flush-fitting T-15 Torx® cap screws. Mark 2 Rail provides the same advantages as the Mark 1, plus the added benefit of easy-tograsp 1/2" hex nuts on the crossbolts for quickrelease removal and installation.

#526-000-157ST Mark 1 Rail Mount \$48.99 #526-000-158ST Mark 2 Rail Mount 75.99

Mark 2 Integral Mounting System adds to the features of the Mark 2 Rail integral scope rings, available for 1" or 30mm diameter scope tubes.

#526-000-159ST Mark 2 Integral Mounting System, 1" Rings #526-000-160ST Mark 2 Integral Mounting System, 30mm Rings

The versatile Mark 4 Integral Mounting System gives you maximum adaptability with modular components, each sold separately. The Mark 4 Base clamps securely to the rifle's flattop rail with a pair of hex head crossbolts and accepts the 1" or 30mm scope ring insert. The ring insert unit contains both scope rings, and its

position can be adjusted on the base to accommodate different eye relief requirements. Add the 20 MOA riser insert between the base and ring insert to provide addi-

Mark 2 1" Integral Mounting System

Mark 4 Base and 30mm **Ring Insert**

tional elevation for addressing long-range targets without maxing out your scope's elevation adjustment or resorting to holdover.

#526-000-161ST Mark 4 Integral Mounting System, Base \$87.99 #526-000-162ST Mark 4 20 MOA Riser Insert 53.99 #526-000-163ST Mark 4 Ring Insert, 1" 106.99 #526-000-164ST Mark 4 Ring Insert, 30mm 106.99

Leupold PRW[™] Series Rings

These high quality Leupold rings are just like their QRW[™] rings but without the quick release lever system. The PRW[™] rings feature all steel construction with a matte black finish, and Torx[®] screws. They will mount on any existing Weaver style bases or the Leupold QRW bases. Wrench included. Height measured from top of base to center of ring.



				-
ITEM #	DESCRIPTION	HEIGHT	FINISH	
#526-541-440ST	1"	Low (.730")	Matte Black	\$45.00
#526-541-470ST	1"	Med (.850")	Gloss Black	45.00
#526-541-490ST	1"	Med (.850")	Matte Black	45.00
#526-541-500ST	1"	High (.980")	Matte Black	45.00
#526-541-670ST	30mm	Med (.850")	Matte Black	53.00
#526-541-770ST	30mm	High (.980'')	Matte Black	57.00

Leupold STD[™] Series Rings

Each Leupold STD set includes a front dovetail ring and a rear windage adjustable ring. Designed to fit STD bases. Height is measured from the contact point with the STD 2 piece bases to the center of the ring.

ITEM #	HEIGHT	FINISH	SIZE	
#526-408-270ST	SUPER LOW .550"	Matte	1"	\$27.99
#526-261-590ST	LOW .650"	Gloss	1"	27.99
#526-404-790ST	LOW .650"	Matte	1"	27.99
#526-452-690ST	LOW .650"	Silver	1"	35.99
#526-517-180ST	LOW .650"	Matte	30mm	41.99
#526-261-600ST	MEDIUM .770"	Gloss	1"	27.99
#526-404-800ST	Medium .770"	Matte	1"	27.99
#526-453-380ST	MEDIUM .770"	Silver	1"	35.99
#526-499-600ST	MEDIUM .770"	Gloss	30mm	41.99
#526-455-840ST	MEDIUM .770"	Matte	30mm	41.99
#526-524-940ST	MEDIUM .770"	Silver	30mm	49.99
#526-261-610ST	HIGH .900"	Gloss	1"	27.99
#526-461-340ST	HIGH .900"	Matte	1"	29.99
#526-470-680ST	HIGH .900"	Silver	1"	35.99
#526-470-050ST	HIGH .900"	Gloss	30mm	41.99
#526-499-590ST	HIGH .900"	Matte	30mm	41.99
#526-524-950ST	HIGH .900"	Silver	30mm	49.99
#526-463-970ST	SUPER HIGH 1.000"	Gloss	1"	27.99
#526-463-980ST	SUPER HIGH 1.000"	Matte	1"	27.99
#526-524-001ST	SUPER HIGH 1.000"	Matte	30mm	41.99
#526-524-960ST	SUPER HIGH 1.000"	Silver	30mm	49.99



Other Leupold rings, mounts and accessories not seen on these pages may be special ordered. Please call for price and availability.

Leupold STD[™]Series 2 Piece Bases

For maximum accessibility to the breech area of your rifle, we recommend the use of a 2 piece base. Fluted for a custom look. All base sets feature Torx* drive screws and include a Torx wrench.

BASES	GLOSS \$21.99	MATTE \$21.99	SILVER \$30.99	SILVER \$35.99
Rem 700/40X			NA	NA
Rem 700/40X				
with Reversible front Base	#526-370-040ST	#526-000-030ST	#526-463-010ST	NA
Win 70 Revers-	NA	#526-000-031ST	NA	#526-542-292ST
ible Front/Rear*				
Savage 10/110	ı			
16/116 W/ACCU	#526-000-072ST	#526-000-073ST	#526-000-074ST	NA
	5			
Edge Dominaton				
Remington Model 7	NA	#749-003-657ST	#749-003-654ST	NA
Winchester				
Model 70	#749-003-658ST	#749-003-659ST	NA	NA
MSSM	#145 005 05001	#145 005 05501	114	114
Cooper Model				
38/21/57	#749-003-651ST	#749-003-655ST	NA	NA
Cooper Model		#740 000 CEOCT		NIA
22/16/23	NA	#749-003-653ST	NA	NA
Kimber 84				
(Serial # Higher	NA	#526-000-108ST	NA	NA
Than 10,000)				
Kimber Model				
8400 w/Revers-	· NA	#526-000-109ST	NA	NA
ible Front Base				
		xpress models (Seri	al number higher t	nan 66,360). Many
other popular S	TD™ bases are in s	Stock.		

Rings, Mounts & Bases

Leupold STD[™]1 Piece Bases

Leupold offers their popular standard series mounts in a 1 piece base configuration. The forward part of the base accepts a dovetail ring and locks it solidly into position. The rear ring is secured by windage adjustment screws. Use Leupold STD Series Rings with these bases.

BASES	GLOSS \$21.99	MATTE \$21.99	SILVER \$30.99
Remington 700/40X Long Actio	n#526-261-660ST	#526-000-036ST	NA
Remington 700/40X Long Actio Remington 700/40X Short Action	#526-261-670ST	#749-003-678ST	NA
Remington Model 597	NA	#749-003-667ST	NA
Remington Model 504	NA	#749-003-669ST	NA
Savage Model 10-16 Short Action w/Accutrigger	#526-000-068ST	#526-000-069ST	NA
Savage Model 110-116 LA w/ AccuTrigger	#526-000-065ST	NA	#749-003-673ST
Winchester Model 70	#526-261-700ST	#526-000-037ST	NA
Ruger Model 10/22	#526-322-620ST	#526-517-230ST	#526-517-240ST

Leupold QRW[™]Series Rings

QRW Rings (Quick Release Weaver style) means detachable accuracy in a crossslot format. QRW rings use an adjustable, double-lever mechanism to securely lock the rings onto your Weaver style base. Will fit any existing cross-slot Weaver style bases (page 204), or can be teamed up with Leupold QRW bases as shown below. The advantages of these mounts are many; you can remove scopes for travel, use one scope for two or more rifles, use a high magnification scope for bench work and a low power scope for hunting, etc. Ring



height is measured from the contact point with the base to the

center of the ring. Rings feature Torx* fasteners and include a wrench. Rings are pictured above with bases. Order bases separately. Measured from the top of the base to center of ring.

1" Matte	LOW .730" \$64.99 #526-498-001ST #526-498-530ST #526-498-540ST	MEDIUM .850" \$64.99 #526-498-550ST #526-498-560ST NA	MEDIUM .850" \$72.99 NA NA #749-006-404ST	HIGH .980" \$64.99 #749-006-402ST #526-498-580ST #526-498-540ST
30m		.815" <u>\$78.99</u> #749-006-914ST #526-498-610ST	.935" \$78.99 #749-006-915ST #526-498-630ST	1.06" \$78.99 NA #526-498-650ST

Leupold QRW[™]Series 2 Piece Bases

The Leupold QRW bases are a great way to upgrade your existing aluminum Weaver style bases with steel. These cross slot bases are becoming one of the most popular styles available. Paired up with the PRW^{**} or QRW rings, or the Burris signature series rings, they're guaranteed to give you a rock solid scope mount. All bases feature Torx^{*} drive screws and include a Torx wrench. Most popular base sets are in stock. If your rifle is not listed below please see the Weaver base listed on page 208.

DESCRIPTION	GLOSS \$34.99	MATTE \$34.99	SILVER \$43.99
Rem 700/40X	#749-004-796ST	#526-498-410ST	#749-004-718ST
Win Mod 70*	NA	#526-498-380ST	NA
Savage 110-116 * Not Intended For Express	#749-004-794ST	NA	NA

Leupold Standard Long Range Bases

These tapered one-piece for the Remington 700 bases are manufactured with the long range shooter in mind. Accepts STD Series Leupold rings. Long Range Bases increase your scope adjustment range adding 20 MOA elevation for the long 500-1,000 yard shots. Available for Remington 700 long and short actions, right-hand only. Matte black finish.

Rem 700 Long Action Base #526-517-320ST \$26.99

Rem 700 Short Action Base #526-517-340ST \$26.99

Leupold Rimfire Rings Leupold offers rimfire rings that mount

directly to a 3/8" standard American dovetail receiver or an Anschutz 11mm dovetail receiver. The rings are perfect for your favorite .22 rimfire rifle or the new .17 caliber rimfire rifles. The rings are available in medium or high height with a gloss finish and for 1" diameter scope tubes. We suggest the medium rings for scopes with objective



diameters up to 40mm and the high rings for scopes with 50mm and larger objectives.

#749-005-667ST	Rimfire Rings 3/8" Medium Gloss	\$49.99
#526-000-050ST	Rimfire Rings 3/8" High Gloss	49.99
#749-005-656ST	Rimfire Rings 11mm Medium Gloss	49.99
#749-005-657ST	Rimfire Rings 11mm High Gloss	49.99

Leupold Ringmounts

These machined steel ringmounts are an excellent, readily available alternative to rings sold by specific firearms manufacturers. Ringmounts are firearm specific and offer superior integrity because they are machined from solid stock. Available in 1" and 30mm, various ring heights and finishes. Not all heights or finishes available for all rifle families. See chart below for ringmounts we carry.



NEW Burris Solid Steel Rings

Ask any gunsmith out there and they'll tell you Burris makes top of the line rings, Not only are these rings artfully crafted, but they are manufactured to the highest strength standards possible, so you know they'll secure your riflescope and keep it zeroed in. All rings are precision machined from a solid block of steel to exacting tolerances, and top and bottom are performance-matched.

Zee Quick Detach Rings

These Weaver-style, 1" quick detach rings give your scope a solid and secure mounting system. The QD levers make it simple to get your scope off fast and easy. Matte black finish.



ITEM #	HEIGHT	DESCRIPTION	FINISH	
#118-000-005ST	Low	Quick Detach Zee Ring	Matte	\$52.99
#118-000-006ST	Med	Quick Detach Zee Ring	Matte	52.99
#118-000-007ST	High	Quick Detach Zee Ring	Matte	52.99

Zee Rings



These rings mount easily to any Picatinny or Weaver-style rail for a precision fit and secure grasp of your riflescope.

ITEM #		DECODIDITION	FINICI	
ITEM #	HEIGHT	DESCRIPTION	FINISH	
#118-420-080ST	Low	Burris Zee Rings, 1"	Black	\$27.99
#118-420-081ST	Med.	Burris Zee Rings, 1"	Black	27.99
#118-420-082ST	High	Burris Zee Rings, 1"	Black	27.99
#118-420-083ST	Low	Burris Zee Rings, 1"	Safari	27.99
#118-420-084ST	Med.	Burris Zee Rings, 1"	Safari	27.99
#749-101-296ST	High	Burris Zee Rings, 1"	Matte	27.99
#118-420-079ST	Low	Burris Zee Rings, 1"	Silver	31.99
#118-420-085ST	Med.	Burris Zee Rings, 1"	Silver	31.99
#749-101-298ST	High	Burris Zee Rings, 1"	Nickel	31.99
#749-101-288ST	Mĕd	Burris Zee Rings, 30 mm	Matte	46.99
#118-420-077ST	High	Burris Zee Rings, 30 mm	Matte	46.99

1" Deluxe Steel .22 Rings

Mount 1" scopes with precision on any airgun or .22 caliber rimfire rifle with grooved receivers.



ITEM #	HEIGHT	DESCRIPTION	FINISH	
#118-420-072ST	Med	Burris Deluxe .22 Rings, 1"	Black	\$34.99
#118-420-073ST	High	Burris Deluxe .22 Rings, 1"	Black	34.99
#749-101-310ST	Mĕd	Burris Deluxe .22 Rings, 1"	Matte	34.99
#749-101-311ST	High	Burris Deluxe .22 Rings, 1"	Matte	34.99

Badger Ordnance One-Piece Scope Mount

#093-000-049ST

#093-000-048ST

#093-000-050ST

These one-piece scope mounts from Badger Ordnance provide a rock-solid mount for scopes with 34mm tubes. Their monolithic construction withstands harsh recoil, and makes for easy mounting onto any Picatinny receiver rail. Available in two heights, both measured from bottom of mount to center of optic. 1.3" height has built-in 20 MOA elevation. 1.49" height has no MOA. Rings secure with 4 Torx' head screws each. Reducer rings, available separately, allow use on 30mm scope tubes. Includes installation wrench.

1.3" Height One-Piece Scope Mount

30mm Reducer Rings

1.49" Height One-Piece Scope Mount



#093-000-049



#093-000-050 Reducer Rings

\$199.99 199.99 63.99



NEW Burris Signature Series Rings

Machined from solid steel just like Burris's standard steel rings, the Signature Series rings add to the original design unique polymer inserts that fit between the scope tube and the steel outer ring. The self-centering inserts are free to pivot slightly, like a self-centering bearing, as you tighten the ring halves to ensure a snug, full-contact fit on the scope and proper alignment in the rings without bending or stressing the scope tube. This helps make sure the lenses are perfectly aligned for a clear, sharp image free from optical distortion. The inserts also protect the scope's finish from unsightly ring wear marks. Ring

tops are secured with Torx* screws, so as you tighten them, the driver won't slip and ding the screw, ring, or your scope. Signature rings are available in traditional Polished Blue, Matte Blue, or Nickel-plated finish.

Two sets of .010" offset inserts are included with the 30mm rings. Offset inserts can help you optically center scopes that run out of elevation adjustment when used at 500-1,000 yards. Eliminates having to resort to tapered bases or shimming. An optional offset insert kit (#118-626-019) is also available for the 1" rings that provides insert sizes of .005"/.010"/.020". Heights measured from the top of the base to the underside of the scope tube.





has a dovetail that fits in the slot in the base, then must be turned 90° to lock it in. One of the strongest scope mounting systems ever devised, these rings will not shoot off their bases, even on the hardest-kicking, large caliber magnum rifles.

ITEM #	HEIGHT	DESCRIPTION	FINISH	
#749-101-321ST	.390"	1" High	Gloss	\$33.99
#118-420-561ST	.270"	1" Medium	Matte	36.99
#118-420-571ST		1" High	Matte	36.99
#749-002-158ST	Pos-Align Offset Insert Ki	t for 1" Rings		16.49

Signature Universal Rings

A highly versatile ring design that features a double dovetail front ring, while the rear ring fits a windage-adjustable rear base. Gives you a wider range of windage setting without exceeding your scope's built-in adjustment, and preserves most of the Double Dovetail system's exceptional recoil resistance.

ITEM #	HEIGHT	DESCRIPTION	FINISH	
#118-420-410ST	390"	1" High	Gloss	\$34.99
#118-420-401ST	.270"	1" Med.	Matte	34.99
#118-420-411ST	390"	1" High	Matte	34.99
#118-420-578ST	.180"	30mm Med.	Matte	59.99
#118-420-582ST	.420"	30mm Ex High	Matte	59.99
#118-626-019ST	Pos-Align Offset Insert			16.49

Signature Zee Rings (Weaver-Style)

Highly versatile rings come completely ready to go and clamp to any Weaver-style base. You get all the benefits of the Signature self-aligning insert system in a ring that fits one of the most popular base designs.

ITEM #	HEIGHT	DESCRIPTION	FINISH	
#118-420-080ST	.135"	1" Low	Gloss	\$27.99
#118-420-420ST	.270"	1" Medium	Gloss	39.99
#118-420-430ST	.420"	1" High	Gloss	39.99
#118-420-421ST	.270"	1" Med.	Matte	39.99
#118-420-431ST	.420"	1" High	Matte	39.99
#118-420-422ST	.270"	1" Med.	Nickel	45.99
#118-420-432ST	.420"	1" High	Nicklel	45.99
#118-000-018ST	.195"	30mm Medium	Matte	61.99
#118-000-017ST	.325"	30mm High	Matte	61.99
#118-000-004ST	.580"	30mm Extra High	Matte	61.99
#118-626-019ST	Pos-Align Offset Inser	rt Kit for 1" Rings		16.49

Insert Kit for 1" Rings



Signature 30mm Zee

Burris XTR Xtreme Tactical Rings

Designed specifically to stand up to the rigor and immense recoil that accompanies tactical shooting, these heavy-duty Xtreme Tactical Rings keep your optics secure for the most demanding missions. These super-strong rings are made of lightweight aluminum. Six screws anchor these rings and your riflescope in place on any Picatinny or Weaver-style rail for an unfailing return-to-zero. Choose from four ring heights to suit your optical objective, whether it's a red dot sight or riflescope scope. These rings are perfect for riflescopes on AR-15/M16 flattop receivers and give you ample room for a proper cheek weld. These sturdy rings will also look good on varmint rifles, and they'll definitely be of benefit to big game rifles that are susceptible to the abuses of hard hunting and magnum recoils. Available in 1" and 30mm sizes. Quick-detach (QD) models feature a locking lever that allows for speedy attachment/removal. Ring heights measured from top of scope base to inside bottom of ring.

	DESCRIPTION	HEIGHT	PRICE
	Low Burris Xtreme Tactical Rings - 1"	.250"	\$53.99
#749-101-305ST	Medium Burris Xtreme Tactical Rings - 1"	.500"	53.99
	Medium Burris Xtreme QD Tactical Rings - 1"	.500"	89.99
#749-101-306ST	High Burris Xtreme Tactical Rings - 1	.750"	53.99
#749-101-307ST	Extra High Burris Xtreme Tactical Rings - 1"	1"	53.99
#118-000-075ST	Extra High Burris Xtreme QD Tactical Rings - 1"	1"	89.99
#749-101-300ST	Low Burris Xtreme Tactical Rings - 30mm	.250"	64.99
#749-101-301ST	Medium Burris Xtreme Tactical Rings - 30mm	.500"	64.99
#118-000-076ST	Medium Burris Xtreme QD Tactical Rings - 30mm	.500"	99.99
#749-101-302ST	High Burris Xtreme Tactical Rings - 30mm	.750"	64.99
#749-101-303ST	Extra High Burris Xtreme Tactical Rings - 30mm	1"	64.99
#118-000-077ST	Extra High Burris Xtreme QD Tactical Rings - 30mm	1"	99.99

Burris XTB Weaver-Style Solid Steel Bases

These two-piece Xtreme Tactical Bases are precision machined from solid steel and engineered for maximum mounting flexibility on any rifle. The mil-spec cross slots ensure a secure mount of scope rings or any optics accessory that can be mounted to Weaver- or Picatinny-style rails. Front base is reversible to provide multiple ring positions to accommodate various scope lengths. Bases provide minimal height and weight.

ITEM #	DESCRIPTION	
#749-101-262ST	Remington 700	\$22.99
#749-101-263ST	Remington 700 Winchester Mod 70	22.99
#749-101-266ST	Savage Flat Rear	22.99
#749-101-265ST	Savage Round Rear	22.99
#749-101-267ST	Browning A-Bolt	22.99
#749-101-268ST	A-Bolt Super Short	22.99
#749-010-906ST	Tikka Actions	22.99
#749-101-270ST	Sako ActionsAluminum	32.99

Burris 1/2" Picatinny Riser

Ideal for use with any semi-auto or bolt-action rifle, including AR-15 and AR-10 weapons, that requires additional clearance for accurate sighting and a proper check weld. Mounts to a Picatinny or Weaver-style rail. Most scope installations require two risers.



BURRIS

Burris AR Mount ¹/2" Picatinny Riser Single Piece **#749-101-259ST \$15.49**

Burris AR-P.E.P.R.[™]Scope Mounts

This one-piece, detachable Proper Eye Position Ready (P.E.P.R.) Mount was designed specifically for mounting combat riflescopes atop M4 flattop receivers and AR-15 weapons. Provides 2" of forward scope positioning for long-eye-relief scopes. Constructed from durable aluminum. Ring bases are milled as a single unit. The Weaverstyle mounts on top of the rings accommodate additional accessories. Ring height: 1" (measured from bottom of scope tube to top of base). Available



with traditional cross-bolt and hex head nuts attachment system or quick-detach (QD) throw-lever system for easy removal/reinstall without loss of zero.

#118-000-028ST	1" P.E.P.R. Mount	\$80.99
#118-000-038ST	1" QD P.E.P.R. Mount	107.99
#749-101-260ST	AR-P.E.P.R. Scope Mount - 30mm	80.99
#118-000-036ST	30mm QD P.E.P.R. Mount	107.99

Burris Scope Bases



The Burris Trumount Bases are designed to utilize the turn-in front and windage rear Standard Burris rings. These bases are machined from solid steel and are strong and light-weight. The reversible style bases enable the user to place the ring .850" forward or rearward to more easily accommodate long range scopes with large objective bells. Reversible sets are great for varmint, tactical, and long range setups. Use with rings on page 203.

	GLOSS	MATTE
ACTION	\$22.99	\$22.99
Rem 700 Long/Short Actions	#749-012-108ST	#749-012-110ST
Rem700Long/Short Actions Reversible	NA	#749-012-111ST
Savage Round Rear Receiver	#749-012-112ST	#749-012-113ST
Savage Round Rear Receiver Reversible	NA	#749-012-115ST
Savage Flat Rear Receiver Reversible	NA	#749-012-116ST
Win 70 Short/Long Actions	#749-012-117ST	#749-012-118ST

Precision Armament Lightweight Picatinny Scope Rail For Remington 700



Picatinny scope rail for long- or short-action Rem 700s is machined from Tennalum^{*} 7068 alloy that gives the same strength as steel with only ¹/₃ the weight. All contact surfaces are stress relieved and pre-ground before final machining to exact MIL-STD 1913 dimensions. An integral recoil lug and slightly elongated mounting screws let you position the rail so the lug will bear properly against the receiver to prevent the rail from moving even under aggressive recoil. Built in 20-MOA of elevation for extended long-range shooting. All surfaces have been fully chamfered with extra clearance over the ejection port. Hard, abrasionresistant matte black finish.

#100-011-239ST #100-011-240ST Rem 700 Picatinny Scope Rail – Short Action Rem 700 Picatinny Scope Rail – Long Action

\$119.99 119.99

204 800-717-8211

BKL Technologies 500 Series Adapter Mounts

Aircraft-grade aluminum adapter rail lets you use Picatinny scope on 3/8" or European 11mm dovetail mounts found on many bolt-action rimfire rifles. Six crossbolts apply even pressure along length of dovetail to keep the adapter rail centered. Generous cross slots give you increased scope ring and optics choices, whether for weekend plinking or informal competition. Perfect for mounting a red dot sight. Clamping screws also fit into pre-drilled holes to equally spread the legs so you can easily slip the mount onto oversized rails. Extends approximately .620" above dovetail. 4" single rail weighs 3.1 oz. (g). Two 1" rail sections weigh .75 oz. (g) each. Hardcoat anodized, matte black finish.

#749-012-541ST 4" Single Rail Dovetail Adapter Mount **#749-012-540ST** 1" Adapter Mount, Set Of 2

Burris AR-332 Prism Sight

The AR-332 is a 3X tactical prism sight that's rugged, compact, waterproof, and accurate for close-quarters or long-range shooting out to 500 yards. It features dual-illuminated reticles, and fully coated optics to provide accurate sighting from zero to 500 yards, plus enhanced target acquisition even in low-light conditions. The patented Ballistic/CQ"reticle with bracketed cross hairs are intended to help put you within 18" of the center of your intended target at 100 yards, and



4" Mount

the dots help you adjust elevation from 100 to 500 yards. You get a full $2^{1}/2^{"}$ eye relief, $1/4^{"}$ MOA click adjustment, and 32 ft. field of view at 100 yds. There's a rheostat control knob with five brightness levels for either red or green reticle color; reticle appears black in the off position. Comes with removable mount rails for the top and/or side of the scope to mount additional accessories such as open or laser sights. Precision machined body is made from high strength aluminum with a non-reflective, Mil-Spec anodized finish. Comes with a mounting bracket that can be easily installed on rifles equipped with a Picatinny rail, or it can mount on an AR flat top or carry handle. Includes flip-up objective and ocular sunshades. Operates 200 hours (high), 500 hours (low) on one CR-2032 lithium battery (included). Available in 40mm with 32mm objective lens; 14.2 oz.

#118-000-021ST AR-332 Prism Sight

\$349.00

1" Set

\$42.75

28.50

Burris AR-QD Mount for AR-332

Dual quick-release throw levers make mounting and dismounting a Burris AR-332 Prism Sight easy and fast with no loss of zero. Locking tab on each lever prevents the lever from accidentally opening unless the tab is pressed. Fits any Picatinny or Weaver-style rails. Designed specifically for the Burris AR-332; will fit optics from other manufacturers with 1.25" center-to-center hole spacing, like Trijicon TA series ACOGs, that attach to the A2 carry handle of an AR-15. Machined from lightweight aluminum, hard-anodized, matte black.

#118-000-040ST AR-QD Mount

Threadlocker Blue LocTite Adhesive

\$84.99

We highly recommend the use of LOCTITE 242 (blue) thread locker adhesive when mounting your base screws. This medium strength adhesive will keep critical screws from backing out at the worst possible moment. Parts locked with this adhesive can be disassembled with normal tools. Comes in a 6 ml tube.

#749-001-029ST Blue "Medium Strength" LOCTITE

```
$7.99
```

Rings, Mounts & Bases

BKL Technologies 200 and 300 Series Scope Rings

Aircraft-grade aluminum scope rings feature self-adjusting clamping legs that fit 3/s'' or European 11mm dovetail mounts found on many boltaction rimfire rifles. Each leg moves equally as the clamping screws are tightened to keep the scope centered on the rail. Clamping screws also fit into pre-drilled holes to equally spread the legs to easily slip over oversized rails. 200 Series fits 1" scopes and 300 Series fits 30mm scopes. Available as a one-piece cantilever mount with a 2.4" offset, a pair of scope rings, or as a pair of one standard and one offset ring with a 1.3" offset. Ring pairs available as either single, or double top strap. Single-strap rings measure .6" front-to-back. Double strap rings measure 1" front-to back. Height measured from the top of the base to the bottom of the scope tube. Hardcoat anodized, matte black or natural sil-



4" Cantilever

ITEM #	HEIGHT	DESCRIPTION	FINISH	
200 SERIES – 1"				
#749-012-565ST	.620"	Single Strap Rings/Pr.	Matte Black	\$19.50
#749-012-566ST	.620"	Single Strap Rings/Pr.	Silver	19.50
#749-012-567ST	.850"	Single Strap Rings/Pr., High	Matte Black	21.25
#749-012-571ST	.620"	Single Strap Offset/Pr.	Matte Black	35.50
#749-012-572ST	.620"	Single Strap Offset/Pr.	Silver	35.50
#749-012-568ST	.620"	Double Strap Rings/Pr.	Matte Black	36.00
#749-012-569ST	.620"	Double Strap Rings/Pr.	Silver	36.00
#749-012-570ST	.850"	Double Strap Rings/Pr., High	Matte Black	37.50
#749-012-573ST	.620"	Double Strap Rings/Pr., Offset	Matte Black	52.25
#749-012-574ST	.620"	Double Strap Rings/Pr., Offset	Silver	52.25
#749-012-560ST	.620"	3" Cantilever	Matte Black	33.25
#749-012-561ST	.620"	3" Cantilever	Silver	33.25
#749-012-562ST #749-012-563ST	.620" .620"	4" Cantilever 4" Cantilever	Matte Black	38.00
#749-012-564ST	.850"	4" Cantilever, High	Silver Matte Black	38.00 42.75
300 SERIES – 30mm		4 Gandievel, nigh	Malle Diack	42.7J
#749-012-550ST	.850"	Single Strap Rings/Pr.	Matte Black	28.50
#749-012-551ST	.850"	Single Strap Rings/Pr.	Silver	28.50
#749-012-548ST	.850"	Single Strap Offset/Pr.	Matte Black	45.00
#749-012-553ST	.850"	Double Strap Rings/Pr.	Matte Black	57.00
#749-012-554ST	.850"	Double Strap Rings/Pr	Silver	57.00
#749-012-542ST	.850"	4" Cantilever	Matte Black	57.00
#749-012-546ST	.850"	4" Cantilever	Silver	57.00

Davidson Bases for Kelbly Rings

These bases are constructed of high strength structural aluminum and will accept Kelbly and Jewell rings only. All bases are of two-piece design except for the Remington XP-100 which is a one-piece base. Both one piece and two piece bases are available for Remington long and short actions. We also have 7" base blanks with the correct dovetail for Kelbly and Jewell rings for actions other than those listed below. The base blanks come in three thicknesses (3/s", 1/2", and 3/4") and will require your gunsmith to mill the correct radius, cut to length and drill screw holes.

ITEM #	DESCRIPTION	
#749-003-813ST	Rem. 700 and 40X	\$33.99
#749-003-775ST	1.375" Actions, Hall "S", Grizzly	33.99
#749-003-776ST	Flat Top Actions	33.99
#749-005-494ST	Rem. XP-100 (One Piece)	59.99
#749-003-777ST	Win. Model 70	41.99
#749-005-491ST	One Piece Base For Rem. 700 LA	59.99
#749-005-568ST	One Piece Base For Rem. 700 SA	59.99
#749-004-334ST	¹ /2" Base Blank	33.99
#749-004-317ST	³ /8" Base Blank	33.99
#749-004-339ST	3/4" Base Blank For Kelbly/Jewell Rings	36.99
#749-003-750ST	Nesika Older B/R & Farley	49.99
#749-003-456ST	Nesika J, K, L, M and S	41.99
#749-004-499ST	Rem. S/A 20 MOA Bases	49.99
#749-004-972ST	Rem. L/A 20 MOA Bases	49.99
#749-004-990ST	Rem. XR-100/Model 7	49.99

NEW EGW One-Piece Scope Mount For Rifles

EGW bases are drilled to fit your rifle's factory scope mount holes, so you can



add the versatility of a one-piece Picatinny scope rail with no drilling or tapping. Precision machined from extruded 7075 T6 aluminum, with MIL-STD 1913 Picatinny slot-and-rail spacing that allows fast and simple changes to scope eye relief, plus great flexibility in scope choice. Some models are available with 20 MOA built-in elevation to aid in long-range shooting without maxing out scope elevation adjustment.

#296-000-089ST Rem 700 SA Scope Mount	\$39.99
#296-000-210ST Rem 700 SA Scope Mount w/20 MOA	39.99
#296-000-088ST Rem 700 LA Scope Mount	39.99
#296-000-211ST Rem 700 LA Scope Mount w/20 MOA	39.99
#296-000-090ST Savage SA Scope Mount - non-AccuTrigger/Flat Rear Rec	r 39.99
#296-000-091ST Savage SA Scope Mount - AccuTrigger/Round Rear Rec'r	39.99
#296-000-212ST Savage SA Scope Mount w/20 MOA	39.99
#296-000-213ST Savage LA Scope Mount	39.99
#296-000-214ST Savage LA Scope Mount, 20 MOA	39.99

Kelbly "Panda" Scope Rings

Kelbly scope rings are some of the most precision-made rings available. They are CNC machined from solid bars of aluminum, resulting in matched sets. These exacting tolerances make Kelbly rings the number one choice of benchrest shooters. All Kelbly rings are designed to mount on Stolle Dovetails or Davidson bases (see Davidson listing below). Available in single screw and double screw models, bead blasted or matte black (anodized) finish. All rings are sold as pairs.

Kelbly rings are available in three heights to accommodate most shooters requirements:

Short: Designed for mounting scopes on varmint rifles or hunting rifles using Davidson bases. Gets the scope closer to the centerline of the bore. Short height is available in 1" Double Screw only.

Standard: This is the most popular height used on Stolle actions and the most popular among benchrest shooters. This height also works well with large objective scopes such as Nightforce and Burris on varmint and hunting rifles. Standard height is available in 1" and 30mm, double or single screw, black or bead blasted finish.

Tall: This ring design provides target shooters with several desirable benefits: 1) recoil effect is more consistent because cheek contact with the stock is all but eliminated, 2) puts your body in a better position more directly behind the rifle to cut down on gun handling errors, and 3) allows your head position to be more upright which is a more relaxed position and much better for watching wind flags.



1" Short Double Screw Rings



Standard 1" Single Screw Rings



Standard 30mm Double Screw Rings

Tall Kelbly rings are available in 30mm, bead blasted finish only in single screw or double screw sets. Tall rings are also available as a combo set with a double screw front ring and single screw rear ring for the Leupold Competition scopes.

Kelbly ring heights are measured from the top of the base to the center of the ring.

ITEM #	HEIGHT	DESCRIPTION	WEIGHT	
#749-007-516ST	.8835"	1" Short Double Screw	2.68 oz.	\$85.99
#749-007-659ST	.8835"	1" Short Double Screw, Black	2.68 oz.	99.99
#749-007-278ST	1.0835"	1" Single Screw	1.64 oz.	75.99
#749-007-520ST	1.0835"	1" Single Screw, Black	1.64 oz.	99.99
#749-007-524ST	1.0835"	1" Double Screw	3.00 oz.	85.99
#749-007-660ST	1.0835"	1" Double Screw, Black	3.00 oz.	99.99
#749-007-523ST	1.1344"	30mm Single Screw	1.62 oz.	85.99
#749-007-658ST	1.1344"	30mm Single Screw, Black	1.62 oz.	99.99
#749-007-639ST	1.1344"	30mm Double Screw	2.95 oz.	117.99
#749-007-827ST	1.1344"	30mm Double Screw, Black	2.95 oz.	130.99
#749-007-816ST	1.6344"	30mm Tall Single Screw	2.10 oz.	112.99
#749-007-874ST	1.6344"	30mm Tall Double Screw	3.93 oz.	139.99

JP Enterprises AR-15 Flattop Scope Mounts


JP's one-piece scope mount with integral rings is one of the best we've found for a secure installation with correct ring height to position the scope at eye level and enough clearance for objectives up to 56mm. Six Torx* head screws secure each top ring strap to the lower ring and hold the optic tight, even under heavy recoil. The full-length base clamps to the receiver with five crossbolts and an integral recoil lug for a rock-solid fit and zero movement. Machined from 6061 T6 aluminum billet, with a matte black, hardcoat anodized finish. Radiused edges give a streamlined appearance and resist snagging on slings and other gear. Models available for 1"/30mm, 34mm, or 35mm scope tubes. 1"/30mm mount has polymer adapter shims that enable no-slip mounting of 1" scopes.

#452-000-044ST	1"/30mm Flattop Optic Mount
#452-000-124ST	34mm Flattop Optical Mount
#452-000-125ST	35mm Flattop Optical Mount





Nightforce Rings Designed to fit MIL-STD 1913 Picatinny scope bases, Nightforce rings are precisely manufactured to match the machined recess of a Nightforce MIL-STD 1913 base, providing perfect alignment and accuracy. Nightforce rings are designed and produced to exacting specifications entirely out of steel or from 7075-T6 aluminum with titanium crossbolts and jaws. All Nightforce rings are 100% micro-radiused and honed in pairs for perfect fit of 30mm scope tubes to prevent the possibility of the rings damaging your scope. Ring heights measured from top of rail to centerline of scope.



Extra High

ITEM #	HEIGHT	SIZE	
Steel			
#749-008-081ST	.885"	30mm Low	\$165.00
#749-008-084ST	1"	30mm Med	165.00
#524-000-003ST	1.125"	30mm High	165.00
#749-010-186ST	1.375"	30mm X-High	165.00
Ultralight Aluminum/	Titanium		
#749-012-011ST	.885"	30mm Low	165.00
#749-012-012ST	1"	30mm Med	165.00
#749-012-013ST	1.125"	30mm High	165.00
#749-012-014ST	1.265"	30mm Intermediate	165.00
#749-012-015ST	1.375"	30mm X-High	165.00
#524-000-144ST	1.5" (3.81cm)	30mm Extreme	165.00

Nightforce UniMounts

The Nightforce UniMount is the ultimate mount for attaching to weapons with an integral Mil-Std. 1913 flat top-type receiver. The Nightforce UniMount allows for quick removal of the scope for interfacing with different firearms - such as an AR-15 flat-top and Barrett .50cal. rails. These are manufactured to Mil-Std. 1913 specifications and are CNC machined from 7075-T6, with beta series Titanium crossbolts and jaws. The UniMount incorporates a built-in 20MOA taper to maximize your rifles long-range capability and like all Nightforce rings, the UniMount



is 100% micro-radiused and inside edges honed to prevent the rings from scratching your scope tube.

#749-012-016ST High Height (1.125") - 20MOA **#749-012-017ST** Extra High Height (1.375") - 20MOA

Nightforce Two-Piece Tapered **Steel Bases**

Made to the same MIL-STD 1913 specifications as the Nightforce one piece tapered bases, the Nightforce twopiece bases are machined to an angle of 20 MOA and have a non-reflective matte black finish. The Nightforce 2 piece base allows for unhindered access to your rifles loading/ejection port.

#524-000-011ST 2-Piece Rem 700 SA 20 MOA #524-000-012ST 2-Piece Rem 700 LA 20 MOA \$87.00 87.00

\$252.00

252.00

Nightforce Tapered Steel Bases

Nightforce one-piece bases are machined to exact MIL-STD 1913 specification rail dimensions - assuring perfect alignment - and includes an integral recoil lug to prevent the recoil from stressing the base screws. This design allows the same scope to be used on several different rifles, always optimizing eye relief. Choose from 20 MOA or 40 MOA tapers (40 MOA for Remington actions only). Designed and machined for right- or lefthanded actions, Nightforce bases will never interfere with loading or extraction.

#524-000-007ST	1 Piece Rem 700 SA 20 MOA	\$116.00
#524-000-008ST	1 Piece Rem 700 LA 20 MOA	116.00
#524-000-015ST	1 Piece Rem 700 LA 40 MOA	114.00
#524-000-016ST	1 Piece Rem 700 SA 40 MOA	114.00
#749-012-026ST	1 Piece Win 70 SA 20 MOA	133.00
#749-012-028ST	1 Piece Savage SA Accutrigger SA 20 MOA	116.00
#749-012-029ST	1 Piece Savage LA Accutrigger LA 20 MOA	116.00
#749-012-030ST	1 Piece Aluminum Base Blank 20 MOA	68.00
#749-012-031ST	1 Piece Steel Base Blank 20 MOA	68.00

Nightforce Torque Wrench

A riflescope is a precision instrument with set specifications and your scope rings are no exception. The Nightforce Torque Wrench is pre-set to 68 inch pounds of torque and will allow you to attach your rings to your base to the correct torque specification - every time. This tool



ensures zero slippage of the rings with the base, and also prevents breakage or stripping caused by excess torque. The compact design makes it very convenient to keep in your range bag and is equally at home on your work bench. (1/2" socket not included).

#749-012-033ST Nightforce Torque Wrench

\$87.00

Nightforce Direct Mounts

Built to mount directly to your Remington 700 short or long actions, the Direct Mount ensures true alignment and maximum strength for precision shooting. Nightforce has made the system out of high quality CNC machined 7075-T6 anodized aluminum with the rings and base designed together, making it the ultimate in a weight saving, once-piece, perfectly aligned



design. The Nightforce Direct Mount is 100% micro-radiused on all edging and the inside diameter is honed, to prevent your scope tube from being scratched or scarred.

#749-012-018ST	Rem. 700 SA 30mm - Medium Height - 1"	\$189.00
#749-012-019ST	Rem. 700 SA 30mm - High Height - 1.125"	189.00
#749-012-020ST	Rem. 700 LA 30mm - Medium Height - 1.0"	189.00
#749-012-021ST	Rem. 700 LA 30mm - High Height - 1.125"	189.00

Ken Farrell Rings

These Ken Farrell rings are of the same high quality as his bases. Precision CNC machined steel, each pair of rings is made to exacting tolerances and matched for a precise and consistent fit. Unique clamping design provides exceptional grip to ensure that the scope does not move. Available for 1" or 30mm scope tubes in matte finish. Ring heights are from top of base to the inside bottom of the ring. Rings fit "Weaver" style and



i icatinity bases.			
ITEM #	DESCRIPTION	HEIGHT	
#100-000-893ST	1" Medium	.335"	\$164.99
#100-000-894ST	1" High	.535"	164.99
#100-000-895ST	30mm Medium	.243"	164.99
#100-000-896ST	30mm High	.443"	164.99



Ken Farrell Long Range Bases

These "Weaver" style bases by Ken Farrell are CNC machined and are available in a onepiece base or a two-piece set. The bases are made in



a standard configuration (no taper) or with a 20 MOA taper, which allows a shooter to keep his scope more optically centered when shooting longer yardages. Some

scopes, when mounted on conventional bases, do not have enough elevation adjustment for longer yardages or are at the very end of their adjustment range.

Savage bases fit AccuTrigger round top actions only. Winchester bases have .860" hole spacing.

\$118.99

ITEM #	BASES
#100-001-060ST	Rem 700 SA 1 pc. Base
#749-007-269ST	Rem 700 SA 1 pc. Base 20 MOA
#100-001-062ST	Rem 700 LA 1 pc. Base
#100-001-076ST	Rem 700 LA 1 pc. Base 20 MOA
#100-001-020ST	Savage SA 1 pc. Base
#100-001-145ST	Savage SA 1 pc. 20 MOA
#100-001-142ST	Savage LA 1 pc. Base
#749-007-250ST	Savage LA 1 pc. 20 MOA
#749-007-243ST	Win 70 WSM Actions Only - 1 pc. Base
#749-007-248ST	Win 70 WSM Actions Only - 1 pc. Base Win 70 WSSM Actions Only - 1 pc. Base
#749-007-246ST	Rem Model 7/XR-100 1 pc. Base
#749-007-247ST	Rem Model 7/XR-100 1 pc. Base 20 MOA





7075 T6 billet aluminum, scope rings are kept in numbered pairs throughout the manufacturing process and machined to .0005 of an inch tolerances for precise fitting and alignment with your scope tube. Perfect for large-diameter, light-gathering scope tubes being used for tactical, and long-range applications. Vibratory tumbling, followed by a hand bead-blasting process ensures that these rings won't snag on clothing or other gear. Type III hard coat anodizing eliminates reflections, and enhances surface abrasion resistance. Grade 8 fasteners lock the rings and scope securely to your weapon with the supplied Torx wrench. Available in Medium, .95" base-to-center or High, 1.26" base-to-center mount. Two per package. Will not fit Weaver mounts.

#749-012-329ST 35mm Medium Matched Rings	\$139.99
#100-013-129ST 35mm Medium-Plus Matched Rings	139.99
#749-012-330ST 35mm High Matched Rings	139.99
#100-013-132ST 34mm Medium Matched Rings	139.99
#100-013-131ST 34mm Medium-Plus Matched Rings	139.99
#100-013-130ST 34mm High Matched Rings	139.99
#100-013-135ST 30mm Low Matched Rings	119.99
#100-013-134ST 30mm Medium Matched Rings	119.99
#100-013-133ST 30mm High Matched Rings	119.99

Badger Ordnance Tactical Scope Rings

These extra strong 30mm tactical scope rings are designed to meet the higher demands of the Military and Law Enforcement tactical shooting community. Badger scope rings are machined from steel bar stock as serialized matched pairs, and fit MIL STD 1913 Picatinny or Weaver style rails or bases. All rings are finished in Mil Spec Black Oxide, and four Torx* screws hold the top caps on



the rings securely. Ring heights are measured from the top of the rail base to the center of the scope tube. The Ultra-High rings provide the optimum mounting height for AR-15 and AR-10 style rifles, and the 1" Ring Reducers adapt any of the Maximized rings to 1" diameter scope tubes.

#093-306-080ST	Standard .823" Scope Ring	\$164.99
#093-306-001ST	Medium .885" Scope Ring	164.99
#093-306-002ST	Medium High 1" Scope Ring	164.99
#093-306-090ST	High 1.125" Scope Ring	164.99
#093-306-100ST	Ultra High 1.378" Scope Ring	164.99
#093-306-120ST	1" Standard Ring Reducers	29.49

Badger Ordnance 34/35mm Picatinny Scope Rings

Matched set of scope rings are manufactured to the same exacting standards as Badger's 30mm counterparts. Each serial-numbered pair is precision-machined from the same piece of 7075 T6 aluminum bar stock to ensure perfect alignment on the scope tube. Each ring cap is held firmly in place with four Torx* head screws. Steel crossbolts and hex nuts firmly secure the rings to



a MIL-STD 1913 Picatinny rail. Height measured from top of rail to bottom of scope tube.

	34mm Picatinny Rings, 1" High	\$199.95
#093-000-043ST	35mm Picatinny Rings, 1.125" High	199.95

NEW Weaver Bases

Weaver bases are undoubtedly the most popular style of base used today. We have most popular sizes in stock. A partial listing of common applications is listed to the right. If you do not see your receiver listed, please ask.

One Piece Weaver Bases

#955-010-070ST Remington XP-100 Blue Finish	\$10.99
#955-010-092ST Weaver One Piece Base For Contender, Blued	10.99
#955-000-090ST Weaver One Piece Base For Contender, Stainless	11.99

Weaver Two Piece Base Listing

ITEM #	ACTION	TYPE/FINISH	
#955-010-040ST	Rem 700 Short	BLUE FINISH FRONT	\$4.99
#955-010-035ST	Vanguard 22-250, 224, 30-06	BLUE FINISH FRONT	4.99
#955-010-015ST	77	BLUE FINISH REAR	4.99
#955-010-046ST	Small ring Mauser action	BLUE FINISH FRONT	4.99
#749-000-478ST	Savage Actions	BLUE FINISH FRONT	5.99
#955-010-061ST	flat reciever	BLUE FINISH FRONT	4.99
#955-010-036ST	Rem 700 Short	BLUE FINISH REAR	4.99
#955-010-047ST	670, 770 F/ext.	BLUE FINISH REAR	4.99
#955-010-041ST	Rem 700 Short	MATTE FINISH FRONT	4.99
#955-010-135ST	Rem 700 Long	MATTE FINISH FRONT	4.99
#955-010-146ST	Savage Actions	MATTE FINISH FRONT	4.99
#749-000-486ST	Shilen (Flat Top)	MATTE FINISH FRONT	4.99
#955-010-136ST	Rem 700 Short	MATTE FINISH REAR	4.99
#955-010-006ST	Model 7/XR-100	MATTE FINISH REAR	4.99
#955-010-147ST	670, 770 F/ext.	MATTE FINISH REAR	4.99
#749-000-485ST	Rem 700 Short	SILVER FINISH FRONT	5.99
#749-000-461ST	Rem 700 Long	SILVER FINISH FRONT	4.99
#955-012-046ST	Savage Actions	SILVER FINISH FRONT	4.99
#749-000-479ST	Shilen (Flat Top)	SILVER FINISH FRONT	4.99
#749-000-460ST	Rem 700 Short	SILVER FINISH REAR	4.99

208 800-717-8211

Optics Accessories

SunGuard[™]ARD (Anti Reflection Devices)

This product is a high tech sun shade for rifle scopes which uses a honeycomb cell technology used by Army, Marine, and Special Forces to cut the glare that interferes with clear sighting. These ARD'S fit inside the Butler Creek Flip Open" objective lens covers we stock for most scopes. The honeycomb cells are all but invisible through the scope, and they also prevent reflections from the scope lens from spooking game animals. ARD's come in six sizes, and must be used in conjunction with the appropriate Butler Creek Cover for your scope.

ITEM # OBJECTIVE COVER #749-002-662ST 10, 13, and 15

#/49-002-66251	10, 13, and 15	\$17.95	
#749-002-668ST	23, 25, 26, and 27	17.95	
#749-002-672ST	28, 29, 30, and 31	17.95	
#749-002-663ST	33 and 34	17.95	
#749-003-046ST	39, 40, and 43	19.95	
#749-003-014ST	44, 45, 46, 47, and 48	19.95	



Newlon Turret Level Cap for Leupold[®] Scopes

Newlon's machined aluminum replacement cap has a built-in bubble level to help you increase the potential accuracy of your handgun or rifle by ensuring the firearm is level before you pull the trigger. Fits all standard Leupold turret knobs except those on Target scopes and the Mark 4 series. Just a quick glance at the bubble lets you know you're on the level, without compromising your cheekweld. Anodized, matte black finish. Includes rubber alignment/seal rings. 1" outside diameter; .70" tall.

Matte Black or Gloss Black

#749-012-242ST Turret Level Cap - Matte Black \$49.95

Flatline Ops True Bore™Angle Indicator Set-Up Tool

Bubble level attaches to the muzzle crown to help you calibrate a Flatline Ops ADI, ACI, or other brand angle indicator. When the bubble is between the lines, the barrel is absolutely level, so you know the indicator's reading will be accurate.

#749-009-107ST True Bore Set-Up Tool

Flatline Ops Accu/Level Fixed Scope Level

The Accu/Level Fixed Scope level attaches to the scope tube to give the shooter a visual verification that the rifle is dead level before each shot. This helps eliminate inconsistent grouping that results from inadvertently canting the gun. This normally isn't noticeable at shorter ranges, but can have a significant negative effect on group sizes at long range. The Fixed Accu/Level is designed to be aligned with the gun during installation. The Patriot model has a built-in adjustment feature that allows it to be fine-tuned at any time after it is mounted. Both models work for both right- and lefthanded shooters.

#100-011-952ST 1" Fixed ACCU/LEVEL	\$74.99
#100-011-952ST 1" Fixed ACCU/LEVEL	74.99
#100-011-953ST 30mm Fixed ACCU/LEVEL	79.99
#100-011-954ST 34mm Fixed ACCU/LEVEL	84.99
#100-011-930ST 30mm Patriot ACCU/LEVEL	109.99
#100-011-931ST 34mm Patriot ACCU/LEVEL	124.99
#100-011-932ST 35mm Patriot ACCU/LEVEL	134.99



\$25.00

1" Fixed

30mm Patriot

Flatline Ops Accu/Level[™] Flip-Out Bubble Levels





accuracy. Bright fluorescent yellow, bubble-level pivots into a horizontal detent position for immediate use and swings back over the top of the scope for streamlined storage. Models available to fit 1", 30mm or 34mm scope tubes. Accommodates both leftand right-hand shooters. Ring clamp holds tight with two stainless steel Allen head screws. 6061 T6 aluminum, Type III hardcoat anodized, matte black. ${}^{9}/{}^{16"}$ (1.5cm) long x $2^{1}/{}^{2"}$ (6.3cm) wide (closed), 4" (10.2cm) wide (open).

#100-006-834ST 1" Hunter ACCU/LEVEL **#100-006-835ST** 30mm Sniper ACCU/LEVEL **#100-006-836ST** 34mm Covert ACCU/LEVEL

\$129.95
139.95
169.95

Flatline Ops Strong Arm Cosine Indicator Mount This rugged, secure, machined aluminum mount slides onto the accessory dovetail of any Accu/Level model to allow mounting of a cosine indicator. The Strong Arm puts the indicator right under the level for an instantaneous, unobstructed view of uphill and downhill trajectory angles without moving your eyes. Accepts Flatline Ops ACI/ADI or Sniper Tool Designs indicators. Secures to the Accu/ Level with two stainless steel screws. Hardanodized black finish matches most scope tube and scope ring finishes. 9/16" (1.5cm) wide x 21/8" (5.3cm) high. Stainless in use steel mounting screws included.

#100-006-837ST Strong Arm Mount

\$58.95

209

Sinclair Offset Scope Level

The Sinclair Offset Scope Level has a unique offset design that allows the shooter to see the level while still behind the scope. The offset

level attaches to the riflescope like a scope ring and can be positioned so the shooter can see it easily. The Sinclair scope level helps the shooter avoid loss of accuracy resulting from positioning (canting) the rifle differently each time.

The machined aluminum Sinclair Offset Scope Level is available for 1" and 30mm scope tubes. Available in matte black and satin silver finishes. The Sinclair Offset Scope Level can be mounted for use by righthand or left-hand shooters.

#749-004-279ST Scope Level (1" Rings) - Black	\$28.95
#749-004-265ST Scope Level (1" Rings) - Silver	28.95
#749-004-540ST Scope Level (30mm Rings) - Black	31.99
#749-004-488ST Scope Level (30mm Rings) - Silver	31.95

www.sinclairintl.com

Optics Accessories

Holland's Signature Series Scope Level



Streamlined eye-pleasing appearance blends in perfectly with traditional scope rings while helping to eliminate accuracy-robbing canting errors. Easy-to-see offset level helps you make immediate corrections without taking your eyes off the target. Attaches to your riflescope like a traditional scope ring; halves clamp together with two steel Allen head screws. Aluminum construction, hardcoat anodized, matte black. Reversible design works for leftand right-hand shooters. Models available for 1" or 30mm diameter scopes.

#749-012-238ST Scope Level for 1" Scopes - Black	\$59.99
#749-012-237ST Scope Level for 30mm Scopes - Black	59.99

MSP Anti-Cant Device

The anti-cant device fits onto your scope like a scope ring and tells you whether your rifle is level or not. It is that simple. There has been a lot of research done about the cant of a rifle affecting accuracy (a lot of it was done decades ago). This bubble level affixes to the scope of your rifle where it is easy to see. Perfect for those shooting from a mechanically supported position. Also works well as a front sight level for NRA match and long range rifles.



#749-004-031ST Anti-Cant Device For 30mm Scopes - Silver #749-008-955ST Anti-Cant Device For 34mm Scopes - Black

MGM Targets Switchview Levers



Leupold

210

Aluminum lever clamps around your scope's magnification ring and provides the extra leverage needed to quickly change magnification settings. Just acquire the target then zoom-in without taking your head out of the scope in less than three seconds. Easy to operate on the run, so it's great for 3-gun competition. Black hardcoat anodized finish resists wear and blends with scope finish. Requires the following clearance between the scope body and base or receiver rail for proper operation: Nightforce NXS - .256" (6.5mm); Burris XTR - .260" (6.6mm); Leupold VX-III - .225" (5.7mm).

#100-005-212ST Nightforce NXS Switchview Lever **#100-005-213ST** Burris XTR Switchview Lever #100-005-214ST Leupold VX-III Switchview Lever

\$27.95

29.95

NEW Nightforce Ring Cap Bubble Levels



The Nightforce Ring Cap Bubble Levels replace the top half of the ring of the Nightforce UniMount, Direct Mount and standard rings. Available with an integral ADI mount (#749-012-036 ADI sold separately below) or as a top half of ring and bubble level only. Works for both right- and left-hand applications.

#749-012-034ST Top Ring Bubble Level, 30mm 4 Screw	\$73.00
#749-012-035ST Top Ring Bubble Level & ADI Mount, 30mm 4 Screw	97.00
#749-013-834ST Top Ring Bubble Level, 34mm 4 Screw	78.00
#749-013-836ST Top Ring Bubble Level - 34mm 6 Screw	82.00
#749-013-837ST Top Ring Bubble Level & ADI Mount, 34mm 6 Screw	107.00

Nightforce Angle Degree Indicator and Mounts

The Nightforce Angle Degree Indicator takes the guesswork out of uphill and downhill shots. Calibrated in degrees, it gives you an instant readout which you can enter directly into the Nightforce ballistic software or use with a pre-printed angle drop chart. It is available with a mount designed to fit on any Mil-Std. 1913 base without removing your scope, or separately to mount on the Nightforce Ring Cap Bubble Level with Mount (this item listed separately above). For right-handed shooters; left hand Angle Degree Indicator available by special order. Mount fits both right hand and left hand ADI.



#749-012-036ST Angle Degree Indicator - Right Hand Only #749-012-037ST ADI Mount

\$107.00 58.00

\$64.00

64.00

Nightforce Clamp-On Power Throw Lever NEW

The clamp-on PTL[™] (Power Throw Lever) clamps around your scope's magnification adjustment ring, allowing you to make instant magnification changes, even while wearing gloves. Fits NXS [™] 15x, 22x, 32 and 42x and NXS™ Compact riflescopes.



524-000-171ST Nightforce Clamp-On PTL Compact Scopes #524-000-172ST Nightforce Clamp-On PTL NXS Scopes

3GunStuff Scope Levers



The scope lever from 3GunStuff clamps around your variable-power scope's zoom ring to provide a convenient thumb lever that lets you change magnification setting quickly, on the fly. Low profile - adds only 0.080" to the outside of the zoom ring – and the lever itself protrudes just enough to give you a secure purchase without becoming an obstruction. Machined aluminum with a black anodized finish; hinged for easy installation. Models available to fit the scopes listed below.

	LEVER		
ITEM #	HEIGHT	FITS	
#100-007-063ST	.50"	Trijicon Accupoint TR20, TR21, TR22, TR23, TR24,	\$70.00
		TR221, TR222, TR201, TR231, and TR232	
#100-007-064ST	.80"	All Nightforce NXS 3.5-15, 5.5-22, 8-32, and	70.00
		12-42 models. Does not fit NXS Compact or	
		Benchrest series.	
#100-007-065ST	.50"	NXS Compact 1-4x24, 2.5-10x24, and 2.5-10x32	70.00
#100-007-066ST	.80"	Vortex Razor HD 1-4 and 5-20	70.00

Swarovski Scope Throw Lever

Throw lever clamps to your Swarovski scope's Power Ring to help you change magnification instantly with a quick flip of a finger. Twopiece design makes installation and removal easy, and interior of mounting ring is rubberized to protect the power ring. Grooved lever offers good purchase for quick adjustments. Z6 throw lever fits Z6 and first-generation Z6(i) scopes. Generation 2 fits the second-generation Z6(i) 1-6x24 scope. Allen wrench included.

#100-011-790ST Z6 Throw Lever	\$99.99
#100-011-790ST Z6 Throw Lever	99.99
#100-011-791ST Z6(i) Generation 2 Throw Lever	99.99

Sinclair Load and Sight/Scope Labels



Our Load Labels are printed on special label material called "Pressables^{wett} that can be applied, moved, and reapplied to almost any surface. Perfect for using on MTM cartridge boxes. We included space for load data, # of times fired, # of times trimmed, etc. Sold in packs of 50.

#749-000-447ST Sinclair Load Labels - 50 pack

\$4.95

We make a similar label for recording sight settings for different yardages. Excellent for competitive shooters, long-range shooters, varmint hunters, and game hunters. Record sight settings, come-ups, etc. Pressable[™] labels can be stuck to about any surface and removed easily.

#749-000-259ST Sinclair Sight/Scope Labels - 25 pack

\$3.95

Butler Creek Flip-Style Scope Covers

Protect your scope lenses with Butler Creek flip-up scope covers. The covers mount with a friction fit on your scope's eyepiece and objective. Equipped with a semi- O-ring to help seal out dust and moisture. Spring activated lids pop open with a touch of your thumb, and the easy to find buttons provide quick access to your scope. We keep just about every size in stock. Eyepieces and objectives are sold separately and not as sets.



EYE PIECE COVERS

ITEM #	SIZE	IN (")	
#749-001-439ST	02	1.225	\$9.99
#749-001-43931 #749-001-440ST	03A	1.300" (33.0)	9.99
	03A 01		
#120-000-039ST	• •		9.99
#120-000-040ST	03	1.388" (35.3)	9.99
#120-000-041ST	05	1.432" (36.4)	9.99
#593-000-156ST	07	1.457" (37.0)	9.99
#120-000-038ST	09	1.468" (37.3)	9.99
#120-000-023ST	09A	1.485" (37.7)	9.99
#120-000-012ST	10	1.516" (38.5)	9.99
#120-000-011ST	11	1.550" (39.4)	9,99
#120-000-014ST	13	1,570" (39,9)	9.99
#120-000-015ST	14	1.605" (40.8)	9.99
#120-000-037ST	15	1.66"x1.45"	9.99
	10	(42.2x36.8)	0.00
#120-000-013ST	16	1.660" (42.2)	9.99
#120-000-01551 #120-000-016ST	17	1.675 (42.5)	9.99
#120-000-017ST	18	1.700" (43.2)	9.99
#120-000-025ST	19	1.730" (43.9)	9.99
#120-000-024ST	20	1.775" (45.1)	9.99
o D J D O T J J		OVER 0	

OBJECTIVE COVERS

SIZE IN (")

ITEM #

		JILL		
	#120-000-048ST	01	1.00" (25.4)	\$9.99
	#749-001-422ST	04	1.095" (27.8)	9.99
	#120-000-056ST	02	1.225" (31.0)	9.99
	#749-001-481ST	03A	1.300" (33.0)	9.99
	#749-001-471ST	03	1.340" (34.0)	9.99
	#749-001-423ST	05	1.387" (35.2)	9.99
	#749-001-443ST	07	1.429" (36.3)	9.99
	#120-000-053ST	09	1.485" (37.7)	9.99
	#120-000-045ST	10	1.500" (38.1)	9.99
100	#749-001-435ST	11	1.54"x1.34"	9.99
			(39.1x34.0)	
	#120-000-042ST	13	1.530" (38.9)	9.99
	#120-000-027ST	15	1.558" (39.6)	9.99
	#120-000-054ST	17	1.612" (40.9)	9.99
	#120-000-049ST	19	1.646" (41.8)	9.99
	#120-000-055ST	20 21	1.700" (43.2)	9.99
	#120-000-052ST	21	1.735" (44.1)	9.99
11	#120-000-051ST	23	1.760" (44.7)	9.99
all a	#120-000-043ST	25	1.800" (45.7)	9.99
2 A	#120-000-018ST	26	1.820" (46.2)	9.99
	#120-000-019ST	27	1.840" (46.7)	9.99
24	#120-000-021ST	28	1.890" (48.0)	9.99
1	#120-000-047ST	29	1.919" (48.7)	9.99
/	#120-000-022ST	30	1.960" (49.8)	9.99
	#120-000-046ST	31	1.998" (50.7)	9.99
	#120-000-030ST	33	2.043" (51.9)	9.99
	#120-000-026ST	34	2.100" (53.3)	9.99
	#120-000-044ST	39	2.220" (56.4)	9.99
	#120-000-029ST	40	2.250" (57.2)	9.99
	#120-000-020ST	43	2.310" (58.7)	9.99
	#749-001-526ST	44	2.360" (59.9)	9.99
	#749-001-461ST	45	2.410" (61.2)	9.99
	#120-000-028ST	46	2.430" (61.7)	9.99
	#749-001-494ST	47	2.461" (62.5)	9.99
	#749-001-503ST	48	2.500" (63.5)	9.99
	#749-001-527ST	51	2.575" (65.4)	9.99
			· · ·	

To order scope covers, it is best if you pre-measure your objective and your eyepiece prior to ordering. Use a caliper to measure the outside diameter of your scope's objective and eyepiece to within .001". Using the sizing chart, select a cover that is within a range of .01" less than your measurement to .025" larger than your measurement. If you don't feel comfortable doing this, please have the scope manufacturer and the specific model ready for the sales rep.

Optics Accessories

Butler Creek Multi-Flex Eyepiece and Objective Scope Covers

These new flip-open scope lens covers from Butler Creek will give you the same great lens protection as the standard covers we have carried for years. The Multi-Flex covers have



Each \$10.99	
ITEM #	SIZE
EYE PIE	
#749-001-507ST	09-09A
#749-001-591ST	10-11
#749-001-572ST	13-14
OBJECT	
#749-001-509ST	09-10
#749-001-557ST	13-15
#749-001-510ST	17-19
#749-001-511ST	20-21
#749-001-512ST	25-27
#749-001-558ST	28-29
#749-001-577ST	30-31
#749-001-578ST	33-34
#749-001-581ST	39-40
#749-001-582ST	43-44
#749-001-528ST	46-47

Scope Lens Covers

Our scope lens covers are made of solid neoprene which protects the lens and offers some cushion on the scope ends if bumped. Eyepiece and objective covers included.

ITEM #	FITS	
#749-002-198ST	Leupold Vari-X II 3 x 9 AO and 4 x 12 AO; Vari-X III 3.5 x 10 AO, 4.5 x 14 AO and 6.5 x 20 AO; Fixed Power 8x AO and 12X AO/ Target 12X, 24X, and 36X	\$13.95
#749-002-187ST	VX-III 40mm Long Range Models - side focus models. Leupold Vari-X II 3 x 9 Non-Adj. Objective; Vari-X III 3.5 x 10 Non-Adj. Objective; Fixed Power 6X AO Lyman All American 10X and 20X	13.95
#749-002-175ST	Leupold - Vari-X III 50mm AO's Only 3.5 x 10, 4.5 x 14, 6.5 x	13.95
#749-002-196ST	20 Parallax Adjustment On Objective Lens - Not Side Focus Neoprene Scope Lens Covers For The New Model Leupold Benchrest Target Scopes in 35, 40, 45X and Sightron 36X Fixed Power.	14.95
#749-002-193ST	Leupold Long Range Target 50mm Objective - side focus models only. These scopes have 30mm scope tubes and are 6.5×20 and 8.5×25	13.95

Hornady One Shot[®] Canned Air

One Shot is all it takes to quickly and efficiently dust your reloading table, remove carbon residue from primer de-capping, brass trimmings, and make cleaning rifle and pistol actions a breeze. Gets into those hard to reach areas and removes dust, grit, and cleaning residues that can't be removed with a cloth. Moisture-free formula won't cause rust.



#749-011-249ST Hornady One Shot Canned Air \$6.99

Leupold Lens Cleaning Pen

This compact, two-step lens cleaning system has a natural hair brush, which remains fullyenclosed and protected from contamination when not in use. The microfiber cleaning tip automatically replenishes itself with a state of the art cleaning compound. The compact ergonomic design

> **#749-001-888ST** Leupold Lens Pen \$8.99

of this tool is superior to competitive products.

Devtron Scopecoat[™]



Protect your valuable scope with the Scopecoat. The Scopecoat Cover stretches over your scope shielding the entire scope from dust, dirt, moisture, dings, and scratches. The Scopecoat is constructed of high quality Neoprene laminated with nylon. The Neoprene has a 5% moisture absorbency which takes moisture away from the scope. Available in black only. NOTE: The XP-6 is available for tall turret scopes such as Law Enforcement, Benchrest and Varmint scopes. Unique to the XP-6 is the 6mm thickness (3 times the normal Scopecoat thickness) for extra protection. Scopes have a way of bumping into other guns in the safe and the Scopecoat protects the scope and your other guns.

#268-101-004ST #268-101-005ST #268-106-004ST #268-106-005ST #268-106-005ST #268-106-006ST #749-004-094ST	Scopecoat 12 ¹ /2"x42mm Scopecoat, 12 ¹ /2"x50mm XP-6 Scopecoat, 12 ¹ /2"x42mm XP-6 Scopecoat, 12 ¹ /2"x50mm XP-6 Scopecoat, 15 ¹ /2"x60mm XP-6 Scopecoat for Nightforce NXS, Springfield, 19 ¹ /2"x60mm	\$16.99 16.99 29.99 29.99 29.99 39.99
--	--	--



Mack's Lens Wipes

These lens wipes are perfect to carry in your range box, glove box, golf bag or pocket. The premoistened, anti-fog, anti-static wipes will do a great cleaning job on glasses, scopes, binoculars or any optical equipment. Safe for all glass or plastic optics and will not harm lens coatings. Wipes are individually wrapped for long storage life. We have been using wipes like these at matches for some time, and they address the dirty glasses problem perfectly and conveniently.

> **#749-011-719ST** Mack's Lens Wipes - 6 Pack \$1.09 **#749-011-772ST** Mack's Lens Wipes - 30 Pack 3.95

Ops Drops – Lens Cleaning & Anti-Fog

Ops Drops is a liquid cleansing and anti-fog product for your dry lenses. Ops Drops are designed for binoculars, scopes, glasses, face shields, and eyewear of any kind. It comes in an easy-to-use applicator bottle which stores inside a convenient Cleaning Cloth/ Carry Pouch. The Carry Pouch is made of MicroNet" which provides a soft, lint free cleaning power. Locking draw string keeps the Ops Drops inside the Carry Pouch. A great product for your range box or field use.

NIGHTFORC

#749-000-758ST Ops Drops

\$6.95

Nightforce Optical **Cleaning Kit**

The Nightforce Optical Cleaning Kit is a necessary companion for your Nightforce riflescope. It is packaged in a convenient, reliable carrying case. The kit contains all of the items needed to professionally care for the lenses on your riflescope. Included is a quality, retractable, ultra-soft bristled brush to remove large particles. It also comes with a scientifically formulated, non-degrading, lens cleaning fluid

Scope not

included


that works in harmony with the coatings on the lenses. Finally, the kit contains the industry's best split micro-fiber cloth that works better than any material currently on the market. The cloth is static free and can be

washed and reused multiple times. (Do not use fabric softener while washing the cloth)

#749-012-032ST Nightforce Optical Cleaning Kit

Optics Accessories & Mounting Tools

Sinclair Scope Ring Alignment Tool



Our Scope Ring Alignment Tool enables any shooter to properly align and install both 30mm and 1" scope rings from any manufacturer. Using the Alignment Tool before lapping scope rings will reduce the amount of lapping needed for a perfect scope tube fit in the rings. This tool goes beyond the traditional "pointed rod" style tools in that the alignment rods are adjustable within the two tool bodies after the bodies are mounted in the scope rings no more loosening the ring several times to adjust the rod point lengths. The rods are held in the tool bodies by precision machined collets which exactly center the rods when they are snugged. The stepped tool bodies are machined, clear anodized aluminum with cylinder sizes to fit 1" rings and 30mm rings. This tool is easy to use, and makes correct scope mounting much easier.

#749-006-613ST Sinclair Scope Ring Alignment Tool

\$69.99

33.99

\$21.99

Sinclair Scope Ring Lapping Tool Combo Kit



Keep your scope installation tool protected and together with our Scope Installation Storage Case. This case will store and protect both our 1" and 30mm Scope Ring Lapping Tools, one Lapping Tool Handle, one container of our lapping compound and one set of Sinclair Scope Alignment Tools. Our storage case is available separately or purchase along with our new Scope Installation Kit which includes 1" and 30mm lapping bars, handle, lapping compound and our Sinclair Scope Ring Alignment Tool. Save over 10% when

buying the kit.



#749-011-661ST Sinclair Installation Kit **#749-011-380ST** Scope Installation Case Only

Nikon LensPen Pro Kit



#749-101-401ST Nikon LensPen Pro Kit

Sinclair Scope Ring Lapping Kits Unfortunately, all bases, rings, and actions are not manufactured in perfect align-



ment with each other. Whether you have one-piece or two-piece bases, the odds are against you that your rings will be in perfect alignment. Why chance putting your scope in a bind, whether it is a \$200 scope or a \$1000+ scope? The Sinclair Scope Ring Lapping Tools are designed to correct the misalignment of scope rings.

The Sinclair Scope Ring Lapping Tool is used to align the rings first and then to remove just enough metal from the scope ring bearing surface to fine tune the alignment.

Misaligned rings actually cause your scope's main tube to bend, causing distortion and requiring you to use excessive amounts of windage and elevation which moves the scope

farther from its optical center. The farther you are from optical center, the more likely you are to have distortion and a darker sight picture.

Sinclair Scope Ring Lapping Tools (1" and 30mm) are made from ground "accuracy stock" stainless steel that has a tolerance of +/- .0005". Each Sinclair Lapping Tool comes with the lapping bar, the handle, and enough lapping compound to do about 5 sets of scope rings. The lapping bars are 10" in length, which gives you plenty of stroke length to quickly lap your scope rings.





#749-005-420ST Scope Ring Lapping Tool Kit - 1" rings **#749-005-634ST** Scope Ring Lapping Tool Kit - 30mm rings **#749-000-262ST** Lapping Compound Refill \$39.95 44.95 3.95

\$19.95

SINCLAR TECH TIP

When first installing rings on your scope bases, it is a good idea to use a lapping tool, like a Sinclair Lapping Tool - to align the rings before mounting the scope. Leave the lower halves of your scope rings loose and put the lapping bar in the rings. Install the upper halves tight on the lapping bar and then tighten the lower halves to the bases. Remove the lapping tool, lap your rings if you desire, and mount your riflescope.

Nikon Optics Maintenance Kit

The Nikon Optics Maintenance Kit enables the user to properly care for their riflescope, rangefinder, binos, or other optic investments. Great for all-purpose cleaning. It contains the following:

Static Wisk brush to eliminate attracting charged particles Nikon Precision Cleaning Solution to remove residue from water droplets, stains, etc.

A canned air unit that allows safe debris removal Tiger Cloth anti-static microfiber cleaning cloth

#749-101-391ST Nikon Optics Maintenance Kit

www.sinclairintl.com 213

Optics Mounting Tools

Bushnell Professional Boresighter



Leupold Scope Tools

These three tools from Leupold will enable you to mount almost all bases and rings with ease. The Ring Wrench is the ideal tool for turn in style rings, and the Torx*Driver fits most of the Torx screws used on newer rings. The handy and compact Leupold Mounting Tool includes 2 Torx drivers, 5 hex head drivers and a slotted screwdriver. All the drivers fold into the compact tool body.


#749-002-461ST Leupold Ring Wrench #749-002-605ST Leupold Mounting Tool #749-001-330ST Leupold Torx Driver

Sinclair Barrel Mirage Shade



Our shades are made of aluminum and are fixed to your barrel with Velcro* (included) allowing them to be installed and removed easily. We don't recommend the use of these on blued surfaces as the adhesive on Velcro* could damage blueing if left on for a long time. Shades are 18" and 24" long and 2" wide. They can easily be cut to length as desired. Mainly used on benchrest or varmint rifles to redirect barrel heat from scope viewing area. This heat can cause a distortion of your scope image. Shades come with adhesive backed Velcro[®] fasteners

#749-000-423ST Sinclair Barrel Mirage Shade - BR Barrels 18" #749-000-426ST Sinclair Barrel Mirage Shade - Varmint Barrels 24"



#749-002-460ST Bondhus 8 Piece Torx Wrench Set

800-717-8211

214

Segway Reticle Leveler MK-III

This handy, super-simple device helps ensure your scope's crosshairs are properly indexed with the center of the bore so you'll get the most accurate performance from your rifle and scope. The two-piece system easily attaches to the scope and uses a standard bubble level to indicate proper alignment. Works great for optics mounted on rifles, handguns, and shotguns, so whatever you're shooting today, this tool will have you rangeready in seconds!

\$13.99

17.99

8.99

\$4.95

\$15.95

4.95





\$7.99 7.99



#749-001-854ST Green Torx Bit T6 thru T25

\$12.99

Sinclair/AOS MicroSight



Front Sight In Focus



Target In Focus

With Micro Sight: Front Sight and Target In Focus

The Sinclair/AOS MicroSight is a revolutionary solution to a problem that's plagued riflemen since the beginning of rifle shooting itself: how to see both the target and the front sight clearly at the same time. A legitimate "game changer" doesn't come along very often in the precision shooting world these days, so when we heard the MicroSight called one, we were, frankly, pretty skeptical. Then we tried it—and couldn't believe the difference it made in sight picture and group size.



The MicroSight uses "phased zone plate" technology in two tiny,

internal lenses to produce two distinct focal points, so you see both the front sight AND the target perfectly clear, crisp, and in focus at the same time. You get a dramatically enhanced sight picture for more precise aiming and faster target acquisition that leads to superior accuracy and smaller groups. It gives iron sight target shooters an amazing capability previously available only with a scope, red dot, or holographic sight.

Invented by David Crandall, an engineer at Idaho National Laboratory, a competitive shooter and U.S. Palma Team member, the MicroSight is actually a small add-on device that adds essentially no weight (OK, a few grams) or bulk to your rifle. It screws between the sight body and the rear aperture on adjustable rear sights from Centra, Gehmann, RPA, Warner, PNW, Anschutz, and similar models that have a 9.5mm x 1 thread pitch and require a rear-to-front radius of approximately 33" (84cm). For best results, use with 1.5mm or larger aperture setting.

#749-013-144ST Sinclair/AOS MicroSight

\$149.99



#749-007-909ST Northern Competition Service Rifle Match Rear Sight \$139.95

ArmaLite® AR-15/M16 National Match Front Sight

Upgrade the stock A2 front sights on your carry-handle rifle with this National Match-spec sight from ArmaLite. Post offers an extra-fine, tapered, sharp-edged post for a clean sight picture at ranges up to 600 yards and is a direct replacement for the issue front sight post.

#062-111-100ST NM Front Sight

\$14.99

Compass Lake AR-15 Aperture Sight

Many AR-15 competitive shooters find a far superior sight picture using a hoc sight with perfectly round screwin a Compass Lake Engineering's hooded rear sight assemblies are available with ¹/₂ MOA or ¹/₄ MOA of windage adjustment. These sights utilize the existing ¹/₂ MOA elevation adjustment. Both models include a standard .040" aperture. Additional apertures are available in .036", .042", .046" and .052". These sights are well made, easy to install and legal for

service rifle competition for NRA and CMP matches.



#749-005-935ST ¹ / ₂ Minute Sight w/.040" Aperture	\$49.95
#749-006-039ST ¹ / ₄ Minute Sight w/.040" Aperture	49.95
#749-001-272ST .036" Additional Aperture	9.95
#749-001-248ST .042" Additional Aperture	9.95
#749-001-283ST .046" Additional Aperture	9.95
#749-001-249ST .052" Additional Aperture	9.95

Merit AR-15 Adjustable Aperture Rear Sight

Deep-well aperture fits the AR-15 A2 rear sight and provides 11 aperture settings (.022"-.125") to ensure excellent sight focus and contrast in all light conditions. Positive click adjustment between each setting by simply turning the flexible rubber light shield. Adjusting the aperture diameter will not change your point of impact but will increase your depth of field and bring your front sight into a clearer focus. Installs with simple tools; includes required mounting hardware.

#749-013-047ST Merit Adjustable Aperture Rear Sight

\$84.95

Compass Lake All-In-One Sight Tool

This is a really innovative little tool which will remove and replace the aperture in your AR-15 competition rear sight and unscrew or tighten the front sight post on all A2 AR models. The screwdriver end fits most rear sight heads and apertures.

#749-002-097ST All-In-One Sight Tool

\$12.95

AR-15 Sight Tool

This small hand tool is for adjusting the elevation on the front sight of your AR-15.

> AR-15 A2 Front Sight Tool - 4 Prong #749-000-641ST \$5.95 AR-15 A1 Front Sight Tool - 5 Prong #749-000-989ST \$7.95

Sight Black

Easy to use aerosol goes on easy and dries quickly to a black velvety finish. Wipes off easily and won't harm fine finishes or precision sights. Great for hunting, skeet, trap and target shooting.

#167-000-059ST Sight Black

\$8.99