Package 'toy'

May 22, 2018

Type Package
Title What the package does (short line)
Version 1.0
Date 2018-05-22
Author Who wrote it
Maintainer Who to complain to <yourfault@somewhere.net></yourfault@somewhere.net>
Description More about what it does (maybe more than one line)
License What license is it under?
R topics documented:
toy-package
Index 4
toy-package What the package does (short line)
Description
More about what it does (maybe more than one line)
Details
The DESCRIPTION file: This package was not yet installed at build time.
Index: This package was not yet installed at build time. An overview of how to use the package, including the most important functions
Author(s)
Who wrote it
Maintainer: Who to complain to <yourfault@somewhere.net></yourfault@somewhere.net>

2 d

References

Literature or other references for background information

See Also

Optional links to other man pages, e.g. <pkg>

Examples

```
simple examples of the most important functions
```

d

~~ toy ~~

Description

```
~~ A concise (1-5 lines) description of the dataset. ~~
```

Usage

```
data("d")
```

Format

A data frame with 2 observations on the following 2 variables.

```
name a factor with levels alice bob
weight a factor with levels 100 120
```

Details

If necessary, more details than the __description__ above

Source

reference to a publication or URL from which the data were obtained

References

possibly secondary sources and usages

Examples

```
data(d)
## maybe str(d) ; plot(d) ...
```

f1 3

f1

~~function to do ... ~~

Description

```
~~ A concise (1-5 lines) description of what the function does. ~~
```

Usage

```
f1(x, y)
```

Arguments

Χ

У

Examples

```
##--- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.
## The function is currently defined as
function (x, y)
x + y
```

f2

~~function to do ... ~~

Description

```
~~ A concise (1-5 lines) description of what the function does. ~~
```

Usage

```
f2(x, y)
```

Arguments

Х

У

Examples

```
##--- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.
## The function is currently defined as
function (x, y)
x * y
```

Index

```
*Topic \verb|\textasciitildekwd1||
    f1, 3
    f2, 3
*Topic \textasciitildekwd2
    f1, 3
    f2, 3
*Topic datasets
    d, 2
*Topic package
    toy-package, 1
<pkg>, 2
d, 2
f1, 3
f2, 3
toy (toy-package), 1
toy-package, 1
```