

Grounds Care



**A high quality
range of
essential
equipment**

Why Vapormatic?

Vapormatic has been supplying the agricultural and horticultural industries for many years, building a strong reputation for quality and great value for money.

Sourcing only high quality products, Vapormatic's Grounds Care catalogue offers an excellent range of essential replacement and accessory parts for the professional or land owner alike.


This catalogue presents a selection of products dedicated to servicing the Grounds Care market however, with over 18,000 replacement parts and accessories for tractors and agricultural machinery, Vapormatic has far more to offer.

*Also available,
a comprehensive
range of
high quality
machinery belts.
Pick up your
catalogue today
(publication
number PAA5003) .*



To see the full range of Grounds Care and Agricultural parts please visit

www.vapormatic.com



<i>Contents</i>	<i>page</i>
Trimmer line	2–3
Heads and blades	4
Chainsaw sharpening	6
Pull cord and handles	7
Spark plugs and spanners	8–9
Fuel handling	10–11
Personal protection	12–13

Titanium Power Trimmer line

Titanium Power is a revolutionary new cutting monofilament that combines two durable materials to create a tough core surrounded by an even tougher shell. State-of-the-art manufacturing and engineering processes combine to produce a line with outstanding performance that will last up to 30% longer than traditional lines.

Twist profile – Offers more power, less noise and superior cutting. Titanium twist has concentrated strength that requires less engine acceleration and helps to reduce fuel consumption. Reduced vibration levels and general wear and tear help to extend the life of your trimmer.

Round profile – A traditional profile with the added protection of Titanium Power's tough resin skin.

Square profile – Our long lasting square trimmer line gives you the advantage of a high-durability core encased in an impact and abrasion resistant shell.



Part no.	Titanium Round	Length	Dispenser	Diameter	Colour
VLH8916	84g	15m	Donut	2.5mm	Grey
VLH8917	453g	81m	Donut	2.5mm	Grey
VLH8918	453g	56m	Donut	3.0mm	Grey
VLH8919	1350g	243m	Spool	2.5mm	Grey
VLH8920	1350g	169m	Spool	3.0mm	Grey
Part no.	Titanium Square	Length	Dispenser	Diameter	Colour
VLH8921	107g	15m	Donut	2.5mm	Grey
VLH8922	453g	64m	Donut	2.5mm	Grey
VLH8923	453g	44m	Donut	3.0mm	Grey
Part no.	Titanium Twist	Length	Dispenser	Diameter	Colour
VLH8946	63g	15m	Donut	2.5mm	Grey
VLH8947	370g	88m	Donut	2.5mm	Grey
VLH8948	370g	56m	Donut	3.0mm	Grey








Pro-Line Nylon Trimmer line

State-of-the-art extrusion process and super tough special blends ensure this line overcomes common difficulties of line breakage at the eyelet and line fusing in the head. With Round and Square profile options, Pro-Line trimmer line has excellent wear and abrasion resistance.



Part no.	Pro-Line Round	Length	Dispenser	Diameter	Colour
VLH8900	34g	15m	Donut	1.6mm	Blue ●
VLH8901	54g	15m	Donut	2.0mm	Green ●
VLH8902	77g	15m	Donut	2.4mm	Orange ●
VLH8903	226g	62m	Donut	2.0mm	Green ●
VLH8904	226g	44m	Donut	2.4mm	Orange ●
VLH8905	226g	28m	Donut	3.0mm	Yellow ●
VLH8906	453g	88m	Donut	2.4mm	Orange ●
VLH8907	453g	56m	Donut	3.0mm	Yellow ●
VLH8908	453g	46m	Donut	3.3mm	Red ●
VLH8943	1350g	262m	Spool	2.4mm	Orange ●
VLH8909	1350g	169m	Spool	3.0mm	Yellow ●
VLH8944	1350g	139m	Spool	3.3mm	Red ●
Part no.	Pro-Line Square	Length	Dispenser	Diameter	Colour
VLH8910	68g	15m	Donut	2.0mm	Green ●
VLH8911	98g	15m	Donut	2.4mm	Orange ●
VLH8945	92g	9m	Donut	3.0mm	Yellow ●
VLH8912	226g	34m	Donut	2.4mm	Orange ●
VLH8913	226g	22m	Donut	3.0mm	Yellow ●
VLH8914	453g	69m	Donut	2.4mm	Orange ●
VLH8915	453g	44m	Donut	3.0mm	Yellow ●

Colour coded by line diameter. Usage guide.

	1.6mm	Light grass.
	2.0mm	Grass and small weeds.
	2.4mm	Grass and light to medium vegetation.
	3.0mm	Thick grass and medium vegetation.
	3.3mm	Dense grass, brambles, bracken, heavy vegetation.



Brushcutter/Trimmer heads

VLH8941 – A dual line bump head suitable for bent shaft machines. Supplied with adaptors suitable for Homelite, Ryobi, MTD and McCulloch machines.



VLH8924 – A traditional two line manual head that offers great value for money. Supplied with four adaptor bolts and two adaptor studs to suit 95% of machine applications, as follows:-
 8mm x 1.25LHF for Dolmar, Homelite, Robin, Solo and Tanaka.
 8mm x 1.25LHM for Homelite, Honda, Husqvarna, Jonsered, Kawasaki, Shindaiwa and Stihl.
 10mm x 1.25LHF for Echo, Husqvarna, Jonsered, Kawasaki, McCulloch, Ryobi, Solo and Tanaka.
 10mm x 1.25LHM for Dolmar, Honda, Stihl and Shindaiwa.
 10mm x 1.00LHF for Dolmar, Jonsered and Stihl.
 7mm x 1.00LHM for Husqvarna and Shindaiwa.



VLH8942 – A multi application heavy duty bump head that fits 95% of straight shaft trimmers. Designed and built for professional use and supplied with 6 adaptors as follows:-
 8mm x 1.25LHF for Robin, Homelite and Makita.
 8mm x 1.25LHM for Efcó, Tanaka, McCulloch and Zenoah.
 10mm x 1.25LHF for Echo and Husqvarna. 10mm x 1.25LHM for Alko and Shindaiwa. 10mm x 1.0LHF for Robin and Stihl.
 7mm x 1.0LHM for Shindaiwa and Zenoah.



VLH8925 – Replacement trimmer head eyelet.

Brushcutter blades

A range of quality steel blades for tougher cutting jobs such as dense grass, weeds, bracken and brambles. For universal applications.



VLH8934



VLH8935



VLH8936



VLH8937

VLH8938

Part no.	Cutting edge	Diameter	Blade	Bore
VLH8934	3 tooth	250mm (10")	Steel	25.4mm
VLH8935	4 tooth	250mm (10")	Steel	25.4mm
VLH8936	4 tooth	200mm (8")	Steel	25.4mm
VLH8937	80 tooth	250mm (10")	Steel	25.4mm
VLH8938	8 tooth	250mm (10")	Steel	25.4mm
VLH8939	8 tooth	200mm (8")	Steel	25.4mm



Chainsaw sharpening

Chainsaw file and guide sets - available in 3 sizes $\frac{5}{32}$ " (4.0mm), $\frac{3}{16}$ " (4.8mm) and $\frac{7}{32}$ " (5.5mm). Our file kit will help to ensure an accurate professional finish to all makes and models.

VLA1579 – $\frac{3}{16}$ " (4.8mm) file and guide set.
Chainsaw file and guide – suits .325" chains.

VLA1580 – $\frac{5}{32}$ " (4.0mm) file and guide set.
Chainsaw file and guide – suits $\frac{1}{4}$ " and $\frac{3}{8}$ " LP chains.

VLA1581 – $\frac{7}{32}$ " (5.5mm) file and guide set.
Chainsaw file and guide – suits $\frac{3}{8}$ " and .404" chains.

VLA1582 – Bar mounted sharpening guide for precision chain sharpening. Clamps onto any guide bar. Compatible for use with VLA1575, VLA1576 and VLA1577 files. File not included.



Round chainsaw files, 8" (200 mm) in length with enhanced tooth construction for rapid cutting. Available in $\frac{5}{32}$ " (4.0mm), $\frac{3}{16}$ " (4.8mm) and $\frac{7}{32}$ " (5.5mm) sizes.

VLA1575 – $\frac{3}{16}$ " (4.8mm) round file for .325 chains.
Supplied as three files in a plastic wallet.

VLA1576 – $\frac{5}{32}$ " (4.0mm) round file for $\frac{1}{4}$ " and $\frac{3}{8}$ " LP chains.
Supplied as three files in a plastic wallet.

VLA1577 – $\frac{7}{32}$ " (5.5mm) round file for $\frac{3}{8}$ " and .404 chains.
Supplied as three files in a plastic wallet.

VLA1578 – Flat file, 6" (150mm) long, for re-working the chain depth limiter.



VLA1921 – Electric chainsaw sharpener

A value for money, easy and fast to use electric sharpener which can be mounted on the bench, wall or vice. Adjustable cutting angles from 0° to 35°. Comes with 115mm (4½") x 3.2mm (⅛") grinding stone for ⅜LP or 0.325 chains. 230V 85W motor.

Also available, replacement grinding stones

VLA1428 – 3.2mm (⅛") stone

VLA1429 – 4.7mm (⅜") stone



Starter cord

This tough, braided nylon cord is specially designed to work with engine recoil systems and comes in five different diameters ranging from 3mm to 5mm x 100 metre rolls.

Part no.	Cord size
VLH8926	3.0mm
VLH8927	3.5mm
VLH8928	4.0mm
VLH8929	4.5mm
VLH8930	5.0mm



Starter handles

VLH8931

Offset starter handle for Briggs & Stratton applications.



VLH8932

Large T-shape universal starter handle accepting up to 5mm starter cord.



VLH8933

Small T-shape universal starter handle accepting up to 5mm starter cord.



Spark plugs

Champion is a major supplier of OE and aftermarket spark plugs. Champion plugs are fitted as original equipment to Briggs & Stratton, Tecumseh, Kohler, Poulan and Onan. Champion plugs are designed for easy starting, maximum durability and unbeatable performance.

Solid Connection Against Vibration

Patented Resistor
Protects television and radio reception.

Near Diamond-Hard Insulator
Patented zirconia toughened alumina insulator.

Triple Coated Shell
Zinc plating plus two anti-seize coatings provide maximum corrosion resistance and easy plug removal.

Precision Rolled Threads
Conform to all I.S.O. and S.A.E. standards.

Heat Dissipating Electrodes
For maximum durability.
Superior erosion resistance for longer life.



VLA1365

VLA1366

VLA1367

Combination spark plug spanners
For multi use applications including removing spark plugs or adjusting chain tension on a chainsaw:

VLA1365 – 19mm x 21mm with 10mm key applicable for Dolmar and Briggs & Stratton.
VLA1366 – 17mm x 19mm with slot applicable for Stihl, Dolmar and Echo.
VLA1367 – 13mm x 19mm with slot applicable for Dolmar, Husqvarna, Stihl, Partner and John Deere.

Champion Ref	Part No
CJ4	VPF3800
CJ6	VPF3801
CJ6Y	VPF3802
CJ7Y	VPF3803
CJ8	VPF3804
CJ8Y	VPF3805
CJ14	VPF3806
D16	VPF3807
DJ6J	VPF3808
D21	VPF3809
DJ8J	VPF3810
H8C	VPF3811
H10C	VPF3812
J6C	VPF3813
J8C	VPF3814
J17LM	VPF3815
J19LM	VPF3816
L82C	VPF3817
L86C	VPF3818
L87YC	VPF3819
L92YC	VPF3820
N4C	VPF3821
N5C	VPF3822
N9YC	VPF3823
N11YC	VPF3824
N21	VPF3825
QJ19LM	VPF3826
RA4HC	VPF3827
RA6HC	VPF3828
RC9YC	VPF3829
RC12YC	VPF3830
RC14YC	VPF3831
RJ6C	VPF3832

Champion Ref	Part No
RCJ6Y	VPF3833
RCJ7Y	VPF3834
RCJ8	VPF3835
RCJ8Y	VPF3836
RD16	VPF3837
RDJ6J	VPF3838
RDJ7Y	VPF3839
RDJ8J	VPF3840
RH10C	VPF3841
RH8C	VPF3842
RH18Y	VPF3843
RJ12C	VPF3844
RJ17LM	VPF3845
RJ19LM	VPF3846
RJ8C	VPF3847
RL82C	VPF3848
RL86C	VPF3849
RL87YC	VPF3850
RL95YC	VPF3851
RN11YC4	VPF3852
RN12YC	VPF3853
RN14YC	VPF3854
RN2C	VPF3855
RN4C	VPF3856
RN5C	VPF3857
RN9YC	VPF3858
RS17YX	VPF3859
RV12YC	VPF3860
RV17YC	VPF3861
UD16	VPF3862
Y82	VPF3863
Z9Y	VPF3864

Fuel handling

High quality UK manufactured steel flat bottom fuel cans. The wide flat bottom prevents the cans from falling over in transit and so reduces the risk of spillage.



VLB3069



VLB3070



VLB3071

VLB3069 – 5 litre metal fuel can with spout.

VLB3070 – 10 litre metal fuel can with spout.

VLB3071 – 5 litre metal fuel can, spout and plastic tool box attachment underneath.

VLB3072 – Replacement spout and cap for VLB3069, VLB3070 and VLB3071.



VLB3045

5 litre red petrol plastic can with spout.

VLB3046

5 litre green petrol plastic can with spout.

VLB3047

10 litre black plastic fuel can with spout.



VLB3048



VLB3060



VLB3049

VLB3048 – 10 litre green metal fuel can.

VLB3049 – 20 litre green metal fuel can.

VLB3060 – Semi flexible spout for use with metal fuel cans.

VLB3016 – 255mm x 165mm square plastic funnel.
VLB3027 – 160mm diameter plastic funnel with flexible spout and gauze filter.

VLB3058 – A robust 2 litre oil and 5 litre fuel combination container. This container comes complete with one automatic cut off spout and one standard pouring spout. Spouts can be stored inside the can for ease and safety.

VLB3067 – 1 litre fuel mixing bottle.
This handy and simple to use fuel mixing bottle ensures you mix the correct ratio for any 2 stroke engine. With indicators for 50:1, 40:1, 32:1 or 25:1 mixes. Just pour the petrol to the 1 litre level and pour in the 2 stroke oil, until the liquid reaches the desired mix ratio level. This 1 litre bottle reduces the need to mix large quantities which may go stale before it can be used.

VLB3016



VLB3027



VLB1055 – 100ml 'One shot' semi synthetic 2-stroke oil. This quality oil provides maximum film strength, anti wear, reduced smoke and clean burning characteristics even at the leanest ratios. For use in the engines of two stroke powered equipment including lawn mowers, chain saws, line trimmers, brush cutters and hedge trimmers. This oil can also be used in other air-cooled engines powering scooters and motorcycles.



VLB3068 – Oil extraction kit.
A simple to use kit that can cleanly extract or refill engine or gearbox oils. Kit includes a calibrated oil extractor, 1 litre waste oil container and funnel.



Personal Protection Equipment (PPE)

VLA1368 – Forestry helmet, featuring a unique six point internal harness that gives you increased head support and comfort for long periods. Both the helmet and ear defenders are easily adjusted to suit operators of all sizes. The robust mesh visor offers full face protection and is heat reflective.

Conforms to all current European legislation.

Helmet – EN397 1995 0086 Class E, G&C
CE meets ANSI TYPE 1.

Ear muffs – CE EP-167 EN352-3 1997 ANSI S3.19.

Visor – CE EN166:1995- EN1731:1995

VLA1369 – Replacement mesh visor.

Safety glasses

CE approved stylish in design with Anti Fog feature.

Each pair comes with a protective cloth bag and neck strap.

VLA1380 – Smoke

VLA1394 – Clear

VLA1393 – Amber

VLD1822 – Corded ear plugs

Moldex® Rockets® reusable ear plugs provide serious ear protection with a noise resistance rating of 27dB and are designed with a triple flange design that provides maximum comfort and superior seal. These fit most size ear canals giving great grip and ensuring they do not fall out easily. Plugs are supplied in a Pocket-Pak® carrying case which provides hygienic storage of plugs between uses. Tested independently to ANSI S3.19-1974.



Hand protection

Chainsaw gloves

The left hand glove incorporates a special chainsaw anti-cut material in the back of the hand. Made from durable smooth leather these hi-visibility gloves have a close fit knit wrist design to prevent debris getting in to the glove. Excellent chainsaw feel.

CE approved to EN381-7 16 m/s and compliant with PPE directive 93/95/EEC.

VLD5180 – Chainsaw gloves (*medium*)

VLD5185 – Chainsaw gloves (*large*)

VLD5186 – Chainsaw gloves (*X-large*)



VLD5180

Full and partial gel gloves

For use by operators of trimmers, brush cutters and other vibrating machinery. Gel found in the palm, thumb and finger area increase cushioning and reduce vibration levels.

VLD5187 – Full gel glove (*large*)

VLD5188 – Full gel glove (*X-large*)



VLD5187

VLD5189 – Partial gel glove (*medium*)

VLD5197 – Partial gel glove (*large*)

VLD5198 – Partial gel glove (*X-large*)



VLD5199

General purpose work gloves

VLD5199 – Criss-cross maxi-grip gloves.

These tough, knitted nylon gloves have the backs and palms criss-crossed with latex to give maximum grip.

VLD5167 – Re-inforced heavy duty rigger gloves.

With an extra layer of leather on the palm and index finger protection for maximum wear and extended stiff cuffs for wrist protection.



VLD5167

Kevlar gloves – Made from this super tough material, these gloves are the next generation of knitted glove with the Kevlar covering on the palms and fingers to offer excellent cut and abrasion resistance against glass and metals.

VLD5360 – size 9 (*large*) Kevlar gloves

VLD5361 – size 10 (*X-large*) Kevlar gloves



VLD5360

- **Trimmer line • Heads and blades**
- **Chainsaw sharpening • Pull cord and handles**
- **Spark plugs and spanners • Fuel handling**
- **Personal protection equipment**

Available from:

Published by:

The Vapormatic Co. Ltd.

P.O. Box 58, Kestrel Way,
Sowton Industrial Estate
Exeter, Devon EX2 7NB

© The Vapormatic Co. Ltd.

Original equipment manufacturers names and part numbers are quoted for reference purposes only and are not intended to suggest that our replacement parts are made by the original equipment manufacturer.

Publication no. PAA5013