# weeWX-Weather34-HomeSeer HS3 Setup Guide

This is a **general** guide on integrating <u>weeWX</u> weather software with the <u>weather34 web template</u> adapted for weeWX by Ian Steeple and getting the weather data into <u>HomeSeer HS3</u>. In this example, the weeWX server and the web server are on separate systems (Ubuntu 18.04 virtual machines on VMware ESXi 6.5) The web server runs Apache 2.4 and PHP 7.2. HomeSeer HS3 is running on Windows 10 Pro. The weather station is a <u>Davis Vantage Pro2</u> Model 6153 with 24hr Fan Aspirated Radiation Shield and uses the <u>WeatherlinkIP</u> data logger.

# Step 1:

Install, configure and test weeWX on first server (weeWX server).

- a) The assumption is that Ubuntu 18.04 has already been installed.
- b) The guide here describes how to install weeWX as a DEB package
- c) Customize the <u>weewx.conf</u> file in /etc/weewx based on your location, station hardware and uploads to WU, PWS, archive interval etc.
- d) Restart weeWX.
- e) At this point weeWX should be getting your weather station into the database and creating new web pages and chart images in /var/www/html/weewx/ at every archive interval as well as uploading the data to WU, PWS etc.
- f) Your weewx log should show messages like this:

```
weewx[1375]: manager: Daily summary version is 2.0
weewx[1375]: restx: Wunderground-PWS: Published record 2018-10-15 18:10:00 CDT (1539645000)
weewx[1375]: restx: PWSWeather: Published record 2018-10-15 18:10:00 CDT (1539645000)
weewx[1375]: vantage: Gentle wake up of console successful
weewx[1375]: cheetahgenerator: Generated 18 files for report StandardReport in 0.89 seconds
weewx[1375]: manager: Daily summary version is 2.0
weewx[1375]: imagegenerator: Generated 12 images for StandardReport in 0.12 seconds
```

g) Your /var/www/html/weewx directory should look something like this containing the updated web pages, chart images etc. generated at every archive interval.

```
var/www/html/weewx$ ls -la
       4096 Oct 15 18:15
root
       4096 Oct 15 18:15
root
       4096 Sep
                  21 19:00 backgrounds
root
        3117 Oct 15 18:15 daybarometer.png
3133 Oct 15 18:15 dayhumidity.png
root
root
        2817 Oct 15 18:15 dayinside.png
1731 Oct 15 18:15 dayradiation.png
root
root
        2012 Oct 15 18:15 dayrain.png
root
        3383 Oct 15 18:15 dayrx.png
2863 Oct 15 18:15 daytempchill.png
root
root
        3969 Oct 15 18:15 daytempdew.png
root
        1634 Oct 15 18:15 dayuv.png
root
        2974 Oct 15 18:15 daywinddir.png
root
root
        4015 Oct 15 18:15 daywind.png
        4471 Oct 15 18:15 daywindvec.png
root
       1150 Oct 10 00:05 favicon.ico
root
root 16573 Oct 15 18:15 index.html
         564 Oct 10 00:05 mobile.css
root
root
        2070 Oct 15 18:15 mobile.html
       2950 Oct 15 18:00 monthbarometer.png
 root 10058 Oct 15 18:15 month.html
```

### Step 2:

Install Ubuntu 18.04, Apache 2.x and PHP 7.x on second server (web server).

a) Here's a good <u>guide</u>. Make sure the php-curl and php-mbstring modules are installed for PHP. Here's a <u>solution</u> if you are not able to install php-mbstring.


#### Step 3:

Configure RSYNC in weeWX and verify that your default weeWX web page/skin works.

- a) The RSYNC feature of weeWX requires "passwordless ssh" configured for the user that runs weeWX so that weeWX can copy the files to the web server. Here's a guide on configuring "passwordless ssh".
- b) Change the RSYNC section of the weewx.conf file with your details. Here's an example. This section is explained in the weeWX <u>user guide</u>. <u>Note</u> that here we are copying not just the "weewx" directory within the html folder but the whole "html" folder to the web server. This is important when we get to the end of Step 4.

```
[[RSYNC]]
  #Copying local /var/www/html folder to web server
  skin = Rsync
  HTML_ROOT = /var/www/html
  server = 10.10.10.25
  user = root
  path = /var/www/html
  delete = 0
```

c) Verify that the default weeWX web page works by browsing to <a href="http://webserver\_IP\_address/weewx">http://webserver\_IP\_address/weewx</a> Here's an example of the default weeWX skin:



# Step 4:

### Configure weather34 template.

- a) Use this <u>Quick Start Guide</u> to set up the weather34 template on the web server. The template on the web server has yet to have access to the "realtime.txt" file generated by the "CRT" extension to get it's weather data.
- b) Install and configure NFS server on the weeWX system to mount the /var/tmp directory (which is the location of the "realtime.txt" file) on the web server. NFS client should be installed and configured on the web server. Here is a good general guide on installing NFS server and client.

Here is the NFS snippet from the /etc/exports file on the weeWX server (NFS Server):


/var/tmp 10.10.0.0/16(ro,sync)

Here is the NFS mount line on the /etc/fstab file on the web server (NFS Client).

10.10.10.20:/var/tmp /nfs/weather nfs auto,nofail,noatime,nolock,intr,tcp,actimeo=1800 0 0

After the NFS configuration above, the "realtime.txt" file will be available to the weather34 template in the /nfs/weather directory of the web server.

c) Browse to <a href="http://webserver\_IP\_address/easyweathersetup.php">http://webserver\_IP\_address/easyweathersetup.php</a>, configure your template, save configuration and browse to <a href="http://webserver\_IP\_address">http://webserver\_IP\_address</a>. Your weather 34 template should look something like this:



- d) Use Method 2 in the Archive Charts Setup Guide with this change:
  - Instead of pasting the contents of the "skinconf-snippets.txt" file into the end of the
    [CheetahGenerator] section of the /etc/weewx/skins/Standard/skin.conf file you will have to
    merge the items from the file into the [CheetahGenerator] section else you will get errors
    when weeWX starts. The resulting skin.conf [CheetahGenerator] section looks like this with the
    merged items highlighted:

```
etahGenerator]
# This section is used by the generator CheetahGenerator, and specifies
# which files are to be generated from which template.
 # Possible encodings are 'html_entities', 'utf8', or 'strict_ascii'
encoding = html_entities
[[SummaryByMonth]]
# Reports that summarize "by month"
[[[NOAA_month]]]
encoding = strict_ascii
                 [[[WU_month]]]
encoding = strict_ascii
template = chartsweewxdata/MMYYYY.txt.tmpl
HTML_ROOT = /var/www/html/chartsweewx
[[SummaryByYear]]
# Reports that summarize "by year"
[[[NOAA_year]]]
encoding = strict_ascii
template = NOAA/NOAA-YYYY.txt.
                 template = NOAA/NOAA-YYYY.txt.tmpl
[[[wu_year]]]
encoding = strict_ascii
template = chartsweewxdata/YYYY.txt.tmpl
HTML_ROOT = /var/www/html/chartsweewx
                Journal of the property o
                [[[week]]]
    template = week.html.tmpl
                [[[month]]]
   template = month.html.tmpl
                [[[year]]]
   template = year.html.tmpl
                [[[RSS]]]
   template = RSS/weewx_rss.xml.tmpl
                [[[Mobile]]]
    template = mobile.html.tmpl
                [[[Mobilesmartphone]]]
   template = smartphone/index.html.tmpl
                [[[MobileTempoutside]]]
  template = smartphone/temp_outside.html.tmpl
                [[[MobileRain]]]
    template = smartphone/rain.html.tmpl
                [[[MobileBarometer]]]
  template = smartphone/barometer.html.tmpl
                [[[MobileWind]]]
    template = smartphone/wind.html.tmpl
                 [[[MobileRadar]]]
   template = smartphone/radar.html.tmpl
   [[[WUDAILY]]]
encoding = strict_ascii
template = chartsweewxdata/DDMMYYYY.txt.tmpl
HTML_ROOT = /var/www/html/chartsweewx
  [[[VERSION]]]
template = version.php.tmpl
HTML_ROOT = /var/www/html
```

Restart weeWX

- The RSYNC configuration in the weewx.conf file performed in Step 3b allows the complete
  /var/www/html directory on the weeWX server to be copied to the web server and therefore at every
  archive interval the following should be taking place.
  - the default weewx web pages and charts are generated in the weeWX server's
     "/var/www/html/weewx" directory and copied to the same location on the web server by the
     RSYNC process.
  - the chartsweewx data is generated in the weeWX server's
     "/var/www/html/chartsweewx/chartsweewxdata" folder and the
     "/var/www/html/chartsweewx/" folder and contents are copied to the same location on the
     web server by the RSYNC process
  - o the "version.php" file is generated in the "/var/www/html/" directory of the weeWX server and copied to the same location on the web server via the RSYNC process.
- The weewx log looks like this at archive interval:

```
Oct 15 23:55:16 weather weewx [1375]: vantage: Gentle wake up of console successful

Oct 15 23:55:18 weather weewx [1375]: vantage: Retrieving 1 page(s); starting index = 1

Oct 15 23:55:18 weather weewx [1375]: wantage: Retrieving 1 page(s); starting index = 1

Oct 15 23:55:18 weather weewx [1375]: manager: Added record 2018-10-15 23:55:00 CDT (1539665700) to daily summary in 'weewx.sdb'

Oct 15 23:55:18 weather weewx [1375]: wantage: DMPAFT complete: page timestamp 2018-10-07 02:40:00 CDT (1538898000) less than final timestamp 20

Oct 15 23:55:19 weather weewx [1375]: vantage: Catch up complete.

Oct 15 23:55:19 weather weewx [1375]: vantage: Catch up complete.

Oct 15 23:55:19 weather weewx [1375]: reportengine: Running reports for latest time in the database.

Oct 15 23:55:19 weather weewx [1375]: reportengine: Running report standardReport

Oct 15 23:55:19 weather weewx [1375]: reportengine: Running report standardReport

Oct 15 23:55:19 weather weewx [1375]: reportengine: Found configuration file /etc/weewx/skins/Standard/skin.conf for report StandardReport

Oct 15 23:55:19 weather weewx [1375]: reportengine: Found configuration file /etc/weewx.cheetahgenerator.Almanac', 'weewx.cheetahgenerator.current', 'weewx.cheetahgenerator.stars', 'weewx.cheetahgenerator.current', 'weewx.cheetahgenerator.stars' | weewx.cheetahgenerator.Extras']

Oct 15 23:55:19 weather weewx [1375]: manager: Daily summary version is 2.0

Oct 15 23:55:19 weather weewx [1375]: restx: PWSwather: Published record 2018-10-15 23:55:00 CDT (1539665700)

Oct 15 23:55:19 weather weewx [1375]: restx: Wunderground-Pws: Published record 2018-10-15 23:55:00 CDT (1539665700)

Oct 15 23:55:20 weather weewx [1375]: cheetahgenerator: Generated 18 files for report StandardReport in 0.99 seconds

Oct 15 23:55:20 weather weewx [1375]: cheetahgenerator: Generated 18 files for report StandardReport in 0.13 seconds

Oct 15 23:55:20 weather weewx [1375]: reportengine: Running report FFP

Oct 15 23:55:20 weather weewx [1375]: reportengine: Found configuratio
```

• The weeWX data is now directly available to the weather34 template to generate the CanvasJS charts from the weather station data and history rather than from a Weather Underground API feed. The charts should now look like this:




### Step 5:


# **Getting weeWX data into HomeSeer HS3**

We use the excellent Jon00 Cumulus Weather script that reads the weeWX CRT generated "realtime.txt" file (see Step 4) to create devices in HS3.


- Configure NFS client on HS3 Windows 10 Pro
  - ✓ This will allow the /var/tmp directory on the weeWX server to be mounted as a drive on the HS3 machine to make the "realtime.txt" file available to the Jon00 Cumulus Weather script. Here's a guide to install and configure NFS client on Windows 10 Pro.
  - ✓ The mounted drive on the HS3 machine looks like this:




✓ ..and the contents of the drive look like this:



- Install and setup the <u>Jon00 Cumulus Weather script</u> from this <u>website</u>. Instructions are in Docs folder of the script bundle.
- This is what the file path to the "realtime.txt" file looks in the Jon00CumulusHS3.ini file:



 Create an Event in HS3 to run the Jon00 Cumulus script at specified intervals. Here's an example:



Weather devices are created in HS3 and they are updated each time the script runs:

2.0 mph	Utility	Jon00 Cumulus	10-minute high gust	Today 10:10:28 AM
46.4 ° at 07:45	Utility	Jon00 Cumulus	Apparent temperature	Today 10:31:28 AM
<b>6</b> SE	Utility	Jon00 Cumulus	Average wind direction	Today 10:20:28 AM
2127 ft	Utility	Jon00 Cumulus	Cloud Base	Today 10:31:28 AM
<b>∮</b> 44.3 ° F	Utility	Jon00 Cumulus	Dewpoint	Today 10:31:28 AM
48.3	Utility	Jon00 Cumulus	Heat Index	Today 10:31:28 AM
3.0 mph at 07:55	Utility	Jon00 Cumulus	High wind gust today	Today 7:55:28 AM
1.0 mph at 10:00	Utility	Jon00 Cumulus	High wind speed today	Today 10:00:28 AM
48.3	Utility	Jon00 Cumulus	Humidex	Today 10:31:28 AM
35 %	Utility	Jon00 Cumulus	Indoor Humidity	Today 9:19:28 AM
<b></b> 75.4 °F	Utility	Jon00 Cumulus	Indoor Temperature	Today 10:30:28 AM
2.15 in	Utility	Jon00 Cumulus	Monthly Rainfall	10/15/2018 1:15:35 PM
86 %	Utility	Jon00 Cumulus	Outdoor Humidity	Today 10:30:28 AM
<b></b> 48.3 °F	Utility	Jon00 Cumulus	Outdoor Temperature	Today 10:31:28 AM

Enjoy!