

DS-2293 2.4G Optical Manual

(A3000+ MA4302)

Features:

2.4G work frequency, high universality, up to 10 Meters
Avago high-end mainstream optical chip, low power consumption, stable cursor and stronger to pass the surfaces
Three CPI switch: 1000-1500-2000 with switch indicator
Infrared as mobile tracing light source
Multistage power saving function, support power off completely
Low power indicator
Mini Receiver (Nano), Plug and play

How to use

- 1. Get the mouse and receiver out of the package**
- 2. Insert the receiver into computer's USB port**
- 3. Insert 1pc alkaline dry battery into the mouse**
- 4. Switch the power button to "ON" on the bottom of device the LED light will blink a few seconds, now the device can be used**

Advanced Functions:

1: CPI adjustable function

Three CPI for conversion: 1000/1500/2000. Default is 1000CPI. Press the CPI button to switch the speed. During switch progress, LED light flashes one time, it means 1000CPI , LED light flashes twice, it means 1500CPI, LED light flashes three times, it means 2000CPI

2: Low battery reminder function

The power gets lower during use. Please insert new battery once the LED shines red light after low voltage

Attention: Only AAA Alkaline dry cell

3: Auto saving function

The mouse will be sleeping if it out of use after 8 minutes. Press any button to reuse. Please turn the mouse off during outing

Warning: Do take the battery out if disuse long time

4: Built in Nano receiver:

No influence for Nano receiver to be inserted into the USB port for a long time. It is convenient to put the Nano receiver inside the mouse.

Reconnection

There is one identification code of the mouse. High temperature, high magnetic field and vibration will influence the code and need to be reconnected

1: Unpin the receiver and reinsert

2: Press The scroll wheel and the right button simultaneously for a few seconds and then loose

3: Reconnection successful ,the device can be used again.

Attention:

1:This mouse adopts infrared for shift detection subject to the relevant safety regulations.

2:2.4G wireless radio wave for transmission and up to 10 meters.The working distance will be shorten by barrier

3: The Uneven or reflective desktop will influence proper use

Caution:

Any alteration or amendment of this device is prohibited for user without any explicit permission from responsible authorities.

FCC STATEMENT

1. This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference, and
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following

measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.