EMTEK®

ASSA ABLOY

2017

Trim for Swinging Patio Doors

MULTI POINT LOCK TRIM

PRICE BOOK

ASSA ABLOY, the global leader
in door opening solutions

Polished Brass - Lifetime (US3)

Satin Brass (US4)

French Antique (US7)

Oil Rubbed Bronze (US10B)

Satin Nickel (US15)

Pewter (US15A)

Flat Black (US19)

Polished Chrome (US26)

Bronze Patina is a living finish that will gracefully age, revealing the underlying bronze over time. Because of this characteristic, no finish warranty is offered on bronze patina products.

Flat Black Bronze Patina (FB)

Medium Bronze Patina (MB)

Tumbled White Bronze (TWB)


Brushed Stainless Steel (SS)

Unlacquered Brass (US3NL) is a custom, made-to-order finish. It is available with an upcharge, per item and requires an additional 2-3 day lead time. This living finish will gracefully age and evolve in appearance over time. Because of this characteristic, no finish warranty is offered on unlacquered brass products.

Unlacquered Brass (US3NL)

EMTEK MULTI POINT LOCK TRIM FOR SWINGING PATIO DOORS

CHOOSE TRIMSETS FROM 7 DOOR & LOCK CONFIGURATIONS, AVAILABLE IN BOTH KEYED AND NON-KEYED FUNCTIONS

>> To determine your Multi-Point Lock configuration:

1) Identify the manufacturer of your patio door and multi-point lock
2) Measure the center-to-center hole spacing between the lever and the cylinder
3) Check the lever position: is it above or below the cylinder?
4) Identify the type of cylinder used in the door: is it American or Euro Profile Cylinder?

PAGE



Door Configuration #1 8
American Cylinder Hub Below Handle, 3⅝" Center to Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Integrity®, Paddock Lockmaster™, Superior®



Door Configuration #2 14
American Cylinder Hub Above Handle, 3⅝" Center to Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®



Door Configuration #3 20
American Cylinder Hub Above Handle, 4⅛" Center to Center

ref. Andersen®



Door Configuration #4 26
American Cylinder Hub Above Handle, 3⅝" Center to Center

ref. Ashland®, G-U®, Caradco®, JELD-WEN®, Jeldwen® Custom Collection (formerly Pozzi®), Marvin®, PGT®, Premium Collection (formerly Norco®), Weathershield®

PAGE



Door Configuration #5 32
Euro Profile Cylinder Below Handle, 3⅝" Center to Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®



Door Configuration #6 38
American Cylinder Hub Below Handle, 3⅝" Center to Center

ref. Milgard®, Pella®



Door Configuration #7 44
American Cylinder Hub Above Handle, 6" Center to Center

ref. Trillenium® (formerly W&F Manufacturing)

Product Index 49
Order Form 50
Lifetime Limited Warranty 51

HANDING

Determining handing for door hardware is different than determining handing for carpentry (ordering and hanging doors). If you follow the standard carpentry rules for handing door hardware, instead of following the diagram below, there is good chance you may end up with a lock that is handed incorrectly. Please refer to the diagram below and if you have any questions, call Customer Service at (800) 356-2741.



HANDING OF DOOR IS ALWAYS DETERMINED FROM THE OUTSIDE

Terms:
Net 30 Days on established credit.

Prices:
Prices are subject to change without prior notice. All prices listed are in U.S. funds.

Minimum Order:
There is no minimum order quantity.

Shipping:
Emtek assembles all products to order in City of Industry, California. Orders typically ship within two business days. For shipments to customers located in the U.S. or Canada, Emtek ships freight prepaid via 3 day service. For shipments to customers located in Mexico, Emtek ships freight prepaid via UPS ground. For shipments to customers located outside of North America, Emtek ships freight prepaid to the U.S. location of the customer's freight forwarder via 3 day service.

If a reduced transit time is needed, shipments can be upgraded to 2nd Day Service or Next Day Service for a fee. Orders not shipping to the customer's place of business must ship via 2nd Day or Next Day Service, and additional charges will apply for shipments to a residential address. Emtek cannot use a customer's freight account for shipping charges.

Returned Goods:
For your convenience, dealers can now process returns directly from the Emtek website. Go to www.emtek.com, click on "Dealer Site", and then select "Return Goods". Fill out the RGA form, and follow the link to generate a UPS call tag (terms and conditions apply – see the website for details). A completed RGA form must accompany all packages for returned goods. Returns can only be accepted from, and any refunds made to, the Emtek dealer who originally purchased the product being returned. All returned goods are subject to a minimum 25% handling charge.

Living Finishes:
Unlacquered Brass and Bronze Patina finishes will gracefully age and evolve in appearance over time. Because of this characteristic, no finish warranty is offered on these products.

Technical Specifications and Door Thickness Reference Manual:
Available on the Emtek website. Select Resources and then Technical Specifications.

http://emtek.com/technical-specifications.php

Minimum Advertised Price Policy
Effective February 6, 2017

Emtek has determined that in order to better compete against existing competitors it must exercise a greater degree of control over the distribution of its products. Therefore, all sales of Emtek products will be subject to this Policy. This Policy has been unilaterally adopted and will be enforced strictly and uniformly.

Although resellers remain free to establish their own resale prices, to the extent that any customer elects to advertise products of Emtek in any manner, that is in print, in electronic media, on its website, etc., and provides price information for such products, that price information must be no less than List Price less 20%, this is the Minimum Advertised Price (MAP). Advertisements and offers to sell that do not include a particular price, but require further action that implies a price that is lower than the Minimum Advertised Price violate the MAP Policy. Examples of such unauthorized advertisements include "drop in cart" pricing, "add to cart" pricing, "click to see" pricing, and discount coupon pricing. Also prohibited are advertisements that indicate that discounts may be available when a customer takes specific action that goes beyond buying the product, such as "special price option" or "name your price."

To assure fair business practices, we will strictly enforce this policy. Violations of this MAP Policy will include termination of our business relationship with a customer. On the first offense there will be a written notice counseling any customer that disregards this policy. Any customer who violates the policy a second time, within one year of receiving a written notice of a first violation, will be terminated.

Emtek will not discuss any conditions of acceptance related to this Policy, as it is non-negotiable and will not be altered for any dealer. In addition, Emtek neither solicits, nor will it accept, any assurance of compliance with this Policy. Nothing in this Policy shall constitute an agreement between Emtek and any reseller that the reseller will comply with this Policy.

Solid Brass

CLASSIC

Cortina Lever (C)

Milano Lever (M)

Rustic Lever (R)

Turino Lever (T)

DESIGNER**

Coventry Lever (CV)

Elan Lever (EN)

Merrimack Lever (ME)

Ribbon & Reed Lever (RBL)

Rope Lever (RL)

Santa Fe Lever (SF)

Wembley Lever (WM)

** Flat Black (US19) ***NOT*** available for Designer Levers.

Brass Modern

Aireon Lever (A)

Argos Lever (AG)

Athena Lever (ATN)

Basel Lever (BA)

Geneva Lever (GV)*

Helios Lever (HLO)

Hercules Lever (HEC)

Hermes Lever (HER)

Luzern Lever (LU)

Mercury Lever (MC)

Poseidon Lever (POS)

Sion Lever (SIO)

Stuttgart Lever (STU)

Triton Lever (TRT)

Stainless Steel

Athena Lever (AT)

Cologne Lever (CO)

Dresden Lever (DD)

Helios Lever (HL)

Hercules Lever (HS)

Hermes Lever (HES)

Kiel Lever (KL)

Poseidon Lever (PO)

Stuttgart Lever (STT)

Sandcast Bronze

Aurora Lever (AR)

Cimarron Lever (CR)

Cody Lever (CD)

Durango Lever (D)

Lariat Lever (LR)

Montrose Lever (MT)

Teton Lever (TT)

Yuma Lever (YM)*

Lost Wax Cast Bronze

Medici Lever (MDI)

Napoli Lever (NA)

Octagon Lever (OCL)

Padua Lever (PD)

* For Single Door Application Only.

DOOR CONFIGURATION #1

American Cylinder Hub Below Handle
3⅝" Center to Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen® Marvin Integrity®, Paddock Lockmaster™, Superior®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Brass Concord
1½" x 11" Non-Keyed
Rustic Levers

Brass Concord
2" x 10" Keyed
Cortina Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1171			
Non-Keyed Passage	1172			
Non-Keyed American Style Thumbturn Inside	1173			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1174			
Dummy Pair	1175			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1181			
Non-Keyed Passage	1182			
Non-Keyed American Style Thumbturn Inside	1183			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1184			
Dummy Pair	1185			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Brass Modern
1½" x 11" Non-Keyed
Luzern Levers

Brass Modern
2" x 10" Keyed
Triton Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1			
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11B1			
Non-Keyed Passage	11B2			
Non-Keyed American Style Thumbturn Inside	11B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11B4			
Dummy Pair	11B5			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Stainless Steel
1½" x 11" Non-Keyed
Athena Levers

Stainless Steel
2" x 10" Keyed
Dresden Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Stainless Steel Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1			
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11B1			
Non-Keyed Passage	11B2			
Non-Keyed American Style Thumbturn Inside	11B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11B4			
Dummy Pair	11B5			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #1

American Cylinder Hub Below Handle
3⅝" Center to Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen® Marvin Integrity®, Paddock Lockmaster™, Superior®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Non-Keyed
Cimarron Levers

Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1111			
Non-Keyed Passage	1112			
Non-Keyed American Style Thumbturn Inside	1113			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1114			
Dummy Pair	1115			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1121			
Non-Keyed Passage	1122			
Non-Keyed American Style Thumbturn Inside	1123			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1124			
Dummy Pair	1125			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Sandcast Rectangular
1½" x 11" Non-Keyed
Cody Levers

Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1151			
Non-Keyed Passage	1152			
Non-Keyed American Style Thumbturn Inside	1153			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1154			
Dummy Pair	1155			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1161			
Non-Keyed Passage	1162			
Non-Keyed American Style Thumbturn Inside	1163			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1164			
Dummy Pair	1165			

Bronze Tuscany
1½" x 11" Non-Keyed
Octagon Levers

Bronze Tuscany
2" x 10" Keyed
Medici Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1131			
Non-Keyed Passage	1132			
Non-Keyed American Style Thumbturn Inside	1133			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1134			
Dummy Pair	1135			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1141			
Non-Keyed Passage	1142			
Non-Keyed American Style Thumbturn Inside	1143			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1144			
Dummy Pair	1145			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #1 Specification Sheet for Components and Door Thickness

American Cylinder Below Handle 3 ⅝" Center to Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 3 ¾" Steel Spindle • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Single Cylinder Tailpiece • 4 ½" Steel Spindle • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Thumbturn Tailpiece • 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Thumbturn Tailpiece • 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)
• Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder
• Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code
• Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike
• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted. • If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Integrity®, Paddock Lockmaster™, Superior®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

1 ½" x 11" Plates, Product Codes **1111, 1131, 1151, 1171, 11A1**



2" x 10" Plates, Product Codes **1121, 1141, 1161, 1181, 11B1**



Non-Keyed, Passage (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1112, 1132, 1152, 1172, 11A2**



2" x 10" Plates, Product Codes **1122, 1142, 1162, 1182, 11B2**



Non-Keyed, American Style Thumbturn Inside (for Active Door)

1 ½" x 11" Plates, Product Codes **1113, 1133, 1153, 1173, 11A3**



2" x 10" Plates, Product Codes **1123, 1143, 1163, 1183, 11B3**



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1114, 1134, 1154, 1174, 11A4**



2" x 10" Plates, Product Codes **1124, 1144, 1164, 1184, 11B4**



Dummy Pair (for Non-Active Door)

1 ½" x 11" Plates, Product Codes **1115, 1135, 1155, 1175, 11A5**



2" x 10" Plates, Product Codes **1125, 1145, 1165, 1185, 11B5**



DOOR CONFIGURATION #2

American Cylinder Hub Above Handle
3⅝" Center to Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Brass Concord
1½" x 11" Non-Keyed
Turino Levers

Brass Concord
2" x 10" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1271			
Non-Keyed Passage	1272			
Non-Keyed American Style Thumbturn Inside	1273			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1274			
Dummy Pair	1275			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1281			
Non-Keyed Passage	1282			
Non-Keyed American Style Thumbturn Inside	1283			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1284			
Dummy Pair	1285			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Brass Modern
1½" x 11" Non-Keyed
Helios Levers

Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12A1			
Non-Keyed Passage	12A2			
Non-Keyed American Style Thumbturn Inside	12A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4			
Dummy Pair	12A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12B1			
Non-Keyed Passage	12B2			
Non-Keyed American Style Thumbturn Inside	12B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12B4			
Dummy Pair	12B5			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Stainless Steel
1½" x 11" Keyed
Poseidon Levers

Stainless Steel
2" x 10" Non-Keyed
Hermes Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Stainless Steel Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12A1			
Non-Keyed Passage	12A2			
Non-Keyed American Style Thumbturn Inside	12A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4			
Dummy Pair	12A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12B1			
Non-Keyed Passage	12B2			
Non-Keyed American Style Thumbturn Inside	12B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12B4			
Dummy Pair	12B5			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #2

American Cylinder Hub Above Handle
3⅝" Center to Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Sandcast Arched
1½" x 11" Keyed
Durango Levers

Sandcast Arched
2" x 10" Keyed
Teton Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1211			
Non-Keyed Passage	1212			
Non-Keyed American Style Thumbturn Inside	1213			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1214			
Dummy Pair	1215			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1221			
Non-Keyed Passage	1222			
Non-Keyed American Style Thumbturn Inside	1223			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1224			
Dummy Pair	1225			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Sandcast Rectangular
1½" x 11" Keyed
Lariat Levers

Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1251			
Non-Keyed Passage	1252			
Non-Keyed American Style Thumbturn Inside	1253			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1254			
Dummy Pair	1255			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1261			
Non-Keyed Passage	1262			
Non-Keyed American Style Thumbturn Inside	1263			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1264			
Dummy Pair	1265			

Bronze Tuscany
1½" x 11" Non-Keyed
Napoli Levers

Bronze Tuscany
2" x 10" Non-Keyed
Padua Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1231			
Non-Keyed Passage	1232			
Non-Keyed American Style Thumbturn Inside	1233			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1234			
Dummy Pair	1235			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1241			
Non-Keyed Passage	1242			
Non-Keyed American Style Thumbturn Inside	1243			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1244			
Dummy Pair	1245			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #2 Specification Sheet for Components and Door Thickness

Door Configuration #2 American Cylinder Above Handle 3 5⁄8" Center to Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 3 ¾" Steel Spindle • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Single Cylinder Tailpiece • 4 ½" Steel Spindle • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Thumbturn Tailpiece • 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Thumbturn Tailpiece • 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #**_" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code

- Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #**_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

1 ½" x 11" Plates, Product Codes **1211, 1231, 1251, 1271, 12A1**



2" x 10" Plates, Product Codes **1221, 1241, 1261, 1281, 12B1**



Non-Keyed, Passage (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1212, 1232, 1252, 1272, 12A2**



2" x 10" Plates, Product Codes **1222, 1242, 1262, 1282, 12B2**



Non-Keyed, American Style Thumbturn Inside (for Active Door)

1 ½" x 11" Plates, Product Codes **1213, 1233, 1253, 1273, 12A3**



2" x 10" Plates, Product Codes **1223, 1243, 1263, 1283, 12B3**



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1214, 1234, 1254, 1274, 12A4**



2" x 10" Plates, Product Codes **1224, 1244, 1264, 1284, 12B4**



Dummy Pair (for Non-Active Door)

1 ½" x 11" Plates, Product Codes **1215, 1235, 1255, 1275, 12A5**



2" x 10" Plates, Product Codes **1225, 1245, 1265, 1285, 12B5**



DOOR CONFIGURATION #3

American Cylinder Hub Above Handle
4⅛" Center to Center

ref. Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Brass Concord
1½" x 11" Keyed
Wembley Levers

Brass Concord
2" x 10" Non-Keyed
Rope Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1371			
Non-Keyed Passage	1372			
Non-Keyed American Style Thumbturn Inside	1373			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1374			
Dummy Pair	1375			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1381			
Non-Keyed Passage	1382			
Non-Keyed American Style Thumbturn Inside	1383			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1384			
Dummy Pair	1385			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Brass Modern
1½" x 11" Keyed
Aireon Levers

Brass Modern
2" x 10" Keyed
Helios Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13A1			
Non-Keyed Passage	13A2			
Non-Keyed American Style Thumbturn Inside	13A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13B1			
Non-Keyed Passage	13B2			
Non-Keyed American Style Thumbturn Inside	13B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13B4			
Dummy Pair	13B5			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Stainless Steel
1½" x 11" Keyed
Athena Levers

Stainless Steel
2" x 10" Non-Keyed
Dresden Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Stainless Steel Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13A1			
Non-Keyed Passage	13A2			
Non-Keyed American Style Thumbturn Inside	13A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13B1			
Non-Keyed Passage	13B2			
Non-Keyed American Style Thumbturn Inside	13B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13B4			
Dummy Pair	13B5			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #3

American Cylinder Hub Above Handle
4⅛" Center to Center

ref. Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Sandcast Arched
1½" x 11" Keyed
Durango Levers

Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1311			
Non-Keyed Passage	1312			
Non-Keyed American Style Thumbturn Inside	1313			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1314			
Dummy Pair	1315			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1321			
Non-Keyed Passage	1322			
Non-Keyed American Style Thumbturn Inside	1323			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1324			
Dummy Pair	1325			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Sandcast Rectangular
1½" x 11" Keyed
Lariat Levers

Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1351			
Non-Keyed Passage	1352			
Non-Keyed American Style Thumbturn Inside	1353			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1354			
Dummy Pair	1355			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1361			
Non-Keyed Passage	1362			
Non-Keyed American Style Thumbturn Inside	1363			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1364			
Dummy Pair	1365			

Bronze Tuscany
1½" x 11" Keyed
Medici Levers

Bronze Tuscany
2" x 10" Non-Keyed
Padua Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1331			
Non-Keyed Passage	1332			
Non-Keyed American Style Thumbturn Inside	1333			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1334			
Dummy Pair	1335			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1341			
Non-Keyed Passage	1342			
Non-Keyed American Style Thumbturn Inside	1343			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1344			
Dummy Pair	1345			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #3 American Cylinder Above Handle 4 ⅛" Center to Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 3 ¾" Steel Spindle • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Single Cylinder Tailpiece • 4 ½" Steel Spindle • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Configuration #3 Thumbturn Tailpiece • 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Configuration #3 Thumbturn Tailpiece • 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)
• Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder
• Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code
• Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike
• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted. • If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
Andersen®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

1 ½" x 11" Plates, Product Codes **1311, 1331, 1351, 1371, 13A1**



2" x 10" Plates, Product Codes **1321, 1341, 1361, 1381, 13B1**



Non-Keyed, Passage (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1312, 1332, 1352, 1372, 13A2**



2" x 10" Plates, Product Codes **1322, 1342, 1362, 1382, 13B2**



Non-Keyed, American Style Thumbturn Inside (for Active Door)

1 ½" x 11" Plates, Product Codes **1313, 1333, 1353, 1373, 13A3**



2" x 10" Plates, Product Codes **1323, 1343, 1363, 1383, 13B3**



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1314, 1334, 1354, 1374, 13A4**



2" x 10" Plates, Product Codes **1324, 1344, 1364, 1384, 13B4**



Dummy Pair (for Non-Active Door)

1 ½" x 11" Plates, Product Codes **1315, 1335, 1355, 1375, 13A5**



2" x 10" Plates, Product Codes **1325, 1345, 1365, 1385, 13B5**



DOOR CONFIGURATION #4

American Cylinder Hub Above Handle
3⅝" Center to Center

ref. Ashland®, G-U®, Caradco®, JELD-WEN®
Jeldwen® Custom Collection (formerly Pozzi®)
Marvin®, PGT®, Premium Collection (formerly Norco®)
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.

See Configuration #1 for Marvin Integrity® Doors





Brass Concord
1½" x 11" Keyed
Coventry Levers

Brass Concord
2" x 10" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1471			
Non-Keyed Passage	1472			
Non-Keyed American Style Thumbturn Inside	1473			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1474			
Dummy Pair	1475			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1481			
Non-Keyed Passage	1482			
Non-Keyed American Style Thumbturn Inside	1483			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1484			
Dummy Pair	1485			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Brass Modern
1½" x 11" Keyed
Aireon Levers

Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14A1			
Non-Keyed Passage	14A2			
Non-Keyed American Style Thumbturn Inside	14A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14A4			
Dummy Pair	14A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14B1			
Non-Keyed Passage	14B2			
Non-Keyed American Style Thumbturn Inside	14B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14B4			
Dummy Pair	14B5			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Stainless Steel
1½" x 11" Keyed
Stuttgart Levers

Stainless Steel
2" x 10" Non-Keyed
Hermes Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Stainless Steel Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14A1			
Non-Keyed Passage	14A2			
Non-Keyed American Style Thumbturn Inside	14A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14A4			
Dummy Pair	14A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14B1			
Non-Keyed Passage	14B2			
Non-Keyed American Style Thumbturn Inside	14B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14B4			
Dummy Pair	14B5			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #4

American Cylinder Hub Above Handle
3⅝" Center to Center

ref. Ashland®, G-U®, Caradco®, JELD-WEN®
Jeldwen® Custom Collection (formerly Pozzi®)
Marvin®, PGT®, Premium Collection (formerly Norco®)
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.

See Configuration #1 for Marvin Integrity® Doors



Sandcast Arched
1½" x 11" Keyed
Montrose Levers

Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1411			
Non-Keyed Passage	1412			
Non-Keyed American Style Thumbturn Inside	1413			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1414			
Dummy Pair	1415			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1421			
Non-Keyed Passage	1422			
Non-Keyed American Style Thumbturn Inside	1423			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1424			
Dummy Pair	1425			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Sandcast Rectangular
1½" x 11" Keyed
Lariat Levers

Sandcast Rectangular
2" x 10" Keyed
Teton Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1451			
Non-Keyed Passage	1452			
Non-Keyed American Style Thumbturn Inside	1453			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1454			
Dummy Pair	1455			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1461			
Non-Keyed Passage	1462			
Non-Keyed American Style Thumbturn Inside	1463			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1464			
Dummy Pair	1465			

Bronze Tuscany
1½" x 11" Non-Keyed
Napoli Levers

Bronze Tuscany
2" x 10" Keyed
Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1431			
Non-Keyed Passage	1432			
Non-Keyed American Style Thumbturn Inside	1433			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1434			
Dummy Pair	1435			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1441			
Non-Keyed Passage	1442			
Non-Keyed American Style Thumbturn Inside	1443			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1444			
Dummy Pair	1445			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #4 American Cylinder Above Handle 3 ⅝" Center to Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 3 ¾" Steel Spindle • 2" Rosette Screws for 1 ⅝" - 1 ¾" thick door • 2 ½" Rosette Screws for 1 ¾" - 2" thick door	Extended Components: • Long Single Cylinder Tailpiece • 4 ½" Steel Spindle • 2 ½" Rosette Screws 2" - 2 ¼" think door • 3" Rosette Screws for 2 ¼" - 2 ¾" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Thumbturn Tailpiece • 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws for 1 ⅝" - 1 ¾" thick door • 2 ½" Rosette Screws for 1 ¾" - 2" thick door	Extended Components: • Long Thumbturn Tailpiece • 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 ½" Rosette Screws 2" - 2 ¼" think door • 3" Rosette Screws for 2 ¼" - 2 ¾" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #**_" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)
• Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder
• Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code
• Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike
• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted. • If ordering multiple groups (houses) indicate "**Keyed Alike House #**_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Ashland®, G-U®, Caradco®, JELD-WEN®, Jeldwen® Custom Collection (formerly Pozzi®), Marvin®, PGT®, Premium Collection (formerly Norco®), Weathershield®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

1 ½" x 11" Plates, Product Codes **1411, 1431, 1451, 1471, 14A1**



2" x 10" Plates, Product Codes **1421, 1441, 1461, 1481, 14B1**



Non-Keyed, Passage (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1412, 1432, 1452, 1472, 14A2**



2" x 10" Plates, Product Codes **1422, 1442, 1462, 1482, 14B2**



Non-Keyed, American Style Thumbturn Inside (for Active Door)

1 ½" x 11" Plates, Product Codes **1413, 1433, 1453, 1473, 14A3**



2" x 10" Plates, Product Codes **1423, 1443, 1463, 1483, 14B3**



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1414, 1434, 1454, 1474, 14A4**



2" x 10" Plates, Product Codes **1424, 1444, 1464, 1484, 14B4**



Dummy Pair (for Non-Active Door)

1 ½" x 11" Plates, Product Codes **1415, 1435, 1455, 1475, 14A5**



2" x 10" Plates, Product Codes **1425, 1445, 1465, 1485, 14B5**



DOOR CONFIGURATION #5

Euro Profile Cylinder Below Handle
3⅝" Center to Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®
Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®
Semco®, Sierra Pacific®, Signature®, Simpson®
Therma-Tru®, Vetter®, Willmar®, Windsor®
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord
1½" x 11" Keyed
Turino Levers

Brass Concord
2" x 10" Keyed
Rustic Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1571			
Non-Keyed Passage	1572			
Non-Keyed Euro Profile Thumbturn Inside	1573			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1574			
Dummy Pair	1575			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1581			
Non-Keyed Passage	1582			
Non-Keyed Euro Profile Thumbturn Inside	1583			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1584			
Dummy Pair	1585			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway not available for Configuration 5, Euro cylinder.

To order: **Product Code** + **Lever Style** + **Handing** + **Finish Code**

Brass Modern
1½" x 11" Keyed
Hermes Levers

Brass Modern
2" x 10" Keyed
Triton Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15A1			
Non-Keyed Passage	15A2			
Non-Keyed Euro Profile Thumbturn Inside	15A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15A4			
Dummy Pair	15A5			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15B1			
Non-Keyed Passage	15B2			
Non-Keyed Euro Profile Thumbturn Inside	15B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15B4			
Dummy Pair	15B5			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Stainless Steel
1½" x 11" Keyed
Stuttgart Levers

Stainless Steel
2" x 10" Non-Keyed
Hercules Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Stainless Steel Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15A1			
Non-Keyed Passage	15A2			
Non-Keyed Euro Profile Thumbturn Inside	15A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15A4			
Dummy Pair	15A5			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15B1			
Non-Keyed Passage	15B2			
Non-Keyed Euro Profile Thumbturn Inside	15B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15B4			
Dummy Pair	15B5			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway not available for Configuration 5, Euro cylinder.

DOOR CONFIGURATION #5

Euro Profile Cylinder Below Handle
3⅝" Center to Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®
Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®
Semco®, Sierra Pacific®, Signature®, Simpson®
Therma-Tru®, Vetter®, Willmar®, Windsor®
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Sandcast Arched
1½" x 11" Keyed
Lariat Levers

Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1511			
Non-Keyed Passage	1512			
Non-Keyed Euro Profile Thumbturn Inside	1513			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1514			
Dummy Pair	1515			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1521			
Non-Keyed Passage	1522			
Non-Keyed Euro Profile Thumbturn Inside	1523			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1524			
Dummy Pair	1525			

Handing Required
• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway not available for Configuration 5, Euro cylinder.

To order: **Product Code** + **Lever Style** + **Handing** + **Finish Code**

DOOR CONFIGURATION #5

Sandcast Rectangular
1½" x 11" Keyed
Teton Levers



Sandcast Rectangular
2" x 10" Non-Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1551			
Non-Keyed Passage	1552			
Non-Keyed Euro Profile Thumbturn Inside	1553			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1554			
Dummy Pair	1555			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1561			
Non-Keyed Passage	1562			
Non-Keyed Euro Profile Thumbturn Inside	1563			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1564			
Dummy Pair	1565			

Bronze Tuscany
1½" x 11" Keyed
Octagon Levers

Bronze Tuscany
2" x 10" Keyed
Padua Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1531			
Non-Keyed Passage	1532			
Non-Keyed Euro Profile Thumbturn Inside	1533			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1534			
Dummy Pair	1535			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1541			
Non-Keyed Passage	1542			
Non-Keyed Euro Profile Thumbturn Inside	1543			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1544			
Dummy Pair	1545			

Handing Required

- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway not available for Configuration 5, Euro cylinder.

Door Configuration #5
Euro Profile Cylinder Below Handle
3 ⅝" Center to Center





Keyed Plates with Euro Profile Cylinder

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2½"	Extended Door Thickness: Over 2½"to 2¾"
Standard Components: • 2 ⁹⁄₁₆" Euro Profile Cylinder • 3 ¾" Steel Spindle • 1 ½" Rosette Screws	Extended Components: • 3 ⁵⁄₃₂" Euro Profile Cylinder • 4 ½" Steel Spindle • 2" Rosette Screws	Extended Components: • 3 ¹⁷⁄₃₂" Euro Profile Cylinder • 5" Steel Spindle • 3" Rosette Screws

Non-Keyed Plates with Euro Profile Half Cylinder

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2½"	Extended Door Thickness: Over 2½"to 2¾"
Standard Components: • 1 ²¹⁄₃₂" Euro Profile Half-Cylinder • 3 ¾" Steel Spindle • 1 ½" Rosette Screws	Extended Components: • 1 ³¹⁄₃₂" Euro Profile Half-Cylinder • 4 ½" Steel Spindle • 2" Rosette Screws	Extended Components: • 2 ⁵⁄₃₂" Euro Profile Half-Cylinder • 5" Steel Spindle • 3" Rosette Screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House** #_" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code

- Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #**_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®

Keyed with Euro Profile Cylinder (for Active Door, Schlage® Keyway Standard, Rekeyable)

1 ½" x 11" Plates, Product Codes **1511, 1531, 1551, 1571, 15A1**



2" x 10" Plates, Product Codes **1521, 1541, 1561, 1581, 15B1**



Non-Keyed, Passage (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1512, 1532, 1552, 1572, 15A2**



2" x 10" Plates, Product Codes **1522, 1542, 1562, 1582, 15B2**



Non-Keyed, Euro Profile Style Thumbturn Inside (for Active Door)

1 ½" x 11" Plates, Product Codes **1513, 1533, 1553, 1573, 15A3**



2" x 10" Plates, Product Codes **1523, 1543, 1563, 1583, 15B3**



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1514, 1534, 1554, 1574, 15A4**



2" x 10" Plates, Product Codes **1524, 1544, 1564, 1584, 15B4**



Dummy Pair (for Non-Active Door)

1 ½" x 11" Plates, Product Codes **1515, 1535, 1555, 1575, 15A5**



2" x 10" Plates, Product Codes **1525, 1545, 1565, 1585, 15B5**



DOOR CONFIGURATION #6

American Cylinder Hub Below Handle
3⅝" Center to Center

ref. Milgard®, Pella®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Brass Concord
1½" x 11" Keyed
Cortina Levers

Brass Concord
2" x 10" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1671			
Non-Keyed Passage	1672			
Non-Keyed American Style Thumbturn Inside	1673			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1674			
Dummy Pair	1675			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1681			
Non-Keyed Passage	1682			
Non-Keyed American Style Thumbturn Inside	1683			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1684			
Dummy Pair	1685			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Brass Modern
1½" x 11" Non-Keyed
Hercules Levers

Brass Modern
2" x 10" Non-Keyed
Luzern Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16A1			
Non-Keyed Passage	16A2			
Non-Keyed American Style Thumbturn Inside	16A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16A4			
Dummy Pair	16A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16B1			
Non-Keyed Passage	16B2			
Non-Keyed American Style Thumbturn Inside	16B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16B4			
Dummy Pair	16B5			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Stainless Steel
1½" x 11" Non-Keyed
Athena Levers

Stainless Steel
2" x 10" Non-Keyed
Hercules Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Stainless Steel Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16A1			
Non-Keyed Passage	16A2			
Non-Keyed American Style Thumbturn Inside	16A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16A4			
Dummy Pair	16A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16B1			
Non-Keyed Passage	16B2			
Non-Keyed American Style Thumbturn Inside	16B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16B4			
Dummy Pair	16B5			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #6

American Cylinder Hub Below Handle
3⅝" Center to Center

ref. Milgard®, Pella®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Sandcast Arched
1½" x 11" Non-Keyed
Teton Levers

Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1611			
Non-Keyed Passage	1612			
Non-Keyed American Style Thumbturn Inside	1613			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1614			
Dummy Pair	1615			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1621			
Non-Keyed Passage	1622			
Non-Keyed American Style Thumbturn Inside	1623			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1624			
Dummy Pair	1625			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Sandcast Rectangular
1½" x 11" Non-Keyed
Lariat Levers

Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1651			
Non-Keyed Passage	1652			
Non-Keyed American Style Thumbturn Inside	1653			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1654			
Dummy Pair	1655			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1661			
Non-Keyed Passage	1662			
Non-Keyed American Style Thumbturn Inside	1663			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1664			
Dummy Pair	1665			

Bronze Tuscany
1½" x 11" Keyed
Octagon Levers

Bronze Tuscany
2" x 10" Non-Keyed
Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1631			
Non-Keyed Passage	1632			
Non-Keyed American Style Thumbturn Inside	1633			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1634			
Dummy Pair	1635			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1641			
Non-Keyed Passage	1642			
Non-Keyed American Style Thumbturn Inside	1643			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1644			
Dummy Pair	1645			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #6 Specification Sheet for Components and Door Thickness

Door Configuration #6 American Cylinder Below Handle 3 ⅝" Center to Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 3 ¾" Steel Spindle • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Single Cylinder Tailpiece • 4 ½" Steel Spindle • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Thumbturn Tailpiece • 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2" Rosette Screws • 1 ½" Rosette Screws for 1 ⅝" thick door	Extended Components: • Long Thumbturn Tailpiece • 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in) • 2 ½" Rosette Screws • 2" Rosette Screws for 2" - 2 ⅛" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #**_" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)
• Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder
• Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code
• Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike
• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted. • If ordering multiple groups (houses) indicate "**Keyed Alike House #**_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
Milgard®, Pella®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

1 ½" x 11" Plates, Product Codes **1611, 1631, 1651, 1671, 16A1**



2" x 10" Plates, Product Codes **1621, 1641, 1661, 1681, 16B1**



Non-Keyed, Passage (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1612, 1632, 1652, 1672, 16A2**



2" x 10" Plates, Product Codes **1622, 1642, 1662, 1682, 16B2**



Non-Keyed, American Style Thumbturn Inside (for Active Door)

1 ½" x 11" Plates, Product Codes **1613, 1633, 1653, 1673, 16A3**



2" x 10" Plates, Product Codes **1623, 1643, 1663, 1683, 16B3**



Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

1 ½" x 11" Plates, Product Codes **1614, 1634, 1654, 1674, 16A4**



2" x 10" Plates, Product Codes **1624, 1644, 1664, 1684, 16B4**



Dummy Pair (for Non-Active Door)

1 ½" x 11" Plates, Product Codes **1615, 1635, 1655, 1675, 16A5**



2" x 10" Plates, Product Codes **1625, 1645, 1665, 1685, 16B5**



DOOR CONFIGURATION #7

American Cylinder Hub Above Handle
6″ Center to Center

ref. Trillenium® (formerly W&F Manufacturing)

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Brass Modern
2″ x 10″ Keyed
Poseidon Levers

Brass Modern
2″ x 10″ Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10″ Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$194.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	17B1			
Non-Keyed American Style T-Turn Inside (Patio Function)	17B3			
Dummy Pair	17B5			
Non-Keyed American Style T-Turn Inside, Fixed Handles	17B6			

***Unlacquered Brass (US3NL)** finish available for a $40 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾″. Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Stainless Steel
2" x 10" Keyed
Stuttgart Levers

Stainless Steel
2" x 10" Non-Keyed
Hercules Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		*See Page 7 for Brass & Modern Brass Lever Options.*	Stainless Steel (SS)	**$204.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	17B1			
Non-Keyed American Style T-Turn Inside (Patio Function)	17B3			
Dummy Pair	17B5			
Non-Keyed American Style T-Turn Inside, Fixed Handles	17B6			

Sandcast Arched
2" x 10" Keyed
Montrose Levers

Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1721			
Non-Keyed American Style T-Turn Inside (Patio Function)	1723			
Dummy Pair	1725			
Non-Keyed American Style T-Turn Inside, Fixed Handles	1726			

Sandcast Rectangular
2" x 10" Keyed
Lariat Levers

Sandcast Rectangular
2" x 10" Non-Keyed
Lariat Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		*See Page 7 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1761			
Non-Keyed American Style T-Turn Inside (Patio Function)	1763			
Dummy Pair	1765			
Non-Keyed American Style T-Turn Inside, Fixed Handles	1766			

DOOR CONFIGURATION #7

American Cylinder Hub Above Handle
6″ Center to Center

ref. Trillenium® (formerly W&F Manufacturing)

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



Bronze Tuscany
2″ x 10″ Keyed
Padua Levers

Bronze Tuscany
2″ x 10″ Non-Keyed
Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10″ Plates		*See Page 7 for Lost Wax Cast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$216.00**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1741			
Non-Keyed American Style T-Turn Inside (Patio Function)	1743			
Dummy Pair	1745			
Non-Keyed American Style T-Turn Inside, Fixed Handles	1746			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾″. Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Door Configuration #7 American Cylinder Above Handle 6" Center to Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 2" Steel Spindles (Half-spindle) • 2" Rosette Screws for 1 ⅝" - 1 ¾" thick door • 2 ½" Rosette Screws for 1 ¾" - 2" thick door	Extended Components: • Long Single Cylinder Tailpiece • 2" Steel Spindles (Half-spindle) • 2 ½" Rosette Screws 2" - 2 ¼" think door • 3" Rosette Screws for 2 ¼" - 2 ¾" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, & dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Thumbturn Tailpiece • 2" Steel Spindles (Half-spindle. No spindle for fixed handles) • 2" Rosette Screws for 1 ⅝" - 1 ¾" thick door • 2 ½" Rosette Screws for 1 ¾" - 2" thick door	Extended Components: • Long Thumbturn Tailpiece • 2" Steel Spindles (Half-spindle. No spindle for fixed handles) • 2 ½" Rosette Screws 2" - 2 ¼" think door • 3" Rosette Screws for 2 ¼" - 2 ¾" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #**_" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - $3.00 (NET)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of $5.00 (NET) per cylinder.

Charge for Re-Keying - $2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged $2.00 (NET) per cylinder.

Keying to Code

- Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #**_" next to applicable locks.

DOOR CONFIGURATION #7 Specification Sheet for Trim and Cylinder Styles

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Trillenium® (formerly W&F Manufacturing)

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

2" x 10" Plates, Product Codes **1721, 1741,1761, 17B1**



Non-Keyed, American Style T-Turn Inside (Active Door)

2" x 10" Plates, Product Codes **1723, 1743, 1763, 17B3**



Dummy Pair (for Non-Active Door)

2" x 10" Plates, Product Codes **1725, 1745, 1765, 17B5**



Non-Keyed, Fixed Handles, American Style T-Turn Inside (for Semi-Active Door)

2" x 10" Plates, Product Codes **1726, 1746, 1766, 17B6**



PRODUCT INDEX

PRODUCT CODE	PAGE
1111	10
1112	10
1113	10
1114	10
1115	10
1121	10
1122	10
1123	10
1124	10
1125	10
1131	11
1132	11
1133	11
1134	11
1135	11
1141	11
1142	11
1143	11
1144	11
1145	11
1151	11
1152	11
1153	11
1154	11
1155	11
1161	11
1162	11
1163	11
1164	11
1165	11
1171	8
1172	8
1173	8
1174	8
1175	8
1181	8
1182	8
1183	8
1184	8
1185	8
1211	16
1212	16
1213	16
1214	16
1215	16
1221	16
1222	16
1223	16
1224	16
1225	16
1231	17
1232	17
1233	17
1234	17
1235	17
1241	17
1242	17
1243	17
1244	17
1245	17
1251	17
1252	17
1253	17
1254	17
1255	17
1261	17
1262	17
1263	17
1264	17
1265	17
1271	14
1272	14
1273	14
1274	14
1275	14
1281	14
1282	14
1283	14
1284	14
1285	14
1311	22
1312	22
1313	22
1314	22
1315	22
1321	22
1322	22
1323	22
1324	22
1325	22
1331	23
1332	23
1333	23
1334	23
1335	23
1341	23
1342	23
1343	23
1344	23
1345	23
1351	23
1352	23
1353	23
1354	23
1355	23
1361	23
1362	23
1363	23
1364	23
1365	23
1371	20
1372	20
1373	20
1374	20
1375	20
1381	20
1382	20
1383	20
1384	20
1385	20
1411	28
1412	28
1413	28
1414	28
1415	28
1421	28
1422	28
1423	28
1424	28
1425	28
1431	29
1432	29
1433	29
1434	29
1435	29
1441	29
1442	29
1443	29
1444	29
1445	29
1451	29
1452	29
1453	29
1454	29
1455	29
1461	29
1462	29
1463	29
1464	29
1465	29
1471	26
1472	26
1473	26
1474	26
1475	26
1481	26
1482	26
1483	26
1484	26
1485	26
1511	34
1512	34
1513	34
1514	34
1515	34
1521	34
1522	34
1523	34
1524	34
1525	34
1531	35
1532	35
1533	35
1534	35
1535	35
1541	35
1542	35
1543	35
1544	35
1545	35
1551	35
1552	35
1553	35
1554	35
1555	35
1561	35
1562	35
1563	35
1564	35
1565	35
1571	32
1572	32
1573	32
1574	32
1575	32
1581	32
1582	32
1583	32
1584	32
1585	32
1611	40
1612	40
1613	40
1614	40
1615	40
1621	40
1622	40
1623	40
1624	40
1625	40
1631	41
1632	41
1633	41
1634	41
1635	41
1641	41
1642	41
1643	41
1644	41
1645	41
1651	41
1652	41
1653	41
1654	41
1655	41
1661	41
1662	41
1663	41
1664	41
1665	41
1671	38
1672	38
1673	38
1674	38
1675	38
1681	38
1682	38
1683	38
1684	38
1685	38
1721	45
1723	45
1725	45
1726	45
1741	46
1743	46
1745	46
1746	46
1761	45
1763	45
1765	45
1766	45
11A1	9
11A2	9
11A3	9
11A4	9
11A5	9
11B1	9
11B2	9
11B3	9
11B4	9
11B5	9
12A1	15
12A2	15
12A3	15
12A4	15
12A5	15
12B1	15
12B2	15
12B3	15
12B4	15
12B5	15
13A1	21
13A2	21
13A3	21
13A4	21
13A5	21
13B1	21
13B2	21
13B3	21
13B4	21
13B5	21
14A1	27
14A2	27
14A3	27
14A4	27
14A5	27
14B1	27
14B2	27
14B3	27
14B4	27
14B5	27
15A1	33
15A2	33
15A3	33
15A4	33
15A5	33
15B1	33
15B2	33
15B3	33
15B4	33
15B5	33
16A1	39
16A2	39
16A3	39
16A4	39
16A5	39
16B1	39
16B2	39
16B3	39
16B4	39
16B5	39
17B1	44,45
17B3	44,45
17B4	44,45
17B5	44,45

Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retrofitting may be necessary. Please carefully measure and identify your hardware using the diagrams and steps listed on page 4 and 5.

G-U® is a registered trademark of G-U Hardware, Inc. Paddock™ is a registered trademark of Yale® UK. Pella® is a registered trademark of Pella Corporation. Sierra Pacific Windows® is a registered trademark of Sierra Pacific Industries. Superior® is a registered trademark of Superior Engineered Products Corporation. Willmar® is a registered trademark of JELD-WEN of Canada Ltd. Andersen® is a registered trademark of Andersen Corporation. Trillenium® is a registered trademark of Endura Products, Inc. Eagle® is a registered trademark of Eagle Window and Door, Inc, BiltBest® is a registered trademark of BiltBest Windows and Patio Doors. Ashland® is a registered trademark of Ashland Products, Inc. Caradco®, JELD-WEN, Norco® and Pozzi® are registered trademarks of JELD-WEN Inc., Oregon, USA. Integrity® and Marvin® are registered trademarks of Marvin Windows and Doors. Milgard® is a registered trademark of Milgard Windows, Inc. Therma-Tru® is a registered trademark of Therma-Tru Doors®. HOPPE® is a registered trademark of HOPPE North America, Inc. Hurd® is a registered trademark of Hurd Millwork Company. Kolbe & Kolbe® is a registered trademark of Kolbe & Kolbe Millwork Company, Inc. Lincoln® is a registered trademark of Lincoln Wood Products, Inc. Loewen® is a registered trademark of Loewen Windows. PGT® is a registered trademark of PGT Industries. Peachtree® and Vetter® are registered trademark of The Peachtree Companies, Inc. Semco® is a registered trademark of Semling-Menke Co. Inc. Weathershield® is a registered trademark of Weathershield Mfg. Inc. KML by Andersen® is a registered trademark of KML by Andersen. Atrium® is a registered trademark of Atrium. KFV® is a registered trademark of KFV. Simpson® is a registered trademark of Simpson. Signature® is a registered trademark of Signature. Crestline® is a registered trademark of Crestline. Windsor® is a registered trademark of Windsor. With the exception of Paddock™, none of the aforementioned companies are affiliated with Emtek Products, Inc.

Multi Point Lock Trim Order Form

Acct#

EMTEK
ASSA ABLOY

Order Placed By

Date

Billing Information

Company Name

Address

City State, Zip

Telephone

Shipping Address

Company Name

Address

City State, Zip

Telephone

PO#

Note

QTY	Configuration	Product Code	Lever Style	Handing (LH/RH)	Finish	Price

EMTEK Products, Inc.
15250 E Stafford Street
City of Industry, CA 91744
Tel: 800-356-2741 626-961-0413
Fax: 800-577-5771 626-336-2812
www.emtek.com

Please Fax Order Form to (800) 577-5771
or Email to orders@emtek.com

LIFETIME LIMITED WARRANTY

Subject to the terms and conditions of this warranty, Emtek Products, Inc. ("Company") extends a lifetime limited warranty to the original consumer user ("Original User") of our product ("Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Product was originally installed.

This warranty only applies to the Original User of the Products. This warranty is not transferable. This warranty applies to all products sold on or after April 2, 2012.

Original User: The Original User will return the defective Product to the Company, free and clear of all liens and encumbrances, transportation prepaid, accompanied by a statement of defects and proof of purchase.

What Emtek will do: Upon return of the defective Product to Emtek, Emtek's sole obligation, at its option, is to either repair or replace the Product, or refund the original purchase price in exchange for the Product.

THE COMPANY MAKES NO OTHER WARRANTY OTHER THAN AS EXPRESSLY STATED HEREIN, AND ALL IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXCLUDED.

THE COMPANY'S MAXIMUM LIABILITY HEREUNDER IS LIMITED TO THE PURCHASE PRICE OF THE PRODUCT. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL OR SPECIAL AND/OR PUNITIVE DAMAGES OF ANY NATURE ARISING FROM THE SALE OR USE OF THE PRODUCT, WHETHER BASED ON CONTRACT, WARRANTY, TORT, STRICT LIABILITY, PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives specific legal rights and a buyer may also have other rights which may vary from state to state.

WHAT IS NOT COVERED: THE FOLLOWING COSTS, EXPENSES AND DAMAGES ARE NOT COVERED BY THE PROVISIONS OF THIS LIMITED WARRANTY: (I) LABOR COSTS INCLUDING, BUT NOT LIMITED TO, SUCH COSTS AS THE REMOVAL AND REINSTALLATION OF PRODUCT; AND (II) SHIPPING AND FREIGHT EXPENSES REQUIRED TO RETURN PRODUCT TO EMTEK.

THE PROVISIONS OF THIS WARRANTY DO NOT APPLY TO PRODUCTS: (I) USED IN COMMERCIAL APPLICATIONS; (II) USED IN COMMON AREA APPLICATIONS; (III) USED FOR PURPOSES FOR WHICH THEY ARE NOT DESIGNED OR INTENDED; (IV) WHICH HAVE BEEN SUBJECTED TO ALTERATION, ABUSE, MISUSE, NEGLIGENCE OR ACCIDENT; (V) WHICH HAVE BEEN IMPROPERLY STORED, INSTALLED, MAINTAINED OR OPERATED; (VI) WHICH HAVE BEEN USED IN VIOLATION OF WRITTEN INSTRUCTIONS PROVIDED BY EMTEK; (VII) WHICH HAVE BEEN SUBJECTED TO IMPROPER TEMPERATURE, HUMIDITY OR OTHER ENVIRONMENTAL CONDITIONS; OR (VIII) WHICH, BASED ON EMTEK'S EXAMINATION, DO NOT DISCLOSE TO EMTEK'S SATISFACTION NON-CONFORMANCE TO THE WARRANTY. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other chemicals.

Finish Warranty: Polished Brass-Lifetime finish carries a lifetime limited finish warranty. There is no finish warranty on Deep Burgundy, Medium Bronze Patina, Silver Patina, Flat Black Patina, Tumbled White Bronze, and Unlacquered Brass finishes. All other finishes carry a five year finish warranty.

Warranty claims: For warranty service and shipping instructions contact customer service at:

EMTEK Products, Inc.
15250 E. Stafford Street
City of Industry, CA 91744
Tel: (626) 961-0413

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

EMTEK®

ASSA ABLOY

EMTEK Products, Inc.
15250 E. Stafford Street
City of Industry • CA 91744
Tel: 800-356-2741 • 626-961-0413
Fax: 800-577-5771 • 626-336-2812
emtek.com

BX4-3PTPRICEBK2017
FEBRUARY 2017