

Los Angeles :

4115 Spencer Street Torrance, CA 90503 U.S.A.
TEL. +1-310-542-7700 FAX. +1-310-542-1700

New York :

3636 33rd street Suite 101 Long Island City NY 11106 U.S.A.
TEL. +1-718-784-2110 FAX. +1-718-784-2103

Chicago :

1154 S. Elmhurst Rd. Mount Prospect, IL 60056-4241 U.S.A.
TEL. +1-847-437-8200 FAX. +1-847-437-8201

Honolulu :

Ala Moana Pacific Center, Suite 711 1585 Kapiolani Boulevard
Honolulu, Hawaii 96814 U.S.A.
TEL. +1-808-949-5300 FAX. +1-808-949-5336

Dallas :

739 Justin Road Rockwall, TX 75087 U.S.A.
TEL. +1-972-722-7499 FAX. +1-972-722-7402

Seattle :

18920 28th Ave. W Suite 105 Lynnwood, WA 98036 U.S.A.
TEL. +1-425-640-2222 FAX. +1-425-672-8946

Orlando :

8803 Futures Drive, Unit 01 Orlando, FL 32819 U.S.A.
TEL. +1-407-601-5963 FAX. +1-407-730-3335

Burnaby :

101-7460 Edmonds Street Burnaby BC V3N 1B2, Canada
TEL. +1-604-214-0065 FAX. +1-604-214-0067

Toronto :

75 Watline Avenue, Suite 138 Mississauga, ON L4Z 3E5,
Canada
TEL. +1-905-507-1200 FAX. +1-905-507-1233

Mexico :

Av Vasconcelos 345 col Santa Engracia
San Pedro Garza Garcia Nuevo Leon, Mexico
TEL. +52-81-8242-5500 FAX. +52-81-8242-5549

Brazil :

Rua Joao Dos Santos, 532 Jardim Santa Rosalia, Sorocaba,
Sao Paulo 18090-040, Brazil
TEL. +55-15-3033-4132 FAX. +55-15-3034-4100

Germany :

Immermannstr. 33 40210 Düsseldorf Germany,
TEL. +49-211-9365-7000 FAX. +49-211-9365-7027

France :

24 rue du Banquier 75013 Paris France
TEL. +33 (0) 1 47 07 55 65 FAX. +33 (0) 1 83 71 17 06

Italy :

Via roccaporena 40-42 00191 Roma Italy
TEL. +39-6-3330-670 FAX. +39-6-3321-9505

Australia :

Suite 15, 33 Waterloo Road, Macquarie Park NSW 2113 Australia
TEL. +61-2-9878-1100 FAX. +61-2-9878-1200

Russia :

Letnikovskaya Str. 10 Bld. 4, Floor 1 115114, Moscow, Russia
TEL. +7-495-988-02-05 FAX. +7-495-988-02-06

Rumania :

68-70 6th floor 500397 Braşov, Romania
TEL. +40-374028779

Portugal :

Avenida da Franca, 735 4250-014 Porto Portugal
TEL. +351-22-8305464

Hong Kong :

Unit 1615-17, 16th Floor Miramar Tower 132 Nathan Rd.
Tsim Sha Tsui, Kowloon, Hong Kong
TEL. +852-2154-0077 FAX. +852-2154-0027

Taiwan :

Asia World Bldg. 12B., No.337, Sec. 3, Nanjing E. Rd., Songshan Dist.,
Taipei City 105, Taiwan, R.O.C
TEL. +886-2-2713-2936 FAX. +886-2-2713-2938

Philippines :

16th Floor Rcbc Saving Bank Corporate Center Bldg.,
26th & 25th Street Bonifacio Global City, Taguig City 1634 Philippines
TEL. +63-2-519-5508 FAX. +63-2-519-1923

Korea :

7F(Heeseung BD) 15, Seolleung-ro 131-gil, Gangnam-gu, Seoul, 06060,
REP. OF KOREA
TEL. +82-2-546-8120 FAX. +82-2-546-8127

Singapore :

111 North Bridge Road, #25-04 Peninsula Plaza Singapore 179098
TEL. +65-6720-7501 FAX. +65-6720-7505

Malaysia :

UNIT NO 25-6 & 27-6, The Boulevard, Mid Valley city Lingkaran Syed Putra,
59200 Kuala Lumpur, Malaysia
TEL. +60-3-2282-2332 FAX. +60-3-2282-2335

Indonesia :

The Plaza Office Tower 22nd Floor Jl. M.H. Thamrin Kav. 28-30 Jakarta
10350 Indonesia.
TEL. +62-21-2992-3111 FAX. +62-21-2992-8111

Thailand :

14th Floor, Unit 1408-1410, Park Ventures Ecoplex,
57 Wireless Road, Kwang Lumpini, Khet Patumwan, Bangkok 10330
TEL. +66 2-116-3050 FAX. +66 2-116-3044

India :

The Millenia Tower B, 4th Floor, Unit 401, No. 1 and 2, Murphy Road,
Ulsoor Bangalore 560-008 India.
TEL. +91- 80-4650-9900 FAX. +91-80-4650-9908

Mongolia :

Sukhbaatar district 4khoroo 5-kharoolol Sain Neyen
khan Namnsuren Street 37 building No. 1, Mongolia-976
TEL. +976-7012-7778 FAX. +976-7012-7708

Okinawa :

4-10-1, Makiminato, Urasoe-shi, Okinawa, 901-2131, Japan
TEL. +81-98-878-4132 FAX. +81-98-878-4141

Tokyo :

1-1-6 Echizenya Bld. 7F, Kyobashi, Chuo-ku, Tokyo, 104-0031, Japan
TEL. +81-3-5205-6030 FAX. +81-3-5205-6035

Sapporo :

2-1-5 Regent Bld. 7F, Kita2-jonishi, Chuo-ku Sapporo-shi,
Hokkaido, 060-0002, Japan
TEL. +81-11-223-5678 FAX. +81-11-223-5680

Nago :

1-3-6, Agarie, Nago-shi, Okinawa, 905-0021, Japan
TEL. +81-980-51-0616 FAX. +81-980-51-0628

Naha :

2-4-17 6F, Nishi, Naha-shi, Okinawa, 900-0036, Japan
TEL. +81-98-917-1309 FAX. +81-98-917-1164

Osaka Factory :

1-40-1, Hoshidakita, Katano-shi, Osaka, 576-0017, Japan
TEL. +81-72-893-2290 FAX. +81-72-893-8007



C USA

The system has been tested and certified by WQA according to NSF/ANSI 42 for the reduction of chlorine and particulate class III, NSF/ANSI 372 for low lead compliance and CSA B483.1 NSF/ANSI 18 for Food Equipment
See performance data sheet for specific performance data.

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received, including interference that may cause undesired operation.

This device complies with Industry Canada's licence-exempt RSSs.
Operation is subject to the following two conditions:
(1) This device may not cause interference; and
(2) This device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil est conforme à la partie 15 des règles de la FCC.
Son fonctionnement est soumis aux deux conditions suivantes:
(1) Ce dispositif ne doit pas causer d'interférences nuisibles et
(2) Cet appareil doit accepter toute interférence reçue, y compris les interférences qui peuvent causer un mauvais fonctionnement.

Cet appareil est conforme aux RSS exempts de licence d'Industrie Canada.
Son fonctionnement est soumis aux deux conditions suivantes:
(1) Ce dispositif ne peut causer des interférences; et
(2) Ce dispositif doit accepter toute interférence, y compris les interférences qui peuvent causer un mauvais fonctionnement de l'appareil.



C USA

Brand Name : Leveluk KANGEN8

Model Number : A26-00
Rated Service Flow : 1.1 gallons/minute
Operating Pressure : Minimum 9 PSI 65 PSI is maximum.
Operating Temperature :
Minimum operating Temp 40 Maximum is 95 degrees F (35 degrees C)

This system has been tested according to NSF/ANSI 42 for reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI 42. While testing was performed under standard laboratory conditions, actual performance may vary.

This system has been tested and certified by WQA according to NSF/ANSI 42 for the reduction of chlorine, taste and odor; and particulate class III, NSF/ANSI 372 for low lead compliance, and CSA B483.1, NSF/ANSI 18 for Food Equipment

| Substance | Influence Challenge Concentration | Reduction Requirement | Average % Reduction |
|--|-----------------------------------|-----------------------|---------------------|
| Chlorine, Taste and Odor | 2.0 mg/L ± 10% | ≥50% | 98.9% |
| Particulate, Class III particles 5 to <15 µm | at least 10,000 particles/ml | ≥85% | 97.1% |

For use with cold water only.
Do not use with water that is microbiologically unsafe or unknown quality without adequate disinfection before or after the system.

Replacement Components
Replacement filter : Replacement Filter F8
Electrical Requirements
USA 120V 60Hz grounded outlet
Europe 220-240V 50-60Hz grounded outlet

Enagic USA
4115 Spencer Street
Torrance, CA 90503

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CAN ICES-3 (B)/NMB-3(B)