


TRANSMITTER – EMW301T USER INSTRUCTION

A. Features

1. Easy and simple to use.
2. Controls up to 5 channels ((1ON, 1OFF... ..5ON, 5OFF); and each channel can command more than one receiver.
3. The “ALL OFF” and “ALL ON” buttons command all connected appliances with one single operation.
4. Blinking blue LED indicates signal transmission status.

B. Diagram & Descriptions



No.	Description	Function
i	Blue indicator	The blue indicator blinks to indicate signal transmission status.
ii	1OFF, 1ON	Switch on and off the appliances connected to channel 1 receiver EMW300R
iii	2OFF, 2ON	Switch on and off the appliances connected to channel 2 receiver EMW300R
iv	3OFF, 3ON	Switch on and off the appliances connected to channel 3 receiver EMW300R
v	4OFF, 4ON	Switch on and off the appliances connected to channel 4 receiver EMW300R
vi	5OFF, 5ON	Switch on and off the appliances connected to channel 5 receiver EMW300R
vii	ALL OFF ALL ON	Switches off all connected appliances. Switches on all connected appliances.

C. Operation

1. Configure

Hold the “ON/OFF Learning Code” button on the receiver until the blue LED “Indicator” blinks. Then press any one of the five “OFF” buttons until the blue LED “Indicator” goes off. The receiver is trained to respond to the corresponding channel.

Remark: Each transmitter EMW301T controls up to 5 channels. Each channel can command as many receivers as desired.

2. Control

Press the “ON” or “OFF” button to switch on or off the appliance connected to the receiver trained to the corresponding channel.

3. Group Control

Press the “ALL OFF” or “ALL ON” button to switch off or on all appliances irrespective of the individual channel.

D. Caution:

Federal Communications Commission (FCC) Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generate, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user’s authority to operate this equipment.

RF exposure warning

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

Industry Canada (IC)

CAN ICES-3 (B)/NMB-3(B)

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Cet appareil est conforme à la norme RSS d'Industrie Canada. Son fonctionnement est sujet aux deux conditions suivantes:

- (1) le dispositif ne doit pas produire de brouillage préjudiciable, et
- (2) le dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

IMPORTANT NOTE:

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé.

Warning:

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

Avertissement :

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante

E. Specifications

1. Battery : CR2032L
2. Frequency : 433.92 MHz
3. Distance : 50 meters max. (in the open air)

F. Holder

Manufactory: Everflourish Electrical Co., Ltd.

Adress:Renjiu Village, Wuxiang Town, Yinzhou Ningbo 315111 P.R. China