

## **Radio Specific Safety Information**

### **Identification**

GoBook® MR-1 (IX750)

### **Disclaimer**

This document is printed in the U.S.A. GD-Itronix Corporation reserves the right to revise the manual and make periodic changes to the content without a direct or inferred obligation to GD-Itronix to notify any person of such revision or changes. GD-Itronix Corporation does not assume responsibility for the use of this help manual, nor for any patent infringements or other rights or third parties who may use the manual.

### **Trademark and Patent Notice**

Itronix is a registered trademark of GD-Itronix Corporation.  
Microsoft, MS Windows, and MS-DOS are registered trademarks of Microsoft Corporation.

### **Warnings and Cautions**

**WARNING** It is important that only authorized personnel service and attempt repairs on the equipment. Unauthorized service or repair may void the warranty and any maintenance contract in effect for the equipment. Unauthorized service personnel might be subject to shock hazard on some equipment if removal of protective covers is attempted.

Internal radio(s) may have an individual FCC Identifier which are not applicable to this configuration. Only the FCC Identifiers: KBCIX-EYXFDC, KBCIX-MC5725, KBCIX-WL3945, KBC-MC8775 as shown on the label located on the bottom of the IX750 Laptop PC are applicable. The Radios in the IX750 Laptop PC must not be co-located or operating in conjunction with any other antenna or transmitter than specified in the above referenced FCC Certification filings .

### **Safety Information**

This device may contain a PAN radio transmitter . To comply with FCC RF exposure requirements when using the when using the PAN transmitter, a minimum separation distance of 20 cm must be maintained between the right and left edges of the display screen and all users/bystanders. The PAN transmitter should be turned off before carrying the Laptop PC in order to comply with FCC RF exposure requirements.

This device may contain a WANradio transmitter . To comply with FCC RF exposure requirements when using the when using the WAN transmitter, a minimum separation distance of 20 cm must be maintained between the right and left edges of the display screen and all users/bystanders. The WAN transmitter should be turned off before carrying the Laptop PC in order to comply with FCC RF exposure requirements

This device may contain a WLAN radio transmitter . To comply with FCC RF exposure requirements when using the when using the WLAN transmitter, a minimum separation distance of 20 cm must be maintained between the right and left edges of the display screen and all users/bystanders. The WLAN transmitter should be turned off before carrying the Laptop PC in order to comply with FCC RF exposure requirements

Do not proceed beyond a **WARNING** or **CAUTION** until the indicated conditions are fully understood and met.