D301 USB Quick Start Guide
open size : 95 x 380mm
folded size : 95 x 120mm
80/100 artpaper / 2 side print black / folded

Back side

Manual folded | cover

P.1 P.2
P.4

Getting started

Preparation

DON'T connect your D301 to your computer until the installation wizard instructs you to do so.

Make sure you insert your SIM or (U)SIM into D301 in the correct direction

1

Installing "mobile PhoneTools" (mPT)

Start the installation wizard
To install mPT, insert the installation CD contained in the package into your computer's CD-ROM. An installation wizard will starts automatically.
If the installation wizard fails to start automatically, do the following.
1. Explore your D301 CD
2. Find the start.exe file in the CD content. Run this start.exe file to start the installation.

Install "mobile PhoneTools"
Select [Install "mobile PhoneTools"] selection in the wizard to start mPT installation. The wizard will then guide you step-by-step through out the installation .
When you see the below window prompt up. Please connnect your D301 device to your computer.

Once you have connected your D301, installation wizard will start to detect the device. Once it were detected. Installation will continue until completion.
If it fail to detect the device, please try to disconnect and reconnect the D301 device.

2

Launch your mPT "mobile PhoneTools"
Once you have installed the D301 mPT program, you can launch it from your computer's start menu or the desktop mPT icon.

Now you could enjoy the access of mPT services :
- Send and receive e-mail
- SMS messaging,
- Get (U)SIM information
- Launch an Internet session
- Use the right hand side menu-bar to access more services.

Operator Name

(No signal : no bar)
(1-2 bars : Orange color)
(3-5 bars : Green color)

"Online" indicate data connection established
"Offline" indicate data connection not established

Connected time

Total data received and sent

Uplink speed

Red - Device is not detected
Blue : Device is detected

Number of unread SMS
Click here to open SMS inbox

Downlink speed

Click to connect or disconnect the dial-up

3

Menu bar

E-mail

Send message

(U)SIM information

Help

Menu

Send	Send Short Message
	Outbox
Receive	Inbox
	Retrieve SMS
Setup	General Setup
	Live Update
	Live Update Configuration
	PIN Code Modification
	Activate PIN Code
	Change Operator
	Band Selection
	SMS Configuration
	Internet Connections
View	Internet Connections Log
	Device Information
Help	Help Topics
	About mobile Phone Tools
Exit	

4

Front side

Uninstalling mobile PhoneTools
1. In the Windows taskbar, click the Start menu and select Control Panel. Double-click the "Add or Remove programs" option.
2. Highlight the mobile PhoneTools program and then , depending on your OS, click on the Modify/Delete or Change/Remove button to remove mPT program.

LED Indication in USB Modem hardware

Color	Status	Description
None	LED off	No power supply to device
Green	Always ON	Searching network, or waiting PIN input
	Slowly flashing	Clamping on EDGE/GPRS/GSM network, but still not access data service
	Rapidly flashing	Accessing data service under EDGE/GPRS/GSM
Blue	Slowly flashing	Clamping on 3G/3.5G network but still not access data service
	Rapidly flashing	Accessing data service under 3G/3.5G (UMTS / HSPDA)
Red	Always ON	No SIM
	Rapidly flashing	SIM error or other errors

5

European Union

CE 0682

United States of America
Declaration of Conformity for Products Marked with the FCC Logo
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
For questions regarding your product or this FCC declaration, contact:
Giant International Ltd.
3500 Lenox Road, Suite 630
Atlanta GA 30326
Office : +1 678 904 6077 ; Fax : +1 678 904 6030
Email : mdegroot@giantintl.com

To identify this product, refer to the Part, Series, or Model number found on the product.

Modification statement
The FCC requires the user to be notified that any changes or modifications made to this device that are not expressly approved by Giant Electronics Limited may void the user's authority to operate the equipment.

Classs B digital devices regulary notice
This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by 1 or more of the following measures:
- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio or television technician for help

Wireless notice
This product emits radio frequency energy but it has been tested for FCC RF for body SAR compliance with the provided USB cable for use close to the body, While there may be differences between the SAR levels of various devices and at various positions, they all meet the government requirement for RF exposure provided that it is used with a USB cable that ensures a minimum distance of 1.5 cm from the human body. Use of other accessories may not ensure compliance with FCC RF exposure guidelines.

The product must be installed to provide a separation distance of at least 1.5 cm from all the persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

Nevertheless, the device should be used in such a manner that the potential for human contact with the antenna during normal operation is minimized.

KEM-PK26405
Eng

TRAVELLER

3.5G
(HSDPA)
USB
MODEM

D301
Quick Start Guide