TomTom Wireless GPS Mkll Specification & Guide



Copyright ©2005 TomTom B.V. All rights reserved.

TomTom® is a registered trademark of Palmtop B.V., The Netherlands.

BLUETOOTH is a trademark owned by Bluetooth SIG, Inc., U.S.A. and licensed to TomTom B.V.

The information in this document is subject to change without notice. TomTom B.V. shall not be liable for technical or editorial errors or omissions contained herein; not for incidental or consequential damages resulting from the performance or use of this material. This document contains information protected by copyright. No part of this document may be photocopied or reproduced in any form without prior written consent from TomTom B.V.

Edition: Draft 04

! Important Regulatory Information

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Notice: Any changes or modification not expressly approved by the party responsible could void the user's authority to operate the device.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada

TomTom Wireless GPS Mkll Specification & Guide



Important Safety Notices and Warnings

Global Positioning System

The Global Positioning System (GPS) is a satellite-based system that provides location and timing information around the globe. GPS is operated and controlled under the sole responsibility of the Government of the United States of America, who are responsible for its availability and accuracy. Any changes in GPS availability and accuracy may impact the operation of your GPS receiver. Environmental conditions will affect the operation of your GPS receiver. TomTom B.V. cannot accept any liability for the availability and accuracy of GPS.

Use With Care

Use of a GPS receiver for navigation does not by any means substitute for the need to drive with due care and attention.

Aircraft and Hospitals

Use of devices with an antenna is prohibited on most aircraft, in many hospitals and in many other locations. The TomTom Wireless GPS receiver must not be used in these environments.

Heat Reflective Shields

Newer model vehicles may have a heat reflective shield embedded in the windshield preventing proper GPS signal reception if the receiver is placed behind the windshield. To enable proper reception:

(a) Place the receiver in a different position, or

(b) Place the receiver behind the rear view mirror, where many vehicles have an opening in the heat reflective shield, indicated by a black outline

Battery

This product uses a Lithium-Ion battery. Please charge the battery fully before first use. Refer to operational temperature ranges in the specification appendix. Operation in low (below 0°C/32°F) or high (over 45°C/110°F) temperatures will affect power supply efficiency and the ability to charge the battery. All Lithium-Ion batteries will experience power supply efficiency deterioration over time, even if not used, and have a limited life expectancy. Permanently powering the battery will reduce life expectancy. Do not continue recharging the battery if it does not recharge within the specified time. Do not pierce, open or disassemble the battery. Do not swallow the battery. If the battery leaks and you come into contact with the leaked fluids, rinse thoroughly with water and seek medical attention immediately.

Do not use your product in a humid, wet and/or corrosive environment. Do not put, store or leave your product in or near a heat source; in a high temperature location; in strong direct sunlight; in a microwave oven; in a pressurized container, and do not expose it to temperatures over 60°C (140°F). Failure to follow these guidelines may cause the Lithium-Ion battery to leak acid; become hot; explode; or ignite and cause injury and/or damage.

THE LITHIUM-ION BATTERY CONTAINED IN THE PRODUCT MUST BE RECYCLED OR DISPOSED OF PROPERLY. USE ONLY WITH SUPPLIED CHARGER(s) AND SUPPLIED AC ADAPTOR FOR BATTERY CHARGING.

Installation, Use & Maintenance

Do not attempt to service this product yourself. Do not open, puncture or disassemble the product.

Ensure that the GPS receiver has an unobstructed view of the sky. Protect your product from excessive heat (see previous paragraph), extreme cold (see previous paragraph), dust, liquids and direct sunlight. Do not use in a humid environment. Do not use the product on an unstable surface. When using the product in a mobile environment always fasten the product to prevent accidental movement of it. Handle all parts, cables and connectors with care. Only use supplied and suggested accessories and power supplies. Ensure that any power supply and/or AC adapter is cooled by placing it in a ventilated area. The power supply and/or AC adapter and the receiver unit may become warm or hot during operation. Unplug the product from any external power source before cleaning. Only clean the product with a dry cloth. Follow the instructions in this manual carefully.



TomTom Wireless GPS MkII Specification & Guide

Operation

| User interface | On/Off button | Press & hold for 1s to switch on/off Press & hold for 3s to perform reset |
|---------------------------|---|--|
| | Green LED GPS Status | Solid on: Acquiring GPS Fix Flashing Green: Has GPS Fix |
| | Red/Amber LED Power Status | Solid Red: Battery Low Solid Amber: Battery charging |
| Bluetooth connection | Please refer to the Bluetooth connection setup instructions in the documentation that comes with your PDA, Smartphone or laptop. You will need to set up a Serial Port connection between the GPS receiver and your device. The GPS receiver will appear to your device as the "TomTom Wireless GPS MkII" and its GPS signal will be output on its "GPS serial output". To ensure ease of use, create a Bluetooth bond between your device and the GPS receiver. The pairing code is 0000. Please check specific device setup information on our support pages at www.tomtom.com. | |
| Configuring your software | After setting up the Bluetooth connection, you will need to modify the properties of the software on your PDA, Smartphone or laptop to use the GPS signal from the GPS receiver. Please refer to the documentation of your device, and of your software. Choose the NMEA protocol. | |

Specification

| Mechanical | Size | 87.8 x 43.0 x 15.1 mm |
|---------------|-------------------------|---|
| | Weight | 68g |
| Power | Battery | 1200mAh Lithium Ion built-in cell |
| | Battery life | 10hours typical use |
| | Charge time | Less than 4 hours |
| | Charging | From CLA (cigarette lighter adaptor or AC Adaptor |
| GPS | Chipset | SiRF Star III |
| | Frequency | L1, 1575.42MHz |
| | C/A Code | 1.023 MHz Chip Rate |
| | Channels | 20 channel all-in-view tracking |
| | Tracking sensitivity | -159dBm |
| | Update rate | 1Hz |
| | Cold start | <1 minute typical |
| | Warm start | <30 seconds typical |
| | Hot start | <10 seconds typical |
| | Reacquisition time | <1 second from max 30second blockage |
| | Datum | WGS-84 |
| | Protocol | NMEA 0183 Version 2.2 |
| | Antenna | Built-in omnidirectional antenna |
| Bluetooth | Profile | Serial Port Profile (SPP) |
| | Class | Class II Version 1.2 |
| | Default PIN | 0000 |
| Environmental | Storage Temperature | -20 to +70 degrees Celsius |
| | Operating Temperature | -10 to +60 degrees Celsius |
| | Humidity | Up to 75% non-condensing |
| | Drop | 2m onto concrete |
| | Fluid & Dust Protection | IP54 |