

# Harness Strap Replacement Instructions


**Do not use this car seat until you read and understand these instructions!  
Incorrect usage can mean serious injury or death to a child in a sudden stop or accident!**

If you need help, please call 1-800-837-4044


## \* Remove Current Harness Straps:

### 1 Loosen harness straps:

- Lift Adjuster Lever on lower front of car seat.
- Pull harness straps.




### 2 Remove harness strap loops from Splitter Plate.




### 3 Pull harness straps out of current slots.

### 4 Remove harness tie from harness straps.




### 5 Push red button on lower front of car seat to unbuckle latch tongue.



### 6 Cut harness strap close to shield.

**NOTE:** Do not attempt to remove metal anchor inside shield. Loose metal anchor may remain inside shield.


Throw harness strap away.




## \* Install New Harness Straps:

### 1 With both harness straps towards car seat and short strap towards you:


- Insert anchor into slot in bottom of shield exactly as shown.
- Pull harness strap to check that anchor does not come out.



### 2 Buckle latch tongue into opening.




### 3 Thread right harness strap through right side of harness tie (child's right).



### 4 Thread harness straps through desired slots of seat pad and car seat shell.

#### IMPORTANT:

- For rear-facing infants, **bottom** or **middle** slots, which are at or just below shoulders, must be used.
- For forward-facing toddlers, **top** slots must be used.




### 5 Slide loop on end of each harness strap onto Splitter Plate.



### 6 Make sure Splitter Plate Strap passes between recliner stand and car seat shell (see arrow).


**NOTE:** Splitter Plate Strap must not be twisted.



# HEIGHT & WEIGHT LIMITS

## *Rear-facing: Birth to 22 lbs. (10 kg)*

- Infants from birth to 20 lbs. (9.1 kg) **MUST** be *rear-facing*.
- Infants or toddlers 20 to 22 lbs. (9.1 to 10 kg) may be *rear-facing*.



## *Forward-facing: 20 to 40 lbs. (9.1 to 18.1 kg)*

- Toddlers 20 to 22 lbs. (9.1 to 10 kg) who are capable of sitting upright unassisted may be forward-facing ★. If unable to sit unassisted, use *rear-facing*.
- Toddlers 22 to 40 lbs. (10 to 18.1 kg) and up to 40 inches (101.6 cm) tall **MUST** be forward-facing.

★ The American Academy of Pediatrics recommends that children should be at least one year of age before being positioned forward facing.

## Preterm or Low Birth Weight Infants

A preterm infant or low birth weight infant may be at special risk in a vehicle or aircraft.

According to the American Academy of Pediatrics, these infants may suffer breathing difficulties if improperly reclined in a car seat.

Century advises that you have your physician or hospital staff evaluate your infant and recommend the proper car seat or car bed **before** you and your infant leave the hospital.

## Outgrowing Car Seat

### ⚠ WARNING

Prevent serious injury or death:

- Top of child's ears must be below top edge of car seat.
- Child's shoulders **MUST** not be above top harness slots.