

Ultra® Electric Sprayers Graco's Complete Line of High-Performance Professional Electric Sprayers.







Product Choices



370

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex

TYPICAL JOBS

New residential construction, residential remodel, residential repaint, decks, fences, and trim

TIP SIZE

Up to 0.20"

TYPICAL USAGE

Spray 1,000 gallons/year



Ultra 395

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex

TYPICAL JOBS

New residential construction, residential remodel, residential repaint, decks, fences, and trim

TIP SIZE

Up to 0.21"

TYPICAL USAGE

Spray 2-5 times/week, 1,250 gallons/year



Ultra 495

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex, and heavier bodied latex

TYPICAL JOBS

Residential up to light commercial interior and exterior jobs

TIP SIZE

Up to 0.23"

TYPICAL USAGE

Spray daily, 1,500 gallons/year



Ultra 595

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex, and heavier bodied latex

TYPICAL JOBS

Residential up to light commercial interior and exterior jobs

TIP SIZE

Up to 0.26"

TYPICAL USAGE

Spray daily, 1,500 gallons/year The complete line of electric sprayers from Graco offers you a wide selection of product guaranteed to deliver the perfect spraying solution. Whether you are starting out, expanding your business or looking to add a portable workhorse to your fleet, Graco has a professional and reliable sprayer right for you! Use the chart on the left to find the sprayer best suited for your jobs.

Only Graco delivers the best in high-performance airless equipment, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to meet the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

Graco G4 Program

We Stand Behind the Quality Built Into Every Machine we Produce!



Proven Quality

- Consistent improvements on cutting-edge technology to keep you ahead of the business.
- 100% tested to guarantee Graco quality inside and out.

Maximum Performance

- Our electrics line features larger tip support and higher spraying pressures.
- Maximum output produces optimal results on every job.

Longest Warranty

- Entire electrics line features products so reliable you may never need the outstanding protection of our warranty.
- All products qualify for the exclusive Endurance Advantage Program.

Unmatched Productivity

- Full line features the proven Endurance Pump for fast swap out on the job.
- Technology and features on all machines make your jobs easier and faster than ever





390



	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)	
390	248800	.020"	0.43 (1.6)	3300 (227)	
	Company complete with Contractor TVM I Our DAOR V F1F tip and guard				

Comes complete with: Contractor $^{\mathsf{m}}$ FTx $^{\mathsf{m}}$ II Gun, RAC $^{\mathsf{m}}$ X 515 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max $^{\mathsf{m}}$ 3300 psi (227 bar) hose.

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max™ Packings, Chromex Rod and Hardened Stainless Steel Cylinder.
- Patented Graco Design.
- Wrench Access Inlet Valve.

Consistent Pressure Control

- Delivers Strong Spray Pattern with Minimum Fluctuation.
- Designed for Long Life.
- Simple Mechanical Design.

Dependable Drive Train

- Lifetime Lubricated Gears.
- Maintenance-Free.
- Lifetime Warranty.

Reliable DC Motor

- Run Long Extension Cords.
- Quiet Operation.
- Good Performance Under Jobsite Conditions.
- Lifetime Warranty.

Swivel Inlet Hose

- All Metal Swiveling Connection.
- No-Tools Access.
- Easy to Reach the Bucket.
- Heavy-Duty Prime Line is Flexible and Solvent Resistant.

Welded Steel Frame

- Chrome-Plated.
- Welded Cord Wrap.
- Big Cup Stores Inlet Tube to Prevent Drips.
- Straight Handle with Comfort Grip.

Ultra 395

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max Packings, Chromex Rod and Hardened Stainless Steel Cylinder.
- Patented Graco Design Used on All Professional Sprayers.
- Hammer Access Inlet Valve.

SmartControl™

• Electronic Pressure Control Delivers Most Consistent Spray Fan at All Pressures!

Easy-Out[™], Full Flow Pump Filter

- Filtering Reduces Tip Clogs and Improves Finish.
- Easy-Out Filter Comes Out With Cap for Less Mess.
 - Flushes Quickly.

Swivel Inlet Hose

- All Metal Swiveling Connection.
- No-Tools Access.
- Easy to Reach the Bucket.
- Heavy-Duty Prime Line is Flexible and Solvent Resistant.
- Stainless Steel Inlet and Prime Tubes are Designed for Long Life & Easy Reach.

TEFC DC Motor

- Totally Enclosed Design Protects Motor from Dirt and Dust Prolonging Motor Life.
- Run Longer Extension Cords.
- Runs Quietly.

Heavy Duty Cart

- 11/4" Welded Steel.
- Chrome Plated.
- Welded Steel Cord Wrap.
- Offset Handle with Comfort Grip.

Dependable Drive Train

- Lifetime Lubricated Gears.
- Maintenance-Free.
- Lifetime Warranty.



2	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
LTRA 39	Ultra 395 Stand 233960 Ultra 395 Lo-Boy 233961 Ultra 395 Hi-Boy 233962	.021″	0.45 (1.7)	3300 (227)
	Comes complete with: Contractor™ II Gun, RAC® X 517 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max™ 3300 psi (227 bar) hose.			



Ultra 495



LTRA 495	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)	
	Ultra 495 Stand 233966 Ultra 495 Lo-Boy 233967 Ultra 495 Hi-Boy 233968	.023"	0.54 (2.0)	3300 (227)	
	Compa complete with Contractor II Cup DAO® V 517 tip and guard				

Comes complete with: Contractor $^{\mathbb{M}}$ II Gun, RAC $^{\mathbb{G}}$ X 517 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max $^{\mathbb{M}}$ 3300 psi (227 bar) hose.

Heavy-Duty Inlet Tube and Prime Line

- No-Tools Access to Clean Tube or Clear Inlet Ball.
- All Metal Construction.
- Stainless Steel Prime Tube Reaches Buckets Easily and Stays Upright.

Sturdy Hi-Boy Cart

- Hose Rack.
- Retractable Handle.
- Pail Hook.
- Chrome Plated, Welded Steel.

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max Packings, Chromex Rod and Hardened Steel Cylinder.
- Patented Graco Design Used on All Professional Sprayers.
- Hammer Access Inlet Valve.

SmartControl[™]

• Electronic Pressure Control Delivers Most Consistent Spray Fan at All Pressures!

TEFC DC Motor

- Totally Enclosed Design Protects Motor from Dirt and Dust Prolonging Motor Life.
- Run Longer Extension Cords.
- Runs Quietly.

Easy-Out, Full Flow Pump Filter

- Filtering Reduces Tip Clogs and Improves Finish.
- Easy-Out Filter Comes Out With Cap.
- Flushes Quickly.

Heavy-Duty Inlet Tube and Prime Line

- No-Tools Access to Clean Tube or Clear Inlet Ball.
- All Metal Construction.
- Stainless Steel Prime Tube Reaches Buckets Easily and Stays Upright.

Sturdy Hi-Boy Cart

- Hose Rack.
- Retractable Handle.
- Pail Hook.
- Chrome Plated, Welded Steel.

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max Packings, Chromex Rod and Hardened Steel Cylinder.
 - Patented Graco Design.
 - Hammer Access Inlet Valve.

SmartControl™

• Electronic Pressure Control Delivers Most Consistent Spray Fan at All Pressures!

TEFC DC Motor

- Totally Enclosed Design Protects Motor from Dirt and Dust Prolonging Motor Life.
- Run Longer Extension Cords.
- · Runs Quietly.

Easy-Out, Full Flow Pump Filter

- Filtering Reduces Tip Clogs and Improves Finish.
- Easy-Out Filter Comes Out With Cap.
- · Flushes Quickly.

Ultra 595



5	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)	
LTRA 59	Ultra 595 Lo-Boy 234490 Ultra 595 Hi-Boy 234435	.026"	0.6 (2.3)	3300 (227)	
)	Comes complete with: Contractor™ II Gun, RAC® X 517 tip and guard,				



Specifications

Mary Injuly	Sprayer Specifications		390	Ultra 395	Ultra 495	Ultra 595
May paybox Mos gamilyon Substitution Substi						
More growingm I. AST I A. 4ST I 7 54C2 0 6C2.3 Weight burking I. 3073 & Geord) 42719 (stord) 42719 (stord) 2739.7 (re-Bury) More hip I. 58 58 34 89 More Editivision Cord I. Byte 300° of Min. 16 grope by 100° of Min. 16 grope by 100° of Min. 16 grope 340° of Min. 16 grope by 100° of Min. 16 grope 340° of Min. 16 grope by 100° of Min. 16 grope by 100° of Min. 16 grope 340° of Min. 16 grope by 100° of Min. 16 grope 340° of Min. 16 grope by 100° of Min. 16 grope 340° of Min. 16 grope </td <td>Max Tip</td> <td></td> <td>.020"</td> <td>.021"</td> <td>.023"</td> <td>.026"</td>	Max Tip		.020"	.021"	.023"	.026"
Motor Rp	Max psi/bar		3300/227	3300/227	3300/227	3300/227
Moor inp I. 5/8 5/8 5/8 5/8 34 34 40° </td <td>Max gpm/lpm</td> <td></td> <td>.43/1.6</td> <td>.45/1.7</td> <td>.54/2.0</td> <td>.6/2.3</td>	Max gpm/lpm		.43/1.6	.45/1.7	.54/2.0	.6/2.3
Mart Exernion Cord Surface Statement Cord. Surface Statement Statement Cord. Surface Statement Statement Cord. Surface Statement Sta	Weight Ibs/kg		30/13.6 (stand)	42/19 (stand)	43/19.5 (stand)	72/32.7 (Hi-Boy)
Sample Sample Sample Sample extension cord. Sample extension	Motor hp		5/8	5/8	3/4	8/9
Commercia Prequirements						
Countrology						
Mark SD (6.4mm x 15.2m) Mark SD (6.4mm x	Generator Requirements		3000W	3000W	3750W	4000W
14" x 50" (c.4mm x 15 2m)	Gun/Hoso/Tip Included		Contractor ETy II Airloss Gun	Contractor II Airloss Cun	Contractor II Airlage Cun	Contractor II Airloss Gun
Blue Max 3300psi (227 Bar) Blue Max 3300p	Gui/Hose/Tip Ilicidded				1/4" x 50' (6 4mm x 15 2m)	
Intel Strainer			Blue Max 3300psi (227 Bar)	Blue Max 3300psi (227 Bar)	Blue Max 3300psi (227 Bar)	Blue Max 3300psi (227 Bar)
Pump Filter Order Optional Filter Accessory - 249056 Includes Easy-Out" Pump Filter Includes Easy-Out Pump Filter Includes Easy-Out Pump Filter Includes Easy-Out Pump Filter Includes Easy-Out Pump Filter 246383 246383 246384 246384 246382 246382 246382 246382 246382 246383 246383 246383 246383 246383 246383 246383 246383 246383 24720.5 **29.5** 211*20.5 **29.5** <th< td=""><td></td><td></td><td>RAC X 515 Tip and Guard</td><td>RAC X 517 Tip and Guard</td><td>RAC X 517 Tip and Guard</td><td>RAC X 517 Tip and Guard</td></th<>			RAC X 515 Tip and Guard	RAC X 517 Tip and Guard	RAC X 517 Tip and Guard	RAC X 517 Tip and Guard
Ecsy-Out Filter Screens 30 Mesh 246425 246425 246425 246425 246384 246384 246384 246384 246382 246382 246382 246382 246383 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247920.5%21°* 247920.5%21°* 247920.5%21°* </td <td>Inlet Strainer</td> <td></td> <td>246385</td> <td>246385</td> <td>246385</td> <td>246385</td>	Inlet Strainer		246385	246385	246385	246385
Ecsy-Out Filter Screens 30 Mesh 246425 246425 246425 246425 246384 246384 246384 246384 246382 246382 246382 246382 246383 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247820.5%21°* 247920.5%21°* 247920.5%21°* 247920.5%21°* </td <td>D 511</td> <td></td> <td>0.1.0.1.1511.1.0.005(</td> <td>1 1 5 0 W D 5 W</td> <td>L L L E O IN D EIL</td> <td></td>	D 511		0.1.0.1.1511.1.0.005(1 1 5 0 W D 5 W	L L L E O IN D EIL	
Manuals Manu	Pump Filter		Order Optional Filter Accessory - 249056	Includes Easy-Out" Pump Filter	Includes Easy-Out" Pump Filter	Includes Easy-Out Pump Filter
Complete Pump Lover	Easy-Out Filter Screens	30 Mesh	246425	246425	246425	246425
No No No No No No No No						
Sproyer Dimensions Stond 16*X14*X17** 16*X14*X19** 16*X14*X19** NA Wear Parts Lo X4194 244194						
Hi NA 21"x20.5"x29.5" 21"x20.5" 21"x20		200 1110011				
NA 26"x20.5"x21" 24194	Sprayer Dimensions	Stand	16"x14"X17"	16"x14"x19"	16"x14"x19"	NA
Wear Parts 244194 244194 244194 244194 244194 244194 244194 244194 244194 244194 244194 244194 244194 244194 249125 249125 249125 249125 249125 249125 249125 249126 243176 243176 243176 243176 243176 243176 24428 2464		Hi	NA	21"x20.5"x29.5"	21"x20.5"x29.5"	21"x20.5"x29.5"
Packing Kit 244194 244176 243176 243176 243176 243176 243176 243176 243176 243176 243176 243176 243176 243176 24428 24428 <td></td> <td>Lo</td> <td>NA</td> <td>26"x20.5"x21"</td> <td>26"x20.5"x21"</td> <td>26"x20.5"x21"</td>		Lo	NA	26"x20.5"x21"	26"x20.5"x21"	26"x20.5"x21"
Packing Kit 244194 244176 243176 243176 243176 243176 243176 243176 243176 243176 243176 243176 243176 243176 24428 24428 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Rod 249125 249125 249125 249125 249125 249125 249125 249125 249125 249125 249126 249126 249127 246428	Wear Parts					
Cylinder 243176 243176 243176 243176 Complete Pump Lower 249127 246428 246428 246428 246428 Manuals Francisco Support of the pump Lower 310820 309665 309665 309665 309674 309674 309674 Pump 309250 309250 309639 309639 309639 309639 309639	Packing Kit		244194	244194	244194	244194
Complete Pump Lower 249127 246428 246428 246428 246428 246428 Manuals Soperation 310820 309665 309665 309665 309674 309674 309674 309674 309674 309250 309250 309250 309639	Rod		249125	249125	249125	249125
Manuals 310820 309665 309665 309674 309674 309674 Pump 309250 309250 309639 309639 309639 309639	Cylinder		243176	243176	243176	243176
Manuals 310820 309665 309665 309674 309674 309674 Pump 309250 309250 309639 309639 309639 309639	Complete Pump Lower		2/9127	246428	2/6/28	2/6/28
Operation 310820 309665 309665 309665 Repair 310824 309674 309674 309674 Pump 309250 309250 309250 309250 Gun 309639 309639 309639 309639	Complete Fullip Lowel			240420	240420	240420
Repair 310824 309674 309674 309674 Pump 309250 309250 309250 309250 Gun 309639 309639 309639 309639	Manuals					
Pump 309250 309250 309250 309250 Gun 309639 309639 309639 309639	Operation		310820	309665	309665	309665
Gun 309639 309639 309639 309639 309639	Repair		310824	309674	309674	309674
	Pump		309250	309250	309250	309250
Parts List 310876 309675 309675 309675	Gun		309639	309639	309639	309639
	Parts List		310876	309675	309675	309675

Graco delivers the best selling electric units and is still the worldwide leader in airless sprayers! Choose from our complete line of electric sprayers including the new 390.

Ultra®

The Best Selling Electric Units from the Worldwide Leader in Airless Sprayers!





"On my jobs I don't have time for mistakes. I buy Graco because I need to get the job done right the first time."

- John Mann -

J.P.Mann Commercial Painting Inc. Millorsville, PA





Accessories To Make The Job Easier

In the painting business you get what you pay for, and nothing adds more value to your sprayer than the right accessories. Graco's strength and reliability carries through to our full-range of performance enhancing accessories. From premium tips and guards to a wide-variety of guns and hoses, Graco gives you the tools you demand to make your business a success.

ACCESSORIES



287098 **Diaital Display**

> A simple-to-use and easy-to-install spray pressure display featuring the WatchDog Pump Protection System[™]. (fits Ultra 395/495/595 models only)

 $1\frac{1}{2}$ gallon (5.7 liter) capacity, lid included, attaches to pump without tools, ideal for spraying small amounts of material, portable with unit, smooth inside cleans up quickly. (fits 390, Ultra 395/495/595 models only)

390, Ultra 395/495/595 Pump Inlet Strainer

FILTERS

246388

246385

249056

390 Filter Accessory Kit

Includes: filter, housing, cap, filter (60 m) and mounting bracket

246425 246384

Ultra 395/495/595 Easy-Out Manifold Filter 30 mesh Ultra 395/494/595 Easy-Out Manifold Filter 60 mesh

Ultra 395/495/595 Easy-Out Manifold Filter 100 mesh 246382 Ultra 395/495/595 Easy-Out Manifold Filter 200 mesh 246383

GUNS



287037

287040

287042

287043

Contractor II Gun (2-finger) with RAC X Latex 517 System Contractor II Gun (4-finger) with RAC X Latex 517 System Contractor FTx II Gun (2-finger) with RAC X Latex 515 System Contractor FTx II Gun (4-finger) with RAC X Latex 515 System Silver Plus™ Gun with RAC X Latex 517 System

246468 Flex Plus™ Gun with RAC X Latex 517 System







1/4 in x 50 ft (6.4 mm x 15.2 m) 3300 psi (227 bar) Blue Max™ Airless Hose and 3 ft (0.9 m) Whip Hose. 287036

Contractor II Gun Hose Kit

Contractor II Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15.2 m) Airless Hose

Contractor FTx II Gun Hose Kit — 515 Tip

287095 Flex Plus Gun Hose Kit 287041 Silver Plus Gun Hose Kit

Silver Plus Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15.2 m) Airless Hose

Silver Plus Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15.2 m) Airless Hose 3600 psi (248 bar)

AIRLESS HOSE

238358 240793 240794 3 ft x 3/16 in, Blue Max 3300 psi Whip Hose (1/4" m x 1/4" f Fittings)

1/4 in x 25 ft Blue Max 3300 psi Hose (1/4" FBE)

1/4 in x 50 ft Blue Max 3300 psi Hose (1/4" FBE)



RAC X™ System!

Exceptional Life, Pattern, and Finish.

For General Purpose Spraying of Water and Solvent-Based Coatings.

RAC X Latex Series Tips

LTX-XXX Blue (Odd #)

- Longest Life Fan on the Market.
- Optimized for Interior and Exterior Latex Paints.



WR-XXXX Blue (Odd #)

- 24 in (61 cm) Spray Fans.
- For Interior and Exterior Latex Paints and Primers.
- Complete Jobs in Half the Time.
- For High Production on Large Open Spray Jobs.

RAC X Fine Finish Series Tips

FFT-XXX Green (Even #)

- Pre-Orifice Design for Optimal Finish Quality.
- Spray at Lower Pressures than Standard Tips and FF5's.
- Superior Atomization.
- · For the Highest Quality on Fine Finish.

Note: Use RAC X tips only with RAC X guards. Not interchangeable with RAC 5 tips and guards.

RAC X Guards

246215 for 7/8 in (22 mm) thread size **246437** for 11/16 in (17 mm) thread size

- Simple, No-Hassle HandTite[™] Seal.
 - Quickly Change from Vertical to Horizontal Spray Pattern Without Loosening the Nut.
- Fits All RAC X Tips.



Graco understands — when your sprayer goes down so does your job. That's why we create programs and products to support you.



Endurance Advantage Program

Purchase a Graco 390, Ultra 395, 495, or 595 and you can purchase an Endurance Pump for **up to 85**% **off** of list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a free Repair Kit instead.

With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer.

WARRANTY

Lifetime Motor Warranty

If the Motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

Lifetime Drive Warranty

If the Drive Train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

3-Year Warranty

Coverage against defects in materials and workmanship on the entire sprayer.

30-Day "Just Add Paint" Replacement Guarantee

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an extra cost.

Downtime Eliminator Program

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CST.



"My Graco sprayer makes my jobs easier. From large to small jobs Graco has the quality and performance to deliver professional results. I always heard Graco products were best, and now that I own them -I agree!"

- Randy Dudley -

Randy's Painting LLC, Orange Crossroads, AL



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology which set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO HEADQUARTERS

AMERICAS

MINNESOTA Worldwide Headquarters Graco, Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

MAILING ADDRESS P.O. Box 1441 Minneapolis, MN 55413-1441 Tel: 612.623.6000 Fax: 612.623.6777

EUROPE

BFI GIUM European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32.89.770.700 Fax: 32.89.770.777

ASIA PACIFIC

JAPAN Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81.45.593.7300 Fax: 81.45.593.7301

ASIA PACIFIC

CHINA Graco Hong Kong Ltd. Representative Office Room 118 1st Floor No.2 Xin Yuan Building No.509 Cao Bao Road Shanghai, P.R. China 200233 Tel: 86.21.649.50088 Fax: 86.21.649.50077

KOREA Graco Korea Inc. Choheung Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-Si, Gyunggi-Do, Korea 431-060 Tel: 82(Korea).31.476.9400 Fax: 82(Koreá).31.476.9801

SALES/DISTRIBUTION/SERVICE

North America 800-690-2894 FAX 800-334-6955 WWW.GRACO.COM

GRACO INC. P.O. Box 1441 Minneapolis, MN 55440-1441

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.



