


Plastics made perfect



Validation and optimization of plastic parts

Innovative plastic resins and functional plastic part designs are on the rise in almost every industry. Plastics and fiber-filled composites answer growing pressures to reduce costs and cut time to market. The need for simulation tools that provide deep insight into the plastic injection molding process has never been greater.

Contents

Validation and optimization of plastic parts	.2
Part layout simulation	.3
Injection molding process simulation	.4
CAD interoperability and meshing	.6
Results evaluation and productivity tools	.7
Feature comparison	.8

The standard for plastic mold analysis


Autodesk® Moldflow® plastic injection molding simulation software, part of the Autodesk® solution for Digital Prototyping, provides tools that help manufacturers predict, optimize, and validate the design of plastic parts, injection molds, and molding processes. Companies worldwide use Autodesk® Moldflow® Adviser and Autodesk® Moldflow® Insight software to help reduce the need for costly physical prototypes, reduce potential manufacturing defects, and get innovative products to market faster.

Autodesk Moldflow product line

Autodesk is dedicated to providing a wide range of injection molding simulation tools to help CAE analysts, designers, engineers, mold makers, and molding professionals create more accurate digital prototypes and bring better products to market at less cost.

Autodesk Moldflow Flex

The extended solving options of Autodesk® Moldflow® Flex software allows you to simulate locally or in the cloud, depending on your needs. If you are testing the setup of an analysis, use your local machine to iterate and optimize. When you are ready to initiate a longer, more computationally intensive simulation, use the power of the cloud, saving local resources for



Part layout simulation

Validate and optimize plastic parts, injection molds, resin selection, and the injection molding process

Plastic flow simulation


Simulate the flow of melted plastic to help optimize plastic part and injection mold designs, reduce potential part defects, and improve the molding process.

Part defects


Determine potential part defects such as weld lines, air traps, and sink marks, then rework designs to help avoid these problems.

Thermoplastic filling

Simulate the filling phase of the thermoplastic injection molding process to help predict the flow of melted plastic and fill mold cavities uniformly; avoid short shots; and eliminate, minimize, or reposition weld lines and air traps.



Thermoplastic packing Optimize packing profiles and visualize magnitude and distribution of volumetric shrinkage to help minimize plastic part warpage and reduce defects such as sink marks.



Feed system simulation

Model and optimize hot and cold runner systems and gating configurations. Improve part surfaces, minimize part warpage, and reduce cycle times.

Gate location

Identify up to 10 gate locations simultaneously. Minimize injection pressure and exclude specific areas when determining gate location.

Runner design wizard

Create feed systems based on inputs for layout, size, and type of components, such as sprues, runners, and gates.

Balancing runners

Balance runner systems of single-cavity, multicavity, and family mold layouts so parts fill simultaneously, reducing stress levels and volume of material.

Hot runner systems

Model hot runner system components and set up sequential valve gates to help eliminate weld lines and control the packing phase.



Injection molding process simulation

Mold cooling simulation

Improve cooling system efficiency, minimize part warpage, achieve smooth surfaces, and reduce cycle times.

Cooling component modeling
Analyze a mold's cooling system efficiency.
Model cooling circuits, baffles, bubblers, heating elements, and mold inserts and bases.

Cooling system analysis

Optimize mold and cooling circuit designs to help achieve uniform part cooling, minimize cycle times, reduce part warpage, and decrease manufacturing costs. Capture advanced cooling techniques and layouts, such as conformal cooling, induction heating, as well as transient heat calculations.

Rapid heat cycle molding

Set up variable mold surface temperature profiles to maintain warmer temperatures during filling to achieve smooth surfaces; reduce temperatures in the packing and cooling phases to help freeze parts and decrease cycle times.


Shrinkage and warpage simulation Evaluate plastic part and injection mold designs to help control shrinkage and warpage.


Shrinkage

Meet part tolerances by predicting part shrinkage based on processing parameters and gradespecific material data.

Warpage

Predict warpage resulting from process-induced stresses. Identify where warpage might occur and optimize part mold design, material choice, and processing parameters to help control part deformation.





Core shift control

Minimize the movement of mold cores by deter-mining ideal processing conditions for injection pressure, packing profile, and gate locations.

Fiber orientation and breakage Control fiber orientation within plastics to help reduce part shrinkage and warpage across the molded part.

CAE data exchange

Validate and optimize plastic part designs using tools to exchange data with mechanical simulation software. CAE data exchange is available with Autodesk® Simulation Mechanical and Autodesk® Nastran® software, as well as ANSYS®, and Abaqus® software to predict the real-life behavior of plastic parts by using as-manufactured material properties.

Injection molding process simulation

Thermoset flow simulation

Simulate thermoset injection molding, RIM/SRIM, resin transfer molding, and rubber compound injection molding.

Reactive injection molding


Predict how molds will fill with or without fiberreinforced preforms. Help avoid short shots due to pregelation of resin, and identify air traps and problematic weld lines. Balance runner systems, select molding machine size, and evaluate thermoset materials.

Microchip encapsulation

Simulate encapsulation of semiconductor chips with reactive resins and the interconnectivity of electrical chips. Predict bonding wire deformation within the cavity and shifting of the lead frame due to pressure imbalances.

Underfill encapsulation

Simulate flip-chip encapsulation to predict material flow in the cavity between the chip and the substrate.




Specialized simulation tools

Solve design challenges with simulation.

Insert overmolding

Run an insert overmolding simulation to help determine the impact of mold inserts on melt flow, cooling rate, and part warpage.



Two-shot sequential overmolding Simulate the two-shot sequential overmolding process: one part is filled; the tool opens and indexes to a new position; and a second part is molded over the first.

Birefringence

Predict optical performance of an injectionmolded plastic part by evaluating refractive index changes that result from process-induced stresses. Evaluate multiple materials, processing conditions, and gate and runner designs to help control birefringence in the part.

MuCell®

MuCell® (from Trexel, Inc.) simulation results include filling pattern, injection pressure, and cell size. These are all critical factors in optimizing a given part for the process, as well as the process itself.

Specialized molding processes


Simulate a wide range of plastic injection molding processes and specialized process applications.

Gas-assisted injection molding

Determine where to position polymer and gas entrances, how much plastic to inject prior to gas injection, and how to optimize size and placement of gas channels.

Co-injection molding

Visualize the advancement of skin and core materials in the cavity and view the dynamic relationship between the two materials as filling progresses. Optimize material combinations while maximizing the product's cost-performance ratio.



Injection-compression molding
Simulate simultaneous or sequential polymer injection and mold compression. Evaluate material candidates, part and mold design, and processing conditions.

CAD interoperability and meshing

Use tools for native CAD model translation and optimization. Autodesk Moldflow provides geometry support for thin-walled parts and thick and solid applications. Select mesh type based on desired simulation accuracy and solution time.

CAD solid models

Import and mesh solid geometry from Parasolid®-based CAD systems, Autodesk® Inventor® and Autodesk® Alias® software, CATIA® V5, Creo® Parametric, Pro/ENGINEER®, Siemens® NX®, Rhino®, and SolidWorks® software, as well as ACIS®, IGES, and STEP universal files.

Autodesk SimStudio Tools

Quickly simplify and edit your geometry for simulation in Moldflow. SimStudio Tools reads in multiple CAD file formats and enables you to quickly simplify models, eliminate unnecessary detail, perform basic repair, or easily make design changes so you can explore various design ideas faster.

Error checking and repair

Scan imported geometry and automatically fix defects that can occur when translating a model from CAD software.

Centerline import/export

Import and export feed system and cooling channel centerlines from and to CAD software, to help decrease modeling time and avoid runner and cooling channel modeling errors.

CADdoctor for Autodesk Simulation


Check, correct, heal, and simplify solid models imported from 3D CAD systems to prepare for simulation.

3D simulations

Perform 3D simulations on complex geometry using a solid, tetrahedral, finite element mesh technique. This approach is ideal for electrical connectors, thick structural components, and geometries with thickness variations.


Dual domain technology


Simulate solid models of thin-walled parts using Dual Domain™ technology. Work directly from 3D solid CAD models, leading to easier simulation of design iterations.



Midplane meshes

Generate 2D planar surface meshes with assigned thicknesses for thin-walled parts.





Results evaluation and productivity tools

Visualize and evaluate simulation results, and use automatic reporting tools to share the results with stakeholders. Take advantage of features such as a material database and advisers to further boost productivity.

Results interpretation and presentation

Use a wide range of tools for model visualization, results evaluation, and presentation.

Results adviser

Query regions of a model to identify primary causes of short shots and poor part or cooling quality. Get suggestions on how to correct the part, mold, or process.

Photorealistic defect visualization Integration with Autodesk® Showcase® software enhances quality assessments of plastic parts by examining near-photorealistic renderings of digital prototypes.


Automatic reporting tools

Use the Report Generation wizard to create webbased reports. Prepare and share simulation results more quickly and easily with customers, vendors, and team members.

Microsoft Office export capability
Export results and images for use in Microsoft®
Word reports and PowerPoint® presentations.

Autodesk Moldflow Communicator

Collaborate with manufacturing personnel, procurement engineers, suppliers, and external customers using Autodesk® Moldflow® Communicator software. Use the Moldflow Communicator results viewer to export results




from Autodesk Moldflow software so stakeholders can more easily visualize, quantify, and compare simulation results.

Material data

Improve simulation accuracy with precise material data.

Material database

Use the built-in material database of gradespecific information on more than 8,500 plastic materials characterized for use in plastic injection molding simulation.



Autodesk Moldflow Plastics Labs
Get plastic material testing services, expert datafitting services, and extensive material databases
with Autodesk® Moldflow® Plastics Labs.

Productivity tools

Use advisers and extensive help to boost productivity.

Cost adviser

Learn what drives part costs to help minimize those costs. Estimate product costs based on material choice, cycle time, post-molding operations, and fixed costs.

Design adviser

Quickly identify areas of plastic parts that violate design guidelines related to the injection molding process.

Help


Get help on a results plot, including information on what to look for and how to correct typical problems. Learn more about solver theory, interpreting simulation results, and designing better plastic parts and injection molds.

Automation and customization

Automate common tasks and customize Autodesk Moldflow software for your organization.

API tools

Application programming interface (API) tools enable you to automate common tasks, customize the user interface, work with third-party applications, and help implement corporate standards and best practices.



Feature comparison

Compare the features of Autodesk Moldflow products to learn how Autodesk Moldflow Adviser and Autodesk Moldflow Insight software can help meet the needs of your organization.

	Autodesk Moldflow Flex STANDARD	Autodesk Moldflow Adviser			Autodesk Moldflow Insight		
		STANDARD	PREMIUM	ULTIMATE	STANDARD	PREMIUM	ULTIMATI
SOLVER CAPACITY							
Simultaneous local solving (max)	1	-	-	-	1	3	3
Cloud Solving	· · · · · · · · · · · · · · · · · · ·		•		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •
MESHING							
Dual Domain	~	~	~	~	~	~	~
3D	~		~	~	~	~	~
Midplane	Y		• • • • • • • • • • • • • • • • • • • •			~	············
CAD INTEROPERABILITY							
CAD solid models	✓	~	~	~	~	~	~
Parts	~	· · · · · · · · · · · · · · · · · · ·	······································	~	~	~	······································
Assemblies	Y		• • • • • • • • • • • • • • • • • • • •		~	~	~
SIMULATION ADVISERS							
Design adviser		~	~	~			
Results adviser	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	······································	~	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •
Cost adviser		~	······································	~			• • • • • • • • • • • • • • • • • • • •
SIMULATION CAPABILITIES							
Filling	~	~	~	✓	~	~	~
Packing	~			~	~	~	~
Fiber orientation	~			~	~	~	~
Surface defect prediction	~	~	~	~	·····	~	~
Molding window	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	~	······	~	······
Venting analysis	~		• • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	······	~	·····
Crystallization analysis	· · · · · · · · · · · · · · · · · · ·			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	······	······
Gate location	· · · · · · · · · · · · · · · · · · ·	· •···································	· · · · · · · · · · · · · · · · · · ·	······	······································	······································	······································
Cold & hot runners	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	······································	······································	······································	······································	······································
Runner balancing						······································	······································
Design of experiments (DOE)		• • • • • • • • • • • • • • • • • • • •		•••••	• • • • • • • • • • • • • • • • • • • •		
	· · · · · · · · · · · · · · · · · · ·		• • • • • • • • • • • • • • • • • • • •				······································
Cooling	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	······································			······································
Transient mold cooling or heating	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••••••		······································
Conformal cooling			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
Rapid temperature cycling			• • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	× <u>,</u>	
Induction heating						×	······································
Heating elements	· · · · · · · · · · · · · · · · · · ·					×	······
Warpage ·······	· · · · · · · · · · · · · · · · · · ·					······×	······×
Insert overmolding	· · · · · · · · · · · · · · · · · · ·				······································		···········
In-mold label	~				······································		······
Two-shot sequential overmolding	~				~		······
Core shift	~					~	~
Wire sweep, paddle shift						Y	~
MOLDING PROCESSES							
Thermoplastic injection molding	· • • • • • • • • • • • • • • • • • • •	· • • • • • • • • • • • • • • • • • • •	············			×	············
Gas-assisted injection molding	~					.	······
Injection-compression molding	~						
Co-injection molding	~					[~

	Autodesk Moldflow Flex STANDARD	Autodesk Moldflow Adviser			Autodesk Moldflow Insight		
		STANDARD	PREMIUM	ULTIMATE	STANDARD	PREMIUM	ULTIMATE
MOLDING PROCESSES (CONT)							
Bi-injection molding	~						~
Microcellular injection molding	~				• • • • • • • • • • • • • • • • • •		~
Birefringence	~			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	·····
Resin transfer and structural reaction			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			
njection molding	~				~	~	~
Rubber, liquid silicone injection molding	~				~	~	~
Multiple-barrel reactive molding	~				~	~	~
Reaction injection molding	······		• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	~	······
Microchip encapsulation	······································				• • • • • • • • • • • • • • • • • • • •	~	······································
Jnderfill encapsulation	······································	• • • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • • •	~	······································
Compression molding	······································	•••••	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •		······································
			• • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •
DATABASES							
Thermoplastics materials	·······························		· · · · · · · · · · · · · · · · · · ·	~	·············		······×
Thermoset materials	· · · · · · · · · · · · · · · · · · ·						······
Molding machines	·····				.	~	.
Coolant materials	~			~	~	~	~
Mold materials	······································		• • • • • • • • • • • • • • • • • • • •	~		~	·····×
SOFTWARE INTEROPERABILITY							
Simulation Mechanical (FEA)	✓				<u> </u>	~	
Autodesk Nastran (FEA)	· · · · · · · · · · · · · · · · · · ·		• • • • • • • • • • • • • • • • • • • •			······································	
Abaqus (FEA)			• • • • • • • • • • • • • • • • • • • •		······································	······································	
ANSYS (FEA)						······································	······································
_S-DYNA (FEA)		• • • • • • • • • • • • • • • • • • • •			······································	······································	······································
CODE V (Birefringence)					• • • • • • • • • • • • • • • • • • • •		······································
VRED (defect visualization)	· · · · · · · · · · · · · · · · · · ·	······		······································	······································	· · · · · · · · · · · · · · · · · · ·	×
Showcase (defect visualization)	······································	······································	······································	······································	······································	······×	······································
CADdoctor for Autodesk Simulation	······································	······×	·····×	······································	·····×	······································	······×
	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
SUPPORTED LANGUAGES							
English	·······························	~	·····························		············		············
Chinese (Simplified)	·······························				······························		······························
Chinese (Traditional)	······································	~		~			······
French	· · · · · · · · · · · · · · · · · · ·		······· ·	Y	······························	.	············
German	· · · · · · · · · · · · · · · · · · ·	~	· · · · · · · · · · · · · · · · · · ·	~		.	
talian	······	~	·······························	~		~	······
lapanese	······································		.	Y	Y	~	·······························
Portuguese	······································		Y	Y	Y		Y
Spanish	······································	~	······ ×	~	······		············
Korean	• • • • • • • • • • • • • • • • • • • •	······	··············		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •
Included software and services							
Moldflow Communicator	~	~	~	~	~	~	~
SimStudio Tools	~	~	~	~	~	~	·····
Vault	~	~	······································	~	······································	~	······································
Some process/analysis types may not su		·····					

Autodesk Digital Prototyping is an innovative way for you to explore your ideas before they're even built. It's a way for team members to collaborate across disciplines. And it's a way for individuals and companies of all sizes to get great products into market faster than ever before. From concept through design, manufacturing, marketing, and beyond, Autodesk Digital Prototyping streamlines the product development process from start to finish.

Learn more or purchase

Access specialists worldwide who can provide product expertise, a deep understanding of your industry, and value that extends beyond your software purchase. To purchase Autodesk Moldflow software, contact an Autodesk Premier Solutions Provider or Autodesk Authorized Reseller. Locate a reseller near you at www.autodesk.com/reseller.

Autodesk Education

Autodesk offers students and educators a variety of resources to help ensure students are prepared for successful design careers, including access to free* software, curricula, training materials, and other resources. Anyone can get expert guidance at an Autodesk Authorized Training Center (ATC®) site, and validate skills with Autodesk Certification. Learn more at www.autodesk.com/education.

Autodesk Subscription

Autodesk® Subscription for Autodesk Moldflow gives you a greater advantage with powerful cloud-based services, access to the latest software, online technical support, and flexible licensing privileges.** Learn more at www.autodesk.com/subscription.

Autodesk 360

The Autodesk® 360 cloud-based framework provides tools and services to extend design beyond the desktop. Streamline your workflows, effectively collaborate, and quickly access and share your work anytime, from anywhere. Learn more at www.autodesk.com/autodesk360.

Autodesk, the Autodesk logo, Alias, ATC, Autodesk Inventor, Inventor, Moldflow, Showcase, VRED, and 3ds Max are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and/or other countries. Nastran is a registered trademark of the National Aeronautics and Space Administration. SolidWorks is a registered trademark of Dassault Systèmes SolidWorks Corporation. All other brand names, product names, or trademarks belong to their respective holders. Autodesk reserves the right to alter product offerings and specifications at any time without notice, and is not responsible for typographical or graphical errors that may appear in this document. © 2015 Autodesk, Inc. All rights reserved.



^{*}Free products are subject to the terms and conditions of the end-user license agreement that accompanies download of this software.

^{**}All Subscription benefits are not available for all products in all languages and/or regions. Flexible licensing terms, including previous version rights and home use, are subject to certain conditions.