

CH11 Hand Control Instructions

1. Product Overview

Product Name: Hand Control
Product Model No.: CH11
FCC ID: 2AEQWCH11HHC001

2. Environment requirement



Operation temperature: +10°C~+40°C.
Storage temperature: -10°C~65°C.
Operating Humidity: 10%~80%RH, non-condensing.
Storage Humidity: 10%~85%RH, non-condensing.

3. Directions for Operation

In order to operate, place three 1.5V AAA batteries in the remote control and use in conjunction with the CB11 control box. In addition, the PSK2920A power supply switch must be connected as the power supply for the control box. Detailed operation directions below:




Match code and position setting:

Pairing Remote


Unplug the bed from the power source, then press and hold the HEAD  and  buttons simultaneously until the blue backlights of the remote control are off.



Setting Memory Positions

Press and hold the LED on/off button  first, then press and hold one of the picture programmable buttons   for 5 seconds until you hear a beep sound. The position is then saved.





4. The port is introduced

ADJUST



The **HEAD** ▲▼ arrows lift and lower the head section of the base.

HEAD



The **FOOT** ▲▼ arrows lift and lower the head section of the base.

FOOT



ONE TOUCH BUTTONS



One touch **FLAT** preset position.



One touch Anti-snore preset/memorized position.



One touch **ZERO G** preset position. Zero-G adjusts your legs to a higher level than your heart helping to relieve pressure of the lower back and promote circulation.



One touch **TV** preset position.



One touch memorized positions.



UNDERNEATH LED LIGHTING



One touch underneath LED on, touch again LED off.

5. Matters needing attention:

- 5.1 Do not mix old and new batteries or different types of batteries in remote.
- 5.2 When the battery power is weak, electrolyte leakage may occur, and will damage the remote. Once the power is low, replace the battery as soon as possible.
- 5.3 If the remote will not be used for a long period of time, remove the batteries to avoid electrolyte leakage.
- 5.4 The battery should not be exposed to direct sunlight, fire, or other excessive heat. To protect the environment, used batteries should be recycled in a proper manner.

6. Additional attention for user:

6.1 This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

6.2 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

6.3 This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. To maintain compliance with FCC RF exposure compliance requirements, please using a minimum separation distance of 5 mm from the device.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

6.4 For Intentional and unintentional radiators the manual shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the users authority to operate the equipment