

User Manual

Version 1.0

(For REALTEK chipset)

802.11b/g/n 150Mbps

LCD MEDIA PLAYER

USB WLAN ADAPTER

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.


NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio technician for help.

1. Introduction

This wireless Adapter is used with *HungWai* LCD Advertising Media Player and Advertising Set-Top-Box. The wireless adapter only can work normally with HungWai LCD Advertising Media player , and it is ensured by software design, the wireless adapter can not do regular work with other product for example notebook , MID , etc. It's easy to use and easy to setup. This Wireless adapter is an ideal access solution for wireless Internet connection.

Atypical Internet access application for the USB wireless adapter is shown as the following figure:



There are two different ways to access Internet:

1. With a wireless adapter, receiving and transferring signal via a wireless router, then passed to an ADSL modem, then to local ISP (Internet service supplier) through a telephone line.
2. With a wireless adapter, receiving and transferring signal via local AP (Access Point) or so called Hotpoint directly.

Tips: An 802.11 LAN is based on a cellular architecture where the system is subdivided into cells, where each cell (called Basic Service Set or BSS) is controlled by a Base Station (called Access Point, or in short AP).

The WLAN (Wireless Local Area Network) normally means the WiFi local network.

2. Package Contents

1pc 150Mbps 1T1R 802.11n USB Wireless Adapter.

Insert in the USB port of the Media player.

Or package in a PE bag as an accessory with the Media player package

3. Security

Because wireless networks rely on radio signals to transmit data, they are not as secure as wire network. Wireless networks are susceptible to viruses and breaches like eavesdropping and need to be protected in order to be secure.

There are many security measures to safeguard wireless networks, protect the data, and keep unauthorized users out. Hotspots, on the other hand, are often free of standard security practices in an effort to make it easy for anyone to connect. It may be found that some pay hotspots administered by service providers offer have some level of security, however, when using a hotspot, it's always a good idea to be proactive and to employ security measures of your own.

4. Key terms

Wi-Fi: short for “wireless fidelity”, a generic label that refers to wireless networks or networking.

Hotspot: a specific geographic location in which an access point provides public wireless broadband network services to mobile visitors through a WLAN.

Throughput: the amount of data transmitted in a set amount of time.

Bandwidth: the amount of data that can be carried from one point to another in a given time period (usually a second).

Chipset: a group of microchips that execute various functions (like memory) to support the CPU.

5. Specifications (Typical)

Protocol and standards	IEE 802.11b/g or 802.11n
Interface	USB1.1,USB2.0(USB port can not do data communication with computer)
Frequency Band	2412 -2462 MHz
Data Rata	802.11b:1,2,5.5,11Mbps 802.11g:6,9,12,18,24,36,48,54Mbps
	802.11n(20MHz)MCS0-7,up to 72.2 Mbps (40MHz)MCS0-7,up to 150Mbps

Receive Sensitivity (Onboard Value)	802.11b: -86+/-1dBm
	802.11g: -74+/-1dBm
	802.11n (HT20), -70+/-1dBm
	802.11n (HT40), -67+/-1dBm
Data Security	WEP 64/128 , WPA, WPA2, WAPI, QoS(802.11e and WMM)
Power Consumption	140+/-5mA @802.11g,54Mbps 185+/-5mA @802.11b,11Mbps
Transmission Distance	Indoor up to 100m, outdoor up to 300m (Standard transmission distance, it is affected depending on different environment)
Environment	Operating Temperature: -10~60°C Storage Temperature: -20~80°C Operating Humidity: 95% non-condensing Storage Humidity: 95% non-condensing
Operating System	Custom Android 4.0 and 4.1 OS for HungWai LCD Advertising Media Player

6 Disclaimer

THESE MATERIALS AND INFORMATION ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED , INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

We use reasonable efforts to include accurate and up-to-date information on this document; it does not, however, make any representations as to its accuracy or completeness of the information, text, graphics, links or other items contained within these materials. Your use of this Document is at your own risk. Its suppliers, and other parties involved in creating and delivering this Document's contents shall not be liable for any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits.

RF Safety Warning Statements:

The distance between user and the HungWai LCD Advertising Media Player and Advertising Set - Top - Box should be no less than 20cm. The distance between user and the wireless adapter should be no less than 20cm.