



CLIP2



RESTRICTED

DESIGN ADAPTATION / IMAGE / FINAL ART

PK & Job No: 201503
Job Description: 201503_JBL_Clip_2_USA_A
Version: 2
Date: 2015-11-24
Other: N/A

EQUITY COLORS:

REPRESENTATION:




IMPORTANT NOTE: THE PRINT/PDF IS FOR LAYOUT AND TEXT ILLUSTRATION ONLY. THE COLOURS INDICATED HERE MAY NOT APPEAR SAME IN THE FINAL PRINT. ALTHOUGH EVERY EFFORT HAS BEEN MADE TO CHECK THE CORRECTION OF LAYOUT AND TEXT, IT IS CLIENT RESPONSIBILITY TO VERIFY BEFORE GIVING THE FINAL APPROVAL.

CLIP2

Quick Start Guide

Guide de démarrage rapide

1 What's in the box





x 1



x 1

2 Buttons





CLIP2

Quick Start Guide

Guide de démarrage rapide

3 Connections




CLIP2


Quick Start Guide
Guide de démarrage rapide

4 Bluetooth®

1. Bluetooth connection



2. Music control



CLIP2

Quick Start Guide


Guide de démarrage rapide

5 Wireless daisy chain


Step 1



Step 2



Step 3





CLIP2



Quick Start Guide

Guide de démarrage rapide

6 Speakerphone



7 Carabiner















CLIP2

Quick Start Guide

Guide de démarrage rapide



LED indication


Status	LED indication
 Low power	 Blinking
 Charging	 On
 Pairing mode / Incoming call	 Fast blinking
 Connected	 On
 Wireless daisy chain pairing	 Fast blinking
 Wireless daisy chain connected	 On

CLIP2

Quick Start Guide

Guide de démarrage rapide

9 Warning



JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not expose JBL Clip 2 to water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

CLIP2

Quick Start Guide

Guide de démarrage rapide

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not immerse the JBL Clip 2 in water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not immerse the JBL Clip 2 in water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

JBL Clip 2 is IPX7 waterproof.

IMPORTANT: To ensure that the JBL Clip 2 is waterproof, please remove all cable connections and tightly close the cap; exposing the JBL Clip 2 to liquids without doing so may result in permanent damage to the speaker. And do not immerse the JBL Clip 2 in water while charging, as doing so may result in permanent damage to the speaker or power source.

IPX7 waterproof is defined as the speaker can be immersed in water up to 1m for up to 30 minutes.

EN

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, π/4 DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

FR

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, π/4 DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CLIP2

Quick Start Guide

Guide de démarrage rapide

ES

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

DE

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

PT

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

IT

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CLIP2

Quick Start Guide

Guide de démarrage rapide

NL

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

FI

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

NO

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

RU

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CLIP2

Quick Start Guide

Guide de démarrage rapide

SV

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour (0.5V, 0.5A)
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

JP

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour (0.5V, 0.5A)
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

DA

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour (0.5V, 0.5A)
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

PL

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour (0.5V, 0.5A)
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CLIP2

Quick Start Guide

Guide de démarrage rapide

KO

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CHT

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CHS

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

ID

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/730mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)

- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

CLIP2

Quick Start Guide

Guide de démarrage rapide

HE

- Bluetooth® version: 4.2
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 1 x 40mm
- Output power: 1 x 3W
- Frequency response: 160Hz–20kHz
- Signal-to-noise ratio: >80dB
- Battery type: Lithium-ion polymer (3.7V/700mAh)
- Battery charge time: 2.5 hour @ 5V, 0.5A
- Music playing time: up to 8 hours (varies by volume level and audio content)
- Bluetooth transmitter frequency range: 2.402 – 2.480GHz
- Bluetooth transmitter modulation: GFSK, π/4 DQPSK, 8DPSK
- Dimensions (H x W x D): 141 x 94 x 42 (mm)
- Weight: 178g

Торговая марка: JBL
Назначение товара: Активная акустическая система
Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стамфорд, Атлантик Стрит 400, офис 1500
Страна происхождения: Китай, Вьетнам
Импортер в России: ООО "ХАРМАН РУС СиАйЭс", РОССИЯ, 127018, г.МОСКВА, УЛ. ДВИНЦЕВ, Д.12, КОРПУС 1
Гарантийный период: 3 года
Информация о сервисных центрах: www.harman.com/ru тел. +7-800-700-0467
Срок службы: 3 года
Срок хранения: не ограничен
Условия хранения: Стандартные при нормальных значениях климатических факторов внешней среды
Номер документа соответствия: Товар сертифицирован
Дата производства: Дата изготовления устройства

второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY00000000, где «M» - месяц производства (A - январь, B - февраль, C - март и т.д.) и «Y» - год производства (A - 2010, B - 2011, C - 2012 и т.д.).

EAC

CE2280



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



Agência Nacional de Telecomunicações

XXXX-RX0XXXX



(01)07896359542123

Este equipamento opera em caráter secundário, isto é, não tem direito a proteção contra interferência prejudicial, mesmo de estações do mesmo tipo, e não pode causar interferência a sistemas operando em caráter primário.

Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da ANATEL – www.anatel.gov.br