


PLAYLIST 150


Quick Start Guide

Guide de démarrage rapide

1 What's in the box



2 Buttons



PLAYLIST 150

Quick Start Guide


Guide de démarrage rapide

3 Wi-Fi Setup


Step 1: Download the JBL Wireless Setup app., scan QR code needed for both iOS App Store and Google Play Store downloading




Step 2: Power on the speaker, then press and hold the "Play" to enter Wi-Fi



Step 3: Find Stream in the app, and follow the guide



Step 4: Select network and input password, till the indication of Wi-Fi connected shown



PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

4 Google Cast play music procedure


Step 1: Open Google Cast supported app



Step 2: Play music




Step 3: Tap the cast icon and select "JBL GC150"




** Google Cast support app - refer to link - <https://www.google.com/cast/apps/>

5 Spotify play music procedure


Step 1: Open Spotify app



Step 2: Play music



Step 3: Tap the Spotify connect icon and select "JBL GC150"




PLAYLIST 150

Quick Start Guide


Guide de démarrage rapide

6 Bluetooth

1. Bluetooth connection setup process



2. Music control process




PLAYLIST 150







Quick Start Guide

Guide de démarrage rapide

7 Connections




8 LED behavior

	 (White)	 (White)	 (Blue)	 (Blue)
	Standby	Power on	Bluetooth Pairing	Bluetooth Connected
	Speaker Connecting	Speaker Connected	NA	NA

9 Warning

Care on Passive radiator



PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

EN

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

FR

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

ES

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

PT

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

DE

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz (2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

IT

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

NL

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

NO

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

FI

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

RU

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz (2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

SV

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

DA

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

JP

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

KO

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz
(2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

CHS

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz (2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

CHT

- Bluetooth version: 4.1
- Support: A2DP V1.2, AVRCP V1.0
- Transducer: 2 x 50mm
- Rated Power: 2 x 15W
- Frequency Response: 60 – 20KHz
- Maximum SPL: 92dB
- Power supply: 19VDC, 2.0A
- Power consumption in sleep mode: <2.0 Watts
- Dimension: 316 x 131 x 147 mm
- Weight: 1200g
- Bluetooth transmitter power: <4 dBm
- Bluetooth transmitter frequency range: 2.402 – 2.480 GHz
- Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi Transmitter frequency range: 2.412 – 2.472 GHz (2.4GHz ISM band, USA 11 channels, Europe and others 13 channels)
- Weight: 16.3kg
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK, 16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11 b/g/n
- 5G Wi-Fi Transmitter frequency range: 5.15 - 5.35GHz, 5.470 - 5.725GHz, 5.725 - 5.825GHz
- 5G Wi-Fi transmitter power: <20dBm (EIRP)
- 5G Wi-Fi modulation: OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
- 5G Wi-Fi network compatibility: IEEE 802.11 n/ac

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



Say hello to Spotify Premium

Spotify Premium lets you listen to millions of songs ad-free – the artists you love, the latest hits and discoveries just for you. Simply hit play to hear any song you like, at the highest sound quality.

Try Premium free for 30 days at spotify.com/freetrial

Your new speaker has Spotify Connect built in


Spotify Connect lets you control the music playing on your speaker, using the Spotify app on your mobile, tablet or PC.

Listening is seamless. You can take calls, play games, even switch your phone off – all without interrupting the music.

Learn more at spotify.com/connect

How to use Connect

You'll need Spotify Premium to use Connect, see details overleaf.

- Step 1** Add your new speaker to the same wifi network as your phone, tablet or PC (see product user instructions for details).
- Step 2** Open the Spotify app on your phone, tablet or PC, and play any song.
- Step 3** If you're using the app on a phone – tap the song image in the bottom left of the screen. For tablet and PC move to step 4.
- Step 4** Tap the Connect icon 
- Step 5** Pick your speaker from the list. If you can't see it, just check it's connected to the same wifi network as your phone, tablet or PC.

All done! Happy listening.

Spotify Connect feature may not be used in countries where Spotify service is not available.

PLAYLIST 150

Quick Start Guide

Guide de démarrage rapide

Google Cast


Google Cast and the Google Cast badge are trademarks of Google inc.

The TM symbol must be used in the first or most prominent instance of Google Cast in text. After the first instance it is no longer needed.

Assets that used "Google Cast" in text the logo or the badge must include the following legal attribution:

Google Cast and the Google Cast badge are trademarks of Google inc.

Including Music streaming (priority as below)



Este equipamento opera em caráter secundário, isto é, não tem direito a proteção contra interferência prejudicial, mesmo de estações do mesmo tipo, e não pode causar interferência a sistemas operando em caráter primário”

Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da ANATEL – www.anatel.gov.br



CE1856

RESTRICTED

DESIGN ADAPTATION / IMAGE / FINAL ART

TR & Job No: TR0200
Job Description: TR0200_Flyint_150_05G_A
Version: 02
Date: 2016-07-12
Other: N/A



EQUITY COLORS:
REPRESENTATION:



IMPORTANT NOTE: THE PRINT/PDF IS FOR LAYOUT AND TEXT ILLUSTRATION ONLY. THE COLOURS INDICATED HERE MAY NOT APPEAR SAME IN THE FINAL PROOF. ALTHOUGH EVERY EFFORT HAS BEEN MADE TO CHECK THE CORRECTION OF LAYOUT AND TEXT, IT IS CLIENT RESPONSIBILITY TO VERIFY BEFORE GIVING THE FINAL APPROVAL.