



Everest 100





Everest 100


Quick Start Guide

Guide de démarrage rapide


1 Overview – Buttons & LEDs



S, M, L Freebit™ ergonomic ear tips



S, M, L mushroom ear tips




Everest 100


Quick Start Guide

Guide de démarrage rapide

2 Cable clip



3 Turn on headphone to pair




Everest 100

Quick Start Guide


Guide de démarrage rapide

3a To turn on Bluetooth to pair



LED Status		LED behaviors
Connected	Bluetooth symbol	Slow
Disconnected	Bluetooth symbol	Twice
Low battery	Battery icon	Slow

4 To control music with MFB




Everest 100


Quick Start Guide

Guide de démarrage rapide

5 More controls for music with MFB



6 To control call with MFB




Everest 100


Quick Start Guide

Guide de démarrage rapide

7 Multi-point connect



8 Charge battery



Everest 100

Quick Start Guide

Guide de démarrage rapide

EN

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

ES

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

FR

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

PT

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

Everest 100

Quick Start Guide

Guide de démarrage rapide

DE

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

NL

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

IT

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

NO

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

Everest 100

Quick Start Guide

Guide de démarrage rapide

FI

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

SV

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

RU

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

DA

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing diemnsion W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

Everest 100

Quick Start Guide

Guide de démarrage rapide

JP

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

KO

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

PL

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

CHS

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

Everest 100

Quick Start Guide

Guide de démarrage rapide

CHT

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

HE

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

ID

- Model: V100BT
- Driver size: 5.8mm
- Dynamic frequency response range: 10-22k Hz
- Driver sensitivity: 96dB / 1kHz, 1mW
- Maximum SPL: 103dB
- Rated power input: 5mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® speed: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 60mAh x 2)
- Charging time: 2 hours
- Music play time: 8 hours
- Earbud dimension W x H x L (mm): 14.7 x 14.8 x 30.4
- Mic housing dimension W x H x L (mm): 9.1 x 7.2 x 42.3
- Weight (kg): 0.016

Everest 100

Quick Start Guide

Guide de démarrage rapide

Торговая марка: JBL

Назначение товара: Пользовательские наушники

Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901

Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500

Страна происхождения: Китай

Импортер в Россию: ООО "Харман РУС СиАйЭс", Россия, 123317, Москва,

Пресненская наб., д.10

Гарантийный период: 1 год

Информация о сервисных центрах: www.harman.com/ru тел. +7-800-700-0467

Срок службы: 2 года

Срок хранения: не ограничен

Условия хранения: Стандартные при нормальных значениях климатических факторов внешней среды

Номер документа соответствия: Товар не подлежит обязательной сертификации

Дата производства: Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY00000000, где «M» - месяц производства (A - январь, B - февраль, C - март и т.д.) и «Y» - год производства (A - 2010, B - 2011, C - 2012 и т.д.).

根據NCC低功率電波輻射性電機管理辦法 規定：

第十二條

經型式認證合格之低功率射頻電機，非經許可，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

第十四條

低功率射頻電機之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。

前項合法通信，指依電信法規定作業之無線電通信。

低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

CE1588



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

TR01167_A

RESTRICTED

DESIGN ADAPTATION / IMAGE / FINAL ART

TR & Job No: TR01167
Job Description: TR01167_JBL_EVEREST_T00 BT_QSG_A
Version: 5
Date: 2015-08-27
Other: N/A

STIRRED.
creative

Developed by
GPI01, GPH02, GPH03, GPH04, GPH05

EQUITY COLORS: REPRESENTATION:



IMPORTANT NOTE: THE PRINT/PDF IS FOR LAYOUT AND TEXT ILLUSTRATION ONLY. THE COLOURS INDICATED HERE MAY NOT APPEAR SAME IN THE FINAL PROOF. ALTHOUGH EVERY EFFORT HAS BEEN MADE TO CHECK THE CORRECTION OF LAYOUT AND TEXT. IT IS CLIENT RESPONSIBILITY TO VERIFY BEFORE GIVING THE FINAL APPROVAL.

