



Everest Elite



Everest
Elite 700




Everest
Elite 300

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

Overview – Buttons & LEDs




Everest Elite 300/700


Quick Start Guide

Guide de démarrage rapide

1 Cable connections



2 To turn on Bluetooth and the Active Noise Cancellation




Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

3 To pair Bluetooth with the device



4 To download JBL Headphones App




Download the JBL Connect app for the following features: stereo setup, firmware upgrade, and device renaming. / Téléchargez l'application JBL Connect pour les fonctions suivantes : configuration stéréo, mise à jour de micrologiciel et changement de nom d'appareil. / Descargue la aplicación JBL Connect para disfrutar de las funciones siguientes: configuración estéreo, actualización del firmware y renombrado de dispositivos. / Baixe o aplicativo JBL Connect para usar os seguintes recursos: configuração estéreo, atualização de firmware e mudança dos nomes dos dispositivos. / Lade die JBL Connect-App herunter, um über folgende Funktionen zu verfügen: Stereo-Einstellung, Firmware-Aufrüstung und Geräteumbenennung. / Scarica l'applicazione JBL Connect per le seguenti funzionalità: configurazione stereo, aggiornamento del firmware, e ridenominazione del dispositivo. / Download de JBL Connect app voor de onderstaande functies: stereo setup, firmware upgrade, en apparaten hernoemen. / Last ned JBL Connect-appen for følgende funksjoner: stereooppsett, oppgradering av fastvare og omringling av enhet. / Lataa JBL Connect -sovellus saadaksesi käyttöön seuraavat ominaisuudet: stereoasetukset, laiteohjelmistopäivitykset ja laitteiden uudelleen nimeäminen. / Загрузите приложение JBL Connect для доступ к следующим функциям: настройка стереозвучания, обновление микропрограммы и переименование устройства. / Ladda ner appen JBL Connect som har följande funktioner: stereoinställning, uppgradering av fast programvara och nya namn på enheter. / Download appen JBL Connect for at få adgang til følgende funktioner: stereokonfiguration, firmwareopgradering og omdobning af enheder. / 以下の機能を使用するために、JBLコネクト・アプリをダウンロードしてください:ステレオ・セットアップ、ファームウェアのアップグレード、機器の名称変更。/ Pobierz aplikację JBL Connect, aby korzystać z następujących funkcji: konfiguracja stereo, aktualizacja oprogramowania układowego oraz zmiana nazwy urządzenia. / JBL 음악 앱을 다운로드하여 다음을 따릅니다. 스테레오 설정, 펌웨어 업그레이드 및 장치 이름 바꾸기. / 下載 JBL Connect 應用，即可使用以下功能：立體聲設定、韌體升級和裝置重新命名。 / Unduh aplikasi JBL Connect untuk fitur-fitur berikut ini: pengaturan stereo, memperbarui firmware, dan penamaan ulang perangkat.

Everest Elite 300/700

Quick Start Guide


Guide de démarrage rapide

- 5** To turn off Bluetooth when battery is low or when Bluetooth usage is prohibited. Listen to music using audio cable



Connectors in Everest right earcups

- 6** To turn off Bluetooth and the noise cancellation when battery is low. Listen to music using audio cable.




Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

7 To turn on the TruNote auto calibration



EN

Step 1: User must wear headphone on the head to correctly calibrate.

Step 2: Press and hold the Smart button until the sweeping tone is heard.

Step 3: Wait for a few seconds until the complete tone is heard.
TruNote auto calibration completes.

FR

Step 1: User must wear headphone on the head to correctly calibrate.

Step 2: Press and hold the Smart button until the sweeping tone is heard.

Step 3: Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

ES

Step 1: User must wear headphone on the head to correctly calibrate.

Step 2: Press and hold the Smart button until the sweeping tone is heard.

Step 3: Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

PT

Step 1: User must wear headphone on the head to correctly calibrate.

Step 2: Press and hold the Smart button until the sweeping tone is heard.

Step 3: Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

DE

Step 1: User must wear headphone on the head to correctly calibrate.

Step 2: Press and hold the Smart button until the sweeping tone is heard.

Step 3: Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

IT

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

NL

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

NO

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

FI

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

RU

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

SV

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

DA

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the **FPO** button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

JP

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

PL

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

KO

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

CHS

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

CHT

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

ID

- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

HE


- Step 1:** User must wear headphone on the head to correctly calibrate.
- Step 2:** Press and hold the Smart button until the sweeping tone is heard.
- Step 3:** Wait for a few seconds until the tone is heard.
TruNote auto calibration completes.

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide


8 To turn on the Ambient Aware



short press
SMART button

LED Status	LED behaviors
Ambient Aware on	
Ambient Aware off	

9 To charge battery



Connectors in Everest
right earcups


LED Status	LED behaviors
Charging battery	
Battery is charged full	

Everest Elite 300/700


Quick Start Guide




Guide de démarrage rapide

10 Adjust Volume






11 Multi-function Button (MFB) to control music



-  **Play or Pause**
Press
-  **Next track**
Press x2
-  **Previous track**
Press x3

12 Multi-function Button (MFB) to skip track



-  **fast forward**
Press +
Press and hold
-  **fast backward**
Press x2 +
Press and hold

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

13 Multi-function Button (MFB) to control calls



Press

Answer call



Long Press

Reject call

14 Multi-function Button (MFB) to manage second incoming call



Press

Hang up current call and switch to second call



Long Press

Answer 2nd incoming call and put current call on hold

15 Multi-function Button (MFB) to manage 2 calls at the same time



Press

Hang up current call and switch to second call



Long Press

Switch calls

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

EN

MODEL: V700NXT

- Driver size: 40mm
- Dynamic frequency response range: 10-22kHz
- Driver sensitivity: 99dB@1kHz, 1mW / 102dB/1kHz1mW
- Maximum SPL: 114dB / 117dB
- Rated power input: 30mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.2, AVRCP V1.4, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 850mAh for V700NXT) / Polymer Li-ion Battery (3.7V, 610mAh for V300NXT)
- Music play time with ANC on and Bluetooth on: 15 hours / 10 hours
- Music play time with ANC on and Bluetooth off: 25 hours / 20 hours

MODEL: V300NXT

- Driver size: 40mm
- Dynamic frequency response range: 10-22kHz
- Driver sensitivity: 102dB/1kHz1mW
- Maximum SPL: 117dB
- Rated power input: 30mW
- Microphone sensitivity: -42dBV/Pa
- Bluetooth® transmitted power: <4dBm
- Bluetooth® transmitted modulation: GFSK pi/4, DQPSK, 8-DPSK
- Bluetooth® spec: 4.1
- Bluetooth® profiles: A2DP V1.3, AVRCP V1.4, HFP V1.6, HSP V1.2
- Battery type: Polymer Li-ion Battery (3.7V, 610mAh)
- Music play time with ANC on and Bluetooth on: 10 hours
- Music play time with ANC on and Bluetooth off: 20 hours

Everest Elite 300/700

Quick Start Guide

Guide de démarrage rapide

Торговая марка: JBL

Назначение товара: Пользовательские наушники

Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901

Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500

Страна происхождения: Китай

Импортер в Россию: ООО "Харман РУС СиАйЭс", Россия, 123317, Москва, Пресненская наб., д.10

Гарантийный период: 1 год

Информация о сервисных центрах: www.harman.com/ru тел. +7-800-700-0467

Срок службы: 2 года

Срок хранения: не ограничен

Условия хранения: Стандартные при нормальных значениях климатических факторов внешней среды

Номер документа соответствия: Товар не подлежит обязательной сертификации

Дата производства: Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY0000000, где «M» - месяц производства (А - январь, В - февраль, С - март и т.д.) и «Y» - год производства (А - 2010, В - 2011, С - 2012 и т.д.).

CE0890

RESTRICTED


DESIGN ADAPTATION / IMAGE / FINAL ART

TR & Job No: TR01153
Job Description: TR01153_IBL_EVEREST 700 and 300 QSG_A
Version : 5
Date: 2015-9-7
Other: N/A

STIRRED.
creative
Designed by
GROUPEDESIGNHUB.COM

EQUITY COLORS:

REPRESENTATION:



IMPORTANT NOTE : THE PRINT/PDF IS FOR LAYOUT AND TEXT ILLUSTRATION ONLY. THE COLOURS INDICATED HERE MAY NOT APPEAR SAME IN THE FINAL PROOF. ALTHOUGH EVERY EFFORT HAS BEEN MADE TO CHECK THE CORRECTION OF LAYOUT AND TEXT. IT IS CLIENT RESPONSIBILITY TO VERIFY BEFORE GIVING THE FINAL APPROVAL.