

50K610GW 55K610GW

MANUAL DEL USUARIO

Antes de utilizar el televisor, por favor lea este manual detenidamente y consérvelo para futuras referencias.



22K010GM 20K010GM



USER MANUAL

Before using the TV, please read this manual thoroughly and retain it for future reference.



ES-G124911



FCC Statement

:3TON


:səınseəm try to correct the interference by one or more of the following turning the equipment off and on, the user is encouraged to to radio or television reception, which can be determined by installation. If this equipment does cause harmful interference no guarantee that interference will not occur in a particular interference to radio Communications. However, there is used in accordance with the instructions, may cause harmful can radiate radio frequency energy and, if not installed and residential installation. This equipment generates, uses and reasonable protection against harmful interference in a of the FCC Rules. These limits are designed to provide the limits for a class B digital Device, pursuant to part 15 This equipment has been tested and found to comply with

- Reorient or relocate the receiving antenna.
- receiver. Increase the separation between the equipment and the
- from that to which the receiver is connected. Connect the equipment into an outlet on a circuit different
- for help. Consult the dealer or an experienced radio/TV technician

FCC ID Number WiFi Module: WWMM421V1

Specifications subject to change without notice.

20 centimeters between the radiator and your body. should be installed and operated with a minimum distance of limits set forth for an uncontrolled environment. This device The WiFi Module complies with FCC radiation exposure



Manufactured under license from Dolby Laboratories. Dolby and the double-D symbol are trademarks of Dolby Laboratories. countries. All other trademarks are property of their respective owners. 2011 Hisense USA, Corporation. All Rights Reserved. Hisense and associated logos where applicable are registered trademarks of Hisense Group in the United States and/or other





шсн

AATS YƏAƏNƏ

I

this equipment. Such modifications could void the user's interference caused by unauthorized modifications to

The manufacturer is not responsible for any radio or TV

as the disconnect device, the disconnect device shall

Where the MAINS plug or an appliance coupler is used

ENERGY STAR qualification in the "Energy Saving" mode.

power consumption may exceed the limits required for the

consumption. Depending upon such changed settings, the

TV Guide, Picture, Sound) can increase or change the power

certain features, settings, and functionalities of this TV (i.e.

promote energy efficient products and practices. Changes to

the literature accompanying the appliance.

to constitute a risk of electric shock.

operating and maintenance (servicing) instructions in

intended to alert the user to the presence of important The exclamation point within an equilateral triangle is

product's enclosure that may be of sufficient magnitude

presence of uninsulated dangerous voltage within the equilateral triangle is intended to alert the user to the

The lightning flash with arrowhead symbol, within an

authority.

(i) WARNING

A NOTE

remain readily operable.

government agencies, designed to

seaft to margoring these seaft to margoriam of these

and Department of Energy. ENERGY

Environmental Protection Agency

efficiency guidelines set by the U.S.

Saving" mode. It meets strict energy

YDAR ® qualified in the "Energy Your Hisense TV is ENERGY

Energy Star

It Wakes A Difference How and Where You Use Your Flat Panel Display

Keep these safety tips in mind:

THE ISSUE

- The home theater entertainment experience is a growing trend and larger flat panel displays are popular purchases. However, flat panel displays are not always supported on the proper stands or installed according to the
- Flat panel displays that are inappropriately situated on dressers, bookcases,
 Flat panel displays that are inappropriately situated on dressers, bookcases,

тнія маииғастивер сарея!

 The consumer electronics industry is committed to making home entertainment enjoyable and safe.



ТТЭЧА2 ОТИІ ЭИUT

- One size does NOT fit all. Follow the manufacturer's recommendations for the safe installation and use of your flat panel display.
- Carefully read and understand all enclosed instructions for proper use of this product
- this product. • Don't allow children to climb on or play with furniture and television sets.
- Don't place flat panel displays on furniture that can easily be used as steps, such as a chest of drawers.
- Remember that children can become excited while watching a program, especially on a "larger than life" flat panel display. Care should be taken to place or install the display where it cannot be pushed, pulled over, or knocked down.
- Care should be taken to route all cords and cables connected to the flat.

WALL MOUNTING: IF YOU DECIDE TO WALL MOUNT: YOUR FLAT PANEL DISPLAY, ALWAYS:


- Use a mount that has been recommended by the display manufacturer (III 204 bit)
- Follow all instructions supplied by the display and wall mount manufacturers.
- If you have any doubts about your ability to safely installation.
- Make sure that the wall where you are mounting the display is appropriate.
 Make sure that the wall where you are mounted to walls with steel studs or old cinder block construction. If you are unsure, contact a professional installer.
- A minimum of two people are required for installation. Flat panel displays can be heavy.





Important Safety Instructions

requirements for the grounding electrode. discharge unit, connection to grounding electrodes, and unit, size of grounding conductors, location of antenna grounding of the lead-in wire to an antenna discharge to proper grounding of the mast and supporting structure, Code, AUSI/NFPA 70, provides information with respect up static charges, Section 810 of the National Electrical provide some protection against voltage surges and builtunit, be sure the antenna or cable system is grounded to 19. If an outside antenna or cable system is connected to the



- in fire, electric shock or other hazards. as the original part. Unauthorized substitutions may result manufacturer or those that have the same characteristics technician uses replacement parts specified by the 20. When replacement parts are required, be sure the service
- determine that the unit is in proper operating condition. ask the service technician to perform safety checks to 21. Upon completion of any service or repairs to this unit,
- when making any connections. the other equipment carefully and follow the instructions and serious personal injury. Read the owner's manual of wall outlet. Failure to do so may cause an electric shock off the power and unplug all of the equipment from the 22. When you connect the product to other equipment, turn
- high volume sound, it may cause hearing damage. moderate level. If you use headphones continuously with is equipped with a headphone jack) keep the volume at a speaker damage. When you use headphones, (if the unit 23. Sudden high volume sound may cause hearing or

CONDENSATION:

temperature rises gradually. hour before switching it on, or make sure that the room this, let the unit stand in its new surroundings for about an happens, unit's performance will be impaired. To prevent if the temperature of the room rises suddenly. When this unit is brought from cool surroundings into a warm room or Moisture will form in the operating section of the unit if the

change the location of the unit. exposed to the breeze from an air conditioner. In such cases, Condensation may also form during the summer if the unit is

- 1. Read these instructions.
- 2. Keep these instructions.
- Heed all warnings.
- 4. Follow all instructions.
- Do not use this apparatus near water.
- Clean only with dry cloth.
- with the manufacturer's instructions. 7. Do not block any ventilation openings. Install in accordance
- amplifiers) that produce heat. heat registers, stoves, or other apparatus (including 8. Do not install near any heat sources such as radiators,
- replacement of the obsolete outlet. plug does not fit into your outlet, consult an electrician for third prong are provided for your safety. If the provided blades and a third grounding prong. The wide blade or the one wider than the other. A grounding type plug has two drounding-type plug. A polarized plug has two blades with 9. Do not defeat the safety purpose of the polarized or
- particularly at plugs, convenience receptacles, and the 10. Protect the power cord from being walked on or pinched
- 11. Only use attachments/accessories point where they exit from the apparatus.
- use caution when moving the cart/ apparatus. When a cart is used, manufacturer, or sold with the bracket, or table specified by the 12. Use only with cart, stand, tripod, specified by the manufacturer.
- unused for long periods of time. 13. Unplug this apparatus during lightning storms or when apparatus combination to avoid injury from tip-over.

AZIES

- qropped. rain or moisture, does not operate normally, or has been into the apparatus, the apparatus has been exposed to is damaged, liquid has been spilled or objects have fallen damaged in any way, such as power-supply cord or plug Servicing is required when the apparatus has been 14. Refer all servicing to qualified service personnel.
- should not be placed on the apparatus. splashing, and objects filled with liquids, such as vases, 15. Apparatus should not be exposed to dripping or
- .letet 9d such power lines or circuits, as contact with them might extreme care should be taken to keep from touching or circuits. When installing an outside antenna system, power circuits, or where it can fall into such power lines vicinity of overhead power lines or other electric light or 16. An outside antenna system should not be located in the
- can result in a risk of fire or electric shock. 17. Do not overload wall outlets and extension cords, as this
- or spray any type of liquid into the unit. parts that could result in fire or electric shock. Never spill as they may touch dangerous voltage points or short out 18. Do not push objects through any openings in this unit,

Important Safety Instructions

HOW TO HANDLE THE LCD PANEL:

 $\hfill \mathsf{D} \mathsf{o}$ not press hard or jolt the LCD panel. It may cause the

- LCD panel glass to break and injury may occur. • If the LCD panel is broken. make absolutely sure that w
- If the LCD panel is broken, make absolutely sure that you do not touch the liquid in the panel. This may cause skin inflammation.

If the liquid gets in your mouth, immediately gargle and consult with your doctor. Also, if the liquid gets in your eyes or touches your skin, consult with your doctor after rinsing for at least 15 minutes or longer in clean water.

יסי מרובמצר דס החוותניבא טרוטרוקפן וון כובמון אמני

Possible Adverse Effects on LCD Panel:

If a fixed (non-moving) pattern remains on the LCD Panel for long periods of time, the image can become permanently engrained in the LCD Panel and cause subtle but permanent ghost images. This type of damage is NOT COVERED BY YOUR WARRANTY. Never leave your LCD Panel on for long periods of time while it is displaying the following formats or images:

 Fixed Images, such as stock tickers, video game patterns, TV station logos, and websites.

Special Formats that do not use the entire screen. For example, viewing letterbox style (16:9) media on a normal (4:3) display (black bars at top and bottom of screen); or viewing normal style (4:3) media on a widescreen (16:9) display (black bars on left and right sides of screen).

The following symptoms are not signs of malfunction but technical limitation. Therefore we disclaim any responsibility for these symptoms.

 LCD Panels are manufactured using an extremely high level of precision technology, however sometimes parts of the screen may be missing picture elements or have luminous spots.

This is not a sign of a malfunction.

- Do not install the LCD Panel near electronic equipment that produces electromagnetic waves. Some equipment placed too near this unit may cause interference.
- Effect on infrared devices There may be interference while using infrared devices such as infrared cordless headphones.

Declaration of Conformity

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference and (2) This device must accept any interference received, including interference that may cause undesired operation.

End of life directives

Your TV also contains material that can be recycled and reused. For disposal or recycling information, contact your local authorities or the Electronic Industries Alliance at <u>www.eia.org</u> to find a recycler in your area.

Non-active pixels

The LCD panel contains almost 3 million thin film transistors, which provide exceptionally sharp video quality. Occasionally, a few non-active pixels may appear on the screen as a fixed black (in the case of a dead pixel), blue, green, or red point. These non-active pixels do not adversely affect the performance of your TV, and are not considered defects.

Power source

TO USE AC POWER

- 1. The power cord is attached to the TV at the factory.
- Connect the AC cord into an AC outlet.

Do not connect this unit to the power using any device other than the supplied AC cord. This could cause fire, electrical shock, or damage.

Do not use with a voltage other than the power voltage specified. This could cause fire, electrical shock, or damage.

IDITUAD

When this unit is not used for a long time, (e.g., away on a trip) in the interest of safety, be sure to unplug it from the AC outlet.

Do not plug/unplug the AC cord when your hands are wet. This may cause electrical shock.

Contents

Getting Started

6	Making Connections
8	Installing Batteries in the Remote Control
۷	Viewing the Remote Control
9	Viewing the Control Panel
G	When Installing the VT Against a Wall or Enclosed Area
۲	Installing a Wall-Mount Bracket
ε	bnst2 oht prillstanl
£	Accessories List

Basic Features

81	Using the Lock Menu
۲۲	Using the Settings Menu
91	un9M slənnsd⊃ ədt pnisU
91	Using the Screen Menu
<u></u> ۲	un9M oibuA ədt pnisU
<u></u> ۲	Using the Picture Menu
<u>۶</u> ۱	nnəM ərt əsU oT
14	Shortcuts Instructions
۶L	Changing Channelv / Volume
٤٢	Selecting the Input Source
٤٢	Turning the TV On for the First Time
٤٢	Turning the TV on or off

stnstnoJ

Advanced Features


34	Digital Media Receiver
34	Browse the Text Files
33	Browse the Picture
33	Enjoy Music Files.
32	Enjoy Video Files
32	Digital Media Player
18	Network Apps Service Information
15	oəmiV
30	AccuWeather
30	Viewster
00	Picasa
62	Pandora
52	
28	Netflix.
58	
56	VUDU HD Movies
56	Enter the Network Applications
52	Network Function
54	Media Share Settings in Computer
	DLNA Settings
	Network Connection

Other Information

۷٤	General
96	Trouble Shooting

lllustrations are for your reference only!

Accessories List



bnst2 sht gnillstan

Saton 🕅


- 1. The LCD display is very fragile, and must be protected at all times when removing the base stand. Be sure that no hard or sharp object, or anything that could scratch or damage the LCD display, comes into contact with it. DO NOT exert pressure on the front of the TV at any time because the screen could crack.
- 2. For tabletop use, the TV must be attached to the provided stand as shown on this page.
- 3. To Wall-Mount, brackets (not provided) must be attached to the TV as shown on next page.


Be sure to disconnect the AC power cord before installing a stand or Wall-Mount brackets.

Use a covered table or bench to lay the TV on and handle the TV carefully to prevent damage to the TV screen or cabinet during assembly.

Follow the illustrations below to complete the installation steps:


- 1. Secure the stand column to the base plate with the 4 screws A (M4 × L12 for 50' and M5X12 for 55') provided. See Figure 1.
- Secure the stand cover to the stand column vertically with the 2 screws A (M4 × L12 for 50' and M5X12 for 55') provided.
 See Figure 2.
- 3. Secure the stand cover to the stand column horizontally with the 2 screws B (ST4 × L14) provided. See Figure 3.






 Carefully place your TV on a soft, cushioned, surface to prevent damage to the screen.

Secure the stand to the TV with the 4 screws C (M5 × L12) provided. See Figure 4.




lnstalling a Wall-Mount Bracket

If you want to attach the TV to a Wall-Mount bracket (not provided), you should first remove the stand if it is pre-attached (see Step 1).



2. Place the provided spacers in the corresponding bracket holes. Attach purchased bracket (1.5~2.5 mm thickness) on the TV with 4 screws D ($M6 \times L30$) provided. Follow instructions provided with the wall bracket.




 Make sure the TV is laid face-down on a clean, safe, and cushioned space, remove the original screws in the bracket holes on the TV back over.

ONINAAW

Use only the 4 screws D (M6 × L30) provided with the TV to prevent internal damage to the TV set or cause it to fall.


- 3. Follow instructions provided with the Wall-Mount bracket.
- If you are not sure of your ability to do complete the installation, contact a professional installer or service technician for assistance. The manufacturer is not responsible for any damages or injuries that occur due to mishandling or incorrect assembly.
- The selected screws are 9.5 ~ 12.5 mm in length when measured from the attaching surface of the TV's rear cover. The diameter and length of the screws differ depending on the Wall-Mount Bracket model.

9W	(mm) azis warze truoM-IIsW
400 × 400	(mm) AS3V mattern VESA (mm)




Ren Installing the VT Against a Wall or Enclosed Area

Make sure that your TV has adequate air circulation. Allow enough space around the TV as shown below. Avoid operating the TV at temperatures below Inadequate air 41°F (5°C).




swollof as the VT set as follows:



Inadequate air circulation can lead to overheating of the TV and may cause damage to your TV or cause a fire.

Isnag lontrol sht gniwsiV




scription	De De
up when the power is on.	Power indicator Ligh
ives remote signals from the remote control. of put anything near the sensor, as its function may be affected.	Kemole sensor
ay an on-screen menu to setup your TV's features.	qeiQ UNƏM
st among the different input signal sources.	alas Tuqui
t the volume.	uįbA - JOV \ + JOV
t the channel.	CH V \ CH A
on the TV or put the TV in standby mode. ion: The TV continues to receive power even in standby mode.	Power button ပ

SETON 🕅

● FOR ILLUSTRATION ONLY.

Powering up or down the TV requires several seconds of processing time. Do not rapidly turn the TV on/off as abnormal operation may occur.

Viewing the Remote Control




Saton 🕅

- FOR ILLUSTRATION ONLY.
- [RED/GREEN/YELLOW/BLUE] buttons are used for Electronic Program Guide (EPG).
 After pressing the [GUIDE] button when viewing digital channels, the same color buttons will appear with explanations in the on-screen display (OSD). Follow the steps shown in the OSD.

Installing Batteries in the Remote Control

Seineste the batteries

- 1. Press the release button on the back of the remote control to remove the battery compartment cover.
- Insert two AAA size batteries. Make sure to match the (+) and () ends of the batteries with the (+) and () ends indicated in the battery compartment.
- 3. Replace the battery compartment cover.
- G Remove the battery compartment cover



S NOTES

- 1. Dispose of your batteries in a designated disposal area. Do not throw the batteries into a fire.
- 2. Do not mix battery types or combine used batteries with new ones.
- 3. Remove depleted batteries immediately to prevent battery acid from leaking into the battery compartment.
- 4. If you do not intend to use the remote control for a long time, remove the batteries.
- 5. Batteries should not be exposed to excessive heat, such as sunshine, heat registers, or fire.
- Battery chemicals can cause a rash. If the batteries leak, clean the battery compartment with a cloth. If chemicals touch your skin, wash immediately.
- $\overline{\Lambda}.$ Do not mix old and new batteries.
- 8. Do not mix alkaline, standard (carbon-zinc) or rechargeable (ni-cad, ni-mh, etc.) batteries.

Program Your Universal Cable or Satellite Remote Control to Operate Your New Hisense Television!

If you would like to program your other household remote controls to your new Hisense television, please consult the User's Manual supplied by your Cable or Satellite provider. The Cable or Satellite providers' User's Manuals should include instructions on how to program their remote to your television.

Below is a list of Hisense codes for the most common Cable and Satellite providers. Use the Hisense code that is associated with your Cable or Satellite provider(if applicable).


AT&T U-verse	1346
Dish Network	305 or 505
Cox Communications	8710
Comcast	87101 ro 8710.
Time Warner Cable	8710 or 0178
DIRECTV	0178 of 10019.

If the Hisense code associated with your Cable or Satellite provider is not listed above, if the code above does not work, or if you cannot locate the instructions for programming your household remote to your television, call your local Cable or Satellite provider's customer service center.

If your Cable or Satellite provider does not have an Hisense code available, please visit http://www.hisense-usa.com for additional codes.

Insert the batteries

Making Connections



NAJ	Connect an ethernet cable to access a network or the Internet.
8SU	Port for Digital Media Player and for charging 3D glasses.
DIGITAL OUTPUT	Connect to an external digital audio device.
TUO OIQUA\ ()	Connect headphone or analog sound system using RCA Y-cable (18"-stereo mini to L/R phono-not provided).
ADV PC/DVI AUDIO IN	Connect to a PC or other devices with a VGA interface.
ΛΙΔΕΟ/ΥΠΔΙΟ(Γ'Υ)	Connect to the composite video and audio (L/R) output jacks on external video devices.
СОМРОИЕИТ	Connect to a DVD player, Digital Set-Top-Box, or other A/V devices with component (YP _B P _R) video and audio output jacks.
IMDH	HDMI (High-Definition Multimedia Interface)provides an uncompressed, all digital audio/video interface between this TV and any HDMI-device, such as a set-top box, Blu-ray disc player, or A/V receiver.
ANT/CABLE	Connect an antenna or cable TV to this jack.
mətl	Description

A NOTE


Some external devices impossible insert to this set for individual difference. Please replace with appropriate external signal cable or increase the adapter to match with the port in such case.

S3LON 🖉

- Check the jacks for position and type before making any connections. Loose connections can result in image or color problems. Make sure that all connections are tight and secure.
- Not all A/V devices have the ability to connect to a TV, please refer to the user's manual of your A/V device for compatibility and connections procedure.
- Always unplug the power cord when connecting external equipment.


Connecting an antenna, cable or cable/satellite box

- 1. Turn off the TV before connecting the antenna.
- Connect one end of a coaxial cable (not included) to the RF OUT jack on the antenna, cable or cable/satellite box. If you are using an antenna with twin-lead cable, you may need a 300-75 ohm adapter (not provided) to connect it to the back of your TV. Likewise, if you are using several antennas, you may need a combiner (not provided).
- 3. Connect the other end of the cable to the ANT/CABLE IN jack on the side of your TV.




Sonnecting an A/V Device with Composite Cable

- Use the audio and video cables to connect the external A/V device's composite video/audio jacks to the TV's jacks. (Video = yellow, Audio Left = white, and Audio Right = red)
- 2. Plug the connected devices into the mains socket before switching on the TV.
- 3. Select the corresponding source from the TV.




alds⊃ (_βP_aPY) tnenoqmo⊃ diw evice with Component (YP_aP_R) Cable ∎

- Use a component cable to connect the external A/V device's component output jacks to the TV's YP_BP_R jacks. Use an audio cable to connect the external AV device's component audio jacks to the TV's AUDIO (L/R) jacks.
- 2. Plug the connected devices into the mains socket before switching on the TV.
- 3. Select the corresponding source from the TV.



Connecting an A/V Device with HDMI Cable

- Support digital connections between HDMI enabled AV devices such as PVR, DVD, Blu-Ray, AV receiver and digital devices.
- Some devices such as PVR or DVD player require HDMI signal to be set to output in the device's settings.
- Please consult your device user manual for instructions.
- 1. Use an HDMI cable to connect the A/V device's HDMI output jack to the TV's HDMI jack.
- $\ensuremath{\mathsf{2.}}$ Plug the connected devices into the mains socket before switching on the TV .
- Select the corresponding source from the TV.



JTON 🔽

The HDMI connector provides both video and audio signals, it's not necessary to connect an audio cable.


Connecting a headphone

Headphones or an analog sound bar can be connected to the (, /AUDIO OUT jack on your set. (While the headphone is connected, the sound from the built-in speakers will be disabled.)



Connecting a PC with VGA Cable

- 1. Use a VGA cable to connect the PC's VGA output jack to the TV's VGA jack. Use an audio cable to connect the PC's audio output jack to TV's PC/DVI NDIOUA IVD'S PC's audio
- Plug the connected devices into the mains socket before switching on the TV.
- Select the corresponding source from the TV.




S NOTES

- Primarily this unit is intended for use as an LCD TV. If you want to use it as a monitor, please contact the manufacturer of the PC Video/Graphic's card for further support. Perfect compatibility is not guaranteed.
- The VGA cable will not supplied with the product.
- We strongly recommend to use VGA cable with 2 ferrite cores as shown in the figure.

Connecting an Audio Receiver with Audio cable

- 1. Use an audio cable to connect the A/V device's digital audio in jack to the TV's DIGITAL AUDIO OUT jack. Or use an RCA Y-cable (1/8"-stereo mini to L/R phono - not provided) to connect analog sound system to the TV's O/AUDIO OUT jack.
- 2. Plug the connected devices into the mains socket before switching on the TV.
- Select the corresponding source from the TV.




SELON 🔊

- When a digital audio system is connected to the DIGITAL AUDIO OUT (COAXIAL) jack, decrease the volume of both the TV and the system.
- 5.1 CH (channel) audio is available when the TV is connected to an external device supporting 5.1 CH.
- When the receiver (home theater) is set to on, you can hear sound output from the TV's digital audio out jack. When the tree receiver when the receiver (home theater to on, you can hear sound to the home theater receiver. When the source is connected to the TV via HDMI, only 2 CH audio will be heard from the home theater receiver. If you want to hear 5.1 CH audio, connect the TV via HDMI, only 2 CH audio will be heard from the home theater receiver. If you want to hear 5.1 CH audio, connect the digital audio out jack from your DVD/BIU-ray player/cable box/STB satellite receiver directly to an amplifier or home theater.


Connecting an ethernet cable to access a network or the Internet

Connect an ethernet cable to access a network or the Internet. TV also features wireless connectivity. For more information, see "Network Connection".



If you selected Retail Mode, Energy Saving is not

- 5. Press [▲/♥] to select your Tuner Mode: Antenna or realized.
- Cable, press [ENTER] button to confirm.



- Scan, press [ENTER] button to confirm. 6. Press [▲/♥] to set the Channel Installation: Scan or Skip
- Installation available in your viewing area. If you select "Scan", your TV automatically starts Channel
- channels. If you select "Skip Scan", your TV does not scan for
- Please allow the process to complete without interruption. 25 minutes or more to complete memorizing channels. Depending on the reception condition, it may take up to

Selecting the Input Source

change from an outside antenna to cable unless it changes. For example, you need to change the TV signal source TV stores this information, so you do not must select the TV signal source. Your The first time you turn on your TV, you

1. Turn on your TV, then press [INPUT] To select the video input source:

- Input Source menu opens. button on the remote or on the TV. The
- 2. Press [▲/♥] button to highlight the
- .nomud input source, then press [ENTER]
- you turn off your TV, it goes into standby mode. 3. Press [POWER] button again to turn off your TV. When

JIX3

OK Enter

dWO-!H 🚥 t IWOH

E IWOH

Z IWOH

I IMOH

אפא 📼 anoqmo) 🛄

VA 📷

VT 🗖

Turning the TV on or off

control with TV. IMPORTANT: At first, you have to match the remote

- To turn your TV on or off (standby mode):
- 1. Plug the power cord into an AC power outlet.
- 2. Press [POWER] button, your TV turns on.
- 3. Press [POWER] button again to turn off your TV. When
- you turn off your TV, it goes into standby mode.

ONINAAW

cord. power. To completely disconnect power, unplug the power When your TV is in standby mode, it is still receiving

A NOTE

minutes, it automatically goes into standby mode. If your TV does not receive an input signal for several

Turning the TV On for the First Time

Picture Mode, Tuner Mode and Channel Installation. on the TV. It will assist you to specify the menu language, The Setup Wizard menu appears the first time you turn

.9ldblibvb connected and a wired or wireless Internet connection is IMPORTAUT: Make sure that the antenna or cable is

- Make sure that you have:
- Installed the remote control batteries.
- Connected an antenna or cable.
- Connected the power cord.
- Matched the remote control with TV.
- .evalays. Wizard menu displays. 2. Press [POWER U] button to turn on your TV. The Setup
- 3. Press [A/V/A] to select your menu language: English,
- Spanish or French, press [ENTER] button to confirm.



- Retail Mode, press [ENTER] button to confirm. 4. Press [▲/▼] to select your Picture Mode: Home Mode or
- "No" to change your selection. reconfirm Retail Mode" Select "Yes" to continue, or select If you select Retail Mode, a message appears "Please

DISPLAY - Display the information banner. The information including channel number, channel name, current system time, tuner mode, audio stream, video format, audio language, closed caption mode, parental locks rated, program details, etc.

GUIDE - Open the DTV program guide. The program guide information is provided by the broadcasting company.

FAV - Display your Favorite List. You can add or delete channels to create your favorite list.

Cursor up/down: Press [▲/♥] button to select the option.

Add/Erase: Press [YELLOW] button to add or delete the channel from Favorite List.

Page up/down: Press [RED/GREEN] button to page up or down.

VUDU - VUDUTM is an on-demand, pay-per-view, service that offers high-definition movies via the Web. You can access the VUDU service by pressing this button.

Hi-Smart - Press to open the Hi-Smart Hub. The Hi-Smart Hub provides convenient access to internet audio and video Services in addition to social networking and media sharing Services.

NETFLIX - Press to open the Netflix interface. Netflix is an online DVD and Blu-ray Disc rental service, offering instant access to movies and TV shows to Netflix members. Netflix unlimited membership required (subscription not included).


- 1. Press the [CH Λ] (or [CH +/-]) on the TV/remote control to change the channel.
- 2. Press the [VOL A/V] (or [VOL +/-]) on the TV/remote control to adjust the volume.
- 3. Press the numeric buttons on the remote control to display the corresponding channels.

A NOTE

Changing the channels can also be achieved by directly entering the channel number using the numeric keys on the remote control. If you are entering a two or three digit channel number, the time between key presses should be less than 3 seconds.

Shortcuts Instructions

Aspect - Select the screen aspect ratio from Normal, Wide, Zoom and Cinema.



Normal: The original 4:3 aspect ratio (1.33:1 signal) is preserved, so black bars are added to the left and right of the image. Standard TV broadcasts are displayed with a 4:3 aspect ratio.

Wide: When watching a standard broadcast or full-frame movie in this mode, the display image is stretched proportionately to fill the TV screen. When watching a 16:9 widescreen program or movie, the display image fills the TV screen.

Zoom: Stretch the 4:3 aspect ratio image vertically and horizontally to fill the screen at 1:1.78 aspect ratio.

Cinema: Stretch the 4:3 aspect ratio image vertically and horizontally to fill the screen at 1:2.35 aspect ratio.

1:1 Pixel Map: Displays the native signal format pixel-by-pixel without any video processing or scaling. In this mode, 1920 x 1080 resolution sources fill the screen while all other resolutions are centered and other resolutions are centered and surrounded by black bars.

Auto: Detects the incoming signal format and automatically selects the proper aspect ratio.

۲l

unsM sdt seU oT

- Press the [MENU] button to open the main menu.
- 2 Press [▲/▼] to select a menu option, then press [▶/ENTER] to enter the menu.
- 3 In each menu, you can:
- Press [▲/♥] to select an item,
- Press [◄/▶] to adjust the value, or
- Press [▶ \ENTER] to enter the submenu,
- Press [RETURN] to exit the submenu.
- ⁴ Press [EXIT] button to exit the menu.

A NOTE

FOR ILLUSTRATION ONLY.

Using the Picture Menu

:tsulbs neb usb

Picture Mode - Adjust the Picture Mode. You can select Standard, Theater, Energy Saving, Game, Custom or Vivid.

Brightness - Increase or decrease the brightness of the picture. Increasing the brightness can add more light to dark areas of the picture, while decreasing the brightness can add more darkness to light areas of the picture.

Contrast - Increase or decrease the contrast of the picture. Increase the contrast to adjust the white areas of the picture or decrease the contrast to adjust the black areas of the picture.

Color - Adjust the level of color in the picture.

Tint - Adjust flesh tones so they appear natural.

Sharpness - You can increase the sharpness level for smoother clearer images or decrease the sharpness level for smoother images.

Advanced Video - Access advanced video settings such as Color Temperature, Noise Reduction, Dynamic Backlight (DCR), Adaptive Contrast and Overscan.

		wenn Back	∑elect	
				40
brightness.		uO	Overscan	101
Automatically adjust picture detail and		#0 #0	Dynamic Backlight (DCR) Adaptive Contrast	100
	•	nO muibəM	120Hz Smooth Effect Noise Reduction	
	•	looD	Color Temperature	0
			Picture	2

	tixā menu t	OK Enter 🔻 Velec	J
	4	oəbiV bəɔnevbA	ø
personal preferences.	0L	Tint — — — — — — — — — — — — — — — — — — —	101
tius of egemi fsujbA	0S	Contrast — Color	
	Standard ↓ 50	Picture Mode Brightness	0
		Picture	5

signal interference. You can select Off, Low, Medium or High. Dynamic Backlight (DCR): Enhances the contrast ratio

Dynamic Backlight (DCR): Enhances the contrast ratio between light and dark areas of the picture. You can select Off, Low or High.

Noise Reduction: Optimize the picture quality by filtering

can select a preset color temperature: Cool, Standard

Color Temperature: Change the color temperature. You

Adaptive Contrast: Automatically adjusts the contrast level of the selected input source.

Overscan: Adjust the picture's reproduction rate. You can select On or Off.

unəM oibuA ədî pnisU


		<u>шеил</u> Васк	Zelect	
		ĤО	lortno2 əmuloV otuA	$\langle 0 \rangle$
.bnuoz lesbi svsirbs ot	◆ ◆	bCW Du On	Speaker Digital Audio Output	101
əbom bruo2 s tələ2	 	₩O	Equalizer Sound Surround	
<u> </u>	0	Standard	Sound Mode	0
			oibuA	

You can adjust:

and Warm.

Sound Mode - Select the Sound Mode: Standard, Speech, Custom or Music.

Balance - Adjust the volume of the left and right speakers. Equalizer - Soften or enhance the sound at specific frequency points.



Sound Surround - Simulates surround sound and enhances response.

Speaker - Selects where to play TV audio. You can select Off to play audio through TV speakers, or select Off to play audio through the speakers on an external audio system.

Digital Audio Output - Send digital audio to an external audio system. You can select PCM, RAW or Off.

PCM: PCM outputs two channel audio regardless of the input format.

RAW: Passes through (output = input) the incoming audio signal without decoding. E.g. incoming Dolby Digital, DTS or PCM data stream is simply output as it is without any processing.

Auto Volume Control - Automatically adjusts volume to a consistent level; attenuates loud passages.

Using the Screen Menu

A NOTE

.ebom AOV ni eldelisvs yInO

	Zelect Menu Back	OK Enter	Ū
and PC settings.	4	tsuįbA otuA	M
pninoitisod epeml	<u>۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲۲۱ – ۲</u>	СІоск	100
	T3	Phase	
	30	noitiso9.V	6
- 1 × 1	68 36	noitiso9.H	0
		Screen	52

:isulbs neo uoy

H.Position - Move the image right or left. V.Position - Move the image up or down.

Phase - Adjust the focus of stable images.

Clock - Adjust the sample frequency.

Auto Adjust - Detects input signal clock, phase and position and adjusts TV display accordingly.

unəM zlənnsd**D əd**t pnizU



:320 can adjust:

Tuner Mode - Select TV source: Antenna or Cable. Auto Channels Search - Scans for channels that have signals and stores the channels information in the channel



Channel Skip - You can cancel a channel stored in the channel list.

When you press [CHA / V] button, your TV skips the channel you cancelled. You can still tune to the channel using the number buttons on the remote control.

Favorite List - Add or delete channels to create a favorite List. You can press [FAV] button to display your Favorite List.

MTS - Select the default audio stream: Mono, Stereo or SAP.

Audio Language - Select the audio language: English, Español or Français.

A NOTE

.ebom VT ni eldslisvs vlnO

Power On Timer: When "On", you can set the time when the TV turns on automatically.

- Time: Set the desired time for the TV to turn on
- automatically. Power Off Timer: When "On", you can set the time when the TV turns off automatically.
- Time: Set the desired time for the TV to turn off automatically.

Sleep Timer: Specify the amount of time before your TV automatically turns off: Off -10-...-120 minutes.

Caption - Adjust Closed Captioning settings.

Caption Control: Select the Closed Caption mode: CC Off, CC On or CC On When Mute.

- Analog Closed Caption: Select an Analog Caption setting: CC1~CC4: Closed captioning appears in a small banner across the bottom of the screen. CC1 is usually
- content are provided by the broadcaster. • Text1~Text4: Closed captioning that covers half or all of the screen. Text1~Text4 display content are

the "printed" version of the audio. CC2~CC4 display

Off: To turn off the Analog Caption.

provided by the broadcaster.



Digital Closed Caption: Select a Digital Caption setting: Service1~Service6 or Off.

Digital Caption Style: Customize the look of digital Closed Captioning.

- Caption Style: Set the look of Digital CC. "As Broadcaster" uses broadcaster's style.
- Font Size/Style/Color/Opacity: Select the size/style/ color/opacity level of font.
- Background Color/Opacity: Select the color/opacity level of the background.

unaM sprittaS adt prisU

.egengnel G20 IzulbA	Back	Language Menu Settings Vetrsion Info Reset Default Freset Default	
		sgritte2	5

You can adjust:

Language - You can select the menu's language to English, Español or Français.

Menu Settings - You can set On-screen menu system.

Timeout: Select the display time of the menu: 10-20-...-60 seconds.

:eno Mode:

Time Setup - Set the time zone, daylight saving, time and sleep timer.

Time Zone: Select your local time zone: Eastern Time, Indiana, Central Time, Mountain Time, Arizona, Pacific Time, Alaska or Hawaii.

Daylight Saving: Set the Daylight Saving time for your area.

Time: You can set time manually or select automatic if the TV is connected to an antenna or cable source.

		<u>меил</u> Васк	Σelect	Ū
		MA 00:21	əmiT	-
from broadcaster.	•	MA 00:21 #O	Time Power Off Time Time	11
optain date and time	•	ĥО	Power On Timer	-
		01:01 bW 5015/01/01		0
	•	uO	Auto Synchronization	0
			Settings	100

- Auto Synchronization: Select "On" for automatic date and time setting using information from broadcast stations in your area.
- Date/Time: Set the current year/month/day/time.

SETON 🕅

- HDMI cables must be used to connect HDMI CEC compatible devices to your TV.
- The connected device's HDMI CEC feature must be turned on.
- If you connect an HDMI device that is not HDMI CEC compatible, all the HDMI CEC Control features will not work.
- Depending on the connected HDMI device, the HDMI
 CEC Control feature may not work.

Window Color: Select the color of the window.

HDMI CEC - HDMI CEC lets you control HDMI CEC compatible devices connected to the HDMI jacks on your TV using the remote control that came with your TV.

Playback Device 2: You can manually set your playback device in Standby or Power On mode.

Setup: To configure the HDMI CEC function.

- CEC Function: Enable HDMI CEC by selecting On.
 Auto Turn Off: When HDMI CEC by selecting on furn off function turns off HDMI CEC devices when you turn off
- your TV. • TV Auto On: When HDMI CEC is enabled and you turn on an HDMI CEC device, this function turns on

Network - You can setup the network configuration in this menu. For more information, see "Network Connection" and "Network Setup".

Using the Lock Menu

When you first use this function, the default password is [0000]. Once you input this password, you can set options.



You can adjust:

Channel Block - Block selected Channels on the TV. **Program Block -** Block selected Programs on the TV.

Rating Enable: Block or unblock TV ratings.

U.S. TV Ratings: Restrict TV programs by USA Ratings.

U.S. Movie Ratings: Restrict movie by USA Ratings.

Canadian English/French Ratings: Restrict movie and TV programs by Canadian Ratings.

Open V-Chip: Display an advanced V-Chip ratings table for digital channels (USA only).

Block Unrated: Block unrated TV programs.

Input Block - Block selected Input source on the TV. Change Password - If you want to change the default password, first enter the new password then enter the same password again.

Clean All - You can reset all locks to factory mode.

Following is the description of these ratings.

verite Ratings U.S. Movie Ratings

γlno əɔnəibus tlubA	Х
bettimbs and under admitted oN	71-2N
Restricted	В
Parents strongly cautioned	PG-13
Parental Guidance suggested	ЪС
General audience	Э
ss bənifə D	Pating

epnitos VT .2.U

26 Defined as	әбү
All children	Y-VT
Directed to older children	77-VT
General audience	5-VT
Parental Guidance suggested	ТУ-РС
Parents Strongly cautioned	71-14
Mature Audience only	ΑΜ-VΤ

26 Defined as	Stn 9tno D
All of the ratings below that rating set blocked automatically	A
Suggestive dialogue	D
Strong language	Г
Sexual situations	S
Violence	Λ
Fantasy Violence	ΕΛ

sgnitaA Asilgn∃ naibanaS

Description	pnitsЯ
Children	С
Children 8 years and older	C8+
General Programming, suitable for all audiences	ອ
Parents Guidance	ЪС
Viewers 14 years and older	+4r
Adult Programming	+81

ςαπαdian French Ratings

Description	BniteA
General	9
s+General; Not recommended for young children	+sns 8
Programming may not be suitable for children under the age of 13	+sns €1
Programming is not be suitable for children under the age of 16	+sns ðt
Programming restricted to adults	+sns 81


Network Connection

You can set up your TV so that it can access the Internet through your local area network (LAN) with a Ethernet or wireless connection.


Connecting to a Wired Network

You can attach your TV to your LAN by one of the three following ways:

You can attach your TV to your LAU by connecting the LAU port on the back of your TV to an external modem using a Cat 5 LAN cable. See the diagram below.



You can attach your TV to your LAN by connecting the LAN port on the back of your TV to an IP Sharer which is connected to an external modem. Use LAN cable for the connection. See the diagram below.



Depending on how your network is configured, you may be able to attach your TV to your LAN by connecting the LAN port on the back of your TV directly to a network wall outlet with a Cat 5 cable. See the diagram below. Note that the wall outlet is attached to a modem or router elsewhere in your house.



If you have a Dynamic Network, you should use an ADSL modem or router that supports Dynamic Host Configuration Protocol (DHCP). Modems and routers that support DHCP automatically provide the IP address, subnet mask, gateway, and DNS, so you don't have to enter them manually. Most home networks are Dynamic Networks.

Some networks require a Static IP address. If your network requires a Static IP address, you must enter the IP address, subnet mask, gateway, and DNS values manually on your TV's Cable Setup Screen when you set up the network connection. To get the IP address, subnet mask, gateway, and DNS values, contact your Internet Service Provider (ISP). If you have a Windows computer, you can also get these values through your computer.

STON 🔛

You can use ADSL modems that support DHCP if your network requires a Static IP address. ADSL modems that support DHCP also let you use Static IP addresses.

(otuA) qutaS ArowtaN 📲

Use the Automatic Network Setup while your connecting the TV to a network that supports DHCP. To set up your TV's cable network connection automatically, follow these steps:

- How to set up automatically
- 1. Connect your TV to your LAN as described in the previous section.
- Turn on your TV, operate according to the description in the Settings menu until the Network screen appears.

		<u>шеип</u> васк	🔽 🔪 Select	OK Enter	U
	•			Version Info Reset Default	
	4	-	-	Network	100
Initiate network connection	•			Caption HDMI CEC	150
	•			dutə2 əmiT	
1				Menu Settings	0
Contraction of	•	dsilpn∃		əɓenɓueๅ	
				Settings	
·					

 On the Network screen, select Configuration and press [ENTER] button to enter the submenu.

		wenn back	∑elect	
			IP Setting Connection Test	M
Select connection type			Information	10000
			Wireless Setting	
	•	Ethernet	Interface	6
	•	uO	Internet Connection	0
			Settings	1

- 4. Set Internet Connection to On and Interface to Ethernet.
- 5. Select IP Setting and press [ENTER] button to enter it.



- 6. Set Address Type to Auto.
- Auto acquires and enters the necessary connection values automatically.
- 8. If the connection values are not automatically entered, please check your modem and router manuals for directions to enable automatic IP addressing by DHCP. Or, follow the steps listed to the follow to manually configure the network connection.

(IsunsM) qutəS Arovta 📲

Use the Automatic Network Setup when connecting your TV to a network that requires a Static IP address.

- Getting the Network Connection Values
- To get the network connection values on most windows computers, follow these steps:
- 1. Right click the Network icon on the bottom right of the screen.
- In the pop-up menu that appears, click Status.
- 3. On the dialog that appears, click the Support tab.
- 4. On the Support tab, click the Details button. The network connection values are displayed.
- Vllsunsm qu tes ot woH ●

To set up your TV's network connection manually, follow these steps:


- 1. Follow Steps 1 through 5 in the "How to set up automatically" procedure.
- 2. Set Address Type to Manual.

		Back	Menu	Select		Ū
	0 0	.0 0.	.0 .0	.0 0.	Primary DNS Secondary DNS	111
		.0	.0	.0	Veweted thefed	100
•		.0	.0	.0	Subnet Mask	-
	0	.0	.0	.0	IP Address	6
		leu	neM	-	Address Type	
					sgnitte2	57

- Press [▲/▼] button to select IP Address and press [◀/▶]
 Dutton to move the cursor to the entry field. Then press 0~9 buttons to enter the numbers.
- 4. Press [MENU] button to exit IP Address and press [\mathbb{A}/\mathbb{V}] button to select the next options to enter the numbers.
- 5 When done, press [MENU] button to return to the previous menu.
- 6. Select Connection Test to check the internet connectivity.

Connecting to a Wireless Network

To connect your TV to your network wirelessly, you need a wireless router or modem. See the illustration below.



Hisense's built-in Wireless LAN Adapter supports the IEEE 802.11 b/g/n communication, the video may not play smoothly. IEEE 802.11n router. When you play the video over a IEEE 802.11b/g connection, the video may not play smoothly.

Saton 🖌

- You must use the Hisense's built-in Wireless LAN Adapter to use a wireless network, the set doesn't support external USB network adapter.
- To use a wireless network, your TV must be connected to a wireless IP sharer. If the wireless IP sharer supports DHCP, your TV can use a DHCP or static IP address to connect to the wireless network.
- Select a channel for the wireless IP sharer that is not currently being used. If the channel set for the wireless IP sharer is currently being used by another device nearby, this will result in interference and communication failure.
- If you apply a security system other than the systems listed below, it will not work with the TV.
- If Pure High-throughput (Greenfield) 802.11N mode is selected and the Encryption type is set to WEP, TKIP or TKIP-AES (WPS2 Mixed) for your Access Point (AP), Hisense TVs will not support a connection in compliance with new Wi-Fi certification specifications.
- If your AP supports WPS (Wi-Fi Protected Setup), you can connect to the network via PBC (Push Button Configuration) or PIN (Personal Identification Number). WPS will automatically configure the SSID and WPA key in either mode.
- Connection Methods: You can setup the wireless network connection three ways.

-Scan -Manual -Auto

Pireless Setting

qu təs ot woH 🏾

 Turn on your TV, operate according to the description in the Settings menu until the Network screen appears.

		<u>шеил</u> Васк	🔽 Select	OK Enter	U
				Version Info Reset Default	
connection	<	-	-	Network Network	141
lnitiate network	▲			Time Setup Caption	-
	∢ ♦	dsilpn∃		spaitte2 uneM Langue3e	0
				Settings	22

 On the Network screen, select Configuration and press [ENTER] button to enter the submenu.

		tix3 Wenu	∑elect	OK Enter	
connection.	•			IP Setting Connection Test	141
Setup wireless	•			Information	1000
	4	-	-	Wireless Setting	
	•	Wireless		Interface	6
	•	uO	uo	Internet Connecti	0
				sprittas	2

3. Set Internet Connection to On and Interface to Wireless.

4. Select Wireless Setting and press [ENTER] button to enter it.

You can select: Scan / Manual / Auto.

- 5. If you select Scan, a screen will appear listing all of the wireless networks within range of the TV. Use the $[\blacktriangle/\Psi]$ button to select the wireless network with your router SSID and press [ENTER] to confirm. Proceed to Step 7.
- 6. If you select Manual, a screen will appear prompting you to enter the SSID of your wireless network. Press [ENTER] and an on-screen keyboard will pop up. Enter the SSID and select OK. Press [ENTER] to confirm and a screen will appear prompting you select the security mode for proper security mode and press [ENTER] to confirm. If you proper security mode and press [ENTER] to confirm. If you selected None for the security mode, proceed to step 9.
- 7. A screen will appear prompting you to enter the password for the selected security mode. Press [ENTER] and an on-screen keyboard will pop up. Enter the password and select OK. Press [ENTER] to confirm. Proceed to Step 9.
- If you select Auto, a screen will appear prompting you to select PIN (personal identification number) or PBC (push button configuration) setup. Choose the method supported by your wireless access point.

- If you choose PIN, an identification number will appear on the screen for you to enter into the access point.
 PIN is in use by another device, select [REFRESH] to obtain a new PIN and enter it into the access point.
- If you choose PBC, a screen will appear prompting to press [▶] button. After pressing the [▶] button you have two minutes to locate and press the Push Button on your access point to connect to the TV.
- 9. Press the [MENU] button to return to the previous menu.
- 10. Select Connection Test to check the Internet connectivity.

PLNA Settings

Computer, TV and other digital devices can be connected via DLNA and they can share files with each other. You can use the TV set as a DLNA DMP (Digital Media Player) device to enjoy movies, pictures, music and other multimedia materials in your computer through DLNA connection.

DLNA Setting needs to be set on TV and computer Respectively.

Network Setup

- Turn on your TV, operate according to the description in the Settings menu until the Network screen appears.
- On the Network screen, select Configuration and press [ENTER] button to enter the submenu.
- 3. Set Internet Connection to On and Interface to Ethernet.
- 4. Select IP Setting and press [ENTER] button to enter it.
- 5. Set Address Type to Auto.



- 6. Auto acquires and enters the necessary connection values automatically.
- 7. If the connection values are not automatically entered, please check your modem and router manuals for directions to enable automatic IP addressing by DHCP. Or, follow the steps below to manually configure the network connection.

To set up your TV's network connection manually, follow these steps:

. Follow Steps 1 through 5 in the "How to set up automatically" procedure.

Set Address Type to Manual.

		72 Select	MENU	Back	
bəS	econdary DNS	.0	.0	.0	∢
Prin	rimary DNS	.0	.0	.0	
Def	yewəteD tluete	.0	.0	.0	•
ηnς	upnet Mask	.0	.0	.0	•
d P	o Address	.0	.0	.0	•
bA	ddress Type	-	neM	leu	
ιəς	ettings				

- 8. Set Address Type to Manual, enter IP Setting. Then press [▲/♥] button to select IP Address and press [▲/▶]
 0~9 buttons to enter the numbers.
- 9. Press [MEUU] button to exit IP Address and press [\blacktriangle / \blacksquare] button to select the next options to enter the numbers.
- 10. When done, press [MENU] to return to the previous menu.
- 1. Select Connection Test to check the Internet connectivity.

nO of ANJG fee 📲


- On the Metwork screen, select Applications and press [ENTER] button to enter the submenu.
- 2. Press [\triangleleft / \blacktriangleright] button to set DLNA to On.



Media Share Settings in Computer

If your computer does not support DLNA, you may install software that supports DLNA such as TVersity or Windows Media Player. We recommend Windows Media Player as the installation and soft softing is easier

- installation and setup is easier.
- Start the Windows Media Player(V11 or higher).
 Click "Library" and then "Add to Library."



 The "Add To Library" will pop up on the screen. Click "Add".



4. Select a folder and click "OK".

	🕀 🦳 Juso
	n_sz_sn 🧰
	🕀 🛃 🕅 V Network Flaces
	🕀 📑 👔 Wy Computer
	🗉 🛄 My Documents
×	💽 Desktop
	Select a folder:
×2	Add Folder

5. Click "Close" to close the dialog.

seliTers to Share Files

1. Click "Library" and move the cursor to select "Media Sharing..."

%	4	174	No. of Concession, Name	÷	Congress.	6 8
New New The Act of the	101 100	mQ	Shaff Payle Crash Rayle Shaff That Rayle Shaff S		NANG NA	C - reals - mar - C observed - S belle reads - S out -
		Nation Sale	1000 (000000000000000000000000000000000	D	-	61079 () 4100 ()
1203	.ex. 10	1	Langt ang Kong yan dan Langt ang Kong Kong Kang	- 6		

2. Click the box to select "Share my media" and click "OK".

Transfer density of the	
Man in model	
iduates busines	
point) property toods mea.1	

 An equipment icon will appear on the white area if the DLNA Settings has been correctly set. Select the appropriate icon and then click "Allow".

OK Casea		Standbar Neward sponds projects and we			क सबस
				мар	
				Device Internet	
985 J			nteb	aa da aara	25.0
		Tra	adt hode re	Shepen Do	1.00
	Звончени ни	or no oabiv bris	"sampoid 'our	w energy	100
				Solveda	, eipaw

4. The TV now has access to the shared files on the

computer.

Stoothet Newest spoeds poinds tech year

Network Function

NOTICE FOR USE

If you use VUDU services, see the following note before using it.

- 1. Use of Internet services requires a working broadband Internet connection (1 to 2 Mbps for SD video, 2.25 to 4.5
- 2. VUDU and other Internet-based services are not provided by Hisense, may change or be discontinued at any time and may be subject to restrictions imposed by your Internet service provider. The quality, functionality, or availability of such services may be affected by the capacity of your Internet connection. Use of VUDU videoon-demand and other Internet services may require the internet are or a separate account through a computer with internet access.
- 3. Certain VUDU services may not be available for this TV model.
- 4. VUDU video-on-demand and other Internet services may require payment of one-time and/or recurring charges.
- 5. You are solely responsible for any charges incurred as a result of using Internet-based content, including, without limitation, communications charges for the provision of for third-party Internet content services, such as video on demand or subscription services. All third-party services are provided in accordance with whatever terms and conditions are established between such third-party providers and you.
- POSSIBILITY OF SUCH DAMAGES. BY ANY THIRD PARTY, EVEN IF ADVISED OF THE USE OF ANY CONTENT OR SERVICE PROVIDED ARISING OUT OF OR IN CONNECTION WITH YOUR SEDAMAD YNA AOF YROEHT AEHTO YNA AEDUU WILL HISENSE BE LIABLE IN CONTRACT, TORT OR AND DISCLAIMED. UNDER NO CIRCUMSTANCES CONTENT OR SERVICE, IS EXPRESSLY EXCLUDED FOR A PARTICULAR PURPOSE OF ANY THIRD PARTY SCENTIA RO YTILIBATNAHOREM FITUESS ΙΝΟΓΛΟΙΝΘ ΒΛΙ ΝΟΙ ΓΙΜΙΤΕΟ ΤΟ ΑΝΥ ΙΜΡΓΙΕΟ OF THEM WILL BE UNINTERRUPTED, ERROR FREE YNA TAHT TNAAAAW TON SEOD DNA SECIVAES ОТНЕЯ ІИТЕRИЕТ DELIVERED THIRD-PARTY OR FUNCTIONALITY OF THE VUDU SERVICE OR WARRANTIES ABOUT THE CONTENT, AVAILABILITY 6. HISENSE MAKES NO REPRESENTATIONS OR

(mone.)

a¥s

30

Pperational buttons



Stop playback and display the file title screen.	
Pause playback. Press the button to return to playback.	
Play the next one.	
Play the previous one.	
Display the TrickPlay screen and fast forwards playback.	
Display the TrickPlay screen and fast reverses playback.	••
Press to Iaunch NETFLIX App directly.	NETFLIX
Confirm selections.	ENTER
Navigate Up / Down / Left / Right or adjust OSD settings.	∢/⊳/ ▲/▼
Return to the previous menu.	RETURN
Close the menu.	EXIL
Open the menu.	WEND
Open the digital multimedia player.	dWD-!H
Open the Hi-Smart Hub with links to various Internet Services.	hem2-iH
Press to launch VUDU Movies App directly.	(pv
Description	nottua

Enter the Network Applications

1. Press the [Hi-Smart] button to display network services.



2. Press [◄/▶] button to select the App you want to view and press [ENTER] to launch it.

S9ivoM GH UGUV

Brief introduction


VUDU is an on-demand service that offers high-definition movies on Web.

For enjoying more movies, please register and log in to your account.

Poperation instructions

You can access the VUDU HD Movies by the following method:

- 1. Press the [Hi-Smart] button to display network hub.
- Press [◄/▶] button to select the VUDU HD Movies icon and press [ENTER] to enter it, or press [VUDU] button to enter directly.
- Select the Sign Up Now icon on the VUDU HD Movies interface, and press [ENTER] to enter.
- 4. Please read the content of the Disclaimer first. If agree, press [GREEN] button and then access the network main menu. If disagree, press [RED] button or [YELLOW] button to cancel or exit Disclaimer menu, then network cannot be used.



5. Enter your email address to start your VUDU experience. (Refer to "How to Input the Email Address" on page 27.")

- press [ENTER] button to confirm. service items in the VUDU HD Movies home page, and 6. Press $[\Lambda/\Psi/A]$ button to move the cursor to select
- the function icon, and press [ENTER] button to confirm. to display/exit the tool bar, press [</>
) button to select 7. In the process of watching a movie, press [ENTER] button
- press [EXIT] button to close the menu. 8. Press [RETURN] button to return the upper menu, or
- Tool Bar



- select the chapter. Press [ENTER] button to enter and press [◄/▶] button to
- Stop playback.
- speed. You can press [S Fast backward. Press [ENTER] to select the backward
- directly when there is no control bar on the screen. Play/Pause. You can press [>I] button to play/pause
- speed. You can press [>>] button to achieve the function. S Fast forward. Press [ENTER] button to select the forward
- Progress bar. The progress bar when playing.

esenting the Email Address

- address bar and press [ENTER] button to confirm. 1. Press [A/V/4] button to move the cursor to the
- so that you can input part of the address often used There are some shortcuts on the bottom of the keyboard 2. Press [ENTER] button to display the keyboard.

Other keys are used as the keyboard of your computer. qırectiy.

		C	əu	٥Q				γс	Ba			
ttir	IS			90E	sq2			sic	qu	γS	X	
ш	oo.	0	6	8	L	9	G	7	3	7	L	0
Ζ	λ	X	M	٨	n	1	S	J.	b	d	0	u
ш	1	К	ſ	1	Ч	6	ł	ə	р	С	q	в
							SS	drea	pe l	iem	ier e	μIJ
	inc		6ui	γoįn	ə ui	бәq	ot s	lres	ope	lien	er er	atu
				2021	nnp	IIPII	ua i					

button to confirm. characters you want to select and then press [ENTER] 3. Press [A/V/4] button to move the cursor to the

Back key X and press [ENTER] button to confirm. If you want to delete one character, move the cursor to

the new address will appear on the address bar. to confirm if you have completed the address input. Then 4. Move the cursor to Done key and press [ENTER] button



Search movies in VUDU

Latest trailers

noitonn

Mostly rented movies

The latest movies

Mostly picked up movies

The movies user bought or rented

Browse the classified movies

Browse all the movies in VUDU

The movies can be picked soon

The detail information of current movie

The cast and crew of current movies and

To rate current movie or share it to your

The similar types of movies

The reviews of current movie

The overview of current movie

friends in Facebook or Twitter

To rent or buy current movie

noitonu

Add current movie to your Wishlist

To watch trailer of the current movie

To preview current movie for 2 minutes

find their related movies

906qdus seivoM GH UGUV -

More Info

Similar

Reviews

Weiview

Rate/share

taildaiW of bbA

Watch Trailer

Search

My vubu

Browse noo2 gnimoJ

Collections

New Trailers

Top Rentals

Top Picks

weN

9ljiT

nwO\fn9A

ЭliT

2 Minute Preview

Werd & Crew

XilîtəN

Netflix unlimited membership required.

Brief introduction

Instantly watch thousands of TV episodes & movies streaming over the Internet from Netflix. Unlimited membership required.

Saton 🕅

- TV screen may be difference with picture.
- For more information on Netflix visit http://www.netflix. com/help or login to your Netflix account and click "Help" at the top of the page.
- Your broadband fluency and picture quality depend on the network speed and original bit rate.
- Illustrations are examples and may differ from the actual Netflix screens. The display and operations may change as a result of a software update. Use Netflix without configuring a proxy server. Part or all of Netflix may not be available when connecting to the Internet via a proxy server.

Operation instructions

- 1. Press the [Hi-Smart] button to display network hub.
- 2. Press [◄/▶] button to select the Netflix icon and press
 [ENTER] to enter it, or press [NETFLIX] button to enter Netflix website directly.
- Input Email and Password in following window to sign in.
 (Refer to "How to Input the Email Address" on page 27)



- 4. Press [▲/♥/◀/▶] button to move the cursor to select service items in the Netflix home page, and [ENTER] button to confirm.
- 5. In the process of watching a movie, press operational buttons to control the movie.
- 6. Press [RETURN] button to return the upper menu, or press [EXIT] button to close the menu.

eqqA UQUV

Brief introduction

The applications platform for connected TVs.

- VUDU Apps provides customers with access to a wide range of Internet services and applications including streaming video, music on demand, photo browsing, social networking and more.
- VUDU Apps supports the development of responsive apps designed specifically for use on home HD televisions.
- VUDU Apps uses a unique, cloud-based architecture optimized for consumer electronics devices, including delivering the latest applications to consumers without the need for software downloads or frequent firmware updates.

Operation instructions

You can access the VUDU Apps by the following methods:

- 1. Press the [Hi-Smart] button to display network hub.
- 2. Press [◄/▶] button to select the VUDU Apps icon and press [ENTER] to enter it.
- 3. Press [\triangleleft / \blacktriangleright / \land] button to select the widget you want to access, and press [ENTER] to enter it.
- 4. You can press [RETURN] to return the upper menu or press [EXIT] button to close the Widgets display.

əpsq əmod zqqA UOUV 🖥

	ouikeoaa		THINK 🔿	
•	dy	Allowed M	RE faceboo	BROWSE BY GEN IEWEST
	biff 🖄	oakva	and the second	2 SETINOVAT YN ALUPOP TSON
	E TOIRTZ	ID	Anothe pros	

lnfo & settings	noitsmrofni meteve sqqA UQUV
Show Ticker	Show the applications at the bottom of screen while watching TV
Browse by genre	Browse applications by genre
tsəwəN	The newest applications in VUDU
Most popular	The most popular applications
My favorites	The user's favorite applications
Title	Function

Netfflix Movies home page



Runction	∂lìĪ
The movies suggested for you by Netlix	Suggestions for you
The new arrivals	Slevinals Vew Arrivals
Browse movies in different genres	Genres
Your list of movies	Instant Queue
Search for available titles	Search


aduTuoY

Brief introduction

remote control. VT ent the recommendations with the TV Teature length movies, shorts, and trailers on your TV With YouTube you can watch original videos, music videos,

- Operation introduction

- 1. Press the [Hi-Smart] button to display network hub.
- [ENTER] to enter it. 2. Press [\triangleleft / \blacktriangleright] button to select the YouTube icon and press



- button to confirm. service items in the YouTube home page, and [ENTER] 3. Press $[\Lambda/\Psi/A]$ button to move the cursor to select
- press [EXIT] button to close the menu. 4. Press [RETURN] button to return the upper menu, or

Pandora

Brief introduction

Create up to 100 stations so you can easily switch between features hundreds of music and comedy genre stations. create a custom station that plays similar tracks. Pandora artists, songs, comedians, or composers and Pandora will on your TV. Just start with the name of one of your favorite Pandora is a personalized radio service that streams music

tavorites.

account. For enjoying more movies, please register and log in to your

Operation introduction

- 1. Press the [Hi-Smart] button to display network hub.
- [ENTER] to enter it. 2. Press [</>
) button to select the Pandora icon and press
- 3. Input Email and Password in following window to sign in.
- service items in the Pandora home page, and [ENTER] 4. Press [▲/▼/▲/▶] button to move the cursor to select (Refer to "How to Input the Email Address" on page 27)
- press [EXIT] button to close the menu. 5. Press [RETURN] button to return the upper menu, or button to confirm.

Reseoi**9**

Brief introduction

.mudlA deW seesig elogo ni berote Google Picasa account, you can enjoy your private photos in Google Picasa Web Album. If you have already had a Picasa Web Album, also you can search your favorite photos With Picasa App you can explore featured photos in Google

Operation introduction

- 1. Press the [Hi-Smart] button to display network hub.
- [ENTER] to enter it. 2. Press [◄/▶] button to select the Picasa icon and press



 3. Press [▲/▼/▲/▶] button to move the cursor to select service items in Picasa screen and [ENTER] button to



- 4. To use other features, press the button showed in the help bar.
- 5. Press [RETURN] button to return to the upper menu, or [EXIT] button to close the App.

tera (site) managementa and mean	
() Y 13	OK Cancel
• • • • • • • • • • • • • • • • • •	
d a i n X i J a M b	Password
0 0 0 4 0 0 0 0 0 1	Dset Name
	enersi nan uling 👼
In and the sound you have a	ebneni amoti 🕥
aug 1918, muany metan no mean	
3 L N 40	OK Cancel
0 w u q A 3 4 z	
	spice Asy aug prove
4 5 3 4 2 4 5 9 6 2 4	
	uses 🖷
ni ngis sound yin dovead	ebnerii emoti 🔾
THE OC MEAN HERE AND THE	
3 F 1 40	OK Cencel
0 w v q A 3 4 2	
	swev spusy inor your
	rownii boA 🌢
ni ngili ecoloriti yan richeaili	sbrait? emoti 🔾

Viewster

Brief introduction

With Viewster App you can enjoy your favorite movie categories from a choice that includes comedies, action movies, thrillers, romances, documentary films, horror movies, dramas and adventures.

Operation introduction

- Press the [Hi-Smart] button to display network hub.
- 2. Press [◀/▶] button to select the Viewster icon and press

[ENTER] to enter it.



- Press [▲/▼/◀/▶] button to move the cursor to select service items in Viewster screen and [ENTER] button to confirm.
- 4. To use other features, press the button showed in the help bar.
- 5. Press [RETURN] button to return to the upper menu, or [EXIT] button to close the App.

AccuWeather

Brief introduction

With AccuWeather App you can instantly get the latest weather information of the city you added.

Operation introduction

- Press the [Hi-Smart] button to display network hub.
- Press [◄/▶] button to select the AccuWeather icon and press [ENTER] to enter it.



- 3. Press [▲/▼/√/▶] button to move the cursor to select service items in AccuWeather screen and [ENTER] button to confirm.
- 4. To use other features, press the button showed in the help bar.
- 5. Press [RETURN] button to return to the upper menu, or [EXIT] button to close the App.

oəmiV

Brief introduction

Vimeo App provides plenty of HD video. All these video are mainly divided into two parts: Featured Video and Categories Video which includes Activism &Non Profits, Animation &Motion Graphics, Art, Comedy, Education &DIY, Everyday Life, Experimental, Films, HD, Music, Products &Equipment, Science &Tech, Sports and so on.

When you sign in this App , you can bookmark you favorite movie and watch the movie last watched.

Operation introduction

- 1. You can choose the movie you like to watch in Featured and Categories in home page.
- 2. If you want to sign in vimeo , please choose Setting.
- 3. After signing in vimeo, you can save your favorite video
- to My Stuff or Watch Later. 4. Choose Search to search the name of movie or music you love.
- 5 To use other features, press the button showed in the help bar.
- 6 Press [RETURN] button to return to the upper menu, or
 6 EXIT] button to close the App.

Network Apps Service Information

- VUDU customer care: To learn more about VUDU, visit the frequently Asked questions at <u>www.vudu.com/support.</u>
- Metflix customer service:
 US: (866) 716-0414

Canada: (866) 348-2353

Tool bar

Digital Media Player

disk or mobile hard disk with standard USB2.0 port. with all mass storage devices. Be sure to insert the USB for any lost data and cannot guarantee perfect compatibility Please note that Hisense will not assume any responsibility

- you can press [INPUT] button to switch to other sources). [ENTER] button to confirm. (If you want to exit Hi-DMP, [▲/▼] button to highlight the Hi-DMP source, then press Press [INPUT] button to display the INPUT menu, press
- Press [RED] button to switch the media type.
- Press [YELLOW/BLUE] to turn to the previous/next page.
- . 9III to open and then press [ENTER] to enter/play the folder/ 1. Press [A/V/A] button to select the folder/file you want
- Press [RETURN] to return to the previous directory.



Playable format list

	MPEG1(.dat), MPEG2(.mpg/.ts), XVID(.avi), H.264(.mov/.ts/.mkv)
SisuM	MP3
Photo	JPG
Files Format	Playable format

Enjoy Video Files

- Press [RED] button to switch to All or Video.
- Press [▲/▼/▲/▶] to select the video you want to view.
- Press [ENTER] to play the video.
- previous directory. 4. Press [Invite of the video and return to the
- .'nsa 5. Press [ENTER] button to display/exit the video control
- press [ENIER] to contirm. 6. Press [4/▶] button to select the function icon and then

01682 53420 M



- when there is no control bar on the screen. Play/Pause. You can press [>II] directly to play/pause
- achieve the function when no control bar display on the S Play the previous video. You can press [I◄◀] directly to
- Play the next video. You can press [>>I] to achieve the .neens
- function when no control bar display on the screen.
- backward speed. You can press [S Fast backward. Then press [ENTER] to select the
- innction.
- speed. You can press [>>] to achieve the function. S Fast forward. Then press [ENTER] to select the forward
- N Select time to play

The progress bar when playing.

- Press [ENTER] to confirm and the video will to play at the .11 Isulbs
- time you have set.
- teil Vel9 8
- select the video. . Press Yellow/Blue button to page and press $[\blacktriangle \lor]$ to
- .unam Press [ENTER] to confirm. And press [Exit] to exit the

snoitqO Q

tix3 more	Select Enter
	OIDUA
ON	Subtitle Selection
User	Picture Mode
Once	Repeat
	teS notiqO

- Press [▲/♥] to select the options in the menu.
- Press [◄/▶] to select the settings.
- · Press [ENTER] to confirm.

ofni mergora 🕕


.noitsmrothi msrporq sht weiv of uov swollA

Stop playback

A NOTE

the video. ratio (Normal, Full Screen, Original Size) while playing You can press [ASPECT] button to change the aspect

- Press [ENTER] to browse the picture.
- previous directory. 4. Press [INRURN] to exit the picture and return to the
- Tool bar



When browsing the pictures

press [ENTER] button to confirm. and press $[\checkmark]$ button to select the function icon and then Press [ENTER] button to display/exit the picture control bar,

- displays on the screen. directly to achieve the function when no control bar ■ Browse the previous picture. You can press[|◄◄] button
- displays on the screen. directly to achieve the function when no control bar Stowse the next picture. You can press [►►] button
- S Allows the picture to rotate 90 degrees clockwise.
- Play/pause. You can press [ENTER] button directly when Allows the picture to rotate 90 degrees anti-clockwise.
- no control bar on the screen.
- directly when no control bar on the screen. Stop browsing the picture. You can press [■] button
- .enutor and the picture.
- Soom out the picture.
- press [◄/▶] button to set them. Option Set. Press [▲/♥] button to select the options and



- .beed. Speed: Allows you to browse the picture at different
- screen. · Effect: Allows you to set how the picture appears on the
- browsing the pictures if it is set On. Background Music: Allows you to enjoy the music when
- Picture info. Allows you to view the picture information.

Enjoy Music Files

- 1. Press [RED] button to switch to All or Music.
- Press [▲/▼/▲/▶] to select the music you want to enjoy.

Ы

- C:/ music DMP

F2

- nformation IIА
- Eqm.Es Eqm.Se £qm.m Eqm. t e

EЗ

oisum 3. Press [ENTER] to play the music.

Ш

Return


Edm. Le

BOOK

oisuM 👘

oəbiV

Picture



Current Playing: a3.mp3

⊨ Enter 👘 Return 🛑 Type Filter

- Mark / All / Single. next page. Press [GREEN] button to select the Mode: press [YELLOW/BLUE] button to turn to the previous / select the music and press [>] button to mark it. You can 4. All the music is listed on the left. Press [▲/♥] button to
- 5. Press [RETURN] to exit the music playback interface.

Browse the Pictures

- 1. Press [RED] button to switch to All or Picture.
- DMP C: / Picture 2. Press [A/V/A] to select the picture you want to view.



Digital Media Receiver

Brief introduction

With the Digital Media Receiver you do not have to crowd around a small tablet PC or smartphone screen to share video, music or pictures with friends and family. Simply browse, discover and beam media files stored on your Android or iOS device to your TV using the Twonky Beam application.

Operation introduction

- :9bis VT .1
- Confirm the TV is connected to a local area network. (See pages 20~23)
- Set DLNA to On. (See page 24)
- 2. Device Setup:
- Download the Twonky Beam application using the link found on the Hisense website at www.hisense-usa.com.
- Confirm the device is connected to the same local area network as the TV.
- Launch the Twonky Beam application, select the video, music or picture you want the share and beam it to the TV.
- You can control the playback using the TV remote or from the device application.

- Browse the Text Files
- 1. Press [RED] button to switch to All or Book.
- 2. Press [A/V/A] to select the text you want to view.



- 3. Press [ENTER] button to confirm.
- 4. Press [■ /RETURN] to exit the text and return to the previous directory.
- Tool bar



When browsing the text files

When no tool bar appears on the screen, you can press $[\blacktriangle \$

Press [ENTER] to display/exit the tool bar. Press [</bd>

 Press [ENTER] to display/exit the tool bar. Press [ENTER] to select the corresponding icons and then press [ENTER] to confirm.

Stop/resume automatic page

- View the previous page.
- View the next page.
- . Briop browsing.
- .weiv of egge to select page to view.





- Press [0~9] buttons to input the page or press [▲/♥] to adjust it.
- Press [◀/▶] to select Enter and press [ENTER] to confirm.

Other Information

Trouble Shooting

When something appears wrong with your TV refer to below chart. If the proposed remedy's do not work , then unplug the AC cord from wall, wait at least 60 seconds, plug AC back in and then turn on the TV. If the problem still cannot be solved, please contact the help line provided on the warranty card or a professional technician.

POSSIBLE SOLUTIONS	SMOT9MY2	
 Check if the power cord is plugged into AC outlet and if it has electricity. Check if you have pressed [POWER] button on the TV or [POWER] button on the remote control. Check to see if LED light is either red or blue. If illuminated, power to TV is OK. 	No sound or picture.	
 Check for the correct output connection on the external source and for the correct input connection on the TV. Make sure you have made the correct selection for the input mode for the incoming signal. 	I have connected an external source to my TV and I get no picture and/or sound.	
Yes, this is normal. That is the TV searching for previous setting information and initializing the TV.	When I turn on my television, there is a few second delay before the picture appears. Is this normal?	
 Check the volume settings. Check if Mute mode is set "on". 		
 If black and white picture first unplug TV from AC outlet and re-plug after 60 seconds. Check Color Setting if picture is black and white. 	Sound but no picture or black and white picture.	
 An electrical appliance may be affecting TV set. Turn off any appliances, if interference goes away, move appliance faither away from TV. Insert the power plug of the TV set into another power outlet. 	Sound and picture distorted or appear wavy.	
 If using an external antenna, check the direction, position and connection of the antenna. Adjust the direction of your antenna or reset or fine tune the channel. 	Sound and picture is blurry or cuts out momentarily.	
Check if there is interfering source nearby, such as appliance or electric tool.	Horizontal/vertical stripe on picture or picture is shaking.	
"Click" sound can be caused when the room temperature changes. This change causes the television cabinet to expand or contract, which makes the sound. This is normal and the TV is OK.	The plastic cabinet makes a "clicking" type of sound.	
The Closed Caption function is set in the text mode. To remove it, access Closed Caption from the menu screen and change the Mode setting from text to either CC1 or off .	Black square appears in the center of my television screen?	
That would indicate that the MTS mode on your unit is set to "SAP" mode. We suggest setting the MTS mode to either "Stereo" or "Mono". For further instruction, please see "MTS" in your user manual. • SAP is Second Audio Program. It's a second audio channel that is usually used for a second language or descriptive audio for the visually impaired. • MTS stands for Multichannel Television Sound, a standard that allows the encoding of 3 more than the encoding of 3 more the visual vite and second success of audio by video signal to a television. A television that channels of audio within a standard NTSC (analog) video signal to a television. A television that channels of audio within a standard NTSC (analog) video signal to a television.	On some channels getting another Ianguage or sometimes no sound at all.	
is able to receive MTS Stereo allows you to watch television with stereo sound. Check the cable connection for an incoming signal. The best way to confirm signal is to use another TV and/or contact your cable company.	Not getting all of my cable channels on the television or I'n only getting	
After switching to Cable, please auto program the channels. The TV will "remember" all the	13 channels. [CHA / V] don't work when I set the	
channels then the TV will allow you to surf the channels with [CHA / V] buttons.	Channel to Cable? They work with the Air setting?	

Other Information

POSSIBLE SOLUTIONS	SMOT9MYS	
Confirm that TV still has power and is operational.		
Change the batteries in the remote control.	Remote control does not work.	
Check if the batteries are correctly installed.		
$^{\circ}$ Confirm the remote control is matched with the TV (see "Match the Remote Control with TV").		
If using a universal remote, be sure to select the TV mode on the remote.		
If the remote still does not work:		
remove and reinstall the batteries correctly to reset the remote or install new batteries.		
-press TV and then Power to turn on the TV. With a universal remote if you have reset or changed the batteries you will need to reprogram the remote for the other units. MATCH: Turn on your TV using the Tap Pad located on the TV (see "Viewing the Control Panel). Any your remote control within 6 inches of the lower left corner of your TV. Press the [-] and [LAST] buttons on the remote control simultaneously for at least 3 seconds. The LED at the top of your remote will light for one second and blink slowly three times to indicated the remote has paired with the TV.		
 Check network physical connection, make sure connection is correct. Enter "Menu", "Settings", "Vetwork", "Configuration", make sure configuration is correct according to your network service provider. Enter "Menu", "Settings", "Network", "Configuration", "Connection Test" to make sure that network connection test is successful. 	Network connection fail.	
 Check network connection is correct, both physically and configuration. Enter "Menu", "Settings", "Network", "Configuration", "Connection Test" to make sure that network connection test is successful. For VUDU: Enter "Menu", "Settings", "Network", "Configuration", "Applications", "VUDU", "Deactivation" to reset VUDU account. For Netflix: Enter "Menu", "Settings", "Network", "Configuration", "Applications", "VUDU", "Deactivation" to reset VUDU account. 	Connect VUDU/Netflix fail.	
 For VUDU: For VUDU:	Log out VUDU/Netflix or change log in account.	
 Check network connection is correct, both physically and configuration. Make sure DLNA server (PC or Mac) has shared media content and TV has permission to access shared media. Enter "Menu", "Settings", "Network", "Applications", turn on "DLNP" source by using [INPUT] button on remote or press [Hi-Smart] button and then select "Multi-DMP" source by using [INPUT] button on remote or press [Hi-Smart] button and then select "Multi-Media" Icon. 	DLNA does not work.	
 You need a broadband (high speed) Internet service with a speed of no less than 1.5 Mbps. Connect the TV to the Internet through your router by an ethernet cable or wireless connection. If the connection fails, check with your internet service provider or router manufacturer to determine if there is a firewall, content filter, or proxy settings that may block the TV from accessing the Internet. After connecting the TV to the Internet, press the [Hi-Smart] button on the remote to access the UP to the Internet. 	ot duH ham2-iH ووt the to l ow WoH فا معادل الما وا معادل work on my TV?	
Hi-Smart Hub. Caution: Do not try to repair the TV yourself. Refer all servicing to qualified repair personnel.		

Other Information

General

A NOTE

Features, appearance and specifications are subject to change without notice.

bnst8 tuodtiW	(mm ðStt) səhəni 6.44: dibiW (mm 166) səhəni 0.65: (mm 166) (mm 8.95) səhəni 4.2: hiqəD	(mm 8421) sərhər 1.48 mm) (mm 647) sərhər (743 mm) Depth: 2.3 inches (59 mm)	
bnst2 dtiW	Width: 44.3 inches (556 mm) Width: 28.5 inches (724.5 mm) (mm 7.45 (724.5 mm) (mm 724.5 inches (285 mm)	Width: 49.1 inches (330 mm) Width: 31.6 inches (803 mm) Height: 31.6 inches (330 mm)	
Without Stand	37.5 lbs (17 kg)	49.8 lbs (22.6 kg)	
bnst8 dtiW	44.1 lbs (20 kg)	(6Å 8.8č) sdl 7.82	
əzis mumi	Sentani 05	55 inches	
uoi	1920 × 1080		
	W 8 + W8		
ption	Please refer to the rating label.		
	zH 09 ~ V 021		
golsnA	NTSC		
Digital	MAQ \ QZTA		
conditions	Тетрегаture: 41°F ~ 95°F (5°C ~ 35°C) Humidity: 20% ~ 80% RH Atmospheric pressure: 86 kРа ~ 106 kРа		
ţnc	480 I \ 60 Hz, 480 P \ 60 Hz, 720 P \ 60 Hz, 1080 I \ 60 Hz, 1080 P \ 60 Hz		
	XGA (640×480 / 60 Hz), SVGA (800×	VGA (640×480 / 60 Hz), SVGA (800×600 / 60 Hz), XGA (1024×768 / 60 Hz)	
	人口V / 60 Hz (640×480, 800×600, 108 人口V / 60 Hz (640×480, 800×600, 108		

The remote control requires:

• Number of Batteries: 2 • Type: AAA

>>V č, f :9bsfloV •