



Your Honeywell security system is designed for use with devices manufactured or approved by Honeywell for use with your security system. Your Honeywell security system is not designed for use with any device that may be attached to your security system's control or other communicating bus if Honeywell has not approved such device for use with your security system. Use of any such unauthorized device may cause damage or compromise the performance of your security system and affect the validity of your Honeywell limited warranty. When you purchase devices that have been manufactured or approved by Honeywell, you acquire the assurance that these devices have been thoroughly tested to ensure optimum performance when used with your Honeywell security system.

Lyric™ Lock

Your system supports advanced features designed to keep it functioning optimally. These capabilities include: the ability to interact with Honeywell and your dealer's network for the setup and programming of its features, support for remote software updates and the ability (when enabled by your monitoring dealer) to enhance your security by preventing an unauthorized takeover of the system by another monitoring company. In the event that your dealer has enabled the feature to prevent an unauthorized takeover and you wish to authorize a new company to take over your system, you may request that Honeywell remotely disable this feature. Honeywell will require documentation that you have attempted to contact your existing security dealer and that they have failed to respond, or failed to agree to your request.

TABLE OF CONTENTS

OVERVIEW.....	ERROR! BOOKMARK NOT DEFINED.
About This Guide.....	Error! Bookmark not defined.
Basic Functions.....	5
About the Control Panel.....	10
Home Button Status Indications.....	10
The Tools Menu.....	12
SECURITY.....	14
Security Features.....	14
False Alarm Prevention.....	Error! Bookmark not defined.
Arming the System.....	Error! Bookmark not defined.
Disarming the System.....	17
Bypassing Protection Zones.....	17
Entry and Exit Delays.....	18
Emergency Alarms.....	19
Chimes/Voice Annunciations.....	20
Audio Alarm Verification (Two-Way Voice).....	21
Built-In Camera.....	21
AUTOMATION: Z-WAVE AND OTHER DEVICES.....	23
Working with Z-Wave Devices.....	23
Garage Doors.....	30
AUTOMATION: SMART SCENES.....	31
Smart Scenes and User Access.....	31
Creating a Smart Scene.....	32
Hold.....	35
Run.....	35
Show (Review).....	35
AUTOMATION: VOICE COMMAND.....	ERROR! BOOKMARK NOT DEFINED.
Setup.....	Error! Bookmark not defined.
Voice Command Assignment.....	Error! Bookmark not defined.
Using Voice Command.....	Error! Bookmark not defined.
Counter (Sensitivity Settings).....	Error! Bookmark not defined.
VIDEO.....	37
Viewing and Naming Cameras.....	37
Adding a Camera.....	37
Video Recovery.....	38
USERS AND SECURITY CODES.....	39
User Codes.....	39
Duress Code.....	39
Adding Users and Assigning Codes.....	40
Changing Security Codes or the Duress Code.....	40
Deleting a User.....	40
User Settings.....	41
SYSTEM SETTINGS.....	43
Brightness/Volume/Cleaning.....	43
Wi-Fi Configuration.....	43
Software Updates.....	44
Slide Show.....	Error! Bookmark not defined.
Date / Time.....	45
Events.....	45
Keypad.....	45
TESTING YOUR SYSTEM.....	46
Testing Sensors (Walk Test).....	46
Testing Communications.....	47
Reboot.....	47
MAINTENANCE.....	48
Care and Cleaning.....	48
Battery Replacement.....	48
Communication Module Replacement.....	50

SYSTEM DISPLAY AND BUTTONS	51
WIRELESS KEYS	53
Key Assignments	53
SiXFOB Wireless Key Status Indications	53
EVENT LOG CODES	54
GLOSSARY	56
FIRE/CO ALARM SYSTEM	57
In Case of Fire	57
In Case of Carbon Monoxide Alarm	57
Silencing a Fire/Carbon Monoxide Alarm.....	57
NATIONAL FIRE PROTECTION ASSOCIATION SMOKE DETECTOR RECOMMENDATIONS	58
Emergency Evacuation.....	59
REGULATORY AGENCY STATEMENTS.....	60
OWNER'S INSURANCE PREMIUM CREDIT REQUEST	61
LIMITATIONS OF THIS ALARM SYSTEM	63
YOUR SYSTEM INFORMATION.....	64
TWO YEAR LIMITED WARRANTY	67

Overview

The Lyric Gateway combines a security system and home automation with flexibility to operate your system locally using Wi-Fi® connection or remotely over the internet using smart devices and easy to use Apps.

Your system can include wireless sensors to provide burglary protection and smoke and combustion detectors to provide early fire and carbon monoxide (CO) warnings (if installed).

Your Gateway system monitors sensors and system status to initiate alarms and generate alerts. The system can also send alarm and status messages to a central monitoring station via the cellular phone network or the Internet, if programmed to do so.

Convenient methods of operating the Gateway include the following:





- The Gateway's touchpad
- Your **Total Connect™ Remote Services** account (for local and remote access)
- The **MyHome™ Gateway** App (for local access)
- Optional wireless keys (key fobs), Lyric keypads and smart devices.

Download and install the **MyHome Gateway™** App and the **Total Connect™** App from your smart device's App Store.

NOTE: The **MyHome Gateway** App requires connection to the Gateway via the premise's Wi-Fi router (Ethernet cable or Wi-Fi). The **Total Connect** App requires internet or cellular connection for remote access to the Gateway.

About This Guide

Throughout the User Guide, icons help you easily identify which control options are available for different system features:

This icon	Means, you can operate the feature...
	from the Gateway touchpad.
	locally from your smart device using the MyHome Gateway App.
	locally or remotely from your computer, or smart device using your Total Connect Remote Services account. For smart devices, download the Total Connect App.
	Optional wireless keys (key fobs), Lyric keypads or smart devices

In the *Navigating with the MyHome Gateway App* section, various menu commands are also listed for operating various options. For example, if you see:

[Home](#) > [Security](#) > [Tools](#) > [Users](#)

This means: From the **MyHome Gateway** App **Home** screen, select **Security**.

From the Security menu, select **Tools**.

From the Tools menu, select **Users**.

Note that the illustrations in this document may differ slightly from your system.

Basic System Functions

Security



	Press	
Arm in Home mode	ARMED Home	and enter your user code
Arm in Away mode	ARMED Away	and enter your user code
Disarm system & silence alarms	Disarmed	and enter your user code. Repeat to silence alarms/alerts
Emergency	Emergency	Then press:
	Fire	notifies the monitoring company of the emergency type (if programmed to do so)
	Police	
	or Medical	

	Press	
Access Security features		on the Home screen
Arm in Away mode		and enter your user code
Arm in Home mode		and enter your user code
Disarm system & silence alarms		and enter your user code. Repeat to silence alarms/alerts
Emergency (Panic)		Use the Gateway Touchpad Emergency options or, if programmed to do so, use your wireless key (key fob) to signal an emergency.

Video



Press on the Home screen to view and configure Wi-Fi cameras

Control Panel Settings



	Press (Settings) on the Home screen
Gateway key brightness	Select Brightness and use the slider
Gateway volume	Select Volume and use the slider
Voice announcements volume	Select or deselect VOICE
Chime volume (count-down beeps, other sounds)	Select or deselect CHIME










Automation Features



	Press	
Operate & manage Z-Wave® devices		on the Home screen
Create & manage Smart Scenes		on the Home screen

Common Master User Functions



	<u>Press</u>
	 (Security) then  (Tools) and enter your Master User code.
Add, delete or modify user codes	 (Users)
View a list of System Events	 (Events)
System tests	 (Advanced) and select Walk Test or Comm. Test
Set Date and Time	 (Date Time)
View a list of smart devices paired to your Gateway	 (Keypad)
Network Config	 (WiFi Config)

Security Features

- NOTES:**
- For the Lyric Gateway to report alarms over the internet, your Wi-Fi network **MUST** have power at all times.
 - You must arm your security system in order for it to sound alarms.

Sensors and Zones	<p>Your system's sensors are assigned to numbered zones that correspond to areas of your home. For example, the sensor on an entry/exit door might be assigned to Zone 03, a device in a bedroom to Zone 06, and so on.</p> <p>When alarms or trouble conditions occur, you can find information about the zone number and a description of the sensor involved using the MyHome Gateway App. [Home > Security > Tools . Master User Code > Events]</p>
Fire Protection	<p>Fire protection is always active when the system is operating normally. An alarm sounds if a fire condition is detected. See Fire/CO Alarm System for important information about fire protection, smoke detectors and planning emergency exit routes.</p>
Carbon Monoxide	<p>Carbon monoxide (CO) detectors, if installed, are always active and sound an alarm if a carbon monoxide condition is detected. See Fire/CO Alarm System for more information.</p>
Burglary Protection	<p>Gateway provides HOME and AWAY burglary protection.</p> <p>HOME mode protects windows and exterior doors, allowing you to move around inside your home without setting off an alarm. (This mode may be referred to As STAY mode in Total Connect.)</p> <p>AWAY mode protects the entire premises, including interior motion detectors, if present.</p> <p>Both modes offer an entry delay period that allows you to reenter the home without setting off an alarm. For long periods such as vacations, the entry delay can be turned off while arming the system.</p> <p>Gateway also allows you to Bypass selected sensors before arming the system.</p> <p>The system also features Chime mode, which can alert you to the opening of protected doors and windows while the system is disarmed.</p>
Security (User) Codes	<p>At the time of installation, the installer asks the homeowner to choose a personal 4-digit security code, known as the "Master User code".</p> <p>Other users can be added, typically with less control over the system than the Master User. See Users and Security Codes.</p> <p>A user code is required when arming or disarming and for some other functions.</p>
User Code Error (Keypad Lockout)	<p>If "X" invalid user codes are entered, the system locks out additional code entry attempts for a period of time. Additional user code entry attempts will not be accepted until the lock out period ends.</p> <p>NOTE: The system can be Quick Armed while in Lockout mode, but cannot be disarmed.</p>
Alarms	<p>Alarms are signaled by the internal sounder's on the Gateway Touchpad and on the smart devices running MyHome Gateway App. (Alarms will also sound on external sirens if used). The Gateway Touchpad's status shield and Alert blink red; the MyHome Gateway App screen indicates Alarm and shows the zone(s) where the alarm has occurred. After 15 seconds, the sounder stops temporarily and the system begins voice announcements of relevant zone information.</p> <p>After the zones are announced, the panel's sounder resumes sounding. Alarm sounds and voice announcements alternate until the system is disarmed or until alarm bell timeout occurs. If the system is connected to central monitoring, an alarm message is sent.</p> <p>To silence the sounder, disarm the system. The zone(s) causing the alarm remain displayed on the MyHome Gateway App screen, indicating Memory Of Alarm <i>an Alarm is held in memory</i>. See Clearing an Emergency Alarm for more about clearing memory of alarm.</p>
Audio Alarm Verification	<p>Allows your central monitoring station to listen to or talk with individual(s) on the premises (if programmed to do so).</p>


False Alarm Prevention

Many false alarms are caused by minor problems, such as a door or window left open when exiting the home. Gateway includes several features to help prevent false alarms. Note that some are optional or must be programmed by the installer. Disabling these features may increase security, but may also increase the chance of false alarms.

Your installer can help you decide how to use and customize these features. A brief explanation of false alarm prevention features follows, along with advice on what to do if false alarms occur.

Entry Delay	When the system is armed, Entry Delay is the time period allowed to disarm the system with a user code after an entry door is opened. Failure to disarm the system during the Entry Delay causes an alarm. <i>The delay period is set by your installer.</i>
Exit Delay	<p>When arming the system, the Exit Delay period begins, allowing household members to exit through entry/exit doors without triggering an alarm. Entry/exit doors must be closed before the exit delay ends. <i>The delay period is set by your installer.</i></p> <p>After a false alarm, disarm the system and contact your monitoring company. They will verify your security code or password, preventing unnecessary calls for emergency response.</p>
Exit Time Restart	<p>If you leave the premises and enter again before the exit delay has expired, the exit delay restarts, giving you more time to leave without causing an alarm.</p> <p>With 10 seconds left to exit, the Gateway begins beeping quickly, indicating that an alarm will occur if you don't exit or disarm the system immediately.</p> <p>If this occurs, disarm the system and arm it again when you are ready to leave.</p>
Exit Delay Restart/Reset	You can restart the Exit Delay by pressing Restart Timer on the MyHome Gateway App screen.
Alarm Reporting Delay	Gateway is programmed to wait for a brief period between sounding a burglary alarm on the premises and sending an alarm message to your monitoring company. This delay allows you to disarm the system before an alarm message is sent in error.
Exit Alarms	<p>False alarms can be caused by leaving the house and forgetting to close the door. If this happens, Gateway sounds an alarm and displays an Exit Error.</p> <p>The alarm reporting delay gives you time to disarm the system before an alarm message is sent.</p>
Silent Exit	Press Silent Exit on the MyHome Gateway App screen to mute the beeping sound for exit countdowns in most situations. Voice confirmation of arming status is not muted. Silent Exit doubles the Exit Delay time.
Quick Exit	Press Quick Exit on the MyHome Gateway App screen when the system has been armed and someone needs to leave the premises. This restarts the exit delay, allowing you to exit the premises without having to disarm and re-arm the system.

About the Gateway Touchpad









The Lyric Gateway Touchpad is designed to operate your basic security features. Also, you can quickly see your system status by which items on the Touchpad are lit.

The System Status Shield and arming options are always lit to show system status at a glance. Emergency is also always lit, so it is easy to find, when needed. The other options on the touchpad light only when needed.

NOTE: If the Gateway loses AC power, **Alert** begins to blink slowly after 15 minutes on battery backup and all other lights on the Gateway are off. In this situation, although the Emergency light is off, **Emergency** functions remain available.

System Status Shield Indications

The System Status Shield indicates system status with these behaviors:

	Green, steady	System is ready to be armed
	Green, blinking slowly	System is not ready to be armed.
	Red, steady	System is armed
	Red, blinking slowly	Entry delay countdown started; enter your user code to disarm the system
	Red, blinking rapidly	System is in Alarm
	White, steady	System is in user code entry mode
	See the Emergency section for information on silent alarms.	




If programmed to do so, two-way Voice Communication may be active when the system is in Alarm. [See your installer to program this feature.]

System Sounds

Function	Description
Beeping	accompanies entry/exit countdowns, pressed buttons and other functions*
Volume	adjustable for voice announcements, chimes and most sounds (adjusted through the MyHome Gateway™ App)
Alarms	signaled by the Gateway's built-in sounder and external sirens/speakers (if installed). Alarm volume is not adjustable.

System Arming Options and LEDs




When any of the arming options is pressed, the numbers light. Use the Gateway for basic security functions:

<u>Press</u>	<u>and enter...</u>	<u>The system...</u>	
ARMED Away	enter your user code	Arms in Away mode	
ARMED Away for 3 seconds	---	Quick Arms in Away mode	
ARMED Home	enter your user code	Arms in Home (Stay) mode	
ARMED Home for 3 seconds	---	Quick Arms in Home (Stay) mode	
Disarmed	enter your user code	Is Disarmed	

System Emergency Options

Depending on your system set up, when an Emergency Type option is pressed, emergency messages can be sent to your monitoring company (if programmed to do so).

Refer to the **Emergency Alarms** section of the Navigating with the MyHome Gateway App for additional details.

<u>Press</u>	<u>Then...</u>
Emergency	The system Emergency Type options appear.
  or  Fire Police or Medical	The system sends an emergency message to the monitoring company, <i>if programmed up to do so</i> .
Cancel	Cancel must be pressed while blinking to cancel the Emergency before it is sent.

To Cancel and Clear an Emergency Alarm that has been triggered

1	2	3	The Alarm will silence and the system will announce the status.
4	5	6	
7	8	9	
0	<small>Cancel</small>		Enter a User Code again to clear alarms.

User Code

System Alert

If the system experiences a condition, such as AC power loss, connectivity or a communication problem, the **Alert** blinks.

<u>Press</u>	<u>Then...</u>
Alert	The Gateway announces the system Alert condition and suggested actions.

Software Update Notifications


Software updates for the Gateway are published periodically. Certain critical updates are installed automatically. After updates of this type, information about the update are found by ~~using the Messages option on the MyHome Gateway App Home screen ???.~~

Navigating with the MyHome Gateway App



Use the MyHome Gateway™ App to manage your System Security, Automation, Smart Scenes, Video and Settings:

The Home Menu





Function	Press...	Then...	Allows you to...
Security		Select from the options on the next screen.	Operate and manage the security features and access other features of your Gateway system.
Automation		---	Manually operate your Z-Wave devices
		✓ and	Add or delete Z-Wave Devices
Video		---	View and configure system cameras; manage video recovery functions
Smart Scenes		Master User Code	View and run automation scenes to operate your system for convenience, comfort, energy savings and security*
Settings		---	Adjust the Gateway touchpad and LED brightness and the announcements and chime volume

* Smart Scenes are created and deleted using Total Connect Remote Services.

NOTE: Pressing Home from any screen returns you to this Home screen.

The Tools Menu

Home > Security > Tools



NOTE: The **Master User code** is required to access Tools.

This menu offers access to most of Gateway's important settings and maintenance functions.:

- | | | |
|----------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Users | | The Master User can add/remove other users and control users' access to features. See Users and Security Codes . |
| Events | | View and export (?) system event logs. See Events . |
| Advanced | | Access to software upgrades, tests and user maintenance functions. Includes features found in Maintenance and System Settings . |
| Keypad | | Manage smart devices paired to your Gateway. See Keypad . |
| Date/Time | | Set the system's calendar and clock. See Date and Time . |
| Network Config | | Configure Wi-Fi connection to the Gateway. See Network Configuration . |
| (Back Arrow) | | Return to the Security menu. |

Security

Home > Security

IMPORTANT


If the Gateway is beeping rapidly when you enter the premises, an alarm has occurred and an intruder may still be nearby.

LEAVE IMMEDIATELY and CONTACT THE POLICE from a safe location.

Security Features

- NOTES:
- For the Lyric Gateway to report alarms over the internet, your Wi-Fi network MUST have power at all times.
 - You must arm your security system in order for it to sound alarms.

Arming the System



The MyHome Gateway App displays the system arming status, top and center of the screen:

Ready to Arm = the system is ready to be armed.






Not Ready To Arm-Fault = one or more zones are faulted. The system cannot be armed until all zone faults are fixed or bypassed.

Armed [Home, Away, Custom, etc.] = the system is armed, and arming mode description.

Before arming your system, all protected doors, windows, and other protection zones should be closed or bypassed (see [Bypassing Protection Zones](#)).

To change the volume of countdown sounds and security status voice announcements, see [System Settings](#).


Arming states include

- Arm Away  For times when no one is home; protects all perimeter and interior zones.
- Arm Home  For times when the house is occupied; protects only perimeter zones.
- Arm Custom  Arms the system with pre-selected zones bypassed.
- Bypass  This feature allows you to arm the system while intentionally leaving selected zones unprotected.
- Arm Night  For times when the house is occupied; protects perimeter zones and selected interior motion sensors if used. Other interior zones are unprotected. *Enabled by your installer and only used with interior motion sensors.*
- Instant For times when Entry/Exit doors **are not expected to open at all**.
Entry Delay is eliminated. When the system is armed, an alarm occurs **immediately** if an exterior door is opened.
- Quick Arm Used to arm the system in any mode without entering a user code, *if programmed*
NOTE: A user code is always needed to **disarm** the system.
- Auto Home If you arm the system in the “Away” mode but no one exits, the alarm system automatically changes to the “Home” mode. This helps to prevent unwanted alarms when someone remains on the premises. Disarm the system and Arm Away again when you are ready to leave. *This option is enabled by your installer.*

Arm Away

Security > Arm Away

By default, this mode’s exit delay countdown is accompanied by a beeping sound.




For a silent exit, press **Silent Exit** first.

- The system beeps twice and announces “Armed Away; exit now”. The exit delay countdown begins.
- Press **Restart Timer** if you need more time to leave.
- Leave the premises and close the door before the countdown ends.
- The system arms in Away mode. (Door and window sensors and interior motion sensors are active.)

Arm Home

Security > Arm Home

By default, this mode's exit delay countdown is silent.



- The system beeps three times and announces “Armed Home; exit now”. The exit delay countdown begins.
- Press **Restart Timer** if you need more time to leave.
- The system arms in Home mode. Door and window sensors are active, but interior motion sensors are not active.

Arm Custom

Security > Arm Custom

Use this option to **pre-set** zones for bypass when arming the system. You can also enable or disable the entry delay.

1. Select Arm Custom to display a list of zones.
2. Select the zones you wish to bypass when arming the system.
3. Select Arm Custom on the zone list screen.
4. A numerical keypad appears.
Select **Entry Delay** if desired. (See [Instant Mode](#) for more about disabling Entry Delay.)
5. Arm the system by entering a user code.
6. The exit delay countdown begins.
7. If leaving, leave the premises and close the door.

Bypassed zones are left unprotected.

NOTE: The next time Arm Custom is used, the same zones that were previously selected are highlighted on the zone list screen. If desired, select different zones for custom arming.

Instant Mode

Security > Arm Custom

In Instant mode, an alarm occurs immediately when a protected Entry/Exit is opened. There is no delay during which a code can be entered to disarm the system.

1. Select Arm Custom to display the zone list screen.
2. If any zones have been previously set for bypass, deselect them.
3. Press **Arm Custom**.
4. When the keypad appears, **de-select Entry Delay**.
5. Enter a user code to arm the system and leave the premises during exit delay.

Arm Night

Security > Arm Home

Arm Night must be enabled by your security professional.

1. Select **Arm Home** to display the keypad.
2. Select **Arm Night** and then enter a user code.
3. The system beeps and announces “Armed Night Home mode”. Exit delay begins.
Press **Restart Timer** if you need more time to leave.
4. The system arms in **Arm Night** mode. Doors and windows and pre-selected interior zones are active.

Disarming the System


Security > Disarm

NOTE: Disarming the system also silences audible alarms and trouble alerts.

IMPORTANT SECURITY NOTICE

Your wireless key (key fob) is similar to your keys or access card. If lost or stolen, another person can compromise your security system. Immediately notify your Dealer/Installer of a lost or stolen wireless key. The Dealer/Installer will then remove the wireless key programming from the security system.

To disarm your security system:



- The system beeps and announces “Disarmed”, followed by alerts about system readiness, if any. The announcement
- “Check system” indicates a faulted sensor or problems in the Gateway itself.

In most situations, if a valid user code is not entered within 30 seconds of pressing **Disarm**, the Home screen reappears, and the system remains armed.

NOTES: • If a valid code is not entered by the time the entry delay ends, an alarm occurs.

- The Guest code and the Installer code can only disarm the system if that code was used to arm the system. If the Quick Arm option has been used, neither the Guest Code nor Installer Code can disarm the system.

User Code Error: When the screen displays **User Code Error**, it means too many invalid user codes have been entered. The system will not accept additional user code entries for 15 minutes (lockout period).

Bypassing Protection Zones

Bypass allows arming the system while intentionally leaving selected zones unprotected.

Bypassed zones will not trigger an alarm.

NOTES: • Fire and Carbon Monoxide (CO) and Emergency zones cannot be bypassed.

- Bypassed zones are automatically un-bypassed when the system is disarmed.

To Bypass zones:

1. Before arming the system, press **Zones** on the Security menu. A list of your system’s zones appears. Faulted (open) zones are shown in **red** or **orange**.
Use the up and down arrows to scroll through the list of zones.
2. Select the zone(s) to be bypassed.
3. Press **Bypass** at the bottom of the screen. A keypad appears.
At the bottom of the screen, you can **Bypass All Faulted**, which selects all zones with faults or other issues.
Press **Select All** to toggle through options for selecting zones.
4. Enter a user code. The zone list reappears with the Bypass icon shown for the affected zones.
5. Arm the system as usual.

Press **Clear Bypass** to un-bypass any previously bypassed zones. Any zones with faults must be addressed before arming the system.

Entry and Exit Delays

NOTE: Entry and exit delay times are programmed by your installer. There is room to jot them down in [Your System Information](#), near the end of this guide.

Entry Delay

Entry delay allows time to disarm the system when entering the premises. If the system is not disarmed before the entry delay period ends, an alarm occurs. If programmed, the Gateway beeps during the entry delay period as a reminder to disarm the system.

Two different entry delay periods can be programmed. The first is for the primary entrance, typically, the front door. The second can be used for a secondary entrance, where more time might be needed to walk to the Gateway to disarm the system.

Exit Delay

Exit delay begins immediately after the system is armed, providing time to leave through the designated exit door without causing an alarm. In most situations, the MyHome Gateway App screen displays a countdown of the remaining time. The exit door must be closed before the end of the exit delay.

Typically, the system beeps slowly when counting down to Arm Away and the beeping speeds up during the last 10 seconds of the delay period. The exit beeps cannot be silenced unless **Silent Exit** is selected.

Restart Exit Delay

The **Restart Timer** option appears only if the option has been programmed by the installer. Exit delay can be restarted **once**.

Exit Alarm

This option helps minimize false alarms sent to the monitoring company. **Exit Alarm must be enabled by your installer.**

Exit delay begins whenever the system is armed.

- If an exterior door or protected interior zone is faulted during the exit delay (and remains faulted when the exit delay ends), an exit alarm occurs and an **entry delay** countdown begins.
- If the system is disarmed before the entry delay ends, the alarm sound stops and the message **Alarm Cancelled** and any faulted zones appear.
- **No message is sent to the monitoring company.** Any open zones must be secured before the exit alarm condition can be cleared.

To clear the display, press **Disarm** and enter a security code.

- If the system is not disarmed before the entry delay ends, and an entry/exit door or interior zone is still open, the alarm sound continues and an **Exit Alarm** message is sent to the alarm monitoring company, along with a “Recent Close” message (**if the Recent Close option is enabled**).
- The message **Alarm Exit Error** appears. Faulted zones are also displayed. The alarm will continue to sound until the system is disarmed or timeout occurs.

To stop the alarm, disarm the system. The message **Alarm Cancelled** will be displayed. “**Alarm**” and faulted zones continue to be displayed.

To clear the display, press Disarm and re-enter the security code.

An exit alarm (“Alarm – Entry Exit”) also occurs if an entry/exit door or interior zone is faulted within two minutes after the end of the exit delay.

Emergency Alarms

Available Emergency modes may vary, depending on the options programmed by your installer.

IMPORTANT

Use the Gateway Touchpad to trigger an Emergency. An Emergency can be canceled or cleared from the Gateway Touchpad, the MyHome Gateway App or Total Connect.





Activating an Emergency Alarm

1. Press **Emergency** on the Gateway.
2. Press the appropriate Emergency type option on the Touchpad.

Depending on the Emergency mode selected, an alarm tone sounds and the appropriate alarm icon appears on the MyHome Gateway screen.

Pressing **Police** can send a **silent** message to your monitoring company if programmed to do so. Verify this setting with your installer.

Common Emergency Icons

 Fire	Alerts the monitoring company that a fire condition exists. (Displays Fire Alarm 995 Main Fire)
 Police	Alerts the monitoring company that a police emergency exists. (Displays Alarm 999 Police, default is silent)
 Medical	If programmed, alerts the monitoring company to other types of emergency. (Displays Alarm 996 Main Medical)
 Local	Activates sirens and sounders on premises without alerting the monitoring company. (Displays zone 998)

Types of Emergency Alarms

Silent emergency (silent alarm)	Sends an alarm signal to the monitoring company, but triggers no audible alarms or display (on either the Gateway Touchpad or MyHome Gateway screen.) Requires connection to a monitoring company.
Audible emergency (audible alarm)	Sends an emergency message to the monitoring company, if connected. A loud, steady tone sounds at the Gateway and external sounders if connected, and an alarm appears on the MyHome Gateway App screen.
Personal emergency or Aux alarm	Sends an emergency message to the monitoring company if connected and sounds at the Gateway and MyHome Gateway App , but not at external sounders. An alarm icon appears on MyHome Gateway.
Fire alarm	Sends a fire alarm message to the monitoring company if connected. A unique tone sounds at the Gateway and MyHomeGateway and external sounders are activated if connected. A Fire alarm icon appears on MyHome Gateway.
Local alarm	If programmed, activates the sirens and sounders on the premises without sending a message to the monitoring company.

Cancelling an Emergency Alarm from MyHome Gateway

Depending on the **type** of Emergency alarm in effect, a keypad may appear immediately after the alarm is initiated.

1. Enter a user code to cancel the alarm.
2. The audible alarms stop and **Alarm Cancel** appears.

If a silent alarm has been activated and the Home screen is displayed:

1. Select Security on the Home screen. Typically, a Disarm icon appears; a Security status message such as "**Alarm**" may be displayed.
2. Press **Disarm** and enter a user code.
3. The screen changes to the normal Security menu.

Clearing an Emergency Alarm

After a Emergency alarm is cancelled, the Gateway continues to display zone information associated with the alarm (this feature is known as **Memory of Alarm**).

To cancel and silence the alarm, enter a user code.

To clear memory of alarm on the screen, enter the user code again.

Memory of alarm can also be dismissed with these steps:

1. Cancel and silence the alarm with a user code as above.
2. Select **Zones** on the Security menu. The zone number associated with the type of alarm appears.
3. Press **Clear Alarms** at the bottom of the screen.
4. Enter a user code. The Zones screen displays "No items to display!"
5. Press ↵ to return to the Security menu or press the Home button.

Chimes/Voice Annunciations

IMPORTANT

The Chime feature is intended for convenience and is not intended for life safety purposes or pool alarm and does not meet the requirements of UL 2017.

Volume/Mute

[Home > Settings](#)

- NOTES:**
- Chime and voice volume/muting can only be changed when the system is disarmed.
 - Voice annunciations are controlled by enabling or disabling Chimes.
 - Voice annunciations should not be confused with Gateway's **Error! Reference source not found.** or Two-Way Voice (Audio Alarm Verification) features.

Gateway can give audible notifications when a protected zone opens **while the system is disarmed**. With Chimes enabled three beeps (or a selectable tone) sound at the Gateway when a protected zone is opened. If programmed, a voice announcement also sounds.

1. On the Home screen, select **Settings**.
2. Select **Chime** to enable chime sounds and voice annunciations. To mute all, de-select. For chime sounds only, de-select Voice.
3. Adjust volume with the slider.
4. Press **Save**.

Setting Chime Sounds

[Home > Security > Zones](#)

- NOTES:**
- Chime sounds can only be changed when the system is disarmed.
 - Sounds can be changed only for door, window and motion sensors. Sounds associated with smoke and CO detectors cannot be changed.

Different sounds can be assigned to the sensors in your system.

1. On the Zones menu, press **Select All** repeatedly to choose **Select Chime**. A list of sensors appears.
2. Select a sensor. The Gateway displays available sounds.
3. Press repeatedly to choose a sound. (Options include **Disabled**.)
4. Press ↵ to save your selection and return to the Security menu.

Audio Alarm Verification (Two-Way Voice)

This feature allows your central monitoring station to listen to or talk with individual(s) on the premises when an alarm has occurred (if programmed).

- NOTES:**
- System announcements are disabled when this feature is active.
 - Fire and CO alarms will prevent Audio Alarm Verification from operating.
 - New Fire or CO alarms will terminate Audio Alarm Verification operation.
 - Burglar alarms occurring during Audio Alarm Verification operation do not interrupt operation and are reported immediately after operation concludes.
 - Audio Alarm Verification modes are controlled by the central station.

Automation: Z-Wave and Other Devices

[Home](#) > [Automation](#)

IMPORTANT

Automation can ONLY be used for lifestyle enhancement. It must not be used for personal safety or property protection.

Working with Z-Wave Devices


NOTE Z-Wave automation functionality is supplementary only and has not been evaluated by compliance agency.

Z-Wave technology is designed to automate devices in a home control network. The Lyric Gateway is a security enabled Z-Wave device that supports Z-Wave Network Wide Inclusion (NWI) Mode.

The Gateway and Z-Wave devices added to your system are linked together in a wireless network. Each device in the network is assigned a unique address and cannot be activated by a neighbor's Z-Wave **controller**. The Z-Wave network supports multiple **controllers**, allowing Z-Wave remote controls to be used throughout the home.

NOTE: In some cases, a Z-Wave device might not report its status to the Lyric Gateway when an action is initiated at the device itself. This varies with the manufacturer.

Press **Automation** on the Home screen. The Automation Management screen appears, initially displaying categories of Z-Wave devices. (Your *MyHome Gateway App's* display may differ from these illustrations.)




This screen may also display “Press to see Failed Devices”. See [Failed Devices \(Failed Nodes\)](#) for more information.

Press the Down arrow for more options:



Consult your installer about the options available in your system.


Selecting a device category opens a list of devices in that category. An example of the **Switch** category is pictured.



For most devices, status is indicated by the color of the icon.


The **Refresh**  button updates device status indications on the display.

Operating Z-Wave Devices Manually

1. On the Automation Management screen, select one of the device categories.
2. Select the device you wish to operate. Controls appear.
3. Lighting controls might offer an On/Off button or a slide control for dimmers.
4. Thermostats may display temperature set points and energy-saving features. The options shown will vary with your device.
5. Operate the device as desired.
6. Press  to return to the previous screen.

Adding Z-Wave Devices (Include)

NOTE: When adding a device, it may be necessary to perform the **Exclude** procedure before the device can be Included successfully.

1. On the Automation Management screen, press the Down arrow.
2. Press **Tools**.
3. On-screen options appear, including **Include Devices**, **Exclude Devices** and **Advanced Tools**. (**View Failed Devices** may also appear.)
4. Select **Include Devices**.
The panel enters Inclusion mode. Next, the panel displays “Ready to Include device. Press the function button on device”.
5. Press the device’s Function button within 60 seconds. (Note that the location of the Function button varies with the device you are adding. See the device’s instructions.)
The panel displays “Device Found. Please Wait”.
6. To include additional devices, repeat step 5.
OR
Press **Abort** to complete the Inclusion process.
7. Press  to return to the previous screen.

Including Light Switches or Outlet Modules

Install the receptacle, wall switch or lamp/appliance module **before** Including it in your system. Refer to the device’s instructions for more information about installation.

Z-Wave switches and outlet modules may vary. Refer to the device’s instructions to ensure that it is Included properly in your system.

Including Door Locks

IMPORTANT

For security, Z-Wave door locks are encrypted, and enroll at low power transmission range (approximately 6 feet). This requires Including the lock before its installation in a door.

Assemble the lock, connect necessary cables and install batteries according to the device's instructions. **Be sure the door lock's orientation/handedness is correct.**

Z-Wave door locks vary. Refer to the device's instructions to ensure that it is Included properly and to program a user code.

After Inclusion, install the lock within recommended Z-Wave range (see [Wireless Range](#) for more information).

- NOTES:**
- Program the 4-digit user code into the Gateway. When programming user codes into the Gateway, determine if the user will have access to the Z-Wave lock. If so, the user code will be transferred to the lock.
 - If using a lock with Smart Scenes, automatic locking/re-locking features should be disabled.
 - Due to Low Power Inclusion Mode of secure devices, Include the Z-Wave Lock first, if not using an Inclusion Tool/Remote Control. The lock should be installed before including other devices.
 - During operation, the system will display "JAMMED" and will revert to "Unlocked" status if a jammed lock is detected.
 - When performing a command directly from a thermostat or water shutoff valve, a change of status message may not appear at the [Controller](#).

Including Thermostats

Install and **test** the thermostat before Including it in your system. Refer to the device's instructions for more information about installation.

IMPORTANT

Honeywell is not responsible for property damages due to improper setting of thermostat modes.

- NOTES:**
- Some thermostats do not update temperature status automatically.
 - When using Z-Wave thermostat control on the Gateway, the thermostat's scheduling feature should not be used.
 - When the HOLD button on the [Gateway](#)'s thermostat control screen is highlighted, Z-Wave scenes driven by Smart Scenes will not affect thermostat operation. Additionally, if your system is connected to remote services, the remote 7-day schedules will also not affect thermostat operation.
 - For threshold monitoring to be configurable on the remote services and Z-Wave thermostat screens, the respective zones will first need to be assigned with a response type in zone programming. Threshold monitoring is not available on all thermostats.
 - Both Zones for each respective thermostat must be programmed (for example, Zone 180 & 181 for thermostat #1, Zone 182 & 183 for thermostat #2 and Zone 184 & 185 for thermostat #3).
 - When temperature is represented in Celsius, Gateway matches the temperature increment of the particular thermostat for Heat, Emergency Heat and Cool set points. Increments can be one degree or half degree, depending on the thermostat.
 - If Celsius scale is used in the thermostat, the Gateway must also be set to Celsius scale.
 - If the Energy Saving mode is set, the [Gateway](#) displays Energy Saving Heat/Cooling Setpoint Temperatures that are programmed at the thermostat.
 - An additional "Energy Saving" function in the thermostat is used to set/unset the Energy Saving mode.

Lyric Gateway Z-Wave Thermostat Functions



Button	Function
Mode	Select between HEAT, COOL and OFF.
Fan	Select between ON, CIRCULATE and AUTO.
HOLD	Allows temporary override of programmed Smart Scenes that may operate the thermostat.
NORMAL	Allows selected thermostat to run programmed Smart Scenes.
NO SCHED	Prevents Smart Scenes from operating the selected thermostat
Threshold Monitoring	Enable/Disable Threshold Monitoring Feature (if available)
Saving Off-Saving On	Enables/disables the thermostat's Energy Saving Schedule Function.
EDIT	Used to edit Thermostat name.
BACK	Used to return to Thermostats screen.

Thermostat Energy Saving Mode


1.	On the Automation Management screen, select Thermostats .
2.	Select the desired thermostat from the displayed list.
3.	On the thermostat control screen, press the "Saving Off" button OR "Saving On" to activate or deactivate the thermostat's Energy Saving Schedule Function when a heating or cooling operation is selected.

Deleting Z-Wave Devices (Exclude)

To delete (Exclude) a Z-Wave device:

1. On the Automation Management screen, press the  arrow.
 2. Press **Tools**.
 3. Select **Exclude Devices**.
 4. The panel enters Exclusion mode. Next, the panel displays "Ready to Exclude device. Press the function button on device."
 5. Press the device's Function button.
 6. The device is excluded from the system and its information is displayed.
 7. To delete another device, press **Exclude** on the right side of the screen.
- OR
8. Press  to return to the previous screen(s).

Editing Z-Wave Device Names

1. On the Automation Management screen, select the category that includes the device you want to rename.
2. Select the device in the displayed list.
3. The device's controls appear, showing the device's default name.
4. Press **Edit** on the right side of the screen.
5. A keyboard appears on the touchscreen.
6. Press **Clear** to delete the default name.
7. Enter a custom name, using as many as 14 characters.
8. **Save** the device's new name.
9. When you are finished editing, press  to return to the previous screen(s).

Advanced Tools

1. From the Automation Management screen, open **Tools**.
2. Select **Advanced Tools**.
3. Enter the Master User code. The Advanced Tools screen appears:

View Enrolled Devices	View Enrolled Controllers
Reset Controller	Pri. Controller Shift to Secondary
Locking Door	Learn
All Devices Off	All Devices On

View Enrolled Devices

Press to display Z-Wave device information: System Index/name, Secured or Non-Secured, device type, device ID, manufacturer, node number.

View Enrolled **Controllers**

Press to display **controller** information: Primary or Secondary, Z-Wave Library Rev., Home ID, device type, device ID, node number, manufacturer, Secured or Non-Secured.

Reset **Controller**

Press to delete all Z-Wave nodes in the Gateway, and reset the Gateway's Home ID. When prompted, press **Yes** to confirm.

Note that resetting the Gateway does **not** delete/Exclude individual Z-Wave devices. Therefore, each device must be Excluded before being added/Included in the Gateway again.

Pri. **Controller** Shift to Secondary

Press to designate another **controller** (such as a Z-Wave remote control) as the Primary **Controller**.

When the panel displays "Shifting", start the "Learn" function on the secondary **controller**.

*Refer to the secondary **controller's** instructions for more information.*

NOTE: Both **controllers** can operate the system's Z-Wave devices, but only the Primary can Include/Exclude devices.

Locking Door

Press to have your system **arm** automatically when a Z-Wave door lock is locked. Press repeatedly to select **Away** mode, **Home** mode, **Arm without Auto-Home** mode or to **Disable** this option.

Learn

*This function is usually performed on a control panel or Z-Wave remote control being added to the system as a secondary **controller** OR on a secondary **controller** being designated as Primary.*

Press after starting the Include or Shift Control function on the primary **controller**.

All Devices Off

Press to manually turn off all Z-Wave devices. **Note** that some thermostats will enter Setback mode.

All Devices On

Press to manually turn on all Z-Wave devices. **NOTE:** Some thermostats will exit Setback mode.

Failed Devices (Failed Nodes)

When the system tries to operate a Z-Wave device that has no AC power or other problems, it is identified as a **Failed Device**. The system may take up to a minute after the operation to detect the failure.

To view Failed Devices:



1. On the Automation Management screen, select **View Failed Devices**.
The panel displays “**Failed Nodes Found!**”
2. Press **OK**.
3. The device’s information is displayed. If multiple devices are listed, use the up and down arrows at right to view the entire list.

NOTE: When troubleshooting, first make sure that power has been restored.

If a device is defective or otherwise unavailable, use the **Fix All** option.

1. Select **Fix All** on the right side of the screen. The system displays “**This will delete all failed nodes.**”
2. Press **Yes** to confirm.

Devices deleted with **Fix All** must be added to the system again. See [Adding Z-Wave Devices \(Include\)](#).

Failed Z-Wave devices are also indicated by a  symbol on the Automation Management screen or the  symbol appearing in gray on the Home screen.

Important Notes About Z-Wave Devices

WARNING: NOT FOR USE WITH MEDICAL OR LIFE SUPPORT EQUIPMENT!

Z-Wave enabled devices should never be used to supply power to, or control the On/Off status of medical and/or life support equipment.

Wireless Range

This device complies with the Z-Wave® standard of open-air, line of sight transmission distances of 100 feet. Actual performance in a home depends on the number of walls between the **controller** and the destination device, the type of construction and the number of Z-Wave enabled devices installed in the control network.

Note that Z-Wave home control networks are designed to work properly alongside wireless security sensors, Wi-Fi, Bluetooth and other wireless devices. Some 900MHz wireless devices such as baby cams, wireless video devices and older cordless phones may cause interference and limit Z-Wave functionality.

Things to consider regarding RF range:

- Each wall or obstacle (refrigerators, large TVs, etc.) between the remote and the destination device can reduce the maximum range of 100 feet by approximately 25-30%.
- Brick, tile or concrete walls block more of the RF signal than walls made of wooden studs and drywall.
- Wall mounted Z-Wave devices installed in metal junction boxes will suffer a significant loss of range (approximately 20%) since the metal box blocks a large part of the RF signal.

Additional Z-Wave Information

- Gateway can control up to **72** Z-Wave devices.
- The system supports a maximum of **232 nodes (?)**. Note that a node is created every time a device is Included, even if the device is being re-added to the system after being Excluded. This can cause the number of nodes in the system to exceed the number of actual devices.
- If the limit of 232 nodes is met and you need to add or re-Include more Z-Wave devices, use the Reset **Gateway** function. Be aware that resetting the **controller** deletes all of the system’s nodes, requiring all devices to be Included again. Node numbers can be viewed by selecting Automation > Tools > Advanced Tools > View Enrolled Devices. Remember that the system may require the Master User code for access to Advanced Tools.

- The system is not aware of door locks being enabled with any temporary user shutdown feature such as Vacation Mode. The system will continue to unlock a door if programmed to do so via Smart Scenes.
- Z-Wave door locks with thumbturns: Certain models allow a brief period in which the thumbturn can be operated manually before the device locks automatically. Locks of this type are not recommended for use with Smart Scenes.

Z-Wave Compatibility

Z-Wave devices vary; follow the instructions provided with the specific device when including and excluding devices into your Z-Wave network.

NOTE: Not all Z-Wave devices have been tested. Some functions may produce unpredictable results.

Door Locks	Appliance
Yale® Real Living Push-Button Lever Lock	HomeManageables Appliance Module
Yale Real Living Touchscreen Lever Lock	Wayne Dalton Small Appliance Module
Yale Real Living Push-Button Deadbolt Lock	GE® Wireless Lighting Control Plug-In Appliance Module
Yale Real Living Touchscreen Deadbolt Lock	Cooper In-Wall Duplex Receptacle Module (Model RF9505-TDS)
Schlage® Link Deadbolt Lock	Lights
Schlage Link Lever Lock	Leviton®/ViziaRF+® Switches
Kwikset® Smartcode Lever lock	Leviton/ViziaRF+ Dimmers
Kwikset Smartcode Deadbolt Lock	Leviton/ViziaRF+ Plug-In Appliance Modules
Thermostats	GE Wireless Lighting Control Dimmers
Honeywell Z-Wave Thermostat (ZWSTAT)	GE Wireless Lighting Control Switches
Wayne Dalton Z-Wave Thermostat	GE Wireless Lighting Control Plug-In Appliance Modules
Trane® Z-Wave Thermostat	Intermatic In-Wall Receptacle (Model HA01)
Residential Control Systems Thermostat (Model TZ45)	Cooper Plug-in Lighting Switch Module (Model RFAPM)
Intermatic InTouch Thermostat (Model CA8900)	AEON Labs Lamp/Dimmer Module (Model DSC06106-ZWUS)
Radio Thermostat Company of America (Model CT30, CT32, CT100, CT101 and CT110)	Remotec Lamp Dimmer Module (Model ZDS-100US)
Siren	Window Shades
FortrezZ SSA1/SSA2 Wireless Siren & Strobe Alarm	Somfy® ILT Series
Water Valve	
FortrezZ WV-01 Wireless Z-Wave Water Valve	

EXISTING NETWORK NOTE: Z-Wave products from other manufacturers can be included (added) into the Gateway network. Z-Wave devices that are always powered can serve as repeaters regardless of manufacturer.

USE OF THESE PRODUCTS IN COMBINATION WITH NON-HONEYWELL PRODUCTS IN A WIRELESS MESH NETWORK, OR TO ACCESS, MONITOR OR CONTROL DEVICES IN A WIRELESS MESH NETWORK VIA THE INTERNET OR ANOTHER EXTERNAL WIDE AREA NETWORK, MAY REQUIRE A SEPARATE LICENSE FROM SIPCO, LLC. FOR MORE INFORMATION, CONTACT SIPCO, LLC OR IPCO, LLC AT 8215 ROSWELL RD., BUILDING 900, SUITE 950, ATLANTA, GA 303350, OR AT WWW.SIPCOLLC.COM OR WWW.INTUSIQ.COM

Garage Doors

Home > Automation > Garages

Garage door operation from the **Gateway** requires installation of a garage door control kit. Consult your security professional for more information.

The Lyric Gateway can remotely operate and monitor as many as four garage doors. The system can be armed when the garage door is opened. After it is closed, the zone will be monitored without providing burglary protection.

The Gateway can automatically close garage doors if left open for more than a given time period (**Close in**) or at a specified time (**Close at**). Garage doors can also be programmed for monitoring only.

IMPORTANT

Do not use Gateway's garage door automation with any garage door opener that lacks the safety features required by U.S. federal safety standards (this includes any garage door opener model manufactured before January 1, 1993). A garage door opener that cannot detect an object and stop and reverse the door does not meet current U.S. federal safety standards. Your garage door opener also must signal before unattended door operation. For more information please consult your garage door opener manual.

NOTE: Press **Switches** on the Automation Management menu to configure new Z-Wave binary garage door openers. Ask your security professional for more information.

Garage Door Operation from the Lyric Gateway

1. On the Home screen, select **Automation**.
2. On the Automation Management menu, press **Garages**. The **Controller /MyHome Gateway App screen** displays the Open/Closed status of your connected garage doors.
3. Select the garage door you wish to operate.
4. Press the button in the middle of the screen to open or close the garage door.



Close in	Use the keypad to set a specific time to wait before an open garage door closes automatically (maximum 12 hours and 59 minutes). Use leading zeroes when entering a number of hours less than 10 ("09:15" or "00:45"). Press Done to save.
Close at	Use the keypad to set a specific time of day that an open garage door closes automatically. Remember to specify AM or PM. Press Done to save.
Edit	Press to rename the selected garage door. Use the on-screen keypad and press Save .

NOTE: The Lyric **Gateway** does not support the status LED on the garage kit's relay module (Honeywell 5877).

Automation: Smart Scenes

Home > Smart Scenes

Smart Scenes are used to automate Gateway functions for comfort, energy savings and security. Multiple settings can be put into effect with a single command. For example, selected lights can respond to a door opening or movement in the middle of the night. Climate settings can be controlled by your schedule and the security system can disarm automatically for expected visitors or babysitters. Selected functions can be restricted to the homeowner, and limited access given to children or guests.

IMPORTANT

When the **Gateway** is connected to a remote services account (e.g. Honeywell Total Connect™), Smart Scenes can be created and modified **ONLY** via remote services.

Smart Scenes can be created, deleted or edited at the **Gateway** **ONLY** by the Master User. See [Smart Scenes and User Access](#) for more about **types** of users and their access to different functions.

Three types of Smart Scene can automate combinations of security and lifestyle settings:

- **Anytime:** Initiated by users.
- **Triggered:** Initiated by the system in response to user-defined conditions.
- **Scheduled:** Initiated by the system's calendar and clock.

Smart Scenes are frequently used in pairs. For example, a Smart Scene might be set to operate multiple devices, turning on lights and opening blinds or shades. A second Smart Scene could be used to return these devices to their Off or closed states.

NOTES: • As many as 100 Smart Scenes can be created ~~at the Lyric Gateway~~ or via **Total Connect** remote services and the **MyHome Gateway** App.

- You can modify (Edit), manually start (Run) and review (Show) Smart Scenes prior to operation.
- Scheduled and Triggered Smart Scenes can be paused with the Hold function.
- Setup details vary with each type of Smart Scene.
- Many buttons in Smart Scenes toggle through different options when pressed repeatedly.
- The system treats security actions such as Arm Away, Arm Home or Disarm separately from changes to lifestyle devices such as lights, locks and thermostats.
- Options that offer operations with both will display them in separate categories called Security and Devices.

Smart Scenes and User Access

NOTES: • The Master User designates which types of user have access to each Smart Scene. See [Users and Security Codes](#) for more information on different types of users.

- Smart Scenes can be created, deleted or edited **ONLY** by the Master User.
- The **Add New** button is available only to the Master User.

Regular users can Run and Show Smart Scenes created for Regular Users and Guests as well as those designated "All Users". Guests can Run and Show Smart Scenes created for Guests as well as those designated "All Users".

To work with Smart Scenes:

1. Select **Smart Scenes** on the Home screen. A keypad appears.
2. Enter a user code to display the Smart Scenes menu. From here, Smart Scenes can be created or viewed by type.




Creating a Smart Scene

Creating any Smart Scene involves these settings:

- Name
- The type of trigger that initiates the Smart Scene
- The type of user who can manually run the Smart Scene
- The resulting action(s) that take place when the triggering events or conditions occur

NOTE: Creating a Smart Scene should begin with giving it a **Name**.

1. Select **Add New**. (The default name that appears may differ from the illustration.)



2. Press **Name**.
3. Use the onscreen keyboard to enter a name and **Save** it.
4. Select the type of user who can run the Smart Scene. Choices include:
 - Master
 - Regular Users
 - Guest
5. Press **Action Type** to toggle through the types of Smart Scene.
 - a. **Anytime:** Go to Step #6.
 - b. **Scheduled:** Go to Step #7.
 - c. **Triggered:** Go to Step #8.
6. Select **Anytime**. These options appear:
 - Name
 - Action Type
 - Who can run this Smart Scene? (User type)
 - New Action
 - a. Press **New Action** to define the system's response when the Smart Scene is triggered.
 - b. When settings are complete, press ↶ until the Smart Scene appears with its name displayed.
 - c. Press **Save**. Press ↶ to return to the main Smart Scenes menu.

7. Select **Scheduled**.

- a. Select the type of user who can run the Smart Scene.
- b. Select **Scheduled** to display clock and calendar settings.
- c. Set a time when the Smart Scene will start. Be sure to specify AM or PM.

You can select **Sunrise** or **Sunset** instead of setting a time on the clock. Selecting Sunrise or Sunset overrides the clock controls.

NOTE that updated Sunrise and Sunset times may depend on the system's connection to the internet or cellular phone network. Ask your installer for more information.

- d. Set the days of the week for the Smart Scene to take place.
- e. Press **Save**. The schedule settings are displayed.
- f. Press **New Action** to define the response when the scheduled time occurs (see Step #8).
- g. Press ↵ to return to the Smart Scenes menu.

8. Select **Triggered Action**. These options appear:

Name	Action Type Triggered	↵ ∨ Save
User		
Event Zone Type	Restore Zone Type	
Trigger	Zone <i>or</i> Device	
System Operation	New Action	

Smart Scenes can be started by one or a combination of the following options:

- Event Zone Type
- Restore Zone Type
- Trigger
- System Operation

NOTE: **Event Zone Type**, **Restore Zone Type** and **Trigger** can be different kinds of conditions.

For example, a given Smart Scene can be triggered by a Fire alarm OR by an Entry/Exit event. Smart Scenes can also be triggered by Trouble conditions (Trouble as the Trigger in one of the system's zones).

Device-related events (such as Light On, Light Off, Door Locked, Door Unlocked) set the button at right to **Device**. Choices depend on the devices installed in your system.

- a. **Event Zone Type** starts the Smart Scene in response to any event (Fault, Trouble or Alarm) in any protected Zone of a specific zone type. Select the desired option. Typical zone types include:
 - Entry/Exit (front and back doors)
 - Perimeter (typically window sensors)
 - Interior Follower (typically motion sensors)
 - Day/Night (Usually assigned to sensitive areas where immediate notification of an entry is always wanted.)
 - 24 Hour Silent (**Emergency** button)
 - 24 Hour Audible (**Emergency** button)
 - Silent Burglary (typically a sensor)
 - Fire No Verification (smoke detector)
 - Fire With Verification (smoke detector)
 - Carbon Monoxide (CO detector)

NOTE: Your system may include Zones that do not offer every Zone Type response.

- b. **Restore Zone Type** starts the Smart Scene when any zone with the selected Zone Type returns to its normal state (such as a door closing). The options are the same as **Event Zone Type** options.

NOTE: Event Zone Type and Restore Zone Type are **separate settings**. For example, a given Smart Scene can be triggered by a Fire Alarm (Fire No Verification as the Event Zone Type) OR by an open door closing (Entry/Exit as the Restore Zone Type).

- c. **Trigger** starts the Smart Scene in response to a Fault, Trouble or Alarm in a particular zone or changes to connected devices.

A note about triggering events:

Any change in the state of a security system zone is known as a **Fault**. Faults can include **Trouble** and **Alarm** conditions. Trouble can include low battery or loss of communication with the device. Alarm conditions include zone faults while the system is armed and fire/CO sensors. Fault, Trouble and Alarm conditions can be used to trigger a Smart Scene.

Fault: Any change in the state of a sensor triggers the Scene.

Trouble: Only **Trouble** conditions trigger the Scene

Alarm: Only **Alarm** conditions trigger the Scene.

Choosing one of these events sets the button at right to display **Zone** options.

Smart Scenes can also be triggered by changes in connected **devices** such as lights and locks. These events include:

Light On

Light Off

Door Locked

Door Unlocked

Choosing one of these events sets the button at right to display **Device** options.

- d. Choose **Zone** or **Device**, depending on your selection of a Trigger above. Security zone sensors or devices such as lights and locks are listed.
- e. Select the zone or device and **Save**.
- f. **System Operation** starts Smart Scenes in response to security-related events. Options include:
- Arm Away
 - Arm Home
 - Disarm
 - Any Burglary Alarm
 - Bell Timeout (end of the programmed time for which an alarm sounds)
 - Start of Entry Delay
 - End of Exit Delay
 - Any Fire Alarm
- g. Select New Action to define the response when the triggering event occurs.
- NOTE:** The 24 Hour Silent Alarm or 24 Hour Auxiliary Alarm Zone types will not trigger the selected Smart Scene if the **Any Burglary Alarm** option is programmed.
9. **New Action** defines the response when the triggering event occurs. This includes users manually running **Anytime** Smart Scenes, the time of **Scheduled** Smart Scenes and the conditions for **Triggered** Smart Scenes. You can choose both Security and automation device responses. The Security choices are:
- Arm the system in Away mode.
 - Arm the system in Home mode.
 - Disarm the system.
- a. After choosing a Security setting, press ↵ and then **Save**.
- b. If you choose to work with Devices, a list of the system's automation devices appears.

- c. Select one or more devices and set the device's desired operation. (For example, set switches to on or off, or locks to locked or unlocked.)
- d. After adding a device and its desired operation to the Smart Scene, press **Save**. Other available devices are displayed again so that they can be added to the Smart Scene.

NOTE: In most situations, specific Security and Device information is displayed by pressing the Down arrow.

10. Press **Save**.
11. Press **↩** to return to the Smart Scenes menu.

Hold

Hold allows Scheduled and Triggered Smart Scenes to be temporarily suspended.

A **Scheduled** Smart Scene can be put on Hold **before** programmed operations take place.

1. Select a Scheduled or Triggered Smart Scene.
2. Press **Hold**. The button is highlighted, and programmed operation will not take place.

To remove a Hold:

1. On the Smart Scenes menu, enter a user code with access to the desired Smart Scene.
2. Select the Smart Scene and un-highlight **Hold**. Programmed operation will resume.

Run

Smart Scenes can be manually started with the **Run** button. The Smart Scene's results are displayed when the programmed operations have been performed.

NOTE: The **Run** option can be used to check the outcomes of Scheduled Smart Scenes and Triggered Smart Scenes, regardless of programmed triggers.

1. Select the Smart Scene.
2. Press **Run**. The system performs the programmed operations and the results are displayed. Successful operations are displayed with device information and a check mark. Failed operations are displayed with an empty circle.

Show (Review)

Use the **Show** button to see the programmed details of a Smart Scene without running it.

1. Select the Smart Scene.
2. Press **Show**. The scene's category, authorized users and included devices are displayed.

Video

Home > Video

The **Gateway** can display live video from as many as **eight Wi-Fi-connected cameras**.

NOTE: Gateway and its cameras must be on the same Wi-Fi network.

IMPORTANT

If the **Gateway** loses AC power, the Video function is disabled to minimize drain on the backup battery.

If power is lost while you are watching Wi-Fi cameras on the **Gateway**, video display may continue briefly before being suspended.

When power is restored, the **Gateway** looks for available cameras. See [Video Recovery](#).

Remember that interruption of AC power to your Wi-Fi cameras and your router can also affect the Video function, even if the **Gateway** has AC power.

Viewing and Naming Cameras

1. Press **Video** on the Home screen. Video appears in windows or the cameras appear in a list.

OR

The system may **scan** for cameras; when the scan is complete, the camera list appears.

From these screens, you can:

- Press **⏪** to return to the Home screen.
 - View live video.
 - Name cameras.
 - Add cameras to the system.
2. Select one or more cameras (as many as **four**) in the list.
 - When multiple cameras are available, you **may** select as many as **four**.
 - Selected cameras are highlighted and the **Display** option appears.
 - You can also press **Scan** to search for other available cameras.
 - Press a camera's name again to de-select it.
 3. Select **Display** to see video from the selected camera(s).
 - Select **Camera List** to return to the list view.
 - With multiple cameras displayed, you can select one to work with by tapping its video window.
 4. Viewing a single camera displays its details, which vary with the camera selected.

For all compatible cameras, you can:

- Name the camera. Select **Name** above the video display or **Edit** at right.
- Press **Save** on the on-screen keyboard.
- Press **⏏** to show the camera full-screen.
- Press **⏪** to return to the detail view.

Some cameras offer additional options such as pan/tilt and built-in lighting.

Adding a Camera

- **Make sure** that the camera is on the **same Wi-Fi network** as the Gateway system.
- Install the camera according to its instructions.

With the camera installed:

1. View or list cameras as above.
2. Press **Scan**. The system looks for available cameras.
3. When the new camera is found, you can name it as described above.


Video Recovery

[Home](#) > [Security](#) > [Tools](#) > [Wi-Fi Config](#)

If video from remote cameras is lost or becomes distorted, the system can attempt to reset video streaming. By default, Gateway automatically begins to recover video about 60 seconds after Wi-Fi communication has been restored.

The default setting is **automatic** video recovery. You may set recovery to begin only by user intervention (**Manual Video Recovery**).

1. Press **Security** on the Home screen.
2. Select **Tools**. Enter the Master User's security code.
3. Press **WiFi Config**.
4. Press **Automatic Video Recovery** repeatedly to choose between automatic and manual operation.



5. Press ↶ to return to the Tools menu.

Users and Security Codes

[Home](#) > [Security](#) > [Tools](#) > [Users](#)

Gateway uses 4-digit codes to restrict certain functions to selected users. A special 4-digit code can be set to trigger the system's **Duress** function.

User codes can be used interchangeably when performing system functions (a system armed with one user's code can be disarmed by another user's code), with the exception of the Guest Code described below.

All users are automatically assigned a **user number**, which cannot be changed. Do not confuse these user numbers with user codes.

User Codes

Master User This code is usually set when the system is installed, and can be changed later. Typically, the Master User is a household member who can perform all system functions.

Only the Master User can add and remove users or modify their settings. Settings include assigning security codes and user names.

Only the Master User can create **Smart Scenes**. Access to Smart Scenes for other users is controlled by the Master User.

User Typical users are household members and other authorized persons who can arm and disarm the security system, with controlled access to other system features.

Guest Visitors and others who are authorized to arm/disarm the system only at certain times or on a temporary basis.

The Guest's user code can be used to **arm** the system, but cannot **disarm** it unless the system was armed using the Guest code. The Guest's user number is **47**.

Duress Code

IMPORTANT


The Duress function requires connection to an alarm monitoring service.

Household members and authorized visitors can enter this code if forced to disarm or arm the system under threat. When the Duress code is entered, the Lyric **Gateway** and keypads appear to behave normally, but the system silently notifies your alarm monitoring service. The Duress Code's user number is **48**.

- NOTES:**
- A security code cannot be assigned more than once. If an existing code is entered, the system displays the warning **User code not accepted!** If this occurs, press **OK** to return to user settings and assign a different code.
 - The system should be disarmed before you work with user codes.
 - Limited-access users such as guests and cleaning staff should not be instructed on system functions other than those they will be using.
 - The number of user codes supported by a Z-Wave door lock can vary between manufacturers. To ensure compatibility with Gateway, set the length of the Master User code on the door lock to be greater than four digits (?).

Adding Users and Assigning Codes

1. On the Home screen, press **Security**.
2. Press **Tools**, and enter the Master User code.
3. Select **Users**. Existing Users are displayed, along with the Guest and Duress code listings. Four asterisks appear on each listing that has a security code already established. See [User Settings](#) for full details.



4. Create and change settings in the menu shown here (the details may vary):



- a. **Create User:** Press **Add New** and a new user screen like the one pictured above appears. Set the details as desired.
 - b. **Define/Change Guest Settings:** Press **Guest** and then **Edit**.
 - c. **Set/Change Duress Code:** Press **Duress** and then **Edit**. Enter a 4-digit code.
5. **Save** after making settings. The list of user codes reappears.
 6. Press ↶ to return to the Tools menu.

Changing Security Codes or the Duress Code

The Master User can change other users' names and security codes as well as delete users from the system.

1. Access the **Users** screen as shown above.
2. Select one of the listed users.
3. At the bottom of the screen, press **Edit**. User details appear. **Note** that a user's number in the system, seen at upper right in the user details, cannot be changed.

Deleting a User

The Master user can delete secondary users from the system.

1. Select one of the listed users.
2. At the bottom of the screen, press **Delete**. Gateway requests confirmation.
3. Press **Yes**.

User Settings

User Name

Newly-created users are given a default name. To customize a user's name:

1. Press **Name** at upper left on the display. A keyboard appears.
2. Press **Clear** to delete the default name.
3. Enter the desired name, using as many as 10 characters.
4. **Save**. User details appear.
5. Press **Save** again. The list of users appears, displaying your changes.

User Code

Newly-created users have no security code. To assign a code:

1. Press **User Code**. A keypad appears.
2. Press **Clear** if you are changing an existing code.
3. Enter a four-digit code.
4. Press **Done**. User details appear.
5. **Save**. The list of users appears.

Users and Z-Wave Lock Control

NOTE: This option appears only if Z-Wave devices are connected.

Each user can be given the ability to disarm the system by entering their code to open a Z-Wave lock.

When creating or editing a User:

1. Set **Z-Wave Lock Control** to **Yes**. **Z-Wave Unlocking Door** appears.
2. Select **Disarm**.
3. Press **Save**.

With this setting, entering a user code at any Z-Wave door lock in the system unlocks the door and disarms the security system.

System Settings

Brightness/Volume

[Home](#) > [Settings](#)

Adjust voice and system sounds with the Volume slider. System sounds include zone alert chimes and countdown beeps.

Adjust touchscreen brightness with the Brightness slider.

- NOTES:**
- As the sliders move, the **Controller** previews changing volume and brightness levels.
 - Voice annunciations are controlled by enabling or disabling Chimes.


Wi-Fi Configuration

[Home](#) > [Security](#) > [Tools](#) > [Wi-Fi Config](#)

Manage your system's router here. Remember that the **Gateway** and all Wi-Fi cameras must be on the same network.

To View or Join Available Wi-Fi Networks

1. On the Tools menu, press the **Wi-Fi Config** button. A list of Wi-Fi options appears.



2. Press **Scan Access Points**. A list of available networks is displayed. Use the up and down arrows to scroll through the list. Press ↩ to return to the previous screen.
3. Select the desired network and press **Edit**. The network information is displayed. If a password is required, press **Key** and enter the password.
4. Press **Save**.
5. Press **JOIN**.
6. Press ↩ to return to the previous screen.

Manually Configure Access Point

IMPORTANT

The Security setting below must match the security protocol used by your network router.

1. On the list of Wi-Fi options, press **Manual Config AP**. The Wi-Fi enrollment menu appears. (Fields include **Network Type**, which cannot be changed.)
2. Press **SSID Name**.
3. Enter the network's name.
4. Press **Save**.
5. Press **Security**.
6. Choose the same security protocol as your router. Options include **Open**, **wpa/wpa2** and **WPA2**. (WEP is not supported.)
7. If a password is required, press **Key**, and enter the password.
8. Press **Join**. A confirmation screen appears.

9. Press **OK** and **Save**.
10. Press ↵ to return to the previous screen.

Join a WPS Network

1. On the **Gateway**, have the list of Wi-Fi options ready. Don't press any buttons yet.
2. Press the WPS button on the access point device or router.
3. On the list of Wi-Fi options, press **WPS**. The **Controller / MyHome Gateway or TC** displays "Please Stand by for WPS Operation".
4. If the operation is successful, the **Controller / MyHome Gateway or TC** displays "Device has been successfully added to the network".
5. Press **OK**.

If the operation is not successful, the **Controller / MyHome Gateway or TC** displays **Failed Operation. Device not added to the network**. Press **OK**.

Automatic/Manual Video Recovery

If video from remote cameras is lost or becomes distorted, the system can attempt to reset video streaming. By default, Gateway automatically begins to recover video about 60 seconds after Wi-Fi communication has been restored.

The default setting is automatic video recovery. You may set recovery to begin only by user intervention.

- On the list of Wi-Fi options, toggle between **Automatic Video Recovery** and **Manual Video Recovery**.
- Press ↵ to return to the Tools menu.

Software Updates

[Home](#) > [Security](#) > [Tools](#) > [Advanced](#)

Lyric Gateway

Software updates for the **Gateway** are published periodically. Some updates request user permission in an on-screen window. Press **Accept**, **Yes** or **OK** to install the update.

Certain critical updates are installed automatically. After updates of this type, information about the update is displayed on-screen.

You can see the current version of the **Gateway's** software at [Security > Tools > Advanced > System Information](#).

IMPORTANT

After a new SiX™ series sensor or key fob is enrolled in your system, the new device's software should be updated. This ensures that you are using the most up-to-date version of the software.

Sensor Firmware

Normally, SiX™ Series sensors in your system are updated when the **Gateway's** software is updated.

To initiate sensor firmware update manually:

1. On the **Advanced** menu, press **Update Sensor Firmware**.
2. Press **Start** and follow the instructions on the screen.
3. Press **Stop** when the update is complete.
4. Press ↵ to return to the **Advanced** menu.

Key Fob Firmware (*Wireless Keys*)

SiX™ Series wireless keys:

We recommend that you have the key fob handy so you can work with it as instructed during this procedure.

1. On the **Advanced** menu, press **Update Keyfob Firmware**.
2. Press **Start** and follow the instructions on the screen.
3. Press **Stop** when the update is complete.
4. Press ↵ to return to the **Advanced** menu.

Other types of wireless key:

Ask your installer about updating your system's other wireless keys.

Date / Time

[Home](#) > [Security](#) > [Tools](#) > [Date Time](#)

Gateway's clock and calendar are normally updated via the **Gateway's** network connections.

Use these controls to set date and time manually. Don't forget to specify your time zone and Daylight Savings Time if necessary. Be sure to **Save** your changes.

If **Gateway** is reconnected to the cellular phone network or the Internet, the clock and calendar are updated automatically.

Events

[Home](#) > [Security](#) > [Tools](#) > [Events](#)

The **Gateway** keeps a log of system events such as:

- Arm/Disarm
- Alarm, Trouble and Fault
- Changes in status of Z-Wave devices

The system can save up to 6000 events. When the log is full, the oldest 2000 entries are deleted to make room for logging new events.

Logs can be viewed at the [MyHome Gateway App](#) or [TC](#) or exported in a variety of file formats.

See [Event Log Codes](#) for a list of logged events and how they are displayed.

Viewing Events

1. On the Tools menu, press **Events**. The [MyHome Gateway App Events screen](#) lists all events, sorted chronologically.
2. Press **All** to select different sorting options (**Alarm, Trouble, Bypass, Open or Close or Non-Security**).
3. Select **All** on the list to return to the view of all events.

Exporting Events

1. Display events as above and press **Export Logs**.
2. When prompted, connect a USB storage device.
3. Select a file format. A progress display appears. When export is complete, the previous screen appears.
4. Remove the USB storage device.

Keypad

[Home](#) > [Security](#) > [Tools](#) > [Keypad](#)

This menu displays the MAC ID of mobile devices connected to Gateway via the **Honeywell MyHome Gateway** app.

The MAC ID is listed here when the app is first configured for use with Gateway.

To disconnect a device, touch its listing on the screen and press **Delete**.

The [Gateway MyHome Gateway App](#) requests confirmation; press **Yes** to proceed.

Testing Your System

NOTE: TESTING SHOULD BE PERFORMED WEEKLY.

Before testing, the system should be disarmed and all protected doors and windows closed. The **Home** button should show green.

No alarm messages are sent to your alarm monitoring company during these tests.

Press **Tools** and enter the 4-digit Master User code. Press **Advanced**.

Testing Sensors (Walk Test)

[Home](#) > [Security](#) > [Tools](#) > [Advanced](#) > [Walk Test](#)

Start by pressing **Walk Test**.

The **Gateway**'s internal sounder loudly sounds and **Walk Test - Home to Quit** appears. The **Gateway** then beeps every 30 seconds as a reminder that the system is in Test mode.

Note that Walk Test mode automatically quits after 4 hours.

Doors and Windows Open each protected door and window in turn and listen for three beeps from the **Gateway**. If programmed to do so, each zone's voice descriptor is heard. Identification of protection points with problems should appear on the ~~display~~ **MyHome Gateway App screen**. Notifications of problem zones clear when the door or window is closed.

Motion Sensors Walk in front of each sensor and listen for three beeps and/or voice descriptors.

The device's identification should appear on the display when it is activated. The display clears when no motion is detected.

NOTE: If wireless motion detectors are in use, there is a 3-minute delay between activations, which helps preserve battery life.

Fire/Carbon Monoxide sensors Follow the manufacturer's instructions to test these devices. When a device is activated, its identification should appear on the ~~touch~~ **MyHome Gateway App screen**.

IMPORTANT

When testing smoke detectors, keep the Lyric **Gateway** in test mode for **at least one minute (60 seconds)** after testing the detector to avoid sending unwanted alarm messages to your central station monitoring company.

If there is a problem with any sensor (no confirming sounds, no display), notify your service company.

When all sensors have been checked (and doors and windows closed), no zone identification numbers should be displayed.

Finish by pressing **Home** and entering the Master User code.

Testing Communications

[Home](#) > [Security](#) > [Tools](#) > [Advanced](#) > [Comm. Test](#)

These tests check the system's cellular network and internet (Wi-Fi/Ethernet) connections.

On the Advanced menu, press **Comm. Test**. The options **may** vary with the devices installed in your system. Select the desired option to test connectivity and/or send test messages to the Central Station.

If the test is successful, [the MyHome Gateway App screen](#) displays **Service OK** or **ACK Received**. Details of the test may be shown.

Test Ethernet Checks internet connectivity without sending test messages.

Send Any Sends test messages via all available connections.

Send Cellular Message Sends test messages via cellular network.

Send Ethernet Message Sends test messages via internet.

Finish by pressing **↵** to run a different test or by pressing **Home**. Enter the Master User code if prompted.

Reboot

[Home](#) > [Security](#) > [Tools](#) > [Advanced](#) > [Reboot](#)

Press **Reboot** to restart the [Gateway](#) if required. The system requests confirmation (“**Are You Sure?**”). Press **Yes** to proceed.

Maintenance

The Lyric **Gateway** is designed to require little maintenance. However, testing your system is strongly recommended, and regular cleaning is suggested.

- Test the system weekly.
 - Test your system after any alarm occurs.
- See [Testing Your System](#) for more information.

Care and Cleaning

- Do not slam sensor-protected doors or windows.
- Keep dust from accumulating on the **Gateway** and sensors, particularly motion sensors and smoke or carbon monoxide detectors.
- The **Gateway** and sensors should be cleaned carefully with a soft, dry cloth. Do not clean the components with water or any other liquids.

Select **Settings**  on the **MyHome Gateway App** screen.

Press **Clean**. During the 15 second countdown, a soft, damp cloth can be used on the screen without affecting the controls.

NOTE: When the security system is armed, system event notifications will cancel the cleaning mode and return the system to normal operation. When the system is disarmed, only certain notifications will cancel cleaning mode.

Battery Replacement

[Home](#) > [Security](#) > [Tools](#) > [Advanced](#) > [Install Backup Battery](#)

IMPORTANT

Replace the battery pack when the Security menu displays **Low Battery** with no zone number specified.

Use only batteries recommended by the installer or the manufacturer.



Disarm the system before changing the Controller's battery pack.

Remember that you must enter the Master User code for access to the Tools menu.


Gateway Controller

1. Select **Advanced** on the **Tools** menu.
2. Select **Install Backup Battery**. **Gateway** requests confirmation that you want to proceed.
3. Press **Yes** and **leave the battery installation procedure screen open**.
4. *****Need new Procedure***** Open the Controller's case. If wall mounted, hang it from the self-contained hook as shown below.

Need New Graphics




5. Unplug the battery and remove it as seen below.



6. Install the replacement battery; remember to replace the connector inside the battery compartment.

7. Depending on your choice of a standard- or high-capacity replacement battery, position the battery retainer clip as seen below.



8. Close the case and replace the screw shown in Step 4.

9. Return the Controller to its mounting location.

10. Press **OK** on the battery installation procedure screen.

11. The system confirms "Battery successfully installed".

12. Press **OK**. The system returns to the Advanced menu.

13. Press **↶** to return to the previous screen(s).

Sensors


Clear sensor low-battery warnings by entering a user code on the Controller. Follow the sensor's battery replacement instructions.

- NOTES:**
- For SiX™ series smoke sensors, remove the battery and **wait for 2 minutes before installing the replacement battery.** (?)
 - For other SiX™ series sensors and wireless keys, remove the battery and wait about 10 seconds before installing the replacement battery.

Communication Module Replacement


[Home](#) > [Security](#) > [Tools](#) > [Advanced](#) > [Install Cellular Module](#)

Refer to the illustrations below and follow these steps to replace a communication module:



Removing the Bezel

Need New Graphics




Installing the Communication Module

1. With the system not armed, select **Tools** on the Security menu.
2. Enter the 4-digit Master User code.
3. Select **Advanced**.
4. Select **Install Cellular Module**.
Follow the on-screen instructions for changing the module.
5. Press **OK** on the screen in step 4. The system confirms installation.
6. Press **OK**. The system returns to the Advanced menu.
7. Reboot the Controller (see [Reboot](#) for details).

SYSTEM DISPLAY and Buttons


Zone numbers, location and other information may be displayed with status indications. Failure and Trouble indications and panel **Emergency** buttons appear in red.

Home Screen



Control Panel Buttons


Below Touchscreen



On-screen **Emergency** Buttons






















System Status and Security



Features/Various

Icons may appear in red or orange to indicate device status. Problems involving Z-Wave devices are indicated by the Automation icon appearing in gray on the Home screen.



Clean Control Panel		Date/Time		Automation	
Tools		Reminders		Switches	
Users		Voice Command		Thermostats	
Events		Wi-Fi Config		Locks	
Advanced		Slide Show		Garages	
Keypad		Notices		Water Valves	
		Message			

WIRELESS KEYS

Key Assignments

Your wireless keys (key fobs) are set up by your installer. You might wish to write down each button's preprogrammed function in the space below.

- NOTES:
- One or more buttons may have been programmed for **Emergency** function.
 - To activate a button function, press and hold the button for 1-2 seconds.

<p>Button A: _____</p> <p>Button B: _____</p> <p>Button C: _____</p> <p>Button D: _____</p>	<p>5800 Series wireless key</p> 
<p>Button 1: _____</p> <p>Button 2: _____</p> <p>Button 3: _____</p> <p>Button 4: _____</p> <p>Button 8*: _____ <i>(press and hold BOTH buttons to activate)</i></p>	<p>SiX™ Series wireless key</p> 

SIXFOB Wireless Key Status Indications

Press and release any key for system status. Status is indicated by the LEDs at the top of the key fob.

Green LEDs	Red LEDs	Sounder	System Status
Rapid Flash – Alternating about 8-20 seconds, then ON for 3 seconds	Off	Chirp for confirmation	Device Enrollment
Off	ON 2-3 seconds	2 Beeps	System Armed (any mode)
Off	Slow Flash for 2-3 seconds	4 Beeps	Alarm in progress or system in Audible Panic Mode
ON 2-3 seconds	Off	1 Beep	Disarmed, Ready to Arm
Slow Flash for 2-3 seconds	Off	Silent	Disarmed, Not Ready to Arm
Flash once (both LEDs)	Off	Silent	RF Transmission
Off	Off	1 Second beep	Not Hearing from Controller
Rapid Flash for 2 seconds	Off	Silent	Deleting wireless key from system

Event Log Codes

The **Gateway**'s Event Log can record and display as many as 6000 system events. Events are stored locally in the **Gateway**, in chronological order and sent to your monitoring company as needed. When the maximum number of stored events is reached, the oldest 2000 entries are deleted to make room for logging new events.

The type of events that can be recorded is selectable; refer to the **Gateway Installation and Reference Guide**'s Programming section. The Events and CID Codes displayed vary with your system's options. The tables below provide definitions of the events/codes that may be transmitted to the Central Station and/or displayed by the **MyHome Gateway App**.

Note: If the Gateway's backup battery is exhausted after AC power is lost, any system activity occurring after Low Battery notification is not saved. Additionally, the **Gateway** will revert to the status condition as before the low battery notification.

Contact ID [®] Event Log Codes		
CID Code	Definition	Event Log Display
110	Alarm, Fire	Fire
121	Alarm, Duress	Duress
122	Alarm, Silent	Silent
123	Alarm, Audible	Audible
131	Alarm, Perimeter	Perimeter
132	Alarm, Interior	Interior
134	Alarm, Entry/Exit	Entry/Exit
135	Alarm, Day/Night	Day Night
137	Alarm, Tamper	Tamper
145	Expansion Module Tamper	Expansion Module Tamper
146	Silent Burglary	Silent Burglary
150	24-Hour Non-Burglary	24 Hour Non-Burglary
162	Carbon Monoxide Detected	Carbon Monoxide Detected
301	Trouble, AC Loss	AC Loss
302	Trouble, Low System Battery	Low system battery
305	Trouble, System Reset	System Reset
308	System shutdown	System shutdown
316	System Tamper*	System Tamper
341	Trouble, Case Tamper	Cover Tamper
344	Trouble, RF Receiver Jam Detect	RF Jam Detect
350	Long Range Radio Reset	Long Range Radio Reset
353	Trouble, Long Range Radio Transmitter Fault	Comm. Trouble
354	Failure to Communicate Event	Failure to Communicate Event
373	Trouble, Fire Trouble	Fire trouble
374	Trouble, Exit Error Alarm	Exit error alarm
380	Trouble, Sensor	Sensor trouble
381	Trouble, Loss of Supervision RF	Superv Loss-RF
383	Trouble, Sensor Tamper	Sensor Tamper

Continued next page

Contact ID® Event Log Codes

384	RF Low Battery	RF Low Battery
401	Open/Close by User	Arm Away/Disarmed
403	Open/Close Automatic	Automatic O/C (or Scheduled Arming)
406	Cancel	Cancel
407	Remote Arm/Disarm	Remote Arm/Disarm
408	Quick Arm	Quick arm
441	Armed Home	Arm Home/Disarmed
455	Auto-Arm Failed	Auto-arm Failed
459	Recent Close	Recent Closing
461	Wrong Code Entry	Wrong Code Entry
570	Zone/Sensor Bypass	Zone Bypass
601	Manual Trigger Test Report	Manual Trigger Test Report
602	Periodic Test Report	Periodic test report
606	Listen-in to follow	Listen-in to follow
607	Walk Test	Walk Test Mode
623	Event 90% Full	Event Log 90% Full
627	Program Mode Entry	Program mode entry
628	Program Mode Exit	Program mode exit
654	System Inactivity	System Inactivity
655	Reset Master Code	User Code

*If APL is enabled, AlarmNet 360™ will generate a special **comm. fail** message (E316) if it does not hear from a unit within 15 minutes after a delayed alarm is delivered. This message is meant to alert the Central Station that the system has been tampered with and may have been compromised.

Central Station Messages

The following messages are sent by the **controller** internal cellular or WiFi devices for the conditions listed below.

Alarm Condition	Alarm Code	Restore Code
Power On / Reset	E33900950	
Primary Communication Path Supervision	E350C0951	R350C0951
Secondary Communication Path Supervision	E350C0952	R350C0952
Test	55555559	

Glossary

Zone	Specific areas of protection in your home. Sensing devices are assigned to these numbered Zones, with designations such as front door, kitchen window, etc. Zone numbers appear on the display when an alarm or fault occurs.
Disarm	Turns off the security portion of the system. Silences alarms and trouble indicators.
Arm Away	Enables all exterior and interior security protection provided by door and window sensors and motion detectors.
Arm Home	Enables exterior protection; sounds an alarm if protected doors or windows are disturbed. Allows bypassing of selected zones, permitting movement within the home without unwanted alarms.
Arm Custom	Allows authorized users to arm the system with selected zones bypassed or with entry delays disabled.
Quick Arm	Allows household members to arm the system without entering a user code. This feature can only be enabled by an authorized user.
Quick Exit	Allows an outside door to be opened for a set time period. This feature is used for checking the mailbox, retrieving the newspaper, etc.
Bypass	Allows authorized users to exclude selected protection zones when arming the system.
Emergency	Special keys on the controller activate sounders on the premises and optionally send alert messages in various types of emergency. Connection to a central monitoring service is required for outside emergency calls.
Duress	Special code that can be entered into the system instead of a normal user code. Sends a silent call for assistance while the Gateway appears to behave normally. Requires connection to a central monitoring service.
Z-Wave	
Gateway	<p>The primary controller is the main device used to set up and control the Z-Wave network. There can only be one primary controller and it must be used to add/Include or delete/Exclude devices. A primary controller can be a portable device such as a hand-held remote, a permanently mounted control panel, a Z-Wave enabled PC or a Z-Wave enabled Ethernet router/bridge.</p> <p>A secondary controller cannot be used to add or delete devices. If the secondary controller is the same model as the primary, it will have all of the primary's capabilities, but cannot be used to add or delete devices.</p>
Include	Including a device pairs it with the Gateway so the two can communicate. In this document, the term Include is used interchangeably with "Add".
Exclude	When a device is Excluded, it is removed from the system. Excluding the device also removes the network pairing from the device's memory. In this document, the term Exclude is used interchangeably with "Delete".

Important Note: A device must be Excluded before it can be moved to another network or re-Included after a Gateway reset.

Fire/CO Alarm System

Your fire alarm system (if installed) is active 24 hours a day, providing continuous protection. In the event of an emergency, the installed smoke, heat and/or carbon monoxide detectors will automatically activate your security system, triggering a loud, intermittent tone from the touchscreen. The sound alternates with the voice announcement, sounding every 15 seconds. A "FIRE" or "CO" message will appear at your touchscreen and remain on until you silence and clear the alarm display.

In Case of Fire

1. Should you become aware of a fire emergency before your detectors sense the problem, go to the **Gateway** and press the **Emergency** button and then select the Fire icon. The alarm will sound and an alarm will be transmitted to the central station (if programmed to do so).
2. Evacuate all occupants from the premises.
3. If flames and/or smoke are present, leave the premises and notify your local Fire Department immediately.
4. If no flames or smoke are apparent, investigate the cause of the alarm. The zone number of the zone(s) in an alarm condition will appear on the touchscreen.

In Case of Carbon Monoxide Alarm

1. If a high level of carbon monoxide is detected you should evacuate all occupants from the premises and immediately move to a location where fresh air is available, preferably outdoors.
2. From a safe area, contact your central monitoring company for further instructions.

Silencing a Fire/Carbon Monoxide Alarm


1. Silence the alarm by entering the Master User code.
2. To clear the alarm, enter the Master User code again.
3. If the touchscreen indicates a trouble condition after entering the Master User code a second time, check that smoke detectors are not responding to smoke- or heat-producing objects in their vicinity. Should this be the case, eliminate the source of heat or smoke.
4. If this does not remedy the problem, there may still be smoke in the detector. Clear it by fanning the detector for about 30 seconds.
5. When the problem has been corrected, clear the display by entering Master User code again.

National Fire Protection Association Smoke Detector Recommendations

With regard to the number and placement of smoke and heat detectors, we subscribe to the recommendations contained in the National Fire Protection Association's (NFPA) Standard #72 noted below.

Early warning fire detection is best achieved by the installation of fire detection equipment in all rooms and areas of the household. The equipment should be installed as follows: A smoke detector installed outside of each separate sleeping area, in the immediate vicinity of the bedrooms and on each additional story of the family living unit, including basements and excluding crawl spaces and unfinished attics.





In addition, the NFPA recommends that you install heat or smoke detectors in the living room, dining room, bedroom(s), kitchen, hallway(s), attic, furnace room, utility and storage rooms, basements and attached garages.



Emergency Evacuation

Establish and regularly practice a plan of escape in the event of fire. The following steps are recommended by the National Fire Protection Association:

1. Position your detector or your interior and/or exterior sounders so that they can be heard by all occupants.
2. Determine two means of escape from each room. One path of escape should lead to the door that permits normal exit from the building. The other should be an alternative escape, such as a window, should your path to that door be unpassable. Station an escape ladder at such windows if there is a long drop to the ground.
3. Sketch a floor plan of the building. Show windows, doors, stairs and rooftops that can be used to escape. Indicate escape routes for each room. Keep these routes free from obstruction and post copies of the escape routes in every room.
4. Assure that all bedroom doors are shut while you are asleep. This will prevent deadly smoke from entering while you escape.
5. Try the door. If the door is hot, check your alternate escape route. If the door is cool, open it cautiously. Be prepared to slam the door if smoke or heat rushes in.
6. When smoke is present, crawl on the ground. Do not walk upright, since smoke rises and may overcome you. Clearer air is near the floor.
7. Escape quickly; don't panic.
8. Establish a place outdoors, away from your house, where everyone can meet and then take steps to contact the authorities and account for those missing. Choose someone to assure that nobody returns to the house — many die going back.



emerevac

Regulatory Agency Statements

FEDERAL COMMUNICATIONS COMMISSION (FCC) & INDUSTRY CANADA (IC) STATEMENTS

The user shall not make any changes or modifications to the equipment unless authorized by the Installation Instructions or User's Manual. Unauthorized changes or modifications could void the user's authority to operate the equipment.

CLASS B DIGITAL DEVICE STATEMENT

This equipment has been tested to FCC requirements and has been found acceptable for use. The FCC requires the following statement for your information:

This equipment generates and uses radio frequency energy and if not installed and used properly, that is, in strict accordance with the manufacturer's instructions, may cause interference to radio and television reception. It has been type tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Part 15 of FCC Rules, which are designed to provide reasonable protection against such interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- If using an indoor antenna, have a quality outdoor antenna installed.
- Reorient the receiving antenna until interference is reduced or eliminated.
- Move the radio or television receiver away from the receiver/control.
- Move the antenna leads away from any wire runs to the receiver/control.
- Plug the receiver/control into a different outlet so that it and the radio or television receiver are on different branch circuits.
- Consult the dealer or an experienced radio/TV technician for help.

INDUSTRY CANADA CLASS B STATEMENT

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

FCC / IC STATEMENT

This device complies with Part 15 of the FCC Rules, and RSS-210 of Industry Canada. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Cet appareil est conforme à la partie 15 des règles de la FCC & de RSS-210 des Industries Canada. Son fonctionnement est soumis aux conditions suivantes: (1) Cet appareil ne doit pas causer d'interférences nuisibles. (2) Cet appareil doit accepter toute interférence reçue y compris les interférences causant une réception indésirable.

RF EXPOSURE WARNING



The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 7.8 in (20 cm) from all persons and must not be co-located or operated in conjunction with any other transmitter except in accordance with FCC multi-transmitter product procedures.

MISE EN GARDE

Exposition aux Fréquences Radio: L'antenne (s) utilisée pour cet émetteur doit être installée à une distance de séparation d'au moins 7,8 pouces (20 cm) de toutes les personnes.

IMPORTANT NOTE ABOUT EXTERNAL ANTENNAS

If an external cellular radio antenna is used, the antenna may be installed or replaced ONLY by a professional installer.

TO THE INSTALLER

The external antenna must not exceed a maximum directional gain (including cable loss) of 3.2 dBi at 850 MHz and 2.3 dBi at 1900 MHz.

OWNER'S INSURANCE PREMIUM CREDIT REQUEST

This form should be completed and forwarded to your homeowner's insurance carrier for possible premium credit.

A. GENERAL INFORMATION:

Insured's Name and Address: _____

Insurance Company: _____ Policy No.: _____

Lyric Gateway _____ Other _____

Type of Alarm: Burglary Fire Both

Installed by: _____ Serviced by: _____
Name Name

Address Address

B. NOTIFIES (Insert B = Burglary, F = Fire)

Local Sounding Device _____ Police Dept. _____ Fire Dept. _____

Central Station Name: _____
Address: _____
Phone: _____

C. POWERED BY: A.C. with Rechargeable Power Supply

D. TESTING: Quarterly Monthly Weekly Other _____

E. SMOKE DETECTOR LOCATIONS

Furnace Room Kitchen Bedrooms Attic
 Basement Living Room Dining Room Hall

F. BURGLARY DETECTING DEVICE LOCATIONS:

Front Door Basement Door Rear Door All Exterior Doors
 1st Floor Windows All Windows Interior Locations
 All Accessible Openings, Including Skylights, Air Conditioners and Vents

G. ADDITIONAL PERTINENT INFORMATION:

Signature: _____ Date: _____

Limitations of This Alarm System

WARNING!

While this system is an advanced design security system, it does not offer guaranteed protection against burglary or fire or other emergency. Any alarm system, whether commercial or residential, is subject to compromise or failure to warn for a variety of reasons. For example:

- Intruders may gain access through unprotected openings or have the technical sophistication to bypass an alarm sensor or disconnect an alarm warning device.
- Intrusion detectors (e.g. passive infrared detectors), smoke detectors, and many other sensing devices will not work without power. Battery operated devices will not work without batteries, with dead batteries, or if the batteries are not put in properly. Devices powered solely by AC will not work if their AC power supply is cut off for any reason, however briefly.
- Signals sent by wireless transmitters may be blocked or reflected by metal before they reach the alarm receiver. Even if the signal path has been recently checked during a weekly test, blockage can occur if a metal object is moved into the path.
- A user may not be able to reach a **panic** or emergency button quickly enough.
- While smoke detectors have played a key role in reducing residential fire deaths in the United States, they may not activate or provide early warning for a variety of reasons in as many as 35% of all fires, according to data published by the Federal Emergency Management Agency. Some of the reasons smoke detectors used in conjunction with this System may not work are as follows. Smoke detectors may have been improperly installed and positioned. Smoke detectors may not sense fires that start where smoke cannot reach the detectors, such as in chimneys, in walls, or roofs, or on the other side of closed doors. Smoke detectors also may not sense a fire on another level of a residence or building. A second floor detector, for example, may not sense a first floor or basement fire. Moreover, smoke detectors have sensing limitations. No smoke detector can sense every kind of fire every time. In general, detectors may not always warn about fires caused by carelessness and safety hazards like smoking in bed, violent explosions, escaping gas, improper storage of flammable materials, overloaded electrical circuits, children playing with matches, or arson. Depending upon the nature of the fire and/or the locations of the smoke detectors, the detector, even if it operates as anticipated, may not provide sufficient warning to allow all occupants to escape in time to prevent injury or death.
- Passive Infrared Motion Detectors can only detect intrusion within the designed ranges as diagrammed in their installation manual. Passive Infrared Detectors do not provide volumetric area protection. They do create multiple beams of protection, and intrusion can only be detected in unobstructed areas covered by those beams. They cannot detect motion or intrusion that takes place behind walls, ceilings, floors, closed doors, glass partitions, glass doors, or windows. Mechanical tampering, masking, painting or spraying of any material on the mirrors, windows or any part of the optical system can reduce their detection ability. Passive Infrared Detectors sense changes in temperature; however, as the ambient temperature of protected area approaches the temperature range of 90° to 105°F, the detection performance can decrease.
- Alarm warning devices such as sirens, bells or horns may not alert people or wake up sleepers if they are located on the other side of closed or partly open doors. If warning devices sound on a different level of the residence from the bedrooms, then they are less likely to waken or alert people inside the bedrooms. Even persons who are awake may not hear the warning if the alarm is muffled from a stereo, radio, air conditioner or other appliance, or by passing traffic. Finally, alarm warning devices, however loud, may not warn hearing-impaired people or waken deep sleepers.
- Communication paths needed to transmit alarm signals from a premises to a central monitoring station may be out of service or temporarily out of service. Communication paths are also subject to compromise by sophisticated intruders.
- Even if the system responds to the emergency as intended, however, occupants may have insufficient time to protect themselves from the emergency situation. In the case of a monitored alarm system, authorities may not respond appropriately.
- This equipment, like other electrical devices, is subject to component failure. Even though this equipment is designed to last as long as 10 years, the electronic components could fail at any time.

The most common cause of an alarm system not functioning when an intrusion or fire occurs is inadequate maintenance. This alarm system should be tested weekly to make sure all sensors and transmitters are working properly.

Installing an alarm system may make one eligible for lower insurance rates, but an alarm system is not a substitute for insurance. Homeowners, property owners and renters should continue to act prudently in protecting themselves and continue to insure their lives and property.

We continue to develop new and improved protection devices. Users of alarm systems owe it to themselves and their loved ones to learn about these developments.

Your System Information

Your local Honeywell dealer is the person best qualified to service your alarm system. Arranging a program of regular service is advisable.

Security Company/Installer:

Name: _____

Address: _____

Phone: _____

DELAY DURATIONS AND ARMING OPTIONS

Exit Delay time		
Entry Delay time 1		
Entry Delay time 2		
NIGHT HOME enabled zones		
QUICK ARM enabled?	Yes	No

SYSTEM USERS

Keep track of authorized system users in the chart below. This record should be kept secure by the Master User.

User #	User Code	Comment/Description
02 (preset)	Master User	Can add and modify Users. Can add, modify, edit and run all Smart Scenes.
47 (preset)	Guest	The Guest user code can be used to arm the system, but cannot disarm it unless the system was armed using the Guest code.
48 (preset)	Duress	Enter this code if forced to disarm/arm the system under threat. System appears to behave normally, but silently notifies alarm monitoring service.
03		
04		
05		
06		
07		
08		
09		
10		
11		
12		
13		
14		

TWO YEAR LIMITED WARRANTY

Honeywell International Inc., acting through its Security & Communications business ("Seller"), 2 Corporate Center Drive, Melville, New York 11747 warrants its products to be free from defects in materials and workmanship under normal use and service, normal wear and tear excepted, for 24 months from the manufacture date code; provided, however, that in the event the Buyer presents a proper invoice relating to the purchased product and such invoice bears a date later than the manufacture date, then Seller may at its discretion, reflect the warranty period as commencing at invoice date. Except as required by law, this Limited Warranty is only made to Buyer and may not be transferred to any third party. During the applicable warranty period, Seller will repair or replace, at its sole option and as the exclusive remedy hereunder, free of charge, any defective products.

Seller shall have no obligation under this Limited Warranty or otherwise if the product:

- (i) is improperly installed, applied or maintained;
- (ii) installed outside of stated operating parameters, altered or improperly serviced or repaired by anyone other than the Seller/Seller's Authorized Service/Repair Center;
- (iii) damage is caused by outside natural occurrences, such as lightning, power surges, fire, floods, acts of nature, or the like; or
- (iv) defects result from unauthorized modification, misuse, vandalism, alterations of serial numbers, other causes unrelated to defective materials or workmanship, or failures related to batteries of any type used in connection with the products sold hereunder.

Exceptions to Warranty With Respect to Honeywell Products listed below:

Hardwire Contacts and PIRs - Seller warrants parts for hardwire contacts and PIRs in accordance with the terms of the above limited warranty for a period of five (5) years from the manufacture date code.

EXCLUSION OF WARRANTIES, LIMITATION OF LIABILITY

THERE ARE NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. TO THE FULLEST EXTENT PERMITTED BY LAW, IN NO CASE SHALL SELLER BE LIABLE TO ANYONE FOR ANY (i) CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES ARISING OUT OF OR RELATING IN ANY WAY TO THE PRODUCT AND/OR FOR BREACH OF THIS OR ANY OTHER WARRANTY OR CONDITION, EXPRESS OR IMPLIED, OR UPON ANY OTHER BASIS OF LIABILITY WHATSOEVER, EVEN IF THE LOSS OR DAMAGE IS CAUSED BY SELLER'S OWN NEGLIGENCE OR FAULT AND EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES OR DAMAGES. Any product description (whether in writing or made orally by Seller or Seller's agents), specifications, samples, models, bulletin, drawings, diagrams, engineering sheets or similar materials used in connection with the Buyer's order are for the sole purpose of identifying the Seller's products and shall not be construed as an express warranty or condition. Any suggestions by Seller or Seller's agents regarding use, applications, or suitability of the products shall not be construed as an express warranty or condition unless confirmed to be such in writing by Seller. Seller does not represent that the products it sells may not be compromised or circumvented; that the products will prevent any personal injury or property loss by burglary, robbery, fire or otherwise, or that the products will in all cases provide adequate warning or protection. Buyer understands that a properly installed and maintained alarm may only reduce the risk of a burglary, robbery or fire without warning, but it is not insurance or a guarantee that such will not occur or will not cause or lead to personal injury or property loss. CONSEQUENTLY, SELLER SHALL HAVE NO LIABILITY FOR ANY PERSONAL INJURY, PROPERTY DAMAGE OR OTHER LOSS BASED ON ANY CLAIM AT ALL INCLUDING A CLAIM THE PRODUCT FAILED TO GIVE WARNING. However, if Seller is held liable whether directly or indirectly for any loss or damage with respect to the products it sells, regardless of cause or origin, its maximum liability shall not in any case exceed the purchase price of the product, which shall be fixed as liquidated damages and not as a penalty, and shall be the complete and exclusive remedy against the Seller. Should your product become defective during the warranty, please contact your installer to facilitate repair or replacement with Seller pursuant to the terms hereof. Seller reserves the right to replace any defective product under warranty with new, refurbished, or remanufactured product.

For patent information, see www.honeywell.com/patents

Ref: LCP300-L/LCP300-LC



800-21670 10/16 Rev A

Honeywell

2 Corporate Center Drive, Suite 100

P.O. Box 9040, Melville, NY 11747

Copyright © 2016 Honeywell International Inc.

www.honeywell.com/security