



Agency Models: CT60LON, CT60L1N

Table with 7 columns and 4 rows containing regulatory information in multiple languages (English, French, German, Italian, Spanish, Chinese, Japanese).

For body worn operation, this device has been tested and meets the limits regarding human exposure to electromagnetic radiation set forth in related FCC, IC and CE rules, guidelines and standards for use with the following body worn accessory: holster. Use of other accessories may not ensure compliance with the mentioned rules.

802.11 Caution: A Wireless Network Administrator should review the operating restrictions and use with a properly configured access point.

Table with 7 columns and 2 rows containing safety and usage instructions in multiple languages.

Table with 7 columns and 2 rows containing environmental information (RoHS/REACH/ WEEE) in multiple languages.

Warning! To prevent possible hearing damage, do not listen at high volume levels for long periods.

Microwaves The radio in the computer operates on the same frequency band as a microwave oven. Therefore, if you use a microwave within range of the RF terminal you may notice performance degradation in your wireless network.

LED Safety LEDs have been tested and classified as "EXEMPT RISK GROUP" to the Standard: IEC 62471:2006.

Laser Compliance and Precaution Models: CT60 models (CT60-L0N-xxxx0x, CT60-L1N-xxxx0x) with imager 6603SR, 6703SR, 6703HD, 6700SR or 6803FR. Includes a laser warning icon and text in multiple languages.

Laser Compliance and Precaution Models: CT60 models (CT60-L0N-xxCxx1x, CT60-L1N-xxCxx1x) with imager 6603SR, 6703SR, 6703HD or 6700SR. Includes a laser warning icon and text in multiple languages.

Table with 7 columns and 2 rows containing battery safety warnings in multiple languages.

Table with 7 columns and 2 rows containing patent information in multiple languages.



Table with 7 columns and 2 rows containing warranty information in multiple languages.

Table with 7 columns and 2 rows containing multilingual text for document preparation and version control.

North and South America

<p>FC Models: CT60L0N, CT60L1N FCC Part 15 Subpart B Class B This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference. 2. This device must accept any interference received, including interference that may cause undesired operation.</p> <p>This equipment has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:</p> <ul style="list-style-type: none"> • Reorient or relocate the receiving antenna. • Increase the separation between the equipment and receiver. • Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. • Consult the dealer or an experienced radio or television technician for help. <p>If necessary, the user should consult the dealer or an experienced radio/television technician for additional suggestions. Honeywell International Inc. is not responsible for any radio or television interference caused by unauthorized modifications of this equipment or the substitution or attachment of connecting cables and equipment other than those specified by Honeywell International Inc. The correction is the responsibility of the user.</p>	
<p>Models: CT60L0N, CT60L1N Canadian Compliance This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: 1. This device may not cause harmful interference. 2. This device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3 (B) / NMB-3 (B)</p>	<p>Models: CT60L0N, CT60L1N Conformité à la réglementation canadienne Cet appareil est conforme aux normes RSS avec exemption de licence d'Industrie Canada. Son fonctionnement est assujéti aux conditions suivantes: 1. Cet appareil ne doit pas causer de brouillage préjudiciable. 2. Cet appareil doit pouvoir accepter tout brouillage reçu, y compris le brouillage pouvant causer un fonctionnement indésirable. CAN ICES-3 (B) / NMB-3 (B)</p>
<p>Models: CT60L0N, CT60L1N 802.11a Radio Precaution Statements (North America)</p> <ul style="list-style-type: none"> • 802.11a wireless LAN 5150 to 5250 MHz (5.15 to 5.25 GHz) (5 GHz radio channels 36 - 48) is restricted to indoor operations to reduce harmful interference to co-channel Mobile Satellite System (MSS) operations. • The maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall comply with the EIRP limit. • The maximum antenna gain permitted for devices in the band 5725-5850 MHz shall comply with the EIRP limits specified for point-to-point and non-point-to-point operation as appropriate. • Be advised that high-power radars are allocated as primary users (i.e., priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices. 	<p>Models: CT60L0N, CT60L1N 802.11a Énoncé de mise en garde radio (Amérique du Nord)</p> <ul style="list-style-type: none"> • Mise en garde : 802.11a sans fil LAN 5150 à 5250 MHz (5,15 à 5,25 GHz) (fréquences radio 36 à 48 de 5 GHz) est limité aux opérations en intérieur pour réduire les interférences nuisibles aux opérations du système mobile par satellite (MSS) dans le même canal. • Mise en garde : Le gain en puissance d'antenne maximal autorisé pour les périphériques dans les bandes 5250 à 5350 MHz et 5470 à 5725 MHz doit respecter la limite EIRP. • Mise en garde : Le gain en puissance d'antenne maximal autorisé pour les périphériques dans les bandes 5725 à 5850 MHz doit respecter les limites EIRP spécifiées pour les opérations point à point et non point à point le cas échéant. • Mise en garde : Sachez que les radars de haute puissance sont désignés comme utilisateurs principaux (c.-à-d. utilisateurs prioritaires) des bandes 5250 à 5350 MHz et 5650 à 5850 MHz, et que ces radars peuvent causer des interférences ou endommager les périphériques LE-LAN.
<p>This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter, except tested built-in radars.</p>	<p>Cet appareil et son antenne ne doivent pas être situés ou fonctionner en conjonction avec une autre antenne ou un autre émetteur, exception faites des radios intégrées qui ont été testées.</p>
<p>The County Code Selection feature is disabled for products marketed in the US/Canada.</p>	<p>La fonction de sélection de l'indicatif du pays est désactivée pour les produits commercialisés aux États-Unis et au Canada.</p>

<p>Models: CT60L0N, CT60L1N Para su uso en México, la operación de este equipo está sujeta a las siguientes dos condiciones: 1. es posible que este equipo o dispositivo no cause interferencia perjudicial y 2. este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.</p>

<p>Models: CT60L0N, CT60L1N USA, Canada NRTL Safety UL and C-UL listed: UL60950-1 2nd Edition and CSA C22.2 No. 60950-1-07 2nd Edition.</p>	<p>RF Exposure Information (SAR) This mobile phone meets the government's requirements for exposure to radio waves. This phone is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government and Canadian Government.</p> <p>The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC/IC is 1.6W/kg and for Europe 2W/Kg. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output.</p> <p>Model CT60L0N – The highest reported FCC/IC SAR values for head and body-worn accessory use conditions are: 0.6W/kg (1g) and 0.28W/kg (1g).</p> <p>Model CT60L1N – The highest reported FCC/IC SAR values for head, body-worn accessory and simultaneous transmission use conditions are: 0.77W/kg (1g), 1.19W/kg (1g) and 1.59W/kg (1g)</p> <p>Model CT60L0N – The highest reported CE SAR values for head and body-worn accessory use conditions are: 0.2W/kg (10g) and 0.25W/kg (10g).</p> <p>Model CT60L1N – The highest reported CE SAR values for head, body-worn accessory and simultaneous transmission use conditions are: 0.55W/kg (10g), 1.56W/kg (10g) and 1.86W/kg (10g).</p> <p>Model CT60L1N – NCC SAR 標準値 2.0W/kg; 送測値為 0.45 W/kg.</p> <p>While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement.</p> <p>The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of www.fcc.gov/oet/ea/fccid after searching on FCC ID:HD5-CT60L0N, IC:1693B-CT60L0N, FCC ID:HD5-CT60L1N, IC:1693B-CT60L1N.</p>	<p>Informations sur l'exposition RF Ce téléphone mobile respecte les exigences du gouvernement en matière d'exposition aux ondes radio. Ce téléphone est conçu et fabriqué de manière à ne pas dépasser les limites d'émission pour l'exposition à l'énergie de radiofréquence (RF) établies par la Commission fédérale des communications des gouvernements américain et canadien.</p> <p>La norme d'exposition pour les téléphones mobiles sans fil utilise une unité de mesure connue sous le nom de débit d'absorption spécifique ou DAS. La limite du DAS établie par la Commission fédérale des communications/IC est de 1,6W/kg et de 2W/kg pour l'Europe. Bien que le DAS soit déterminé en fonction du plus haut niveau de puissance certifié, le niveau réel du DAS du téléphone en cours d'utilisation peut être nettement inférieur à la valeur maximale. Ceci s'explique par le fait que le téléphone est conçu pour fonctionner à plusieurs niveaux de puissance ainsi que pour utiliser uniquement le puissance requis pour atteindre le réseau. En général, plus vous vous trouvez à proximité d'une antenne de station de base sans fil, plus la puissance de sortie sera faible.</p> <p>Modèle CT60L0N – Les valeurs de DAS IC les plus élevées pour les conditions d'utilisation d'accessoires de tête et de corps sont : 0,6W/kg (1 g) et 0,28W/kg (1g).</p> <p>Modèle CT60L1N – Les valeurs de DAS IC les plus élevées pour les conditions d'utilisation d'accessoires de tête et de corps et de transmission simultanée sont : 0,77W/kg (1g) et 1,19W/kg (1g) et 1,59W/kg (1g).</p>
<p> Caution: If a body worn accessory is not purchased from Honeywell, the accessory must contain no metal and provide a 1.5 cm (0.6 in) space between the device and the body. Use of antennas and accessories not authorized may void the compliance of this product and may result in RF exposures beyond the limits established for this equipment.</p>	<p> Mise en garde : Si un accessoire de corps n'est pas acheté auprès d'Intermec, cet accessoire ne doit contenir aucun métal et garantir un espace de 1,5 cm entre l'appareil et le corps. L'utilisation d'antennes et d'accessoires non autorisés peut annuler la conformité de cet appareil et peut causer une exposition aux RF au-delà des limites établies pour cet équipement.</p>	

<p>Model CT60L1N Hearing Aid Compatibility (HAC) The standard for compatibility of digital wireless devices with hearing aids is set forth in American National Standards Institute (ANSI) standard C63.19. ANSI C63.19 contains these two sets of standards:</p> <ul style="list-style-type: none"> • An "M" rating from M1 to M4 for reduced radio frequency (RF) interference to enable acoustic coupling with hearing aids that do not operate in t-coil mode. • A "T" rating from T1 to T4 to enable inductive coupling with hearing aids operating in t-coil mode. <p>A digital wireless handset is considered hearing aid compatible for acoustic coupling if it meets at least an "M3" rating under the ANSI standard. A digital wireless handset is considered hearing aid compatible for inductive coupling if it meets at least a "T3" rating under the ANSI standard.</p> <p>M-Ratings: Devices rated M3 or M4 meet FCC requirements and are likely to generate less interference with hearing devices than devices that are not labeled. M4 is the superior/higher of the two ratings.</p> <p>T-Ratings: Devices rated T3 or T4 meet FCC requirements and are likely to be more usable with a hearing device's t-coil than unrated devices. T4 is the superior/higher of the two ratings.</p> <p>These ratings are not guaranteed. Results will vary depending on the level of immunity of your hearing device and the degree of your hearing loss. If your hearing device happens to be vulnerable to interference, you may not be able to use a rated device successfully. Trying out the device with your hearing device is the best way to evaluate it for your personal needs.</p> <p>When some wireless devices are used near some hearing devices such as hearing aids and implants, users may detect a buzzing or humming noise. Some hearing devices are more immune than others to this interference noise. Wireless devices may also vary in the amount of interference they generate. The more immune the hearing aid device is, the less likely one is to experience interference noise from the wireless device.</p> <p>Hearing aid devices may also be rated. Adding the ratings of the hearing aid and the device can predict the usability of the two devices together:</p> <ul style="list-style-type: none"> • Any combined rating equal to or greater than six offers the best use. • Any combined rating equal to five is considered normal use. <p>These models have been tested and rated for use with hearing aids for some of the wireless technologies that they use. However, there may be some newer wireless technologies used in these devices that have not been tested yet for use with hearing aids. It is important to try the different features of these devices thoroughly and in different locations, using your hearing aid or cochlear implant, to determine if you hear any interfering noise. Consult your service provider or the manufacturer of the device for information on hearing aid compatibility. If you have questions about return or exchange policies, consult your service provider or device retailer.</p> <p>The following devices are currently offered:</p> <table border="1"> <thead> <tr> <th>Model</th> <th>HAC Rating</th> <th>Air-Interface</th> <th>C63.19 Version</th> </tr> </thead> <tbody> <tr> <td>CT60L1N</td> <td>M4 /T4</td> <td>GSM/WCDMA/CDMA/LTE/WLAN</td> <td>2011</td> </tr> </tbody> </table>	Model	HAC Rating	Air-Interface	C63.19 Version	CT60L1N	M4 /T4	GSM/WCDMA/CDMA/LTE/WLAN	2011	<p>Model CT60L0N Hearing Aid Compatibility (HAC) Consumer Information</p> <p>a. This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. In the battery well of this equipment is a label that contains, among other information, a product identifier in the format US: HD5IPNANCT60L0N. If requested, this number must be provided to the telephone company.</p> <p>b. The telephone company may make changes in its facilities, equipment, operations or procedures that could affect the operation of the equipment. If this happens, the telephone company will provide advance notice in order for you to make necessary modifications to maintain uninterrupted service.</p> <p>c. Should you experience trouble with this equipment, please contact Honeywell International Inc, 13509 South Point Blvd, Ste. 100 Charlotte, NC 28273, Tel: 800-782-4263, regarding repair, or warranty information. If the equipment is causing harm to the telephone network, the telephone company may request that you disconnect the equipment until the problem is resolved.</p> <p>d. Please follow instructions for repairing if any (e.g., battery replacement section); otherwise, do not alternate or repair any parts of device except specified.</p> <p>e. This equipment is hearing aid compatible.</p>
Model	HAC Rating	Air-Interface	C63.19 Version						
CT60L1N	M4 /T4	GSM/WCDMA/CDMA/LTE/WLAN	2011						

<p>Informações ANATEL (Modelos CT60L0N, CT60L1N) Estes equipamentos estão devidamente certificados e homologados pela ANATEL, em conformidade com as Res. 242 e 323. Para maiores informações, consulte o site da ANATEL - www.anatel.gov.br.</p> <p>Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.</p> <p>Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Res. 242/2000 e atende aos requisitos técnicos aplicados, incluindo os limites de exposição da Taxa de Absorção Específica referente a campos elétricos, magnéticos e eletromagnéticos de radiofrequência de acordo com a Resolução 303 e Ato 955.</p> <p>O equipamento deverá ser utilizado a uma distância mínima junto ao corpo de 1.5 cm.</p> <p>Compatibilidade entre carregadores, baterias e acessórios: Os modelos CT60L1N e CT60L0N (Dolphin CT60) serão fornecidos com bateria modelo CT50BTSC, nº de homologação 02616-15-07239. Os modelos CT60L1N e CT60L0N (Dolphin CT60) são compatíveis com os seguintes carregadores / fontes de alimentação: • Carregador modelo ADS-65LSI-12-1 12036E: número de homologação ANATEL 02724-15-05026. Este carregador será comercializado com a seguinte base/doca/periférico: CT50-NB • Carregador modelo ADS-110DL-12-1 120084E: número de homologação ANATEL 02725-15-05026. Este carregador será comercializado com a seguinte base/doca/periférico: CT50-EB, CT50-HB • Carregador modelo PSAL0F-050Q: número de homologação ANATEL 02611-15-04477. Este carregador será comercializado com a seguinte base/doca/periférico: CT50-USB</p>	<p> Modelo: CT60L0N 00501-18-06583</p>	<p> Modelo: CT60L1N 00500-18-06583</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------

Africa, Asia Pacific, Europe, and Middle East

<p>CE Honeywell International Inc. hereby declares that the radio equipment types, non-specific SRD (Models: CT60L0N, CT60L1N) and cellular (Model: CT60L1N), are in compliance with the following directives: • 2014/53/EU Radio Equipment • 2011/65/EU RoHS (Recast) The full text of the EU declaration of conformity is available at the following internet address: www.honeywellaidc.com/compliance. European contact: Honeywell Productivity Solutions BV Lagelandseweg 70 6545CG Nijmegen The Netherlands</p>	<p>CE Honeywell International Inc. déclare par la présente que les types d'équipement radio, SRD non spécifiques (modèles : CT60L0N, CT60L1N) et cellulaires (modèle : CT60L1N) sont conformes aux directives suivantes : • Equipement radio 2014/53/UE • 2011/65/UE – RoHS (Refonte) Le texte intégral de la déclaration de conformité de l'UE est disponible à l'adresse Internet suivante : www.honeywellaidc.com/compliance. Personne-ressource en Europe : Honeywell Productivity Solutions BV Lagelandseweg 70 6545CG Nijmegen Les Pays-Bas</p>	<p>CE Honeywell International Inc. dichiara per la presente que les types d'équipements radioélectriques de faible portée non spécifiques (Modèles : CT60L0N, CT60L1N) et portables (Modèle : CT60L1N) sont conformes aux directives suivantes : • 2014/53/UE Equipement radio • 2011/65/UE RoHS (refonte) Le texte intégral de la déclaration de conformité de l'UE est disponible à l'adresse internet suivante: www.honeywellaidc.com/compliance. Contacto en Europa: Honeywell Productivity Solutions BV Lagelandseweg 70 6545CG Nijmegen Paesi Bassi</p>	<p>CE Honeywell International Inc. dichiara hiermit, dass das nicht näher spezifizierte SRD (Modell: CT60L0N, CT60L1N) und cellulari (Modell: CT60L1N), sono conformi alle seguenti direttive: • Richtlinie 2014/53/EU • 2014/53/UE - Apparecchiature radio • RoHS 2011/65/UE (rifusione) Il testo completo della Dichiarazione di conformità UE è disponibile al seguente indirizzo Internet: www.honeywellaidc.com/compliance. Contatto in Europa: Honeywell Productivity Solutions BV Lagelandseweg 70 6545CG Nijmegen Paesi Bassi</p>	<p>CE Honeywell International Inc. declara que los tipos de equipo de radio, dispositivos de corto alcance (SRD) no específicos (modelos: CT60L0N, CT60L1N) y móviles (modelo: CT60L1N), cumplen con las directivas siguientes: • 2014/53/UE sobre equipos de radio • 2011/65/UE RoHS (Refundida) El texto completo de la declaración de conformidad de la UE está disponible en la siguiente dirección de internet: www.honeywellaidc.com/compliance. Contacto europeo: Honeywell Productivity Solutions BV Lagelandseweg 70 6545CG Nijmegen Países Bajos</p>	<p>CE Honeywell International Inc. declara que los tipos de equipo de radio, SRD no específicos (modelos: CT60L0N, CT60L1N) y celulares (modelo: CT60L1N), son conforme a las siguientes directivas: • Normativa 2014/53/UE sobre equipos radioeléctricos • 2011/65/UE RoHS (Reformulada) El texto completo de la declaración de conformidad UE está disponible en la siguiente dirección de internet: www.honeywellaidc.com/compliance. Contacto europeo: Honeywell Productivity Solutions BV Lagelandseweg 70 6545CG Nijmegen Países Bajos</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Bu donanım, Avrupa Birliği ülkelerinin tümünde kullanılabilir.

Çalışma Frekans Aralıkları:

Modeller: CT60L0N, CT60L1N

- 13 - 14 MHz (NFC): -16,54 dBµA/m EIRP
- 2400 - 2483,5 MHz (PAN Bluetooth): 7,64 dBm EIRP
- 2400 - 2483,5 MHz (Bluetooth Düşük Enerji): 1,42 dBm EIRP
- 2400 - 2483,5 MHz (WLAN IEEE 802.11b/g/n): 17,62 dBm EIRP
- 5150 - 5350 MHz, 5470 - 5725 MHz ve 5725 - 5850 MHz (WLAN/RLAN IEEE 802.11a/n/ac): 16,98 dBm ve 13,93 dBm (5G B4) EIRP

Model: CT60L1N

- 1710-1785 / 1805 - 1880 MHz (LTE Band 3, Tx/Rx), 2500 - 2570 / 2620 - 2690 MHz (LTE Band 7, Tx/Rx), 832 - 862 / 791 - 821 MHz (LTE Band 20, Tx/Rx): 23 dBm
- 880 - 915 / 925 - 960 MHz (UMTS 900 Bant, Tx/Rx), 1920 - 1980 / 2110 - 2170 MHz (UMTS 2100 Bant, Tx/Rx): 24 dBm
- 880 - 915 / 925 - 960 MHz (GSM/EGPRS GSM 900 Bant, Tx/Rx): 33 dBm
- 1710 - 1785 / 1805 - 1880 MHz (GSM/EGPRS DCS 1800 Bant, Tx/Rx): 30 dBm

Kısıtlamalar (Revizyon ERC / REC 70-03 E 2017-02, Ek 3 Bant A: 2400 - 2483,5 MHz)	
AZ	İç mekanlarda ve 30 mW'ı aşmayan güç kullanıldığında lisans gerekli değildir.
IT	Kamu kullanımı, ilgili hizmet sağlayıcısı tarafından genel izne tabidir.
RU	FHSS modülasyonu SRD <ul style="list-style-type: none">• Maksimum 2,5 mW EIRP.• Maksimum 100 mW EIRP. Kurulum yüksekliğinde kısıtlama olmaksızın dış mekan uygulamaları için SRD kullanımına yalnızca otomatik izleme ve kaynak hesaplama sistemleri için telemetri bilgileri toplamak amacıyla izin verilir. Yalnızca kurulum yüksekliği zemin yüzeyinden maksimum 10 m yukarıda olduğunda dış mekan uygulamalarında diğer amaçlar için SRD kullanımına izin verilir.• Maksimum 100 mW EIRP. İç mekan uygulamaları. FHSS geniş bant modülasyonu dışında DSSS SRD <ul style="list-style-type: none">• Maksimum ortalama EIRP yoğunluğu 2 mW/MHz'dir. Maksimum 100 mW EIRP.• Maksimum ortalama EIRP yoğunluğu 20 mW/MHz'dir. Maksimum 100 mW EIRP. Dış mekan uygulamaları için yalnızca otomatik izleme ve kaynak hesaplama sistemleri veya güvenlik sistemleri için telemetri bilgileri toplamak amacıyla SRD kullanımına izin verilir.• Maksimum ortalama EIRP yoğunluğu 10 mW/MHz'dir. Maksimum 100 mW EIRP. İç mekan uygulamaları.
UA	EIRP = 100 mW, amplifikasyon faktörü 6 dB'ye kadar olan dahili anten ile.





802.11a/b/g/n/ac, Bluetooth ve NFC

Avrupa Birliği Kısıtlamaları: 5150-5350 MHz sadece kapalı alanda kullanım içindir.

	AT	BE	BG	HR	CY	CZ	DK	EE	FI	FR	DE	GR	HU	IS	IE	IT
LV																
LT																
LU																
MT																
NL																
NO																
PL																
PT																
RO																
SK																
SI																
ES																
SE																
CH																
GB																
											RU		RS		TR	


Kısıtlamalar (Revizyon ERC / REC 70-03 E 2017-02, Ek 13 Bant E1: 5150 - 5350 MHz, Bant E2: 5470 - 5725 MHz)	
AZ	İç mekanlarda ve 30 mW'ı aşmayan güç kullanıldığında lisans gerekli değildir.

Kısıtlamalar (Revizyon ERC / REC 70-03 E 2017-02, Ek 9 Bant J2: 13553-13567 kHz):	
AZ	Uygulanmadı veya bilgi yok.
BY	Uygulanmadı.
GE	Uygulanmadı.
RU	Maksimum manyetik alan kuvveti 10 m'de +42 dBµA/m'dir.
UA	Radyatörün yerleştirildiği bir yapıdan 10 m mesafedeki manyetik alanın azami gücü 42 dBµA/m'dir.

Model CT60L0N	Thailand	Model CT60L0N	Models CT60L0N, CT60L1N	Model CT60L0N	Model CT60L0N
אסור להחליף את האנטנה המקורית של המכשיר, ולא אסור לעשות בו כל שינוי טכני אחר. מספר אישור אלוטיו של משרד התקשורת: 51-21216	This telecommunication equipment conforms to the requirements of the National Telecommunications Commission.	Connection and use of this communications equipment is permitted by the Nigerian Communications Commission.	Complies with IMDA Standards DA102905	 No.: ESD-1816265C	 Registered No: ER60491/18 Dealer No: DA45282/15
				 No.: ESD-GEC-1804803	 Registered No: ER62597/18 Dealer No: DA45282/15

模塊 CT60L0N, CT60L1N 準

If the following label is attached to your product, the product meets Taiwan agency approval:



BSMI Standard: CNS13438, CNS13436
依據標準: CNS13438, CNS13436

依據標準: 低功率射頻電機技術規範: LP0002 NCC standard: Low power frequency electric machineries technical standard: LP0002 根據低功率管理辦法規定: 第十二條 經型式認證合格之低功率射頻電機, 非經許可, 公司、商號或消費者均不得擅自變更頻率, 加大功率或變更原設計之特性及功能。第十四條 低功率射頻電機之使用不得影響飛航安全及干擾合法通信; 經發現有干擾現象時, 應立即停用, 並改善至無干擾時方得繼續使用。前項合法通信, 指依電信規定作業之無線電通信。低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。無線資訊傳輸設備必須具備安全功能, 以保護未經授權之一方任意更改軟體操作而導致射頻操作於非經認證之頻率、輸出功率、調變形式或其他射頻參數設定。無線資訊傳輸設備應避免影響附近雷達系統之操作。減少電磁波影響, 請妥適使用。

本產品 (CT60L0N) 支援 WiFi/Bluetooth/NFC。
本產品 (CT60L1N) 支援 GSM/WCDMA/CDMA/LTE/WiFi/Bluetooth/NFC。

此為甲類資訊技術設備, 於居住環境中使用時, 可能會造成射頻擾動, 在此種情況下, 使用者會被要求採取某些適當的對策。

漢威聯合股份有限公司 / 台北市中和區連城路 168 號 10 樓

台灣 RoHS 網頁限用物質含有情況資訊, 請依下列步驟操作:
1. 網頁連結: www.honeywellaidc.com/Taiwan-RoHS
2. 限用物質含有情況資訊表格是以產品型號命名的, 找到對應產品型號為首的超連結, 單擊即可以打開



型号 (Model) : CT60L0N, CT60L1N 产品中有害物质的名称及含量 (Names and Content of Hazardous Substances in the Product)						
部件名称 (Parts Name)	有害物质 (Hazardous Substance)					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6+)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
金属部件 (Metal parts)	o	o	o	o	o	o
电路模块 (Circuit module)	x	o	o	o	o	o
电缆组件 (Cable assembly)	o	o	o	o	o	o
塑料和聚合物部件 (Plastic and polymer parts)	o	o	o	o	o	o
光学组件 (Optical components)	o	o	o	o	o	o

本表格依据 SJ/T 11364 的规定编制。(The table is created in accordance to SJ/T 11364.)
o: 表示该有害物质在该部件所有均质材料中的含量均在 GB/T 26572 标准规定的限量要求以下。(Indicates that this hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement in China's GB/T 26572.)
x: 表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 标准规定的限量要求。(Indicates that this hazardous substance contained in at least one of the homogeneous materials for this part is above the limit requirement in China's GB/T 26572.)

注意: 用户不可以随意将操作系统更换成其它类别的操作系统, 操作系统的更新需要从目前设备上所安装 OS 的供应商得到许可。 警告: 禁止拆解、撞击、挤压、或投入火中。若出现严重鼓胀, 请勿继续使用。请勿置于高温环境中。电池浸水后禁止使用!

Models Marked as Certified for Use in Hazardous Environments

Dolphin CT60 Non-Incendive (NI) Versions Only Equipment Intended for Use in Potentially Explosive Atmospheres Models: CT60L0N (CT60-L0N-xxCxx1F) and CT60L1N (CT60-L1N-xxCxx1F)	
 Warning: Explosion Hazard - Substitution of components may impair suitability for Class I, II, III Division 2 locations.	 Avertissement : Risque d' explosion - Le remplacement de composants risque de compromettre l'adaptation du produit aux sites de division 2 catégorie I, II, III.
The following information is only relevant for Dolphin CT60 Non-Incendive (NI) mobile computer models (CT60L0N-xxCxx1F, CT60L1N-xxCxx1F). Equipment intended for use in potentially explosive atmospheres is identifiable by specific labeling on the device that verifies non-incendive certification.	
US/Canada Class I, Division 2, Groups A,B,C, and D Class II, Division 2, Groups F and G Class III, Division 2, Hazardous locations. Temperature class T4A Ambient operating range -20°C to 50°C USA: ANSI/ISA 12.12.01:2015 Canada: CSA C22.2 No 213-M1987 (R2013), CSA C22.2 No 157-92	

Equipment Intended for Use in Potentially Explosive Atmospheres Models: CT60L0N (CT60-L0N-xxCxx1E, CT60-L0N-xxCxx1M, CT60-L0N-xxCxx1N) and CT60L1N (CT60-L1N-xxCxx1E, CT60-L1N-xxCxx1M, CT60-L1N-xxCxx1N) that are marked for use in hazardous locations
The following information is only relevant for Dolphin CT60 Mobile Computers for use in hazardous locations (CT60-L0N-xxCxx1E, CT60-L1N-xxCxx1E). The model (item) number for the terminal is located on a label affixed to the bottom of the battery well. Note: Equipment intended for use in potentially explosive atmospheres are identifiable by specific labeling located on the back of the device.
ATEX Directive This product conforms with the requirement of ATEX directive. The ATEX Directive 2014/34/EU is a European CE Mark directive concerning products that are designed for use in potentially explosive environments. Approved for zone 2, device group II, explosion group IIC (explosive gases, vapors or mist), temperature class T4. Approved for zone 22, device group III, explosion group IIIB (combustible flying, non-conductive dust, Flour, Grain, and chemicals), maximum Temperature 135°C.  II 3G Ex ic op IIC T4 Gc IP64  II 3D Ex ic op IIIB T135°C Dc IP64 -20°C<Tamb<50°C EN 60079-11:2012, EN 60079-0:2018, EN 60079-28:2015
IECEX This product conforms with the requirement of IECEX scheme. The IECEX is a system that provides an internationally accepted means of proving compliance with IEC standards for the products that are designed for use in potentially explosive environments. Approved for zone 2, device group II, explosion group IIC (explosive gases, vapors or mist), temperature class T4. Approved for zone 22, device group III, explosion group IIIB (combustible flying, non-conductive dust, Flour, Grain, and chemicals), maximum Temperature 135°C. II 3G Ex ic op IIC T4 Gc IP64 II 3D Ex ic op IIIB T135°C Dc IP64 -20°C<Tamb<50°C IEC 60079-0:2017, IEC 60079-11:2011, IEC 60079-28:2015

Korea Models CT60L0N, CT60L1N	Taiwan Models CT60L0N, CT60L1N
 KTL 20-KA4B0-0366X KTL 20-KA4B0-0367X	 TD0400R7