Appendix A Regulatory Notices and Safety Information

FCC Information:

This device complies with FCC Rules, part 15. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference and
- 2. This device must accept any interference, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction guide, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Warning: Changes or modifications to this device not expressly approved by LXE, Inc., could void the user's authority to operate this equipment.

Industry Canada:

This Class A digital apparatus meets all requirements of the Canadian Interference Causing Equipment Regulations. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Cet appareil numérique de la classe A respecte toutes les exigences du Règlement sur le matériel brouiller du Canada. Le present appareil numérique n'emet pas de bruits radioélectriques dépassant les limites applicables aux appareils numeriques de le Classe A préscrites dans le Reglement sur le brouillage radioélectrique édits par le ministere des Communications du Canada.

RF Safety Notice





This device is intended to transmit RF energy. For protection against excessive RF exposure to humans and in accordance with FCC and Industry Canada rules, this transmitter should be installed such that a minimum separation distance of at least 25cm (9.8 in.) is maintained between the antenna and the general population. This device is not to be co-located with other transmitters.

Notice:

The long term characteristics or the possible physiological effects of radio frequency electromagnetic fields have not been investigated by UL.

Antenna Description:

The antenna approved to operate with the RX2 Vehicle Mount Computer is a Right Hand, Circularly Polarized (RHCP) single-patch with 5dbi linear gain.

24 Approvals

Approvals

Product	EMI / EMC Standards
RX2	FCC Part 15 Subpart B, Class A
	Industry Canada Class A

Transceiver:

Transceiver	RF Standards	Notes
6726 (LXE Model No.) [Cisco]	FCC Part 15, Subpart C FCC Part 2	Unlicensed Operation
	IC-RSS 210	Requires License for Outdoor Use
	IC-RSS 102	
4830 (LXE Model No.)	FCC Part 15, Subpart C	Unlicensed Operation
LXE 2.4GHz CF with Type II PCMCIA Adapter Card	IC-RSS 210 IC-RSS 102	Requires License for Outdoor Use
RFID Reader (Sirit)	FCC Part 15, Subpart C	Unlicensed Operation
	IC-RSS 210 IC RSS 102	Requires License for Outdoor Use



Important: This symbol is placed on the product to remind users to dispose of Waste Electrical and Electronic Equipment (WEEE) appropriately, per Directive 2002-96-EC. In most areas, this product can be recycled, reclaimed and re-used when properly discarded. Do not discard labeled units with trash. For information about proper disposal, contact LXE through your local sales representative, or visit www lxe com.



Vehicle Power Supply Connection Safety Statement



Vehicle Power Supply Connection:

If the supply connection is made directly to the battery, a 2A slow-blow fuse should be installed in the positive lead within 5 inches (12.7 cm.) of the battery positive (+) terminal. (US)

Legend: English – US Updated 02/10/2004

RX2 User's Guide E-EQ-RX2OGWW-B